

0/2
34/17
REPORT ON

**CONSTRUCTION OF PROPOSED GIRL'S HIGH SCHOOL
AT
PALIGANJ, PATNA**

Submitted to

✓
**CHIEF ENGINEER
MANAGING DIRECTOR
BSEIDC, PATNA.**

SHAMVWI CONSULTANT

414, Jagat Trade Centre,
Fraser Road, Patna – 800 001.

Tel. : 0612 – 6621223, 2366308, 2365145

Fax : 0612 - 2239464

Mobile: +91 9835218184, +91 8986215718.

PREFACE

The present report on sub-soil investigation was carried out as per Chief Engineer, B.S.E.I.D.C, Patna 'letter no TFM/1080/2016-9324 dated 01.10.2016, and letter from Secretary, BCD, Patna Bihar bearing number 8-257/05/2030 building dated 21.04.06.

The entire investigation process was broadly divided into two category –one field work and second was laboratory work.

Field work includes conducting SPT ,Dynamic cone test, collection of disturbed as well as undisturbed soil samples from different location and different depth of sub-soil strata.

It was tried to get information from local people to get an idea about variation of water table during different season of year and also to get first hand information about type of foundation usually provided in the locality.

We thanks Prof. M.P.Jakhanwal ,M.Tech ,Ph.D. ,Muzaffarpur Institute of Technology, Muzaffarpur for his valuable advice during laboratory test and during preparation of report.

Client's help is gratefully acknowledged in providing Bore hole locations, cooperation and guidance during finalization of report.

We belief that the present report will serve the purpose, for which sub-soil investigation has been carried out.


ANIL KUMAR SARIAR

Partner, Shamvvi Consultant

CONTENTS

SL.NO.	INDEX	PAGE NO.
1.	INTRODUCTION	1
2.	TOPOGRAPHY	1
3.	FIELD WORK	1
	3.1 BORING	1
	3.2 SAMPLING	2
4.	LABORATORY TEST	2-3
	4.1 SAMPLE EXTRACTION & PREPARATION OF TEST	3
	4.2 ROUTINE CLASSIFICATION TESTS	3
5.	PRESENTATION OF TEST RESULT	3
6.	METHOD FOR CALCULATION OF ALLOWABLE BEARING CAPACITY	2-4
	6.1 COHESIVE SOIL	2-3
	6.2 SOIL WITH VALUE OF C & Φ	3-4
7.	METHOD FOR CALCULATION OF CAPACITY OF PLANE REAM PILE	4
	7.1 PLANE PILE IN COHESIVE SOIL	4
8.	RECOMMENDATION	22-23

CONTENTS

TABLE NO.	CONTENTS	PAGE NO.
2-7	RESULTS OF DIFFERENT LABORATORY TESTS, FIELD TESTS & BORE HOLES DETAILS	6-11
8	SOIL STRATIFICATION	22

LIST OF FIGURE / GRAPHS

SL. NO.	CONTENTS	PAGE NO.
1.	BORE HOLE LOCATION PLAN	5
2.	TRIAXIAL /DIRECT TEST RESULTS GRAPH (MOHR'S CIRCLE)	12-14
3.	BORE LOG AND SPT GRAPH	15-17
4.	GRAIN SIZE DISTRIBUTION CURVE	19-20

REPORT ON SUB-SOIL INVESTIGATION FOR THE CONSTRUCTION OF PROPOSED GIRL'S HIGH SCHOOL, PALIGANJ, PATNA.

1. INTRODUCTION

The objective of subsoil investigation reported here in, were taken up, to find out the nature of subsoil at the site of the proposed construction and to recommend the type or types of foundation suitable for it and the corresponding allowable bearing capacity.

The necessary field tests were carried out at the site. Soil samples from various depths in the different bore holes were collected, transported, carefully to the laboratory and tested to determine the engineering properties of the soil.

Based on the test results, certain recommendation were made and given in this report, regarding the type of foundation suitable for the proposed project and the allowable bearing capacity for certain sizes thereof.

2. TOPOGRAPHY

The land in question was even.

3. FIELD WORK

The field work consists of boring, soil sampling and conduct of Standard penetration tests and Dynamic cone penetration tests.

3.1 BORING

An appropriate number of boreholes of adequate depth were sunk at suitable spots as per direction of Engineer-in-charge. The details of the boreholes are given in table-1.

Table 1: Details of bore holes

DIAMETER OF BORE MM	DEPTH M	BORE HOLE
150	10.5	3 Bore Holes (BH-1 to BH-3)

The borings were kept dry while advancing through partially saturated soil. The position of water table in a borehole was recorded at least 48 hours after the stopping of the boring operation.

For boring below ground water level, the borehole was kept filled with water upto that level during boring.

3.2 SAMPLING

Undisturbed & disturbed samples were collected at different depth/where change of strata occurred. Identification slips were provided both inside and outside the tube.

On arrival in laboratory, the identification slips were checked against the boring and sampling records.

Samples were extracted from the tubes just before testing.

3.3 STANDARD PENETRATION TEST

This test was performed in the boreholes at interval of depth of 1.5m, or at the change of strata/ as per IS: 2131 of 1963.

3.4 DYNAMIC CONE PENETRATION TEST

This test was performed when a bore hole could not be advanced to desired depth due to caving- in of the soil, or when it was felt necessary to supplement the information gained from SPT. This test was performed, as per

GIRL'S HIGH SCHOOL, PALIGANJ, PATNA

relevant IS code till high value of penetration resistance was encountered or till desired depth of investigation was reached, at which stage the test was stopped.

4. LABORATORY TEST

Lab. Test was performed to determine the following properties of soil samples as per relevant I.S. code.

- (a) Natural moisture content.
- (b) Bulk density.
- (c) Atterberg's limits (on fine grained soil only)
- (d) Grain size analysis.
- (e) Specific gravity.
- (f) Shear test.
- (i) Unconfined/triaxial compression tests for fine-grained soils.
- (ii) Direct shear test for coarse-grained soils.
- (g) Consolidation tests for fine grained soils.
- (h) Organic content, chemical test etc.
- (i) pH of soil and water.
- (j) Free swell Index
- (k) Crushing strength test (uniaxial)

4.1 SAMPLE EXTRACTION & PREPARATION OF TEST SPECIMENS

Samples for different tests were prepared as per method described in relevant IS code/as per method described in standard book.

4.2 ROUTINE CLASSIFICATION TESTS.

Tests for the determination of natural moisture content, bulk density, Atterberg's limit, grain size distribution and specific gravity were performed as per IS code on representative disturbed soil samples, wherever felt necessary. The results were used in classifying the soils of different strata as per IS code 1498-1970.

5.0 PRESENTATION OF TEST RESULT

Results were presented in table form on the following pages.

6.0 METHOD FOR CALCULATION OF ALLOWABLE BEARING CAPACITY

6.1 COHESIVE SOIL

Net ultimate bearing capacity was calculated as per IS-6403-1981.

$$q_d = c N_c S_c D_c I_c$$

q_d = net ultimate bearing capacity

$$N_c = 5.14$$

$S_c = 1$ for strip footing

$$D_c = 1 + 0.2 \cdot D/B$$

$I_c = 1$ for vertical loading

c = cohesion obtained through unconfined compression test for depth of $2B/3$ below the foundation.

GIRL'S HIGH SCHOOL, PALIGANJ, PATNA

Settlement criteria

$$S = H / (1 + e_0) * C_c * \log((p_0 + p_1) / p_0)$$

S = settlement

H = thickness of compressible layer

e_0 = initial void ratio

p_0 = initial effective pressure

p_1 = pressure increment

C_c = compression index

6.2 Soil with the value of c & θ

Net ultimate bearing capacity was calculated as per IS 6403-1981

$$Q_d = c N_c S_c D_c I_c + q (N_q - 1) S_q D_q I_q + 0.5 R^* B N_r^* S_r^* D_r^* I_r^* w'$$

For local shear failure

$$\tan \theta' = 0.67 * \tan \theta$$

$$C' = 2 * c / 3$$

$S_c = S_q = S_r = 1$ for strip footing

$$D_c = 1 + 0.2 * (D/B) * \tan(45 + \theta/2)$$

$I_c = I_q = I_r = 1$ for vertical loading

$$D_q = D_r = 1 + 0.1 * (D/B) * \tan(45 + \theta/2)$$

$$q = (R - R_w) * D$$

M = moisture content

R = bulk density of soil

R_w = unit weight of water

L.L. = liquid limit

P.L. = plastic limit

S.L. = shrinkage limit

D = depth below ground level

Settlement criteria

The net allowable bearing capacity for a permissible settlement of 25mm, was obtained by

GIRL'S HIGH SCHOOL, PALIGANJ, PATNA

teng's formula

$$Q_{na} = 3.5 \cdot (N-3) \cdot \left\{ \frac{B+0.3}{2} \cdot B \right\} \cdot \left\{ \frac{B+0.3}{2} \cdot B \right\} \cdot w' \cdot F_d$$

N = corrected N

$$F_d = 1 + D/B \quad \text{less than or equal to } 2$$

7.0 METHOD FOR CALCULATION OF CAPACITY OF CAST-IN-SITU PLANE PILE AS PER BIS 2911 Part I/Sec 2-1979

7.1 COHESIVE SOIL

Net ultimate bearing capacity of pile is given by :

$$Q = A_p \cdot N_c \cdot C_p + a \cdot C \cdot A_s$$

A_p = cross sectional area of pile toe in cm²

N_c = Bearing capacity factor usually taken as 9

C_p = average cohesion at pile tip in Kg/cm

a = reduction factor

C = average cohesion throughout the length of pile in kg/cm²

A_s = surface area of pile shaft in cm²

8.0 METHOD FOR CALCULATION OF CAPACITY OF CAST-IN-SITU PLANE PILE AS PER BIS 2911 Part III-1980

8.1 COHESIVE SOIL

Net ultimate bearing capacity of pile is given by :

$$Q = A_p \cdot N_c \cdot C_p + A_a \cdot N_c \cdot C'_a + C'_a \cdot A_s' + \alpha \cdot C_a \cdot A_s$$

A_p = cross sectional area of pile toe in cm²

N_c = Bearing capacity factor usually taken as 9

C_p = cohesion of soil around toe.

α = reduction factor

$$A_a = \pi \cdot (D_u^2 - D^2) / 4$$

C'_a = average cohesion around under ream

D_u = dia of under-ream, D = dia of pile


A_s = surface area of pile shaft in cm²

A_s' = surface area of stem


A_s = surface area of the cylinder circumscribing the under ream.

Bikram Pali Road

24m



Birla High School Paligony Patna



22.02.17
Kumar

209

SHAMVI CONSULTANTS
 474 J.T.C., PHASE
 R ROAD, PATNA

NAME OF PROJECT : SOIL INVESTIGATION FOR CONSTRUCTION OF PROPOSED CONSTRUCTION OF GIRL'S HIGH SCHOOL AT PALIGANJ, PATNA

BORING DATES : 22.02.2017
 START : 22.02.2017
 FINISH : 22.02.2017

TERMINATION : DEPTH : 10.5M
 WATER TABLE : DEPTH : 1.50M

TABLE NO 2
 BORE HOLE NO : BH1

SAMPLE NO	DEPTH OF SAMPLE	OBSERVED VALUE	CORRECTED VALUE	STANDARD PENETRATION RESISTANCE CURVE	VISUAL DESCRIPTION OF SOIL WITH B.S. CLASSIFICATION	GRAIN SIZE ANALYSIS				ATTERBERG'S LIMITS			DENSITY		NATURAL MOISTURE CONTENT (%)	SPECIFIC GRAVITY	TYPE OF TEST	SHEAR TEST				UNCONFINED COMPRESSION TEST, q_u	COEFFICIENT OF VOLUME COMPRESSIBILITY M_v		
						GRAVEL (%)	SAND (%)	SILT (%)	CLAY (%)	LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX	BULK DENSITY (gm/cm^3)	DRY DENSITY (gm/cm^3)				COHESION c (kg/cm^2)	ANGLE OF FRICTION IN DEGREE	VOID RATIO e_o	COMPRESSION INDEX C_c				
DS	G.L.																								
UDS 1																									
SPT1	1.5	5			Brownish Sandy Silt SC/ML	0.0	51.20	48.8		32	26	6	1.97	1.66	18.9	2.70	UUT	0.2	24.0						
UDS 2					Brownish Sandy Silt SC/ML	1.9	42.70	55.4		32	26	6	1.97	1.66	18.7	2.64									
SPT2	3	11																							
UDS 3					Brownish Sandy Silt SC/ML																				
SPT3	4.5	15								35	25	10	1.98	1.62	22.6	2.64	UUT	0.2	24.0						
UDS 4					Reddish Silty Clay CI																				
SPT4	6	19								41	23	18	1.99	1.60	24.2	2.70	UUT	0.6	17.0	0.76	0.12				

UUT : UNCONSOLIDATED UNDRAINED TRIAXIAL SHEAR TEST
 UCT : UNCONFINED COMPRESSION SHEAR TEST
 DST : DIRECT SHEAR TEST

UDS : UNDISTURBED SAMPLE
 UDS : UNDISTURBED SAMPLE

SPT : STANDARD PENETRATION TEST VALUE

NOTES : CONSOLIDATION TEST RESULTS ARE FOR THE LOADING RANGE OF 5.0-10.0 t/m^2

SHAMWVI CONSULTANTS 414J.T.C,FRASE R ROAD, PATNA		NAME OF PROJECT - SOIL INVESTIGATION FOR CONSTRUCTION OF PROPOSED CONSTRUCTION OF GIRL'S HIGH SCHOOL AT PALIGANJ PATNA											TABLE NO.3																	
BORING DATES		TERMINATION DEPTH :10.5M		BORING START :22.02.2017		WATER TABLE DEPTH :1.50M		BORING FINISH :22.02.2017				BORE HOLE NO :BH1																		
SAMPLE NO	DEPTH OF SAMPLE	SPT BLOWS PER 30 CM	STANDARD PENETRATION RESISTANCE CURVE		GRAIN SIZE ANALYSIS	ATTERBERG'S LIMITS			DENSITY			SHEAR TEST			UNCONFINED COMPRESSION TEST 'q' kg/cm ²	COEFFICIENT OF VOLUME COMPRESSIBILITY M _v cm ³ /kg														
			5	10		20	LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX	BULK DENSITY (gm/cm ³)	DRY DENSITY (gm/cm ³)	NATURAL MOISTURE CONTENT (%)	SPECIFIC GRAVITY	TYPE OF TEST			COHESION 'c' (kg/cm ²)	ANGLE OF FRICTION IN DEGREE	VOID RATIO 'e'	COMPRESSION INDEX 'C _c										
UDS 5																														
SPT5 7.5	22								0.30	10.30	89.4	41	23	18	1.99	1.62	22.8	2.70	2.70	UUT	0.6	17.0								
UDS 6																														
SPT6 9.0	24								0.80	10.10	89.1	41	23	18	1.99	1.62	23.2	2.70	2.70	UUT	0.6	17.0								
UDS 7																														
SPT7 10.5	21								0.80	10.80	88.4	41	23	18	1.99	1.62	23.1	2.70	2.70	UUT	0.6	17.0								
		UUT : UNCONSOLIDATED UNDRAINED TRIAXIAL SHEAR															DST : DIRECT SHEAR TEST													
I SAMPLE SLIPED ~			TEST ON REMOULDED SAMPLE						TEST ON UNDISTURBED SAMPLE						SPT : STANDARD PENETRATION TEST VALUE															
NOTES : CONSOLIDATION TEST RESULTS ARE FOR THE LOADING RANGE OF 5.0-10.0 t/m ²																														

SHAMVVI CONSULTANTS 414J T.C. FRASE R. ROAD, PATNA		NAME OF PROJECT : SOIL INVESTIGATION FOR CONSTRUCTION OF PROPOSED CONSTRUCTION OF GIRL'S HIGH SCHOOL AT PALIGANJ, PATNA										BORING DATES START : 23.02.2017 FINISH : 23.02.2017		TERMINATION DEPTH : 10.5M WATER TABLE DEPTH : 1.50M		TABLE NO 4 BORE HOLE NO : BH2										
SAMPLE NO	DEPTH OF SAMPLE	OBSERVED VALUE	CORRECTED VALUE	STANDARD PENETRATION RESISTANCE CURVE		VISUAL DESCRIPTION OF SOIL WITH B.S. CLASSIFICATION	GRAIN SIZE ANALYSIS				ATTERBERGS LIMITS		DENSITY		NATURAL MOISTURE CONTENT (%)		SPECIFIC GRAVITY	TYPE OF TEST	SHEAR TEST			UNCONFINED COMPRESSION TEST, q	COEFFICIENT OF VOLUME COMPRESSIONITY, M _v			
				5	10		20	GRAVEL (%)	SAND (%)	SILT (%)	CLAY (%)	LIQUID LIMIT	PLASTIC LIMIT	BULK DENSITY (gm/cm ³)	DRY DENSITY (gm/cm ³)	VOID RATIO e ₀			ANGLE OF FRICTION IN DEGREE	COHESION c (kg/cm ²)	COMPRESSION INDEX C _c					
DS	GL																									
UDS 1																										
SPT1	1.5	7					0.0	49.80	50.2			32	26	6	1.97	1.66	18.6	2.70		UUT	0.2	24.0				
UDS 2																										
SPT2	3	12					2.1	43.20	54.7			32	26	6	1.97	1.64	19.9	2.64								
UDS 3																										
SPT3	4.5	12					1.3	38.20	60.5			35	25	10	1.98	1.60	23.5	2.64		UUT	0.2	24.0				
UDS 4																										
SPT4	6	18					0.7	7.10	92.2			41	23	18	1.99	1.60	24.2	2.70		UUT	0.6	17.0				
UUT : UNCONSOLIDATED UNDRAINED TRIAXIAL SHEAR TEST		UCT : UNCONFINED COMPRESSION SHEAR TEST										DST : DIRECT SHEAR TEST														
! SAMPLE SLIPPED ~ TEST ON REMOULDED SAMPLE		UDS : UNDISTURBED SAMPLE										SPT : STANDARD PENETRATION TEST VALUE														
NOTES : CONSOLIDATION TEST RESULTS ARE FOR THE LOADING RANGE OF 5.0-10.0 t/m ²																										


SHAWWI CONSULTANTS 414J T C FRASE R ROAD, PATNA		NAME OF PROJECT - SOIL INVESTIGATION FOR CONSTRUCTION OF PROPOSED CONSTRUCTION OF GIRL'S HIGH SCHOOL AT PALIGANJ, PATNA					BORING DATES START 23.02.2017 FINISH 23.02.2017		TERMINATION DEPTH 10.5M WATER TABLE DEPTH 1.50M		TABLE NO 5																							
SAMPLE NO	DEPTH OF SAMPLE	SPT BLOWS PER 30 CM		STANDARD PENETRATION RESISTANCE CURVE					VISUAL DESCRIPTION OF SOIL WITH B.S. CLASSIFICATION	GRAIN SIZE ANALYSIS				ATTERBERG'S LIMITS			DENSITY			SHEAR TEST			CONSISTENCY LIMITS			UNCONFINED COMPRESSION TEST q _u kg/cm ²	COEFFICIENT OF VOLUME COMPRESSIONIBILITY M _v cm ³ /kg							
		OBSERVED VALUE	CORRECTED VALUE	GRAVEL (%)	SAND (%)	SILT (%)	CLAY (%)	LIQUID LIMIT		PLASTIC LIMIT	PLASTICITY INDEX	BULK DENSITY (gm/cm ³)	DRY DENSITY (gm/cm ³)	NATURAL MOISTURE CONTENT (%)	SPECIFIC GRAVITY	TYPE OF TEST	COHESION c (kg/cm ²)	ANGLE OF FRICTION IN DEGREE	VOID RATIO e _{ov}	COMPRESSION INDEX C _c														
UDS 5																																		
SPT5	7.5	17		5	10	20		0.50	10.90	88.6		41	23	18	1.99	1.62	22.5	2.70	UUT	0.6	17.0													
UDS 6																																		
SPT6	9.0	24						0.90	10.90	88.2		41	23	18	1.99	1.61	23.4	2.70																
UDS 7																																		
SPT7	10.5	22						0.80	11.10	88.1		41	23	18	1.99	1.62	23.1	2.70	UUT	0.6	17.0													
		UUT : UNCONSOLIDATED UNDRAINED TRIAXIAL SHEAR TEST		UCT : UNCONFINED COMPRESSION SHEAR TEST															DST : DIRECT SHEAR TEST															
		1 SAMPLE SLIPPED ~ TEST ON REMOULDED SAMPLE		UDS : UNDISTURBED SAMPLE																												SPT : STANDARD PENETRATION TEST VALUE		

NOTES : CONSOLIDATION TEST RESULTS ARE FOR THE LOADING RANGE OF 5.0-10.0 t/m²










SHAMVVI CONSULTANTS 414J T.C., FRASE R ROAD, PATNA		NAME OF PROJECT : SOIL INVESTIGATION FOR CONSTRUCTION OF PROPOSED CONSTRUCTION OF GIRL'S HIGH SCHOOL AT PALIGANJ, PATNA										BORING DATES START : 24.02.2017 FINISH : 24.02.2017		TERMINATION DEPTH : 10.5M WATER TABLE DEPTH : 1.50M		TABLE NO:6 BORE HOLE NO : BH3																	
SAMPLE NO	DEPTH OF SAMPLE	OBSERVED VALUE	CORRECTED VALUE	STANDARD PENETRATION RESISTANCE CURVE				GRAIN SIZE ANALYSIS	ATTERBERG'S LIMITS			DENSITY		SHEAR TEST		CONSISTENCY LIMITS		UNCONFINED COMPRESSION TEST, q	COEFFICIENT OF VOLUME COMPRESSIONITY M _v														
				5	10	20	GRAVEL (%)		SAND (%)	SILT (%)	CLAY (%)	LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX	BULK DENSITY (gm/cm ³)	DRY DENSITY (gm/cm ³)	TYPE OF TEST			COHESION c (kg/cm ²)	ANGLE OF FRICTION IN DEGREE	VOID RATIO e ₀	COMPRESSION INDEX C _c										
DS	GL																																
UDS 1																																	
SPT1	1.5	6						0.1	51.20	48.7			32	26	6	1.97	1.64	19.8	2.70	UUT	0.2	24.0											
UDS 2																																	
SPT2	3	10						1.7	42.90	55.4			32	26	6	1.97	1.64	19.8	2.64														
UDS 3																																	
SPT3	4.5	14						1.4	39.40	59.2			35	25	10	1.98	1.61	22.9	2.64	UUT	0.2	24.0											
UDS 4																																	
SPT4	6	16						0.5	6.90	92.6			41	23	18	1.99	1.62	23.2	2.70	UUT	0.6	17.0											
UUT : UNCONSOLIDATED UNDRAINED TRIAXIAL SHEAR TEST		UUT : UNCONFINED COMPRESSION SHEAR TEST																			DST : DIRECT SHEAR TEST												
! SAMPLE SLIPPED ~ TEST ON REMOULDED SAMPLE		UDS : UNDISTURBED SAMPLE																			SPT : STANDARD PENETRATION TEST VALUE												
NOTES : CONSOLIDATION TEST RESULTS ARE FOR THE LOADING RANGE OF 5.0-10.0 t/m ²																																	

SHAMVVI CONSULTANTS 414, T.C., FRASE R ROAD, PATNA		NAME OF PROJECT : SOIL INVESTIGATION FOR CONSTRUCTION OF PROPOSED CONSTRUCTION OF GIRL'S HIGH SCHOOL AT PALIGANJ, PATNA										BORING DATES START : 24.02.2017 FINISH : 24.02.2017		TERMINATION DEPTH : 10.5M WATER TABLE DEPTH : 1.50M		TABLE NO.7 BORE HOLE NO BH3																		
SAMPLE NO	DEPTH OF SAMPLE	OBSERVED VALUE	CORRECTED VALUE	STANDARD PENETRATION RESISTANCE CURVE			VISUAL DESCRIPTION OF SOIL WITH B.S. CLASSIFICATION	GRAIN SIZE ANALYSIS				ATTERBERG'S LIMITS			DENSITY			SHEAR TEST				UNCONFINED COMPRESSION TEST, q_u (kg/cm ²)	COEFFICIENT OF VOLUME COMPRESSION m_v (cm ³ /kg)											
				5	10	20		GRAVEL (%)	SAND (%)	SILT (%)	CLAY (%)	LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX	BULK DENSITY (gm/cm ³)	DRY DENSITY (gm/cm ³)	NATURAL MOISTURE CONTENT (%)	SPECIFIC GRAVITY	TYPE OF TEST	COHESION c (kg/cm ²)	ANGLE OF FRICTION IN DEGREE			VOID RATIO e_o	COMPRESSION INDEX C_c									
UDS 5							Reddish Silty Clay CI	0.80	11.20	88.0		41	23	18	1.99	1.63	22.1	2.70	UUT	0.6	17.0													
SPT5 7.5	20						Reddish Silty Clay CI	0.70	11.10	88.2		41	23	18	1.99	1.60	24.3	2.70																
UDS 6							Reddish Silty Clay CI																											
SPT6 9.0	24						Reddish Silty Clay CI																											
UDS 7							Reddish Silty Clay CI																											
SPT7 10.5	23						Reddish Silty Clay CI	0.80	10.80	88.4		41	23	18	1.99	1.62	22.9	2.70	UUT	0.6	17.0													
UUT : UNCONSOLIDATED UNDRAINED TRIAXIAL SHEAR TEST				UCT : UNCONFINED COMPRESSION SHEAR TEST														DST : DIRECT SHEAR TEST																
1 SAMPLE SLIPPED		~ TEST ON REMOULDED SAMPLE		UDS : UNDISTURBED SAMPLE														SPT : STANDARD PENETRATION TEST VALUE																
NOTES : CONSOLIDATION TEST RESULTS ARE FOR THE LOADING RANGE OF 5.0-10.0 t/m ²																																		










TRIAxIAL/DIRECT TEST RESULT





TRIAxIAL/DIRECT TEST RESULT



TRIAxIAL/DIRECT TEST RESULT



BORE LOG AND DEPTH ~ SPT GRAPH




BORE LOG

BH1


BORE LOG AND DEPTH ~ SPT GRAPH

SPT VALUE →



SANDY SILT SC/ML



SILTY CLAY CI










BORE LOG








BH2








BORE LOG AND DEPTH ~ SPT GRAPH



BORE LOG
BH3







Calculation of Net safe Bearing Capacity for Strip Footing

Table 1 BEARING CAPACITY FACTORS AS PER IS 6403 : 1981

Angle of shearing resistance of soil, phi	Nc	Nq	Ny	
0	5.14	1	0	
5	6.49	1.57	0.45	
10	8.35	2.47	1.22	
15	10.98	3.94	2.65	
20	14.83	6.4	5.39	
25	20.72	10.66	10.88	
30	30.14	18.4	22.4	
35	46.12	33.3	48.03	
40	75.31	64.2	109.41	
45	138.88	134.88	271.76	
50	266.89	319.07	762.89	
Depth of footing below GL in meter, D=	1.5			
Width of footing in meter, B=	1.5			
Effective depth of soil formation contributing	2.5			
Average cohesion of soil mobilised in ton/m ² =	1.30			
unit weight of soil in ton/m ² , y=	1.97			
Angle of shearing resistance of soil, phi, in degree =	16.00	Corresponding Nc/N'c= 11.75	Corresponding Nq/N'q= 4.43	Corresponding Ny/N'y= 3.20
Effective Angle of shearing resistance of soil, phi, in degree	16.00	Corresponding Nc/N'c= 11.75	Corresponding Nq/N'q= 4.43	Corresponding Ny/N'y= 3.20
Depth factor, dc=	1.27	$dc=1+0.2*(Df/B)*\tan(45+\phi/2)$		
Depth factor, dq=	1.13	$dq=1+0.1*(Df/B)*\tan(45+\phi/2)$ if phi >10 otherwise dq=1		
Depth factor, dy=	1.13	$dy=1+0.1*(Df/B)*\tan(45+\phi/2)$ if phi >10 otherwise dy=1		
effective surcharge at base level of foundation, q=yD	1.5	q=yD		
Q1 ton/m ² =	12.93	$Q1=(2/3)*c*N'c*dc$		
Q2 ton/m ² =	5.81385	$Q2=q*(N'q-1)*dq$		
Q3 ton/m ² =	1.32	$Q3=(1/2)*B*y*N'y*dy$ W'		
ultimate bearing capacity Q ton/m ² =	20.06385	Q=Q1+Q2+Q3		
Factor of safety, F.S. =	2.5			
Net Safe Bearing Capacity in ton/m ² q=	8	q=Q1/F.S.		

Table 10

SOIL STRATIFICATION

DEPTH	SOIL TYPE	CONSISTANCY	CLASSIFICATION
0-5.0	SANDY SILT	MEDIUM	SC/ML
5.0 10.5	SILTY CLAY	MEDIUM	CI

Water table has been found at 1.5m depth below GL as reported in February'2017.

RECOMMENDATION

The present report is prepared on the basis of lab. Test result & field test conducted in the field. The lab. Test result is obtained by conducting different test on representative sample obtained through 3 no. of bore holes whose location and depth were decided by Engineer-in-charge of the department and shown in the bore hole location plan. These Boreholes are marked as BH1 to BH3.

The laboratory test of soil samples obtained in all bore holes are given in Tables 2-7. Study of these tables reveals :

(a) Top 5.5m is dominated by Sandy silt soil. It is followed by silty clay.

Therefore, foundation should be placed at 1.5m or beyond the ground level. Both, shallow as well as deep, foundations are feasible.

By way of example the calculated value of safe capacity of certain type and size of Shallow foundation are being tabulated below: -

Shallow foundation

Depth below GL(m)	Width of foundation (m)	Allowable bearing capacity (t/m ²)	Maximum expected settlement(mm)
1.5	1.5	8.0	60
2.0	2	9.0	60

GIRL'S HIGH SCHOOL, PALIGANJ, PATNA

By way of example the calculated value of safe capacity of certain type and size of under-reamed piles are being tabulated below: -

Double under-reamed Pile

Depth of Pile below GL(m)	Dia of under-reamed Pile (m)	Under-reamed dia (m)	Allowable Capacity (ton)
9.0	0.3	0.75	22.0
	0.4	1.0	30.0

Limitation

If the sub-soil condition is found much different from those reported here during trenching, suitable steps should be taken. Back filling over footing shall be done with proper compaction. Pile capacity shall be confirmed by Initial and Routine pile load test as per relevant Indian codes.


ANIL KUMAR SARIAR

Partner Shamvwi consultant