Schedule XLV-Form No. 61 Nork-Construction of Block.
Resource Centre, Katoria, Banka. (SL No. - 92)

BIHAR PUBLIC WORKS DEPARTMENT

ITEM RATE TENDER AND CONTRACT FOR WORKS

Agreement No. General Rule and Direction for the guidance of Contractors.

1. All works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer.

This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours.

- 2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so.
- 3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm.
- 4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender.

5. The amount of earnest money to be deposited will be : -	Rs.			
If the amount of the estimate does not exceed Rs. 2,000	711		50)
If the amount of the estimate exceeds Rs. 2,000 but does				
not exceed Rs. 5,000		* 10	100)
If the amount of the estimate exceeds Rs. 5,000 but does				
not exceed Rs. 10,000			200)
For each additional Rs. 5,000 or portion of Rs. 5.000				102/11/19
additional earnest money	1.00		100	1
B				

6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration n the work specified in the said form of invitation tenders, or which contain any othen conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompanied by the treasury challan for the required earnest money will be liable to rejection. No single tender shall include more than one work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the envelop Claim of the work to which they refer written outside the envelop Claim of the work to which they refer written outside the envelop Claim of the work to which they refer written outside the envelop Claim of the work to which they refer written outside the envelop Claim of the work to which they refer written outside the envelop Claim of the work to which they refer written outside the envelop Claim of the work to which they refer written outside the envelop Claim of the work to which they refer written outside the envelop Claim of the work to which they refer written outside the envelop Claim of the work to which they refer written outside the envelop Claim of the work to which they refer written outside the envelop Claim of the work to which they refer written outside the envelop Claim of the work to which they refer written outside the envelop Claim of the work to which they refer written outside the envelop Claim of the work to which they refer written outside the envelop Claim of the work to which they refer written outside the envelop of the work to which they are the work to whic enclosed with the tender.

16/1/17

anka

memorandum at d in accodance in ubjects to the accordance with,

Commencement of

EN MONTHS

7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.

8. The Engineer shall have the right of rejecting all or any of the tenders.

9. In the event of a tender being selected for acceptance the Engineer who opened the tenders ill, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the priscribed time. The tender with the specification and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to the tenderer.

10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.

11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required an only of the security money has been deposited the Engineer shall scrutinise all pages of the form of item, rate, tender & contract for works to see that the form has been properly filled up and signed by the contractor & the eigenature witnessed He shall then if he is competent, to accept the tender, sign the acceptance of the iterater or in the is not so competent shall send the form for signature of the acceptance of the officer competent to accept it.

Mant Kumar Single

(3) 2

TENDER FOR WORKS

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

MEMORANDUM

(a) If several sub-work are cluded they should be ained in a separate list.

(b) This deposit will be 5% the estimated cost of the

(c) This percentage duction from bills will be credited to the contractors security deposit.

Item No.

[a] Name of work

[b] Estimated cost

[c] Earnest money

Initial security deposits (including earnest money) to be deposited befor the commencement of the work

[e] Percentage to be deducted from bills Rs. 5% (Rupees five percent)

[g] Date of written other to commence

Item of work

[h] Total number of item of work tendered for

RATE TENDERED

Infigures Inwords Infigures Inwords Chief Engineer B.S.E.I.D.C. Ltd, Patna 110. 16701

on Ltd.

Banka

n memorandum at and in accodance in Subjects to the accordance with,

ie Commencement of

EEN MONTHS

Per

eer Patna

Schedule XLV - Form No. 61

(5)

n Ltd.

No.	Item of work		CONTRACTOR OF THE PARTY OF THE	Per	Kanka
		In figures In words	The state of the s	Banka	
					n memorandum at and in accodance in Subjects to the accordance with,
					Amount (Rs.)
				•	
					he Commencement
					TEEN MONTHS
					The Basene men
					neer d, Patna

Schedule XLV - Form No. 61 (6) RATE TENDERED Item No. Item of work Per In figures In words

hedule XLV - Form No. 61

7)

n No.	Item of work	RATE TE	NDERED	Dos	
11140.	Assets a second work	In figures	In words	Per	
y ip to	Salar Sa		· 福州 (1885年) (2011年)		
	A CANADA STATE OF THE STATE OF				
			St. ad T. Common St.		
			AM batter		
		g for Caracher Fil			
	1. A to to ko		in the state of th		
			Page training		
		amari, ak		especial de spiesso o	
	taring at the comment of the comment	and the rather r	Managara a		
			to be seen and the		
		14000 1000	differences that is		
		6 3000 best \$25.5	Charge State		
			resident of the second		
		District of			
	the will be a light will live any box	demonstration (Nahara and Andrews		
		Sharahada - 1	THE STATE OF THE STATE OF		
			Although the second		
				here was contained and	
1					
		distribution of the child	anes, a compe		
		(4.00)			
	Luces make the second of the second				
	A STATE OF THE STA	19 17 19 19 NO. 10	dite te te te te		
			urs 7	Charles A-his house	
SHE IS	efficient and the same teachers and		ADV ATTEMPT OF THE STATE OF THE		
	The second of the second of the second	Service and a committee	a salar s		
	Land X		100000000000000000000000000000000000000		
11	A STATE OF THE STA				
75341	Chief Eags 6.5.E.I.D.C. I I		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
C. Fe	17.0.0.13.8.8		7632.11	AS STARTE	

n Ltd.

lanka

n memorandum at nd in accodance in Subjects to the accordance with,

he Commencement of

FEEN MONTHS

ineer td, Patna day of

should this tender be accepted I/we hereby agree to abide by and fulfill all the terms and provisions of the said conditions of contract annexed hereto so, for as applicable, or in ssors in office the sums of money mentioned in the said conditions

Dated the

*Signature, of contractor before comission of tender 20 Rouget terms
P.C. colony Siprery witness
Patrol. Address
Controller Occupation

Signature of witness to contractor's signature

The above tender is hereby accepted by me on behalf of the Governor of Biha.

Dated the day of 20

signature of the officer accepting the tende.

Acceptances communicated on 05-10-2016.

signature of the party



Compensation

CONDITIONS OF CONTRACT

The work should not be considered until such date as the Executive Engineer shall certify as the date on which the work is finished after necessary rectification of defects as pointed by the Executive Engineer or his authorised agents are fully contractor to the Engineer's satisfaction.

Clause 2:- The time allowed for carrying out the work as entered in the tende shall be strictly observed by the contractor and shall be reckoned from the date on which the wirtten order to comence work is given to the contractor. The work shall throughout the stipulated period of the contract be carried on with all due diligence (time being deemed to be the essence of the contract on the part of the contract or) and the contractor shall pay as compensation an amount equal to ½ percent on the amount of the estimated cost of the whole work as shown by the tender for every day that the work remains uncommenced or unfinished after the proper date And further to ensure good progress during the execution of the work the contracto shall be bound in all cases in which the time allowed for any work exceeds one month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before onehalf of such time elapsed and three-fourths of the work, before three fourths of such time has elapsed in the event of the contractor failing to employ with this condition I shall be liable to pay as compensation an amount equal to ½ percent on the said estimated cost of the whole work for every day that the due quantity of work remains incomplete provided always that the entire amount of compensation to be paid under the provisions the clause shall not exceed 10 percent of the estimated cost of the work as shown in the tender.

Action when **persnle** security deposit foreited

Clause 3:- In any case which under any clause or clauses of or this contract the contractor shall have rendered himself laible to pay compensation amounting to the whole of his security deposit in the hands of Government (where paid in one sum or deducted by instalments) the Executive Engineer or behalf on the Bihar Government shall have been powered to adopt any of the following courses, as he may deem best suited to the enterest of Government -

(a) To rescind the contract (of which rescind notice in writing to the contractor which case the hand of the Executive Engineer shall be contractor and in which case the sectitiry deposit of the contractor shall start for the partial be absolutely at the disposal of Government.

Man J Kumar Sing b solutely at the disposal of Government.

(b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debitting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in -charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.

(c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original contractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4: - In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Engineer as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

Clause 5:- If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) he shall apply in writing to the Executive Engineer within 40 days from the date of starting of the hinderance on account of which be desires such extension as aforesaid and the Executive Engineer shall, if in his opinion (which shall be final) reasonable grounds be shown thereof authorised guch extension of time, if any, as may in his opinion be necessary or proper. The Executive Engineer shall at the same time inform the contractor whether he claims component the dolar.

Claims compensation for the delay.

Mount Kuman bing h

n Ltd.

Banka

n memorandum at ind in accodance in Subjects to the accordance with,

contractor remains liable to pay compensation if action not take under cause 2.

the Commencement of

TEEN MONTHS

Power to take posession of or require removal of or sell contractor plant.

gineer Ltd, Patna Chouchen Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion, but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinctly marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-work, doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurements shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus materials and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid, except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Stores supplied Government

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible, before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-in-charge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts or in any other way vary or affect the contract.

• Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Clause 9:- If the specification or estimate of the work provides for the use of any special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-incharge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums then du become due to the contractor under the contract or otherwise, or ag security deposit, or the proceed of sale thereof, if the same is held in covernment the same or sufficient portion thereof in this case sold for the purpose M. K. ENTURAL to the contractor shall remain the absolute property not on any accounts he removed from this site of the work and shall

Many Kumar shof

21/an 16/01 (11)

inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: - The contractor shall executive the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid.

Clause 11:- Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a disputes the decision of the superintending Engineer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month Rate for work no in accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period.

Clause 12:- If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out. the Engineer-in-charge shall give notice in writing of the laction the contractor who shall have no claim to any payment of compensation whatsoever account of any profit or advantage, which he might have derived from the execution of the work in full, but which he did not derive in consequence of the full am Chief the work in in or restriction of not having been carried out neither shall he have any claim for compensation by Galasta, Pattner carried out of any alternation travers Been made in the original specification, drawing, designs and instruction which shall involve any installment of the work as project w contemplated clause 12 (a) 18 90 taine 011 6 0 1929 dated 11.9.56

n Ltd.

3anka

n memorandum at and in accodance in Subjects to the accordance with,

Work to be executed accordance with specification drawing other etc.

Alteration in specifications and designation

he Commencement of

Do not in validate contract

TEEN MONTHS

Time in consequence of

estimate or schedule of rates of the district.

td. Patna

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such failure is due to :-

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as finally by the contractor.

Action and compensation payable in case of work

Clause 13:- If it shall appear to the Engineer-in-charge or his subordinate incharge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall on demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-incharge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be, at the risk and expense in all respects of the contractcor.

Work to be taken to inspection

Clause 14:-All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineerin-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be present.

Clause 15:- The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which the same was effected.

Notice to be taken before work covered up

Clause 16:- If the contractor or his work-people, or servants shall break, deface injure or destroy any part of a building in which they may be working or any building. road, road curves, fence enclosure water pipes, cables, drains, electric of telephone posts or wires, trees, grass or grassland or cultivated ground control on which the work or any part of it is being executed or if any damage shall happen to the the work or any part of it is being executed or if any damage shall happen to the same with the case of a road-work after a certificate final or other of its completion shall have been then by the Engineer-in-charge

Many Kumargingh

16/6/17

(13) 7

as a fore seal, the contractor shall make the same good at his own expense, or in default, the Engineer-in-charge may cause the same to be made be good by other worksmen and deduct the expense of which time thereafter may become due to the contractor, or from his security deposit, or the proceed of sale there of, or of a sufficient and after certificate portion there of the security deposit at the contractor shall not be refunded before the expiry of three months (six months in the case of a road-work) after the issue of the certificate final or otherwise of completion of work provided that in the case of a road work if in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable after three months of the issue of the said certificate of completion

Clause 17:- The contractor shall supply at his own cost all materials (except such special materials) if any as may in accordance with the contract be supplied from the Engineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, tackle scaffolding and temporary works requisits or proper for the proper execution of the work whether original, altered or substituted and whether include in the specification or other documents forming part of the contract or referred to in these conditions or not or which may be necessary for purpose of satisfying or complying with the requirement of the Engineer-in-charge as to any matter as to which under these conditions he is entitled to be satisfied which he is entitled to require together with carriage therefore to and form the work. The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting, weighing and assisting in the measurement or examination at any time and form time to time of the work or materials failing his so doing the same may be Provided by the Engineer-in-charge at the expense of the contractor and the expenses may be deducted from any money due to the contractor under the contract from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide all necessary fencing and lights required to protect the public from accident, and shall be bound to bear to expenses of defence of every suit action or other proceeding at law that may be brought by any person for injury sustained owing to neglect of the above precautions and to any such person or which may with the consent of the contractor be paid to compromise any claim by any such person.

Clause 18: - No female labour shall be employed within the limits of contonment. The contractor shall not employ for the purpose of his contract any person who is below the age of twelve years and shall pay to each labour for the work done by such labourer wages not less than the wages paid for similar work in the neighbourhood.

The executive Engineer shall have the right to enquire into the case and decide any complaint alleging that the wages paid by the contractor to any labourer for the work done by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer employed by contractor is below the age of twelve years and to refuse to allow any labourer whom he decided to be below the age of twelve years to be employed by the

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his contract, or attempt so to do, or become insolvent proceedings to make any composition with his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward or advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, or offered by the contractor, or any of his servant or agents to any public officer or person in the employ of Government in any way relating to his officer or employment or if any such officer or person shall become in any way directly or indirectly interested in the contract the Executive Engineer may there upon by notice in writing rescind the contr The security deposit of the contractor shall there upon stand forfeited and be absolute at the disposal of Government and the same consequence shall ensure as if the had been recinded under clause 3 here of, in addition the contractor shall not to record or be paid to any work therefore actually performed the work therefore actually performed the under

Mound Kumar Singh

Contractor liable for damage done and for imperfection a months

Contractor to supply to plantladder scaffolding

And is liable for damage arising for non-provision of light fencing etc.

Work not to be subject

Contract may be resinded and security deposit forfelted for subletting bribes or if contractor become

on Ltd.

Banka

en memorandum at and in accodance in Subjects to the n accordance with,

the Commencement of

TEEN MONTHS

such payable by way of compensation to be considered reasonable compensation without reference to actual loss

Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained.

Clause 21:- In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this information.

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal of Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer

Clause 22 :- All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23: - In case any dispute or difference shall arise between the parties or either of there upon any question relating to the meaning of the specifications, designs, drawings and instructions here before mentioned or as to the quality of workmanship or materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, or any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions or otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof or as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

(a) Clause 24 :- When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items or work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-incharge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineerin-charge shall be final and conclusive against the contractor with regard to any sum payable to him under the provision of this clause.

where specificaiton.

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Definition of works

Clause 26 :- The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to such construction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered, substituted or additional.

Clause 27:- The terms and conditions of the agreement have been read/explained a release surger stand themcertify..... to me and ..

Witness?

NE 全体心理

(15)

Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied

Particulars	will be cha	h the materia rged to the actor		Place of delivery		
	Unit	Rs.	P.			
	catality desired		hi da			
	agreement that he					
	remodern .					
	4		resource of			
A,		-84, 1584	74550			
ri,	Appropriation of the					
			100			
	100					
			3			
	Child season of the		77 (28) 163	atacherine and the east of the a		
	- Cherry 2 5/4/10					
	Samuel and the		120.0 / 3			
	The second of the					
			2002			
	TORREST TO					
		•				
	1					

on Ltd.

Banka

en memorandum at and in accodance in Subjects to the n accordance with,

the Commencement of

TEEN MONTHS

Note: The person or firm submitting the tender should see that the rates in the filied up by the Engineer-in-charge on the issue of the form prior to the submission of the tender.

Marry Kumar Singh (Signature of Contrator)

Chief Engineer (Sprotent) Fixedutide Protection

Ltd, Patna

Sch com side pens . Chief Engineer B.S.E.I.D.C. Ltd. Fama

Bihar State Educational Infrastructure Development Corporation Ltd.

AGREEMENT for Construction of Block Resource Centre at Katoria, Banka

TENDER FOR WORKS

I/we heredy tender for the execution for the Governor of Bihr of the work specifed in the under written memorandum at the rates specified therein within a period of years month from the date of witten order to commence and in accodance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subjects to the annexed condation of contract and with such materaials as are provided for by and in other respects in accordance with,

MEMORANDUM

(a) If several sub-work are incuded they should be detained in the separate list

(A) Name of Work :- Construction of Block Resource Centre at Katoria, Banka (SL. NO.-92)

(B) Estimated Cost :- Rs. 75,24,674=00 Agreement value :- Rs. 67,72,207=00

(b) This deposit will be 5% of the estimated cost of the work.

(C)Earnest Money:-

(c)This percentage deduction from bills will be credited to the contractors security deposits

(D) Initial security deposits (including earnest money) to be deposited before the Commencement of

Earnest Money:- Rs. 390,000/- (Details attached)

(E) Percentage to be deducted from bill Rs. 5% (Rupees five percent)

(F) Time required for the work from date of written order to commence **FIFTEEN MONTHS**

(G) Date of written order to commence :-

(H) Total number of item of work tendered for :- 116

M. K. ENTERPRISE 16/1/17

> Chief Engineer B.S.E.I.D.C

BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. SHIKSHA BHAWAN, SAIDPUR, PATNA.

B.O.Q. FOR BLOCK RESOURCE CENTRE IN BIHAR

THE ITEM RATE DAGE	D ONLE	IN BIHAR
THE BASE	D ON S.O.R BCD BIHAR, DATE - 15 00 20	114 0 0 0
O. DISTRICT	D ON S.O.R BCD BIHAR, DATE - 15-09-20	014, & D.S.R (ELECTRICAL) 2014

SL. No.	DISTRICT		DATE - 15-09-2014, & D.S.R (ELECTRICAL) 2014
	DISTRICT	NAME OF INSTITUTE	BLOCK
1	Banka	BLOCK RESOURCE CENTRE	Katoria
		CIVIL W	ORKS

Sl. No.	SOR Item No.	Item of Work	Qty.	Unit	Rate	Amount
1	2	3		Ont	(Rs.)	(Rs.)
PILE W			4	5	6	7
	20.2	Boring, providing and installing bored cast in-situ reinforced cement concrete piles of grade M-25 of specified diameter and length below the pile cap, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but inc	of h			
	20.2.1	300 mm dia Piles	0.000	motor	1	Rs. One thousand three hundred nine and paise
_	20.2.2	400 mm dia Piles	0.000	meter	1309.30 E	Rs. One thousand five nundred twenty three ar
	20.2.3	450 mm dia Piles	0.000		1523.20 p	Rs. One thousand nine undred seventy eight
	20.2.4	500 mm dia Piles 500 mm dia Piles	0.000	meter	1978.80 at	nd paise eighty only. s. Two thousand three undred six and paise
		50 mm dia Piles	0.000	meter	hu	s. Two thousand nine undred ninety six and iise ten only.
			0.000	meter	Rs	s. Four thousand two indred nineteen and ise seventy only.
2	dia cer loa	oring, Providing and installing cast in situally and under reamed piles of specified ameter and length below pile cap in M-25 ment concrete, to carry a safe working and not less than specified, excluding the st of steel reinforcement but including				only.
2	0.3.1 300	0 mm dia Piles			Rs.	One thousand nine dred thirty four and

Man of Kumar Singh

Chief Engineer B.S.E.I.D.C. Ltd. Patna

	20.3	400 mm dia Piles		11			
							Rs. Two the
	20.3	3 450		0.000			Rs. Two thousand hundred twenty five
	20.5	.3 450 mm dia Piles		0.000	meter	222	5.30 paise thirty only.
							Rs. Two thousand
	20.3.	4 550 mm dia Piles		.000	-		Inundred ninety ass
		oso min dia Piles		.000	meter	2397	.30 paise fifty only
				- 1			Rs. Two thousand s
			0.	000	meter	260-	Ihundred five and
3	20.4	Extra over item No. 23.3 for prov			meter	2605	.10 ten only.
		additional bulb in linder rooms.	iding				
		I I - Thed did life er					
		(Only the quantity of extra bulbs a	200				
		paid).	ire to be	- 1			
	20.4.1	300 mm 1: 21					,
		300 mm dia Piles					
							Rs. One thousand two
	20.4.2	400 mm dia Piles	0.00	00	Each		Ihundred forty and
		i o min dia Piles			Each	1240.1	often only.
				- 1		Barret and a second	Rs. One thousand three
	20.4.3	450 mm dia Piles	0.00	0	Each	1272	hundred seventy the
		The Thes			Buch	13/3.80	land paise eighty only
-						Market	Rs. One thousand four
	20.4.4	500 mm dia Piles	0.000)	Each	1454.90	hundred fifty form and
						1434.80	paise eighty only.
						The state of the s	Rs. One thousand five
RTHY	VODE DE		0.000		Each	1597 20	hundred ninety seven a
4	ORK IN	EXCAVATION				1077.20	paise twenty only.
'	2.8.1	Earthwork in excavation in as(ex 30cm in depth 15 minutes)	ceading			100	
		disposal of surplus soil as directed wead	ithin a				O. T
	- 1	= 286.64 CUM				a	Rs. Two hundred five
	S	EPTIC TANK = 31.89 CUM				l a	nd paise twenty only.
	T	OTAL QUANTITY = 318.53 CUM					
-							
	2.29.1 Si	urface dressing of the ground incl	318.530	cu	ım	205.20	
						203.20	
						Terretories	
		and upity of mand lift	5m			-	
		111103 01 5011.	7111			Rs	. Seven hundred
		136.41 CUM				eig	hteen and paise eighty
1						onl	y.
			,		- 1		

Many Kumar Singh

16/0/

B.S.E.I.D.C. Ltd, Patna

Skihowilker

F	CARTH FI	LLING		12		
6	2.26					
		available excavated earth (evaluation	ng			
		rock) in trenches, plinth, sides	of			
		Touridations etc. in layers not exceeding of	20			
		cin in depth: consolidating each days it	ed			Rs. Sixty six and pa
		liayer by ramming and watering lead				forty only.
		1 - 188.98 CUM	100.00			
	AND FILI		188.98	0 cu.n	1 66	5.40
7	2.28	Supplying and Filling in plinth with local	1			
		sand and under floors including, watering	11			
				1		
		complete.	g			
	8	= 118.79 CUM				Rs. One hundred nir
		SEPTIC TANK 1 00 000				two and paise fifty o
		SEPTIC TANK = 1.02 CUM				pulse Inty (
LAT	BRICKS	TOTAL QUANTITY = 119.81 CUM	119.810	CIL	100	
8				cu.m	192.	50
O	11.72	Providing designation 100 A one brick flat	1			
		soling Joints filled with local sand including		1	Transaction .	
		cost of watering, taxes, royalty all complete	1			
		as per building specification and direction of				
		E/I,				Rs. Two hundred two
		10 + 2 , BUILDING = 291.84 CUM				seven and paise sixty
		SEPTIC TANK = 13.57 CUM				only.
		TOTAL OLIANTITY				
-	DOG	TOTAL QUANTITY = 305.41 CUM	305.410			
-	P.C.C.			sq.m	227.60	0
	4.1.5	Providing and laying in position cement				
		concrete of specified grade evaluation at		-		
		cost of centring and shuttering- all work				
		upto plinth level				Rs. Two thousand sev
		1:3:6 (1cement: 3 coarse sand : 6 graded				hundred sevent C
		stone aggregate 20				hundred seventy five a
		stone aggregate 20mm nominal size) = 13 CUM				paise seventy only.
1	4.1.4	Providing	13.000	cu.m	2775 70	
	1.7	Providing and laying in position cement		Cu.III	2775.70	
		concrete of specified grade evoluding a	print -			
		cost of centring and shuttering, all work				
		apto piintii level				
		1:2:4 (1 Cement: 2 coarse sand : 4 graded				D - Tri
		stone aggregate 40				Rs. Three thousand two
		mm nominal size)10 + 2 , BUILDING =				hundred nineteen and
		8.74 CUM				paise seventy only.
		SEPTIC TANK = 2.98 CUM				
	,	TOTAL QUANTITY = 11.72 CUM				
FL	OORING	7 7 7 11.72 CUM	11.720	cu.m	3219.70	
T		Providing and loving			3219.70	
	1-	Providing and laying Ceramic glazed floor	A Comment		Approximation (
	Įι	iles 300x300 mm (thickness to be and ic al			-	
	Į c	manufacturer) of ist quality				
	10	officialing to 15: 15622 of approved make				
	111	r colours such shades			I	Rs. Eight hundred one
		xcept white, Ivory, Grey, Fuma Pad				and paise eighty only

46.040

sq.m

Ment Kumar Singh

WALL TILES

except white , Ivory , Grey , Fume Red ,

Brown, laid on 20 mm thick TOILET PORTION = 46.04 SQM

Chief Engineer
B.S.E.I.D.C. Ltd., Patna

801.800

and paise eighty only.

12						
	11.36	Providing and fixing 1st quality ce		3		
		18 Wall tiles conforming to 10				
		(Thickness to be specified by	5622			
		manufacture) of approved by	the			
		manufacture) of approved make in	n all			Rs. Seven hundred fifty
		colours, shades except burgundy, t	ottle			four and paise twenty
		green, black of any size as approved by Engineer-in-charge				only.
		TOH ET DODTION				only.
FLOO	RING & SK	TOILET PORTION = 188.874 SQM	188.87	74 sq.m	75.15	
13	11.26.1	Kota stone clab a		39.111	754.2	[00]
		Kota stone slab flooring over 20 (average) thick base laid	mm		· ·	
		over and initial and			1	
		over and jointed with grey cement sl	urry			
		Thirted with Digitient to				
		match the shade of the slab includ	ling			Do Ni I
		is and polishing				Rs. Nine hundred sixty
		complete . Base with 1:1:1 (1 lime	: 1			eight only.
		sand) / 1.4				
14	11.27	= 281.852 SQM	281.852	.		
		Kota stone slabs 20 mm thick in risers	of	sq.m	968.0	0
	1	steps skirting. Dado &				
	[1	pillars laid on 12 mm (average (thick ceme	ant			
-	1-	1.5 (1 cement.	1			
	[3	3 coarse sand) and jointed with grey ceme				
	1-	THINCH WILL	1			Rs. Nine hundred twenty
	þ	pigment to match the shade of the sla	.1.			seven and paise fifty
	1	relating rupping and	1			only.
	p	olishing complete. Details of cost for 1				
	Sc	qm	0			
15	8.3.2 E	ytro for	74.37	SG m	0.00	
		xtra for providing edge moulding to 18 mr	n	sq.m	927.50	
	(1)	ick marvie stone counters Vanit				
	10,	of itelli 110. 8.2 including mach:		, 1		×
	lbc	onsning to edge to give high along con-				T II.
		. complete as per design approved to				Two Hundred Thirty
	121	Smeet -III -charge				Nine and paise ten only
VORKI	Gr	anite work	0.00			
16	BELOW PLI	NTH LVL.	0.00	M	239.10	
	5.1.1 Pro	oviding and laying in position specified				
	10	of fellilorced com-	- ALE -		Contraction of the Contraction o	
	- CAC	ridding the cost of centring -1				
		Simis & Telliforcement all				
	1	ici icvci.			R	s. Five thousand one
	11.1.	(2 (1cement: 1 coarse sand : graded			h	undred ten and paise
	1.1.	Cond .				
	ston	ne aggregate 20mm nominal aires			Se	eventy only.
	1-101	ne aggregate 20mm nominal size) 9.183 CUM			Se	eventy only.

C/B M. E. ENTERPRISER Mand Kumar Singh

Partue

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Skinoully

	KK ABO	VE PLINTH LVL.		17		
17	5.2.	Reinforced cement concrete work in (any thickness), including attached pl buttresses, plinth and struts etc upto five level excluding the cost of cershuttering, finishing & reinforcement 1:1:2 (1cement: 1 coarse sand: 2 grade 10 + 2, BUILDING = 20.51 SQM	asters, floor ntring,			Rs. Five thousand six hundred sixty six and paise twenty only.
18	5.1.3	Providing and laying in position spec	20.5	10 cu.m	1 5666.2	20
		grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing reinforcement-All work puto plinth level. 1:2:4 (1 cement:2 coarse sa graded stone aggregate 20 mm nominal size) SEPTIC TANK = 0.93 CUM	and			Rs. Three thousand fo hundred thirty eight ar paise ninety only.
19	5.3	Reinforced cement conrete work	0.930	cum	3438.90	
	5.33B.4 + 5.33B.1	beams, suspended floors, roofs having supto 15, landings, balconiec, shel chajjas, lintels, bands, plain window s staircases and spiral stair cases upto flow level excluding the cost of centrishutteri	ves, ills,		Contraction of the Contraction o	Rs. Four thousand five hundred eighty one and paise twenty only.
BR	ICK WO	= 100.44 CUM	100.440	cu.m	4581.20	
20	6.1.14A 6.1.14A	Brick work with bricks of class designat 100A in foundations and plinth in cemmortar 1:6 (1cement :6 coarse sand) = 39.878 CUM	ent	cu.m		Rs. Three thousand nine hundred ninety two and paise ninety only.
	6.3A	Brick work with bricks of class designation of the second state of	on ent	Cu.III	l	Rs. Four thousand four nundred twenty seven and paise fifty only.
2 (6.18.4A	Half brick masonry with bricks of class	160.082	cu.m	4427.50	
	6.19A	designation 100A in foundations and plint in : Cement mortar 1:4 (1 cement: 4 coars sand) Extra for half Brick masonry in	h e		water	s. Five hundred thirty

134.043

Sq.m.

4/8 M. K. ENTERPRISE

Man of Kumar Singh

Partme

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Khowky

538.30

23	6.21A	Extus 6			15			
	0.21A	12 Add 101 Dittylding and plant	position 2		12			
		The state of the s		- I				
		I Hall Ulick masonry (with	of De	1				
		bricks)	1 F. S.			1		Rs Savant C
		= 134.043 SQM						Rs. Seventy five and
								paise ninety only.
24	6.1A +	Brick work with brief C.		134.04	13 Sa	.m.	75.00	
	6.1.12/1	Brick work with bricks of class de. 100A in foundations and	signation				75.90	
		1 Touridations and						
		plinth in : Cement mortar 1 .:4 (1 c	ement: 4					D - D
		j said j				1		Rs. Four thousand on
DI	ACTED	= 8.75 CUM		0.750				hundred eighty four o
25	LASTER W			8.750	cui	m 41	84.00	
23	13.13.4	20 mm cement plaster of mix; 1:6 (1						
		: 6 coarse sand)	cement					
		= 836.658 SQM					1:	Rs. One hundred twen
26	13.13.1	20 mm coment Di		836.658	San	n	1	three and poice Co
	+ 13.26	20 mm cement Plaster 1:3 (1 cer	nent: 3		sq.n	12	23.50	three and paise fifty or
	15.20	With a floating and	of neat				-	
		Teat cement nunning	- Total				I	Rs. One hundred eight
27	12	SEPTIC TANK = 16.65 SOM		16			f	ive and paise sixty onl
21	13.11.4	12mm thick Cement plaster of min	1.6 (1)	16.650	sq.m	1 18	5.60	only only
		cement : 6 coarse sand)	1:6 (1)	Commence of the Commence of th		10	5.00	
		= 1041.58 SQM					R	s. Eighty nine and pai
28	13.17.1	12 mm coment Pl		1041.580	sq.m			nirty only.
- 1		12 mm cement Plaster 1:3 (1 cem	-		34.111	8	9.30 th	mity only.
		course saily with a floating	0	And the same of th		-	- 1	Mark Comments
	1	Extra for providing and	nixing				- 1	
	I	material in	THIS !					
		proportion recommended by	tha				D.	0-1
	1	manufacturers: 12 mm cement plaster	the				C	s. One hundred forty
		cement :3 sand)	1:3(1)				111	e and paise fifty only.
		SEPTIC TANK = 52.82 SQM					-	
29	13.24.2	32.82 SQM	5	52.820		- 1		and the same of th
	1 -	omm thick Cement plaster of Ceiling	miy	02.020	sq.m	145.	50	
	1-	(1 centent . 4 coarse sand)	IIIIX	and the same of th				
	-	= 388.53 SOM				September 1	Rs.	Seventy seven and
0	11.3.1 C	Gement concrete flooring 1:2:4(1 ceme	38	88.530	sq.m	77	pai	se forty only.
- 1	+	parse:sand:4 graded stone	ent:2			//.	+0	Joing.
	11.8 fi	parse:sand:4 graded stone agreg	gate)	CASSALAR .				
	in	nished with a floating coat of neat cer	nent					
		Silirry ata but					D -	T1
		ost of Hosillo of ctanc at-					KS.	Two hundred thirty
	1	thick will 20 mm nominal size of	30				two	and paise ninety
	=	136.41 SQM	ag				only	
								and the same of th
INISH	IING WOR	K	136	5.410	sq.m	232.9		
	_	nishing wells in				232.9	-	
	evi	nishing walls with Acrylic Smo erior paint of	oth				-	
	rea	pirod also Leave						
	lied	uired shade :New work (Two or mo	ore					
		α applied (α , 1.6 / Itr/ 10)	1					
	sqn	over and including priming cost	- 6				Ree	ivty aight
	exte	erior coat	10				oich	ixty eight and paise
	prin	ner applied @ 2.20 kg/ 10 sqm)					eighty	only.
	EX	TERNAL WALL						
	LA	TERNAL WALL = 836.658 SQM	836.0	650	1			
					sq.m	68.80		

M. K. ENTERPRISE

Mamed Kumar Singh

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

June

16101

32	13 80 4	2 2 2		16		
	13.000	Providing and applying white cement putty of average thickness 2 mm approved brand and manufacturer, over plastered wall surface to prepare the surface and smooth complete.	n, of er the urface			Rs. One hundred eighteen and paise seventy only.
33	13.77.2	Distempering with oil bound washa distemper of approved brand manufacture to give an even shade. New work (two or more coats) over including priming coat with cement primer INTERNAL WALL & CEILING 1430.11 SQM	and	768 sq.n	m 118.7	Rs. Sixty four only.
34	13.81.1	1430.11 SQM	1430.11	10 sq.m	n 64.00	Rs. Twenty five and paise twenty only.
35	13.81.3	Applying priming coat with ready mix zinc chromate yellow primer of approvious and manufacture on steel galvaniziron/steel work. = 105.728 SQM	1 1	0 sq.m	20.20	- Action - Control
36		Painting with synthetic enamel paint approved brand and manufacture to give a even shade two or more coats on new work = 221.408 SQM	0.10	sq.m	21.30	
37	l c l c	Providing and fixing T-iron frames for doors, windows and ventilators of mils steed Tee-sections, joints miltred and welded with 15x3 mm lugs 10 cm long embedded in cement concered blocks 15x10x10 cm of 1:3:6 (1 cement : 10 coarse sand : 6 graded stone a = 339.675 KG	el th	sq.m	50.90	Rs. Seventy five and paise ten only.
38	9.21.1 P	Providing and fixing flush door shutters conforming to IS: 2202 (Part-I) non-decorative type.core of block board construction with frame of 1st class tiard wood and well mathched commercial 3 ply reneering with vertical grains or cross bands and face ven = 48.195 SQM		Kg.	hu	s. One thousand eight undred twenty three and hise eighty only.
39 9	typ 250	roviding and fixing oxidised M.S.tower olt black finish,(barrel pe) with necessary screws etc.complete 50x10mm 0 + 2, BUILDING = 44 EACH	48.195	sq.m	1823.80 Rs. fifty	. Sixty six and paise ty only.
		, stability 44 EACH	44.000	each	66.50	, only.

€/8 M. K. ENTERPRISES

Mand Kumarshigh Partue

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

40	9.104.	Providing and fixing M.S.handles with		17			
		125 mm 10 + 2, BUILDING = 44 EACH	44.00			Rs. Twenty seven an paise fifty only.	
41	9.223.2	floor door stopper anodised (anodic coat not less than grade AC 10 as per IS :186 transparent or dyed to required colours	ting	each each	27.5	Rs. Eighty two and pa	
42	0.100	shade with necessary screws etc.complete:Twin rubber stopper = 22 EACH	22.000			seventy only.	
42	9.100.1	Providing and fixing M.S. sliding door be bright finished or/and black enamelled,we nuts and screws etc.compelled: 300x16 mm	0.14-	9 each	82.7	Rs. One hundred seven	
		= 22 EACH	22.000			seven and paise forty only.	
43	10.12.1			each	177.40		
13	+ 10.13B	Providing and fixing glazed steel doc windows or ventilators of standard roll steel sections, joints mitered and weld with 15x3 mm M.S. lugs10cm long w	led led			D. Ti	
		steel legs embedded in cement concreblocks 15x10x10cm.of (1:3:6) (1cement 3coarse sand : = 95.715 SQM	-4-1			Rs. Three thousand two hundred seventy and paise sixty only.	
44	10.12.1	Providing and fixing glazed steel door	95.715	sq.m	3270.60		
	10.13C	windows or ventilators of standard rollesteel sections, joints mitered and weldewith 15x3 mm M.S. lugs10cm long witsteel legs embedded in cement concrete blocks 15x10x10cm.of (1:3:6) (1cement 3coarse sand: = 3.24 SQM	ed ed th te :		1	Rs. Three thousand two hundred seventy seven and paise sixty only.	
45	9.82.1	Providing and fixing M.S. grills	3.240	sq.m	3277.60		
16	e a f	requirement pattern in frames of windows etc. with M.S. flats square or round bars etc. all complete fixed to steel windows by welding. = 1722.87 KG	S	Kgs.	91.50	ds. Ninety one and paise afty only.	
	st	Reinforcement for RCC work including traightening, cutting, bending, placing in sosition and bonding all complete. MTC-500		-0	91.30		
	5.22.7A T 50 = SI	Thermo-Mechanically Treated bars TMTC-00 8mm dia 8300 KG EPTIC TANK = 93 CUM OTAL QUANTITY = 8393 KG	8393.000	V.C.	pa	s. Seventy four and ise forty only.	
5	.22.7B Tr 50	hermo-Mechanically Treated bars TMTC- 00 10mm dia 1300 KG	1300.000	KG	74.40 Rs	. Seventy three and se ten only.	

6/8 M. E. ENTERPRISE

Many Kumar Singh

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Khowky

1				. 0			
	5.22.7	Treated have T	MTC-	18			
		12mm dia	WITC-				Rs. Seventy one and
	5.22.7	= 7000 KG	7000.	.000	KG	_	paise eighty only.
		7D Thermo-Mechanically Treated bars 500 16mm dia	TMT-		110	1	
		= 700 KG					Rs. Seventy two and
	5.22.71	E Thermo-Mechanically Treated bars	700.0	000	KG	7:	2.80 paise eighty only.
		300 Zullim dia	IMI-			Company of the Compan	and the same of th
	5 22 7	= 750 KG	750.0	200	VO		Rs. Seventy two and
	5.22.7F	Trechalically Treated have	ГМТ-	100	KG	72	2.20 paise twenty only.
		500 25mm dia = 0 KG				Mark Control of the C	Rs. Seventy two and
47	10.19		0.00	00	KG	70	paica truent
	10.19	Tixing W.S. Fan hook o	of 10		NO	12	2.20 Parse twenty only.
		mm. dia. M.S. bar 1 Mtr. Long ber required size and shape, placed in pos	at to			September 1	
		and fixed in Truss Frame / RCC Slob / 1					
		at the time of casting all complete as					Rs. One hundred twer
		ounding specification and direction of F.	per /I				one and paise eighty
		= 42 EACH	1.				only.
48	10.22.1		42.000	0	D1.		
40	10.33.1	The state of the s		-	Each	121.	80
		to steel ladder railling & staircases will	11.				
		including applying a priming coat approved steel primer.	of				
		MS tube (medium) 40mm nominal bore.					Rs. Ninety one and pai
1		= 550 KG					ten only.
49	10.5	Providing and fixingin position collapsib	550.000	0	kg.	91.1	10
		south south vertical change	ble			and the second	Rs. Four thousand one
		20x10x2mm and braced with flat iron	nes 4.52				hundred fifteen and
ISCEI	LLANEOUS	S WORK	7.52	S	sq.m	4115.6	sixty only.
50			The state of the s			M. Contraction of the Contractio	
30	4.17	Making plinth protection 50mm thick	of				
		concrete 1:3:6 (1 cement :2 accent					
	1	said . O graded stone aggregate 20.					
	- 1	nominal size) over 75mm bad by dry brid ballast 40mm nominal size well rammer	1				Rs. Three hundred
		and consolidated and grouted with fine sar	ıd				nineteen and paise thirty
		Iniciading II	ıd				only.
		= 75.414 SQM	75 414				
	UTTERING		75.414	sq	ą.m	319.30	
51	5.9.1	Centring and shuttering including strutting	O.				
	-11	propping etc. and removal of fame c	- 1				
	1	Touridation, Tootings, basees of columns at	e.				Re One hundrad sixt
	11	for mass concrete. = 55.781 SQM					Rs. One hundred sixty six and paise seventy only.
52			55.781	Sqr	m	1	and paise seventy only.
		Centring and shuttering including strutting		ં નુ.	11.	166.70	
	b	propping etc. and removal of form for lintel peams, plinth beams, griders, bressumers	,			St. Commercial Commerc	
	a	and contilevers.	5			1	Rs. Two hundred fifty
		= 349.241 SQM					one and paise thirty only.
			1	1			me and paise unity only.
			349.241	Sqm			

Many Kumar Singh

Partse

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Skinoushey

53	5.9.6	Centring and shuttering in a li			19		
		Centring and shuttering including	ng strutting	5,			
		IPTOPPHING CIC. and removal	f c	1			
		columnis, pillars, piers, abutment	s, posts and	1			Rs. Three hundred f
		Strats					four and pairs C
54	500	= 367.575 SQM		367.575			four and paise forty
54	5.9.3	Centring and shuttering including	o strutting		Sqm	. 34	4.40
		ipropping etc. and removal of					
		Suspended Hoors, roofs, landings	halaaniaa				
		and access platform.	, vaicomes				Rs. Two hundred sev
		= 451.54 SQM					five and paise sixty of
				451.540	Sqm.	275	5.60
				And the State of t		-	
						To	tol
		Di				Total	3,710,70
		Plumbing and sanit	ary Wor	rk		Total	(A) 5,716,70
55	DCF						
55	B.S.R	Providing and fixing on w	vall face				<i>a</i> ²
	12.78	Juliplastidsed PVC (working process	1 1 0				
		iper squil) fall water nines sinfo					
		113.4903 including jointing with	22-1 .				
		conforming to IS:5382 leaving 10	sear ring				
		for thermal expansion.	mm gap				
	12.78.2						
	12.70.2	110 mm diameter.					
		= 40 MTS					Rs. Two hundred
56	COD			40.000	1 (770		fourteen and paise twen
	SOR	Providing and fixing on wa	all face	40.000	MTS	214.200	only.
	12.79	unplasticised -PVC moulded	fitti.	Total Control		GEOGRAPH	
		accessories for unplasticised DVC					
		IPIPES Conforming to 15.4005 :				1	
		jointing with seal ring conform	neluding				
		IS:5382 leaving 10mm gap for	ning to				
		expansion.	thermal				
-	SOR						
		Coupler					
	12.79.1						2 .
	SOR	110					
	12.79.1.2	110mm					
	12.79.1.2	= 10 MTS					Rs. One hundred forty
	0.0-		1	10.000	Г. 1		four and paise seventy
		Bend 87.50°	,	10.000	Each	144.700	only.
				1000		Control of the Control	
	12.79.5			State Committee			
	12.79.5 SOR	10mm bend	-				
	12.79.5 SOR						Rs. One hundred covered
	12.79.5 SOR 2.79.5.2	10mm bend					Rs. One hundred seventy
	12.79.5 SOR 2.79.5.2	10mm bend = 12 MTS	1.	2.000	Each	173,700	three and paise seventy
1	12.79.5 SOR 2.79.5.2	10mm bend	1.	2.000	Each	173.700	Rs. One hundred seventy three and paise seventy only.
1	12.79.5 SOR 2.79.5.2 SOR 12.79.6	10mm bend = 12 MTS Thoe (Plain)	1.	2.000	Each	173.700	three and paise seventy
1	12.79.5 SOR 2.79.5.2 SOR 12.79.6 SOR I	10mm bend = 12 MTS Thoe (Plain)	1.	2.000	Each	173.700	three and paise seventy
1	12.79.5 SOR 2.79.5.2 SOR 12.79.6 SOR I	10mm bend = 12 MTS Thoe (Plain)	1.	2.000	Each	173.700	three and paise seventy only.
1	12.79.5 SOR 2.79.5.2 SOR 12.79.6 SOR I	10mm bend = 12 MTS Thoe (Plain)		2.000	Each Each	173.700	three and paise seventy

M. E. ENTERPRISE.

Mand Kumar Singh

Pertuo

58 B.S	S.R 7.1.1 S.R .2.2	squatting pan (Indian type W.C. pan) 100 mm sand cast iron P or S tap, 10 low white P.V.C. Flushing cistern munally controlled device (handle legan forming the same statements).	litre with evel) (231) (0 Eac	h 3035.40	Rs. Three thousand the five and paise forty of
59 B.S.I		providing and fixing white vitreous chedestal type water closet (European tyw.C. pan) with seat and lid, 10 litre level white P.V.C. flushing ciste including flush pipe, with manual controlled device (handle lever), conformito 1S: 723	ina //pe ow rn, lly ng	0 Eac	h 3035.40	five and paise forty or
59 B.S.I		W.C. pan) with seat and lid, 10 litre level white P.V.C. flushing ciste including flush pipe, with manual controlled device (handle lever), conformito IS: 723	ina //pe ow rn, lly ng	0 Eac	h 3035.40	
2.5.1		W.C. pan with ISI marked block				
17.4.	.R	plastic seat and lid = 3 EACH Providing and fixing white vitreous chir	2 000	Each	2928.300	Rs. Two thousand nine hundred twenty eight a paise thirty only.
		urinal basin of 430x260x350 mm an 340x410x265 mm sizes respectively with automatic flushing cistern with standar flush pipe and C.P. brass spreaders with brass unions a	nt dd h dd h			
	8	Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern = 3 EACH			1	Rs. Four thousand six hundred eighty eight and paise ninety only.
SOR 17.34	1	Provding and fixing toilet paper holder	3.000	Each	4688.900	only.
SOR 17.34.2 1 B.S.R	1	itreous china	3	Each	304.2	Rs. Three hundred four and paise twenty only.

12.000

Each

Mand Kumar Singh

require:

brass pillar taps.

= 12 EACH

Partue

brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever

White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P.

> Chief Engineer B.S.E.I.D.C. Ltd, Patna

2120.300

Rs. Two thousand one hundred twenty and paise

thirty only.

62	18.6	The riding and fixing PIMI angle stor	cock	21		
62		bore, weighing not less than 85 gms		200		Rs. One hundred eigh and paise ninety only.
63	B.S.R 17.28	sink or wash basin including P.V.C.	De for waste	000 E	ach 180.9	00 mid paise fillery only.
	17.28.2	Tittings complete.		v		
64	B.S.R	= 12 EACH	12.0	00 Ea	ch 79.60	Rs. Seventy eight and paise sixty only.
	17.32.2	Providing and fixing mirror of superior (of approved quality) and of required s and size with plastic moulded framapproved make and shade with 6 mm thard board backing: Rectangular shape 453 x 357 mm = 12 EACH	glass hape	La	ch 78.60	Rs. Six hundred forty three and paise forty only.
65	B.S.R	Providing and fixing 600 x 120 x 5	12.00	0 Eac	h 643.400	
	17.33	glass shelf with edges round off, support on anodised aluminium angle frame v. C.P. brass brackets and guard rail comp fixed with 40 mm long screws, rawl pletc., complete. = 12 EACH	rted vith lete ugs			Rs. Four hundred seven eight and paise thirty only.
66	B.S.R 18.8.1	Providing and fixing Chlorinated Polyvin Chloride (CPVC) pipes, having them	nyl 12.000	Each	478.300	
67	B.S.R 18.9.3	including all CPVC plain & brass thread fittings including fixing the pipe w clamps at 1.00 m spacing. This including joining of pip = 50 METER Providing and fixing Chlorinated Polynics	oly ed ith es 50.000	metre	241.000	Rs. Two hundred forty one only.
	13.5.5	Chloride (CPVC) pipes, having therm stability for hot & cold water suppliculating all CPVC plain & brass threade fittings This includes jointing of pipes of fittings with one step CPVC solvent cement renchi = 60 METER	al ly d			Rs. One hundred ninety three and paise eighty only.
		32 mm nominal outer dia Pipes	60.000	metre	193.800	Do T. I
	18.9.2	0 mm nominal outer dia Pipes	40.000	metre		Rs. Two hundred fifty one only.
- 1	lo ho w	roviding and placing on terrace (at all floor evels) polyethylene water storage tank ISI 2701 marked with cover and suitable exking arrangement and making necessary ples for inlet, outlet and overflow pipes but ithout fittings and the base support 4000 PER LITER		metre	140.400	Rs. One hundred forty six and paise forty only. Rs. Six and paise eighty only.
			4000.000	per litre	6.800	

Marry Kumar Singh

Pertue

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Kehoudles 16/01

69	B.S.I	D D :		22		
	18.49	processing and many the brace his soul	of			
70	B.S.R	15 mm nominal bore. = 12 EACH	12.000	Each	497.00	Rs. Four hundred ninety
	18.52	The state of the s	ock of	Buen	497.00	seven only.
71	18.52.	1 15 mm nominal bore. = 10 EACH	10.000	Each	(70.70	Rs. Six hundred seventy
71	SOR 18.58	The rights and mains P. I. M. I. grating	of Joseph	Each	670.700	and paise seventy only.
	SOR 18.58.1 SOR					
72	18.58.1. B.S.R	Providing and laying cement concrete 1:5:1	11	Each	47.90	Rs. Forty seven and paise ninety only.
	19.2.1	aggregate 40 mm nominal size) all-round S.W. pipes including bed concrete as pe standard design: 100 mm diameter S.W. pipe	e			Rs. Three hundred twelve and paise fifty only.
73	B.S.R	= 50 METER Providing and laying non-pressure NP2	50.000	metre	312.500	and the same of th
	19.6.1	class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete: 100 mm dia R.C.C. pipe = 15 METER				Rs. Three hundred twelve and paise ninety only.
74	B.S.R 19.27.1	Constructing brick masonry road gully chamber 50x45x60 cm with bricks in cement mortar 1:4 (1cement : 4 coarse sand) including 500x450 mm pre-cast R.C.C. horizontal grating with frame complete as per standard design : With common burnt clay F.P.S. (non mo = 2 EACH	15.000	metre	312.900	Rs. Three thousand one hundred seventeen and paise thirty only.
75	7.50.1.1	Contructing brick masonry chamber for Underground C.I. Inspection Chamber and bend with 75 class designation bricks in	2.000	Each	3117.300	
		sand) C.I. Cover with frame (light duty) 455x610 mm internal dimentions, total weight of cover wi				Rs. Three thousand nine hundred forty nine and paise ten only.
		= 6 EACH	6.000	Each	3949.100	

Many Kuman Shigh

Partse

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

| Section of the content of the content

76	B.S.R	Making cool, 1/2 2		23		
	19.32.1	1 July 200 Mill 2) In diameter 2 0	y comb be 100 as per			Rs. Twenty five thousan nine hundred and paise ten only.
77	B.S.R	Providing and fixing S.W. intercepting	1.000	Each	25900.10	00
	19.34	in manholes with stiff mixture of c mortar 1:1 (1 cement : 1 fine sand) incl testing of joints etc. complete :	am an t		The state of the s	
	19.34.1	100 mm dia				
78		= 2 EACH	2.000	Each	200	Rs. Two hundred eighty three and paise eighty
/ 0		Detailed Estimate for construction of	125	Each	283.800	only.
		mm x 40 mm x 90 mm Tube well Ma Boring = 1 EACH	anual	*	participation of the con-	Rs. Sixty thousand four hundred thirty two and
79	ANALYSI	MONI	1.000	Each	60432.650	
	S	RATE) = EACH	KET			
		P.V.C. PIPE = EACH				
		Provding and fixing soil,waste and pipes	vent	\		
		= EACH 110 mm dia				
		= 40 EACH P.V.C. FITTINGS	40.000	metre	347.000	Rs. Three hundred forty seven and only.
		= EACH DOOR TEE 110 mm dia	Manufacture and the second second		SEPPERATURE AND ADDRESS OF THE PARTY OF THE	
	_	= 4 EACH DOOR BEND 110 mm dia	4.000	each	365.000	Rs. Three hundred sixty five only.
		= 8 EACH BEND 45 ⁰ 110 mm dia	8.000	each	283.000	Rs. Two hundred eighty three only.
	_:	= 10 EACH /ENT COWEL 110 mm dia	10.000	each	185.000	Rs. One hundred eighty five only.
	P	= 3 EACH IPE CLIP 110 mm dia	3.000	each	65.000	Rs. Sixty five only.
	F	= 100 EACH LOOR TRAP 110X110 mm dia	100.000	each		Rs. Fifty three only.
0 Co	ode no. of (i	10 EACH C.I. cover and frame 300 x 300 m	10.000	each	436.000	Rs. Four hundred thirty six only.
	SI	EPTIC TANK = 1 FACH	1.000	Б.,		Rs. Three hundred seventy four and paise six
	ode no. of (ii 1621 S) S.C.I. plain bend 100 mm dia EPTIC TANK = 1 FACH	Edward	Each	3 /4.060 G	only. Rs. Four hundred thirty
2 Co	de no. of (11	i) S.C.I. Tee 150 mm dia EPTIC TANK = 1 EACH	1.000	Each	436.400 s	Rs. Seven hundred forty
			1.000	Each	e	right and paise eleven
					Total	

6/8 M. K. ENTERPRISES Many Kumar Singh

Pertuo

Chief Engineer

9.S.E.I.D.C. Ltd, Patna

Lineuthy

				24		
1	-	Electrical Works (1% labour cess h				
		been added on current DSR-2014)	as			
83	1.10	Point Wiring in PVC Conduit, with M				
		type Switch:-	lodular			
		Wiring for light point/ fan point/ exhau				
		point/ call bell point	ust fan			
		with 1.5 sq.mm FRLS PVC insulated conductor single				
		conductor single	copper			
		core cable in surface / recessed me				
		class PVC conduit.	- 1			
		with modular switch, modular plate, su	uitabla			
		GI box and earthing	itable			
		the				
	1.10.3	Group C				
						Rs. Seven hundred
			110.00			twenty five and paise
84	1.11	Twin Control Point Wiring in PVC Cor	119.000	0 Nos.	725.180	eighteen only.
		with Modular type Switch:-	iduit,		40000	
			Parameter State of the State of		and the same of th	
		Wiring for twin control light point with	1.5			
		134.11111 FKLS PVC	1			
		insulated copper conductor single core c	able			V V
		in surface / recessed				
		medium class PVC conduit, 2 way mod	lular			Rs. Seven hundred
		switch, modular plate,				seventy seven and pai
		suitable GI box and earthing the point v	with			seventy only.
		PVC i				
85	1.31	Supply and Fiving Little Di	3.000	Nos.	777.700	
		Supply and Fixing Light Plug Point v Modular Type Accessories:-	vith		777.700	
		Type Accessories:-	and the same of th		Market Co.	
		Supplying and fixing suitable size GI by			1	/
		with modular plate and	oox			
		With modular plate and	1			
		cover in front on surface or in receincluding providing and	ess,			-
		cover in front on surface or in receincluding providing and fixing 3 pin 5/6 amps modular socket out	ess,			Rs. Three hundred six
		cover in front on surface or in receincluding providing and fixing 3 pin 5/6 amps modular socket out and 5/6 amps modular	ess, tlet			Rs. Three hundred six and paise three only
		cover in front on surface or in receincluding providing and fixing 3 pin 5/6 amps modular socket out and 5/6 amps modular	ess, tlet			Rs. Three hundred six and paise three only.
		cover in front on surface or in receincluding providing and fixing 3 pin 5/6 amps modular socket out and 5/6 amps modular switch, connection etc. as required. (Fight plugs to be u	ess, tlet			Rs. Three hundred six and paise three only.
6	1.32	cover in front on surface or in receincluding providing and fixing 3 pin 5/6 amps modular socket out and 5/6 amps modular switch, connection etc. as required. (Flight plugs to be u	ess, tlet	Nos.	306.030	Rs. Three hundred six and paise three only.
6		cover in front on surface or in receincluding providing and fixing 3 pin 5/6 amps modular socket out and 5/6 amps modular switch, connection etc. as required. (Flight plugs to be u Supply and Fixing Power Plug Point with Modular Type Accessories:-	ess, tlet For 25.000 ith	Nos.	306.030	Rs. Three hundred six and paise three only.
6		cover in front on surface or in receincluding providing and fixing 3 pin 5/6 amps modular socket out and 5/6 amps modular switch, connection etc. as required. (Flight plugs to be u Supply and Fixing Power Plug Point with Modular Type Accessories:- Supply and Fixing GL box with modular Type Accessories:-	ess, tlet For 25.000	Nos.	306.030	Rs. Three hundred six and paise three only.
6		cover in front on surface or in receincluding providing and fixing 3 pin 5/6 amps modular socket out and 5/6 amps modular switch, connection etc. as required. (Flight plugs to be u Supply and Fixing Power Plug Point with Modular Type Accessories:- Supply and Fixing GI box with modul plate and cover in front on surface or	ess, tlet For 25.000 ith	Nos.	306.030	Rs. Three hundred six and paise three only.
6	1	cover in front on surface or in receincluding providing and fixing 3 pin 5/6 amps modular socket out and 5/6 amps modular switch, connection etc. as required. (Flight plugs to be u Supply and Fixing Power Plug Point with Modular Type Accessories:- Supply and Fixing GI box with modul plate and cover in front on surface or recess including providing and fixing 6 pices.	ess, tlet for 25.000 ith	Nos.	306.030	Rs. Three hundred six and paise three only.
6	1	cover in front on surface or in receincluding providing and fixing 3 pin 5/6 amps modular socket out and 5/6 amps modular switch, connection etc. as required. (Flight plugs to be u Supply and Fixing Power Plug Point with Modular Type Accessories: Supply and Fixing GI box with modul plate and cover in front on surface or recess including providing and fixing 6 pin 15/16 amps modular socket outlet and 15/16 amps modular socket outlet and 15/16	ess, tlet For 25.000 ith ar in n,	Nos.		and paise three only.
6	1	cover in front on surface or in receincluding providing and fixing 3 pin 5/6 amps modular socket out and 5/6 amps modular switch, connection etc. as required. (Flight plugs to be u Supply and Fixing Power Plug Point with Modular Type Accessories:- Supply and Fixing GI box with modular plate and cover in front on surface or recess including providing and fixing 6 pin 15/16 amps modular type switch, connection amps modular type switch, connection	ess, tlet For 25.000 ith ar in n,	Nos.		and paise three only.
6	1	cover in front on surface or in receincluding providing and fixing 3 pin 5/6 amps modular socket out and 5/6 amps modular switch, connection etc. as required. (Flight plugs to be u Supply and Fixing Power Plug Point with Modular Type Accessories:- Supply and Fixing GI box with modul plate and cover in front on surface or recess including providing and fixing 6 pices.	25.000 ith ar in n, 66 n,	Nos.		and paise three only. Rs. Five hundred ninety
6	i i	cover in front on surface or in receincluding providing and fixing 3 pin 5/6 amps modular socket out and 5/6 amps modular switch, connection etc. as required. (Flight plugs to be u Supply and Fixing Power Plug Point with Modular Type Accessories:- Supply and Fixing GI box with modular plate and cover in front on surface or recess including providing and fixing 6 pin 15/16 amps modular type switch, connection amps modular type switch, connection	25.000 ith ar in n, 166 n,	Nos.		and paise three only. Rs. Five hundred ninety

Mand Kumar Strich

Partee

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

16 61

25							
			Rs. Nine hundred sixty three and paise fifty four				

		Committee		25		
		Supplying and fixing 20 amps, 240 vo SPN industrial type, socket outlet, with 2 pole and earth, m enclosed plug top alongwith 20 amps "C" curve, SP, MCB sheet steel enclosure, on surface or in recess, with chained me cover for the socket	etal	200		Rs. Nine hundred sixty three and paise fifty four only.
88	1.12	Power Plug Wiring in PVC conduit (2x4	12.000	0 Nos.	963.54	0
		Wiring for light/ power plug with 2X4 smm FRLS PVC insulated	sq.			
		copper conductor single core cable surface/ recessed mediumclass PVC condualongwith 1 No 4 sq. mm FRLS PV insulated copper conductor single core cable for loc earthing as required	uit C			Rs. One hundred sixty three and paise sixty two only.
89	1.24	Supplying and fixing following modular type switch/ socket on the existing modular plate switch box / cover including connections etc.as required		Mtrs.	163.620	
	1.24.1	5/6 amps switch. 5 pin, 5/6 amps socket outlet.	25.000	Each	81.810	Rs. Eighty one and paise eighty one only.
90	1.14	Circuit / Sub-main wiring in PVC Conduit:-	25.000	Each	79.790	Rs. Seventy nine and paise seventy nine only.
		Wiring for circuit / sub-main wiring along with earth wire with the following sizes of PVC insulated, copper conductor, single core cable in surface/recessed PVC conduit as required.	f			
		2x1.5 Sqmm + 1x1.5 sqmm earth wire	40.000	Men	10-	Rs. One hundred seven
		2x2.5 Sqmm + 1x2.5 sq mm earth wire		Mtrs.	107.060	Rs. One hundred thirty two and paise thirty one
	1.14.9	4x6.0 Sqmm + 2x6.0 sqmm earth wire (to be used as sub main)	350.000	Mtrs.	132.310	Rs. Three hundred ninety
1	1.14.10	4 X 10 sq. mm + 2 X 10 sq. mm earth wire	54.000	Mtrs.	392.890	two and paise eighty nine only.
		6/F 'C' series SP MCB:-	10.000	Mtrs.	602.970	Rs. Six hundred two and paise ninety seven only.

Mand Kumar Singh

Pertu

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

91		Supplying and fixing 240 volts, 'C'	-aut	26		
		miniature circuit breaker suitable	series,			
		inductive loads of fallowing	e for			
		inductive loads of following poles existing MCB DB complete				
		CAISTING WICH DR complete	*.1			
		connections, testing and commissionir	ng etc,			
		as required.				
	2.10.	.1 6/32A, Single Pole				
		angle Fole				
	2.10		36.000	0 0		Rs. One hundred seve
	2.10	3 6/32A ,DP	30.000	0 Each	170.690	
					Section and the section is a section of the section	Rs. Four hundred sixty
92	2.13	S/F TPN MCB:-	3.000	Each	463.590	three and paise fifty n
		S/A TITIVIVICE.			103.370	only.
		Supplying and fixing following rating,	6		No. of the last of	
		pole, 240 Volts, isolator in the avietics.	100		_	
		DB complete with connections, testing	ACB			
		commissioning etc. as required	and			
		co. as required				
	2122					
	2.13.2	63 A,TPN				
93	2.15		3.000	P 1		Rs. Six hundred sevent
93	2.15	S/F TPN RCCB:-Supplying and fixing	C	Each	676.700	six and paise seventy
		Tollowing rating three phase and			Control of the Contro	
		1715 VOILS, residual current aircuit 1	1			
		(RCCB) having a sensitivity augment	. 1			
		1500 illimaniperes in the evicting MCD	DD			
		complete with connections tecting	DB			
		commissionin	and			
	2.15.2		100		1	
	4.13.2	40 Amp.				
						Rs. Two thousand one
94	2.8		3.000	Earl		hundred forty four and
-	2.8	S/F TP MCB DB:-		Each	2144.230	paise twenty three only.
		Supplying and fixing of following	no			
		way, norizontal type three note and				
		Siece Sieel, MCB distribution board 41	1.5			
		Volts, oil Surface/recess complete	21			
		tillied copper bus bar, neutral bus bor some	41.	1		
		bar, detachable gland plat	in	i		
		interconnect giand plate	е,	/		
	2.8.5	AW				
	2.0.5	4 Ways (4+12 ways) double door			-	
					R	Rs. Seven thousand four
5	1.33	C/F (C-1):	3.000	Set	7420 570 h	nundred thirty and paise
	1.55	S/F Ceiling Rose:-		361	7430.570 fi	ifty seven only.
		Supplying and fixing 2 pin ceiling rose or	Parameter services			
		The said thang 2 pill celling rose of	1			
	1	the existing junction boy/ was dealer in				_
	- 1	the existing function boy/ wooder it			IR:	a L'autre there and
	j	the existing junction box/ wooden block including connection etc as required.			R	s. Forty three and paise
5	j	including connection etc as required.	80.000	Each	to	ss. Forty three and paise orty three only.
5	j	the existing function boy/ wooder it		Each	43.430	s. Forty three and paise orty three only. s. Seventy four and

Many Lumar Strok

Partne

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

		Supplying and C.	Supplying and Soil 1							
		Supplying and fixing batten / angle h	older	1						
		including connection etc as required.								
97	1.25	S/F Modular type electronic fan regulato								
		an regulato	or:-			D. T.				
						Rs. Two hundred e				
			24.000			six and paise eighty				
		Supplying and fixing stepped type	Carro	0 Eac	h 286.84	only.				
		regulator on the existing modular .	1-4-1	-						
		Switch box including connections	hut							
		excluding modular plate etc as required.	out							
98	1.21	S/F PVC Conduit:-								
		Supplying and fixing of following sizes	of							
		medium class PVC	, 01							
		conduit along with accessories	in							
		surface/recess including cutting								
		the wall and making good the same in a	000							
		of recessed conduit	ase							
		as required.								
	1.21.1	20								
	1.21.1	20 mm								
99		Tr. 1.	110.000	Mtrs.	52.520	Rs. Fifty three and pai				
		Telephone Wiring in Existing Conduit:-		IVIUS.	53.530	fifty three only.				
	1.18				and the same of th					
		Supplying and drawing following pair Comm dia FRLS PVC	0.5							
		inoulated.								
		unarmored telephone cable	or,							
		in the existing a C			-					
		in the existing surface/ recessed steel/ PV	C							
-	1 10 0	conduit as required								
	1.18.2	2 pair								
00	1.24		50.000	Men		Rs. Eighteen and paise				
00	1.24	S/F Modular type Switch / Socket:-	20.000	Mtrs.	18.180	eighteen only.				
			- Control of the Cont		The second second					
		Supplying and fixing following modula	ır							
		type switch / socket on the existing modula	r							
		plate and switch box including connection	S		2					
		but excluding modular plate etc as required								
- 1										
	1.24.6	Telephone socket outlet								
-			2.000	Б.		Rs. Ninety five and paise				
_				Each	95.950	ninety five only.				
		EARTHING	2.000							
	5.6		2.000							
1	5.6	EARTHING COPPER EARTH PLATE ELECTRODE:-	2.000							
)1		COPPER EARTH PLATE ELECTRODE:-								
1		COPPER EARTH PLATE ELECTRODE:- Earthing with copper earth plate 600mm.								
)1		COPPER EARTH PLATE ELECTRODE:- Earthing with copper earth plate 600mmx 600mmx 3mm thick including accessories								
)1		COPPER EARTH PLATE ELECTRODE:- Earthing with copper earth plate 600mmx 600mmx 3mm thick including acessories and providing masonary enclosure with								
)1		COPPER EARTH PLATE ELECTRODE:- Earthing with copper earth plate 600mmx 600mmx 3mm thick including acessories and providing masonary enclosure with cover plate having locking arrangement and				Rs. Nine thousand three				
)1		COPPER EARTH PLATE ELECTRODE:- Earthing with copper earth plate 600mmx 600mmx 3mm thick including acessories and providing masonary enclosure with cover plate having locking arrangement and watering pipe of 2.7 meter long etc. with				hundred eighty four and				
1		COPPER EARTH PLATE ELECTRODE:- Earthing with copper earth plate 600mmx 600mmx 3mm thick including acessories and providing masonary enclosure with cover plate having locking arrangement and watering pipe of 2.7 meter long etc. with				Rs. Nine thousand three hundred eighty four and paise ninety two only.				
2		COPPER EARTH PLATE ELECTRODE:- Earthing with copper earth plate 600mmx 600mmx 3mm thick including acessories and providing masonary enclosure with cover plate having locking arrangement and		Each		hundred eighty four and				

Memos Kumar Singh

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

16 | 0 |

		Providing and fixing 25 mm X 5 m. strip in 40 mm dia G I	m comm	28	>		
		pine from	ncluding				Rs. One thousand r two and paise eight only.
10	5.	P/F 25 x 5 mm copper earth strip in recess:	surface/	000	Mtrs.	1092.82	
		Providing and fixing 25 mm X 5 mm strip on surface or in					
104	1	recess for connections etc. as required	i.				Rs. Eight hundred si four and paise fifty s
104	7.1	Cable Laying of 1.1 KV & 11 KV :-	24.0	00	Mtrs.	864.560	only.
/ .		Laying of one number PVC insulate PVC Sheathed / XLPE power cable KV grade of following size direct in gincluding excavation, sand cushi protective covering and refilling the etc as required.	of 1.1 ground				
105	7.1.2	ntoove 33sq.mm and Upto 95 Sq.mm.					Rs. Two hundred four
105	14.14	G.I. Pipe for Cable protection:- Providing, laying and fixing following RCC pipe NP2 class (U. J.)	80.000) <u>M</u>	Itrs.	204.020	and paise two only.
		RCC pipe NP2 class(light duty) in greement mortar 1:2 (1 cement : 2 fine saincluding trenching (75 cm) and refietc.as required. (Road crossing as per site	with and)				
	14.14.2	150 mm dia					Rs. Three hundred to the
06	9.1	1.1 KV Cable End Termination Supplying and making indoor cable of termination with brass double compressing gland and aluminium lugs for following sof PVC insulated XLPE Al. Ar. Cable of KV grade as required.	end	Mtı	: 3	1:	Rs. Three hundred eight seven and paise eighty four only.
	9.1.22	3.5 Core 50 Sq.mm.				R	s. Two hundred seventy
7 1		3.5 core 50 sq mm xlpe/pvc insulate sheathed (Heavy duty)armoured electric cabl aluminium conducter.	-	Each	27	1 Itw	o and paise seventy
		3.5C x 50 Sq.mm 1.1kV	100.000	Mtrs.	201	Rs000 one	Three hundred ninety only.

Man J Kumar Singh

Pertma

Chief Engineer
B.S.E.I.D.C. Ltd, Patna 18/01

108	8	S/F HRC fuse type TP&			29		
	2	1 live type TP&	N switc	h	T		
		Providing	nd fixing	g			
		following capacity TP&N disconr			1		
		I will fillside the existing a	anal has		1		1
		with ISI marked HRC	aner board	al		1	
		fuses including drilling holes					
		panel, making connections,	in cubicle	e			1
		etc. as requi					
		ctc. as requi				1	
					1.		
	2.1	2 63 amps,TP&N, HRC					
		FS, TI WIN, TIKC					
							Rs. Two thousand tw
109		S/E Dusts Cl		3.000	Eac	h 20	hundred sixty and
	1 2 5	S/F Busbar Chamber:-			Eac	h 2260.3	thirty eight only.
	2.5			Talentan		ACCEPTANCE OF THE PARTY OF THE	organ only.
	2.5.	Providing and fixing following					
	B.S.	Bushar chamber with 4	capacity				
	2009	Challiber With 4 string of	11 .				
		made of capper neavy duty and					
		including connection	earthing				Re Siville
		as required.	, maining				Rs. Six thousand two
		200 amp.TPN					hundred twenty two ar
							paise sixty one only.
110	271			1.000			
110	2.7.4	Providing and fixing following capacitation	oite. C	1.000	Each	6222.61	0
	B.S.R	pole OFF-load changeover switch w	ity four				
	2009	handle operation is	1th side	manufacture.		distribution.	1
		handle operation, in sheet enclose	sure in	Walter Comments of the Comment			
		existing metal board, including drillin	ng holes		1		
- 1		metal pallel, making connections	etc as		1		Rs. Seven thousand nin
		required.	as us				hundred seven only.
		125 Amps, Four pole					ding.
111	6.5			1.000	Б.		
1	0.5	Providing and fixing copper tape 20 mm thick on page	1m X 3	1.000	Each	7907.000	
		min thek off paranet				and the same of th	
		or surface of wall for lightning con				400,000	
		complete as required.	ductor				Rs. Three hundred
		(For horizontal run)					seventy nine and paise
110							seventy six only.
112	6.6	Providing and fixing copper tape 20 mm	8	30.000	meter	379.760	J and only.
		mm thick on parapet				379.700	
		or surface of	10	Maria Carlo		Salar Sa	
		or surface of wall for lightning conc	ductor				D =
		I subject as required					Rs. Four hundred ten and
		(For vertical run)					paise six only.
3	2.2	Providing and Said	30	0.000	meter	410.000	Market and the Control of the Contro
		Providing and fixing follwing rteing			metel	410.060	
		Capacity MCCD		The state of the s		THE PROPERTY OF THE PARTY OF TH	
		parieti pord including duiti				400	
		making connection	2 22				
		required et	c as				
	222						
	2.2.3	160 amp. 16KA					
							Re Found
							Rs. Four thousand five
			1.0	000	EACH	1565 200	hundred sixty five and
						4565.200	paise twenty only.
						YESSON.	
	1 -						
		FIRE FIGHTING				Total (C)	503,812.73

Mand Kumar Singh Partse

Chief Engineer
B.S.E.I.D.C. Ltd, Patna 2 ya. 16/0/

1	14 DGS&1				30			
	DUSKI	D Brand new ISI marked Life C type multipurpose Fire Extinguis Capacity, fitted with pressu complete in all respects, reac complete installation kit.	shers 4 Kgs.	10.000	Nos.	7549.750	Rs. Seven thousand five hundred forty nine and paise seventy five only	
						Tota	75,497.	
		CARRAGE OFFI				Total (I		
115	5	Type of materials				Rate Incl.	75,476.	
		Cement	1	39.566	MT	289.8°	Rs. Two hundred eighty nine and paise eighty	
		Sand	13	88.457	cum	1073.41	One Thousand Seventy Three and Paise Forty one only	
		Local Sand	12	25.918	cum	205.29	Two Hundred Five and	
		Stone Chips	17	76.279	cum	2077.91	Two Thousand Seventy Seven And Paise Ninety	
		Brick	12	20.253	Thous.	601.67	One only Rs. Six hundred one and	
116		Steel	18	3.050	MT	289.87	paise sixty seven only. Rs. Two hundred eighty nine and paise eighty	
	ADD EXTRA COST OF MATERIAL FOR Bhagalpur COMM. W.R.T TO GAYA AS PER SOR		R SOR				seven only.	
	Bricks		120	0.253	Thous.	333.36	Three hundred Thirty Three and paise Thirty Six only.	
	Cement		139	0.566	MT	914 90	Nine Hundred Fourteen and Paise Ninety only	
						Total	880,250.66	
						Total (E)	880,251.00	
				Grand	Total (A+		7,524,673.73	
. No.	DISTRICT NAME OF INSTITUTE					Amount		
1	Banka	BLOCK RESOUR	.CE CENTR	E			(Rs.) 7,524,673.73	
			Tota	al Cost	in 'Rs'		7,524,674.00	

Man-1 Rumar Singh

Chief Engineer
B.S.E.I.D.C. Ltd, Patna
Mh. Skehoushey

(Rupees Seventy Five lacs Twenty Four Thousand Six Hundred Seventy Four "Details of Sl. No. 78 (Construction of 125mm x 40mm x 90m Tube well) is given below Part 'A' - Cost of Materials 125mm dia UPVC casing pipe confirming to 27 Rs. Three hundred fifteen Meter 315.00 2 40mm dia UPVC pipe confirming to ISS Rs. Ninety nine and paise 48 Meter 40mm dia PVC ribbed strainer of approved thirty eight only. 3 quality Rs. One hundred eighty 8 Meter 182.00 two only. 4 Reducing socket 125mm x 40mm Rs. Two hundred seventy 1 Each 270.00 Supplying all labour and materials & fitting only. 5 & fixing PVC cap over the new sink T/well 1 Rs. One hundred forty Each 140.00 Providing and fixing of G.I pipes complete B.S.R with G.I fittings and clamps, including, 6 1548 cutting and making good etc Rs. Two hundred twenty 18 224.44 four and paise forty four mtr 32 mm dia (15% C.P & 1% L.Cess) only. B.S.R 32 mm nominal bore Bross Full valve (15% C.P & 1% L.Cess) 1928 Rs. Five hundred eleven Each 511.21 and paise twenty one only. Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ ISI 8 make 2900 rpm capable of discharge 5000 Rs. Twenty six thousand LPH at 45 Mtr head with all necessary riser Each 26,446.00 four hundred forty six pipe, starter control panel, 1.25" Full way only. valve, 1.25" M.S c Sub - Total "A" Part 'B' - Cost of Labour 46138.37 Boring by jet dheki by suitable cutter of reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as (i) 0 to 30.5 m 9 (a) For 125 mm dia U.PV.C pipe Rs. Two hundred eight 27 mtr 208.77 and paise seventy seven 10 (b) for 40 mm dia UPVC pipe only. (i) 0 to 30.5 m Rs. One hundred 3.5 mtr 119.03 nineteen and paise three (ii) 30.5 m to 61.0 m only. 11 (a) For 40 mm dia UPVC pipe Rs. One hundred thirty 30.5 mtr 136.88 six and paise eighty eight

Mand Kumar Singh

12	a) For 40mm dia UPVC pipe				
		14	mtr	148.79	Rs. One hundred forty eight and paise seventy
	(iv) 75.00 m to above				nine only.
13	a) For 40mm dia UPVC ribbed strainer of approved quality	8	mtr	148.79	Rs. One hundred forty eight and paise seventy
14	Providing all labour & tools and lowering 32 mm dia G.I pipe as per specificatin etc.	24	matu.	Total Control of the	nine only.
	un compiete		mtr	21.34	Rs. Twenty one and paise thirty four only.
15	Supplying labour and developing the T/Well to have sand free discharge all complete as per direction of E/I	1	Each	280.50 a	Rs. Two hundred eights and paise fifty only.
			S	ub - Total	110010
ender approve	ed in favour of M.K. Enterprises @ 10.00% (Ten	-	Total (C="A+B"	60,432.6

ender approved in favour of M.K. Enterprises @ 10.00% (Ten Decimal Zero Zero Percent) below i.e. total amount comes to Rs. 67,72,207=00 (Rupees Sixty Seven Lacs Seventy Two Thousand Two Hundred seven Only)

M. K. ENTERPRISE Many Kumar Singh

Performance Security

Name of Agency – "M.K.Enterprises"

Performance Security of "M.K.Enterprises" of "BRC-Katoria(SL. No.-92)"

BG No.

DOI

087GT02163270001

22.11.16 To 21.11.19

Amount

390000.00

(Rupees Three Lacs Ninety Thousand Only)

बिहार राज्य रीक्षणिक आधारभूत संरचना

Many K. ENTERPRISE.

Many KMWW Singh

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

Shiksha Bhawan, Bihar Rastrabhasa Parishad Campus ,Acharya Shiv Pujan Sahay Path, Saidpur, (A Govt. Of Bihar Undertaking)

Cor. ID. No.: U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256

Letter of Acceptance

Letter no :- BSEIDC/FIN/2667/2016-17/- 104 9 6 To.

M.K. Enterprises, AT+P.O.-Bihat, Begusarai.

Dear Sir,

This is to notify you that your Bid dt. 11.06.2016 for execution of "Construction of Block Resource Centre at Katoria, Banka (SL. No.-92 of NIT No.-40/ 2015-16) in the State of Bihar" has been accepted by the Corporation at your quoted rate of 10.00% (Ten Decimal Zero Zero Percent) below BOQ rates amounting to total contract price of Rs. 67,72,207=00 (Rs. Sixty Seven Lacs Seventy Two Thousand Two Hundred Seven Only)

You are hereby requested to furnish performance security including additional security in the form detailed in I.T.B. para 31.1, 27.4 and clarification issued thereon by RCD, Govt. of Bihar, vide letter no. 3376 (E) dt. 17.08.2010, for an amount equivalent to Rs. 3,90,000=00 (Rs. Three Lacs Ninety Thousand Only) within ten days of receipt of this letter of acceptance valid upto 28 days from the date of expiry of defects liability period and sign the contract, failing which action as stated in Para 31.3 of ITB will be taken.

Yours faithfully

Chief Consultant (Technical)

Memo no: BSEIDC/FIN/2667/2016-17/- 10496 Copy forwarded to: Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC website/Senior Account Officer, BSEIDC, Patna for information & necessary action

Memo no: BSEIDC/FIN/2667/2016-17/- 1049 6

Chief Consultant (Technical)

Date: .. 2 9:1.2:1.6

Copy forwarded to: Chief Engineer, BSEIDC, Patna for information Please.

Memo no: BSEIDC/FIN/2667/2016-17/-10496

Chief Consultant (Technical)

Date: 29:10:16

Copy forwarded to :Managing Director, BSEIDC, Patna for information Please.

Chief Consultant (Technical)

Chief Engineer B.S.E.I.D.C. Ltd, Patna

16/01

M. K. ENTERPRISE

Mant Kumar Singh

बिहार राज्य शैक्षणिक आधारभूत संरवना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

कॉपोंरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256, शिक्षा भवन, विहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना—800004, दूरभाष—0612—2910314

Letter no.: BSEIDC/NIT/2015-16/- 2638

Patna, Date: 17.03.16

Corrigendum No.- 1

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in

the State of Bihar" the following amendments have been made as mentioned below:-

			***************************************				***************************************	***************************************
		Amended provision	Period of Sale of Bid document (Download) from dated 03.03.2016 to 30.04.2016	15:00 Hrs. Last date and time for received.	dated 01.05.2016, 15:00 Hrs. Time and date for opening of T. 1	dated 04. 05.2016, 16:30 Hrs. Time and date for opening of Error	dated 17.05.2016, 15:30 Hrs.	with the supplied up to 04.05.2016, 15:00 Hrs.
	Existing provision	Period of Sale of Bid do	from dated 03.03.2016 to 28.03.2016,	Last date and time for receipt (Upload) of Bids on dated 29.03.2016, 15.00 pt	Time and date for opening of Technical Bids on dated 31. 03.2016. 16:30 Hz.	nancial Bids on	and EMP	X min Livid Will be a
S.	по.		The second secon	2	0	+	50	
		***************************************		and the second s	-		THE RESERVE THE PARTY AND ADDRESS OF THE PARTY	No continuo no con

The other terms and conditions shall remain unchanged.

Chief Consultant (Technical) (Brajesh Prasad)

M. K. ENTERPRISE

Kumar Partmo

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

कॉपरिट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseide@gmail.com, website: www.bseide.in, Fax No.: 0612-2660256, शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना—800004. दूरभाष—0612—2910314

Letter no.: BSEIDC/NIT/2015-16/- 3950

Patna, Date: 30.04.16

Corrigendum No.- 3

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "हिन्दुस्तान" on dated 10.02.2016 vide P.R.-12943 (नि०नि०)15—16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below :-

D.		
no.	Existing provision	Amonded massics
	DATA AFE O 1 - T D T T	winchaga provision
·	from dated 16.04.2016 to 10.05.2016, 15:00 Hrs.	Period of Sale of Bid document (Download) from dated 16.05.2016 to 05.06.2016,
7	Date and Time of Pre bid Meeting - 25.04.2016. Date and Time of Brocket A.	15:00 Hrs. Date and Time of Beschild M.
AND COMMENTS OF THE PARTY OF	14:50 Hrs.	16:00 Hrs.
3	Last date and time for receipt (Upload) of Bids on dated 11.05.2016, 15:00 Hrs	Last date and time for receipt (Upload) of Bids on
-	No. of D. J.	dated 06.06.2016,15:00 Hrs.
-		I me and date for opening of Technical Bids on
1.0	nanoial D. J.	dated 08. 06.2016, 16:30 Hrs.
		I ime and date for opening of Financial Bids on
		ualed 24.06.2016, 15:30 Hrs.
^	The Cost of BOQ and EMD will be accepted up to 08 of 2015	conted in to 00 of and a

The other terms and conditions shall remain unchanged.

Chief Consultant (Technical) (Brajesh Prasad)

Chief Engineer

8.S.E.I.D.C. Ltd, Patna

M. K. ENTERPRISES Kumar

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

कॉपोरेट पहचान संख्या: U80301BR2011SGC015859, e-mail: bseide@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256, शिक्षा भवन, विहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना–800004, दूरभाष–0612–2910314

Letter no.: BSEIDC/NIT/2015-16/- 2937

Patna, Date: 28 ~ 3-2016

Corrigendum No.- 2

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "हिन्दुस्तान" on dated 10.02.2016 vide P.R.-12943 (नि०नि०)15—16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below :-

0.00		
no.	EXISTING provision	Amended provision
	Period of Sale of Bid document (Download) from dated 03.03.2016 to 28.03.2016,	Period of Sale of Bid document (Download) from dated 16.04.2016 to 10.05.2014
The state of the s	Date and Time of Pre bid Meeting - 15.03.2016, Date and Time of Pre bid Marris	15:00 Hrs. Date and Time of Pre-bid Marris
The state of the s	Last date and time for receipt (Upload) of Bids	16:00 Hrs. Last date and time for receipt (17.1)
	Time and date for opening of Technical Bids on dated 31, 03,2016, 16,30 u.m.	dated 11.05.2016, 15:00 Hrs. Time and date for opening of Technical Bids.
	nancial Bids on	dated 13. 05.2016, 16:30 Hrs. Time and date for opening of Financial Bids on
	and EMD will he	The Cost of BOQ and EMD will be accepted.

The other terms and conditions shall remain unchanged.

Chief Consultant (Technical) Brajesh Prasad)

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

M. K. ENTERPRISE /Tumar



SPECIAL CONDITIONS

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes royalties and other

4. To qualify for award of work, the Bidder must possess the following:-

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of

b) DD for required value of B.O.Q. Cost.

c) Sufficient Earnest Money Deposit.

- d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.
- e) Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed at least one Building work of value not less than 25 % of estimated value of contract) in last five years as mentioned in Technical bid.

f) Litigation History as mentioned in Technical bid.

g) Affidavit as mentioned in Technical bid.

h) Valid Registration with Central/ State Govt. / PSU. i) Valid labour license as mentioned in Technical bid.

j) Affidavit/Certificate for not been debarred as mentioned in Technical bid.

- 5. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.
- 6. The tender without earnest money or insufficient earnest money submitted with the tender, will be outright rejected.

7. Conditional tenders shall be outright rejected.

8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.

9. Authority shall reserve the right to reject any or all the tenders or distribute the work to more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained.

- 11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules
- 12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the
- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss
- a. Natural calamities
- b. Act of enemies.

M. K. ENTERPRISE: Man of Kumar Singh

Page 1 of

39

- c. Transport and procurement difficulties.
- d. Circumstances beyond the control of the state.
- 15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- 16. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
- 17. The contractor shall make his own arrangement for water and light at the work site.
- 18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 20. The Tenderer must not quote their rate more than 10 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
- 21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 22. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.

----X-----X

23. The Defect liability Period shall be Three (3) Years from the date of completion of the work.

Many Kumar ghigh

(Seal & Signature of Tenderer)

Page 2 of

Chief Engineer B.S.E.I.D.C. Ltd, Patna

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड

(बिहार सरकार का एक उपक्रम) शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् कैम्पस, आचार्य शिवपुजन सहाय पथ, सैदपुर, पटना—800004 (दूरभाष:—0612—2910314)

निविदा आमंत्रण सूचना संख्या– 40 वर्ष 2015–16 ्कंवल ई-टेन्डरिंग पद्धति के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

बिहार राज्य के भवन निर्माण कार्य हेतु निम्नांकित निविदायें आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार/सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रजिस्ट्रेशन, उक्त कार्य का लेटर ऑफ

क्रम	कार्य का नाम	प्राक्क राहि	T	अग्रधन की राशि	परिमाप विपत्र व			क
1	BRC Ekma, Saran	(लाख	में)	(रू० में)	राशि	T	g	सम की ३
2	BRC Baniyapur,Saran	85.2	2	1,70,400	(रू० में 10,000		.)	
3	BRC Masrak, Saran	85.2	2	1,70,400	- 0,000	0,00		15
4	BRC Marhayeral C	85.2		1,70,400	-,000			15
5	BRC Marhowrah,Saran BRC Amnour,Saran	85.2		1,70,400	- 0,000	2,20		15
6	BRC Daries C	85.2		1,70,400	10,000	0.00		15
7	BRC,Dariyapur,Saran	85.2		1,70,400	, , , ,	0,00		15
8	BRC,Garkha,Saran	85.2			10,000	2,20		15
9	BRC, Manigachhi, Darbhanga	85.2		1,70,400	10,000	0,00		15
	BRC, Keoti, Darbhanga	85.2	-	1,70,400	10,000	5750		15
10	BRC,kusheshwarsthan,Darbhanga			1,70,400	10,000	5750		15
11	BRC, Ghanshyampur, Darbhanga	85.2		1,70,400	10,000	5750		15
12	BRC, Kiratpur, Darbhanga	85.2		1,70,400	10,000	5750		15
13	BRC,Baheri,Darbhanga	85.2		1,70,400	10,000	5750		5 1
14	BRC, Hanumannagar, Darbhanga	85.2		1,70,400	10,000	5750		5 7
15	BRC, Lakhnaur, Madhubani	85.2		1,70,400	10,000	5750	_	
16	BRC,Jhanjharpur,Madhubani	85.2		1,70,400	10,000	5750	-	
17	BRC,Phulparas,Madhubani	85.2		1,70,400	10,000	5750		
18	BRC,Khutauna,Madhubani	85.2		1,70,400	10,000	5750	1	
19	BRC, Khajouli,Madhubani	85.2		1,70,400	10,000		1:	
20	BRC,Bisfi,Madhubani	85.2		1,70,400	10,000	5750	1:	
21	BRC,Rahika,Madhubani	85.2		1,70,400	10,000	5750	1:	
22	BRC, Harlakhi,Madhubani	85.2		1,70,400	10,000	5750	15	
	BRC Rabubarki M. H.	85.2		1,70,400		5750	15	
	BRC,Babubarhi,Madhubani	85.2		,70,400	10,000	5750	15	मा
	BRC Rosada,Samastipur	85.2		,70,400	10,000	5750	15	मा
6 1	BRC Samastipur	85.2			10,000	5750	15	मा
	BRC, Khanpur,Samastipur	85.2		,70,400	10,000	5750	15	माः
_	BRC, Hasanpur,Samastipur	85.2		,70,400	10,000	5750	15	माः
8 I	BRC, Mohanpur, Samastipur			,70,400	10,000	5750	15	माः
9	BRC, Patori, Samastinur	85.2		,70,400	10,000	5750		माह
0 E	BRC, Shivajinagar, Samastipur	85.2		70,400	10,000	5750		माह
T E	SKC, Sangrampur, E. Champaran	85.2		70,400	10,000	5750		
Z B	RC, Kalyanpur, E. Champaran	85.2		70,400	10,000	5750		माह
B	RC Chakia, E. Champaran	85.2		70,400	10,000	5750	15	माह
B	RC Sugauli, E. Champaran	85.2		70,400	10,000	5750		माह
B	RC Madhuban, E. Champaran	85.2	1,	70,400	10,000	5750		
B	RC Patahi, E. Champaran	85.2	1,	70,400	10,000			माह
В	RC Raxaul, E. Champaran	85.2	1,7		10,000			
В	RC Adapur,E.Champaran	85.2	1,7		10,000			
В	RC Bankatwa, E. Champaran	85.2			10,000		15	
BI	RC Dhaka,E.Champaran	85.2			10,000			माह
BI	RC Bairia, W.Champaran	85.2			10,000		15	
RI	RC Narkatiogani W. Gl	85.2		0			15	माह
DI	RC Narkatiaganj, W.Champaran	85.2			10,000		15	माह
Dr	RC Sikta, W.Champaran	85.2		0	10,000		15	नाह
Bh	RC Bhithan, W.Champaran	03.2	1,/	0,400	0,000	57501	15 12	माह

Partne

Mand Kuman Singh

BRC Lauriya, W.Champaran BRC, Piprasi, W.Champaran BRC, Majhaulia, W.Champaran BRC Darauli, Siwan BRC Hussainganj, Siwan BRC Basantpur, Siwan BRC Basantpur, Siwan BRC, Bhagwanpur, Siwan BRC, Hasanpur, Siwan BRC, Uchkagaon, Gopalganj BRC Sidhwalia, Gopalganj BRC Bhorey, Gopalganj BRC, Bijaipur, Gopalganj BRC Pachdeuri, Gopalganj BRC Vuchaikot, Gopalganj BRC Kuchaikot, Gopalganj	85. 85. 85. 85. 85. 85. 85. 85.	2 1,70,40 2 1,70,40 2 1,70,40 2 1,70,40 2 1,70,40 2 1,70,40 2 1,70,40 2 1,70,40 2 1,70,40 2 1,70,40	00 10,000 00 10,000 00 10,000 00 10,000 00 10,000 00 10,000 00 10,000 00 10,000 0 10,000 0 10,000 0 10,000	5750 5750 5750 5750 5750 5750 5750 5750 5750 5750	15 म 15 म 15 मा 15 मा 15 मा 15 मा 15 मा 15 मा
BRC,Majhaulia,W.Champaran BRC Darauli,Siwan BRC Hussainganj,Siwan BRC Mairwa,Siwan BRC Basantpur,Siwan BRC,Bhagwanpur,Siwan BRC,Hasanpur,Siwan BRC,Uchkagaon,Gopalganj BRC Sidhwalia,Gopalganj BRC Bhorey,Gopalganj BRC,Bijaipur,Gopalganj BRC Pachdeuri,Gopalgani	85. 85. 85. 85. 85. 85. 85. 85.2 85.2 85	2 1,70,40 2 1,70,40 2 1,70,40 2 1,70,40 2 1,70,40 2 1,70,40 2 1,70,40 2 1,70,40 2 1,70,40	00 10,000 00 10,000 00 10,000 00 10,000 00 10,000 00 10,000 00 10,000 0 10,000	5750 5750 5750 5750 5750 5750 5750	15 मा 15 मा 15 मा 15 मा 15 मा 15 मा 15 मा
BRC Darauli, Siwan BRC Hussainganj, Siwan BRC Mairwa, Siwan BRC Basantpur, Siwan BRC Maharajganj, Siwan BRC, Bhagwanpur, Siwan BRC, Hasanpur, Siwan BRC Uchkagaon, Gopalganj BRC Sidhwalia, Gopalganj BRC Bhorey, Gopalganj BRC, Bijaipur, Gopalganj BRC Pachdeuri, Gopalgani	85. 85. 85. 85. 85. 85.2 85.2 85.2	2 1,70,40 2 1,70,40 2 1,70,40 2 1,70,40 2 1,70,40 2 1,70,40 2 1,70,40 2 1,70,40	00 10,000 00 10,000 00 10,000 00 10,000 00 10,000 0 10,000 0 10,000 0 10,000	5750 5750 5750 5750 5750 5750	15 मा 15 मा 15 मा 15 मा 15 मा
BRC Mairwa,Siwan BRC Basantpur,Siwan BRC Maharajganj,Siwan BRC,Bhagwanpur,Siwan BRC,Hasanpur,Siwan BRC Uchkagaon,Gopalganj BRC Sidhwalia,Gopalganj BRC Bhorey,Gopalganj BRC,Bijaipur,Gopalganj BRC Pachdeuri,Gopalgani	85. 85. 85. 85. 85.2 85.2 85.2	2 1,70,40 2 1,70,40 2 1,70,40 2 1,70,40 2 1,70,40 2 1,70,40 2 1,70,40	00 10,000 00 10,000 00 10,000 00 10,000 0 10,000 0 10,000	5750 5750 5750 5750 5750	15 मा 15 मा 15 मा 15 मा 15 मा
BRC Basantpur,Siwan BRC Maharajganj,Siwan BRC,Bhagwanpur,Siwan BRC,Hasanpur,Siwan BRC Uchkagaon,Gopalganj BRC Sidhwalia,Gopalganj BRC Bhorey,Gopalganj BRC,Bijaipur,Gopalganj BRC Pachdeuri,Gopalgani	85. 85. 85. 85. 85.2 85.2 85.2	2 1,70,40 2 1,70,40 2 1,70,40 2 1,70,40 2 1,70,40 2 1,70,40	00 10,000 00 10,000 00 10,000 00 10,000 00 10,000	5750 5750 5750 5750	15 ні 15 ні 15 ні 15 ні
BRC Maharajganj,Siwan BRC,Bhagwanpur,Siwan BRC,Hasanpur,Siwan BRC Uchkagaon,Gopalganj BRC Sidhwalia,Gopalganj BRC Bhorey,Gopalganj BRC,Bijaipur,Gopalganj BRC Pachdeuri,Gopalgani	85.1 85.2 85.2 85.2 85.2 85.2	2 1,70,40 2 1,70,40 2 1,70,40 2 1,70,40 2 1,70,40	00 10,000 00 10,000 00 10,000 00 10,000	5750 5750 5750	15 मा 15 मा 15 मा
BRC,Bhagwanpur,Siwan BRC,Hasanpur,Siwan BRC Uchkagaon,Gopalganj BRC Sidhwalia,Gopalganj BRC Bhorey,Gopalganj BRC,Bijaipur,Gopalganj BRC Pachdeuri,Gopalgani	85.2 85.2 85.2 85.2	2 1,70,40 2 1,70,40 2 1,70,40 2 1,70,40	0 10,000 0 10,000 0 10,000	5750 5750	15 मा 15 मा
BRC, Hasanpur, Siwan BRC Uchkagaon, Gopalganj BRC Sidhwalia, Gopalganj BRC Bhorey, Gopalganj BRC, Bijaipur, Gopalganj BRC Pachdeuri, Gopalgani	85.2 85.2 85.2 85.2	2 1,70,40 2 1,70,40 2 1,70,40	0 10,000 0 10,000	5750	15 मा
BRC Uchkagaon, Gopalganj BRC Sidhwalia, Gopalganj BRC Bhorey, Gopalganj BRC, Bijaipur, Gopalganj BRC Pachdeuri, Gopalgani	85.2 85.2 85.2	2 1,70,40 2 1,70,40	0 10,000		
BRC Sidhwalia,Gopalganj BRC Bhorey,Gopalganj BRC,Bijaipur,Gopalganj BRC Pachdeuri,Gopalgani	85.2 85.2 85.2	2 1,70,40	7,000	5750	111
BRC Sidhwalia,Gopalganj BRC Bhorey,Gopalganj BRC,Bijaipur,Gopalganj BRC Pachdeuri,Gopalgani	85.2 85.2	-,. 0, 10		3/30	15 माह
BRC Bhorey,Gopalganj BRC,Bijaipur,Gopalganj BRC Pachdeuri,Gopalgani	85.2		-,000	5750	15 माह
BRC Pachdeuri, Gopalgani		-,,	-,000	5750	15 माह
BRC Pachdeuri, Gopalgani	0.5 3	-,. 0,.00	,	5750	15 माह
BRC Kuchaikot, Gopalgani	85.2	-,, 0, 100	-,000	5750	15 माह
	85.2	-,, 0,100	,000	5750	15 माह
BRC,Ramgarh,Kaimur	85.2	, , , , , ,	,000	5750	15 माह
BRC Chainpur, Kaimur	85.2	-,. 0, 100	,000	5750	15 माह
BRC Bhagwanpur, Kaimur			-0,000	5750	15 माह
BRC Chakki,Buxar					15 माह
BRC Buxar		1,70,400	10,000		15 माह
BRC,Chausa,Buxar		1,70,400	10,000		15 माह
BRC Dinara, Rohtas		1,70,400	10,000		15 माह
BRC Karahgar, Rohtas		1,70,400	10,000		15 माह
BRC Kochas Rohtas		1,70,400	10,000		15 माह
BRC Tilauthu Rohtas	85.2	1,70,400			
BRC Karakat Rohtas	85.2	1,70,400			
BRC Dawat Rohtas	85.2	1,70,400			
BRC. Mansahi Katihan	85.2	1,70,400			15 माह
BRC Manihar Katiban	85.2				15 माह
BRC Prannur Votile	85.2				15 माह
BRC Kadwa Katil	85.2				15 माह
BRC Parasi V. Cl					15 माह
BRC Agames W. II					15 माह
BRC Namata i h					15 माह
BRC, Narpatganj, Araria					15 माह
					15 माह
BRC, Jokihat, Araria					15 माह
BRC,Bhargama,Araria					15 माह
BRC,Kursakata,Araria					15 माह
BRC, Purnea East,					15 माह
BRC, Baisi, Purnea				5750	15 माह
BRC,Amour,Purnea			,	5750	15 माह
BRC, Dhamdaha, Purnea				5750	15 माह
BRC,Banmankhi,Purnea				5750	15 माह
BRC, Tarhagach, Kishangani				5750	15 माह
BRC, Thakurgani, Kishangani			10,000	5750	15 माह
BRC,Pothia,Kishangani			10,000	5750	15 माह
BRC Katoria.Banka		1,70,400	10,000		15 माह
BRC Rajaun, Banka	85.2	1,70,400	10,000		
BRC,Barhat,Banka	85.2	1,70,400			
BRC Belhar Banka	85.2	1,70,400			
BRC Jamui	85.2				15 माह
BRC Barhat Jamui	85.2				15
BRC Chakai Jamui	85.2				15 माह
PDC Cidbook I				750	15 माह
PC Silver L. I.					15 माह
NC Sikandra,Jamui				2750	15 माह
	BRC Bhagwanpur,Kaimur BRC Chakki,Buxar BRC Buxar BRC,Chausa,Buxar BRC Dinara,Rohtas BRC Karahgar,Rohtas BRC Kochas,Rohtas BRC Tilauthu,Rohtas BRC Dawat,Rohtas BRC Dawat,Rohtas BRC,Mansahi,Katihar BRC,Manihar,Katihar BRC,Pranpur,Katihar BRC,Pranpur,Katihar BRC,Barsoi,Katihar BRC,Azamnagar,Katihar BRC,Araria BRC,Araria BRC,Araria BRC,Jokihat,Araria BRC,Jokihat,Araria BRC,Barsoi,Katihar BRC,Ro,Jokihat,Araria BRC,Araria BRC,Jokihat,Araria BRC,Jokihat,Araria BRC,Jokihat,Araria BRC,Barsoi,Katihar BRC,Araria BRC,Araria BRC,Araria BRC,Araria BRC,Araria BRC,Jokihat,Araria BRC,Bhargama,Araria BRC,Bhargama,Araria BRC,Furnea East, BRC, Baisi,Purnea BRC,Amour,Purnea BRC,Amour,Purnea BRC,Amour,Purnea BRC,Amour,Purnea BRC,Chhamdaha,Purnea BRC,Banmankhi,Purnea BRC,Barhat,Banka BRC,Barhat,Banka BRC Belhar,Banka BRC Belhar,Banka BRC Barhat,Jamui BRC Barhat,Jamui BRC Barhat,Jamui BRC Gidhour,Jamui BRC Sikandra,Jamui	BRC Bhagwanpur, Kaimur 85.2 BRC Bhagwanpur, Kaimur 85.2 BRC Chakki, Buxar 85.2 BRC Buxar 85.2 BRC, Chausa, Buxar 85.2 BRC Dinara, Rohtas 85.2 BRC Karahgar, Rohtas 85.2 BRC Kochas, Rohtas 85.2 BRC Tilauthu, Rohtas 85.2 BRC Dawat, Rohtas 85.2 BRC, Mansahi, Katihar 85.2 BRC, Mansahi, Katihar 85.2 BRC, Manihar, Katihar 85.2 BRC, Pranpur, Katihar 85.2 BRC, Pranpur, Katihar 85.2 BRC, Barsoi, Katihar 85.2 BRC, Barsoi, Katihar 85.2 BRC, Araria 85.2 BRC, Araria 85.2 BRC, Jokihat, Araria 85.2 BRC, Bhargama, Araria 85.2 BRC, Bragama, Araria 85.2 BRC, Baisi, Purnea 85.2 BRC, Baisi, Purnea 85.2 BRC, Banmankhi, Purnea 85.2 BRC, Banmanki, Kishanganj 85.2 <	BRC Bhagwanpur, Kaimur BRC Chakki, Buxar BRC Chakki, Buxar BRC Buxar BRC Dinara, Rohtas BRC Dinara, Rohtas BRC Karahgar, Rohtas BRC Tilauthu, Rohtas BRC Tilauthu, Rohtas BRC Dawat, Rohtas BRC Dawat, Rohtas BRC Tilauthu, Rohtas BRC Ses. 1,70,400 BRC Dawat, Rohtas BRC Bago, Tilauthu, Rohtas BRC Bago, Tilauthu, Rohtas BRC Bago, Tilauthu, Rohtas BRC Ji,70,400 BRC Dawat, Rohtas BRC Dawat, Rohtas BRC Dawat, Rohtas BRC, Manishi, Katihar BRC, Manishi, Katihar BRC, Manishi, Katihar BRC, Pranpur, Katihar BRC, Pranpur, Katihar BRC, Barsoi, Katihar BRC, Barsoi, Katihar BRC, Araria BRC, Araria BRC, Araria BRC, Araria BRC, Araria BRC, Araria BRC, Barsoi, Katihar, Ses. 1,70,400 BRC, Tarlagach, Kishanganj BRC, Thakurganj, Kishanganj BRC, Todouto, Ses. 1,70,400 BRC, Todouto, Ses. 1,70,400 BRC, Thakurganj, Kishanganj BRC, Todouto, Ses. 1,70,400 BRC, Todouto, Ses. 1	BRC Bhagwanpur, Kaimur	BRC Bhagwanpur, Kaimur

Man-J Kumar Singh

Partme

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

	103	- Isliaigalli, Vilinger							
	102	BRC Naugachhia Bhagalpur		85.		0,400	10,000	575	0 15
	103	BRC Pirpainti Bhagalpur	42	85.	2 1,7	0,400	10,000		10 116
$\overline{}$	104	BRC Shahkund.Bhagalpur		85.		0,400	10,000	0,0	- 110
	105	BRC Puraini, Madhenura		85.		0,400	10,000		
	106	BRC Gwalpada Madhenura		85.		0,400	10,000	5750	10
	107	BRC Kumarkhand Madhenura		85.2		0,400	10,000	5750	10
	108	BRC Gallarh, Madhenura	/	85.2		0,400	10,000	5750	10 110
	109	BRC Saurbazar, Saharsa		85.2		,400	10,000	5750	10
	110	BRC, Navhatta, Saharsa		85.2	- 970	,400	10,000	5750	- 110
	111	BRC Mahensi, Saharsa		85.2	-9,0	,400	10,000	5750	10
	112	BRC Sonbarsa, Saharsa		85.2		,400	10,000	5750	10
$\overline{}$	113	BRC Simri, Bakhtiyarnur Saharsa		85.2	-,,,		10,000	5750	10
	114	DRC Supaul		85.2	-,,,		10,000	5750	15 माह 15 माह
\frown	115	BRC Pipra,Supaul		85.2	1,70		10,000	5750	
	116	BRC Pratapganj, Supaul		85.2	1,70,		10,000	5750	15 माह 15 माह
$\hat{}$	117	BRC Nirmali, Supaul		85.2	1,70,		10,000	5750	15 माह
	118	BRC Raghopur, Supaul		85.2	1,70,	400	10,000	5750	15 माह
	119	BRC, Atari, Gaya		85.2	1,70,		10,000	5750	15 माह
	120	BRC, Neemchak, Gaya		85.2	1,70,		10,000	5750	
	121	BRC, Wazirgani, Gaya		85.2	1,70,4		10,000	5750	15 माह 15 माह
	122	BRC, Mohanpur, Gaya		85.2	1,70,4		10,000	5750	15 माह
-	123	BRC, Imamgani, Gaya		85.2	1,70,4		10,000	5750	15 माह
-	124	BRC Amas, Gaya		85.2	1,70,4	00	10,000	5750	15 माह
-	125	BRC, Koch, Gaya		85.2	1,70,4		10,000	5750	15 माह
-	126	BRC,Jehanabad		85.2	1,70,4		10,000	5750	15 माह
	127	BRC,Kako,Jehanabad		85.2	1,70,4	00	10,000	5750	
	128	BRC,Ghosi,Jehanabad		85.2	1,70,4		10,000	5750	15 माह 15 माह
-	129	BRC Arwal		85.2	1,70,40		0,000	5750	15 माह
	130	BRC Karpi,Arwal		85.2	1,70,40		0,000	5750	
	131	BRC,Obra,Aurangabad		85.2	1,70,40	00 1	0,000	5750	
	132	BRC, Dev. Aurangahad		85.2	1,70,40		0,000	5750	15 माह 15 माह
	133 F	BRC Madanpur.Aurangabad		85.2	1,70,40	0 1	0,000	5750	15 माह
	134 [one Kutumba, Aurangahad		85.2	1,70,40		0,000	5750	15 माह
	122 [RC, Rega, Sitamarhi		85.2	1,70,40	0 1	0,000	5750	
	136 E	RC,Merajgang,Sitamarhi		85.2	1,70,40		0,000	5750	15 माह 15 माह
	13/ E	RC,Pupri,Sitamarhi		85.2	1,70,40		0,000	5750	15 माह
	138 B	RC,Barthnaha,Sitamarhi		85.2	1,70,400) 10	0,000	5750	15 माह
	139 B	RC,Runisaidpur.Sitamarhi		85.2	1,70,400	0	0,000	5750	
	.40 B	RC, Suppi, Sitamarhi		85.2	1,70,400	10	,000	5750	
	.41 B	RC, Pakribarawan Nawada		35.2	1,70,400		,000	5750	15 माह 15 माह
	42 B	RC, Warisaligani. Nawada		35.2	1,70,400		,000	5750	15 माह
	43 B	RC, Akabarpur Nawada		35.2	1,70,400		,000	5750	15 माह
	44 B	RC, Narhat,Nawada		35.2	1,70,400		,000	5750	15 माह
	45 BI	RC, Chandi, Nalanda		5.2	1,70,400	10,	000	5750	15 माह
	46 BI	RC, Austhawan ,Nalanda		5.2	1,70,400	10,	000	5750	15 माह
14	+/ BF	C, Rahui, Nalanda		5.2	1,70,400	10,	000	5750	15 माह
14		C, Ekangarsarai, Nalanda		5.2	1,70,400	10,	000	5750	15 माह
14	B BK	C,Silaw,Nalanda		5.2	1,70,400	10,	000	5750	15 माह
15	U BR	C, Katrisarai,Nalanda		5.2	1,70,400	10,0	000	5750	15 माह
15	1 BK	C, Karaiparsurai Nalanda			1,70,400	10,0	000		15 माह
15	2 BK	C,Motipur,Muzaffarnur			1,70,400	10,0	000		15 माह
15:	2 BK	C Gaighat, Muzaffarnur	85		1,70,400	10,0	000		15 माह
154	4 BR	C,Aurai,Muzaffarnur	85		1,70,400	10,0	00		15 माह
155	BR	C,Bandra,Muzaffarpur	85		1,70,400	10,0	00		15 माह 15 माह
156	BR	C,Minapur,Muzaffarpur	85		1,70,400	10,0	00		15 माह 15 माह
		•	85.	.2 1	1,70,400	10,0			
		M. K. ENTERPRISE:				-	hiof Fi	ameer	15 ₀ म/ह

Mary Knmar Singh

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

21/a. 16/01

157	orto, Dhagwallour Villa attarian					
158	BRC, Jagdishpur, Bhoipur	85.2	1,70,400	10,000	5750	1.7
159	BRC, Charpokhri, Bhoinur	85.2	1,70,400	10,000	5750	15
160	BRC, Udwantnagar Bhoinur	85.2	1,70,400	10,000	5750	15 7
161	BRC, Garhani, Bhoinnr	85.2	1,70,400	10,000	5750	15 F
162	BRC ,Koilwar,Bhojpur	85.2	1,70,400	10,000	5750	15 H
163	BRC, Fatuhan, Patna	85.2	1,70,400	10,000	5750	15 म
164	BRC, Bakhtiyarpur,Patna	85.2	1,70,400	10,000	5750	15 म
165	BRC,Naubatpur,Patna	85.2	1,70,400	10,000		15 म
166	BRC,Maner,Patna	85.2	1,70,400	10,000	5750	15 म
167	BRC,Begusarai	85.2	1,70,400	10,000	5750	15 म
168	BRC,Matihani,Begusarai	85.2	1,70,400	10,000	5750	15 म
169	BRC, Bhagwanpur,Begusarai	85.2	1,70,400	10,000	5750	15 मा
170	BRC, Bakhri, Begusarai	85.2	1,70,400	10,000	5750	15 मा
171	BRC, Mansoorchak, Begusarai	85.2	1,70,400	10,000	5750	15 मा
172	BRC, Cheria Bariyarpur, Begusarai	85.2	1,70,400	10,000	5750	15 मा
173	BRC ,Chuatham,Khagaria	85.2	1,70,400	10,000	5750	15 मा
174	BRC ,Gogari,Khagaria	85.2	1,70,400	10,000	5750	15 मार
175	BRC, Beldour,Khagaria	85.2	1,70,400	10,000	5750	15 माह
176	BRC,Parbatta,Khagaria	85.2	1,70,400	10,000	5750	15 माह
177	BRC,Raghopur,Vaishali	85.2	1,70,400	10,000	5750	15 माह
178	BRC ,Desari, Vaishali	85.2	1,70,400		5750	15 माह
179	BRC Pidumu V i I II	85.2	1,70,400	10,000	5750	15 माह
	BRC, Bidupur, Vaishali	85.2	1,70,400	10,000	5750	15 माह
181	BRC, Jandaha, Vaishali	85.2	1,70,400	10,000	5750	15 माह
	BRC ,Mahua, Vaishali	85.2		10,000	5750	15 माह
183	BRC, Garoul, Vaishali	85.2	1,70,400	10,000	5750	15 माह
184	BRC,Chewada,Shekhpura	85.2	1,70,400	10,000	5750	15 माह
105	BRC,Barhiya,Lakhisarai	85.2	1,70,400	10,000	5750	15 माह
185	BRC ,Alinagar, Suryagarha,Lakhisarai		1,70,400	10,000	5750	15 माह
		85.2	1,70,400	10,000	5750	15 माह

नोटः (i). निविदाकार एक या अधिक कार्य के लिए अलग-अलग निविदा डाल सकते हैं।

(ii). प्राक्कलित राशि घट या बढ़ सकती है एवं तद्नुसार अग्रधन की राशि घट या बढ़ सकती है।

(iii) वेबसाईट-www.eproc.bihar.gov.in पर अंकित प्राक्कलित राशि, अग्रधन की राशि एवं परिमाण विपन्न की राशि अंतिम रुप से (2) विज्ञापन निर्गत करने की तिथि

(3) परिमाण विपत्र प्राप्त करने(डाउनलोड) की अवधि एवं समय :— दिनांक— 03.**03.2016** से **28.03.2016**, 15:00 घंटा दिनांक:-03.02 .2016

(4) प्री बिड मीटिंग का समय, स्थान एवं तिथि

(वेबसाईट:www.eproc.bihar.gov.in पर)

दिनांक:— 15.03.2016, 14:30 घंटा प्रबंध निदेशक का कार्यालय,बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम, पटना।

(5) निविदा प्राप्ति(अपलोड) की अंतिम तिथि एवं समय:—

दिनांक- 29.03.2016, समय- 15:00 घंटा

(6) अग्रधन जमा करने की अंतिम तिथि एवं समय

दिनांक- 31.03.2016, समय- 15:00 घंटा

(7) टेक्निकल बिड खोलने की तिथि एवं समय

दिनांक— 31.03.2016, समय— 16:30 घंटा (वेबसाईट-www.eproc.bihar.gov.inपर)

(8) वित्तीय बिड खोलने की तिथि एवं समय

(9) निविदा खोलने का स्थान

दिनांक- 11.04.2016, समय- 15:30 घंटा

वेबसाईट-www.eproc.bihar.gov.inपर

(10) निविदा की वैधता की अवधि

120 दिन

(11) ई—टेन्डरिंग की प्रकिया में भाग लेने हेतु संवेदकों को पंजीकृत होना होगा, जिससे कि उन्हें उपयोगकर्ता का नाम (user

ID) पासवर्ड (Password) अंकीय हस्ताक्षर (Digital Signature) निर्गत की जायेगी। यह उन्हें वेबसाईट www.eproc.bihar.gov.in से डाउनलोड करने / टेन्डर की प्रक्रिया में भाग लेने की योग्यता प्रदान करेगा।

(12) ई—निविदा पत्र बेवसाईट www.eproc.bihar.gov.in से प्राप्त किया जा सकता है। संवेदक द्वारा सिर्फ उपर्युक्त वेबसाईट से ही परिमाण विपन्न प्राप्त करने के उपरांत वेबसाईट पर ही इलेक्ट्रानिक निविदा पत्र को भरकर भेजना है। अन्य सभी महत्वपूर्ण कागजात / बैंक ड्राफ्ट / अग्रधन की राशि / सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को स्कैन कर ई-निविद्ये कि साथ

(13) परिमाण विपन्न के दर से कम दर उद्धृत करने पर बीड डाक्यूमेंट की शर्त्तों एवं सरकारी निर्णयानुस्मर स्विति है

Performance Guarantee एकरारनामा के पूर्व जमा करना होगा।

Chief Engineer B.S.E.I.D.C. Ltd, Patna

M. K. ENTERPRISE

Many Kumar Stry

(14) (क) प्रत्येक परिमाण विपत्र का मूल्य जो प्रत्येक निविदा के सामने उपर किण्डका (1) में अंकित है (जो लौटाया नहीं जाएगा) किसी भी राष्ट्रीयकृत बैंक द्वारा निर्गत एवं BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. के नाम से एवं पटना में भुगतेय हो, स्वीकार किया जायेगा। मूल बैंक ड्राफ्ट "बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड" पटना के कार्यालय में दिनांक 31.03.2016 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना है। ऐसा नहीं करने पर निविदा मान्य नहीं

(অ) Beltron Bid Processing Fee is mandatory to be paid through online mode i.e. Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS"

Bids along with necessary online payments must be submitted through e-procurement portal www.eproc.bihar.gov.in before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffic/ Holidays or

(ग) वांछित अग्रधन की राशि राष्ट्रीय बचत पत्र/डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक जो बिहार राज्य से क्रय या जमा किया हो, **प्रबंध निदेशक**, BSEIDC Ltd., पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा बिहार वित्त नियमावली के अनुसार BSEIDC Ltd. के नाम से फिक्सड डिपोजिट रिसिप्ट अथवा बैंक गारन्टी जो बिड के मान्य अवधि तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत/अनुसूचित बैंक से निर्गत हो (अगर बिहार प्रान्त के बाहर के बैंक से निर्गत बैंक गारन्टी दिया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड, पटना में दिनांक 31.03.2016 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना आवश्यक है। ऐसा नहीं करने पर निविदा

(15) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर लें। ताकि अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से बच सकें।

(16) निविदाकार निविदा डालने से पहले अपने स्तर से भी प्रस्तावित कार्य स्थल पर भूमि उपलब्धता के संबंध में आश्वस्त हो

(17) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। बिना कारण बताये निविदा या उसके अंश को अस्वीकृत करने / रद्द करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।

(18) विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्य अविध में सम्पर्क किया जा सकता है। ई–टेन्डरिंग की प्रक्रिया से संबंधित किसी भी प्रकार की जानकारी/सूचना हेतु सहायता कक्ष, ई—टेन्डरिंग कक्ष, प्रथत तल्ला, M/22, बैंक ऑफ इण्डिया भवन, रोड न० २५, श्री कृष्णा नगर, पटना—800001, दूरभाष सं० 0612—2523006/9939035696.

> ब्रजेश प्रसाद मुख्य अभियंता

4/8 M. E. ENTERPRISE Mange Kumar Singh