Schedule XLV-Form No. 61 Resource Centre at Apapia,
Apapia (SL No. - 80)

### BIHAR PUBLIC WORKS DEPARTMENT

Agency - [Form No. F-2] Shashi Ranjan.
ITEM RATE TENDER AND CONTRACT FOR WORKS

Agreement No. 17 Fz of 2018-19.

General Rule and Direction for the guidance of Contractors.

Date of Commencement - 10-05-2018.

1. All works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer.

This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours.

- 2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so.
- 3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm.
- 4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Sub-divisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender.

5. The amount of earnest money to be deposited will be: -	Rs.
If the amount of the estimate does not exceed Rs. 2,000	· 50
If the amount of the estimate exceeds Rs. 2,000 but does	of 99 rene sonergeous.
not exceed Rs. 5,000	100
If the amount of the estimate exceeds Rs. 5,000 but does	rabital and states, scaled
not exceed Rs. 10,000	200
For each additional Rs. 5,000 or portion of Rs. 5.000	
additional earnest money	om/adv/ 100

6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any elteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or ornit to note the time within which the work can be finished, or which are not accompanied by the treasury challan for the required earnest money will be liable to rejection. No single tender shall include more than one work, but contractors who will to tender for two or more works shall submit a separate tender for each fender shall bear the name of the work to which they refer written outside the envelopment of the work to which they refer written outside the envelopment of the work to which they refer written outside the envelopment of the work to which they refer written outside the envelopment of the work to which they refer written outside the envelopment of the work to which they refer written outside the envelopment of the work to which they refer written outside the envelopment of the work to which they refer written outside the envelopment of the work to which they refer written outside the envelopment of the work to which they refer written outside the envelopment of the work to which they refer written outside the envelopment of the work to which they refer written outside the envelopment of the work to which they refer written outside the envelopment of the work to which they refer written outside the envelopment of the work to which they refer written outside the envelopment of the work to whom they are the work to which they refer written outside the envelopment of the work to whom they are the work to whom they are they are the work to whom they are they are the work to whom they are they are

Shashi Ranjan 10.05.18

- 7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the
  - 8. The Engineer shall have the right of rejecting all or any of the tenders
- 9. In the event of a tender being selected for acceptance the Engineer who opened the tenders will, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the priscribed time. The tender with the specilication and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to

- 10. When a tender is selected for acceptance the tender shall deposit the required amount the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of th security money. No tender shall be finally accepted until the required amount of the security money has bee
- 11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required amount of the security money has been deposited the Engineer shall scrutinise all pages of the force it it is the contract. for works to see that the form has been properly filled up and signs day the contractor at the signature witnessed He shall then if he is competent, to accept the tender right acceptance of the tender if he is not so competent shall send the form for signature of the acceptance of the officer competent to accept it.

Shashi Ranjan

Schedul	e XLV -	Form	No.	6

**TENDER FOR WORKS** 

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

### MEMORANDUM

- (a) If several sub-work are [a] cluded they should be detained in a separate list.
- (b) This deposit will be 5% the estimated cost of the Work.
- (c) This percentage [d]
- duction from bills will be credited to the contractors

- ecurity deposit.
- - [h]

- Name of work .....
  - Estimated cost
- Earnest money
- Initial security deposits (including earnest money) to be deposited befor the commencement of the work ......
- Percentage to be deducted from bills Rs. 5% (Rupees five percent) [e]
- [f] Time required for the work from date of written order to commence ...... ..... monthly
- Date of written other to commence [g]
- Total number of item of work tendered for

-	Item No.	Item of work	RATE T	ENDERED	Dor	
0	item No.	item of work	In figures	In words	Per	
9						
de						
9						
0						
0						
0						
0						
				. 57		
0				1 1 1	11	
0		The House of the H		An	5,2018	
9				Chief Consultar	nt (Technical)	
0)			Bif	ar State Educatio	nal Infrastructure	
٥			3	velopment Corpo	anon Ltd., Patna	

Shashi Ranjan

Item No.	Item of work		ENDERED		
existe to his t	ROTT OF WORK	In figures	In words	Per	
			e folding	*	
The saw on to		of Coldies by	Display for the same of		
	A Vie 19 Carabasas tordo telano	d behivere his	e eleksten :		
		2 - Particular - \$12 4874	7 8 18 5 7 7 6 9		
Control of the second	Commence To William Agency	now. to see	SM . Fel see		
		area batero	(4)		
				Stay Office	
			od:		
	and the second of the second o	al free versus in	hat a series		
			Marian Sec		
five parent)					
		01 BL 91. CT 908 P[93]			
34 15 6 M		of the benchmark			
and the property					
der al					
	is barronat x	e i la la ja livean e	SE VINTAL		
	The state of the s				
100					
A. Seed					
X14					
Casternal June January (Carlot	Charl Consul				
	16 3 an emporable (				
	16				
				-	

Mofing Philosop

3 Schedule XLV - Form No. 61 (5) RATE TENDERED Item No. Item of work Per In figures In words

0)

Item No.	Item of work	RATE TENDERED		
	Item of work	In figures	In words	Per

4 (7) Schedule XLV - Form No. 61 RATE TENDERED Per Oltem No. Item of work In figures In words

should this tender be accepted I/we hereby agree to abide by and fulfill all the terms and provisions of the said conditions of contract annexed hereto so, for as applicable, or in ssors in office the sums of money mentioned in the said conditions.

\*Signature, of contractor before comission of tender

witness

Signature of witness to contractor's signature

The above tender is hereby accepted by me on behalf of the Governor of Bihar Address :-Occupation: Dated the 20

signature of the office. accepting the tender

Acceptances communicated on......

signature of the party. taking the tender

Compensation

# CONDITIONS OF CONTRACT

Clause 1:- All compensation or other sums of payable by the contractor to Government under the terms of his contract may be deducted from, paid by the sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor by Government on any account whatsoever and in the event of his security deposit being reduced by reason of any such deduction or sale as aforesaid, the contractor shall within ten days there after make good in cash or Government securities endorsed as aforesaid any sum or sums which may have been deducted from, or

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which the work is finished after necessary rectification of defects as pointed by the Executive En- gineer or his

Clause 2 :- The time allowed for carrying out the work as entered in the tende shall be strictly observed by the contractor and shall be reckoned from the date on which the wirtten order to comence work is given to the contractor. The work shall throughout the stipulated period of the contract be carried on with all due diligence (time being deemed to be the essence of the contract on the part of the contract or) and the contractor shall pay as compensation an amount equal to ½ percent authorised agents are fully on the amount of the estimated cost of the whole work as shown by the tender fo every day that the work remains uncommenced or unfinished after the proper date. And further to ensure good progress during the execution of the work the contractor shall be bound in all cases in which the time allowed for any work exceeds one month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before onehalf of such time elapsed and three-fourths of the work, before three fourths of suci time has elapsed in the event of the contractor failing to employ with this condition I shall be liable to pay as compensation an amount equal to ½ percent on the sai estimated cost of the whole work for every day that the due quantity of work remains incomplete provided always that the entire amount of compensation to be paid under the provisions the clause shall not exceed 10 percent of the estimated

Action when persnle security deposit foreited

Clause 3:- In any case which under any clause or clauses of or this contract the contractor shall have rendered himself laible to pay compensation amounting to the whole of his security deposit in the hands of Government (where paid in one sum or deducted by instalments) the Executive Engineer on behalton the Biha. Government shall have been powered to adopt any of the following courses, as he may deem best suited to the enterest of Government

(a) To rescind the contract (of which rescind notice in writing to the contractor under the hand of the Executive Engineer shall be conclusive evidence) and in which case the sectitiry deposit of the contractor shall stan for eved and by which case the sectitiry deposit of the contractor shall standard absolutely at the disposal of Government.

Shashi Ranjan

Schedule XLV - Form No. 61

(b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debitting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in -charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.

(c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by'him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original contractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4: - In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may, if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Engineer as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

contractor remains liable to pay compensation if action not take under

Power to take posession of or require removal of or sell contractor plant.

Extension of time

Clause 5 :- If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) he shall apply in writing to the Executive Engineer within 40 days from the date of starting of the hinderance on account of which be desires such extension as aforesaid and the Execution Engineer shall, if in his opinion (which shall be final) reasonable grounds be shown s-2016 thereof authorised such extension of time, if any, as may in his opinion be recessable? (Technical)

claims compensation for the delay. Sharshi Ranjan

proper. The Executive Engineer shall at the same time inform the contractor whether the Infrastructure Development Corporation Ltd., Paina

Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion, but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinctly marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-work, doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurements shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus materials and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid, except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Stores supplied

Government

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible, before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-in-charge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts or in any other way vary or affect the contract.

• Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Clause 9:- If the specification or estimate of the work provides for the use of any special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-incharge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums the policy or there after to become due to the contractor under the contract or otherwise, or against or form the security deposit, or the proceed of sale thereof, if the same is relating Government security the same or sufficient portion thereof in this case said contractor Government security supplied to the contractor shall remain the absolute property of Government and small not on any accounts he removed from this site of the work and shall at all times to be per to

Shashi Ranjan

中

inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: - The contractor shall executive the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid

Clause 11:- Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a disputes the decision of the superintending Engineer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period.

Clause 12:- If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out. the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsoever account of any profit or advantage, which he might have do not be supported by the state of t account of any profit or advantage, which he might have derived from the execution of the work in full, but which he did not derive in consequence of the full amount of the work ation in or restriction of not having been carried out neither shall he have any claim for compensation by reason of any alternation having been made in the original specification drawing, designs and infrastructure instruction which shall involve any installment of the work as originally contemplated clause 12 (a) As contained in G.O. 1929 dated 11.9.56 clause 12 (a) As contained in G O 1929 dated 11.9.56.

Shashi Ranjan

Work to be executed accordance with specification drawing other etc.

Alteration in specifications and designation.

Do not in validate contract

Time in consequence of

Rate for work no in estimate or schedule of

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as

Action and compensation payable in case of work.

Clause 13 :- If it shall appear to the Engineer-in-charge or his subordinate in-i) charge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall on demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-incharge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and

Work to be taken to inspection

Clause 14:-All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineerin-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be present

Clause 15:- The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which

Notice to be taken before work covered up.

Clause 16:- If the contractor or his work-people, or servants shall bleak, deface injure or destroy any part of a building in which they may be working or any building, road road curves, fence enclosure water pipes, cables, drains electric or telephone posts or wires, trees, grass or grassland or cultivated grown contiguous on which the work or any part of it is being executed or if (any formad small Trappends) the work, while in progress from any cause what special and any cause which is special and any cause what special and any cause what special and any cause which is spe apparent in if within three months (six months in the case Of a cachworld), where certificate final or other of its completion shall have been given by the Engineer-in-charge

Shaghi Ranjan

as a fore seal, the contractor shall make the same good at his own expense, or in default, the Engineer-in-charge may cause the same to be made be good by other Contractor liable for worksmen and deduct the expense of which time thereafter may become due to the contractor, or from his security deposit, or the proceed of sale there of, or of a sufficient portion there of the security deposit at the contractor shall not be refunded before the expiry of three months (six months in the case of a road-work) after the issue of the certificate final or otherwise of completion of work provided that in the case of a road work if in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable after three months of the issue of the said certificate of completion

damage done and for imperfection a months

Clause 17:- The contractor shall supply at his own cost all materials (except such pecial materials) if any as may in accordance with the contract be supplied from the Engineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, ) ackle scaffolding and temporary works requisits or proper for the proper execution of the work whether original, altered or substituted and whether include in the specification or by ther documents forming part of the contract or referred to in these conditions or not or which may be necessary for purpose of satisfying or complying with the requirement of he Engineer-in-charge as to any matter as to which under these conditions he is entitled to be satisfied which he is entitled to require together with carriage therefore to and form he work. The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting, weighing and assisting in the measurement or examination at any time and form time to time of the work or materials failing his so doing the same may be Provided by the Engineer-in-charge at the expense of the contractor and the expenses may be deducted from any money due to the contractor under the contract from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide all necessary fencing and lights required to protect the public from accident, and shall be bound to bear to expenses of defence of every suit action or other proceeding at law that may be brought by any person for injury sustained owing to neglect of the above precautions and to any such person or which may with the consent of the contractor be paid to compromise any claim by any such person.

Contractor to supply to plantladder scaffolding

Clause 18:- No female labour shall be employed within the limits of contonment. The contractor shall not employ for the purpose of his contract any person who is below the age of twelve years and shall pay to each labour for the work done by such labourer wages not less than the wages paid for similar work in the neighbourhood.

And is liable for damage

arising for non-provision

of light fencing etc.

The executive Engineer shall have the right to enquire into the case and decide any complaint alleging that the wages paid by the contractor to any labourer for the work done by such labour is less than the wages paid for similar work in the neighbourhood.

Work not to be subject

The officer in-charge of the work shall have the right to decide whether any labourer employed by contractor is below the age of twelve years and to refuse to allow any labourer whom he decided to be below the age of twelve years to be employed by the contractor.

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his pontract, or attempt so to do, or become insolvent proceedings to make any composition with his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward r advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, br offered by the contractor, or any of his servant or agents to any public officer or person such officer or person shall become in any way directly or indirectly interested in the contract the Executive Engineer may there upon by notice in writing received the

Contract may be resinded and security deposit forfelted for subletting bribes or if contractor become

The security deposit of the contractor shall there upon stand forfeited and be absolutely at the disposal of Government and the same consequence shall en she as in the disposal of Government and the same consequence shall en she as in the same the same consequence shall en she as in the same consequence shall ensure the same consequ had been recinded under clause 3 here of, in addition the contractors half a fiducational Infrastructure

p recover or be paid to any work therefore actually performed the widernet Corporation Ltd., Patna

Shashi Ranjan

such payable by way of compensation to be considered reasonable compensation without reference to actual loss Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained.

Clause 21:- In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this information.

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal of Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer

Clause 22: - All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23:- In case any dispute or difference shall arise between the parties of either of there upon any question relating to the meaning of the specifications, designs, drawings and instructions here before mentioned or as to the quality of workmanship of materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, of any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions of otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof or as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

(a) Clause 24:- When the estimate on which a tender is made includes luming sum in respect of the contract shall be entitled to payment in respect of the items of work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-incharge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineer-in-charge shall be final and conclusive against the contractor with regard to any sunpayable to him under the provision of this clause.

Action where specificaiton.

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circly specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Definition of works

Clause 26: The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to such construction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered substituted or additional.

Witness.

Shashi Ranjan Contracti 8

(15)

schedule XLV - Form No. 61

Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied

. Particulars	will be c	Rates at which the material will be charged to the contractor		
	Unit	Rs. P.		
		The war is been		
ill meanth of the second of th				
	La transfer a			

Note:-The person or firm submitting the tender should see that the rates in the above schedules are filled up by the Engineer-in-charge on the issue of the form prior to the submission of the tender.

Shashi Ranjan (Signature of Contrator)

Chief Consultant (Technical) Bihar State Educational Infrastructure
Devel(pignatu (Copperatuli Va Englisher)

# Bihar State Educational Infrastructure Development Corporation Ltd.

## AGREEMENT for Construction of Block Resource Centre at Araria, Araria

### **TENDER FOR WORKS**

I/we heredy tender for the execution for the Governor of Bihr of the work specifed in the under written memorandum at the rates specified therein within a period of years month from the date of witten order to commence and in accodance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subjects to the annexed condation of contract and with such materaials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

### **MEMORANDUM**

- detained in the separate list
- (a) If several sub-work are (A) Name of Work:- Construction of Block Resource Centre at Araria, Araria(Sl. No-80)
  - (B) Estimated Cost :- Rs. 77,28,642=00 Agreement value :- Rs. 69,55,778=00
- (b) This deposit will be 5% of the estimated cost (C)Earnest Money:of the work.
- (c)This percentage deduction from bills will be credited to the contractors security deposits
- (D) Initial security deposits (including earnest money) to be deposited before the Commencement of the work-

Earnest Money:- Rs. 3,50,000/- (Details attached)

- (E) Percentage to be deducted from bill Rs. 5% (Rupees five percent)
- (F) Time required for the work from date of written order to commence FIFTEEN MONTHS
- (G) Date of written order to commence:-
- (H) Total number of item of work tendered for :- 116

Shashi Ranjan

10 5.76.4 Chief Consultant (Technical) Bihar State Educational Infrastructure Development Corporation Ltd., Patna

#### BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. SHIKSHA BHAWAN, SAIDPUR, PATNA. B.O.O. FOR BLOCK RESOURCE CENTRE IN BIHAR THE ITEM RATE BASED ON S.O.R BCD BIHAR, DATE - 15-09-2014, & D.S.R (ELECTRICAL) 2014 SL. DISTRICT NAME OF INSTITUTE **BLOCK** No. 1 Araria BLOCK RESOURCE CENTRE Araria **CIVIL WORKS** SI. SOR Rate Amount Item of Work Qty. Unit No. Item No. (Rs.) (Rs.) 2 3 4 5 6 7 **PILE WORKS** 20.2 Boring, providing and installing bored castin-situ reinforced cement concrete piles of grade M-25 of specified diameter and length below the pile cap, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring, with bentonite solution and temporary casing of appropriate length for setting out and removal of same and the length of the pile to be embedded in the pile cap etc. all complete, including removal of excavated earth with all lifts and leads (Length of pile for payment shall be measured upto bottom of pile cap). 300 mm dia Piles Rs. One thousand three 20.2.1 hundred nine and paise 0.000 1309.30 thirty only. meter 400 mm dia Piles Rs. One thousand five 20.2.2 hundred twenty three and 0.000 1523.20 paise twenty only. meter 450 mm dia Piles Rs. One thousand nine 20.2.3 hundred seventy eight 0.000 1978.80 and paise eighty only. meter 500 mm dia Piles Rs. Two thousand three 20.2.4 hundred six and paise 0.000 2306.60 sixty only. meter 20.2.5 600 mm dia Piles Rs. Two thousand nine hundred ninety six and 0.000 meter 2996.10 paise ten only.

Shashi Ranjan

10.5.2014

Chief Consultant (Technical)

Bihar State Educational Infrastructure

Development Corporation Ltd., Patna

	20.2.6	750 mm dia Piles	T	T	T	Rs. Four thousand two
				1		hundred nineteen and
			0.000	meter	4219.70	paise seventy only.
					1217.70	paise seventy only.
2	20.3	Boring, Providing and installing cast in situ		-		
_	20.5	single under reamed piles of specified				
		diameter and length below its assistance and length below its				
		diameter and length below pile cap in M-25				
		cement concrete, to carry a safe working				
		load not less than specified, excluding the				
		cost of steel reinforcement but including the				
		cost of boring with bentonite solution and				
		the length of the pile to be embedded in pile				
		cap etc. all complete. (Length of pile for				
		payment shall be measured upto to the				
		bottom of pile cap):				
					1	
	20.3.1	300 mm dia Piles	-	-		The contract of
		o o min did i nes				Rs. One thousand nine
			0.000	motor	1024.20	hundred thirty four and
	20.3.2	400 mm dia Piles	0.000	meter	1934.20	paise twenty only.
	201012	100 mm dia i nes				Rs. Two thousand two
			0.000		2225.20	hundred twenty five and
	20.3.3	450 mm dia Piles	0,000	meter	2225.30	paise thirty only.
	20.5.5	430 mm dia 1 mes				Rs. Two thousand three
			0.000		2207.50	hundred ninety seven and
	20.3.4	550 mm dia Piles	0.000	meter	2397.50	paise fifty only.
	20.0.1	330 mm dia 1 nes				Rs. Two thousand six
			0.000	matan	2605 10	hundred five and paise
			0.000	meter	2005.10	ten only.
3	20.4	Extra over item No. 23.3 for providing				
		additional bulb in under reamed piles, under				
		specified dia meter				, , ,
		(Only the quantity of extra bulbs are to be				
		paid).				
- 1						
	20.4.1	300 mm dia Piles				Rs. One thousand two
1						hundred forty and paise
			0.000	Each		ten only.
	20.4.2	400 mm dia Piles				Rs. One thousand three
						hundred seventy three
	20.45		0.000	Each	1373.80	and paise eighty only.
	20.4.3	450 mm dia Piles				Rs. One thousand four
		7 - 1				hundred fifty four and
	20 : :		0.000	Each	1454.80	paise eighty only.
	20.4.4	500 mm dia Piles				Rs. One thousand five
						hundred ninety seven and
			0.000	Each		paise twenty only.
LART	HWORK I	N EXCAVATION				

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Pataa

	1	1				
4	2.8.1	Earthwork in excavation in as(exceeding			and the state of t	
		30cm in depth. 1.5m in width as well es				
		10sqm on plan) incloding dressing of sides				
		and ramming of bottom, lift upto 1.5				
		including getting out the excavated soil and				
		disposal of surplus soil as directed within a				Rs. Two hundred five
		lead of 50m.				and paise twenty only.
		All Kind of soil				and pulse twenty omy.
		= 286.64 CUM				
		SEPTIC TANK = 31.89 CUM				
		TOTAL QUANTITY = 318.53 CUM				
****			318.530	cum	205.20	
5	2.29.1	Surface dressing of the ground including				
		removing vegetation and inequalities not				1 20 2
		exceeding 15 cm deep and disposal of				Rs. Seven hundred
		rubbish, lead upto 50 m and lift upto 1.5m				eighteen and paise eigh
	g. Marining	All kinds of soil.				only.
		= 136.41 CUM				
			136.410	100 sqm	718.800	
EA	RTH FILL					
6	2.26	Filling available excavated earth (excluding				
		rock) in trenches, plinth, sides of				
		foundations etc. in layers not exceeding 20				
		cm in depth: consolidating each deposited				Rs. Sixty six and paise
		layer by ramming and watering lead				forty only.
		= 188.98 CUM				
			188.980	cu.m	66.40	
SA	ND FILLIN	NG				
7	2.28	Supplying and Filling in plinth with local				
		sand and under floors including, watering,				
		ramming consolidating and dressing				1 No. of the Control
- 1		complete.				Rs. One hundred ninety
1		= 118.79 CUM				two and paise fifty only
1		SEPTIC TANK = 1.02 CUM				
1		TOTAL QUANTITY = 119.81 CUM	110.010		400 #0	
			119.810	cu.m	192.50	
LAT	BRICK SO	DLING				
8	11.72	Providing designation 100 A one brick flat				
	/	soling joints filled with local sand including				
		cost of watering, taxes, royalty all complete				
		as per building specification and direction				Rs. Two hundred twent
		of E/l,	- 1			
		10 + 2 , BUILDING = 291.84 CUM				seven and paise sixty
		SEPTIC TANK = 13.57 CUM	The second			only.
		TOTAL QUANTITY = 305.41 CUM				
			305.410	sq.m	227.600	•
			505,710	24.111	441.000	

A. 4. 2014

Chief Consultant (Technical)

Bihar State Educational Infrastructure

Development Corporation Ltd., Patea

				,			
concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level  1:3:6 (1cement: 3 coarse sand : 6 graded stone aggregate 20mm nominal size)  = 13 CUM  10  4.1.4 Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level  1:2:4 (1 Cement: 2 coarse sand : 4 graded stone aggregate 40 mm nominal size)10 + 2 , BUILDING = 8.74 CUM  SEPTIC TANK = 2.98 CUM  TOTAL QUANTITY = 11.72 CUM  11.720 cu.m 3219.70  FLOORING  11  11.38 Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturer) of ist quality conforming to IS : 15622 of approved make in colours such shades except white , Ivory , Grey , Fume Red , Brown , laid on 20 mm thick Cement motar 1:4 (1 cement: 4 coarse sand) including pointing the joints with white cement and matching pigment etc., complete.  TOILET PORTION = 46.04 SQM  46.040 Sq.m 801.800		P.C.C.					
Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level  1:2:4 (1 Cement: 2 coarse sand : 4 graded stone aggregate 40 mm nominal size)10 + 2 , BUILDING = 8.74 CUM  SEPTIC TANK = 2.98 CUM  TOTAL QUANTITY = 11.72 CUM  11.38 Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturer) of ist quality conforming to IS : 15622 of approved make in colours such shades except white , Ivory , Grey , Fume Red , Brown , Iaid on 20 mm thick Cement motar 1:4 (1 cement: 4 coarse sand) including pointing the joints with white cement and matching pigment etc., complete.  TOILET PORTION = 46.04 SQM  Rs. Three thousand two hundred nineteen and paise seventy only.  Rs. Eight hundred one and paise eighty only.	9	4.1.5	concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level 1:3:6 (1cement: 3 coarse sand : 6 graded stone aggregate 20mm nominal size)				
concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level  1:2:4 (1 Cement: 2 coarse sand : 4 graded stone aggregate 40 mm nominal size)10 + 2 , BUILDING = 8.74 CUM  SEPTIC TANK = 2.98 CUM  TOTAL QUANTITY = 11.72 CUM  11.720 cu.m 3219.70  FLOORING  11 11.38 Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturer) of ist quality conforming to IS : 15622 of approved make in colours such shades except white , Ivory , Grey , Fume Red , Brown , Iaid on 20 mm thick Cement motar 1:4 (1 cement: 4 coarse sand) including pointing the joints with white cement and matching pigment etc., complete.  TOILET PORTION = 46.04 SQM  46.040 sq.m 801.800	10	414	Providing and laving in the		cu.m	2775.70	
SEPTIC TANK = 2.98 CUM   TOTAL QUANTITY = 11.72 CUM   11.720   cu.m   3219.70	10	4.1.4	concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level 1:2:4 (1 Cement: 2 coarse sand : 4 graded stone aggregate 40				hundred nineteen and
FLOORING  11 11.38 Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturer) of ist quality conforming to IS: 15622 of approved make in colours such shades except white, Ivory, Grey, Fume Red, Brown, Iaid on 20 mm thick Cement motar 1:4 (1 cement: 4 coarse sand) including pointing the joints with white cement and matching pigment etc., complete.  TOILET PORTION = 46.04 SQM  46.040 sq.m 801.800			8.74 CUM SEPTIC TANK = 2.98 CUM	,	cu.m	3219.70	
tiles 300x300 mm (thickness to be specified by the manufacturer) of ist quality conforming to IS: 15622 of approved make in colours such shades except white, Ivory, Grey, Fume Red, Brown, laid on 20 mm thick Cement motar 1:4 (1 cement: 4 coarse sand) including pointing the joints with white cement and matching pigment etc., complete.  TOILET PORTION = 46.04 SQM		FLOORING	r		1		
	11		tiles 300x300 mm (thickness to be specified by the manufacturer) of ist quality conforming to IS: 15622 of approved make in colours such shades except white, Ivory, Grey, Fume Red, Brown, Iaid on 20 mm thick Cement motar 1:4 (1 cement: 4 coarse sand) including pointing the joints with white cement and matching pigment etc., complete.				
		1		46.040	sg.m	801.800	
	W	ALL TILES	S			221,000	

3 80 4. 2014

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

				. (			
	12	11.36	Providing and fixing 1st quality ceramic	el	T	T	
	1		glazed wall tiles conforming to IS: 15622				Α
			(Thickness to be specified by the				
			manufacture) of approved and				0
	1		manufacture) of approved make in all	1			
			colours, shades except burgundy, bottle				
			green, black of any size as approved by				eff or property
	1	1	Engineer-in-charge in skirting, risers of	F			Po Cover hand 1 CC
			steps and dados over 12 mm thick bed of				Rs. Seven hundred fifty
			cement Motar 1:3(1 cement: 3 coarse sand)				four and paise twenty
			and jointing with grey cement slurry @ 3.3				only.
			the per sem in 1 1:	1			
			kg per sqm including pointing in white				
		1	cement mixed with pigment of matching				
			shade complete.				
			TOILET PORTION = 188.874 SQM				
				188.874	sq.m	754.200	
	LOOI	RING & SK	IRTING	100.074	Sq.III	734.200	/
	13	11.26.1	Kota stone slab flooring over 20 mm		-	-	
		. /	(average) thick base laid				, y =
			over and jointed with grey cement slurry				
			mixed with pigment to				
		1	match the shade of the slab including				
	-		rubbing and polishing				Rs. Nine hundred sixty
-			complete Base with 1:1:1 (1 lime : 1				eight only.
	- 1		surkhi: 1 coarse sand ) / 1:4 (20 TO 25MM			1	
	- 1		THICK)			2 1 2 2	
			= 281.852 SQM				
			- 261.652 SQW		7		
	14	11.27	Vote stars data 20 did i	281.852	sq.m	968.00	_
1	14	11.27	Kota stone slabs 20 mm thick in risers of				
			steps skirting. Dado &				
1			pillars laid on 12 mm (average (thick)				
			cement mortar 1:3 (1 cement:				
1	- 1		3 coarse sand ) and jointed with grey				Re Nine hundred twent
1	- 1		cement slurry mixed with				Rs. Nine hundred twenty
1	İ		pigment to match the shade of the slab				seven and paise fifty
			including rubbing and				only.
-							
-			polishing complete. Details of cost for 10				
			sqm	,			-
-	15	0.0.5		74.37	sq.m	927.50	
1	15	8.3.2	Extra for providing edge moulding to 18				
-			mm thick marble stone counters, Vanities				
1			etc. over item no. 8.2 including machine				
			polishing to edge to give high gloss finish				
1			etc. complete as per design approved by				Two Hundred Thirty
			Engineer -in -charge.		,		Nine and paise ten only
-			Granite work				
1				0.00	M	239.10	
Beauty	-			0.00	171	437.10	

Chief Consultant (Technical)

Bihar State Educational Infrastructure
Development Corporation Ltd., Patna
U.S.

WOR	K BELOW	PLINTH LVL.				
16	5.1.1	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing & reinforcement - all work upto plinth level.  1:1:2 (1cement: 1 coarse sand : graded stone aggregate 20mm nominal size)  = 59.183 CUM	59.183	cu.m	5110.70	Rs. Five thousand one hundred ten and paise seventy only.
R.C.C	. WORK A	BOVE PLINTH LVL.				· · · · · · · · · · · · · · · · · · ·
17	5.2.1	Reinforced cement concrete work in wall (any thickness), including attached plasters, buttresses, plinth and struts etc upto floor five level excluding the cost of centring, shuttering, finishing & reinforcement 1:1:2 (1cement: 1 coarse sand: 2 graded stone aggregate 20mm nominal size) $10 + 2$ , BUILDING = 20.51 SQM				Rs. Five thousand six hundred sixty six and paise twenty only.
			20.510	cu.m	5666.20	/
18	5.1.3	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing and reinforcement-All work puto plinth level. 1:2:4 (1 cement:2 coarse sand:4 graded stone aggregate 20 mm nominal size)  SEPTIC TANK = 0.93 CUM				Rs. Three thousand four hundred thirty eight and paise ninety only.
2						

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

			10			
19	5.3 + 5.33B.4 + 5.33B.1	Reinforced cement conrete work in beams, suspended floors, roofs having slope upto 15, landings, balconiec, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto floor five level excludingthe cost of centring, shuttering, finishing and reinforement with 1:2:4(1 cement:2 coarse sand:4 graded stone aggregate 20 mm nominal size).  Add or deduct for providing richer or leaner mixes respectively at all floor levels.  Providing M-15grade R.C.C instead of M-20 grade R.C.C.  Proiding M-25 grade R.C.C. instead of M-20 grade R.C.C.				Rs. Four thousand five hundred eighty one and paise twenty only.
			100.440	cu.m	4581.20	
В	RICK WOR	RK				
20	6.1.14A	Brick work with bricks of class designation 100A in foundations and plinth in cement mortar 1:6 (1cement :6 coarse sand) = 39.878 CUM				Rs. Three thousand nine hundred ninety two and paise ninety only.
			39.878	cu.m	3992.90	
21	6.1.14A + 6.3A	Brick work with bricks of class designation 100A in foundations and plinth in : Cement mortar 1:6 (1 cement: 6 coarse sand)  Extra for Brick work in superstructure above plinth level upto floor V cum  = 160.082 CUM		cu.m	4427.50	Rs. Four thousand four hundred twenty seven and paise fifty only.
22	6.18.4A + 6.19A	Half brick masonry with bricks of class designation 100A in foundations and plinth in: Cement mortar 1:4 (1 cement: 4 coarse sand)  Extra for half Brick masonry in superstructure above pinth level upto floor V level.  = 134.043 SQM		Sq.m.	538.30	Rs. Five hundred thirty eight and paise thirty only.

Chief Consultant (Technical)
Bihar State Educational Infrastructure

Development Corporation Ltd., Patra

			,			
23		Extra for providing and placing in position 2 Nos, 6 mm dia, MS bars at every third course of half brick masonry (with F. P. S. bricks) = 134.043 SQM			1	Rs. Seventy five and paise ninety only.
			134.043	Sq.m.	75.90	
24	6.1A + 6.1.12/1	Brick work with bricks of class designation 100A in foundations and plinth in : Cement mortar 1 .:4 (1 cement: 4 coarse sand) = 8.75 CUM			/	Rs. Four thousand one hundred eighty four only.
		= 8.73 COM	8.750	cum	4184.00	
PL	ASTER WO	RK			. /	
25	13.13.4	20 mm cement plaster of mix; 1:6 (1 cement: 6 coarse sand) = 836.658 SQM	836.658	sq.m	123.50	Rs. One hundred twenty three and paise fifty only.
26	13.13.1 + 13.26	20 mm cement Plaster 1:3 (1 cement: 3 coarse sand) with a floating coat of neat cement & neat cement punning SEPTIC TANK = 16.65 SQM			185.60	Rs. One hundred eighty five and paise sixty only.
27	13.11.4	12mm thick Cement plaster of mix 1:6 (1 cement : 6 coarse sand) = 1041.58 SQM	16.650	sq.m	89.30	Rs. Eighty nine and paise thirty only.
28	13.17.1 +13.36.1	12 mm cement Plaster 1:3 (1 cement: 3 coarse sand) with a floating coat of neat cement & Extra for providing and mixing water proofing material in proportion recommended by the manufacturers: 12 mm cement plaster 1:3(1 cement :3 sand)  SEPTIC TANK = 52.82 SQM	52.820	sq.m	145.50	Rs. One hundred forty five and paise fifty only.
29	13.24.2	6mm thick Cement plaster of Ceiling mix 1:4 (1 cement : 4 coarse sand) = 388.53 SQM	388.530	sq.m	77.4	Rs. Seventy seven and paise forty only.

10.9.20146

Chief Consultant (Technical)

Bihar State Educational Infrastructure

Development Corporation Ltd., Patna

Ltd., Patna

Cement concrete flooring 1:2:4(1 cement:2)

11.3.1

	11.8	coarse:sand:4 graded stone agregate) finished with a floating coat of neat cement including cement slurry, etc. but excluding the cost of nosing of steps etc. complete. 40 mm thick with 20 mm nominal size stone aggregate.  Extra for making chequers of approved pattern on cement concrete floors, steps, landing, pavemerts etc.  = 136.41 SQM				Rs. Two hundred thirty two and paise ninety only.
			136.410	sq.m	232.90	
FINIS	SHING WOI	RK				
31	13.46.1	Finishing walls with Acrylic Smooth exterior paint of required shade :New work (Two or more coat applied @ 1.67 ltr/ 10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/ 10 sqm)  EXTERNAL WALL = 836.658 SQM				Rs. Sixty eight and paise eighty only.
			836.658	sq.m	68.80	
32	13.80A.2	Providing and applying white cement based putty of average thickness 2 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.		sq.m	118.70	Rs. One hundred eighteen and paise seventy only.
33	13.77.2	Distempering with oil bound washa ble distemper of approved brand and manufacture to give an even shade.  New work (two or more coats ) over and including priming coat with cement primer  INTERNAL WALL & CEILING = 1430.11 SQM		sq.m	64.00	Rs. Sixty four only.
34	13.81.1	Applying priming coat with ready mixed				
		pink or grey primer of approved brand and manufacture on wood work (hard and				Rs. Twenty five and paise twenty only.
		softwood)				paise twenty only.

Shaski Ranjan

Chief Consultant (Technical)

Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

40

37 10.14.1 Providing and fixing T-iron frames for doors, windows and ventilators of mils steel Tee-sections, joints miltred and welded with 15x3 mm lugs 10 cm long embedded in cement concerete blocks 15x10x10 cm of 1:3:6 (1 cement: 3 coarse sand: 6 graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required including = 339.675 KG  38 9.21.1 Providing and fixing flush door shutters conforming to IS: 2202 (Part-I) non-decorative type.core of block board construction with frame of 1st class tiard wood and well mathched commercial 3 ply veneering with vertical grains or cross bands and for the process of the pro					1-1			
approved brand and manufacture to give an even shade two or more coats on new work = 221.408 SQM  37 10.14.1 Providing and fixing T-iron frames for doors, windows and ventilators of mils steel Tee-sections, joints miltred and welded with 15x3 mm lugs 10 cm long embedded in cement concerete blocks 15x10x10 cm of 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required including = 339.675 KG  38 9.21.1 Providing and fixing flush door shutters conforming to 1S : 2202 (Part-1) non-decorative type, core of block board construction with frame of 1st class tiard wood and well mathched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters.  35 mm thick including anodized aluminum but hinges with necessary screws = 48.195 SQM  39 9.119.1 Providing and fixing oxidised M.S.tower bolt black finish, (barrel type) with necessary screws etc. complete 250x10mm 10+2, BUILDING = 44 EACH  40 9.104.1 Providing and fixing M.S.handles with necessary screws etc. complete 125 mm 10+2, BUILDING = 44 EACH			/	zinc chromate yellow primer of approved brand and manufacture on steel galvanized iron/steel work. = 105.728 SQM	105.728	sq.m	21.30	paise thirty only.
even shade two or more coats on new work = 221.408 SQM  221.408 SQM  221.408 Sq.m  50.90  Providing and fixing T-iron frames for doors, windows and ventilators of mils steel Tee-sections, joints miltred and welded with 15x3 mm lugs 10 cm long embedded in cement concerete blocks 15x10x10 cm of 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required including = 339.675 Kg.  75.10  Providing and fixing flush door shutters conforming to 1S : 2202 (Part-1) non-decorative type, core of block board construction with frame of 1st class tiard wood and well mathched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters.  35 mm thick including anodized aluminum butt hinges with necessary screws = 48.195 SQM  48.195 SQM  88. One thousand eight hundred twenty three and paise eighty only.  89. One thousand eight hundred twenty three and paise eighty only.  89. Sq. m 1823.80  89.21.1 Providing and fixing oxidised M.S.tower bolt black finish, (barrel type) with necessary screws etc.complete 250x10mm 10+2, BUILDING = 44 EACH  40 9.104.1 Providing and fixing M.S.handles with necessary screws etc.complete 125 mm 10+2, BUILDING = 44 EACH		36	13.93.1					
10.14.1   Providing and fixing T-iron frames for doors, windows and ventilators of mils steel Tee-sections, joints miltred and welded with 15x3 mm lugs 10 cm long embedded in cement concertee blocks 15x10x10 cm of 13:36 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required including = 339.675 KG 339.675 Kg. 75.10				even shade two or more coats on new work				
doors. windows and ventilators of mils steel Tee-sections, joints miltred and welded with 15x3 mm lugs 10 cm long embedded in cement concerete blocks 15x10x10 cm of 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required including = 339.675 Kg.  38 9.21.1 Providing and fixing flush door shutters conforming to IS : 2202 (Part-I) non-decorative type.core of block board construction with frame of 1st class tiard wood and well mathched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters.  35 mm thick including anodized aluminum but thinges with necessary screws = 48.195 SQM  39 9.119.1 Providing and fixing oxidised M.S.tower bolt black finish, (barrel type) with necessary screws etc.complete 250x10mm 10+2, BUILDING = 44 EACH  40 9.104.1 Providing and fixing M.S.handles with necessary screws etc.complete 125 mm 10+2, BUILDING = 44 EACH  Rs. Twenty seven and paise fifty only.		27	10.14.1	D '1' 1 " T '		sq.m	50.90	
38 9.21.1 Providing and fixing flush door shutters conforming to IS: 2202 (Part-I) non-decorative type.core of block board construction with frame of 1st class tiard wood and well mathched commercial 3 ply veneering wiih vertical grains or cross bands and face veneers on both faces of shutters.  35 mm thick including anodized aluminum butt hinges with necessary screws = 48.195 SQM  48.195 sq.m 1823.80  39 9.119.1 Providing and fixing oxidised M.S.tower bolt black finish, (barrel type) with necessary screws etc.complete 250x10mm 10 + 2, BUILDING = 44 EACH  40 9.104.1 Providing and fixing M.S.handles with necessary screws etc.complete 125 mm 10 + 2, BUILDING = 44 EACH  Rs. Twenty seven and paise fifty only.		3/	10.14.1	doors. windows and ventilators of mils steel Tee-sections, joints miltred and welded with 15x3 mm lugs 10 cm long embedded in cement concerete blocks 15x10x10 cm of 1:3:6 (1 cement: 3 coarse sand: 6 graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required including				
conforming to IS: 2202 (Part-I) non-decorative type.core of block board construction with frame of 1st class tiard wood and well mathched commercial 3 ply veneering wiih vertical grains or cross bands and face veneers on both faces of shutters.  35 mm thick including anodized aluminum but hinges with necessary screws = 48.195 SQM  48.195 sq.m 1823.80  Providing and fixing oxidised M.S.tower bolt black finish,(barrel type) with necessary screws etc.complete 250x10mm 10 + 2, BUILDING = 44 EACH  40 9.104.1 Providing and fixing M.S.handles with necessary screws etc.complete 125 mm 10 + 2, BUILDING = 44 EACH  Rs. Twenty seven and paise fifty only.	1	38	0.21.1		339.675	Kg.	75,10	
9.119.1 Providing and fixing oxidised M.S.tower bolt black finish,(barrel type) with necessary screws etc.complete 250x10mm 10 + 2, BUILDING = 44 EACH  40 9.104.1 Providing and fixing M.S.handles with necessary screws etc.complete 125 mm 10 + 2, BUILDING = 44 EACH  Rs. Sixty six and paise fifty only.  Rs. Twenty seven and paise fifty only.				conforming to IS: 2202 (Part-I) non-decorative type.core of block board construction with frame of 1st class tiard wood and well mathched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters.  35 mm thick including anodized aluminum butt hinges with necessary screws				hundred twenty three and
9.119.1 Providing and fixing oxidised M.S.tower bolt black finish,(barrel type) with necessary screws etc.complete 250x10mm 10 + 2, BUILDING = 44 EACH  40 9.104.1 Providing and fixing M.S.handles with necessary screws etc.complete 125 mm 10 + 2, BUILDING = 44 EACH  Rs. Sixty six and paise fifty only.  Rs. Twenty seven and paise fifty only.					48.195	sq.m	1823.80	A 2
40 9.104.1 Providing and fixing M.S.handles with necessary screws etc.complete 125 mm 10 + 2 , BUILDING = 44 EACH  Rs. Twenty seven and paise fifty only.		39	9.119.1	bolt black finish,(barrel type) with necessary screws etc.complete 250x10mm				
40 9.104.1 Providing and fixing M.S.handles with necessary screws etc.complete 125 mm 10 + 2, BUILDING = 44 EACH  Rs. Twenty seven and paise fifty only.	1			10 + 2 , BUILDING = 44 EACH	14.000			
necessary screws etc.complete 125 mm 10 + 2 , BUILDING = 44 EACH  Rs. Twenty seven and paise fifty only.	-	40	9.104.1	Providing and fixing M.S.handles with	44.000	each	66.50	
	1			necessary screws etc.complete 125 mm				
					44.000	each	27.50	

ef Concultant of

Chief Consultant (Technical)

Bihar State Educational Infrastructure

Development Corporation Ltd., Patra

10,

			20			
41	9.223.2	Providing and fixing alluminium hanging floor door stopper anodised (anodic coating				
		not less than grade AC 10 as per IS:1868) transparent or dyed to required colour and				
		shade with necessary screws				Rs. Eighty two and paise seventy only.
		etc.complete:Twin rubber stopper				seventy only.
		= 22 EACH	22 000			
42	9.100.1	Providing and fixing M.S. sliding door bolts	22.000	each	82.70	)
		bright finished or/and black enamelled, with				~ *
	//	nuts and screws etc.compelled:				Rs. One hundred seventy
		300x16 mm				seven and paise forty
		= 22 EACH				only.
			22,000	each	177.40	
ST	TEEL WOI	RK	22.000	Cacii	177.40	
43	10.12.1	Providing and fixing glazed steel doors,		<del> </del>	-/-	
	+	windows or ventilators of standard rolled				
	10.13B	steel sections, joints mitered and welded				h = 1
	/	with 15x3 mm M.S. lugs10cm long with				
1		steel legs embedded in cement concrete blocks 15x10x10cm.of (1:3:6) (1cement :				
1		3coarse sand : 6graded stone aggregate				
		20mm nominal size) or with wooden plugs				1
		and screws or rawl plugs and screws or				A Transfer of the second
		with fixing clips or with bolts and nuts as				
		required, including providing and fixing of				
		glass panels with glazing clips and special metal-sash putty of approved make	1	~		Rs. Three thousand two
		complete including applying a priming coat				hundred seventy and
		of approved steel primer excluding the cost				paise sixty only.
- 1		of metal beading and other fitting except				
ŀ		necessary hinges or pivots as required.				
		Doors				
		Extra for providing and fixing steel beading of approved shape and section with screws				
		instread of glaxing clips and met. Sash				
		putty in steel doors, windows, ventilators			3	
		and composite units. Steel Windows.				
		= 95.715 SQM				
			95.715	sq.m	3270.60	

SnashiRanjan

#10'4.2016

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna
10,

44	10.12.1	Providing and fixing glazed steel doors,		1		
	+	windows or ventilators of standard rolled		-		
	10.13C	steel sections, joints mitered and welded				
		with 15x3 mm M.S. lugs10cm long with				J. Company
		steel legs embedded in cement concrete				
		blocks 15x10x10cm.of (1:3:6) (1cement :				
		3coarse sand : 6graded stone aggregate				
		20mm nominal size) or with wooden plugs				
		and screws or rawl plugs and screws or				
		with fixing clips or with bolts and nuts as				
		required, including providing and fixing of			_	
		glass panels with glazing clips and special				Rs. Three thousand two
		metal-sash putty of approved make			1	hundred seventy seven
		complete including applying a priming coat				and paise sixty only.
		of approved steel primer excluding the cost				parso sinty only.
		of metal beading and other fitting except				
		necessary hinges or pivots as		4		
		required Doors				
		Extra for providing and fixing steel beading				
		of approved shape and section with screws				
		instread of glaxing clips and met. Sash				
		putty in steel doors, windows, ventilators				
		and composite units. Steel ventilators				
		= 3.24 SQM				
45	9.82.1	Description and Gains M.C. will ac	3.240	sq.m	3277.60	
45	9.82.1	Providing and fixing M.S. grills of				
		requirement pattern in frames of windows				
	-	etc. with M.S. flats square or round bars etc				Rs. Ninety one and paise
		all complete				fifty only.
		fixed to steel windows by welding.				
		1 = 1 //// X / K / ÷				
		= 1722.87 KG	1722 870	Koc	01.50	
46	5 22		1722.870	Kgs.	91.50	
46	5.22	Reinforcement for RCC work including	1722.870	Kgs.	91.50	
46	5.22	Reinforcement for RCC work including straightening, cutting, bending, placing in	1722.870	Kgs.	91.50	
46	5.22	Reinforcement for RCC work including	1722.870	Kgs.	91.50	
46	5.22	Reinforcement for RCC work including straightening, cutting, bending, placing in	1722.870	Kgs.	91.50	
46	5.22 5.22.7A	Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  Thermo-Mechanically Treated bars TMTC-	1722.870	Kgs.	91.50	
46		Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  Thermo-Mechanically Treated bars TMTC-500 8mm dia	1722.870	Kgs.	91.50	
46		Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  Thermo-Mechanically Treated bars TMTC-	1722.870	Kgs.	91.50	Rs. Seventy four and
46		Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  Thermo-Mechanically Treated bars TMTC-500 8mm dia	1722.870	Kgs.	91.50	
46		Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG				Rs. Seventy four and paise forty only.
46	5.22.7A	Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG	1722.870	Kgs.	74.40	Rs. Seventy four and paise forty only.
46		Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  Thermo-Mechanically Treated bars TMTC-				Rs. Seventy four and paise forty only.
46	5.22.7A	Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG				Rs. Seventy four and paise forty only.

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

	MS tube (medium) 40mm nominal bore.  = 550 KG  Providing and fixingin position collapsibble steel shutters with vertical channes 20x10x2mm and braced with flat iron diagonals 20x5mm size with top and bottom rail of T-iron 40x40x6mm with 40mm dia steel pulleys complete with bolts nuts locking arrangement stoppers handles including applying a priming coat of approved steel primer.	4.52	kg.	91.10	Rs. Four thousand one hundred fifteen and paise sixty only.
	MS tube (medium) 40mm nominal bore.  = 550 KG  Providing and fixingin position collapsibble steel shutters with vertical channes 20x10x2mm and braced with flat iron diagonals 20x5mm size with top and bottom rail of T-iron 40x40x6mm with 40mm dia steel pulleys complete with bolts nuts locking arrangement stoppers handles including applying a priming coat of			91.10	Rs. Four thousand one hundred fifteen and paise
	MS tube (medium) 40mm nominal bore. = 550 KG  Providing and fixingin position collapsibble steel shutters with vertical channes 20x10x2mm and braced with flat iron diagonals 20x5mm size with top and bottom rail of T-iron 40x40x6mm with 40mm dia steel pulleys complete with bolts nuts locking arrangemant stoppers handles	550.000	kg.	91.10	Rs. Four thousand one hundred fifteen and paise
/	MS tube (medium) 40mm nominal bore. = 550 KG  Providing and fixingin position collapsibble steel shutters with vertical channes 20x10x2mm and braced with flat iron diagonals 20x5mm size with top and	550.000	kg.	91.10	
	MS tube (medium) 40mm nominal bore. = 550 KG  Providing and fixingin position collapsibble steel shutters with vertical channes	550.000	kg.		ten only.
X 11 2 2	MS tube (medium) 40mm nominal bore. = 550 KG	550.000	kg.		ten only.
	approved steet nrimer				
	etc. to steel ladder railling & staircases railling including applying a priming coat of				Rs. Ninety one and paise
10.33.1	Providing & fixing hand rail by welding	42.000	Each	121.80	
	per building specification and direction of E/I. (Where materials is not supplied by deptt.) = 42 EACH				one and paise eighty only.
	and fixed in Truss Frame / RCC Slab / beam at the time of casting all complete as				Rs. One hundred twenty
10.19	mm. dia. M.S. bar 1 Mtr. Long bent to			/	
10.10	= 0 KG	0.000	KG	72.20	paise twenty only.
5.22.7F	Thermo-Mechanically Treated bars TMT-500 25mm dia				Rs. Seventy two and
	500 20mm dia = 750 KG	750.000	KG	72.20	Rs. Seventy two and paise twenty only.
5.22.7E			KG	72.80	
	500 16mm dia				Rs. Seventy two and paise eighty only.
5.22.7D			KG	71.80	paise eighty only.
0.1111.70	500 12mm dia				Rs. Seventy one and
	5.22.7E 5.22.7F	500 12mm dia = 7000 KG  5.22.7D Thermo-Mechanically Treated bars TMT-500 16mm dia = 700 KG  5.22.7E Thermo-Mechanically Treated bars TMT-500 20mm dia = 750 KG  5.22.7F Thermo-Mechanically Treated bars TMT-500 25mm dia = 0 KG  10.19 Providing & fixing M.S. Fan hook of 16 mm. dia. M.S. bar 1 Mtr. Long bent to required size and shape, placed in position and fixed in Truss Frame / RCC Slab / beam at the time of casting all complete as per building specification and direction of E/I. (Where materials is not supplied by deptt.) = 42 EACH  10.33.1 Providing & fixing hand rail by welding etc. to steel ladder railling & staircases railling including applying a priming coat of	500 12mm dia = 7000 KG  Thermo-Mechanically Treated bars TMT- 500 16mm dia = 700 KG  Thermo-Mechanically Treated bars TMT- 500 20mm dia = 750 KG  5.22.7E  Thermo-Mechanically Treated bars TMT- 500 20mm dia = 750 KG  Thermo-Mechanically Treated bars TMT- 500 25mm dia = 0 KG  10.19  Providing & fixing M.S. Fan hook of 16 mm. dia. M.S. bar 1 Mtr. Long bent to required size and shape, placed in position and fixed in Truss Frame / RCC Slab / beam at the time of casting all complete as per building specification and direction of E/I. (Where materials is not supplied by deptt.) = 42 EACH  10.33.1  Providing & fixing hand rail by welding etc. to steel ladder railling & staircases	500 12mm dia = 7000 KG  5.22.7D Thermo-Mechanically Treated bars TMT- 500 16mm dia = 700 KG  5.22.7E Thermo-Mechanically Treated bars TMT- 500 20mm dia = 750 KG  5.22.7F Thermo-Mechanically Treated bars TMT- 500 25mm dia = 0 KG  10.19 Providing & fixing M.S. Fan hook of 16 mm. dia. M.S. bar 1 Mtr. Long bent to required size and shape, placed in position and fixed in Truss Frame / RCC Slab / beam at the time of casting all complete as per building specification and direction of E/I. (Where materials is not supplied by deptt.) = 42 EACH  10.33.1 Providing & fixing hand rail by welding etc. to steel ladder railling & staircases railling including applying a priming coat of	5.22.7D Thermo-Mechanically Treated bars TMT- 500 16mm dia = 700 KG  5.22.7E Thermo-Mechanically Treated bars TMT- 500 20mm dia = 750 KG  5.22.7F Thermo-Mechanically Treated bars TMT- 500 25mm dia = 0 KG  10.19 Providing & fixing M.S. Fan hook of 16 mm. dia. M.S. bar 1 Mtr. Long bent to required size and shape, placed in position and fixed in Truss Frame / RCC Slab / beam at the time of casting all complete as per building specification and direction of E/I. (Where materials is not supplied by deptt.) = 42 EACH  10.33.1 Providing & fixing hand rail by welding etc. to steel ladder railling & staircases railling including applying a priming coat of

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patra

50	4.17	Making plinth protection 50mm thick of	f	T	1	
		cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size ) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth.  = 75.414 SQM				Rs. Three hundred nineteen and paise thirty only.
			75.414	sq.m	319.30	
S	HUTTERIN	NG				
51	5,9,1	Centring and shuttering including strutting, propping etc. and removal of form for foundation, footings, basees of columns etc. for mass concrete.  = 55.781 SQM		Same	166 70	Rs. One hundred sixty six and paise seventy only.
52	5.9.5	Centring and shuttering including strutting,		Sqm.	166.70	-
		propping etc. and removal of form for lintel, beams, plinth beams, griders, bressumers and contilevers.  = 349.241 SQM				Rs. Two hundred fifty one and paise thirty only.
52	5.0.6		349.241	Sqm.	251.30	
53	5,9,6	Centring and shuttering including strutting, propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts = 367.575 SQM				Rs. Three hundred forty four and paise forty only.
-			367.575	Sqm.	344.40	
54	5.9.3	Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform.  = 451.54 SQM				Rs. Two hundred seventy five and paise sixty only.
			451.540	Sqm.	275.60	
-					Total	E 717 707 95
					Total (A)	5,716,706.85 5,716,707.00
Plun	nbing a	nd sanitary Work				-7. 207. 0.800
55	12.78	Providing and fixing on wall face unplastidsed PVC (working pressure 4 kgf per sqm) rain water pipes cinforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10 mm gap for thermal expansion.				

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Perina

-	12.78.2	110 mm diameter. = 40 MTS				Rs. Two hundred fourteen and paise
7.6			40.000	MTS	214.200	
56	SOR	Providing and fixing on wall face	e			
	12.79	unplasticised -PVC moulded fittings	/			
		accessories for unplasticised PVC				
1		rainwater pipes conforming to IS:4985	5	1		
		including jointing with seal ring conforming	2			
		to IS:5382 leaving 10mm gap for therma	il			
		expansion.				
	SOR	Coupler		-	-	
	12.79.1			1		
	SOR	110mm		<del>                                     </del>	-	
	12.79.1.2	= 10 MTS				Rs. One hundred forty
-	/					four and paise seventy
			10,000	F 1	144 5000	only
	SOR	Bend 87.50°	10.000	Each	144.700	
	12.79.5					
-				1		1 2
-	SOR	110mm bend				Rs. One hundred sever
	12.79.5.2	= 12 MTS				three and paise sevent
-	SOR	Chao (Blain)	12.000	Each	173.700	only.
	12.79.6	Shoe (Plain)				
	12.19.0					
-	SOR	110mm Shoe				
	12.79.6.2	= 12 MTS				Rs. Three hundred
						fourteen and paise
57	B.S.R	Providing and fixining water closet	12.000	Each	314.730	seventy three only.
′′						/
-	17.1.1	squatting pan (Indian type W.C. pan) with				
		100 mm sand cast iron P or S tap, 10 litre				7
		low white P.V.C. Flushing cistern with munally controlled device (handle level)				1 - 1
		conforming to IS : 7231				A
	4	Parryware/Hindware with all fittings and				
-		fixtures complete including cutting and				
		making good the walls and floors wherever				
		required.				
	X					
		White Vitreous China Orissa pattern W C				
		pan of size 580 x 440 mm with integral type				
		foot rest.	1.0			Rs. Three thousand thir
		= 6 EACH				five and paise forty only
			6.000	Each	3035.400	
	Shas	hi Ranjan				105,2016
		1111				200130
						10
						ultant (Technical)

Chief Consultant (Technical) Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

July

	-					
58	B.S.R 17.2.2	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern including flush pipe, with manually controlled device (handle lever) conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required:				
		W.C. pan with ISI marked black solid plastic seat and lid = 3 EACH	3.000	Each	2928.300	Rs. Two thousand nine hundred twenty eight and paise thirty only.
59	B.S.R 17.4.2	Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I. clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required:				
		Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern = 3 EACH	3.000	Each	4688.900	Rs. Four thousand six hundred eighty eight and paise ninety only.
60	SOR 17.34	Provding and fixing toilet paper holder				
	SOR 17.34.2	Vitreous china	3	Each	304.2	Rs. Three hundred four and paise twenty only.
61	B.S.R 17.7.1	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:				
		White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps.  = 12 EACH	12.000	Each	2120.300	Rs. Two thousand one hundred twenty and paise thirty only.

Chief Consultant (Technical)

Bihar State Educational Infrastructure
Development Corporation Ltd., Patra

62	18.63	Providing and fixing PTMT angle stop cock				-
		15 mm nominal bore, weighing not less than 85 gms				Rs. One hundred eight
- (2			15.000	Each	180.900	and paise ninety only.
63	B.S.R 17.28	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.				
	17.28.2.1	Flexible pipe 32 mm dia = 12 EACH				Rs. Seventy eight and
			12.000	Each	78.600	paise sixty only.
64	B.S.R 17.32.2	Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame				
		of approved make and shade with 6 mm thick hard board backing: Rectangular shape 453 x 357 mm = 12 EACH				Rs. Six hundred forty three and paise forty only.
			12.000	Each	643.400	
65	B.S.R 17,33	Providing and fixing 600 x 120 x 5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete.				Rs. Four hundred seventy eight and paise thirty only.
66	B.S.R	= 12 EACH	12.000	Each	478.300	
	18.8.1	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I Concealed work including cutting chases and making good the wall etc. 15 mm nominal outer dia Pipes = 50 METER				Rs. Two hundred forty one only.
			50.000	metre	241.000	

Chief Consultant (Technical)

Bihar State Educational Infrastructure
Development Corporation Ltd., Patna
Jkshow har

					,		
	67	B.S.R	Providing and fixing Chlorinated Polyviny	1	T	T	
	-	18.9.3	Chloride (CPVC) pipes, having therma	1			
			stability for hot & cold water supply				
			including all CDVC plain & house of	y			
		1	including all CPVC plain & brass threaded	d			
			fittings This includes jointing of pipes &	اع			Pa One hand a last
			fittings with one step CPVC solven	t			Rs. One hundred ninety
		-	cement, trenching, refilling & testing of	f			three and paise eighty
			joints complete as per direction of Engineer	r			only.
			in Charge.				
			25 mm nominal inner dia Pipes				
			= 60 METER				
			- 00 METER	(0,000		1	**
		18.9.4	22	60.000	metre	193.800	
		10.9.4	32 mm nominal outer dia Pipes				Rs. Two hundred fifty
				40.000	metre	251.100	one only.
		18.9.2	20 mm nominal outer dia Pipes				Rs. One hundred forty
				40.000	metre	146.400	six and paise forty only.
	68	B.S.R	Providing and placing on terrace (at all				ser and paise forty only.
		18.48	floor levels) polyethylene water storage				
			tank ISI :12701 marked with cover and				
			suitable locking arrangement and making				
			suitable locking arrangement and making				Rs. Six and paise eighty
. 1			necessary holes for inlet, outlet and				only.
			overflow pipes but without fittings and the				omy.
			base support for tank.				
			= 4000 PER LITER		per		
1				4000.000	litre	6.800	
	69	B.S.R	Providing and fixing C.P. brass bib cock of				
		18.49	approved quality conforming to IS:8931			and the same of th	
1			15 mm nominal bore.				D. F. I. I. I.
			= 12 EACH	10000			Rs. Four hundred ninety
1	70	DCD		12.000	Each	497.000	seven only.
	70	B.S.R	Providing and fixing C.P. brass stop cock			and the same of th	
1		18.52	(concealed of standard design and of			Ferrence	
1			approved make conforming to IS: 8931				
1							
1		18.52.1	15 mm nominal bore.				
			= 10 EACH				Rs. Six hundred seventy
		Comment of the Commen					and paise seventy only.
-				10.000	Each	670.700	The proof of the p
	71	SOR	Providing and fixing P.T.M.T. grating of				
1	1	18.58	approved quality & colour	The state of the s			
		SOR	circular type				
		18.58.1					
		and the same of th					
	-	COP	100				
		SOR	100 mm nominal dia,	11	Each	8	
		18.58.1.1				47.90	Rs. Forty seven and
						47.90	paise ninety only.
L		6					

Chief Consultant (Technical)

Bihar State Educational Infrastructure
Development Corporation Ltd., Patna
Jk.haulten

		_						
	72	B.S.R	Providing and laying cement concrete		T	T		7
1		19.2.1	1:5:10 (1 cement : 5 coarse sand : 10 graded					
			stone aggregate 40 mm nominal size) all-					1
			round S.W. pipes including bed concrete as				Rs. Three hundred	
			per standard design :				twelve and paise fifty	
1			100 mm diameter S.W. pipe				only.	-
-		2 4	= 50 METER					-
		- 1		50.000	metre	312.500		-
	73	B.S.R	Providing and laying non-pressure NP2		mene	312.300		-
		19.6.1	class (light duty) R.C.C. pipes with collars					
1			jointed with stiff mixture of cement mortar				100	
1		/	in the proportion of 1:2 (1 cement : 2 fine				Rs. Three hundred	
			sand) including testing of joints etc.				twelve and paise ninety	-
-			complete:				only.	
1			100 mm dia R.C.C. pipe				omj.	
1			= 15 METER					
-	74	DOD		15.000	metre	312.900		
	/4	B.S.R	Constructing brick masonry road gully	/	-	-		
		19.27.1	chamber 50x45x60 cm with bricks in					
			cement mortar 1:4 (1cement : 4 coarse				7	
			sand) including 500x450 mm pre-cast				Rs. Three thousand one	
			R.C.C. horizontal grating with frame				hundred seventeen and	
			complete as per standard design:				paise thirty only.	
			With common burnt clay F.P.S. (non		1 to 1 to 1			
			modular) bricks of class designation 7.5 = 2 EACH					
L			- 2 EACH	2.000	Each	3117.300		

Chief Consultant (Technical)

Bihar State Educational Infrastructure

Development Corporation Ltd., Patna

					,		
	75	B.S.R	Contructing brick masonry chamber for	or	T	1	
		19.30.1.1	Underground C.I. Inspection Chamber an	d			
			bend with 75 class designation bricks i	n			
			cement mortar 1:4 (1 cement : 4 coars				
			sand) C.I. Cover with frame (light duty				2
-			455x610 mm internal dimenti				
			455x610 mm internal dimentions, total	Щ			1
1			weight of cover with frame to be not les	S			
1			than 38 kg. (weight of cover 23 kg. and	d		1	
			weight of frame 15 kg.) RCC top slab with	h			
-			1:1.5:3 mix (1 cement: 1.5 coarse sand ::	3			
1			graded stone aggregate 20 mm nomina	1			
			size) foundation concrete 1:5:10 mix (				
1			cement:5 coarse sand : 10 graded stone		-	-	Rs. Three thousand nine
			aggregate 40 mm nominal size), inside				hundred forty nine and
			plastering 12 mm the mid-				paise ten only.
			plastering 12 mm th. with cement mortan				
İ			1:3 (1cement:3 coarse sand) finished				
			smooth with a floating coat of neat cement	t			
			on walls and bed concrete etc. complete as		-	1	
			per standard design.				
			Inside dimensions 466x610 mm and 45cm				
			deep for single pipe line :				
			With common burnt clay F.P.S. (non		1	1	
-			modular) bricks of class designation 7.5				
			= 6 EACH			1	
			- 0 EACH				
-	76	DCD	1.61	6.000	Each	3949.100	
	70	B.S.R	Making soak pit 2.5 m diameter 3.0 metre				
		19.32.1	deep with 45 x 45 cm dry brick honey comb				
-	-		shaft with brick and S.W. drain pipe 100				
			mm diameter, 1.8 m long complete as per				
			standard design.				
			With common burnt clay F.P.S. (non				Rs. Twenty five
1			modular) bricks of class designation 7.5				thousand nine hundred
			= 1 EACH				and paise ten only.
1			LICH				and paise ten omy.
					-		
							- x
-				1.000	Each	25900.100	Y
	77	B.S.R	Providing and fixing S.W. intercepting trap				
		19.34	in manholes with stiff mixture of cement		-		
			mortar 1:1 (1 cement : 1 fine sand)				
			including testing of joints etc. complete:				
			o - Journa etc. complete .				
	-	19.34.1	100 12				
		19.34.1	100 mm dia				Rs. Two hundred eighty
			= 2 EACH				three and paise eighty
				2.000	Each	283.800	only.

11

Chief Consultant (Technical)

Bihar State Educational Infrastructure

Development Corporation Ltd., Papa

101

1	78	Detailed Estimate C				
	, 0	Detailed Estimate for construction of 12	5			D C:
1		mm x 40 mm x 90 mm Tube well Manua	al l		-	Rs. Sixty thousand four
		Boring				hundred thirty two and
70	1271777	= 1 EACH	1.000	Each	60432.650	paise sixty five only
79	ANALYSI	S NON SCHEDULED ITEMS(MARKET	Γ		00.02.05	
		RATE)			***************************************	
		= EACH				
		P.V.C. PIPE	-	-	-	
		= EACH				
		Provding and fixing soil, waste and vent	-	-	-	
		pipes son, waste and veni	4			
1		= EACH				
		2,1011	İ			
		110 mm dia		-	-	
		= 40 EACH	40.000		245.000	Rs. Three hundred forty
		P.V.C. FITTINGS	40.000	metre	347.000	seven and only.
		= EACH				. /
-		DOOR TEE 110 mm dia		<del>                                     </del>		
		= 4 EACH	1.000			Rs. Three hundred sixty
		DOOR BEND 110 mm dia	4.000	each	365.000	five only.
		= 8 EACH				Rs. Two hundred eighty
		o Erich	8.000	each	283.000	three only.
		BEND 45° 110 mm dia	0.000	Cacii	283.000	
		= 10 EACH	10.000	each	185.000	Rs. One hundred eighty
		VENT COWEL 110 mm dia	10.000	Cacii	183.000	five only.
		= 3 EACH	3.000	anah	65,000	Rs. Sixty five only.
		PIPE CLIP 110 mm dia	3.000	each	65.000	, , , , ,
		= 100 EACH	100,000	1	***	Rs. Fifty three only.
	7	FLOOR TRAP 110X110 mm dia	100.000	each	53.000	· · · · · · · · · · · · · · · · · · ·
		= 10 EACH				Rs. Four hundred thirty
-			10.000	each		six only.
80	Code no. of	(i) C.I. cover and frame 300 x 300 mm				D. mi
	1352	inside				Rs. Three hundred
	7	SEPTIC TANK = 1 EACH				seventy four and paise
81	Cadana	(") ( () 1   1   1   1   1   1   1   1   1   1	1.000	Each	374.060	six only.
01	Code no. of	(ii) S.C.I. plain bend 100 mm dia				Rs. Four hundred thirty
92	1621	SEPTIC TANK = 1 EACH	1.000	Each		six and paise forty only.
82		(iii) S.C.I. Tee 150 mm dia				Rs. Seven hundred forty
	7087	SEPTIC TANK = 1 EACH				eight and paise eleven
			1.000	Each		only.
					Total	348,404.98
					Total (B)	348,405.00
					(=)	040,403.00

Chief Consultant (Technical)

Bihar State Educational Infrastructure
Development Corporation Ltd., Patra

ter .

	T	T				
		Electrical Works (1% labour cess has been added on current DSR-2014)				
83	1.10	Point Wiring in PVC Conduit, with Modular type Switch:-				
		Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc as required.				
	1.10.3	Group C	119.000	Nos.	725.180	Rs. Seven hundred twenty five and paise eighteen only.
84	1.11	Twin Control Point Wiring in PVC Conduit, with Modular type Switch:-				
		Wiring for twin control light point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, 2 way modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc as required		Nos.	777.700	Rs. Seven hundred seventy seven and paise seventy only.
85	1.31	Supply and Fixing Light Plug Point with Modular Type Accessories:-		1103.	777.700	
		Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 3 pin 5/6 amps modular socket outlet and 5/6 amps modular switch, connection etc. as required. (For light plugs to be used in non residential buildings).		Nos.	306.030	Rs. Three hundred six and paise three only.

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Paine

86	1.32	Supply and Fixing Power Plug Point w	ith	1	T	
		Modular Type Accessories:-				
7						
		Supply and Fixing GI box with modul plate and cover in front on surface or recess including providing and fixing 6 pit 15/16 amps modular socket outlet and 15/16 amps modular type switch connection, painting etc as required.	in n, ad			Rs. Five hundred nine only.
87	2.18		12.000	Nos.	590.000	
07	2.16	Supply & fixing 20A SPN MCB Industria Socket Outlet:-	al			
000		Supplying and fixing 20 amps, 240 volts SPN industrial type, socket outlet, with 2 pole and earth, metal enclosed plug top alongwith 20 amps "C" curve, SP, MCB, it sheet steel enclosure, on surface or in recess, with chained metal cover for the socket out let and complete with connections, testing and commissioning etc. as required	12.000	Nos.	963.540	Rs. Nine hundred sixty three and paise fifty for only.
88	1.12	Power Plug Wiring in PVC conduit (2x4 sq. mm):-	12.000	1405.	903.340	
		Wiring for light/ power plug with 2X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed mediumclass PVC conduit alongwith 1 No 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop earthing as required		Mtm		Rs. One hundred sixty three and paise sixty two only.
89	1.24	Supplying and fixing following modular	420.000	Mtrs.	163.620	
		type switch/ socket on the existing modular plate switch box / cover including connections etc.as required				

Chief Consultant (Technical)

Chief Consultant (Technical)

Bihar State Educational Infrastructure

Development Corporation Ltd., Patna

10.

			perturbation and the state of t			
	1.24.1	5/6 amps switch.				Rs. Eighty one and paise
			25.000	Each	81.810	eighty one only.
	1.24.4	5 pin, 5/6 amps socket outlet.				Rs. Seventy nine and
			25.000	Each	79.790	paise seventy nine only.
90	1.14	Circuit / Sub-main wiring in PVC Conduit:-				
		Wiring for circuit / sub-main wiring along with earth wire with the following sizes of PVC insulated, copper conductor, single core cable in surface/recessed PVC conduit as required.				
	1.14.1	2x1.5 Sqmm + 1x1.5 sqmm earth wire	40.000	Men	107.000	Rs. One hundred seven
	1.14.2	2x2.5 Sqmm + 1x2.5 sq mm earth wire	40.000	Mtrs.	107.060	and paise six only.
	1.14.2	2x2.5 Squiii + 1x2.5 sq iiiii eartii wife				Rs. One hundred thirty two and paise thirty one
			350.000	Mtrs.	132.310	only.
	1.14.9	4x6.0 Sqmm + 2x6.0 sqmm earth wire (to		141415.	102.010	Rs. Three hundred nine
		be used as sub main)		Y.C.	202.000	two and paise eighty nir
	1 14 10	4 V 10 + 2 V 10	54.000	Mtrs.	392.890	only.
	1.14.10	4 X 10 sq. mm + 2 X 10 sq. mm earth wire	10.000	Mtrs.	602.970	Rs. Six hundred two and
		S/F 'C' series SP MCB:-	10.000	WIUS.	002.970	paise ninety seven only.
91		Supplying and fixing 240 volts, 'C' series, miniature circuit breaker suitable for inductive loads of following poles in the existing MCB DB complete with connections, testing and commissioning etc, as required.				
	2.10.1	6/32A, Single Pole				D 0 1 1 1
			36.000	Each	170.690	Rs. One hundred sevent and paise sixty nine only
	2.10.3	6/32A ,DP				Rs. Four hundred sixty
			3.000	Each	463.590	three and paise fifty nine only.
92	2.13	S/F TPN MCB:-				
		Supplying and fixing following rating, four pole, 240 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required	and the second			

Chief Consultant (Technical)

Bihar State Educational Infrastructure
Development Corporation Ltd., Patea

	2.13.2	63 A,TPN		Т		
	2.10.2	657,1114				Rs. Six hundred seventy
			3.000	Each	676.700	six and paise seventy
93	2.15	S/F TPN RCCB:-Supplying and fixing of following rating three phase and neutral,	f	Each	070.700	only.
		415 volts, residual current circuit breaker (RCCB) having a sensitivity current upto				
		300 miliamperes in the existing MCB DB complete with connections, testing and commissioning etc. as required.				
	2.15.2	40 Amp.				Rs. Two thousand one
						hundred forty four and
0.4			3.000	Each	2144.230	paise twenty three only.
94	2.8	S/F TP MCB DB:-				
		Supplying and fixing of following way, horizontal type three pole and neutral, sheet steel, MCB distribution board, 415				
		volts, on surface/recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, detachable gland plate, interconnections, phosphatized and powder painted including earthing etc. as required (Without MCB/RCCB/ISOLATOR). Make:- Legrand/Anchor/Havells/HPL.				
	2.8.5	4 Ways (4+12 ways) double door				
						Rs. Seven thousand four hundred thirty and paise fifty seven only.
	2		3.000	Set	7430.570	
95	1.33	S/F Ceiling Rose:-				
						, ,
		Supplying and fixing 2 pin ceiling rose on the existing junction box/ wooden block including connection etc as required.	80,000	Each	43.430	Rs. Forty three and paise forty three only.
96	1.34	S/F Batten / Angle Holder:-	27.000	Each	74.740	Rs. Seventy four and paise seventy four only.
		Supplying and fixing batten / angle holder including connection etc as required.		=334	/ //	passe seventy four omy.

10/5-2016

Chief Consultant (Technical)

Bihar State Educational Infrastructure

Development Corporation Ltd., Patpa

2101

0.5						
97	1.25	S/F Modular type electronic fan regulator:-	24 000	Each	286,840	Rs. Two hundred eight six and paise eighty four only.
2		Supplying and fixing stepped type far regulator on the existing modular plate switch box including connections but excluding modular plate etc as required.		Davi	280.840	
98	1.21	S/F PVC Conduit:-				
		Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required.				
	1.21.1	20 mm				
			110.000	Mtrs.	53.530	Rs. Fifty three and paise fifty three only.
99		Telephone Wiring in Existing Conduit:-			33.330	
	1.18	Supplying and drawing following pair 0.5 mm dia FRLS PVC insulated annealed copper conductor, unarmored telephone cable in the existing surface/ recessed steel/ PVC conduit as required				
	1.18.2	2 pair	50.000	Mtrs.	18.180	Rs. Eighteen and paise eighteen only.
100		S/F Modular type Switch / Socket:- Supplying and fixing following modular type switch / socket on the existing modular plate and switch box including connections but excluding modular plate etc as required.			10.100	eighteen only.
	1.24.6	Telephone socket outlet	2.000	Each		Rs. Ninety five and paise ninety five only.
101		EARTHING COPPER EARTH PLATE ELECTRODE:-				

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Potna

102		Earthing with copper earth plate 600mm 600mmx 3mm thick including accessoriand providing masonary enclosure with cover plate having locking arrangement are watering pipe of 2.7 meter long etc with charcoal/cock and salt as required.	es th	Each	9384.920	Rs. Nine thousand three hundred eighty four an paise ninety two only.
102	5.10	P/F 25 x 5mm copper earth strip in pipe:-		Jun	7304.920	
		Providing and fixing 25 mm X 5 mm copper strip in 40 mm dia G.I. pipe from earth electrode including connection with brass nut, bolt, spring, washer excavation and refilling etc. as required.	g -			Rs. One thousand ninety two and paise eighty two only.
103	5.14	P/F 25 x 5 mm copper earth strip in surface.	12.000	Mtrs.	1092.820	
		recess :=				
104		Providing and fixing 25 mm X 5 mm copper strip on surface or in recess for connections etc. as required.	24.000	Mtrs.		Rs. Eight hundred sixty four and paise fifty six only.
	7.1	Cable Laying of 1.1 KV & 11 KV :-				
		Laying of one number PVC insulated and PVC Sheathed / XLPE power cable of 1.1 KV grade of following size direct in ground including excavation, sand cushioning, protective covering and refilling the trench etc as required.				
	7.1.2	Above 35sq.mm and Upto 95 Sq.mm.			F	Rs. Two hundred four
105		G.I. Pipe for Cable protection:-	80.000	Mtrs.		and paise two only.
		Providing, laying and fixing following dia RCC pipe NP2 class(light duty) in ground complete with RCC collars, joints with cement mortar 1:2 (1 cement : 2 fine sand) including trenching (75 cm) and refilling etc.as required. (Road crossing as per site condition)				

Chief Consultant (Technical)

Bihar State Educational Infrastructure

Development Corporation Ltd., Patna

210,

	14.14.2	150 mm dia	T			
106			10.000	Mtr.	387.840	Rs. Three hundred eight seven and paise eighty four only.
100	9.1	1.1 KV Cable End Termination: Supplying and making indoor cable end termination with brass double compression gland and aluminium lugs for following size of PVC insulated XLPE Al. Ar. Cable of 1.1 KV grade as required.				
100	9.1.22	3.5 Core 50 Sq.mm.	2.000	Each	272.700	Rs. Two hundred sevent two and paise seventy only.
107	1908 JSR 2014	3.5 core 50 sq mm xlpe/pvc insulated sheathed (Heavy duty)armoured electric cable aluminium conducter.				Johny.
108		3.5C x 50 Sq.mm 1.1kV	100.000	Mtrs.	391.000	Rs. Three hundred ninety one only.
108	2.1	S/F HRC fuse type TP&N switch disconnector:- Providing and fixing following capacity TP&N disconnector fuse switch unit inside the existing panel board with ISI marked HRC fuses including drilling holes in cubicle panel, making connections, etc. as required.				
	2.1.2	63 amps,TP&N, HRC	3.000	Each	2260.380	Rs. Two thousand two hundred sixty and paise thirty eight only.
109	2.5	S/F Busbar Chamber:-				enity eight only.
		Providing and fixing following capacity busbar chamber with 4 strips of suitable size made of capper, heavy duty, complete with all accessories including connections, earthing the body, etc as required.  200 amp. TPN				Rs. Six thousand two hundred twenty two and paise sixty one only.
			1.000	Each	6222.610	

18ul Chief Consultant (Technical)

Bihar State Educational Infrastructure Development Corporation Ltd., Patna

110	2.7.4	D				
	B.S.R 2009	Providing and fixing following capacitions pole OFF-load changeover switch wiside handle operation, in sheet enclosure existing metal board, including drilling holes in metal panel, making connection etc. as required.  125 Amps, Four pole	th in ng ns			Rs. Seven thousand nine hundred seven only.
111	6.5	Providing and fixing copper tape 20 mm	1.000	Each	7907.00	0
		3 mm thick on parapet or surface of wall for lightning conductor complete as required.  (For horizontal run)				Rs. Three hundred seventy nine and paise seventy six only.
112	6.6	Providing and fixing copper tape 20 mm >	80.000	meter	379.760	
		3 mm thick on parapet or surface of wall for lightning conductor complete as required.	-			Rs. Four hundred ten and paise six only.
113	2.2	Providing and fixing follwing rteing and	30.000	meter	410.060	
	2.2.3	breaking capacity MCCB in existing cubicale panel bord including drilling hole cubicale panel making connection etc as required				
	2.2.3	160 amp. 16KA	1.000	EACH	4565.200	Rs. Four thousand five hundred sixty five and paise twenty only.
-				-	Total (C	
114	DOGGE	FIRE FIGHTING				300,012.73
114	DGS&D	Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit.	10.000	Nos.	7549.750	Rs. Seven thousand five hundred forty nine and paise seventy five only.
					Total	75,497.50
		CARRIAGE OF MATERIALS			Total (D)	75,498.00
15		Type of materials			Rate Incl. 1% Lab. Cess	
		Cement	139.566	MT		Rs. Two hundred eighty nine and paise eighty seven only.

Chief Consultant (Technical)

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

	-	S Seventy Seven lacs Twenty Eight T	otal Cost	- 1		7,728,642.00
1	Araria	Araria BLOCK RESOURCE CENTR				(Rs.) 7,728,641.73
SL. No.	DISTRICT	NAME OF INSTITUT	E			Amount
			Grand 7	Total (A+)	B+C+D+E)	7,728,641.73
					Total (E)	1,084,219.00
					Total	1,084,218.91
	Cement		139.566	MT		Rs. One Thousand Seventy five and paise seventy Three only.
-	Bricks		120.253	Thous.	835.35	Rs. Eight hundred thirty five and paise thirty five only
116		A COST OF MATERIAL FOR Purnia R.T TO GAYA AS PER SOR				
116		Steel	18.050	MT		Rs. Two hundred eighty nine and paise eighty seven only.
		Brick	120.253	Thous.	601.67	Rs. Six hundred one and paise sixty seven only.
		Stone Chips	176.279	cum	1780.80	Rs. One Thousand seven Hundred eighty and paise eighty only.
	-		/			paise Twenty Nine only
		Local Sand	125.918	cum	205.29	Two Hundred Five and
		Sand	188.457	cum	1994.20	Rs. one thousand nine hundred ninety four and paise twenty only.

Chief Consultant (Technical)

Bihar State Educational Infrastructure

Development Corporation Ltd., Paina

200.

Part	"Detail	s of Sl. No. 78 (Construction of 125mi t of Materials	m x 40m	m x 90m	Tube well	) is given below
1		125mm dia UPVC casing pipe confirming to ISS	27	Meter	315.00	Rs. Three hundred fifteen only.
2		40mm dia UPVC pipe confirming to ISS	48	Meter	99.38	D. Mind in 1
3		40mm dia PVC ribbed strainer of approved quality	8	Meter	182.00	De One hundred sight
4		Reducing socket 125mm x 40mm	1	Each	270.00	Do Two handard
5		Supplying all labour and materials & fitting & fixing PVC cap over the new sink T/well	1	Each	140.00	Rs. One hundred forty only.
6	B.S.R 1548	Providing and fixing of G.I pipes complete with G.I fittings and clamps, including, cutting and making good etc 32 mm dia (15% C.P & 1% L.Cess)	18	mtr	224.44	Rs. Two hundred twenty four and paise forty four only.
7	B.S.R 1928	32 mm nominal bore Bross Full valve (15% C.P & 1% L.Cess)	1	Each	511.21	Rs. Five hundred eleven and paise twenty one only.
8		Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of E/I	1	Each	26,446.00	Rs. Twenty six thousand four hundred forty six only.
	,	Sub - Total "A"				46138.37

Chief Consultant (Technical)

Bihar State Educational Infrastructure

Development Corporation Ltd., Patna

			Su	b - Total	14,294.2
15	Supplying labour and developing the T/Well to have sand free discharge all complete as per direction of E/I	1	Each	280.50	Rs. Two hundred eight and paise fifty only.
14	Providing all labour & tools and lowering 32 mm dia G.I pipe as per specificatin etc. all Complete	24	mtr	21.34	Rs. Twenty one and paise thirty four only.
13	a) For 40mm dia UPVC ribbed strainer of approved quality	8	mtr	148.79	Rs. One hundred forty eight and paise seventy nine only.
-	(iv) 75.00 m to above				nine only.
12	a) For 40mm dia UPVC pipe	14	mtr	148.79	Rs. One hundred fort eight and paise sevent
	(iii) 61.00 m to 75.00 m		-		eight only.
11	(a) For 40 mm dia UPVC pipe	30.5	mtr	136.88	Rs. One hundred thir six and paise eighty
	(ii) 30.5 m to 61.0 m				only.
	(i) 0 to 30.5 m	3.5	mtr	119.03	Rs. One hundred nineteen and paise th
10	(b) for 40 mm dia UPVC pipe				
	(a) For 125 mm dia U.PV.C pipe	27	mtr	208.7	Rs. Two hundred eigand paise seventy segonly.
-	(i) 0 to 30.5 m				
	Boring by jet dheki by suitable cutter of reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, pl & socket etc. all complete including providing all tools and plants required fo the job as per specification and direction the engineer in charge.	ug			

Tender approved in favour of Shashi Ranjan @ 10.00% (Ten Decimal Zero Zero Percent) below BOQ Rate i.e. total amount comes to Rs. 69,55,778=00 (Rupees Sixty Nine Lacs Fifty Five Thousand Seven hundred Seventy Eight Only)

Sha Shi Ranjan

Chief Consumant (Technical)

Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

### **Performance Security**

Name of Agency:- Shashi Ranjan

"Performance Security of "BRC-Araria (SL. No.-80)"

FDR No.

DOI

**Amounts** 

2519401007247/2

12.01.18

1,60,000.00

3985401000178/1

23.11.17

1,90,000.00

**Total** 

3,50,000.00

(Rupees Three Lacs Fifty Thousand only)

Shashi Ranjan

लेखा पदाधिकारी
विहार राज्य शैक्षणिक आधारभूत संरचना विकास निमम लि०, पटना

Nº 0-5-2016 Chief Consultant (Technical) Bihar State Educational Infrastructure Development Corporation Ltd., Patna

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना—800004, दूरभाष—0612—2910314 कॉर्पोरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256,

पत्रांक:- BSEIDC/FIN/2859/2017-18/- ८०२२

पटना, दिनांक.....। १९७० ११

प्रेषक.

ब्रजेश प्रसाद

मुख्य परामर्शी (तकनीकी)

सेवा में.

Shashi Ranjan

Khajpura Post- BV College

Patna-14

विषय:— बिहार राज्य अंतर्गत "Construction of Block Resource Centre at Araria (S.LNo-80) Of Nit No-40/2015-16) के कार्य हेतु जमानत की राशि जमा कर एकरारनामा करने के संबंध में।

महाशय,

उपर्युक्त विषय के संबंध में कहना है कि विषयांकित कार्य की निविदा हेतु आपके द्वारा निविदित दर जो परिमाण विपन्न के दर से 10.00% (दस दशमलव शून्य शून्य प्रतिशत) कम है तद्नुसार निविदा की कुल राशि रू० 69,55,778/—(उन्हत्तर लाख पचपन हजार सात सौ अठहत्तर रूपये) मात्र आपके पक्ष में स्वीकृत की गयी है।

अतः निदेश दिया जाता है कि अग्रधन की राशि **रू० 3,48.000/- (तीन** लाख अड़तालिस हजार रूपये) मात्र का सावधि पासबुक/राष्ट्रीय बचत प्रमाण पत्र के रूप में प्रबंध निदेशक, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०, पटना के नाम से प्रतिज्ञिप्त हो जमा कर अविलंब एकरारनामा कर लें।

(ब्रजेश प्रसाद)

मुख्य परामर्शी (तकनीकी)

ज्ञापांक : BSEIDC/FIN/2859/2017-18/- ८०२ ५

पटना, दिनांक । 😘 🛚 🗸 🔭

प्रतिलिपि : Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC website/Senior

Account Officer, BSEIDC, Patna for information & necessary action

3022

मुख्य परामर्शी (तकनीकी)

ज्ञापांक : BSEIDC / FIN / 2859 / 2017 — 18 / — पटना, दिनांक । तुः ० ५ । इ

प्रतिलिपि : मुख्य अभियंता, BSEIDC को सूचनार्थ एवं आवश्यक कार्रवाई हेतु समर्पित।

3072

मुख्य परामर्शी (तकनीकी)

ज्ञापांक : BSEIDC / FIN / 2859 / 2017-18 / -

पटना, दिनांक 13.0 ४।। द

प्रतिलिपि : प्रबंध निदेशक महोदय, BSEIDC को सूचनार्थ समर्पित।

Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

Shasni Ranjan

2

## बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

बिहार सरकार का एक उपक्रम)

कॉपॉरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256, शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना–800004, दूरभाष–0612–2910314

Letter no.: BSEIDC/NIT/2015-16/-

Patna, Date: Go. Dy 116

### Corrigendum No.- 3

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "हिन्दुस्तान" on dated 10.02.2016 vide P.R.-12943 (नि०नि०)15-16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below :-

or.	Existing provision	Amended provision
_	Period of Sale of Bid document (Download) from dated 16.04.2016 to 10.05.2016, 15:00 Hrs.	Period of Sale of Bid document (Download) from dated 16.05.2016 to 05.06.2016,
2	Date and Time of Pre bid Meeting – 25.04.2016, 14:30 Hrs.	Date and Time of Pre bid Meeting – 25.05.2016, 16:00 Hrs.
3	Last date and time for receipt (Upload) of Bids on dated 11.05.2016;15:00 Hrs.	Last date and time for receipt (Upload) of Bids on dated 06.06.2016,15:00 Hrs.
4	Time and date for opening of Technical Bids on dated 13. 05.2016, 16:30 Hrs.	Time and date for opening of Technical Bids on dated 08. 06.2016, 16:30 Hrs.
5	Time and date for opening of Financial Bids on dated 27.05.2016, 15:30 Hrs.	Time and date for opening of Financial Bids on dated 24.06.2016, 15:30 Hrs.
9	The Cost of BOQ and EMD will be	The Cost of BOQ and EMD will be accepted up to 08.06.2016, 15:00 Hrs.

The other terms and conditions shall remain unchanged.

Bihar State Educational Infrastructure 30-4-20 Pevelopment Corporation Ltd., Patna

Chief Consultant (Technical) &

Chief Consultant (Technical)

Shashi Renyan

## बिद्धार राज्य शैक्षणिक आधारभूत संरवना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

कॉपॉरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256, शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना–800004, दूरभाष–0612–2910314

Letter no.: BSEIDC/NIT/2015-16/- 2937

Patna, Date: 28-03-2016

### Corrigendum No.- 2

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "हिन्दुस्तान" on dated 10.02.2016 vide P.R.-12943 (नि०नि०)15—16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below:-

SL.	Existing provision	Amended provision
_	Period of Sale of Bid document (Download) from dated 03.03.2016 to 28.03.2016, 15:00 Hrs.	Period of Sale of Bid document (Download) from dated 16.04.2016 to 10.05.2016,
2	Date and Time of Pre bid Meeting – 15.03.2016, 14:30 Hrs.	Date and Time of Pre bid Meeting – 25.04.2016, 16:00 Hrs.
3	Last date and time for receipt (Upload) of Bids on dated 29.03.2016,15:00 Hrs.	Last date and time for receipt (Upload) of Bids on dated 11.05.2016, 15:00 Hrs.
4	Time and date for opening of Technical Bids on dated 31. 03.2016, 16:30 Hrs.	Time and date for opening of Technical Bids on dated 13. 05.2016, 16:30 Hrs.
5	Time and date for opening of Financial Bids on dated 11.04.2016, 15:30 Hrs.	Time and date for opening of Financial Bids on dated 27.05.2016, 15:30 Hrs.
9	The Cost of BOQ and EMD will be	The Cost of BOQ and EMD will be accepted up to 13.05.2016, 15:00 Hrs.

The other terms and conditions shall remain unchanged.

Chief Consultant (Technical) 2018
Biliar State Educational Infrastructure

2004-61-0pment Corporation Lid., Patua

(Brajesh Prasad)

Chief Consultant (Technical)

Shashi Ranjan

# बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

कॉर्पोरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256, शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ्र, सैदपुर, पटना–800004, दूरभाष–0612–2910314

Letter no.: BSEIDC/NIT/2015-16/- 2638

Patna, Date: 1年の3.16

## Corrigendum No.- 1

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below:-

SL.	Existing provision	Amended provision
_	Period of Sale of Bid document (Download) from dated 03.03.2016 to 28.03.2016,	Period of Sale of Bid document (Download) from dated 03.03.2016 to 30.04.2016,
	15:00 Hrs.	15:00 Hrs.
2	Last date and time for receipt (Upload) of Bids on dated 29.03.2016,15:00 Hrs.	Last date and time for receipt (Upload) of Bids on dated 01 .05.2016 ,15:00 Hrs.
3	Time and date for opening of Technical Bids on dated 31. 03.2016, 16:30 Hrs.	Time and date for opening of Technical Bids on dated 04. 05.2016, 16:30 Hrs.
4	Time and date for opening of Financial Bids on dated 11.04.2016, 15:30 Hrs.	Time and date for opening of Financial Bids on dated 17.05.2016, 15:30 Hrs.
2	The Cost of BOQ and EMD will be	The Cost of BOQ and EMD will be accepted up to 04.05.2016, 15:00 Hrs.

The other terms and conditions shall remain unchanged.

Chief Consultant (Pechitical) State Educational Infrastructure Development Corporation Ltd., Patna (Brajesh Prasad)

Chief Consultant (Technical)

Shashi Panjan

### SPECIAL CONDITIONS

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes royalties and other

incidental charges.

4. To qualify for award of work, the Bidder must possess the following:-

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of signatory bid.

b) DD for required value of B.O.Q. Cost.

c) Sufficient Earnest Money Deposit.

- d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.
- Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed at least one Building work of value not less than 25 % of estimated value of contract) in last five years as mentioned in Technical bid.

f) Litigation History as mentioned in Technical bid.

g) Affidavit as mentioned in Technical bid.

h) Valid Registration with Central/State Govt. / PSU.

i) Valid labour license as mentioned in Technical bid.

j) Affidavit/Certificate for not been debarred as mentioned in Technical bid.

- 5. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.
- 6. The tender without earnest money or insufficient earnest money submitted with the tender, will be outright rejected.

7. Conditional tenders shall be outright rejected.

- 8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.
- 9. Authority shall reserve the right to reject any or all the tenders or distribute the work to more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained.

- 11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules prevalent in the locality.
- 12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the
- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-
- a. Natural calamities
- b. Act of enemies.

(Seal & Signature of Tenderer)

Shashi Ranjan

W. 2016 Chief Consultant (Technical) Bihar State Educational Infrastructure

Development Corporation Ltd., Patna

SI. No.: 80

- c. Transport and procurement difficulties.
- d. Circumstances beyond the control of the state.
- 15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- 16. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
- 17. The contractor shall make his own arrangement for water and light at the work site.
- 18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 20. The Tenderer must not quote their rate more than 10 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
- 21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 22. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.
- 23. The Defect liability Period shall be Three (3) Years from the date of completion of the work.

----X-----X

(Seal & Signature of Tenderer)

Shashi Runjan

Page 2 of 2

Chief Consultant (Technical)

Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

7

24. Seigniorage fee (Non- refundable) at the rate of 2% will be deducted from bills as per order of Department of Mines and Geology, Govt. of Bihar

Shashi Ranjan

(Seal & Signature of Tenderer)

Chief Consultant (Technical)

Bihar State Educational Infrastructure Development Corporation Ltd., Patna

-ta

### बिहार राज्य शैक्षणिक आधारमूत संरचना विकास निगम लिमिटेड

(बिहार सरकार का एक उपक्रम) जिल्ला भवन, बिहार राष्ट्रभाषा परिषद् कैम्पस, आचार्य शिवपुजन सहाय पथ, सैदपुर, पटना—800004 (दूरभाष:—0612—2910314)

निविदा आसंत्रण सूचना संख्या- 40 वर्ष 2015-16 (केवल ई-टेन्डरिंग पद्धति के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

बिहार राज्य के भवन निर्माण कार्य हेतु निम्नांकित निविदायें आमित्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार/सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रजिस्ट्रेशन, उक्त कार्य का लेटर ऑफ

ф <sup>1</sup>	काय का नाम	प्राक्कलित राशि (लाख में	की राशि	परिमाण विपत्र की राशि (रू० में )	Beltron Bid Processing Fee (In Rs.)	कार्य समादि की अर्वा
2	BRC Ekma,Saran	85.2	1,70,400	10,000	5750	-15 मा
-	BRC Baniyapur,Saran	85.2	1,70,400	10,000	5750	15 PT
3	BRC Masrak,Saran	85.2	1,70,400	10,000	5750	15 m
4	BRC Marhowrah, Saran	85.2	1,70,400	10,000	5750	15 HI
5	BRC Amnour,Saran	85.2	1,70,400	10,000	5750	15 418
6	BRC,Dariyapur,Saran	85.2	1,70,400	10,000	5750	-
7	BRC,Garkha,Saran	85.2	1,70,400	10,000	5750	15 माह
8	BRC, Manigachhi, Darbhanga	85.2	1,70,400	10,000	5750	15 माह
9	BRC, Keoti, Darbhanga	85.2	1,70,400	10,000		15 माह
10	BRC,kusheshwarsthan,Darbhanga	85.2	1,70,400	10,000	5750	15 माह
11	BRC, Ghanshyampur, Darbhanga	85.2	1,70,400		5750	15 माह
12	BRC,Kiratpur,Darbhanga	85.2	1,70,400	10,000	5750	15 माह
13	BRC,Baheri,Darbhanga	85.2	1,70,400	10,000	5750	15 माह
14	BRC, Hanumannagar, Darbhanga	85.2	1,70,400	10,000	5750	15 माह
15	BRC, Lakhnaur, Madhubani	85.2	-	10,000	5750	15 गाह
16	BRC,Jhanjharpur,Madhubani	85.2	1,70,400	10,000	5750	15 माह
17	BRC,Phulparas,Madhubani	85.2	1,70,400	10,000	5750	15 माह
18	BRC,Khutauna,Madhubani		1,70,400	10,000	5750	15 HIE
19	BRC, Khajouli, Madhubani	85.2	1,70,400	10,000	5750	15 माह
20	BRC,Bisfi,Madhubani	85.2	1,70,400	10,000	5750	15 माह
21	BRC,Rahika,Madhubani	85.2	1,70,400	10,000	5750	15 माह
22	BRC, Harlakhi, Madhubani	85.2	1,70,400	10,000	5750	15 माह
23	BRC Rabubarbi Madle 1	85.2	1,70,400	10,000	5750	15 माह
24	BRC, Babubarhi, Madhubani	85.2	1,70,400	10,000	5750	15 माह
25	BRC Rosada, Samastipur	85.2	1,70,400	10,000	5750	15 माह
26	BRC Samastipur	85.2	1,70,400	10,000	5750	15 माह
27	BRC, Khanpur, Samastipur	85.2	1,70,400	10,000	5750	15 माह
	BRC, Hasanpur, Samastipur	85.2	1,70,400	10,000	5750	15 माह
28	BRC, Mohanpur, Samastipur	85.2	1,70,400	10,000		5 माह
29	BRC, Patori, Samastipur	85.2	1,70,400	10,000	and the state of t	5 माह

Sha shi Ranjan

Cinej Consulant (Technical)

Bihar State Educational Infrastructure Development Corporation Ltd., Patna

30	BRC, Shivajinagar, Samastipur	85.2	1,70,400	10,000	5750	15 ч
31	BRC,Sangrampur,E.Champaran	85.2	1,70,400	10,000	5750	15 ч
32	BRC,Kalyanpur,E.Champaran	85.2	1,70,400	10,000	5750	15 ч
33	BRC Chakia, E. Champaran	85.2	1,70,400	10,000	5750	15 H
34	BRC Sugauli, E. Champaran	85.2	1,70,400	10,000	5750	15 म
35	BRC Madhuban, E. Champaran	85.2	1,70,400	10,000	5750	15 H
36	BRC Patahi, E. Champaran	85.2	1,70,400	10,000	5750	15 म
37	BRC Raxaul, E. Champaran	85.2	1,70,400	10,000	5750	15 मा
38	BRC Adapur, E. Champaran	85.2	1,70,400	10,000	5750	15 मा
39	BRC Bankatwa, E. Champaran	85.2	1,70,400	10,000	5750	15 HI
40	BRC Dhaka, E. Champaran	85.2	1,70,400	10,000	5750	15 मा
41	BRC Bairia, W. Champaran	85.2	1,70,400	10,000	5750	15 मा
42	BRC Narkatiaganj, W.Champaran	85.2	1,70,400	10,000	5750	15 m
43	BRC Sikta, W.Champaran	85.2	1,70,400	10,000	5750	15 m
44	BRC Bhithan, W.Champaran	85.2	1,70,400	10,000	5750	15 HI
45	BRC Lauriya, W. Champaran	85.2	1,70,400	10,000	5750	15 FI
16	BRC,Piprasi,W.Champaran	85.2	1,70,400	10,000	5750	15 मा
17	BRC, Majhaulia, W. Champaran	85.2	1,70,400	10,000	5750	15 HI
18	BRC Darauli, Siwan	85.2	1,70,400	10,000	5750	15 HI
19	BRC Hussainganj,Siwan	85.2	1,70,400	10,000	5750	15 मा
50	BRC Mairwa,Siwan	85,2	1,70,400	10,000	5750	15 मा
1	BRC Basantpur,Siwan	85.2	1,70,400	10,000	5750	15 HI
2	BRC Maharajganj,Siwan	85.2	1,70,400	10,000	5750	15 मा
3	BRC,Bhagwanpur,Siwan	85.2	1,70,400	10,000	5750	15 मा
4	BRC,Hasanpur,Siwan	85.2	1,70,400	10,000	5750	15 मा
5	BRC Uchkagaon,Gopalganj	85.2	1,70,400	10,000	5750	15 मा
6	BRC Sidhwalia,Gopalganj	85.2	1,70,400	10,000	5750	15 मा
7	BRC Bhorey, Gopalganj	85.2	1,70,400	10,000	5750	15 मा
8	BRC,Bijaipur,Gopalganj	85.2	1,70,400	10,000	5750	15 मा
9	BRC Pachdeuri, Gopalganj	85.2	1,70,400	10,000	5750	15 m
0	BRC Kuchaikot, Gopalgani	85.2	1,70,400	10,000	5750	15 H
1	BRC,Ramgarh,Kaimur	85.2	1,70,400	10,000	5750	15 HI
2	BRC Chainpur,Kaimur	85.2	1,70,400	10,000	5750	15 HI
3	BRC Bhagwanpur,Kaimur	85.2	1,70,400	10,000	5750	15 m
4	BRC Chakki,Buxar	85.2	1,70,400	10,000	5750	15 m
5	BRC Buxar	85.2	1,70,400	10,000	5750	15 m
6	BRC,Chausa,Buxar	85.2	1,70,400	10,000	5750	15 m
7	BRC Dinara, Rohtas	85.2	1,70,400	10,000	5750	15 मार

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patsa

3 pe

68	Die italiangai, itolias	85.2	1,70,400	10,000	5750	1:	5 <b>平</b>
69	Dice reconds, recitas	85.2	1,70,400	10,000	5750	1:	5 H
70	Thursday, Contraction of the Con	85.2	1,70,400	10,000	5750	1:	5 HI
71	BRC Karakat, Rohtas	85.2	1,70,400	10,000	5750	15	5 मा
72	BRC Dawat, Rohtas	85.2	1,70,400	10,000	5750	15	5 <b>म</b>
73	BRC,Mansahi,Katihar	85.2	1,70,400	10,000	5750		· 中
74	BRC,Manihar,Katihar	85.2	1,70,400	10,000	5750	15	मा
75	BRC,Pranpur,Katihar	85.2	1,70,400	10,000	5750	15	, <b>म</b>
76	BRC, Kadwa, Katihar	85.2	1,70,400	10,000	5750	15	н
77	BRC,Barsoi,Katihar	85.2	1,70,400	10,000	5750	-	मा
78	BRC, Azamnagar, Katihar	85.2	1,70,400	10,000	5750	+	म
79	BRC,Narpatganj,Araria	85.2	1,70,400	10,000	5750	-	मा
80	BRC, Araria	85.2	1,70,400	10,000	5750	-	मा
81	BRC, Jokihat, Araria	85.2	1,70,400	10,000	5750	-	मा
82	BRC,Bhargama,Araria	85.2	1,70,400	10,000	5750		मा
83	BRC,Kursakata,Araria	85.2	1,70,400	10,000	5750	-	मा
84	BRC,Purnea East,	85.2	1,70,400	10,000	5750	-	मा
85	BRC, Baisi, Purnea	85.2	1,70,400	10,000	5750	-	मा
86	BRC,Amour,Purnea	85.2	1,70,400	10,000	5750	-	मा
87	BRC, Dhamdaha, Purnea	85.2	1,70,400	10,000	5750	-	मा
88	BRC,Banmankhi,Purnea	85.2	1,70,400	10,000	5750	+	मा
89	BRC, Tarhagach, Kishanganj	85.2	1,70,400	10,000	5750	+	HI
90	BRC, Thakurganj, Kishanganj	85.2	1,70,400	10,000	5750	+	मा
91	BRC,Pothia,Kishanganj	85.2	1,70,400	10,000	5750	-	HI)
92	BRC Katoria,Banka	85.2	1,70,400	10,000		+	
93	BRC Rajaun,Banka	85.2	1,70,400	10,000	5750 5750	-	भा
94	BRC,Barhat,Banka	85.2	1,70,400	10,000	5750		मा
95	BRC Belhar,Banka	85.2	1,70,400	10,000	5750	15	
96	BRC Jamui	85.2	1,70,400	10,000	5750	15	(No Peng Sayler)
97	BRC Barhat, Jamui	85.2	1,70,400	10,000	Park a contribute of the second secon	15	
98	BRC Chakai, Jamui	85.2	1,70,400	10,000	5750 5750	15	-
99	BRC Gidhour, Jamui	85.2	1,70,400	10,000		15	
100	BRC Sikandra, Jamui	85.2	1,70,400	10,000	5750 5750	15	
101	BRC Asharganj, Munger	85.2	1,70,400	10,000		15	eritania.
102	BRC Naugachhia,Bhagalpur	85.2	1,70,400	10,000	5750	15	-
103	BRC Pirpainti,Bhagalpur	85.2	1,70,400	10,000	5750	15	
104	BRC Shahkund,Bhagalpur	85.2	1,70,400	10,000	5750	15	*
105	BRC Puraini, Madhepura	85.2	1,70,400	10,000	5750	15	माह

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

210

106	1510 Gwaipada, wadiicpula	85.2	1,70,400	10,000	5750	15 मा
107	BRC Kumarkhand, Madhepura	85.2	1,70,400	10,000	5750	15 मा
108	BRC Gailarh, Madhepura	85.2	1,70,400	10,000	5750	15 HT
109	BRC Saurbazar, Saharsa	85.2	1,70,400	10,000	5750	15 HT
110	BRC, Navhatta, Saharsa	85.2	1,70,400	10,000	5750	15 मा
111	BRC Mahensi, Saharsa	85.2	1,70,400	10,000	5750	15 m
112	BRC Sonbarsa, Saharsa	85.2	1,70,400	10,000	5750	15 Au
113	BRC Simri, Bakhtiyarpur Saharsa	85.2	1,70,400	10,000	5750	15 m
114	BRC Supaul	85.2	1,70,400	10,000		
115	BRC Pipra,Supaul	85.2	1,70,400		5750	15 Hi
116	BRC Pratapganj, Supaul	85.2	-	10,000	5750	15 मार
117	BRC Nirmali, Supaul		1,70,400	10,000	5750	15 मार
118	BRC Raghopur,Supaul	85.2	1,70,400	10,000	5750	15 मार
119	BRC, Atari, Gaya	85.2	1,70,400	10,000	5750	15 माह
120		85.2	1,70,400	10,000	5750	15 भार
121	BRC, Neemchak, Gaya	85.2	1,70,400	10,000	5750	15 माह
122	BRC, Wazirganj, Gaya	85.2	1,70,400	10,000	5750	15 माह
123	BRC, Mohanpur, Gaya	85.2	1,70,400	10,000	5750	15 чте
124	BRC, Imamganj, Gaya	85.2	1,70,400	10,000	5750	15 माह
125	BRC Amas,Gaya	85.2	1,70,400	10,000	5750	15 माह
126	BRC, Koch, Gaya	85.2	1,70,400	10,000	5750	15 माह
127	BRC, Jehanabad	85.2	1,70,400	10,000	5750	15 माह
128	BRC,Kako,Jehanabad	85.2	1,70,400	10,000	5750	15 माह
*****	BRC,Ghosi,Jehanabad	85.2	1,70,400	10,000	5750	15 मार
129	BRC Arwal	85.2	1,70,400	10,000	5750	15 माह
130	BRC Karpi,Arwal	85.2	1,70,400	10,000	5750	15 माह
131	BRC,Obra,Aurangabad	85.2	1,70,400	10,000	5750	15 माह
132	BRC,Dev,Aurangabad	85.2	1,70,400	10,000	5750	15 माह
133	BRC Madanpur, Aurangabad	85,2	1,70,400	10,000	5750	15 нв
134	BRC Kutumba, Aurangabad	85.2	1,70,400	10,000	5750	15 माह
135	BRC, Rega, Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
136	BRC,Merajgang,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
137	BRC,Pupri,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
138	BRC,Barthnaha,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
139	BRC,Runisaidpur,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
140	BRC,Suppi,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
141	BRC, Pakribarawan, Nawada	85.2	1,70,400	10,000	5750	15 माह
142	BRC, Warisaliganj, Nawada	85.2	1,70,400	10,000	5750	15 माह
143	BRC, Akabarpur, Nawada	85.2	1,70,400	10,000	5750	15 माह
144	BRC, Narhat, Nawada	85.2	1,70,400	10,000	5750	15 माह
145	BRC, Chandi, Nalanda	85.2	1,70,400	10,000	5750	15 माह
146	BRC, Austhawan ,Nalanda	85.2	1,70,400	10,000	5750	15 माह

Chief Consultant (Technical) Bihar State Educational Infrastructure

Development Corporation Ltd., Patna

3401

147	Drec, Randi, Palanda	85.2	1,70,400	10,000	5750	15 मा
148	Dito, Enangarsarai, Naranua	85.2	1,70,400	10,000	5750	15 मा
149	Dico, Dilaw, i varanua	85.2	1,70,400	10,000	5750	15 मा
150	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	85.2	1,70,400	10,000	5750	15 HI
151	, ixai aipai sai ai, i vai ailua	85.2	1,70,400	10,000	5750	15 माह
152	- Tro, Troupar, Triuzariai pui	85.2	1,70,400	10,000	5750	
153	- Cargiac, widzariai pui	85.2	1,70,400	10,000	5750	15 माह
154	BRC, Aurai, Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह
155	BRC,Bandra,Muzaffarpur	85.2	1,70,400	10,000	5750	
156	BRC,Minapur,Muzaffarpur	85.2	1,70,400	10,000	5750	
157	BRC,Bhagwanpur,Muzaffarpur	85.2	1,70,400	10,000		15 माह
158	BRC,Jagdishpur,Bhojpur	85.2	1,70,400		5750	15 माह
159	BRC ,Charpokhri,Bhojpur	85.2	1,70,400	10,000	5750	15 माह
160	BRC, Udwantnagar, Bhojpur	85.2	1,70,400	10,000	5750	15 <b>माह</b>
161	BRC, Garhani, Bhojpur	85.2	1,70,400	10,000	5750	15 Hig
162	BRC ,Koilwar,Bhojpur	85.2	1,70,400	10,000	5750	15 माह
163	BRC, Fatuhan, Patna	85.2		10,000	5750	15 माह
164	BRC, Bakhtiyarpur,Patna	85.2	1,70,400	10,000	5750	15 माह
165	BRC,Naubatpur,Patna	85.2	1,70,400	10,000	5750	15 माह
166	BRC,Maner,Patna	85.2		10,000	5750	15 माह
167	BRC,Begusarai	85.2	1,70,400	10,000	5750	15 माह
168	BRC,Matihani,Begusarai	85.2	1,70,400	10,000	5750	15 माह
169	BRC, Bhagwanpur, Begusarai	85.2		10,000	5750	15 माह
170	BRC, Bakhri,Begusarai	85.2	1,70,400	10,000	5750	15 माह
171	BRC, Mansoorchak, Begusarai	85.2	1,70,400	10,000	5750	15 माह
172	BRC, Cheria Bariyarpur,Begusarai		1,70,400	10,000	5750	15 माह
173	BRC ,Chuatham,Khagaria	85.2	1,70,400	10,000	5750	15 माह
174	BRC ,Gogari,Khagaria	85.2	1,70,400	10,000	5750	15 माह
175	BRC, Beldour, Khagaria	85.2	1,70,400	10,000	5750	15 माह
176	BRC,Parbatta,Khagaria	85.2	1,70,400	10,000	5750	15 माह
177	BRC,Raghopur,Vaishali	85.2	1,70,400	10,000	5750	15 माह
178	BRC ,Desari, Vaishali	85.2	1,70,400	10,000	5750	15 माह
179	BRC, Bidupur, Vaishali	85.2	1,70,400	10,000	5750	15 माह
180	BRC, Jandaha, Vaishali	85.2	1,70,400	10,000	5750	15 माह
181	BRC ,Mahua, Vaishali	85.2	1,70,400	10,000	5750	15 माह
182	BRC, Garoul, Vaishali	85.2	1,70,400	10,000	5750	15 माह
183	BRC, Chewada, Shekhpura	85.2	1,70,400	10,000	5750	15 माह
184	BRC,Barhiya,Lakhisarai	85.2	1,70,400	10,000	5750	15 माह
185	BRC ,Alinagar, Suryagarha,Lakhisarai	85.2	1,70,400	10,000	5750	15 माह
	one, Annagai, Suryagarna, Laknisarai	85.2	1,70,400	10,000	5750	15 मह

नोटः (i). निविदाकार एक या अधिक कार्य के लिए अलग-अलग निविदा डाल सकते हैं।

(ii). प्राक्कलित राशि घट या बढ़ सकती है एवं तद्नुसार अग्रधन की राशि घट या बढ़ सकती है।

Shasni Ranjan

Chief Consultant (Technical)

Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

<sup>(</sup>iii).वेबसाईट—www.eproc.bihar.gov.in पर अंकित प्राक्कलित राशि, अग्रधन की राशि एवं परिमाण विपन्न की राशि अंतिम रूप से मान्य होगा।

(2) विज्ञापन निर्गत करने की तिथि

(3) परिमाण विपत्र प्राप्त करने(डाउनलोड) की अवधि एवं समय :- दिनांक- 03.03.2016 से 28.03.2016, 15:00 घंटा

दिनांक:-03.02 .2016

(वेबसाईट:www.eproc.bihar.gov.in पर)

दिनांक:- 15.03.2016, 14:30 घंटा प्रबंध निदेशक का कार्यालय,बिहार राज्य शैक्षणिक आघारभत संरचना विकास निगम, पटना।

(5) निविदा प्राप्ति(अपलोड) की अंतिम तिथि एवं समय :--

(6) अग्रधन जमा करने की अंतिम तिथि एवं समय

(7) टेक्निकल बिड खोलने की तिथि एवं समय

(4) प्री बिड मीटिंग का समय, स्थान एवं तिथि

(8) वित्तीय बिंड खोलने की तिथि एवं समय

(9) निविदा खोलने का स्थान

(10) निविदा की वैद्यता की अविद्य

दिनांक- 31.03.2016, समय- 15:00 घंटा दिनांक- 31.03.2016, समय- 16:30 घंटा

(वेबसाईट-www.eproc.bihar.gov.inपर)

दिनांक- 11.04.2016, समय- 15:30 घंटा

दिनांक- 29.03.2016, समय- 15:00 घंटा

वेबसाईट-www.eproc.bihar.gov.inपर

(11) ई-टेन्डरिंग की प्रकिया में भाग लेने हेतु संवेदकों को पंजीकृत होना होगा, जिससे कि उन्हें उपयोगकर्ता का नाम (user ID) पासवर्ड (Password) अंकीय हस्ताक्षर (Digital Signature) निर्गत की जायेगी। यह उन्हें वेबसाईट www.eproc.bihar.gov.in से डाउनलोड करने / टेन्डर की प्रक्रिया में भाग लेने की योग्यता प्रदान करेगा।

(12) ई-निविदा पत्र बेवसाईट www.eproc.bihar.gov.in से प्राप्त किया जा सकता है। संवेदक द्वारा सिर्फ उपर्युक्त वेबसाईट से ही परिमाण विपन्न प्राप्त करने के उपरांत वेबसाईट पर ही इलेक्ट्रानिक निविदा पत्र को भरकर भेजना है। अन्य सभी महत्वपूर्ण कागजात / बैंक ड्राफ्ट / अग्रधन की राशि / सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को स्कैन कर ई-निविदा के साथ संलग्न करना अनिवार्य है।

(13) परिमाण विपत्र के दर से कम दर उद्धृत करने पर बीड डाक्यूमेंट की शत्तौं एवं सरकारी निर्णयानुसार अतिरिक्त Performance Guarantee एकरारनामा के पूर्व जमा करना होगा।

(14) (क) प्रत्येक परिमाण विपन्न का मूल्य जो प्रत्येक निविदा के सामने उपर कण्डिका (1) में अंकित है (जो लौटाया नहीं जाएगा) किसी भी राष्ट्रीयकृत बैंक द्वारा निर्गत एवं BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. के नाम से एवं पटना में भुगतेय हो, स्वीकार किया जायेगा। मूल बैंक ब्राफ्ट "बिहार राज्य शैक्षणिक आधारमूत संरचना विकास निगम लिमिटेड" पटना के कार्यालय में दिनांक 31.03.2016 के 15:00 घंटें तक स्वयं/निबंधित डाक /स्पींड पोस्ट द्वारा निश्चित रूप से जमा किया जाना है। ऐसा नहीं करने पर निविदा मान्य नहीं

(অ) Beltron Bid Processing Fee is mandatory to be paid through online mode i.e. Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS"

Bids along with necessary online payments must be submitted through e-procurement portal www.eproc.bihar.gov.in before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffic/ Holidays or any other reason.

(ग) वांछित अग्रधन की राशि राष्ट्रीय बचत पत्र/डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक जो बिहार राज्य से क्रय या जमा किया हो, प्रबंध निर्देशक, BSEIDC Ltd., पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा बिहार वित्त नियमावली के अनुसार BSEIDC Ltd. के नाम से फिक्सड डिपोजिट रिसिप्ट अथवा बैंक गारन्टी जो बिड के मान्य अवधि तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत / अनुसूचित बैंक से निर्गत हो (अगर बिहार प्रान्त के बाहर के बैंक से निर्गत बैंक गारन्टी दिया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारमूत संरचना विकास निगम लिमिटेड, पटना में दिनांक 31.03.2016 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना आवश्यक है। ऐसा नहीं करने पर निविदा

(15) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त देवसाइट पर अपलोड कर लें। ताकि अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से बच सकें।

(18) निविदाकार निविदा डालने से पहले अपने रतर से भी प्रस्तावित कार्य स्थल पर भूमि उपलब्धता के संबंध में आश्वस्त हो

(17) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। बिना कारण बताये निविदा या उसके अंश को अस्वीकृत करने / रदद करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।

(18) विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्य अवधि में सम्पर्क किया जा सकता है। ई—टेन्डरिंग की प्रकिया से संबंधित किसी भी प्रकार की जानकारी / सूचना हेतु सहायता कक्ष, ई-टेन्डरिंग कक्ष, प्रथत तल्ला, M/22, बँक ऑफ इण्डिया भवन, रोड न० 25, श्री कृष्णा नगर, पटना-800001, दूरभाष सं० 0612-2523006/9939035696.

> ब्रजेश प्रसाद मुख्य अभियंता

Chief Consultant (Technical)

Bihar State Educational Infrastructure Development Corporation Ltd., Pataa

Shashi Ranjan