Name of Work-Construction of Block.

Schedule XLV-Form No. 61 Resource Centre at Pothia,

Kishangan, (SL No. - 18)

Agency - [Form No. F-2]MS Excellent Constn. ITEM RATE TENDER AND CONTRACT FOR WORKS

General Rule and Direction for the guidance of Contractors.

Date of Commencement - 21-12-2017

1. All works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer.

This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours.

- 2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so.
- 3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm.
- 4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender.

5. The amount of earnest money to be deposited will be : -	Rs.
If the amount of the estimate does not exceed Rs. 2,000	50
If the amount of the estimate exceeds Rs. 2,000 but does	Por ed acre consuspos
not exceed Rs. 5,000	
If the amount of the estimate exceeds Rs. 5,000 but does	is repried out nout a policy
not exceed Rs. 10,000	200
For each additional Rs. 5,000 or portion of Rs. 5.000	
additional earnest money	100

6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompanied by the treasury challan for the required earnest money will be liable to rejection. No single tender shall include more than one work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the grant deposits of earnests money here in before mentioned shall be made in Government Breassries and the phallan there of should be Development Corporation Ltd., Patna enclosed with the tender CONSTRUCTION

Murle Kumeer yader

Mehour

Ltd.

AT Pothia.

emorandum at in accodance in ects to the ordance with,

CENTRE

nmencement of

MONTH

nical) astructure

- 7. The Engineer or his duly authorised assistant will open the tender in the presence of a intending contractors who may be present at the time and will enter the amounts of the several tender comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnemoney forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of earnest money.
  - 8. The Engineer shall have the right of rejecting all or any of the tenders.
- 9. In the event of a tender being selected for acceptance the Engineer who opened the tender will, if he is competent to accept the tender, inform the tenderer or the selected tender who shall there sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with corof the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount he security money within the priscribed time. The tender with the specification and other documents sign by the tenderer will then be forwarded for acceptance and the security money deposited shall be refundenthe tenderer.

- 10. When a tender is selected for acceptance the tender shall deposit the required amount the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Governmenties may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of security money. No tender shall be finally accepted until the required amount of the security money has be deposited.
- 11. The amount of security money to be deposited by the tenderer whose tender is selected acceptance shall be 10% of the estimated value of the work & towards this amount the earnest manalready deposited by him shall be credit. At least half of this security inclusive of the earnest money shadeposited by the tenderer within such time as may be notified to him in writing by the officer opening tendalling which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tent may be made up by deductions of 5% of the amount of each payment to be made to him under clause the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required amount of the semoney has been deposited the Engineer shall scrutinise all pages of the form of item, rate, tender & corfor works to see that the form has been properly filled up and signed the constraint (Cobbridge witnessed He shall the pital competent, to accept the tender, significe acceptance of the tenders is not see that the form for signature of the acceptance of the competent to the comp

(3)

#### **TENDER FOR WORKS**

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

## Name of work .....

- a) If several sub-work are cluded they should be detained in a separate list.
- [b] Estimated cost .....
- (b) This deposit will be 5% of the estimated cost of the Work.

security deposit.

This percentage deduction from bills will be credited to the contractors

[0]

Initial security deposits (including earnest money) to be deposited befor the commencement of the work

Earnest money .....

RATE TENDERED

- [e] Percentage to be deducted from bills Rs. 5% (Rupees five percent)
- [g] Date of written other to commence
- [h] Total number of item of work tendered for

Mana Na	Item of work	KAILIE	Per	
Item No.	Item of work	In figures	In words	Pel
			A	
			1.	
3°				
			Park XV	
				The state of the s
				1/2
				26 2-2017 21-12-2017
			-	21
		227	Chief Cons	sitant (Technical)  stional infrastructure
-	Va EXCELLENT CONSTRUCTION	·	Development	proparation Ltd. Patra
	Mendi Haynan vental	4	A. Copinent Co	proporation Ltd. Patna

on Ltd.

E AT Pothia,

n memorandum at ind in accodance in Subjects to the accordance with,

**CE CENTRE** 

Commencement of

EN MONTH

2017

lechnical)
Infrastructure
an Ltd., Paina
licheuch

tem No.	Item of work	RATE TE	NDERED	Pe	
terrivo.	ILEITI OI WOIK	In figures	In words	Pe	
	The Confidential Country of the Coun			/	
nie die	ris betino to seculpino bacone ad a	Total Carlot Total		/	
wid su	nome by and in order susceptibilities will be succeeded in the succeeded and a	trabilitate entit	a addingston to	1	
		*> Prisarior			
	M. OMATORISM		-		
		and the second		Mary out 1	
		Table Metales	/		
				54 A 180	
				2 200 000	
	ogab europeacom learnes en blibain als		ari in in		
	THE RESERVE OF THE PARTY OF THE	/			
		. /		1000	
100	er en decaye, etc. a reilia mon beloubl				
		/			
		A CONTRACTOR			
	/				
	Continued of Assertation		•		
				1.7	
•	/.				
			•		
	2				
1/2	No.				
	The state of the s				
	The same of the sa				
Technic	Chef Consultan				
one when the s	EXCELLENT CONSTRUCTION	NOTTOUR	PHON THE LINE	(2 40)	

	Property of the	RATE TENDERED			RATE TENDERED			
tem No.	Item of work	In figures	In words	Per	Ltd.			
					AT Pothia,			
					•			
					nemorandum at			
					in accodance in jects to the			
					cordance with,			
					E CENTRE			
•								
					mmencement o			
					MONTH			
					through the			
					1			
			J. Marie		nical)			
					td., Patna			
					house			
					houely			

Item No.	Item of work	RATE TE	NDERED	
item No.	Itemorwork	In figures	In words	Pe
		/:		
	H. C. L. A.	. /		
		/		
		/		
	/			
	1			
Ju evoi	ELLENT CONSTRUCTION			

hedule XLV - Form No. 61 (7)

Mis EXCELLENT CONSTITUTION PURCUI

		RATE TE	NDERFD	P
tem No.	Item of work	In figures	In words	Per
		1150		12
	Own			
	THE EXCELLENT OC			
	The Burney Bruker			
	PLIMAS STATE OF THE STATE OF TH		/	
		et emphysical de		
		/:		
		/		
	lettini erikerineri terr	/		
		X		
			and the participation of	
			Concerns	
		de la constantina		
/			or salelle day	
			A STANTIST OF THE STANTIST OF	
		•		
			30 37 (* 1813) - S	
		reserved and the		
) " =	Charles .			
	Chief Committee of the			
craical) "	Chief Consultant (Te		Mildemanas II	675 1 32938 Name

## n Ltd.

### AT Pothia,

memorandum at d in accodance in ibjects to the ccordance with,

### E CENTRE

ommencement of

**MONTH** 

1

hnical)
restructure
Lid., Paina
house

should this tender be accepted I/we hereby agree to abide by and fulfill all terms and provisions of the said conditions of contract annexed hereto so. for applicable, or in ssors in office the sums of money mentioned in the said condition

Dated the

day of

20

\*Signature, of contractor before comission of tender

witnes

Addres

Occupation

Signature of witness to contractor's signature

The above tender is hereby accepted by me on behelf of the Osovernor of Beed the day of Ws. EXCELLEN 20 Dated the

signature of the o

accepting the ter

Acceptances communicated on.....

signature of the taking the te

#### CONDITIONS OF CONTRACT

Compensation

Clause 1:- All compensation or other sums of payable by the contract Government under the terms of his contract may be deducted from, paid sale of a sufficient part of his security deposit or from the Interest arising the or from any sums which may be due or may become due to the contract Government on any account whatsoever and in the event of his security de being reduced by reason of any such deduction or sale as aforesaid, the conshall within ten days there after make good in cash or Government security endorsed as aforesaid any sum or sums which may have been deducted for arised by, sale of his security deposit of any part thereof.

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which the work is finished after necessary rectification of defects as pointed by the Executive En- gineer or his contractor to the Engineer's satisfaction.

Clause 2: - The time allowed for carrying out the work as entered in the shall be strictly observed by the contractor and shall be reckoned from the which the wirtten order to comence work is given to the contractor. The wor throughout the stipulated period of the contract be carried on with all due dil (time being deemed to be the essence of the contract on the part of the co or) and the contractor shall pay as compensation an amount equal to 1/2 in authorised agents are fully on the amount of the estimated cost of the whole work as shown by the ter every day that the work remains uncommenced or unfinished after the prope And further to ensure good progress during the execution of the work the cor shall be bound in all cases in which the time allowed for any work excee month to complete one fourth of the whole of the work before one - four whole time allowed under the contract has elapsed one-half of the work before half of such time elapsed and three-fourths of the work, before three fourths time has elapsed in the event of the contractor failing to employ with this co I shall be liable to pay as compensation an amount equal to ½ percent on estimated cost of the whole work for every day that the due quantity remains incomplete provided always that the entire amount of compensati paid under the provisions the clause shall not exceed 10 percent of the es cost of the work as shown in the tender.

Action when persnle security deposit foreited

Clause 3:- In any case which under any clause or clauses of or this the contractor shall have rendered himself laible to pay compensation an to the whole of his security deposit in the hands of Government (where po sum or deducted by instalments) the Executive Engineer on behalf on Government shall have been powered to adopt any of the following cours may deem best suited to the enterest of Government

(a) To rescind the contract (of which rescind notice under the hand of the Executive Engine Chief Consonclus M's EXCELLENT CONSTRUCTION the sectitiry deposit of Bit costracter shall s

absolutely at the disposal of Government Corporation. Plunde Kuman .....

- (b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debitting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in -charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.
- (c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had Seen executed by him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original contractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4: - In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may, if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any id such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Enginee, as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

Clause 5 :- If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) he shall apply in writing to the Executive Engineer within 40 days from the date of starting of the hinderance on account of which be desires such extension as aforesaid and the Executive Engineer shall, if in his opinion (which shall be final) reasonable grounds be shown thereof authorised such extension of time if any, as may in his opinion be nehief Consultant (Technical) proper. The Executive Engineer shall at the same time inform the contrastnavente Educational Infrastructure

claims compensation to the delay NSTRUCTION

the property of the man selfor

ion Ltd.

RE AT Pothia.

in memorandum at and in accodance in Subjects to the accordance with.

CE CENTRE

contractor remains liable to pay compensation if action not take under

Commencement of

Power to take posession of or require removal of or sell contractor plant.

N MONTH

chnical) drastructure Ltd., Paina

Extension of time

Development Corporation Ltd., Patna

4100

Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certification by the Executive Engineer (herein after called the Engineer-in-charge) of such complete but no such certificate be given, nor shall the work be considered to be complete until contractor no such certificate be given, nor shall the work be considered to be comp until the contractor shall have removed from the area of the premises (to be disting marked by the Executive Engineer in the site plan) on which the work shall be execuall scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-we doors, windows, walls, floors or other parts of any building, in upon or about which work is to be executed, or of which he may have had possession for the purpose of execution thereof, not until the work shall have been measured by the officer of Public Work Department in accordance with rules of Department whose measurement shall be binding and conclusive against the contractor. If the contractor shall fall comply with the requirements of this clause as to removal of scaffolding, surplus mater and rubbish and cleaning off dirt on or before the date fixed for completion the work Engineer-in-charge may at the expense of the contractor remove such scaffolding, sur materials and rubbish and dispose of the same as the thinks fit and clean of such dis aforesaid, and the contractor shall forth with pay amount of all expense so incurred shall have no claim in respect of any such scaffolding or surplus materials as afores except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Clause 7:- A bill shall be submitted by the contractor each month or before the fixed by the Engineer-in-charge for all work executed in the previous months and Engineer-in-charge or his subordinate shall take the requisite measurement for the purp of having the same verified and the claim, as for as admissible, adjusted, if possi before the expiry of the days from the presentation of the bill. If the contractor does submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subord shall measure up the said work in the presence of the contractor whose counter w counter signature on the measurement list will be sufficient warrant, and the Engineer charge or his subordinate shall prepare at bill from such list which shall be binding to contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each s payment shall be deducted so much not exceeding 5% may be necessary to make the balance of the security. All such intermediate payment to the contractor shall regarded as payments by way of advance against the final payments only and no payments for work actually done and completed and shall not precinde the reputin bad, unsound and imperfect or unskilful work to be removed and taken away reconstructed or recreated be considered as an admission of due performance of contractor, or any part thereof in any respect, or the actual of any claim nor sha conclude, determine or affect in any way the powers of the Engineer-in-charge these conditions or any of them as so the final settlement or adjustment of the account or in any other way vary or affect the contract.

Clause 8:- The final bill shall be prepared by the officer of the Public Work Depart in accordance with the rules of the department in the presence of the contractor w the month of the date fixed for completion of the work.

Stores supplied Government

Clause 9:- If the specification or estimate of the work provides for the use of special description of material to be supplied from the Engineer in-charge's stores is required that the contractor shall use certain stores to be provided be the Engine charge under the conditions of this contract or (such materials and stores, and the proto be charged therefore as herein after mentioned being so far as practicable for convenience of the contractor, but not so as in any way to control the meaning or e of this contract are specified in schedule or memorandum here to annexed) the contra shall be supplied with such materials and stores noted in the annexed such sche required from time to time to be used by him for the purposes of the contract, only the value of the full quantity of materials and stores so supplied at the rates specific the said schedule may be set off or deducted from any sums then due of there after become due to the contractor under the contract or otherwise against or form security deposit, or the proceed of sale thereof, if the same is be din Government security the same or sufficient portion thereof in this case sold for the purpose. All materials are supplied to the contractor shall remain the absolute property of the purpose. not on any accounts he removed from this site of the work Engertained airdines before Verlikcomar year

Development Corporation 114., Path

inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: The contractor shall executive the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid.

Clause 11:- Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of he work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales s specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the ate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order o carry out such class of work and arrange to carry it out in such manner as he mayconsider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly erein before mentioned then and in such case he shall only be entitled to be paid in espect of the work carried out or expenditure incurred by him prior to the date of the letermination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a disputes the decision of the superintending ingineer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any dditional work done unless he has received an order in writing from the Engineer-inharge for the additional work the contractor shall be bound to submit his claim for any dditional work done during any month on or before the 15th days other following month ccompanied by a copy of the order in witting of the Engineer-in-charge for the additional ork and that contractor or shall not be entitled to any payment in respect of such dditional work if be other submit his claim within date afore said period.

Clause 12:- If at any time after the commencement of the wok the Government of ihar shall for any reason whatsoever not require the whole thereof as specified in the ender to be carried out. the Engineer-in-charge shall give notice in writing of the fact to ne contractor who shall have no claim to any payment of compensation whatsoever on ccount of any profit or advantage, which he might have derived from the execution of ne work in full, but which he did not derive in consequence of the full amount of the work ot having been carried out neither shall he have any claim for compensation by reason f any alternation having been made in the original specification, drawing, denies (Technical) struction which shall involve any installment of the work as originall grounds in the structure ion Ltd.

RE AT Pothia.

en memorandum at and in accodance in Subjects to the n accordance with,

RCE CENTRE

Do not in validate contract

Alteration in specifications and designation

Work to be executed

accordance with specifi-

cation drawing other etc.

: Commencement of

Time in consequence of

EN MONTH

Rate for work no in estimate or schedule of rates of the district.

> Technical) I Infrastructure on Ltd., Patna

Compensation for alter-

ause 12 (a) Ascontaine Phyto 91929 dated 11.9.56. Mondo Wounder weday

Development Corporation Ltd., Patna

Clause 12 (a) The contractor shall not be entitled to claim any compensation loss suffered by him on account of delay by or on behalf of Government in the supplematerials as stores which the Government may have undertaken to supply where suffailure is due to:

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficultion (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an applicate by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears the Engineer to be reasonable in accordance with the circumstances of the case. To decision of the Executive Engineer as to the extension of time shall be accepted a finally by the contractor.

Action and compensation payable in case of work.

Clause 13 :- If it shall appear to the Engineer-in-charge or his subordinate charge of the work that any work has been executed with unsound, imperfect or unskill workmanship or with materials of any inferior description, or by any materials or article provided by him for the execution of the work are unsound or of a quality inferior to contracted for at otherwise not in accordance with the contract, the contractor shalls demand in writing form the Engineer-in-charge specifying the inadverentaly passe certified and paid for, forthwith rectify or remove and re-contract the work so specified whole or in part as the case may remove the materials or articles so specified a provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineercharge in his demand aforesaid the contractor shall be laible to pay compensation the rate of one percent, on the amount of the estimate for every day not exceeding days while his failure to do so shall continue and in the case of any such failure Engineer-in-charge may certify or remove, and re-execute the work or remove and replacements with others, the materials or articles complained of as the case may be at the risk a expense in all respects of the contractcor.

Work to be taken to inspection

Clause 14:-All work under in course of execution or executed in presence of contractor shall at the times be open to the inspection and supervision of the Enginee in-charge and his subordinates and the contractor shall at all times during the usuworking hours and at all other time at which reasonable notice of the intimation of Engineer-in-charge or his subordinate to visit the works shall have been given to contractor, either himself to be present to receive orders and instruction, or have responsible agent duly credited in writing present for that purpose orders given to contractor's agent all shall be considered to have the same force as if they had begiven to the contractor himself

Contractor or responsible Agents to be present

Clause 15. The contractor shall give not less than five days notice in writing the Engineer-in-charge or his subordinate-in-charge of the work before covering up otherwise placing beyond the reach of measurement of any work in order that the sammay be measured and correct dimensions there of be taken before the same is covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of Engineer-in-charge or his subordinate in-charge of the work shall be covered up placed beyond the reach of measurement without such notice having been given consent obtained, the same shall be uncovered at the contractor's expenses or default there on payment or allowance shall made for such work on materials with who the same was effected.

Notice to be taken before work covered up

Clause 16:- If the contractor or his work-people, or servants shall break, defaining or destroy any part of a building in which they may be working or any building road, road curves, fence enclosure water pipes, cables, draing electric or telephoposts or wires, trees, grass or grassland or cultivated grand contiguous on whith work or any part of it is being executed or if any damage reall harpen to work while in progress from any cause wherever or any imperfection becamparent in if within three months (six ments State case of a road work) after the case of a road work and the case of a road work after the case of a road work after the case of a road work and the cas

Merle Kumaz yescw

s a fore seal, the contractor shall make the same good at his own expense, or in efault, the Engineer-in-charge may cause the same to be made be good by other orksmen and deduct the expense of which time thereafter may become due to the ontractor, or from his security deposit, or the proceed of sale there of, or of a sufficient ortion there of the security deposit at the contractor shail not be refunded before the piry of three months (six months in the case of a road-work) after the issue of the rtificate final or otherwise of completion of work provided that in the case of a road work n the opinion of the Engineer-in-charge behalf of the security deposit will be refundable ter three months of the issue of the said certificate of completion

Contractor liable for damage done and for imperfection a months and after certificate

RE AT Pothia,

tion Ltd.

Contractor to supply to plantladder scaffolding

tten memorandum at e and in accodance in d Subjects to the in accordance with,

RCE CENTRE

And is liable for damage arising for non-provision of light fencing etc.

e Commencement of

Work not to be subject

Contract may be resinded and security deposit for-

felted for subletting bribes

or if contractor become

EN MONTH

Technical) I Infrastructure lan Ltd., Pains

Clause 17:- The contractor shall supply at his own cost all materials (except such ecial materials) if any as may in accordance with the contract be supplied from the igineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, ckle scaffolding and temporary works requisits or proper for the proper execution of the ork whether original, altered or substituted and whether include in the specification or ner documents forming part of the contract or referred to in these conditions or not or ich may be necessary for purpose of satisfying or complying with the requirement of Engineer-in-charge as to any matter as to which under these conditions he is entitled be satisfied which he is entitled to require together with carriage therefore to and form work. The contractor shall also supply without charge the requisite number of persons h the means and materials necessary for the purpose of setting out works, and counting, ighing and assisting in the measurement or examination at any time and form time to ie of the work or materials failing his so doing the same may be Provided by the gineer-in-charge at the expense of the contractor and the expenses may be deducted m any money due to the contractor under the contract from his security deposit or the ceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide necessary fencing and lights required to protect the public from accident, and shall be und to bear to expenses of defence of every suit action or other proceeding at law that y be brought by any person for injury sustained owing to neglect of the above cautions and to any such person or which may with the consent of the contractor be d to compromise any claim by any such person.

Clause 18: No female labour shall be employed within the limits of contonment. e contractor shall not employ for the purpose of his contract any person who is below age of twelve years and shall pay to each labour for the work done by such labourer ges not less than the wages paid for similar work in the neighbourhood.

The executive Engineer shall have the right to enquire into the case and decide complaint alleging that the wages paid by the contractor to any labourer for the work e by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer ployed by contractor is below the age of twelve years and to refuse to allow any ourer whom he decided to be below the age of twelve years to be employed by the

Clause 19:- The Contractor shall not be assigned or subject without the written roval of the Executive Engineer. And if the contractor shall assign or subject his tract, or attempt so to do, or become insolvent proceedings to make any composition his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward dvantage pecunairy of otherwise, shall either directly or indirectly be given promissed, ffered by the contractor, or any of his servant or agents to any public officer or person e employ of Government in any way relating to his officer or employment or if any n officer or person shall become in any way directly or indirectly interested in the tract the Executive Engineer may there upon by notice in writing rescind the contract. security deposit of the contractor shall there upon stand forfeited and be absolutely

e disposal of Government and the same consequence shall ensure as if (Ties of Obstultant (Technical) been recinded under clause 3 here of, in addition the contractor shall not be entitled cational infrastructure coMer GISE per to any work therefore actually performed the under the copies Corporation Ltd., Patna

Murli kumer garlew

such payable by way of compensation to be considered reasonable compensation without reference to actual loss Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the uses the Government without reference to the actual loss or damages sustained and there not any damage shall have been sustained.

Clause 21: In the case of a sender by partners, any change in the constitute of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or the information.

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days to Engineer-in-charge may be notice in writing rescind the contract and the security deposed of the contractor shall thereupon stand forfeited and be absolutely at the disposal Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer

Clause 22:- All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer the circle for the time being who shall be entitled to direct at what point or points and what manner they are to be commenced, and from time to time carried on.

Clause 23:- In case any dispute or difference shall arise between the parties either of there upon any question relating to the meaning of the specifications, design drawings and instructions here before mentioned or as to the quality of workmanship materials used on the work or as to the construction of any of the conditions or a clause or thing there in contained or as to any question, claim, rights of the parties any matter, or things whatsoever in any way arising out of or relating to the contadesigns, drawings specifications, estimates, instruction order of these conditions otherwise concerning the work or the execution, or failure to execute the same when arising during the progress of the work of alter the completion or abondment there as the breach of those contract then either party shall forthwith give to the order not of such dispute or difference and such dispute or difference shall be referred to Superintending Engineer of the circle and his decision there on shall be final, conclus and binding on all the parties.

Lum sum in estimate

(a) Clause 24:- When the estimate on which a tender is made includes I sum in respect of the contract shall be entitled to payment in respect of the item work involved of the work in question the same rates as are payable under this consuch terms, for if the part of the work in question is not in the opinion of the Engineer charge, capable of measurement the Engineer-in-charge, may at his direction pay lump sum amounts entered in the estimate, and the certificate in writing of the Engineer-charge shall be final and conclusive against the contractor with regard to any spayable to him under the provision of this clause.

Action where specificaiton.

Clause 25:- In the case of any class of work for which there is no such specific as is mentioned in rule 1, such work shall be carried out in accordance with the specification and in the event of there being no circle specification, then in such the work shall be carried out in all respects in accordance with the instructions requirements of the Engineer-in-charge.

Definition of works

Clause 26: The expression "work" or "works" where used in these condeshall unless there be something either in the subject or context repugnant to construction be constructed and taken to mean the work by or virtue of the concontracted to be executed whether temporary or permanent, and whether original, as substituted or additional.

Clause 27:- The terms and conditions of the agreement have been read/exp to me and \_\_\_\_\_clearly understage

Chief Edwalfant (Technical)
Shar State Edwalfmast Infrastructure
Shar SzentiW Carporesion Etd., Pana

Murli kumer Con

nedule XLV - Form No. 61

(15)

Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied

Particulars	will be	which the material charged to the ontractor	•	Place of delivery	ration Ltd.
	Unit	Rs.	P.		TRE AT Pot
					ritten memorand nce and in accoda and Subjects to the ts in accordance
					URCE CENT
					he Commencem
					EEN MONTH
					AV form and a
					-2017
			1	rates in the chouse schodfules are	(Technical)

Note:-The person or firm submitting the tender should see that the rates in the above schedules are lied up by the Engineer-in-charge on the issue of the form prior to the submission of the form of the submission of the same of the submission of the same of

Ms. EXCELLENT CONSTRUCTION Merli Kermar gaday Signature of Contrator)

Chief Consultant (Technical) Bihar State Educational Infrastructure Development Corporation Atd. Path. (Signature of Executive Hagines)

thia,

dum at dance in the with,

TRE

ment of

## Bihar State Educational Infrastructure Development Corporation Ltd.

# AGREEMENT FOR CONSTRUCTION OF BLOCK RESOURCE CENTRE AT Pothia, Kishanganj (SL. NO.-18)

### **TENDER FOR WORKS**

I/we heredy tender for the execution for the Governor of Bihr of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of witten order to commence and in accodance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subjects to the annexed condation of contract and with such materaials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

#### **MEMORANDUM**

- (a) If several sub-work are incuded they should be detained in the separate list
- (A) Name of Work: CONSTRUCTION OF BLOCK RESOURCE CENTRE AT Pothia, Kishanganj (SL. NO.-18)
  - (B) Estimated Cost:- Rs. 76,71,473=00 Agreement value:- Rs. 69,04,326=00
- (b) This deposit will be 5% of the estimated cost of the work.
- (C)Earnest Money:-
- (c)This percentage deduction from bills will be credited to the contractors security deposits
- (D) Initial security deposits (including earnest money) to be deposited before the Commencement of the work-

Earnest Money:- Rs. 3,47,000/- (Details attached)

- (E) Percentage to be deducted from bill Rs. 5% (Rupees five percent)
- (F) Time required for the work from date of written order to commence FIFTEEN MONTH
- (G) Date of written order to commence:-
- (H) Total number of item of work tendered for :- 113

M's EXCELLENT CONSTRUCTION

Merli Kumar gerden PARTNER

Chief Consultant (Technical)

Bihar State Educational Infrastructure
Development Corporation Ltd., Paina

Development Corporation Ltd., Pa

## BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. SHIKSHA BHAWAN, SAIDPUR, PATNA.

## AGREEMENT FOR BLOCK RESOURCE CENTRE IN BIHAR THE ITEM RATE BASED ON S.O.R BCD BIHAR-2016, & S.O.R (Electrical)-2016

SL. No.	DISTRIC T	NAME OF INSTITUTE		THE STREET	BLOCK	
1	Kishangan j	BLOCK RESOURCE CENTRE	U all Mar	To special	Pothia	And the desired the factors of the
		<u>CIVIL W</u>	<u>ORKS</u>			really and the second
Sl. No.	SOR Item No.	Item of Work	Qty.	Unit	Rate (Rs.)	Amount (Rs.)
1	2	3	4	5	6	7
	PILE WORKS	Sonny Providing and installing east in				
	20.2	Boring, providing and installing bored cast-in-situ reinforced cement concrete piles of grade M-25 of specified diameter and length below the pile cap, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring, with bentonite solution and temporary casing of appropriate length for setting out and removal of same and the length of the pile to be embedded in				
		the pile cap etc. all complete, including removal of excavated earth with all lifts and leads (Length of pile for payment shall be measured upto bottom of pile cap).	0.000	Capter		Pus. Oper-thorsand strends of strends of security of given the contract of the
1	20.2.1	300 mm dia Piles	0.000	meter	884.70	Rs. Eight hundred eighty four and paise seventy only.
	20.2.2	400 mm dia Piles	0.000	meter	1129.40	Rs. One thousand one hundred twenty nine and paise forty only.

M/s. EXCELLENT CONSTRUCTION

Murli Klemar yestav PARTNER

Chief Consultant (Technic

						2000年1月1日
	20.2.3	450 mm dia Piles	0.000	meter	1388.10	Rs. One thousand three hundred eighty eight and paise ten only.
	20.2.4	500 mm dia Piles	0.000	meter	1642.70	Rs. One thousand six hundred forty two and paise seventy only.
	20.2.5	600 mm dia Piles	0.000	meter	2186.00	Rs. Two thousand one hundred eighty six only.
	20.2.6	750 mm dia Piles	0.000	meter	3263.50	Rs. Three thousand two hundred sixty
		Town transplace Publishing	0.000	meter	3203.30	three and paise fifty only.
	20.3	Boring, Providing and installing cast in situ single under reamed piles of specified diameter and length below pile cap in	0.000	Each	1679.10	the Che thousand are standed severy pine and passe incoming
2		M-25 cement concrete, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring with bentonite solution and the length of the pile to be embedded in pile cap etc. all complete.  (Length of pile for payment shall be measured upto to the bottom of pile cap):	218 530	(1)23)	230,85	its Two humans flarity and police field tasks
	20.3.1	300 mm dia Piles	0.000	meter	1978.90	Rs. One thousand nine hundred seventy eight and paise ninety only.
	20.3.2	400 mm dia Piles	0.000	meter	2309.00	Rs. Two thousand three hundred nine only.
	20.3.3	450 mm dia Piles	0.000	meter	2505.00	Rs. Two thousand five hundred five only.
	20.3.4	550 mm dia Piles	0.000	meter	2139.80	Rs. Two thousand seven hundred thirty nine and paise eighty only.

Ws. EXCELLENT CONSTRUCTION
Merli Kumar gadar
PARTNER

	20.4	Extra over item No. 20.3 for providing additional bulb in under reamed piles, under specified dia meter (Only the quantity of extra bulbs are to be paid).	: <u>48</u> 00/1	5,0,30	74.50	
	20.4.1	300 mm dia Piles	0.000	Each	1284.50	Rs. One thousand two hundred eighty four and paise fifty only.
3	20.4.2	400 mm dia Piles	0.000	Each	1434.50	Rs. One thousand four hundred thirty four and paise fifty only.
	20.4.3	450 mm dia Piles	0.000	Each	1525.20	Rs. One thousand five hundred twenty five and paise twenty only.
	20.4.4	500 mm dia Piles	0.000	Each	1679.10	Rs. One thousand six hundred seventy nine and paise ten only.
		ORK IN EXCAVATION				
4	2.8.1	Earth work in excavation in foundation trenches or drains(not exceeding 1.5 m in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 m including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. All Kinds of soil=286.64cum Septic Tank=31.89cum Total Quantity=318.53cum	318.530	cum	230.50	Rs. Two hundred thirty and paise fifty only.
5	2.29.1	Surface dressing of the ground including removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5 mAll kinds of soil.All Kinds of soil=136.410sqm	136.410	100 sqm	806.000	Rs. Eight hundred six only.
	EARTH FILLING	- CONSTRUCTION				

Ms EXCELLENT CONSTRUCTION
Merle Kumen yellar
PARTNER

B1-12-2017

6			Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth: consolidating each deposited layer by ramming and watering lead.  =188.98cum	88.980	cu.m	74.50 Rs	. Seventy four and ise fifty only.
7		SAND	2 7 7 2 7 2 98 CU84				
7		2.28	Supplying and Filling in plinth with local sand and under floors including, watering, ramming consolidating and dressing complete.  = 118.79 CUM SEPTIC TANK = 1.02 CUM TOTAL QUANTITY = 119.81 CUM	119.810	cu.m	204.40 a	Rs. Two hundred four and paise forty only.
		FLAT BRICK SOLING					
	8	11.72	Providing designation 100 A one brick flat soling joints filled with local sand including cost of watering, taxes, royalty all complete as per building specification and direction of E/l, 10 + 2, BUILDING = 291.84 CUM SEPTIC TANK = 13.57 CUM TOTAL QUANTITY = 305.41 CUM		0 sq.m	253.800	Rs. Two hundred fifty three and paise eighty only.
-		P.C.0	Providing and laying in position comments of specified grade excludir	5		N. C.	Rs. Two thousand
9		the cost of centring and shuttering- a work upto plinth level  1:3:6 (1cement: 3 coarse sand : graded stone aggregate 20mm nomin size)  = 13 CUM	6 13.00	00 cu.m	2775.7	seven hundred seven	

MIS EXCELLENT CONSTRUCTION
PARTNER

21.2.2017

	4.1.4	Providing and laying in position cement				
10		concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level 1:2:4 (1 Cement: 2 coarse sand : 4 graded stone aggregate 40 mm nominal size)10 + 2, BUILDING = 8.74 CUM SEPTIC TANK = 2.98 CUM TOTAL QUANTITY = 11.72 CUM		cu.m	3219.70	Rs. Three thousand two hundred neneteer and paise seventy only
	FLOORI	of stem skirting. Dado 7.				
	NG	pilkars laid on 12 mm (average consid				
	11.38	Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturer) of ist quality conforming to IS: 15622 of	14.37	squu	973.00	Rs. None hundred neverthy three sale.
		approved make in colours such shades				Rs. Eight hundred
11		except white, Ivory, Grey, Fume Red,	46.040	sq.m	812.200	twelve and paise
	WOULE WOULE BELKEW PLANTER LVE	Brown, laid on 20 mm thick Cement motar 1:4 (1 cement: 4 coarse sand) including pointing the joints with white cement and matching pigment etc., complete.				twenty only.
	WALL	Providing made laying in position				
	TILES	specified where of minimized commit		1-		
13	11.36	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (Thickness to be specified by the manufacture) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by	39.183	Cs. m	8p35.26	Rs. Seven hundred
12		Engineer-in-charge in skirting, risers of steps and dados over 12 mm thick bed	188 874	sq.m		sixty six and paise
12	RCC WORK ABOVS PLIVER	of cement Motar 1:3(1 cement: 3 coarse sand ) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching	188.874	Sq.III		thirty only.
	G <sub>A</sub>	shade complete.				
	ELOOPI					
	FLOORI NG &	Manen		es Ch Albert	of Consulta man Character	
	SKIRTIN G			Develo	enemi Coopy	otton Tail Balance
THE RESERVE	U	ema y yeldew  PARTNER				2-2017

M'S EXCELLENT CONSTRUCTION

There Kuma'z yerden

PARTNER

11111111111111111111111111111111111

	R.C.C. WORK ABOVE PLINTH LVL.	fanck work with tarche of came designation 190A to finenciations and plinth in content morne 1 to 1 (camen) is some caud).  39.278 C. 34	39.878	<b>4</b> 56 113	4450,00	Rs. Four incovered from injuries and only.
15	5.1.1	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing & reinforcement - all work upto plinth level.  1:1:2 (1cement: 1 coarse sand: graded stone aggregate 20mm nominal size) = 59.183 CUM	59.183	cu.m	6035.20	Rs. Six thousand thirty five and paise twenty only.
	R.C.C. WORK BELOW PLINTH LVL.	REPLIC TANK & BUSIC DA  Reinforced consent controls work in beams suspended flows, reals  having slope upto 15  tangings balcourse greater charles				
14	11.27	Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand ) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm	74.37	sq.m	973.00	Rs. Nine hundred seventy three only.
13	11.26.1	(average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime: 1 surkhi: 1 coarse sand) / 1:4 (1 cement 4 coarse sand) 20 to 25 mm thick	d d d d d d d d d d d d d d d d d d d	sq.m	998.3	Rs. Nine hundred ninety eight and paise thirty only.

M's EXCELLENT CONSTRUCTION
M's EXCELLENT CONSTRU

	+					
16	5.2.1	Reinforced cement concrete work is wall (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers abutments, posts and struts, etc. up floor five level excluding cost of centring, shuttering, finishin and reinforcement.1:1:2 (1 cement: 1 coarse sand: 2 graded stone aggregate 20 mm nominal size)	d g g g g g g g g g g g g g g g g g g g	cu.m	6644.60	Rs. Six thousand six hundred forty four and paise sixty only.
17	5.1.3	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing and reinforcement-All work puto plinth level. 1:2:4 (1 cement:2 coarse sand:4 graded stone aggregate 20 mm nominal size)  SEPTIC TANK = 0.93 CUM	0.930	cum	3984.50	Rs. Three thousand nine hundred eighty four and paise fifty only.
18	5.3 + 5.33B.4 + 5.33B.1	Reinforced cement conrete work in beams, suspended floors, roofs having slope upto 15, landings, balconiec, shelves, chajjas, lintels, bands, plain window sills, staircases and	816.658	Eq.M	140.46	Rs. Five thousand
16	18 Fe	spiral stair cases upto floor five level excludingthe cost of centring, shuttering, finishing and reinforement with 1:2:4(1 cement:2 coarse sand:4 graded	100.440	cu.m		three hundred nineteen and paise ten only.
	BRICK WORK	stone aggregate 20 mm nominal size).	•			
19	6.1.14A	Brick work with bricks of class designation 100A in foundations and plinth in cement mortar 1:6 (1cement :6 coarse sand) = 39.878 CUM		cu.m	4490.60	Rs. Four thousand four hundred ninety and paise sixty only.
20	6.1.14A + 6.3A	Brick work with bricks of class designation 100A in foundations and plinth in: Cement mortar 1:6 (1 cement: 6 coarse sand)  Extra for Brick work in superstructure above plinth level upto floor V cum  = 160.082 CUM	160.082	cu.m	5003.90	Rs. Five thousand three and paise ninety only.

M'S EXCELLENT CONSTRUCTION
M'S EXCELLENT CONSTRU

11111111111111111

		- ith bright of class				
21	+ 6.19A	Extra for half Brick masonry in superstructure above pinth level upto floor V level.  = 134 043 SOM	34.043	Sq.m.	608.40	Rs. Six hundred eight and paise forty only.
22	6.21A	Extra for providing and placing in	134.043	Sq.m.		Rs. Fifty five and paiso forty only.
23	6.1A + 6.1.12/1	Brick work with bricks of class designation 100A in foundations and plinth in: Cement mortar 1::4 (1 cement: 4 coarse sand) = 8.75 CUM	8.750	cum	4724.40	Rs. Four thousand seven hundred twenty four and paise forty only.
	PLASTE R WORK					Rs. One hundred fort
24	13.13.4	cement: 6 coarse sand) = 836 658 SOM	836.658	sq.m	140.40	and paise forty only.
25	13.13.1 + 13.26	cement & neat cement punning	16.650	sq.m	214.60	Rs. Two hundred fourteen and paise sixty only.
26	13.11.4	(1 cement : 6 coarse sand)	1041.580	sq.m	101.2	Rs. One hundred one and paise twenty onl
27	13.17.1 +13.36.	coarse sand) with a floating coat of neat cement & Extra for providing and mixing water proofing material in proportion recommended by the manufacturers: 12 mm cement plaster 1:3(1 cement :3 sand)	52.820	sq.m	166.3	Rs. One hundred six six and paise thirty only.
-	13.24.	SEPTIC TANK = 52.82 SQM  6mm thick Cement plaster of Ceiling mix 1:4 (1 cement : 4 coarse sand)	g 388.530	sq.m	87.	Rs. Eighty seven as paise forty only.

M'S EXCELLENT CONSTRUCTION Murle Kumerz yadew

7 2 2 2 2 1 Chief Consultant (Technical)

Bihar State Educational Infrastructure Development Corporation Ltd., Patna

	15.45.2	Cement concrete flooring 1:2:4(1)			The second of the second	
29	11.3.1 + 11.8	cement:2 coarse:sand:4 graded stone agregate) finished with a floating coat of neat cement including cement slurry, etc. but excluding the cost of nosing of steps etc. complete.40 mm thick with 20 mm nominal size stone aggregateExtra for making chequers of approved pattern on cement concrete floors, steps, landing, pavemerts etc.	136.410	sq.m	267.70	Rs. Two hundred sixty seven and paise seventy only.
	FINISHI NG WORK	Providing and fixing tweet frames is doesn windows and verblaters of par- lated. Ten-sections, terms policies an				
30	13.46.1	Finishing walls with Acrylic Smooth exterior paint of required shade :New work (Two or more coat applied @ 1.67 ltr/ 10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/ 10 sqm)  EXTERNAL WALL = 836.658 SQM	836.658	sq.m	71.10	Rs. Seventy one and paise ten only.
31	13.80A.2	Providing and applying white cement based putty of average thickness 2 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	2266.768	sq.m	118.40	Rs. One hundred eighteen and paise forty only.
32	13.77.2	Distempering with oil bound washa ble distemper of approved brand and manufacture to give an even shade.  New work (two or more coats) over and including priming coat with cement primer  INTERNAL WALL & CEILING = 1430.11 SQM	1430.110	sq.m	69.10	Rs. Sixty nine and paise ten only.
33	13.81.1	Applying priming coat with ready mixed pink or grey primer of approved brand and manufacture on wood work (hard and softwood) = 115.68 SQM		sq.m	26.70	Rs. Twenty six and paise seventy only.

We excellent construction

Musterle Kerner yadar

PARTNER

			'/			
3	13.8	Applying priming coat with ready mixed zinc chromate yellow primer approved brand and manufacture of steel galvanized iron/steel work.  = 105.728 SQM	of	28 sq.m	22	Rs. Twenty two and paise eighty only.
3	5 13.93	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade two or more coats on new work  = 221.408 SQM		8 sq.m	54.	Rs. Fifty four and paise ten only.
36	10.14.	Providing and fixing T-iron frames for doors, windows and ventilators of miles steel Tee-sections, joints miltred and welded with 15x3 mm lugs 10 cm long embedded in cement concerete blocks 15x10x10cm of 1:3:6 (1 cement: 3 coarse sand: 6 graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required including	339.675	Kg.	70.9	Rs. Seventy and paise ninety only.
37	9.21.1	Providing and fixing ISI marked flush door shutters conforming to IS: 2202 (Part I) non-decorative type, core of block board construction with frame of 1 st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters: 35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws	48.195	sq.m	1698.20	Rs. One thousand six hundred ninety eight and paise twenty only.
38		Providing and fixing oxidised M.S.tower bolt black finish,(barrel type) with necessary screws etc.complete 250x10mm 10 + 2, BUILDING = 44 EACH	44.000	each	65.30	Rs. Sixty five and paise thirty only.
39 Vs. EXC	9.66.1	Providing and fixing M.S.handles with necessary screws etc.complete  125 mm  10 + 2, BUILDING = 44 EACH	44.000	each	27.70	Rs. Twenty seven and paise seventy only.

M'S EXCELLENT CONSTRUCTION Plur le Kumar yadar PARTNER

721712-2017

40	9.101.2	Providing and fixing alluminium hanging floor door stopper anodised (anodic coating not less than grade AC 10 as per IS :1868) transparent or dyed to required colour and shade with necessary screws etc.complete:Twin rubber stopper = 22 EACH	22.000	each	83.8	Rs. Eighty three and paise eighty only.
41	9.62.1	Providing and fixing M.S. sliding door bolts bright finished or/and black enamelled, with nuts and screws etc.compelled:  300x16 mm  = 22 EACH	22.000	each	166.10	Rs. One hundred sixty six and paise ten only.
	STEEL WORK	complete including approprie a perman				
42	10.12.1 + 10.13B	Providing and fixing steel glazed doors, windows and ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm lugs 10 cm long with steel lugs embedded in cement concrete blocks 15x10x10 cm of 1:3:6(1 cement: 3 coarse sand: 6 graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panes with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer; excluding the cost of metal beading and other fitting exceptExtra for providing and fixing steel beading of approved shape and section with screws instread of		sq.m		Rs. Three thousand one hundred seventy five only.
45	8.22.7	glaxing clips and met. Sash putty in steel doors, windows, Ventilators and comosite units.Steel windows	7000,000	KO	33.40	that severe mily of the Kar Tifty disposant a party and a

Ms. EXCELLENT CONSTRUCTION
Ms. EXCELLENT CONSTRUCTION
PARTNER
PARTNER

	3,22,78	Providing and fixing steel glazed doors, windows and ventilators of standard rolled steel sections, joints	750.009	2.0	53,60	Ra Pitty three and spaint many states
	3 22 7	mitered and welded with 15x3 mm lugs 10 cm long with steel lugs embedded in cement concrete blocks 15x10x10 cm	9,000		53.60	
43	10.12.1 + 10.13C	of 1:3:6(1 cement: 3 coarse sand: 6 graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panes with glazing clips and special metal-sash putty of approved make	3.240	sq.m	3181.00	Rs. Three thousand one hundred eighty one only.
47	30.33.5	complete including applying a priming coat of approved steel primer; excluding the cost of metal beading and other fitting exceptSteel ventilators	550,900		90.70	Rs. Name and palse accordingly
	9.48.1	Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or				
44	10.0	round bars etc all complete fixed to steel windows by welding. = 1722.87 KG	1722.870	Kgs.	86.00	Rs. Eighty six only.
48	5.22	Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.		#6 to	4248.29	Sundron Porty eight and outer recents units
		TMTC-500				
	5.22.7A	Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG	8393.000	KG	56.00	Rs. Fifty six only.
45	5.22.7B	Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG	1300.000	KG	54.70	Rs. Fifty four and paise seventy only.
311	5.22.7C	Thermo-Mechanically Treated bars TMTC-500 12mm dia = 7000 KG	7000.000	KG	53.40	Rs. Fifty three and paise forty only.
	5.22.7D	Thermo-Mechanically Treated bars TMT-500 16mm dia = 700 KG	700.000	KG	54.40	Rs. Fifty four and paise forty only.

MIS. EXCELLENT CONSTRUCTION

There Kumar Juday

PARTNER

		Thermo-Mechanically Treated bars TMT-500 20mm dia = 750 KG	750.000	KG	53.60	Rs.Fifty three and paise sixty only.
10		Thermo-Mechanically Treated bars TMT-500 25mm dia = 0 KG	0.000	KG	53.60	Rs.Fifty three and paise sixty only.
46	5.0)5	Providing and fixing M.S.fan clamp type I or II of 16 mm dia.M.S. bar bent to shape with hooked ends in R.C.C slabs during laying including painting the exposed portion of loop, all as per standard design complete.	42.000	Each	97.00	Rs. Ninety seven only
52		Providing & fixing hand rail by welding etc. to steel ladder railling & staircases railling including applying a priming		Sera.	357.60	Rs. Ninety and paise
47	5.93	coat of approved steel primer.  MS tube (medium) 40mm nominal bore.  = 550 KG	550.000	kg.	90.70	seventy only.
48	10.5	Providing and fixing in position collapsible steel shutters with vertical channes 20x10x2 mm and braced with flat iron diagonals 20x5 mm size with top and bottom rail of T-tron 40x40x6 mm with 40 mm dia steel pulleys complete with bots.nuts locking arrangement stoppers handies including applying a priming coat of approved steel primer	4.52	sq.m	4248,20	Rs. Four thousand tw hundred forty eight and paise twenty only
	MISCEL LANEOU S WORK					
49	4.17	Making plinth protection 50 mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20 mm nominal size) over 75 mm thick bed of dry brick ballast 40 mm nominal size, well rammed and consolidated and grouted with fine sand, including finishing the top	75.414	sq.m	359.80	Rs. Three hundred fifty nine and paise eighty only.

M'S EXCELLENT CONSTRUCTION

While Human yadar

PARTNER:

errestrations and the contractions of the contraction of the contractions of the contraction of the con

Chief Consultant (Technical)

Bihar State Educational Infrastructure
Development Corporation Ltd., Parna

			23			
	SHUTTE	PAR DESTRUCTION	1	T	T	
	5.9.1	Centring and shuttering including	40 000	MIS	212 000	
50		Centring and shuttering including strutting, propping etc. and removal of form for foundation, footings, basees of columns etc. for mass concrete.  = 55.781 SQM	c	Sqm.	169.0	Rs. One hundred s nine only.
51	5.9.5	Centring and shuttering including strutting, propping etc. and removal of form for lintel, beams, plinth beams, griders, bressumers and contilevers.  = 349.241 SQM		Sqm.	261.70	Rs. Two hundred so one and paise sever only.
1	5.9.6					
52	12 78 512	strutting, propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts = 367.575 SQM	367.575	Sqm.	357.60	Rs. Three hundred fifty seven and paise sixty only.
53		Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, andings, balconies and access platform. = 451.54 SQM	451.540	Sqm.		Rs. Two hundred ninety one only.
		Collecting from Children terror VIII and			Total	5,727,046.
		d litre has futbour growthing deciment			Total (A)	5,727,046.
Plum bing and sanit ary Wor		indiated when P is a fixehing cases including their pape, with maximal particular damp of the all maximal particular damps of the all maximal particular damps of their version (Table Crosses present the page of the fixeh to the all maximal damps of the fixeh to the all maximal damps of the fixeh to the content of the all of the fixeh to the all of the all of the fixeh to the all of the				R. Mige Wasser to
PROPERTY OF THE PERSON NAMED IN	kgi cin	oviding and fixing on wall face plastidsed PVC (working pressure 4 f per sqm) rain water pipes forming to IS:4985 including			4	
54	IS:	nting with seal ring conforming to 5382 leaving 10 mm gap for thermal pansion.		81	-	

Mrs. EXCELLENT CONSTRUCTION
Merli Kerner yeeden PARTNER

1	12.78.2	diditiotor.	/	1		Rs. Two hundred
	17.2.12	= 40 MTS	40.000	MTS	212.400	
	12.79	Providing and fixing on wall face unplasticised -PVC moulded fittings/accessories for unplasticised PVC rainwater pipes conforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10mm gap for thermal expansion.				Omy.
	10-00-0	Coupler				
55	12.79.1.2	= 10 MTS	10.000	Each	140.200	Rs. One hundred forty and paise twenty only.
	17.4 Z	BEND 45 <sup>o</sup> 110 mm dia = 10 EACH		1. 1		1
	12.79.5.2	110mm bend = 12 MTS	12.000	Each	168.300	Rs. One hundred sixty eight and paise thirty
	12.79.6	Shoe (Plain)				only.
58	12.79.6.2	110mm Shoe = 12 MTS	12.000	Each	305.020	Rs. Three hundred five and paise two only.
56	17.34 SOR 17.342	Providing and fixing water closet squatting pan (Indian type W.C.pan ) with 100 mm sand cast Iron P or S trap, 10 litre low fixtures complete, including cutting and making good the walls andlevel white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS: 7231, with all fittings and floors wherever required:	3.000	Edoh	4685 900 366 5	Rs. Four thousand six sancton embry five that years more paly.
	, B.A.A.	White Vitreous China Orissa pattern W C pan of size 580 x 440 mm with integral type foot rest. = 6 EACH	6.000	Each	3049.300	Rs. Three thousand forty nine and paise thirty only.

M/s. EXCELLENT CONSTRUCTION Merle Kumer yeden PARTNER

11111111111111111111111111111111111

	Dan	In :1: 1 a :			_	
61	B.S.R 17.2.2	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and	15,000	Each	175,300	Savorey free und paint destry mak
62	1721	lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle				
57		lever), conforming to IS: 7231, with all fittings and fixtures complete, including		Each	76,100	the personal sails
	1 112	cutting and making good the walls and floors wherever required :				
63		W.C. pan with ISI marked black solid plastic seat and lid = 3 EACH	3.000	Each	2903.000	Rs. Two thousand nine hundred three only.
	B.S.R 17.4.2	Providing and fixing white vitreous china flat back or wall corner type			6	
50	9.5.1	lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I clamps complete,		Each	473.700	Pa Four hundred  severally three of a paint severally only.
58		including painting of fittings and brackets, cutting and				
		making good the walls and floors wherever required:				
		Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern = 3 EACH	3.000	Each	4685.900	Rs. Four thousand six hundred eighty five and paise ninety only.
	17.34	Provding and fixing toilet paper holder				The true beads to
59	SOR 17.34.2	Vitreous china	3	Each	296.7	Rs. Two hundred ninety six and paise seventy only.
	B.S.R 17.7.1	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and			·	
60		making good the walls wherever require		-		on of A
		White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps. = 12 EACH	12.000	Each	2093.500	Rs. Two thousand ninety three and paise fifty only.

We excellent construction turle Klumerz yasar

PARTNER

61	18.63	Providing and fixing PTMT angle stop cock 15 mm nominal bore, weighing not less than 85 gms	15.000	Each	175.300	Rs. One hundred seventy five and paise thirty only.
62	B.S.R 17.28	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.	60.000	tions	193 600	Ra. Can handing anoth toxes and rasso
	17.28.2.1	Flexible pipe 32 mm dia = 12 EACH	12.000	Each	76.100	Rs. Seventy six and paise ten only.
63	B.S.R 17.32.2	Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board	12.000	Each	636.900	Rs. Six hundred thirty six and paise ninety only.
	18 9.2	backing: Rectangular shape 453 x 357 mm = 12 EACH	40.000	metry	147.300	olly.
64	B.S.R 17.33	Providing and fixing 600 x 120 x 5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete.  = 12 EACH	12.000	Each	473.700	Rs. Four hundred seventy three and paise seventy only.
65	B.S.R 18.8.1	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge.Concealed work,	50.000	metre	221.400	Rs. Two hundred twenty one and paise forty only.
	18.52.1	including cutting chases and making good the walls etc.15 mm nominal outer dia Pipes	10 ARS	Each	650,100	and rease her being.

Ms. EXCELLENT CONSTRUCTION
Plerle demany gaday
PARTNER

\*

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Pagna

240.

66	B.S.R 18.9.3	Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & col water supply including all CPVC plain & brass threaded fitting This includes jointing of pipes & fitting with one step CPVC solvent cemen, trenching ,refilling & testing of joint complete as per direction of Engineer in Charge.	d (s) 60.00	0 metre	193.600	Rs. One hundred ninety three and pais sixty only.	
		32 mm nominal outer dia Pipes	40.000	metre	249.100	rorey mile and paise	
	18.9.2	20 mm nominal outer dia Pipes	40.000	metre	147.300	Rs. One hundred forty seven and paise thirty only.	
67	B.S.R 18.48	Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI:12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support = 4000 PER LITER	4000 000	per litre	6.600	Rs. Six and paise sixty only.	
68	B.S.R 18.49	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931  15 mm nominal bore.			1	Rs. Four hundred	
		= 12 EACH	12.000	Each	481.600	eighty one and paise	
69	B.S.R 18.52	Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS: 8931				sixty only.	
	18.52.1	15 mm nominal bore. = 10 EACH	10.000	Each	650.100	Rs. Six hundred fifty	
70		Providing and fixing P.T.M.T. grating of approved quality & colour	/			and paise ten only.	
70	The state of the s	circular type	264				
M/s.		100 mm nominal dia,	11	Each	70.70	Rs. Forty six and paise forty only.	

Musle Kumaz yalar PARTNER

			_			
71	B.S.R 19.6.1	class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete: 100 mm dia R.C.C. pipe = 15 METER	15.000	metre	305.500	Rs. Three hundred five and paise fifty only.
72	B.S.R 19.27.1	Constructing brick masonry road gully chamber 50x45x60 cm with bricks in cement mortar 1:4 (1 cement: 4 coarse sand) including 500x450 mm pre-cast R.C.C. horizontal grating with frame complete as per standard design: With common burnt clay F.P.S. (non modular) bricks of class designation 7.5		Each	3384.800	Rs. Three thousand three hundred eighty four and paise eighty only.
73		Constructing brick masonry chamber for underground C.I. inspection chamber and bends with bricks in cement mortar 1:4 (1 cement: 4 coarse sand) C.I. cover with frame (light duty) 455x610mm internal dimensions, total weight of cover with frame to be notless than 38 kg (weight of cover 23 kg and weight of frame 15 kg),R.C.C. top slab with 1:2:4 mix (1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal size), foundation concrete 1:5:10 (1 cement: 5 fine sand: 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm thick with cement mortar 1:3 (1 cement: 3 coarse sand), finished smooth with a floating coat of neat tement on walls and bed concrete etc. complete as per standard lesign:	6.000	Each	4147.300	Rs. Four thousand one hundred forty seven and paise thirty only.

M's EXCELLENT CONSTRUCTION
Merle Kerner yardar
PARTNER

,							9			
	74			Making soak pit 2.5 m diametre deep with 45 x 45 cm honey comb shaft with brick drain pipe 100 mm diameter, 1 complete as per standard design With common burnt clay F.F modular) bricks of class designs	dry brick and S.W .8 m long	1.00	00 E	ach 2877	5.500	Rs. Twenty eighthousand seven hundred seventy and paise fifty on
	75	B.S. 19.		= 1 EACH Providing and fixing S.W. interprine manholes with stiff micement mortar 1:1 (1 cement sand) including testing of joicomplete:  100 mm dia	ercepting ixture of	1 (9 0)	10 Provi	est 63% s		es. No konsisted
		13		= 2 EACH  Detailed Estimate for construction and the state of the stat	n PVC	2.000	Eac	h 281.3	00 e	Rs. Two hundred pairing and pairing and
	76 A	NALY	1	125 mm x 40 mm x 90 mm Tul  Manual Boring  1 EACH  Providing and Fixing Following	be well	1.000	Eacl	62,138	8.33 R	hirty only.  As. Sixty two thous ne hundred thirty ght and paise thir ree only.
		S	a or	PVC Soil, Waste and vent Pipecessories including sovent cemether jointing material, Labour omplete job  10 mm dia 40 EACH	e and ent and etc	0.000			D	
			D	OOR TEE 110 mm dia 4 EACH	120 C	1.000	metre	347.00	for	Three hundred ty seven and only
77			Do	OOR BEND 110 mm dia 8 EACH	120000	.000	each	365.000	sixt	Three hundred by five only. Two hundred
			BE	ND 45° 110 mm dia 10 EACH	MACHELL .	0.000	each each	283.000 185.000	eigh	nty three only.  One hundred
			VE = 3	NT COWEL 110 mm dia SEACH	1.484	000	each	65.000	eigh	ty five only.
	v+contain		= 1	E CLIP 110 mm dia 00 EACH	100	0.000	each	53.000		Sixty five only.
	Cod	le no.	I = I	OOR TRAP 110X110 mm dia	10.	000	each	436.000	Rs. F	our hundred /
78		352	IIISIC	C.I. cover and frame 300 x 300 r le TIC TANK = 1 EACH		000	Each	362.585	Rs. T sixty fifty r	six only.  Three hundred two and paise nine only.
						-		Total		334,638.85

Ms. EXCELLENT CONSTRUCTION
Merle Keimar yandar PARTNER.

A 2 2017 Chief Consultant (Technical) Bihar State Educational Infrastructure

	1057-201	Electrical Works SOR-2016				
	2.18	Point Wiring in PVC Conduit, with				
	1.3	Modular type Switch:-				
79	1,3,3	Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with modular switch, modular plate, suitable GI box and earthing the  Group C	110,000	Point	675.000	Rs. Six hundred
	1.5.5	1 1 x a man h	119.000	Poliit	073.000	seventy five only.
	1.4	Twin Control Point Wiring in PVC Conduit, with Modular type Switch:-				
80		Wiring for twin control light point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, 2 way modular switch, modular plate,		Each	720.000	Rs. Seven hundred twenty only.
	1.24	suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC i				
	1.31	Supply and Fixing Light Plug Point with		1	86 000	A CALL OF THE STATE OF THE STATE OF
81	1.743	Modular Type Accessories:-  Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 3 pin 5/6 amps modular socket outlet and 5/6 amps modular switch, connection etc. as required. (For light plugs to be u	25.000	Each	372.000	Rs. Three hundred seenty two only.
	1.32	Supply and Fixing Power Plug Point with Modular Type Accessories:-				
82		Supply and Fixing GI box with modular plate and cover in front on surface or in recess including providing and fixing 6 pin, 15/16 amps modular socket outlet and 15/16 amps modular type switch connection, painting etc as required.	12.000	Nos.	446.000	Rs. Four hundred forty six only.

Mrs. EXCELLENT CONSTRUCTION
Menle Kumar gadav
PARTNER

********	DSR-20 2.18	O14 Supply & fixing 20A SPN MO Industrial Socket Outlet:-	СВ	1		
83	212	Supplying and fixing 20 amps, 2-volts, SPN industrial type, socket outlet, with 2 pole and earn metal enclosed plug top alongwith 20 amps "C" curve, SMCB, in sheet steel enclosure, on surface or in recess, with chained metal cover for the socket	th, P, 12.000	) Nos	208.00	Rs. Nine hundred six three and paise fifty four only.
	1.5	Power Plug Wiring in PVC condu (2x4 sq. mm):-				1 CAN 6015
84	2 16 2	Wiring for light/ power plug with 2X sq. mm FRLS PVC insulated copper conductor single core cable is surface/ recessed mediumclass PVC conduit alongwith 1 No 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop earthing as required	420.000	Mtrs.	193.000	Rs. One hundred ninety three only.
85	1.24	Supplying and fixing following modular type switch/ socket on the existing modular plate switch box / cover including connections etc.as required	,			
-	1.24.1	13/6 amps switch.	25.000	Each	98.000	D W
	1.24.4	5 pin, 5/6 amps socket outlet.	25.000	Each	120.000	Rs. Ninety eight only. Rs. One hundred
66	1.7	Circuit / Sub-main wiring in PVC Conduit:- Wiring for circuit / sub-main wiring along with earth wire with the following sizes of PVC insulated, copper conductor, single core cable in surface/recessed PVC conduit as required.				twenty only.
	1.7.1	2x1.5 Sqmm + 1x1.5 sqmm earth wire	40.000	Mtrs.		Rs. One hundred
-	1.7.2	2x2.5 Sqmm + 1x2.5 sq mm earth wire	350.000	Mtrs.	150.000	Rs. One hundred fifty only.
-		4x6.0 Sqmm + 2x6.0 sqmm earth wire (to be used as sub main)	54.000	Mtrs.	451.000	Rs. Four hundred fifty one only.
	1.7.12	$4 \times 10 \text{ sq. mm} + 2 \times 10 \text{ sq. mm}$ earth wire	10.000	Mtrs.	684 000 I	Rs. Six hundred eighty our only.

MIS. EXCELLENT CONSTRUCTION
Merle Kumar yedow
FARTNER

	1.34	S/F 'C' series SP MCB:-	T	T	<del></del>	1
	2.12	Supplying and fixing 240 volts, 'C	11		/ 9 D/9	En Communications
		series, miniature circuit breaker suitable				
88		for inductive loads of following poles in				
		the existing MCB DB complete with				
97	125	connections, testing and commissioning				10 to Marine SuperState
0/	160	etc, as required.	34.000	EACE	387 (4)	
	2.12.1	6/32A, Single Pole		+		
		Paralle a sur the existing modular some	36.000	Each	208.000	Rs. Two hundred
	2.13.1	6/32A ,DP	-	1-	-	eight only.
		excipitate medialization and engagement	3.000	Each	632.000	Rs. Six hundred thirt
	2.16	S/F TPN MCB:-			-	two only.
	121	Supplying and fixing following rating,				- en el estado de estado d
		four pole, 240 volts, isolator in the		and the second section for		
00		existing MCB DB complete with				
88		connections, testing and commissioning				
		etc. as required				
	2.16.2	63 A,TPN				
		Control Protection Control	3.000	Each	915.000	Rs. Nine hundred
	2.17	S/F TPN RCCB:-Supplying and fixing				fifteen only.
	1211	of following rating three phase and	Linea	1 A 3 1 1 1 2	85 200	
		neutral, 415 volts, residual current				
	116	circuit breaker (RCCB) having a			Programme and	The state of the s
90		sensitivity current upto 300 miliamperes				
09		in the existing MCB DB complete with				
		connections, testing and commissionin				
		The second of th				
	2.17.2	40 Amp.				Rs. Two thousand five
	a Kan i	2 seu	3.000	Each	2509.000	hundred nine only.
	2.9	S/F TP MCB DB:-				numered fine only.
		Supplying and fixing of following				
		way, horizontal type three pole and				
		neutral, sheet steel, MCB distribution				
00		board, 415 volts, on surface/recess,				
90		complete with tinned copper bus bar,				
		neutral bus bar, earth bar, din bar,	a nod		2155 000	Ma Oho have and the
		detachable gland plate, interconnect	3,127946			lenly 2 2 2
	2.9.4	4 Ways (4+12 ways) double door			No.	Rs. Two thousand nine
		COPPER EASTH PLATE	3.000	Set	2971:000	hundred seventy one/
		BUSCERONE AND THE RESERVE OF THE PERSON OF T			-	only.
-	1.33	S/F Ceiling Rose:-				
01		Supplying and fixing 2 pin ceiling rose				
91		on the existing junction box/ wooden	80.000	East	25.000	D. Till C
		block including connection etc as	80.000	Each	35.000	Rs. Thirty five only.
		required.				/

M's EXCELLENT CONSTRUCTION
Merli Kumazyczew
PARTNER

	1.34	S/F Batten / Angle Holder:-	27.000	Each	48.000	Rs. Forty eight only.
92		Supplying and fixing batten / angle holder including connection etc as required.	2.000	E Seleti	31703.00x	M.E. Scheyes thanes / Seven sendered three only.
	1.25	S/F Modular type electronic fan regulator:-	24.000	Each	387.000	Rs. Three hundred eighty seven only.
93	3.10	Supplying and fixing stepped type fan regulator on the existing modular plate switch box including connections but excluding modular plate etc as required.				eighty seven only.
	1.21	S/F PVC Conduit:-	3 /2 / A/A/A	140	1111111111111	
		Supplying and fixing of following sizes of medium class PVC				
94	3.14	conduit along with accessories in surface/recess including cutting				
50		the wall and making good the same in case of recessed conduit as required.	24.000	Mos.	976,000	Rs. Nine tendreds
4	1.21.1	20 mm	110.000	Mtrs.	55.000	Rs. Fifty five only.
		Telephone Wiring in Existing Conduit:-	/	IVILIS.	33.000	RS. Pitty live only.
95	1.16	Supplying and drawing following pair 0.5 mm dia FRLS PVC insulated annealed copper conductor, unarmored telephone cable in the existing surface/ recessed steel/ PVC conduit as required				
	1.16.2	2 pair	50.000	Mtrs.	19.000	Rs. Nineteen only.
	1.24	S/F Modular type Switch / Socket:- Supplying and fixing following modular type switch / socket on the existing				Oilly.
96		modular plate and switch box including connections but excluding modular plate etc as required.				
	1.24.6	Telephone socket outlet	2.000	Each	103.000	Rs. One hundred three only.
		EARTHING				
	3.6	COPPER EARTH PLATE ELECTRODE:-				

Mrs. EXCELLENT CONSTRUCTION
Merle Kurnedz yadav
PARTNER

	17.14.2	130 mm dia	10.000	Mtr.	387.840 e	Rs. Three hundred ighty seven and paise ighty four only.
101		dia RCC pipe NP2 class(light duty) in ground complete with RCC collars, joints with cement mortar 1:2 ( 1 cement : 2 fine sand ) including trenching (75 cm) and refilling etc.as required. (Road crossing as per site c 150 mm dia			4	
	14.14	Providing, laying and fixing following	1.000	Esta	6960,000	Racisia the consistence
	7.1.2 DSR-2014	Above 35sq.mm and Upto 95 Sq.mm.  G.I. Pipe for Cable protection:-	80.000	Mtrs.	1 744 111111 1	Rs. One hundred fifty four only.
100	7.1	Cable Laying of 1.1 KV & 11 KV:- Laying of one number PVC insulated and PVC Sheathed / XLPE power cable of 1.1 KV grade of following size direct in ground including excavation, sand cushioning, protective covering and refilling the trench etc as required.	3,000	Each	2631.000	es. Two thenished the languaged thing one cally
99	3.14	P/F 25 x 5 mm copper earth strip in surface/ recess:-  Providing and fixing 25 mm X 5 mm copper strip on surface or in recess for connections etc. as required.		Mtrs.	976.000	Rs. Nine hundred seventy six only.
98	1908 /91	Providing and fixing 25 mm X 5 mm copper strip in 40 mm dia G.I. pipe from earth electrode including connection with brass nut, bolt, spring, washer excavation and re-filling etc. as required.	12.000	Mtrs.	1131.000	Rs. One thousand one hundred thirty one only.
97	3.10	Earthing with copper earth plate 600mmx 600mmx 3mm thick including acessories and providing masonary enclosure with cover plate having locking arrangement and watering pipe of 2.7 meter long etc with charcoal/cock and salt as required.  P/F 25 x 5mm copper earth strip in pipe :-	2.000	Each	11703.000	Rs. Eleven thousand seven hundred three only.

Ms. EXCELLENT CONSTRUCTION
Murle Keumar yadaw
PARTNER

102	DSR-2014 9.1	1.1 KV Cable End Termination:- Supplying and making indoor cable end termination with brass double compression gland and aluminium lugs for following size of PVC insulated XLPE Al. Ar. Cable of 1.1 KV grade as required.	1.000	Rech	8677.000	P.s. Fright inquising \$4. arc creat severity severy easily
	9.1.22	3.5 Core 50 Sq.mm.	2.000	Each	272.700	Rs. Two hundred seventy two and paise seventy only.
103	1908 JSR 2014	3.5 core 50 sq mm xlpe/pvc insulated sheathed (Heavy duty)armoured electric cable aluminium conducter.	2.008	Buch	864 000	Re Fight hindred (
	4.5 1	3.5C x 50 Sq.mm 1.1kV	100.000	Mtrs.	391.000	Rs. Three hundred ninety one only.
301	2.30	S/F HRC fuse type TP&N switch disconnector:- Providing and fixing following capacity TP&N disconnector	80.800/	10.03 11	Z4 000	eveny four name
104	4.6	fuse switch unit inside the existing panel board with ISI marked HRC fuses including drilling holes in cubicle panel, making connections,	30,600	muc	443.000	Rs. Post hullfard forty bure mile
	2.3.2	etc. as requi 63 amps,TP&N, HRC	3.000	Each	2631.000	Rs. Two thousand six hundred thirty one only.
	2.5	S/F Busbar Chamber:-			and the second s	To the control
105	2.5.3	Providing and fixing following capacity busbar chamber with 4 strips of suitable size made of capper,heavy duty,complete with all accessories including connections,earthing the body,etc as required.  200 amp.TPN	1.000	Each	6360,000	Rs. Six thousand three hundred sixty only.

Mrs. EXCELLENT CONSTRUCTION
Mrs. EXCELLENT CONSTRUCTION
PARTNER
PARTNER

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

2yer

	2.7.4	Providing and fixing following capacity			Total (II)	7535522
106		four pole OFF-load changeover switch with side handle operation, in sheet enclosure in existing metal board, including drilling holes in metal panel, making connections etc. as required.  125 Amps, Four pole	1.000	Each	8677.000	Rs.Eight thousand six hundred seventy seven only.
107	4.1	Providing Lighting Conductor Finial,made of 25mm dia 300mm long ,copper tube having single prong on top with 85mm dia 3mm thick copper base plate.	2.000	Each	864.000	Rs. Eight hundred sixty four only.
108	4.5	Providing and fixing copper tape 20 mm X 3 mm thick on parapet or surface of wall for lightning conductor complete as required.  (For horizontal run)	80.000	meter	424.000	Rs. Four hundred twenty four only.
109	4.6	Providing and fixing copper tape 20 mm X 3 mm thick on parapet or surface of wall for lightning conductor complete as required. (For vertical run)	30.000	meter	443.000	Rs. Four hundred forty three only.
110	2.4	Providing and fixing follwing rteing and breaking capacity MCCB in existing cubicale panel bord including drilling hole cubicale panel making connection etc as required				dure only
	2.4.4	160 amp. 16KA	1.000	EACH	11275.000	Rs. Eleven thousand two hundred seventy five only.
		FIRE FIGHTING	137.839	1911	Total (C)	532,131.28
		TALE FIGHTING				
111	DGS&D	Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit.	10,000	Nos.	7549.750	Rs. Seven thousand five hundred forty nine and paise seventy five only.
1102		NAME OF INSTITU	64	No.	Total	75,497.50
					1041	10,427100

M/s. EXCELLENT CONSTRUCTION

Merle Kermen gadar PARTNER

		The second secon		1 × 1	Total (D	75,498.0
	A Secretary of the Secretary	CARRIAGE OF MATERIALS				, , , , , , , , , , , , , , , , , , , ,
	(Rup	Type of materials	16831 K Si poi Pour I Si la 2 Affinia	61 (6 ) 28 81(6) 28 8 (4) (6 )	Rate Incl. 1% Lab. Cess	Darre Geer
		Cement	139.566	MT	282.295	Rs. Two hundred eighty two and paise twenty nine only.
/		Coarse Sand	188.457	cum	2183.216	Rs,. two thousand one hundred eighty three and paise twenty one only.
112		Local Sand	125.918	cum	178.568	Rs. One hundred seventy eight and pais fifty six only.
	19304	Stone Chips	176.279	cum	1720.616	Rs. one thousand seven hundred twenty and paise sixty one only.
	200	Brick	120.253	Thous.	531.018	Rs. Five hundred thirty one and paise zero two only.
	1994	Steel	18.050	MT	282.295	Rs. Two hundred eighty two and paise thirty only.
113		RA COST OF MATERIAL FOR COMM. W.R.T TO GAYA AS PER		Yesh	29,446300	it. Twenty six
	Bricks	with all received y mean page, started control page, 3.25° Full way valve, 1.25° Full way valve, 1.25° Full way.	120.253	Thous.	931.760	Rs. nine hundred thirty one and paise seventy six only
	Cement	Labbor	139.566	МТ	319.030	Rs. Three hundred nineteen and paise three only.
					Total	1002159.040
					Total (E)	1002159.000
hampeng sa			Grand 7	Total (A+)	B+C+D+E)	7671473.280
SL. No.	DISTRIC T	NAME OF INSTITU	TE	AND EX	7,12 97	Amount (Rs.)

Mrs. EXCELLENT CONSTRUCTION
Merli Houman yellow
PARTNER

1	Kishanganj	BLOCK RESOURCE CEN	ITRE		7	7671473.280
		D 70 to 30.5 %		st in 'Rs'		7671473.000
		es Seventy Six lacs Seventy One Thousan				
		ills of Sl. No. 76 (Construction of 125mm	1 x 40mm	x 90m Tı	ibe well) is g	given below
art '	A' - Cost of				I	Rs. Three hundred
1		125mm dia UPVC casing pipe confirming to ISS	27	Meter	315.00	fifteen only.
2		40mm dia UPVC pipe confirming to ISS	48	Meter	99.38	Rs. Ninety nine and paise thirty eight only
3		40mm dia PVC ribbed strainer of approved quality	8	Meter	<b>6 182.00</b>	eighty two only.
4		Reducing socket 125mm x 40mm	1 /	Each	<b>270.00</b>	Rs. Two hundred seventy only.
5	j	Supplying all labour and materials & fitting & fixing PVC cap over the new sink T/well	1	Each	140.00	Rs. One hundred fort
6	18.10.4	Providing and fixing of G.I pipes complete with G.I fittings and clamps, including, cutting and making good etc 32 mm dia (15% C.P & 1% L.Cess)	18	mtr	2 319.20	Rs. Three hundred neneteen and paise twenty only.
7	B.S.R 1928	32 mm nominal bore Bross Full valve (15% C.P & 1% L.Cess)	1	Each	<b>&lt;</b> 511.21	Rs. Five hundred eleven and paise twenty one only.
8	appropried	Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S c	1	Each	26,446.00	Rs. Twenty six thousand four hundre forty six only.
		Sub - Total "A"				47844.0
Part '	B' - Cost of					
		Boring by jet dheki by suitable cutter of reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as	A.	50a 20a 20a	And Compa	Aru (Sephrecat) Suant Introducetic la Artifica (Ad., Fan S
		(i) 0 to 30.5 m		47		
9		(a) For 125 mm dia U.PV.C pipe	27	mtr	208.77	Rs. Two hundred eight and paise seven seven only

Mrs. EXCELLENT CONSTRUCTION
Merle Kleman gardar
PARTNER

erritier territier en en en en en en en en en en

			7		C="A+B"	14,294.28 62,138.33
		complete as per direction of E/I				eighty and paise fifty only.
15		Supplying labour and developing the T/Well to have sand free discharge all	1	Each	280.50	Rs. Two hundred
14		Providing all labour & tools and lowering 32 mm dia G.I pipe as per specificatin etc. all Complete	24	mtr	21.34	Rs. Twenty one and paise thirty four only.
13	<u>DR 16.</u> 2012/0	a) For 40mm dia UPVC ribbed strainer of approved quality	8	mtr	148.79	Rs. One hundred fort eight and paise sevent nine only.
$\dashv$		(iv) 75.00 m to above				imic ony.
12		a) For 40mm dia UPVC pipe	14	mtr	148.79	Rs. One hundred for eight and paise seven nine only.
		(iii) 61.00 m to 75.00 m		3		J. J. J.
11		(a) For 40 mm dia UPVC pipe	30.5	mtr	136.88	Rs. One hundred thirty six and paise eighty eight only.
		(ii) 30.5 m to 61.0 m	4 1 1			
		(i) 0 to 30.5 m	3.5	mtr	119.03	Rs. One hundred nineteen and paise / three only.
10	1	(b) for 40 mm dia UPVC pipe	100			

Tender approved in favour of M/S Excellent Construction @ 10.00% (Ten Decimal Zero Zero Percent) below i.e. total amount comes to Rs. 69,04,326=00 (Rupees Sixty Nine Lacs Four Thousand Three Hundred Twenty Six Only)

Mrs. EXCELLENT CONSTRUCTION
Merli Kemar yadar
PARTNER

ttttlllllllllllllllllllll

## **Performance Security**

Name of Agency: - M/S Excellent Construction

"Performance Security of BRC Pothia, SL. NO- 18"

FDR No. 0720107000013907 0720107000011963

<u>DOI</u> 09.08.17 08.08.16 Amounts 1,00,000.00 2,47,000.00

Total- 3,47,000.00

(Rupees Three Lacs Forty Seven Thousands only)

MIS EXCELLENT CONSTRUCTION
MISSEXCELLENT CONSTRUCTION
MISSEXCELLENT CONSTRUCTION
PARTNER
PARTNER

लेखा पदाधिकारी विहार राज्य शैक्षणिक आधारभूत संरचना

विकास निगम लि०, पटना

Chief Consultant (Technical)

Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

240

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना-800004, दूरभाष-0612-2910314 कॉर्पोरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256,

पत्रांक:- BSEIDC/FIN/2950/2017-18/- 436 प्रेषक.

ब्रजेश प्रसाद

मुख्य परामर्शी (तकनीकी)

सेवा में

MS EXCELLENT CONSTRUCTION South Of Kosi Colony. Hirdayganj, Katihar

विषय:— बिहार राज्य अंतर्गत "Construction of Block Resource Centre at Pothia, Kishanganj (S.LNo-18) Of Nit No-31/2016-17) के कार्य हेतु जमानत की राशि जमा कर एकरारनामा करने के संबंध में।

महाशय.

उपर्युक्त विषय के संबंध में कहना है कि विषयांकित कार्य की निविदा हेतु आपके द्वारा निविदित दर जो परिमाण विपत्र के दर से 10.00% (दस दशमलव शून्य शून्य प्रतिशत) कम है तद्नुसार निविदा की कुल राशि रू० 69,04,326 / - (उन्हत्तर लाख चार हजार तीन सौ छब्बीस रूपये) मात्र आपके पक्ष में स्वीकृत की गयी है।

अतः निदेश दिया जाता है कि अग्रधन की राशि रू० 3,46,000 / -(तीन लाख **छियालीस हजार रूपये)** मात्र का सावधि पासबुक / राष्ट्रीय बचत प्रमाण पत्र के रूप में प्रबंध निदेशक, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०, पटना के नाम से प्रतिज्ञिप्त हो जमा कर अविलंब एकरारनामा कर लें।

(ब्रजेश प्रसाद)

मुख्य परामर्शी (तकनीकी)

ज्ञापांक : BSEIDC/FIN/2950/2017-18/- ५७६६

पटना, दिनांक 30-06-10 प्रतिलिपि : Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC website/Senior

Account Officer, BSEIDC, Patna for information & necessary action

मुख्य परामशीं (तकनीकी) पटना, दिनांक 30-06-10

ज्ञापांक : BSEIDC/FIN/2950/2017-18/-५ 366

प्रतिलिपि : संबंधित कार्यपालक अभियंता, BSEIDC को सूचनार्थ एवं आवश्यक कार्रवाई हेतु 22 6-2017

प्रेषित।

मुख्य परामशीं (तकनीकी)

ज्ञापांक : BSEIDC/FIN/2950/2017-18/- ५ ३६६

पटना, दिनांक 30-06-18

प्रतिलिपि : मुख्य अभियंता, BSEIDC को सूचनार्थ एवं आवश्यक कार्रवाई हेतु समर्पिता।

मुख्य परामर्शी (तकनीकी)

पटना, दिनांक 30-06-18

प्रतिलिपि : प्रबंध निदेशक महोदय, BSEIDC को सूचनार्थ समर्पित।

11.01:111.000

211111111111111111

SI. No.: 18

## SPECIAL CONDITIONS

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes royalties and other

incidental charges.

4. To qualify for award of work, the Bidder must possess the following :-

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of signatory bid.

b) DD for required value of B.O.Q. Cost. c) Sufficient Earnest Money Deposit.

d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.

e) Certificate from EE / Concerned Authority for Experience of Similar nature (Satisfactory completed at least one Building work of value not less than 25 % of estimated value of

contract) in last five years as mentioned in Technical bid.

f) Certificate from EE / Concerned Authority for Work Experience of Minimum Quantities of work done as prime contractor in any one year during last five years as mentioned in Technical bid.

g) Litigation History as mentioned in Technical bid. h) Valid Registration with Central/ State Govt. / PSU. i) Valid labour license as mentioned in Technical bid.

j) Affidavit/Certificate "for not been debarred and required attachments are true and correct and if found fake/ forged, the undersigned will be liable to be inflicted upon the FIR and lawful punishment as well as black listing".

5. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.

6. The tender without earnest money or insufficient earnest money submitted with the tender, will be outright rejected.

Conditional tenders shall be outright rejected.

8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.

9. Authority shall reserve the right to reject any or all the tenders or distribute the work to more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained.

11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules prevalent in the locality.

12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the contractor.

- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-

Ms. EXCELLENT CONSTRUCTION Merle Kernas yadar (Seal & Signature of Tendered ARTNER

Chief Consultant (Technical) Bihar StatePägechttözal infrastructure Development Corporation Ltd., Patna Kirare

SI. No.: 18

- b. Act of enemies.
- c. Transport and procurement difficulties.
- d. Circumstances beyond the control of the state.
- 15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- 16. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
- 17. The contractor shall make his own arrangement for water and light at the work site.
- 18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 20. The Tenderer must not quote their rate more than 10 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
- 21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 22. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.
- 23. The Defect liability Period shall be Three (3) Years from the date of completion of the work.
- 24. The Contractor shall rectify at his own cost in case the work is found to be defective during checking in liability period.
- 25. It will be the responsibility of the contractor to pay royalty of mines materials .The Contractor shall submit form "M" and "N" duly Filled as per "Bihar" Mines and Mineral Act 1972.
- 26. The Contractor shall Display a Signboard at work site about the work as on the format prescribed by Engineer- in- Charge.
- 27. The Contractor shall Furnish his programme of construction for execution of the work within the stipulated time schedule together with methodology of construction of each item or work and obtain the approval of the Engineer- in- Charge prior to actual commencement of work.

M/s. EXCELLENT CONSTRUCTION

Merle Kernar yerdar

(Seal & Signature of Tender RTNER

## बिहार राज्य शैक्षाणक आघारमूत सरचना विकास निगम लिमिटंड

(बिहार सरकार का एक उपक्रम)

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् कैम्पस, आचार्य शिवपुजन सहाय पथ, सैदपुर, पटना-800004 (दूरभाष:-0612-2910314)

पुनर्निविदा आमंत्रण सूचना संख्या-31 वर्ष 2016-17 प्रतिशत दर निविदा

## (केवल ई-टेन्डरिंग पद्धति के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

1. बिहार राज्य के अन्तर्गत विभिन्न भवनों का निर्माण कार्य हेतु प्रतिशत दर पुनर्निविदा आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार/सार्वजनिक क्षेत्रों में निबंधित हो, निवदा में भाग ले सकते हैं परन्तु इस निगम का रजिस्ट्रेशन, उक्त कार्य का लेटर ऑफ एक्सेपटेंस प्राप्त होने के बाद कराना होगा।

क्रम	कार्य का नाम	प्राक्कलित राशि (लाख रू० में)	अग्रधन का राशि (लाख रू० में)	परिमाण विपत्र का मूल्य(रू०में)	Beltron Bid Processing Fee (In Rs.)	कार्य समाप्ति की अवधि
1	BRC Baniyapur,Saran	85.2	1,70,400	10,000	5750	15 माह
2	BRC Marhowrah,Saran	85.2	1,70,400	10,000	5750	15 माह
3	BRC, Manigachhi, Darbhanga	85.2	1,70,400	10,000	5750	15 माह
4	BRC,Ghanshyampur,Darbhanga	85.2	1,70,400	10,000	5750	15 माह
5	BRC,Kiratpur,Darbhanga	85.2	1,70,400	10,000	5750	15 माह
6	BRC, Hanumannagar, Darbhanga	85.2	1,70,400	10,000	5750	15 माह
7	BRC, Lakhnaur, Madhubani	85.2	1,70,400	10,000	5750	15 माह
8	BRC,Bisfi,Madhubani	85.2	1,70,400	10,000	5750	15 माह
9	BRC,Rahika,Madhubani	85.2	1,70,400	10,000	5750	15 माह
10	BRC Samastipur	85.2	1,70,400	10,000	5750	15 माह
11	BRC Bankatwa, E. Champaran	85.2	1,70,400	10,000	5750	15 माह
12	BRC Bairia, W. Champaran	85.2	1,70,400	10,000	5750	15 माह
13	BRC Chakki,Buxar	85.2	1,70,400	10,000	5750	15 माह
14	BRC Buxar	85.2	1,70,400	10,000	5750	15 माह
15	BRC, Jokihat, Araria	85.2	1,70,400	10,000	5750	15 माह
16	BRC,Kursakata,Araria	85.2	1,70,400	10,000	5750	15 माह
17	BRC, Thakurganj, Kishanganj	85.2	1,70,400	10,000	5750	15 माह
18	BRC, Pothia, Kishanganj	85.2	1,70,400	10,000	5750	15 माह
19	BRC Barhat, Jamui	85.2	1,70,400	10,000	5750	15 मार
20	BRC Naugachhia,Bhagalpur	85.2	1,70,400	10,000	5750	15 मार
	BRC, Merajgang, Sitamarhi	85.2	1,70,400	10,000	5750	15 416
21		85.2	1,70,400		5750	15 m
22	BRC, Warisaliganj, Nawada	A STATE OF THE PARTY OF THE PAR	THE REAL PROPERTY OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED		5750	15 मार
23	BRC, Narhat, Nawada	85.2	1,70,400			
24	BRC Gaighat, Muzaffarpur	85.2	1,70,400	10,000	5750	15 Hi

नोटः (i) निविदाकार एक या अधिक कार्य के लिए अलग-अलग निविदा डाल सकते हैं।

(ii) प्राक्कलित राशि घट या बढ़ सकती है एवं तद्नुसार अग्रधन की राशि घट या बढ़ सकती है।

(iii) वेबसाईट-www.eproc.bihar.gov.in पर अंकित प्राक्कलित राशि, अग्रधन की राशि एवं परिमाण विपन्न की राशि अंतिम रुप से मान्य होगा।

विज्ञापन निर्गत करने की तिथि

परिमाण विपन्न प्राप्त करने(डाउनलोड) की अवधि एवं समय :- दिनांक- 14.11.2016 से 27.11.2016, 15:00 घंटा

(4) प्री बिड मीटिंग का समय, स्थान एंव तिथि

(5) निविदा प्राप्ति(अपलोड) की अंतिम तिथि एवं समय:-

अग्रधन जमा करने की अंतिम तिथि एवं समय टेक्निकल बिड खोलने की तिथि एवं समय

(8) वित्तीय बिड खोलने की तिथि एवं समय

दिनांक:-26.10.2016

(वेबसाईट www.eproc.bihar.gov.in पर)

दिनांक:- 17.11.2016, 16:00 घंटा प्रबंध निदेशक का कार्यालय,बिहार राज्य शैक्षणिक आधारमृत संरचना विकास निगम, पटना।

दिनांक- 28.11.2016, समय- 15:00 घंटा

दिनांक- 30.11.2016, समय- 15:00 घंटा

दिनांक- 30.11.2016, समय- 16:30 घंटा

(वेबसाईट-www.eproc.bihar.gov.inपर) दिनांक- 07.12.2016. समय- 15:30 घंटा

Chief Consultant (Technical)

MIS. EXCELLENT CONSTRUCTION Merle Krema ? yester PARTNER

Bihar State Educational Infrastructure Development Corporation, Ltd., Patna deleves 212.

(9) निविदा खोलने का स्थान

वेबसाईट-www.eproc.bihar.gov.inपर

120 दिन

(11) ई-टेन्डरिंग की प्रकिया में भाग लेने हेतु संवेदकों को पंजीकृत होना होगा, जिससे कि उन्हें उपयोगकर्ता का नाम (user ID) पासवर्ड (Password) अंकीय हस्ताक्षर (Digital Signature) निर्गत की जायेगी। यह उन्हें वेबसाईट www.eproc.bihar.gov.in से डाउनलोड करने / टेन्डर की प्रक्रिया में भाग लेने की योग्यता प्रदान करेगा।

(12) ई-निविदा पत्र बेवसाईट www.eproc.bihar.gov.in से प्राप्त किया जा सकता है। संवेदक द्वारा सिर्फ उपर्युक्त वेबसाईट से ही परिमाण विपत्र प्राप्त करने के उपरांत वेबसाईट पर ही इलेक्ट्रानिक निविदा पत्र को भरकर भेजना है। अन्य सभी महत्वपूर्ण कागजात / बैंक ड्राफ्ट / अग्रधन की राशि / सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को स्कैन कर ई-निविदा के साथ संलग्न करना अनिवार्य है।

(13) परिमाण विपन्न के दर से कम दर उद्धृत करने पर बीड डाक्यूमेंट की शर्तों एवं सरकारी निर्णयानुसार अतिरिक्त Performance

(14) (क) प्रत्येक परिमाण विपन्न का मूल्य जो प्रत्येक निविदा के सामने उपर किण्डका (1) में अंकित है (जो लौटाया नहीं जाएगा) किसी भी राष्ट्रीयकृत बैंक द्वारा निर्गत एवं BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. के नाम से एवं पटना में भुगतेय हो. स्वीकार किया जायेगा। मूल बैंक ड्राफ्ट "बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड" पटना के कार्यालय में दिनांक 30.11.2016 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना है। ऐसा नहीं करने पर निविदा मान्य नहीं होगा।

(ख) Beltron Bid Processing Fee is mandatory to be paid through online mode i.e. Internet payment gateway, (Credit/Debit

Bids along with necessary online payments must be submitted through e-procurement portal www.eproc.bihar.gov.in before the card), Net Banking, NEFT/RTGS" date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffic/ Holidays

(ग) वांछित अग्रधन की राशि राष्ट्रीय बचत पत्र/डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक जो बिहार राज्य से क्रय या or any other reason. जमा किया हो, प्रबंध निदेशक, BSEIDC Ltd., पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा बिहार वित्त नियमावली के अनुसार BSEIDC Ltd. के नाम से फिक्सड डिपोजिट रिसिप्ट अथवा बैंक गारन्टी जो बिंड के मान्य अविध तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत/अनुसूचित बैंक से निर्गत हो (अगर बिहार प्रान्त के बाहर के बैंक से निर्गत बैंक गारन्टी दिया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड, पटना में 30.11.2016 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रूप से जमा किया जाना आवश्यक है। ऐसा नहीं करने पर निविदा मान्य नहीं होगा।

(15) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर लें। ताकि अंतिम समय में

(16) निविदाकार निविदा डालने से पहले अपने स्तर से भी प्रस्तावित कार्य स्थल पर भूमि उपलब्धता के संबंध में आश्वस्त हो लेगे। होनेवाले किसी प्रकार के व्यवधान से बच सकें।

(17) Even though the bidders meet the qualifying criteria, they are subject to be disqualified if they have record of poor performance such as abandoning the works, not properly completing the contract, inordinate delays in completion, litigation history, or financial failure in the work of this Corporation.

(18) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। बिना

कारण बतायें निविदा या उसके अंश को अस्वीकृत करने / रदद करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।

(19) विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्य अविध में सम्पर्क किया जा सकता है। ई-टेन्डरिंग की प्रकिया से संबंधित किसी भी प्रकार की जानकारी/सूचना हेतु सहायता कक्ष, ई-टेन्डरिंग कक्ष, प्रथत तल्ला, M/22, बैंक ऑफ इण्डिया भवन, रोड नं० 25, श्री कृष्णा नगर, पटना-800001, दूरभाष सं० सं० 0612-2523006/7542028164. 26-10-2016

M/s. EXCELLENT CONSTRUCTIO.

Murle Kumer yaday

ब्रजेश प्रसाद मुख्य पंरामर्शी(तकनीकी)