

( A Govt. of Bihar Undertaking ) ISO 9001:14001;OHSAS 18001

Shiksha Bhawan, Bihar Rashtrabhasa, Parishad Campus, Acharya Shivpujan Sahay Path, Saidpur, Patna-800004 Tel. No : 0612 - 2660850 \*Fax No : 0612 - 2660256

E-mail: bseidc@gmail.com \* Website: http://www.bseidc.in \* CIN: U80301BR2010SGC015859

## दर आमंत्रण हेतु अल्पकालीन कोटेशन आमंत्रण सूचना संख्या—15 वर्ष—2020—21

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि० पटना के निबंधित संवेदकों / ख्याति प्राप्त फर्मों / कंपनियों से दिनांक:— 22.09.2020 के अपराहन 03:00 बजे तक राज्य के विभिन्न जिलान्तर्गत विभिन्न निर्माण कार्यों में प्रयोग हेतु PHE से संबंधित कार्यों हेतु गैर अनुसूचित मदों की आपूर्ति एवं अधिष्ठापन के लिए निम्नांकित मदों हेतु मुहरबंद कोटेशन अधीक्षण अभियंता, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०, पटना के कार्यालय में प्राप्त किया जाएगा एवं उसी दिन अपराहन 03:30 बजे कोटेशनदाताओं या उनके अधिकृत प्रतिनिधियों के समक्ष खोला जाएगा।

| Sl.<br>No. | Description of items  | Qty | Unit | Rate<br>In Digits | Rate<br>In Words |
|------------|---|-----|------|-------------------|------------------|
| 1          | Supplying, installation, testing & commissionong of suitable capacity of and type of submersible pump set (1HP) cabable of clean filtered water from a deep tubewell at oa total head of 30 meter complete with control panel, gate valve, 60 mtr. of neoprane cable etc.(Crompton/KSB make) all complete job as per direction of E/I.  | 1   | Each |                   |                  |
| 2          | Supplying, installation, testing & commissionong of suitable capacity of and type of submersible pump set (3HP) cabable of clean filtered water from a deep tubewell at oa total head of 30 meter complete with control panel, gate valve, 60 mtr. of neoprane cable etc. (Crompton/KSB make) all complete job as per direction of E/I. | 1   | Each |                   |                  |
| 3          | Supplying, installation, testing & commissionong of suitable capacity of and type of submersible pump set (5HP) cabable of clean filtered water from a deep tubewell at oa total head of 30 meter complete with control panel, gate valve, 60 mtr. of neoprane cable etc. (Crompton/KSB make) all complete job as per direction of E/I. | 1   | Each |                   |                  |
| 4          | Providing, fitting & fixing of 25 mm CPVC full Way valve all complete job as per direction of E/l.  | 1   | Each |                   |                  |
| 5          | Providing, fitting & fixing of 32 mm CPVC valve all complete job as per direction of E/I.   | 1   | Each |                   |                  |
| 6          | Providing, fitting & fixing of 40 mm CPVC valve all complete job as per direction of  | 1   | Each |                   |                  |



| 7  | valve all complete job as per direction of E/I.  | 1 | Each |   |         |
|----|--|---|------|---|---------|
| 8  | Providing, fitting & fixing of 65 mm CPVC valve all complete job as per direction of E/I.  | 1 | Each |   |         |
| 9  | Providing, fitting & fixing of 80 mm CPVC valve all complete job as per direction of E/I.  | 1 | Each |   |         |
| 10 | Providing, fitting & fixing of 100 mm CPVC valve all complete job as per direction of E/I.   | 1 | Each |   |         |
| 11 | Providing, fitting & fixing of 25 mm CPVC Union all complete job as per direction of E/I.  | 1 | Each |   |         |
| 12 | Providing, fitting & fixing of 32 mm CPVC Union all complete job as per direction of E/I.  | 1 | Each |   |         |
| 13 | Providing, fitting & fixing of 40 mm CPVC Union all complete job as per direction of E/I.  | 1 | Each |   |         |
| 14 | Providing, fitting & fixing of 50 mm CPVC Union all complete job as per direction of E/I.  | 1 | Each |   | , job   |
| 15 | Providing, fitting & fixing of 65 mm CPVC Union all complete job as per direction of E/I.  | 1 | Each |   |         |
| 16 | Providing, fitting & fixing of 80 mm CPVC Union all complete job as per direction of E/I.  | 1 | Each |   |         |
| 17 | Providing, fitting & fixing of 100 mm CPVC Union all complete job as per direction of E/l.   | 1 | Each |   |         |
| 18 | Providing, fitting & fixing of 50 mm CPVC Non Return Valve all complete job as per direction of E/l.   | 1 | Each |   | <br>14- |
| 19 | Providing, fitting & fixing of 110 mm UPVC Cowl all complete job as per direction of E/I.  | 1 | Each | * |         |
| 20 | Providing, fitting & fixing of PVC 110 mm SWR P-<br>Trap Valve all complete job as per direction of<br>E/l.  | 1 | Each |   |         |
| 21 | Providing, fitting & fixing of PVC 75 mm SWR P-<br>Trap Valve all complete job as per direction of<br>E/l.   | 1 | Each |   |         |
| 22 | Providing, fitting & fixing of PVC Floor Trap 110X110 mm dia all complete job as per direction of E/I.   | 1 | Each |   |         |
| 23 | Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) of Make- Jaquar/ Cera/ Kohler/Marc with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS: 7231, with all fittings and fixtures all complete job as per direction of E/I. | 1 | Each |   |         |



|    | (Indian<br>Cera/ I<br>P or S t<br>includi<br>andlev<br>flush p<br>(handl<br>fitting | ing and fixing water closet squatting pan a type W.C.pan ) of Make- Make- Jaquar/ Kohler/Marc with 100 mm sand cast Iron trap, 10 litre low fixtures complete, ing cutting and making good the walls well white P.V.C. flushing cistern, including one, with manually controlled device le lever) conforming to IS: 7231, with all is and floors wherever required: Vitreous china Orissa pattern W.C. pan of 80x440 mm with integral type foot rests | 1   | Each |      |     |   |    |
|----|---|---|-----|------|------|-----|---|----|
| .5 | flxible   | lying, storing, handling, shifting, lation, testing and commissioning of CP e hose, spray, wall flange of Make-Jaquar//Kohler/Marc with all fittings and fixtures implete job as per direction of E/I.  | 1   | Eac  | h    |     |   |    |
| 26 | Provi   | iding, fitting & fixing of CP Bib Cock two in Make- Jaquar/ Cera/ Kohler/Marc all plete job as per direction of E/I.  | 1   | Ea   | ch   |     |   | 43 |
| 27 | Prov<br>base<br>Mak<br>390<br>wate<br>wate  | riding and fixing white vitreous china battery of infrared sensor operated urinal of Make e-Jaquar/ Cera/ Kohler/Marc of size 610 x x 370 mm having pre & post flushing with er (250 ml & 500 ml consumption), having er inlet from back side, including fixing to l with suitable brackets all complete job as direction of E/l.   | 1   | Ea   | nch  | 111 | , |    |
| 28 | Pro<br>B Dol<br>of E  | viding and fixing Hand dryer of Make phy/Alpine all complete job as per direction E/L.  | 1   | Е    | ach  |     |   |    |
| 2' | bas<br>Bothei<br>26<br>mr   | oviding and fixing CP Bottle Trap for Wash sin and sink. ttle trap 31 mm single piece moulded with ight of 270 mm, effective length of tail pipe 0 mm from the centre of the waste coupling 77 m breadth with 25 mm minimum water seal, eighing not less than 260 gms all complete job per direction of E/l.  | 1   | 1 I  | Each |     |   |    |
|    | 30 bi   | roviding and fixing CP liquid soap container 09 mm wide, 125 mm high and 112 mm istance from wall of standard shape with racket of the same materials with snap fittings f approved quality and colour weighing not less nan 105 gms all complete job as per direction of /l.   | S f | 1    | Each |     |   |    |
|    | 31 s n c c c c a  | Providing & fixing CP towel ring trapezoidal hape/rod of 215 mm long 200 mm wide with ninimum distance of 37 mm from wall face with concealed fittings arrangement of approved quality and colour weighing not less than 88 gm all complete job as per direction of E/I.  | ns  | 1    | Each |     |   |    |
|    | 32  | Providing and fixing S.S soap Dish Holder havin<br>length of 138mm,breadth 102mm, height of<br>75mm with concealed fitting<br>arrangements,weighing not less than 106 gms   | g   | 1    | Each |     |   |    |

74 Dogwan

| 33  | Providing and fixing S.S grating of approved quality and colour.  Circular type 125 mm nominal dia.  | 1 | Each |                                       |
|-----|--|---|------|---------------------------------------|
| .34 | Providing fixing testing and commissioning of cp brass shower mixer with provision of over head shower with 115 mm long bend pipe in built spout, spout/shower selector with wall flange complete with all accessories as requried and making good the walls wherever required Make-Hindware/ parryware/cera/jaquar as per direction of E/I.   | 1 | Each |                                       |
| 35  | Providing fixing testing and commissioning of cp brass 115 mm long shower ARM with wall flange and pressure adjustable Shower Rose complete with wall accessories as requried and making good the walls whereever required Make- Hindware/parryware/cera/jaquar as per direction of E/I.   | 1 | Each | · · · · · · · · · · · · · · · · · · · |
| 36  | Supplying, Storing, handling, shifting, installation, testing and commissioning of CP flxible hose, spary wall flange etc. complete Make-Hindware/ parryware/cera/jaquar as per direction of E/I.  | 1 | Each |                                       |
| 37  | Providing and fixing straight type macfit single body push fit type WC pan connector with factory supplied spring loaded seal guard of Mcalpine,UK with intergral single mould sealing fins made of flexble EVA body,including bush/adoptor for use with C.I Pipe as supplied with the pan connector.  | 1 | Each |                                       |
| 38  | Providing Fixing Saith finish Stainless steel AiSI 316 grade wall mounted coat hook on door complete Make- Hindware/ parryware/cera/jaquar as per direction of E/I.  | 1 | Each |                                       |
| 39  | Providing Fixing hand Shower (Health Fauct) (ABS Body) with 1mtr long Easy Flex Tube in Chrome Finish and wall hook. Make- Hindware/ parryware/cera/jaquar as per direction of E/I.  | 1 | Each |                                       |
| 4(  | Fixing of Storage type water heater/ Geyser with required accessories like 15 mm CP angle valve on inlet, heavy duty reinforced flexible PVC connector for cold water line and flexible CP brass connector with CP checkout for hot water line, CPVC line connection, MS bracket with two coats of enamel paint, anchor fastners etc to hang the units, providing and fixing of 16 A 3 Pin plug of, etc complete as required. Make-Hindware/ parryware/cera/jaquar as per direction of E/I. Capacity 15 Liters | 1 | Each |                                       |

74 Daywar

| 41  | Fixing of Storage type water heater/ Geyser with required accessories like 15 mm CP angle valve on inlet, heavy duty reinforced flexible PVC connector for cold water line and flexible CP brass connector with CP checkout for hot water line, CPVC line connection, MS bracket with two coats of enamel paint, anchor fastners etc to hang the units, providing and fixing of 16 A 3 Pin plug of, etc complete as required. Make-Hindware/ parryware/cera/jaquar as per direction of E/I. Capacity 25 Liters | 1 | Each | Nove 1 | CHI 1-1/1<br>-ORATION (TO |
|-----|--|---|------|--------|---------------------------|
| 42  | Providing & Fixing water purifier cum water cooler made of stainless steel having storage capacity of 40 liter & cooling capacity 40 liter / hour with Reverse osmosis system & ultra voilet membrane TDS reduction 90% having automatic back wash system with filteration unit & all other required accessories complete in all respect as per direction of the engineer in charge  | 1 | Each | QE-1,1 |                           |
| 43  | Supplying and fixing Water Purifier with R.O & U.V: Water Purifier of 15 Ltr. with with R.O & U.V Technology heavy duty all complete job as per direction of El. (Make-Aquagaurd/Eureka Forbes /Kent)  | 1 | Each |        |                           |
| 444 | Supplying 100mm dia. Submersible pump sets confirming to IS 8034 and motor cvonfirming to IS 9283. Pump shall be suitable for various delivery head and discharge with stainless steel pump shaft ant polypropylene/ norylimpeller. Motor suitable for working on 415 V+10%, 3PH, 50 HZ, AC supply with cable guard, thurst carbon/ fibre bearing to withstand entire hydraulic thrust, water proof winding shall  | 1 | Each |        |                           |

विशेष शर्ते-

यह कोटेशन सिर्फ दर निर्धारण हेतु आमंत्रित किया गया है।

कोटेशनदाताओं को अपना दर (सभी करों, GST एवं ढुलाई व्यय के साथ) अंक एवं अक्षरों में उद्धृत करना होगा।

विशेष सूचना के लिए सूचनापट्ट या वेबसाइट <u>www.prdbihar.gov.in</u> एवं <u>www.bseidc.in</u> देखें अथवा अधोहस्ताक्षरी के कार्यालय में कार्याविध में संपर्क किया जा सकता है।

अधीक्षण अभियंता

BSEIDC, पटना। Johna,