Name of Work-Construction of Schedule XLV-Form No. 61 Resource Cenhe at Obpa, Glock Resource Cenhe at Obpa, Amangabad. (SL No. - 131)

BIHAR PUBLIC WORKS DEPARTMENT

Agency - [Form No. F-2] Digital Construction ITEM RATE TENDER AND CONTRACT FOR WORKS

-02 F2 of 2017-18. Agreement No. General Rule and Direction for the guidance of Contractors.

Date of Commencement - 03-04-2017

1. All works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer.

This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours.

2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so.

3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm.

4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender.

5. The amount of earnest money to be deposited will be : -If the amount of the estimate does not exceed Rs. 2,000 If the amount of the estimate exceeds Rs. 2,000 but does not exceed Rs. 5,000 If the amount of the estimate exceeds Rs. 5,000 but does not exceed Rs. 10,000 For each additional Rs. 5,000 or portion of Rs. 5:000 additional earnest money

6. Any Person who submits a tender shall fill up the usual printed form stating there at what tate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other contains any sort, or omit to note the time within which the work can be finished, or which are not accompanied by the treasury challan for the required earnest money will be liable to rejection. No single tender shall include more than one work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the envelop. Cash deposits for earnests money here in before mentioned shall be made in Government Treasuries and the challan there of should be enclosed with the tender.

tests on zur la

1 Ltd.

igabad

memorandum at id in accodance in ubjects to the accordance with,

e Commencement of

EEN MONTHS

7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.

8. The Engineer shall have the right of rejecting all or any of the tenders.

9. In the event of a tender being selected for acceptance the Engineer who opened the tenders will, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the priscribed time. The tender with the specification and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to the tenderer.

10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.

11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

mone of the security of the security mone of the security of the security mone of the security of the secu

2 (3)

TENDER FOR WORKS

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

MEMORANDUM

(a) If several sub-work are cluded they should be detained in a separate list.	[a]	
a sopulate list.		

(b) This deposit will be 5% the estimated cost of the Work.

(c) This percentage [d] eduction from bills will be ecurity deposit.

credited to the contractors

Item No.

[e] [f]

[g]

Item of work

[b]

[c]

Total number of item of work tendered for [h]

Name of work

Estimated cost

Earnest money Initial security deposits (including earnest money) to be deposited befor the commencement of the work

Percentage to be deducted from bills Rs. 5% (Rupees five percent)

Time required for the work from date of written order to commence monthly

RATE TENDERED

In words

In figures

Date of written other to commence

Ltd.

igabad

memorandum at id in accodance in ubjects to the accordance with,

e Commencement of

EEN MONTHS

Per

FOR DIGITAL CONSTRUCTION PVT. LTD.

MANAGING DIRECTOR

Chief Engineer S.E.I.D.C. Ltd, Patna

(4)

em Ne	Item of work		ENDERED	Per	
em No.	Item of work	In figures	In words	rei	
nothput nub	De earle regaçõe releva nedera foie	nie al strakteriorez	927020000		
neo su eta arris		mile of negetatorship			
us disk pro-		eli obazaidač bos t va ničbabivom em			
		in incidence in inf			
		er Chambelle	Halfried States	Now-dua hilesaa	
		200 belien	da3 min		
			1		
		en venoch das	dia cial in	the bull of	
and the same				Santager 1978	
	It so uttyers in leven a presular	Valley of the Samuel of the Sa	dell'in in		
		10.39 (\$1,000) (140)	No.		
. (inex oc)	ed from oils Rs. 5% (Rupses five	nutrate for the deduction	19		
				1	
150 185			13		
liffy parky					
		2121.9 24 HE COMPLAY 42.1			
4.					
	e ich sa telanat ahov	V 10 FEB BARGETHIA			
	FAR PERMITTER DES		*		
898					
		and the second	1.7 × 1.7 (a) (b)		
1000					
Y			- 100		
14/2 /	6. /				
18 N				,	
	A THE STATE OF THE		• • • •		
anis L	Chaffering Chaffer		OUT TYN HOLY MAT	THE PROPERTY CONT.	
	A SHOP LAND			The state of the	

4 chedule XLV - Form No. 61 (7) Item No. RATE TENDERED on Ltd. Item of work In figures Per In words angabad ten memorandum at and in accodance in d Subjects to the in accordance with, re the Commencement of IFTEEN MONTHS Chief Enginee HANAGING DIRECTOR

should this tender be accepted I/we hereby agree to abide by and fulfill all the terms and provisions of the said conditions of contract annexed hereto so, for as applicable, or in ssors in office the sums of money mentioned in the said conditions.

Dated the

*Signature, of contractor before comission of tender

witness:

Address Occupation

Signature of witness to contractor's signature

The above tender is hereby accepted by me on behalf of the Governor of Bihar 20 day of Dated the

signature of the officer accepting the tender

Acceptances communicated on 03-10-2016.

signature of the party taking the tender

CONDITIONS OF CONTRACT

Compensation

Clause 1:- All compensation or other sums of payable by the contractor to Government under the terms of his contract may be deducted from, paid by the sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor by Government on any account whatsoever and in the event of his security deposit being reduced by reason of any such deduction or sale as aforesaid, the contractor shall within ten days there after make good in cash or Government securities endorsed as aforesaid any sum or sums which may have been deducted from, of arised by, sale of his security deposit of any part thereof.

The work should not be the Executive Engineer shall certify as the date on which defects as pointed by the Executive En- gineer or his contractor to the Engineer's satisfaction.

Clause 2 :- The time allowed for carrying out the work as entered in the tende considered untill such date as shall be strictly observed by the contractor and shall be reckoned from the date on which the wirtten order to comence work is given to the contractor. The work shape the work is finished after throughout the stipulated period of the contract be carried on with all due diligence necessary rectification of (time being deemed to be the essence of the contract on the part of the contract or) and the contractor shall pay as compensation an amount equal to 1/2 percent authorised agents are fully on the amount of the estimated cost of the whole work as shown by the tender for every day that the work remains uncommenced or unfinished after the proper date. And further to ensure good progress during the execution of the work the contractor shall be bound in all cases in which the time allowed for any work exceeds one month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before onehalf of such time elapsed and three-fourths of the work; before three fourths of such time has elapsed in the event of the contractor failing to employ with this condition, I shall be liable to pay as compensation an amount equal to ½ percent on the sail estimated cost of the whole work for every day that the due quantity of work remains incomplete provided always that the entire amount of compensation to but paid under the provisions the clause shall not exceed 10 percent of the estimated cost of the work as shown in the tender.

Action when persnle security deposit foreited

Clause 3:- In any case which under any clause or clauses of or this contract the contractor shall have rendered himself laible to pay compensation amounting to the whole of his security deposit in the hands of Government (where paid in one sum or deducted by instalments) the Executive Engineer on behalf on the Bihar Government shall have been powered to adopt any of the following courses, as h may deem best suited to the enterest of Government -

(a) To rescind the contract (of which rescind notice in writing to be For DIGITAL CONSTRUCTION Productive hand of the Executive Engineer shall be construction to the Executive Engineer shall be constructed by the construction of the Executive Engineer shall be constructed by the construction of the Executive Engineer shall be constructed by the construction of the Executive Engineer shall be constructed by the construction of the Executive Engineer shall be constructed by the construction of the Executive Engineer shall be constructed by the construction of the Executive Engineer shall be constructed by the construction of the Executive Engineer shall be constructed by the construction of the Executive Engineer shall be constructed by the construction of the Executive Engineer shall be constructed by the construction of the Executive Engineer shall be constructed by the construction of the Executive Engineer shall be constructed by the construction of the Executive Engineer shall be constructed by the construction of the Executive Engineer shall be constructed by the construction of the Executive Engineer shall be constructed by the construction of the Executive Engineer shall be constructed by the construction of the Executive Engineer shall be constructed by the construction of the Executive Engineer shall be constructed by the construction of the Executive Engineer shall be constructed by the construction of the Executive Engineer shall be constructed by the construction of the Executive Engineer shall be constructed by the construction of the Executive Engineer shall be constructed by the construction of the Executive Engineer shall be constructed by the Execut which case the sectitiry deposit of the contractor shall start torrespond by यामेर नामक। भिर्म absolutely at the disposal of Government.

MANAGING DIRECTOR

> (9)

(b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debitting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in -charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.

(c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original contractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4: - In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may. if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Engineer as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

Clause 5:- If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (the shall apply in writing to the Executive Engineer within 40 days from the date of starting of the hinderance on account of which be desires such extension as aforesaid and the Eventive Engineer shall, if in his opinion (which shall be final) reasonable ground be shall thereof authorised such extension of time, if any, as may in his opinion be necessary the formal the Executive Engineer shall at the same time inform the contractor whether he processors the data.

laims compensation for the delay.

314 DERIG DITIONAL 314

n Ltd.

ngabad

n memorandum at and in accodance in Subjects to the accordance with,

contractor remains liable to pay compensation if action not take under cause 2.

Power to take posession of or require removal of

or sell contractor plant

the Commencement of

FTEEN MONTHS

Extension of time

Skehouly 03/04/4 Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion, but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinctly marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-work, doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurements shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus materials and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid, except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Stores supplied

Government

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible, before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-in-charge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts or in any other way vary or affect the contract.

•Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Clause 9:- If the specification or estimate of the work provides for the use of any special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-incharge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums then due or there after to become due to the contractor under the contract or otherwise, or against ar form the security deposit, or the proceed of sale thereof, if the same is held in Governmentsecurity

For DIGITAL CONSTANCE ION SUfficient portion thereof in this case sold for the purpose of the supplied to the contractor shall remain the absolute property of Government and shall not on any accounts he removed from this site of the work and shall at all times be open to

MANAGING DIRECTOR

3/4 PIO SUIDANA

inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: - The contractor shall executive the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid.

Clause 11:- Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the Time in consequence of determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a disputes the decision of the superintending Engineer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period.

Clause 12:- If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out. the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsoe account of any profit or advantage, which he might have derived from the execution of the work in full, but which he did not derive in consequence of the full amount of the work ation in or restriction of not having been carried out neither shall he have any claim for compensation by reason to be carried out. of any alternation having been made in the original specification, drawing designs and, Patna instruction which shall involve any installment of the work as originally contemplated clause 18 (a) As contained in G O 1929 dated 11.9.56.

MANAGRIGHIRECTOR

n Ltd.

ngabad

Work to be executed accordance with specification drawing other etc.

n memorandum at and in accodance in Subjects to the n accordance with,

Alteration in specifications and designation

the Commencement of

TEEN MONTHS

Rate for work no in estimate or schedule of rates of the district.

Compensation for alter-

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such failure is due to:-

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as finally by the contractor.

Action and compensation payable in case of work.

Clause 13: - If it shall appear to the Engineer-in-charge or his subordinate incharge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall on demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-incharge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and expense in all respects of the contractcor.

Work to be taken to inspection

Clause 14:-All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineer-in-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be present.

Clause 15:- The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which the same was effected.

Notice to be taken before work covered up

Clause 16:- If the contractor or his work-people, or servants shall break, deface injure or destroy any part of a building in which they may be working or any building, road, road curves, fence enclosure water pipes, cables, drains, electric or telephone posts or wires, trees, grass or grassland or cultivated ground continues in which the contraction of the contraction of

For DIGITAL CONSTRUCTION PARTITION of it is being executed or if any damage that have no the work, while in progress from any cause whatsoever or any imperfection become work, while in progress from any cause whatsoever or any imperfection become work of the months (six months in the case of a road-work) after a manufacture final or other of its completion shall have been given by the Engineer-in-charge

(13)

as a fore seal, the contractor shall make the same good at his own expense, or in default, the Engineer-in-charge may cause the same to be made be good by other Contractor liable for worksmen and deduct the expense of which time thereafter may become due to the contractor, or from his security deposit, or the proceed of sale there of, or of a sufficient and after certificate portion there of the security deposit at the contractor shall not be refunded before the expiry of three months (six months in the case of a road-work) after the issue of the certificate final or otherwise of completion of work provided that in the case of a road work f in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable after three months of the issue of the said certificate of completion

Clause 17:- The contractor shall supply at his own cost all materials (except such special materials) if any as may in accordance with the contract be supplied from the Engineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, ackle scaffolding and temporary works requisits or proper for the proper execution of the work whether original, altered or substituted and whether include in the specification or other documents forming part of the contract or referred to in these conditions or not or which may be necessary for purpose of satisfying or complying with the requirement of the Engineer-in-charge as to any matter as to which under these conditions he is entitled to be satisfied which he is entitled to require together with carriage therefore to and form the work. The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting, weighing and assisting in the measurement or examination at any time and form time to time of the work or materials failing his so doing the same may be Provided by the Engineer-in-charge at the expense of the contractor and the expenses may be deducted from any money due to the contractor under the contract from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide all necessary fencing and lights required to protect the public from accident, and shall be bound to bear to expenses of defence of every suit action or other proceeding at law that may be brought by any person for injury sustained owing to neglect of the above of light fencing etc. precautions and to any such person or which may with the consent of the contractor be paid to compromise any claim by any such person.

Clause 18:- No female labour shall be employed within the limits of contonment. The contractor shall not employ for the purpose of his contract any person who is below the age of twelve years and shall pay to each labour for the work done by such labourer wages not less than the wages paid for similar work in the neighbourhood.

The executive Engineer shall have the right to enquire into the case and decide any complaint alleging that the wages paid by the contractor to any labourer for the work done by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer employed by contractor is below the age of twelve years and to refuse to allow any labourer whom he decided to be below the age of twelve years to be employed by the

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his contract, or attempt so to do, or become insolvent proceedings to make any composition with his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward or advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, or offered by the contractor, or any of his servant or agents to any public officer or person in the employ of Government in any way relating to his officer or employment or frany such officer or person shall become in any way directly or indirectly interested in contract the Executive Engineer may there upon by notice in writing rescind the contract The security deposit of the contractor shall there upon stand forfeited and be absoluted at the disposal of Government and the same consequence shall ensure as if the contraction had been recinded under clause 3 here of, in addition the contractor shall not be paid to any work therefore actually performed the under the contract.

The security deposit of the contractor shall ensure as if the contractor had not been recinded under clause 3 here of, in addition the contractor shall not be paid to any work therefore actually performed the under the contract.

damage done and for imperfection a months

angabad

on Ltd.

en memorandum at and in accodance in I Subjects to the Contractor to supply to in accordance with, plantladder scaffolding

And is liable for damage arising for non-provision

the Commencement of

FTEEN MONTHS

Work not to be subject

Contract may be resinded and security deposit forfelted for subletting bribes or if contractor become

such payable by way of compensation to be considered reasonable compensation without reference to actual loss Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained.

Clause 21:- In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this information.

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal of Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer Clause 22: All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23:- In case any dispute or difference shall arise between the parties or either of there upon any question relating to the meaning of the specifications, designs, drawings and instructions here before mentioned or as to the quality of workmanship or materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, or any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions or otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof or as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

(a) Clause 24:- When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items or work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-incharge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineer-in-charge shall be final and conclusive against the contractor with regard to any sumpayable to him under the provision of this clause.

Action where specificaiton.

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Definition of works

Clause 26:- The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to such construction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered substituted or additional.

f Engineer) C. Ltd. Paina

Witness.

MANAGING DIBECTOR

hedule XLV - Form No. 61

(15)

Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied

Particulars	will be o	hich the mater charged to the ontractor	rial	Place of delivery
	Unit	Rs.	P.	
	eg tixo, italia			
		mi dinika ili		
	a department	such trustilla		
	a graphic file (
				74
	A.Y. Nascie of S	ed, 128	1.1	
	Cabalita Vic			
	ally contesting			
	House A. Sank			
	15-3 1 2 7 2 8			
		4		
	Fer challes			
	11.75-686			
	()			
	(4) 1 min 1 14			
	and the state of			
	£,			
	1 1			
		1		

tion Ltd.

ırangabad

itten memorandum at ce and in accodance in ind Subjects to the ts in accordance with,

at

ore the Commencement of

FIFTEEN MONTHS

Chief Engineer

Chief Engineer 2/ S.E.I.D.G. Ltd: Fatna

Bihar State Educational Infrastructure Development Corporation Ltd.

AGREEMENT for Construction of Block Resource Centre at Obra, Aurangabad

TENDER FOR WORKS

I/we heredy tender for the execution for the Governor of Bihr of the work specifed in the under written memorandum at the rates specified therein within a period of years month from the date of witten order to commence and in accodance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subjects to the annexed condation of contract and with such materaials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

MEMORANDUM

(a) If several sub-work are incuded they should be detained in the separate list

- (A) Name of Work :- Construction of Block Resource Centre at Obra, Aurangabad(Sl. No-131)
- (B) Estimated Cost :- Rs. 72,80,516=00 Agreement value :- Rs. 65,52,464=00

N

(b) This deposit will be 5% of the estimated cost of the work.

(C)Earnest Money:-

(c)This percentage deduction from bills will be credited to the contractors security deposits

(D) Initial security deposits (including earnest money) to be deposited before the Commencement of the work-

Earnest Money:- Rs. 4,00,000/- (Details attached)

- (E) Percentage to be deducted from bill Rs. 5% (Rupees five percent)
- (F) Time required for the work from date of written order to commence **FIFTEEN MONTHS**
- (G) Date of written order to commence :-
- (H) Total number of item of work tendered for :- 115

For DIGITAL CONSTRUCTION PVT, LTD.

MANAGING DIRECTOR

Chief Engineer

219117

Skehouty 23/04/14

BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. SHIKSHA BHAWAN, SAIDPUR, PATNA. B.O.Q. FOR BLOCK RESOURCE CENTRE IN BIHAR THE ITEM RATE BASED ON S.O.R BCD BIHAR, DATE - 15-09-2014, & D.S.R (ELECTRICAL) 2014 SL. DISTRICT NAME OF INSTITUTE No. **BLOCK** Aurang 1 BLOCK RESOURCE CENTRE abad Obra CIVIL WORKS SI. SOR Item of Work No. Rate Item No. Amount Qty. Unit (Rs.) 1 2 (Rs.) 3 4 5 6 7 PILE WORKS 20.2 Boring, providing and installing bored castin-situ reinforced cement concrete piles of grade M-25 of specified diameter and length below the pile cap, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring, with bentonite solution and temporary casing of appropriate length for setting out and removal of same and the length of the pile to be embedded in the pile cap etc. all complete, including removal of excavated earth with all lifts and leads (Length of pile for payment shall be measured upto bottom of pile cap). 300 mm dia Piles Rs. One thousand three 20.2.1 hundred nine and paise 0.000 meter 1309.30 thirty only. 400 mm dia Piles 20.2.2 Rs. One thousand five hundred twenty three and 0.000 meter 1523.20 paise twenty only. 450 mm dia Piles 20.2.3 Rs. One thousand nine hundred seventy eight 0.000 1978.80 and paise eighty only. meter 500 mm dia Piles Rs. Two thousand three 20.2.4 hundred six and paise 0.000 meter 2306.60 sixty only. 20.2.5 600 mm dia Piles Rs. Two thousand nine hundred ninety six and

0.000

meter

For DIGITAL CONSTRUCTION PVT. LTD.

Houte arrian Wa

MANAGING DIRECTOR

Chief Engineer B.S.E.I.D.C. L

2996.10 paise ten only.

	20.2.	6 750 mm dia Piles				
			0.000) mete	r 4219.70	Rs. Four thousand two hundred nineteen and paise seventy only.
2	2 20.3	Poring Part II				
	20.3	To the state of th	itu			
		single under reamed piles of specifi	ed			
		diameter and length below pile cap in M-	25			
		cement concrete, to carry a safe worki	ng			
		load not less than specified, excluding t cost of steel reinforcement but including the	he			
		cost of boring with bentonite solution an	he	-		
		the length of the pile to be embedded in pi	nd			
		cap etc. all complete. (Length of pile for	ie			
		payment shall be measured upto to the	01			
		bottom of pile cap):				
	20.3.1	300 mm di- Di				
	20.3.1	300 mm dia Piles				Rs. One thousand nine
						nundred thirty four and
	20.3.2	400 mm dia Piles	0.000	meter	1934.20 r	paise twenty only.
	20.5.2	400 mm dia Piles			F	Rs. Two thousand two
						nundred twenty five and
	20.3.3	450 mm dia Piles	0.000	meter	2225.30 p	paise thirty only.
		130 mm dia Files			R	Rs. Two thousand three
					h	undred ninety seven an
	20.3.4	550 mm dia Piles	0.000	meter	2397.50 p.	aise fifty only.
		dia i nes			R	s. Two thousand six
			0.000		h	undred five and paise
			0.000	meter	2605.10 te	en only.
3	20.4	Extra over item No. 23.3 for providing				
		additional bulb in under reamed piles, under				
		specified dia meter				
		(Only the quantity of extra bulbs are to be				
		paid).	- 1			
	20.4.1	300 mm dia Piles				
		and the tries			Rs	s. One thousand two
						ndred forty and paise
	20.4.2	400 mm dia Piles	0.000	Each	1240.10 ter	only.
						. One thousand three
			0.000	Б.	hui	ndred seventy three
	20.4.3	450 mm dia Piles	0.000	Each	1373.80 and	d paise eighty only.
					Rs.	One thousand four
			0.000	F - 1	hur	ndred fifty four and
	20.4.4	500 mm dia Piles	0.000	Each	1454.80 pai	se eighty only.
					Rs.	One thousand five
			0.000	Foob	hun	ndred ninety seven and
			0.000	Each	1597.20 pais	se twenty only.

वेवत्येह् नारायवा हिन MANAGING DIRECTOR

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

| Chief Engineer |
| Chief En

1	1 2	ORK IN EXCAVATION					
4	2.	8.1 Earthwork in excavation in as(e	exceeding				
		150cm in depth. 1.5m in width as	e wall as				
		10sqm on plan) incloding dressing	s well es				
		and ramming of house	g of sides				
		and ramming of bottom, lift u	ipto 1.5				
		including getting out the excavated	soil and				
		disposal of surplus soil as directed	within a				D. T.
		read of 50m.					Rs. Two hundred five
		All Kind of soil					and paise twenty only
		= 286.64 CUM					
		SEPTIC TANK = 31.89 CUM					
		TOTAL QUANTITY = 318.53 CUM					
			M	210.520			
5	2.29	Surface dressing of the ground in	11	318.530	cum	205.	20
		removing vegetation and i	icluding				
		removing vegetation and inequality	ties not	-		The state of the s	
		exceeding 15 cm deep and disp	osal of				Rs. Seven hundred
		rubbish, lead upto 50 m and lift upto	1.5m				oighter
		All kinds of soil.					eighteen and paise eigh
		= 136.41 CUM					only.
				136.410	100 sqm	710	
\mathbf{E}^{A}	ARTH F	LLING		130.410	100 sqm	718.80	0
6	2.26	Filling available					
	2.20	1 mile available excavated earth (ev	cluding				
		(100K) in trenches, plinth gid	20 26				
		Toundations etc. in layers not exceed	ling 20				
		cin in depth: consolidating each der	posited				Do Cint
		layer by ramming and watering lead	Posited				Rs. Sixty six and paise
		= 188.98 CUM					forty only.
C :	NIE		1	88.980	cu.m	66.40	
SA	ND FIL	LING			- 55.111	00.40	/
7	2.28	Supplying and Eilling:					
	0	Supplying and Filling in plinth with	local				
		sand and under floors including, wat	tering,				
		consolidating and dre	essing				
		complete.					Rs One hunder 1
		= 118.79 CUM	7	1			Rs. One hundred ninety
		SEPTIC TANK = 1.02 CUM					two and paise fifty only.
		TOTAL QUANTITY = 119.81 CUM					
			11	9.810	cu.m	192.50	
AT.	BRICK	SOLING				2.50	
	11.72	D					
	11.72	Providing designation 100 A one brick	k flat				
		Soling Joints filled with local sand inch	vdi.				
		cost of watering, taxes, royalty all com	21242				
		as per building specification and direct	piete				
		of E/I,	ction				Do Two least
							Rs. Two hundred twenty
		10 + 2, BUILDING = 291.84 CUM				5	seven and paise sixty
		SEPTIC TANK = 13.57 CUM					only.
		TOTAL QUANTITY = 305.41 CUM					
		30111					*
		1	I	5.410	l l	1	

21 often remail be

MANAGING DIRECTOR

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Story

21 / 93/04/17

				13			
(P.C.C.					
((V	
((()	9	4.1.5	Providing and laying in position ceme concrete of specified grade excluding to cost of centring and shuttering- all woupto plinth level 1:3:6 (1cement: 3 coarse sand: 6 gradestone aggregate 20mm nominal size) = 13 CUM	he ork			Rs. Two thousand seven hundred seventy five and paise seventy only.
	10	4.1.4	Providing and laying in position ceme	13.000	cu.m	2775.7	70
			concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level 1:2:4 (1 Cement: 2 coarse sand : 4 grade stone aggregate 40 mm nominal size)10 + 2 , BUILDING = 8.74 CUM SEPTIC TANK = 2.98 CUM TOTAL QUANTITY = 11.72 CUM	ne k d			Rs. Three thousand two hundred nineteen and paise seventy only.
-	11	FLOORING 11.38		11.720	cu.m	3219.70	
		i e E I	Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturer) of ist quality conforming to IS: 15622 of approved make in colours such shades except white, Ivory, Grey, Fume Red, Brown, laid on 20 mm thick Cement motar 1:4 (1 cement: 4 coarse sand) including pointing the joints with white cement and matching pigment etc., complete. FOILET PORTION = 46.04 SQM				Rs. Eight hundred one and paise eighty only.
	W	ALL TILES		46.040	sq.m	801.800	

For DIGITAL CONSTRUCTION PVT. LTD.

RECTOR OF THE MANAGING DIRECTOR

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

10	11.0		14	4		
12	2 11.36	Providing and fixing 1st quality cera glazed wall tiles conforming to IS: 15 (Thickness to be specified by manufacture) of approved make in colours, shades except burgundy, bo green, black of any size as approved by Engineer-in-charge in skirting, risers steps and dados over 12 mm thick bed cement Motar 1:3(1 cement: 3 coarse san and jointing with grey cement slurry @ kg per sqm including pointing in who cement mixed with pigment of matchishade complete. TOILET PORTION = 188.874 SQM	mic 622 the all of of of of od)			Rs. Seven hundred fift four and paise twenty only.
LOO	RING & S	KIRTING	188.874	sq.m	754.20	00
13	11.26.1	Kota stone slab flooring over 20 m		1	101.20	70
		(average) thick base laid over and jointed with grey cement slur mixed with pigment to match the shade of the slab includir rubbing and polishing complete. Base with 1:1:1 (1 lime: surkhi: 1 coarse sand) / 1:4 (20 TO 25MN THICK) = 281.852 SQM	ry ng 1 M			Rs. Nine hundred sixty eight only.
14	11.27	Kota stone slabs 20 mm thick in risers of	201.852	sq.m	968.00	
		pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grey cemen slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm	t			Rs. Nine hundred twenty seven and paise fifty only.
5	8.3.2	Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge. Granite work	74.37	sq.m	927.50	Two Hundred Thirty Nine and paise ten only

Excellent on managing DIRECTOR

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Slo4/13

	-
- 1	
- 6	
- 6	

16	5.1.1	W PLINTH LVL.				
	3.1.1	Providing and laying in position specific grade of reinforced cement concre excluding the cost of centring, shutterin finishing & reinforcement - all work upplinth level. 1:1:2 (1cement: 1 coarse sand : grade stone aggregate 20mm nominal size) = 59.183 CUM	te g, to	cu.m	5110.70	Rs. Five thousand on hundred ten and paiso seventy only.
	WORK A	ABOVE PLINTH LVL.		- Canni	3110.70	J
17	5.2.1	Reinforced cement concrete work in wal (any thickness), including attached plasters buttresses, plinth and struts etc upto floor five level excluding the cost of centring shuttering, finishing & reinforcement 1:1:2 (1cement: 1 coarse sand: 2 graded stone aggregate 20mm nominal size) 10 + 2, BUILDING = 20.51 SQM				Rs. Five thousand six hundred sixty six and paise twenty only.
18	5.1.3	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing and reinforcement-All work puto plinth level. 1:2:4 (1 cement:2 coarse sand:4 graded stone aggregate 20 mm nominal size) SEPTIC TANK = 0.93 CUM	20.510	cu.m	[1	Rs. Three thousand four nundred thirty eight and paise ninety only.
		0.93 COM			1	

सत्मेन्द्र नारायण् रिष्ट

MANAGING DIRECTOR

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Skywotch

03/04//

19	5.3	Reinforced cement conrete work	16			
	5.33B. + 5.33B.	beams, suspended floors, roofs having supto 15, landings, balconiec, shell chajjas, lintels, bands, plain window of	ves, ills, loor ing, arse mm ner			Rs. Four thousand five hundred eighty one and paise twenty only.
В	RICK WO	RK	100.440	cu.m	4581.20	0
20	6.1.14A	Dist				
		Brick work with bricks of class designation 100A in foundations and plinth in cemer mortar 1:6 (1cement :6 coarse sand) = 39.878 CUM	nt 20.878			Rs. Three thousand nine hundred ninety two and paise ninety only.
21	6.1.14A +	Brick work with bricks of class designatio	n	cu.m	3992.90	
	6.3A	100A in foundations and plinth in: Cemen mortar 1:6 (1 cement: 6 coarse sand) Extra for Brick work in superstructure above plinth level upto floor V cum = 160.082 CUM	t			Rs. Four thousand four hundred twenty seven and paise fifty only.
22	6.18.4A	Half brick masonry with bricks of	160.082	cu.m	4427.50	
	+ 6.19A	Half brick masonry with bricks of class designation 100A in foundations and plinth in: Cement mortar 1:4 (1 cement: 4 coarse sand) Extra for half Brick masonry in superstructure above pinth level upto floor V level.				Rs. Five hundred thirty eight and paise thirty only.
		= 134.043 SQM				

adente nizital the MANAGING DIRECTOR

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Skehowsh

3/4

9/04//

	23	6.21A	Extra for providing	13	7		
			Extra for providing and placing in position Nos, 6 mm dia, MS bars at every thi course of half brick masonry (with F. P. bricks) = 134.043 SQM	nd			Rs. Seventy five and paise ninety only.
	24	6.1A +	Brick work with bricks of class designatio	134.043	3 Sq.m.	75.9	90
		6.1.12/1	100A in foundations and plinth in: Cement mortar 1 .:4 (1 cement: coarse sand) = 8.75 CUM	4			Rs. Four thousand one hundred eighty four only.
	PL	ASTER W	/ORK	8.750	cum	4184.0	0
	25	13.13.4	20 mm cement plaster of mix; 1:6 (1				
	26	13.13.1	= 836.658 SQM	926 650	sq.m	123.50	Rs. One hundred twenty three and paise fifty only.
		+ 13.26	20 mm cement Plaster 1:3 (1 cement: 3 coarse sand) with a floating coat of neat cement & neat cement punning SEPTIC TANK = 16.65 SQM				Rs. One hundred eighty five and paise sixty only.
	27	13.11.4	12mm thick Cement plaster of mix 1:6 (1	16.650	sq.m	185.60	
			cement: 6 coarse sand) = 1041.58 SQM	1041.500			Rs. Eighty nine and paise thirty only.
1 2	28	13.17.1	12 mm cement Plaster 1:3 (1 cement: 3	1041.580	sq.m	89.30	
		+13.36.1	coarse sand) with a floating coat of neat cement & Extra for providing and mixing water proofing material in proportion recommended by the manufacturers: 12 mm cement plaster 1:3(1 cement :3 sand)				Rs. One hundred forty five and paise fifty only.
			SEPTIC TANK = 52.82 SQM				
2	9	13.24.2	6mm thick Cement plaster of Ceiling mix	52.820	sq.m	145.50	
			= 388.53 SQM	388.530	sq.m	77.40	Rs. Seventy seven and paise forty only.

सत्मेर नाराम्य के

MANAGING DIRECTOR

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Kehousha

3/4

20			1	8		
30	11.5.1	Cement concrete flooring 1:2:4(1 cement	.2	B		,
	+	coarse:sand:4 graded stone agreed				
	11.8	finished with a floating coat of neat come	10.4			
		including cement slurry, etc. but excluding	nt			
		the cost of nosing of steps etc. complete. 4	ıg			
		mm thick with 20 mm nominal size ston	-0			
		aggregate.	ie			Rs. Two hundred thir
						two and paise ninety
		Extra for making chequers of approved	d			only.
		pattern on cement concrete floors, steps	5,			
		landing, pavemerts etc.				
		= 136.41 SQM				
			126 410			
FINIS	SHING WO	NDV	136.410	sq.n	n 232.	90
1111	ming w(7KK				
31	13.46.1	Finishing walls with Acrylic Smooth				
		exterior paint of	1			
		required shade :New work (Two or more				
		coat applied @ 1.67 ltr/ 10				
		sam over and including				
		sqm over and including priming coat of exterior				Rs. Sixty eight and pai
						eighty only.
		primer applied @ 2.20 kg/ 10 sqm)				
		EXTERNAL WALL = 836.658 SQM				
32	13.80A.2	D I'	836.658	sq.m	68.8	
32	13.00A.Z	Providing and applying white cement based		Sqiiii	08.8	0
		putty of average thickness 2 mm, of				
		approved brand and manufacturer over the	~			Rs. One hundred
		plastered wall surface to prepare the surface				
		leven and				eighteen and paise
		smooth complete.				seventy only.
33	13.77.2	Distempering with "	2266.768	sq.m	118.70	
33	13.77.2	Distempering with oil bound washa ble	2266.768	sq.m	118.70	
33		distempering with oil bound washa ble distemper of approved brand and	2266.768	sq.m	118.70	
33		distempering with oil bound washa ble distemper of approved brand and manufacture to give an even shade	2266.768	sq.m	118.70	
33		distempering with oil bound washa ble distemper of approved brand and manufacture to give an even shade. New work (two or more coats) over and	2266.768	sq.m	118.70	
33		distempering with oil bound washa ble distemper of approved brand and manufacture to give an even shade. New work (two or more coats) over and including	2266.768	sq.m	118.70	
33		distempering with oil bound washa ble distemper of approved brand and manufacture to give an even shade. New work (two or more coats) over and including priming coat with cement primer	2266.768	sq.m	118.70	Rs. Sixty four only.
33		distempering with oil bound washa ble distemper of approved brand and manufacture to give an even shade. New work (two or more coats) over and including priming coat with cement primer INTERNAL WALL & CEILING =	2266.768	sq.m	118.70	
33		distempering with oil bound washa ble distemper of approved brand and manufacture to give an even shade. New work (two or more coats) over and including	2266.768	sq.m	118.70	
		distempering with oil bound washa ble distemper of approved brand and manufacture to give an even shade. New work (two or more coats) over and including priming coat with cement primer INTERNAL WALL & CEILING = 1430.11 SQM				
	13.81.1	distempering with oil bound washa ble distemper of approved brand and manufacture to give an even shade. New work (two or more coats) over and including priming coat with cement primer INTERNAL WALL & CEILING = 1430.11 SQM	2266.768	sq.m	64.00	
	13.81.1	distempering with oil bound washa ble distemper of approved brand and manufacture to give an even shade. New work (two or more coats) over and including priming coat with cement primer INTERNAL WALL & CEILING = 1430.11 SQM				
	13.81.1	distempering with oil bound washa ble distemper of approved brand and manufacture to give an even shade. New work (two or more coats) over and including priming coat with cement primer INTERNAL WALL & CEILING = 1430.11 SQM			64.00	Rs. Sixty four only.
	13.81.1	distempering with oil bound washa ble distemper of approved brand and manufacture to give an even shade. New work (two or more coats) over and including priming coat with cement primer INTERNAL WALL & CEILING = 1430.11 SQM			64.00	Rs. Sixty four only. Rs. Twenty five and
	13.81.1 /r	distempering with oil bound washa ble distemper of approved brand and manufacture to give an even shade. New work (two or more coats) over and including priming coat with cement primer INTERNAL WALL & CEILING = 1430.11 SQM Applying priming coat with ready mixed bink or grey primer of approved brand and manufacture on wood work (hard and manufacture on wood work (hard and manufacture)			64.00	Rs. Sixty four only.

MANAGING DIRECTOR

Chief Engineer B.S.E.I.D.C. Ltd, Patna (Kuhoud)

3.	5 13.81.3	Applying priming coat with ready mix		19		
		zinc chromate yellow primer of approvbrand and manufacture on steel galvaniziron/steel work. = 105.728 SQM	124			Rs. Twenty one and pais thirty only.
36	13.93.1	1 will Sylllielle enamel point	105.72	28 sq.r	n 21	.30
		approved brand and manufacture to give even shade two or more coats on new work = 221.408 SQM	200			Rs. Fifty and paise ninety only.
37	10.14.1	Providing and fixing T-iron frames for	221.40	8 sq.m	50.	90
		Tee-sections, joints miltred and welded wit 15x3 mm lugs 10 cm long embedded in cement concernt	el h			
		blocks 15x10x10 cm of 1:3:6 (1 cement: coarse sand: 6 graded stone aggregate 2 mm nominal size) or with wooden plugs and screws or raw plugs and screws or with fixing clips or with bolts and nuts as required including = 339.675 KG	3 0			Rs. Seventy five and paise ten only.
38	9.21.1	Providing and fixing flush door shutters	339.675	Kg.	75.1	0
		conforming to IS: 2202 (Part-I) non-decorative type.core of block board construction with frame of 1st class tiard wood and well mathched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters. 35 mm thick including anodized aluminum butt hinges with necessary screws = 48.195 SQM				Rs. One thousand eight hundred twenty three and paise eighty only.
39	9.119.1	Providing and finite to the control of the control	48.195	sq.m	1823.80	
	1	Providing and fixing oxidised M.S.tower bolt black finish,(barrel type) with necessary screws etc.complete 250x10mm 10 + 2, BUILDING = 44 EACH				Rs. Sixty six and paise fifty only.
			44.000	each	66.50	

MANAGING DIRECTOR

Chief Engineer

B.S.E.I.D.C. Ltd, Pathay

40	9.104.1	Providing and fiving M.C.L.	20)		
		Providing and fixing M.S.handles with necessary screws etc.complete 125 mm 10 + 2, BUILDING = 44 EACH				Rs. Twenty seven and
			44.000	1		paise fifty only.
41	9.223.2	Providing and fixing alluminium hanging		each	27.50	
		floor door stopper anodised (anodic coating not less than grade AC 10 as per IS :1868) transparent or dyed to required colour and shade with necessary screws etc.complete:Twin rubber stopper = 22 EACH				Rs. Eighty two and parseventy only.
42	9.100.1	Providing and fixing M.S. sliding door bolts	22.000	each	82.70	
		bright finished or/and black enamelled, with nuts and screws etc.compelled: 300x16 mm = 22 EACH				Rs. One hundred seven seven and paise forty only.
ST	EEL WOR	RK	22.000	each	177.40	
43	10.12.1	Providing and fixing glazed steel doors,		\.		
	I C C C I I I I I	windows or ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm M.S. lugs10cm long with steel legs embedded in cement concrete blocks 15x10x10cm.of (1:3:6) (1cement : 3coarse sand : 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required. Doors Extra for providing and fixing steel beading of approved shape and section with screws astread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel Windows.			h	s. Three thousand two undred seventy and aise sixty only.
	=	= 95./15 SQM				

For DIGITAL CONSTRUCTION PVT. LTD.

Solding of zioner le

MANAGING DIRECTOR

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Skehneld

3/4

	44			0.1		
	44 10.1	I willing all lixing glazed steel 1	oors	21		
	10.1	willdows or ventilators of standard "	-11 1			
	10.1	sections, joints mitered and we	الماما			
		Will 13X3 mm M.S. Jugs 10cm Jones				
		sicci legs embedded in cement agent				
		13X10X10cm of (1.3.6) (1.3.6)				
		Source sand : ograded stone aggre				
		2011111 Hollillial Size) or with wooden in	1			1.
		and screws or rawl plugs and screws or rawlers	rugs			
		fixing clips or with bolts and nuts	With		1	
		required, including providing and fixing	as			
		glass panels with glazing clips and spe	3 01			
		complete including applying a priming of	ake			Rs. Three thousand tw
		of approved steel primer excluding the control hand	coat			hundred seventy seven
		of metal heading and other first	cost		-	and paise sixty only.
		of metal beading and other fitting exc	ept			, , , , , , , , , , , , , , , , , , , ,
		necessary hinges or pivots as required.Do	ors			
		Extra for providing and fixing steel beading	ing			
		of approved shape and section with scre	WS			
		mistication glaxing clins and met Soch mis	44			
		m steel doors, windows ventilators a	nd			
		composite units. Steel ventilators				
		= 3.24 SQM				
			2 2 4 6			
45	9.82.1	Providing and fixing M.S. grills of	3.240	sq.m	3277.6	0
		requirement pattern in frames of window	of			
		etc. with M.S. flats square or round bars et	/S		- Table	
		all complete	ic	ē		
		fixed to steel windows by welding.				Rs. Ninety one and pais
		= 1722.87 KG				fifty only.
						and the same of th
46	5.22	Reinforcement for Dog	1722.870	Kgs.	91.50	
		Reinforcement for RCC work including	3		71.50	
		straightening, cutting, bending, placing ir	1			
		position and bonding all complete.				
		TAME				
		TMTC-500				
	5.22.7A	Thermo-Mechanically T			'	
		Thermo-Mechanically Treated bars TMTC-500 8mm dia				
		= 8300 KG				
						Re Covert C
		SEPTIC TANK = 93 CUM				Rs. Seventy four and
		TOTAL QUANTITY = 8393 KG				paise forty only.
	5.22.7B	Thermo Machael III	8393.000	KG	74.40	
	·/D	Thermo-Mechanically Treated bars TMTC-		-10	74.40	
		Joo Tomm dia	Martin		S.S. S.	
		- 1200 KG	1	1	I	Rs Sevents Hans
		= 1300 KG	1300.000	KG		Rs. Seventy three and paise ten only.

ALCORD ATZ TOWN VARE
MANAGING DIRECTOR

Chief Engineer

B.S.E.I.D.C. Ltd, Patha

314

21-4/12

	5 22 70	TI	2	2		
	5.22.7C 5.22.7D	Thermo-Mechanically Treated bars TMT0 500 12mm dia = 7000 KG	7000.00	0 KG	71.80	Rs. Seventy one and paise eighty only.
		Thermo-Mechanically Treated bars TM7 500 16mm dia = 700 KG	700,000		72.80	Rs. Seventy two and
	5.22.7E	Thermo-Mechanically Treated bars TMT 500 20mm dia = 750 KG	750,000		72.20	Rs. Seventy two and
	3.22.7F	Thermo-Mechanically Treated bars TMT 500 25mm dia = 0 KG		, and	72.20	Rs. Seventy two and paise twenty only.
47	10.19	Providing & fixing M.S. Fan hook of 16 mm. dia. M.S. bar 1 Mtr. Long bent to required size and shape, placed in position		KG	72.20	paise twenty only.
		and fixed in Truss Frame / RCC Slab / beam at the time of casting all complete as per building specification and direction of E/I. (Where materials is not supplied by deptt.) = 42 EACH				Rs. One hundred twenty one and paise eighty only.
48	10.33.1	Providing & fixing hand rail by welding etc.	42.000	Each	121.80	
		to steel ladder railling & staircases railling including applying a priming coat of approved steel primer. MS tube (medium) 40mm nominal bore. = 550 KG			I	Rs. Ninety one and paise en only.
49	10.5 F	Providing and fixingin position collapsibble teel shutters with vertical channes 0x10x2mm and braced with flat iron	550.000	kg.	91.10	
	si lo ir	riagonals 20x5mm size with top and bottom ail of T-iron 40x40x6mm with 40mm dia teel pulleys complete with bolts nuts packing arrangement stoppers handles acluding applying a priming coat of opproved steel primer.		,	h	as. Four thousand one undred fifteen and paise axty only.
SCEL	LANEOUS W	VORK	4.52	sq.m	4115.60	
		VORK				

For DIGITAL CONSTRUCTION PVT. LTD.

Harry MANAGING DIRECTOR

Chief Engineer

3.S.E.I.D.C. Ltd. Patna

Jul.

Ollo4/17

54	5.9.3	Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies	367.575	Sqm.	344.40	
		propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts = 367.575 SQM				Rs. Three hundred forty four and paise forty only.
53	5.9.6	propping etc. and removal of form for lintel beams, plinth beams, griders, bressumers and contilevers. = 349.241 SQM Centring and shuttering including strutting,	349.241	Sqm.	251.30	Rs. Two hundred fifty one and paise thirty only.
52	5.9.5	Centring and shuttering including strutting propping etc. and removal of form for foundation, footings, basees of columns etc for mass concrete. = 55.781 SQM Centring and shuttering including strutting	55.781	Sqm.	166.70	Rs. One hundred sixty six and paise seventy only.
S 51	HUTTER 5.9.1	ballast 40mm nominal size well rammer and consolidated and grouted with fine sar including finishing the top smooth. = 75.414 SQM	75.414	sq.m	319.3	Rs. Three hundred nineteen and paise thirty only.
50	4.17	Making plinth protection 50mm thick cement concrete 1:3:6 (1 cement :3 coar sand : 6 graded stone aggregate 20m	rse	23		

यक्तान गायापा मेर

MANAGING DIRECTOR

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Slubwill

21/2.

03/04/13/

	12.78.	2 110 mm diameter.		- 2	24		
56	SOR	= 40 MTS		40.000	MTS	5 214.20	Rs. Two hundred fourteen and paise two only.
	12.79	unplactici la Pres	ittings/ nwater cluding				
	SOR 12.79.1	Coupler					
	SOR 12.79.1.2	110mm = 10 MTS					Rs. One hundred forty
	SOR 12.79.5	Bend 87.50°		10.000	Each	144.700	four and paise seventy
-	SOR	110mm bend				-	
	12.79.5.2 SOR	= 12 MTS Shoe (Plain)	1	2.000	Each	173.700	Rs. One hundred seven three and paise seventy only.
	12.79.6 SOR						Olly.
57	12.79.6.2	110mm Shoe = 12 MTS	1	2.000	Each	214.720	Rs. Three hundred fourteen and paise seventy three only.
		Parryware/Hindware with all fittings a fixtures complete including cutting a making good the walls and floors where required.	oset with litre with vel) 231 and and ever		Dati	314.730	The time only.
	1	White Vitreous China Orissa pattern Woan of size 580 x 440 mm with integral ty oot rest. 6 EACH	C]	Rs. Three thousand thirty five and paise forty only.
			6.0	000	Each	3035.400	

For DIGITAL CONSTRUCTION PVT. LTD.

21 27 27 21 707 107

MANASING DIRECTOR

Chief Engineer

S.S.E.I.D.C. Ltd. Patnay

Michaell

3/4

03/64//9

58 Providing and fixing white vitreous china B.S.R pedestal type water closet (European type 17.2.2 W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern. including flush pipe, with manually controlled device (handle conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required: W.C. pan with ISI marked black solid plastic seat and lid Rs. Two thousand nine = 3 EACH hundred twenty eight and paise thirty only. 3.000 59 Each 2928.300 B.S.R Providing and fixing white vitreous china 17.4.2 flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I. clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required: Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern Rs. Four thousand six = 3 EACH hundred eighty eight and paise ninety only. 3.000 60 Each SOR Provding and fixing toilet paper holder 4688.900 17.34 SOR Vitreous china Each 304.2 17.34.2 Rs. Three hundred four 61 B.S.R Providing and fixing wash basin with C.I. and paise twenty only. 17.7.1 brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: White Vitreous China Wash basin size

12.000

Each

2120.300

For DIGITAL CONSTRUCTION PVT. LTD.

Section of the original party with the managing director

630x450 mm with a pair of 15 mm C.P.

brass pillar taps.

= 12 EACH

Chief Engineer

3.S.E.I.D.C. Ltd, Patna

Mehruff

3/4

03/04/14

Rs. Two thousand one hundred twenty and paise

thirty only.

62	18.63	Providing and fiving PTATE		26			
		Providing and fixing PTMT angle stop 15 mm nominal	cock				
		bore weighing not l					
		bore, weighing not less than 85 gms					Rs. One hundred eigh
63	B.S.R	2	15	.000	D .		and paise ninety only
03	1	providing and fixing PVC wasts:	0	.000	Each	180.900	
	17.28	of wash basin including PVC.	Vocto				
		fittings complete.	waste				
	17.28.2.	Flexible pipe 32 mm dia					
		= 12 EACH					
							Rs. Seventy eight and
							paise sixty only.
64	B.S.R	Providing and fixing mirror of superglass (of appears)	12.0	000	Each	78.600	paise sixty only.
	17.32.2	glass (of approved quality) and of requ	erior				
		shape and size with plastic moulded from	ired				
		of approved make and the moulded from	ame				
		of approved make and shade with 6 thick hard board backing:	mm				D = C' 1
		Rectangular shape 452					Rs. Six hundred forty
		Rectangular shape 453 x 357 mm = 12 EACH					three and paise forty
		12 EACH					only.
65	B.S.R	Providing and S.	12.00	00	Each	643.400	
	17.33	Providing and fixing 600 x 120 x 5 m	nm			043.400	
		glass shelf with edges round off, support	ted				
		anodised aluminium angle from					
		1 . Ulass brackets and guard roll	. 1		- 1		
		mm long screws rowl al	gs				Rs. Four hundred sevent
		cc., complete.				1	eight and paise thirty
		= 12 EACH					only.
6	B.S.R	D	12.000		_ ,		
1	D.S.K	Providing and fixing Chlorinated Polyving			Each	478.300	
		office (CFVC) nines having the					
		101 HUL O COLD Water	1				
	1	including all CPVC plain & broom them 1	.				
	1.	including fixing the min-	. 1				
	,	stamps at 1.00 m spacing This : 1 1					
	IJ	of Dibes & fiftings with	1			1	
		Solvent cement and the					
	10	atting chases and making good the	1			l _D	T
	ii	ncluding testing of joints complete as per				K	s. Two hundred forty
		rection of E/I	1			or	ne only.
		oncealed work including cutting chases					And the second second
	aı	nd making good the wall					
	lno	and making good the wall etc. 15 mm pominal outer dia Pipes					
	=	50 METER					
		LI					
			50.000				

For DIGITAL CONSTRUCTION PVT. LTD.

RECTIVE OF THE TOTAL OF THE TOTAL

Chief Engineer

S.S.E.I.D.C. Ltd. Patna

Jul.

3/4

67	B.S.F	Providing and fixing Chlorinated Polyvin		27		
	18.9.3	I all Hallig Uniorinated Polyvis	nal oly ed &			Rs. One hundred ninety
		complete as per direction of Engineer Charge. 25 mm nominal inner dia Pipes = 60 METER	in			three and paise eighty only.
	18.9.4	32 mm nominal outer dia Pipes	60.00		193.80	0 Rs. Two hundred fifty
	18.9.2	20 mm nominal outer dia Pipes	40.00	- Interior	251.100	one only. Rs. One hundred forty si
68	B.S.R 18.48	Providing and placing on terrace (at all floo levels) polyethylene water storage tank IS:12701 marked with cover and suitable		0 metre	146.400	and paise forty only.
		locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. = 4000 PER LITER	+	per		Rs. Six and paise eighty only.
69	B.S.R	Providing and fixing C.P. brass bib cock of	4000.00		6.800	
	18.49	15 mm nominal bore.				
70	B.S.R	Providing and for a Ref	12.000	Each	497.000	Rs. Four hundred ninety seven only.
	18.52	Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS: 8931				- van omy.
71	18.52.1 SOR	15 mm nominal bore. = 10 EACH	10.000	Each	670.700	Rs. Six hundred seventy and paise seventy only.
	18.58	Providing and fixing P.T.M.T. grating of approved quality & colour	1		070.700	
	SOR 18.58.1	circular type				
	SOR 18.58.1.1	100 mm nominal dia,	1	Each		
					47.90	Rs. Forty seven and paise ninety only.

21 colos or 17 May Wie

MANAGING DIRECTOR

Chief Engineer
B.S.E.I.D.C. Ltd, Patha

7	2 B.S.R	Providing and laying cement concre		.8		
	19.2.1	1:5:10 (1 cement : 5 coarse sand : 10 grade stone aggregate 40 mm nominal size) alround S.W. pipes including bed concrete a per standard design : 100 mm diameter S.W. pipe = 50 METER	ed			Rs. Three hundred twelve and paise fifty only.
73	B.S.R	Providing and laying non-pressure NP2	50.000	metre	312.500	
	19.6.1	class (light duty) R.C.C. pipes with collar jointed with stiff mixture of cement mortal in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete: 100 mm dia R.C.C. pipe = 15 METER				Rs. Three hundred twelve and paise ninety only.
74	B.S.R	Constructing brick masonry road gully	15.000	metre	312.900	
	19.27.1	chamber 50x45x60 cm with bricks in cement mortar 1:4 (1cement : 4 coarse sand) including 500x450 mm pre-cast R.C.C. horizontal grating with frame complete as per standard design : With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 2 EACH				Rs. Three thousand one hundred seventeen and paise thirty only.
			2.000	Each	3117.300	

सदम्ब नारायण हिंदे

MANAGING DIRECTOR

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Stephen 19

31 4 916417

		3		20		
	75 B.S.	Total deting blick masonry chamban	for	29		
	19.30.	Torider ground C.I. Inspection Chamban	- 1			
		Class designation briefs	. :			
		certicité mortar 1:4 (1 cement : 4 acc				
		[Saild] C.I. Cover with frame (light 1				
		1433X010 mm Internal dimentions 4	- 4 1			
		weight of cover with frame to be not i	1			
		weight of cover 22 1/2	- 1		1	1.
		weight of frame 15 kg) RCC top clob	.141			
		1.1.3.3 IIIIX (1 cement: 1.5 coarse cand	.2			
		Igraded stone aggregate 20 mm nomin	1			
		Size) Toundation concrete 1.5.10 mix	(1)			
		content. S coarse sand · 10 graded sta				Rs. Three thousand nine
		laggregate 40 mm nominal size) insi	dal			hundred forty nine and
		plastering 12 mm th, with cement mortan 1				paise ten only.
		(100 coarse sand) finished amage	-41			
		will a Hoaling coat of neat cement on	11			
		and bed concrete etc. complete as a	er			
		istandard design.				
		Inside dimensions 466x610 mm and 45c.	m			
		deep for single pipe line.				
		With common burnt clay EPS (no	\n			
		modular) bricks of class designation 7.5	""			
		= 6 EACH				
76	B.S.R	Making sook pit 2.5	6.000	Each	3949.100	
	19.32.1	Making soak pit 2.5 m diameter 3.0 metrodeen with 45 x 45 cm. I diameter 3.0 metrodeen with 45 x 45 cm.	е		13.100	
		deep with 45 x 45 cm dry brick honey comb	b			
		shaft with brick and S.W. drain pipe 100	0			
		mm diameter, 1.8 m long complete as per standard design.	r			
		With common 1				
		With common burnt clay F.P.S. (non-modular) bricks of all the second sec	1			Rs. Twenty five thousand
		modular) bricks of class designation 7.5				nine hundred and paise
		LACII				ten only.
77	B.S.R	Drovid's La	1.000	Each	25900.100	
	19.34	Providing and fixing S.W. intercepting trap		Laci	43900.100	
	17.54	Ill mannoles with stiff mixture of compant				
		illortar 1:1 (1 cement · 1 fine and)				
		including testing of joints etc. complete:				
					,	
	19.34.1	100 mm dia				
		= 2 EACH				Rs. Two hundred eighty
			2 0 0		1	three and paise eighty
			2.000	Each	283.800	only.

Alora or share by
MANAGING DIRECTOR

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

We have 19

21/4.

2	0	
0	U	

	78	Datailed E.	3	0		
7		Detailed Estimate for construction of I mm x 40 mm x 90 mm Tube well Manu Boring = 1 EACH SIS NON SCHEDULED ITEMS(MARKE	25 ual		60432.65	Rs. Sixty thousand four hundred thirty two and paise sixty five only
		RATE) = EACH	ET			
		P.V.C. PIPE				
		= EACH Provding and fixing soil, waste and ver	nt			
		pipes = EACH				
		110 mm dia = 40 EACH				Rs. Three hundred forty
		P.V.C. FITTINGS	40.000	metre	347.000	seven and only.
		= EACH DOOR TEE 110 mm dia		-		
		= 4 EACH DOOR BEND 110 mm dia	4.000	each	365.000	Rs. Three hundred sixty five only.
		= 8 EACH	9,000			Rs. Two hundred eighty
		BEND 45° 110 mm dia = 10 EACH	8.000	each	283.000	three only. Rs. One hundred eighty
		VENT COWEL 110 mm dia = 3 EACH	10.000	each	185.000	five only.
		PIPE CLIP 110 mm dia	3.000	each	65.000	Rs. Sixty five only.
		= 100 EACH FLOOR TRAP 110X110 mm dia	100.000	each	53.000	Rs. Fifty three only.
80	Code no of	= 10 EACH	10.000	each	436.000	Rs. Four hundred thirty six only.
	1352	(i) C.I. cover and frame 300 x 300 mm inside				Rs. Three hundred
81	Code no. of	SEPTIC TANK = 1 EACH (ii) S.C.I. plain bend 100 mm dia	1.000	Each	374.060	seventy four and paise six only.
82	1621	SEPTIC TANK = 1 EACH (iii) S.C.I. Tee 150 mm dia	1.000	Each	436.400	Rs. Four hundred thirty six and paise forty only.
	7087	SEPTIC TANK = 1 EACH				Rs. Seven hundred forty
			1.000	Each	748.110	eight and paise eleven only.
					Total (B)	348,404.98
					(1)	348,405.00

For DIGITAL CONSTRUCTION PVT. LTD. adente a Islum Are MANAGING DIRECTOR Chief Engineer

B.S.E.I.D.C. Ltd. Ratna

				31		
83	1.10	Electrical Works (1% labour cess has been added on current DSR-2014) Point Wiring in PVC Conduit, with Modutype Switch:-	ılar			
	1.10.3	Wiring for light point/ fan point/ exhaust point/ call bell point with 1.5 sq.mm FRLS PVC insulat copper conductor single core cable in surface / recessed media class PVC conduit, with modular switch, modular plate, suitab GI box and earthing the point with 1.5 sq.mm. FRLS PV insulated copper conductor single core cable etc as required.	red im			Rs. Seven hundred
84	1.11	Twin Control Point Wiring in PVC Conduit with Modular type Switch:-	119.000 t,	Nos.	725.180	twenty five and paise
		Wiring for twin control light point with 1.3 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, 2 way modular switch, modular plate,				Rs. Seven hundred
		suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc as required	2,000			seventy seven and paise seventy only.
35	1.31	Supply and Fixing Light Plug Point with Modular Type Accessories:-	3.000	Nos.	777.700	
		Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 3 pin 5/6 amps modular socket outlet and 5/6 amps modular switch, connection etc. as required. (For light plugs to be used in non residential buildings).				Rs. Three hundred six and paise three only.
		80).	25.000	Nos.	306.030	

For DIGITAL CONSTRUCTION PVT. LTD. सक्ति गरामण मह

MANACING STREETSR

Chief Engineer

B.S.E.I.D.C. Ltd. Patnay

Harmony

Officers

Offic

	36 1.3	pappy and rixing Power Plug Do	nt with	32		
		Modular Type Accessories:-	THE WILLI			
		Supply and Fixing GI box with m	ıodular			
		plate and cover in front on surface recess including providing and fixing 15/16 amps modular socket outlet and amps modular type switch, connepainting etc as required.	or in 6 pin,			Rs. Five hundred nine only.
87	2.18	Supply & fixing 20A SPN MCB Indu	12.00	00 N	los. 590.0	000
		Socket Outlet:-				
		Supplying and fixing 20 amps, 240 SPN industrial type,	volts,			
		socket outlet, with 2 pole and earth, renclosed plug top alongwith 20 amps "C" curve, SP, MC sheet steel enclosure, on surface or in recess, with chained not cover for the socket out let and complete with connection testing and commissioning etc. as required	B, in			Rs. Nine hundred sixty three and paise fifty for only.
88	1.12	Power Plug Wiring in PVC conduit (2x4	12.000	Nos	s. 963.54()
		mm):-	sq.			
-		Wiring for light/ power plug with 2X4				
		mm FRLS PVC insulated copper conductor single core cable surface/ recessed mediumclass PVC cond alongwith 1 No 4 sq. mm FRLS PV insulated copper conductor single core cable for locarthing as required	in uit 'C			Rs. One hundred sixty three and paise sixty two only.
9		Supplying and fixing following modulatype switch/ socket on the existing modulate switch box / cover including connections etc.as required		Mtrs.	163.620	

यक्षान्द्र गरायण सह

MANAGING DIRECTOR

Chief Engineer

	1.24	5/6 amps switch.		33		
	1.24	1 5 : 215	25.00	00 500		Rs. Eighty one and eighty one only.
	1.24	5 pin, 5/6 amps socket outlet.			ch 81.8	10
90	1.14	Circuit / Sub-main wiring in PVC Condu	25.00	00 Eac	ch 79.7	Rs. Seventy nine and paise seventy nine of
		Wiring for circuit / sub-main wiring alwith earth wire with the following size PVC insulated, copper conductor, sincore cable in surface/recessed PVC condas required.	s of			
	1.14.1	2x1.5 Sqmm + 1x1.5 sqmm earth wire				
	1.14.2	2x2.5 Sqmm + 1x2.5 sq mm earth wire	40.000	Mtrs.	107.06	Rs. One hundred seve and paise six only.
		1 3 Sq min earth wire				Rs. One hundred thirty
	1.14.9	4x6.0 Sqmm + 2x6.0 sqmm earth wire (350.000 (to	Mtrs.	132.310	
	1.14.10	oe used as sub main)		Mtus	200.00	Rs. Three hundred nin two and paise eighty n
	1.14.10	4 X 10 sq. mm + 2 X 10 sq. mm earth wire		Mtrs.	392.890	Rs. Six hundred two ar
1		S/F 'C' series SP MCB:- Supplying and fixing 240 volts, 'C' serie	10.000	Mtrs.	602.970	paise ninety seven only
		inductive loads of following poles in the existing MCB DB complete with connections, testing and commissioning etc.	e e			
	2.10.1	6/32A, Single Pole	36.000	Г1		Rs. One hundred seventy
	2.10.3	6/32A ,DP	30.000	Each	170.690	and paise sixty nine only Rs. Four hundred sixty
	2.13	S/F TPN MCB:-	3.000	Each	463.590	three and paise fifty nine only.
		Supplying and fixing following rating, four pole, 240 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required				

For DIGITAL CONSTRUCTION PVT. LTD. सटोन्ड गराया हिंह MANAGING DIRECTOR

Chief Engineer

R. S. E. I.D.C. Ltd Schoolf

	2.13	.2 63 A,TPN		34		
						Rs. Six hundred seve six and paise seventy
93	2.1	The NCCD:-Silphiving and fi	3.00	00 E	ach 676.7	only.
		following rating three phase and 415 volts, residual current circuit (RCCB) having a sensitivity currer 300 miliamperes in the existing MC complete with connections, testin commissioning etc. as required.	neutral, breaker nt upto			
		etc. as required.				2
	2.15.	2 40 Amp.				
			2.00			Rs. Two thousand one hundred forty four and
94	2.8	S/F TP MCB DB:-	3.000) Eac	ch 2144.23	paise twenty three onl
		way, norizontal type three note and no	owing			
		sheet steel, MCB distribution board volts, on surface/recess, complete tinned copper bus bar, neutral bus bar, bar, din bar, detachable gland interconnections, phosphatized and popainted including earthing etc. as req (Without MCB/RCCB/ISOLATOR). MLegrand/Anchor/Havells/HPL.	with earth plate, owder			
	2.8.5	4 Ways (4+12 ways) double door				
						Rs. Seven thousand four hundred thirty and paise fifty seven only.
5	1.33	S/F Ceiling Rose:-	3.000	Set	7430.570	
			Section of the sectio			
		Supplying and fixing 2 pin ceiling rose the existing junction box/ wooden bloincluding connection etc as required.	ock			Rs. Forty three and paise forty three only.
	1.34	S/F Batten / Angle Holder:-	80.000	Each	43.430	
		Supplying and fixing batten / angle hold including connection etc as required.	27.000	Each	74.740	Rs. Seventy four and paise seventy four only.

ANAGING DIRECTOR

Chief Engineer

S.S.E.I.D.C. Ltd. Patna

314

020411

97	1.25	S/F Modular type al. ()		35		
		S/F Modular type electronic fan regular	tor:-			
						Rs. Two hundred e
			24.00	00 5	.	six and paise eighty
		Supplying and fixing stepped type	C	00 Ea	ich 286.8	only.
		resulator on the existing modular	.1 (/.
		Switch box including connection	1			
		excluding modular plate etc as required.	out		-	
98	1.21	S/F PVC Conduit:-				
		Supplying and fixing of following size	s of			
		medium class PVC				
		conduit along with accessories	in			
		surface/recess including cutting				
		the wall and making good the same in	ease			
		or recessed conduit				
		as required.				
+	1 21 1					
	1.21.1	20 mm				
					1	Rs. Fifty three and pais
99		Til	110.000	Mtrs.	52.520	fifty three only.
		Telephone Wiring in Existing Conduit:-	110.000	IVILIS.	53.530	
	1.18	Supplying and I	-			
-		Supplying and drawing following pair (mm dia FRLS PVC	0.5			
		insulated and I				
		insulated annealed copper conductor unarmored telephone cable	or,			
		in the existing surface.				
		in the existing surface/ recessed steel/ PV conduit as required	C			
-	1.16					
	1.18.2	2 pair				
0	1.24		50.000	N/		Rs. Eighteen and paise
	1.24	S/F Modular type Switch / Socket:-		Mtrs.	18.180	eighteen only.
		Supplying and fixing following madel	r			
		type Switch / Socket on the evicting made	1			
	1	prate and Switch box including connect.	1			
	4	but excluding modular plate etc as required				
-						
	1.24.6	Telephone socket outlet				
-			2.000	Г		Rs. Ninety five and paise
-		EARTHING	2.000	Each	95.950	ninety five only.
	5.6	COPPER EARTH PLATE ELECTRODE:-				
		TO DEECTRODE;-				

Adam norman ac MANAGING DIRECTOR Chief Engineer

P.S.E.I.D.C. Ltd. Patna

19.

314

314

314

		Farthing with construction		36		
		Earthing with copper earth plate 600mm 600mmx 3mm thick including acessori and providing masonary enclosure wi cover plate having locking arrangement ar watering pipe of 2.7 meter long etc with charcoal/cock and salt as required.	es th			Rs. Nine thousand thr hundred eighty four a paise ninety two only.
102	5.10	P/F 25 x 5mm copper earth strip in pipe :-	2.000	Each	9384.92	0
		Providing and fixing 25 mm X 5 mm copper strip in 40 mm dia G.I. pipe from earth electrode including connection with brass nut, bolt, spring, washer excavation and refilling etc. as required.	g			Rs. One thousand nine two and paise eighty two
103	5 14	DUDGE	12.000	Mtrs.	1092.820	
103	5.14	P/F 25 x 5 mm copper earth strip in surface, recess :-		Witts.	1092.820	* \
104		Providing and fixing 25 mm X 5 mm copper strip on surface or in recess for connections etc. as required. Cable Laying of 1.1 KV & 11 KV:-	24.000	Mtrs.	864.560	Rs. Eight hundred sixty four and paise fifty six only.
	7.1	Laying of one number PVC insulated and PVC Sheathed / XLPE power cable of 1.1 KV grade of following size direct in ground including excavation, sand cushioning, protective covering and refilling the trench etc as required.				
05	7.1.2	Above 35sq.mm and Upto 95 Sq.mm. G.I. Pipe for Cable protection:-	80.000	Mtrs.		Rs. Two hundred four and paise two only.
		Providing, laying and fixing following dia RCC pipe NP2 class(light duty) in ground complete with RCC collars, joints with cement mortar 1:2 (1 cement : 2 fine sand) including trenching (75 cm) and refilling etc.as required. (Road crossing as per site condition)				

MANAGING DIRECTOR

Chief Engineer

3.S.E.I.D.C. Ltd, Patna

219

314

0104/17

106 9.1 1.1 KV Cable End Termination-Supplying and making indoor cable end termination with brass double compression gland and aluminium lugs for following size of PVC insulated XLPE Al. Ar. Cable of 1.1 KV grade as required. 9.1.22 3.5 Core 50 Sq.mm. 2.000 Each 272.700 only. Rs. Two hundred seven and paise eight four only. Rs. Two hundred seven and paise eight four only. Rs. Two hundred seven and paise eight four only. Rs. Two hundred seven only. Rs. Three hundred on two and paise seven only. Rs. Three hundred in two and paise seven only. Rs. Two hundred seven only. Rs. Three hundred in two and paise seven only. Rs. Three hundred in two and paise seven only. Rs. Three hundred in two and paise seven only. Rs. Three hundred in two and paise seven only. Rs. Three hundred in two and paise seven only. Rs. Three hundred in two and paise seven only. Rs. Two thousand two hundred sixty and pai thirty eight only. Rs. Two thousand two hundred sixty and pai thirty eight only. Rs. Two thousand two hundred sixty and pai thirty eight only. Rs. Six thousand two appears to substacle with all accessories including		14.14.2	150 mm dia	37	-		
107 1908 JSR 2014 Sheathed (Heavy duty)armoured electric cable aluminium conducter. 3.5 C x 50 Sq.mm 1.1kV 100.000 Mtrs. 391.000 Sy. Three hundred in one only. 2.1 S/F HRC fuse type TP&N switch disconnector: Providing and fixing following capacity to this missing connections, etc. as required. 2.1.2 63 amps, TP&N, HRC 3.000 Each 2260.380 Thirty eight only. 2.5.3 Providing and fixing following capacity busbar chamber with 4 strips of suitable size made of capper, heavy duty, complete with all accessories including connections, earthing the body, etc as required.	100			10,000	Mtn	207.04	Rs. Three hundred eigseven and paise eighty
107 1908 JSR 2014 Sheathed (Heavy duty)armoured electric cable aluminium conducter. 3.5C x 50 Sq.mm 1.1kV 100.000 Mtrs. 391.000 one only. S/F HRC fuse type TP&N switch disconnector: Providing and fixing following capacity TP&N disconnector fuse switch unit inside the existing panel board with ISI marked HRC fuses including drilling holes in cubicle panel, making connections, etc. as required. 2.1.2 63 amps,TP&N, HRC S/F Busbar Chamber:- 2.5.3 B.S.R 2009 S/F Busbar chamber with 4 strips of suitable size made of capper, heavy duty, complete with all accessories including connections, earthing the body, etc as required. Rs. Two hundred set two and paise seven only. Rs. Three hundred no no enly. Rs. Two thousand two hundred sixty and pair thirty eight only. Rs. Two thousand two hundred sixty and pair thirty eight only. Rs. Two thousand two hundred sixty and pair thirty eight only. Rs. Six thousand two hundred seven only.	106	9.1	Supplying and making indoor cable entermination with brass double compression gland and aluminium lugs for following size of PVC insulated XLPE Al. Ar. Cable of	d n	IVIII	387.840	0 lour only.
108 2.11 S/F Busbar Chamber:- 2.12 S/F Busbar Chamber:- 2.13 S/F Busbar Chamber:- 2.15 S/F Busbar Chamber:- 2.16 S/F Busbar Chamber:- 2.17 S/F Busbar Chamber:- 2.18 S/F Busbar Chamber:- 2.19 S/F Busbar Chamber:- 2.19 S/F Busbar Chamber:- 2.10 S/F Busbar Chamber:- 2.10 S/F Busbar Chamber:- 2.11 S/F Busbar Chamber:- 2.12 S/F Busbar Chamber:- 2.13 Providing and fixing following capacity busbar chamber with 4 strips of suitable size made of capper, heavy duty, complete with all accessories including connections, earthing the body, etc as required. 2.14 S/F Busbar Chamber:- 3.50 S/F Busbar Chamber:- 3.000 Each 2260.380 S/F Busbar Chamber:- 2.5 S/F Busbar Chamber:- 3.000 Each 2260.380 S/F Busbar Chamber:- 3.000 Each 2260.380 S/F Busbar Chamber:- 3.000 Busbar Chamber:- 3.000 Each 2260.380 S/F Busbar Chamber:- 3.000 Busbar Chamber:- 3.000 Each 2260.380 S/F Busbar Chamber:- 3.000 Busbar Cha	107			2,000	Fach	272 700	Rs. Two hundred seven two and paise seventy
2.1 S/F HRC fuse type TP&N switch disconnector:- Providing and fixing following capacity TP&N disconnector fuse switch unit inside the existing panel board with ISI marked HRC fuses including drilling holes in cubicle panel, making connections, etc. as required. 2.1.2 63 amps,TP&N, HRC S/F Busbar Chamber:- 2.5.3 Providing and fixing following capacity busbar chamber with 4 strips of suitable size made of capper,heavy duty,complete with all accessories including connections,earthing the body,etc as required. Rs. Two thousand two hundred sixty and paint thirty eight only. Rs. Six thousand two hundred twenty two arrequired.	10/		sheathed (Heavy duty)armoured electric cable aluminium conducter.		Each	2/2./00	only.
2.1 In the type TP&N switch disconnector: Providing and fixing following capacity TP&N disconnector fuse switch unit inside the existing panel board with ISI marked HRC fuses including drilling holes in cubicle panel, making connections, etc. as required. 2.1.2 63 amps,TP&N, HRC S/F Busbar Chamber: 2.5.3 Providing and fixing following capacity busbar chamber with 4 strips of suitable size made of capper,heavy duty,complete with all accessories including connections, earthing the body,etc as required. Rs. Two thousand two hundred sixty and pair thirty eight only. Rs. Six thousand two hundred twenty two arrequired. Rs. Six thousand two hundred twenty two arrequired.	108			100.000	Mtrs.	391 000	Rs. Three hundred nine
Rs. Two thousand two hundred sixty and pair thirty eight only. S/F Busbar Chamber:- 2.5 2.5.3 B.S.R 2009 Providing and fixing following capacity busbar chamber with 4 strips of suitable size made of capper, heavy duty, complete with all accessories including connections, earthing the body, etc as required. Rs. Two thousand two hundred sixty and pair thirty eight only. Rs. Six thousand two hundred twenty two arrequired.		2.1	disconnector:- Providing and fixing following capacity TP&N disconnector fuse switch unit inside the existing panel board with ISI marked HRC fuses including drilling holes in cubicle panel, making connections,				one only.
S/F Busbar Chamber:- 2.5 2.5.3 B.S.R 2009 Providing and fixing following capacity busbar chamber with 4 strips of suitable size made of capper,heavy duty,complete with all accessories including connections,earthing the body,etc as required. Rs. Six thousand two hundred twenty two ar required.		2.1.2	63 amps,TP&N, HRC				Rs. Two thousand two hundred sixty and paise
B.S.R 2009 busbar chamber with 4 strips of suitable size made of capper,heavy duty,complete with all accessories including connections,earthing the body,etc as required. Rs. Six thousand two hundred twenty two ar paise sixty one only	09	2.5		3.000	Each	2260.380	thirty eight only.
1.000 Each 6222 610		B.S.R 2009	made of capper, heavy duty, complete with accessories including connections, earthing the body, etc as required.				hundred twenty two and

For DIGITAL CONSTRUCTION PVT. LTD.

2127-5-7777007 Rock

MANAGING DIRECTOR

Chief Engineer

3.S.E.I.D.C. Ltd. Patna,

Shally

314

	10 2.7.4	Providing and fixing following capacity	38			
	B.S.I	pole OFF-load changeover switch with	four			
	2009	handle operation in all	side			
		handle operation, in sheet enclosure	in			
		existing metal board, including drill	ling			
		metal panel, making connecti	ons			Rs. Seven thousand r
		ctc. as required.				hundred seven only.
		125 Amps, Four pole				seven only.
11	1 6.5	D	1.000	Eac	h 7007 o	
11	0.5	Providing and fixing copper tape 20 mm	X 1.000	Eac	h 7907.00	00
		13 IIIII UNICK On paranet		- '		
		or surface of wall for lightning conduct	ta			
		complete as required.	tor			Rs. Three hundred
		(For horizontal run)				seventy nine and paise
		(and run)				seventy six only.
						seventy six only.
112	6.6	Providing and fixing copper tape 20 mm	80.000	mete	r 379.760	
		3 mm thick on parapet	X			
		or surface of will a	No.		-	D =
		or surface of wall for lightning conducted	or			Rs. Four hundred ten a
		complete as required.	20.000			paise six only.
113	2.2	Providing and fixing following rteing an	30.000	meter	410.060	
		breaking capacity MCCB in existing	d			
		cubicale panel hand in existin	g			
		cubicale panel bord including drilling hol	e			
		cubicale panel making connection etc a	S			
		required				
-						
	2.2.3	160 amp. 16KA				
						Rs. Four thousand five
						hundred sixt C
			1.000	EACH	1565 200	hundred sixty five and
				LACIT	4565.200	paise twenty only.
1.4	Dogg	FIRE FIGHTING			Total (C)	503,812.7
14	DGS&D	Brand new ICI . 1 1 1 1 1				
.		Brand new 151 marked Life Guard ADC				
		Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 V co.				
		Capacity full Ca				
		Capacity, fitted with pressure				Rs. Seven thousand five
		Capacity, fitted with pressure guage complete in all respects ready to use				Rs. Seven thousand five hundred forty nine and
		Capacity, fitted with pressure				hundred forty nine and
		Capacity, fitted with pressure guage complete in all respects ready to use		N		Rs. Seven thousand five hundred forty nine and paise seventy five only.
		Capacity, fitted with pressure guage complete in all respects ready to use		Nos.	7549.750	hundred forty nine and
		Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit.		Nos.	Total	hundred forty nine and paise seventy five only.
		Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit.		Nos.		hundred forty nine and paise seventy five only. 75,497.50
5		Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit. CARRIAGE OF MATERIALS		Nos.	Total Total (D)	hundred forty nine and paise seventy five only. 75,497.50
		Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit.		Nos.	Total (D) Rate Incl.	hundred forty nine and paise seventy five only. 75,497.50
		Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit. CARRIAGE OF MATERIALS		Nos.	Total Total (D)	hundred forty nine and paise seventy five only. 75,497.50
		Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit. CARRIAGE OF MATERIALS		Nos.	Total (D) Rate Incl.	hundred forty nine and paise seventy five only. 75,497.50
		Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit. CARRIAGE OF MATERIALS	10.000	Nos.	Total Total (D) Rate Incl. 1% Lab. Cess	75,497.50 75,498.00
		Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit. CARRIAGE OF MATERIALS Type of materials		Nos.	Total Total (D) Rate Incl. 1% Lab. Cess	hundred forty nine and paise seventy five only. 75,497.50

MANAGING DIRECTOR

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

110.

314

02/04/13

			39			
		Sand	188.457	cum	1171.47	Rs. One Thousand one Hundred seventy one and paise forty seven only.
		Local Sand	125.918	cum	205.29	T
		Stone Chips	176.279	cum	1539.79	Rs. One Thousand five Hundred thirty nine and paise seventy nine only.
		Brick	120.253	Thous.	601.67	Rs. Six hundred one and
		Steel	18.050	МТ	289.87	Rs. Two hundred eighty nine and paise eighty seven only.
					Total	636,093.40
			Grand T	Total (A+1)	Total (E) B+C+D+E)	636,093.00
SL. No.	DISTRICT	NAME OF INSTITU		otal (A)	D+C+D+E)	7,280,515.73 Amount
1	Aurang abad	Aurang				(Rs.)
	abag			in ID I		7,280,515.73
			Total Cost i	n Ks'		7,280,516.00

For DIGITAL CONSTRUCTION PVT. LTD.

21 21 21 21 21 140 Age

MANAGING DIRECTOR

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

314

Pari	t 'A' - Co	upees Seventy Two lacs Eighty T hils of Sl. No. 78 (Construction of 125) ost of Materials	nm x 401	mm x 90n	n Tube we	ell) is given below
1		125mm dia UPVC casing pipe confirming to ISS	27			Do Ti
2		40mm dia UPVC pipe confirming to ISS	48	Meter	313.	only.
3		40mm dia PVC ribbed strainer of approved quality	1 8	Meter	-	thirty eight only.
4		Reducing socket 125mm x 40mm	1	Each	270.0	two only.
5		Supplying all labour and materials & fitting & fixing PVC cap over the new sink T/well	1	Each	140.0	only.
6	B.S.R 1548	Providing and fixing of G.I pipes complete with G.I fittings and clamps, including, cutting and making good etc 32 mm dia (15% C.P & 1% L.Cess)	18	mtr	224.44	Rs. Two hundred twenty four and paise forty four only.
7	B.S.R 1928	32 mm nominal bore Bross Full valve (15% C.P & 1% L.Cess)	1	Each	511.21	Rs. Five hundred eleven and paise twenty one
8		Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of E/I	1	Each	26,446.00	Rs. Twenty six thousand four hundred forty six only.

For DIGITAL CONSTRUCTION PVT. LTD. MANAGING DIRECTOR

B.S.E.I.D.C. Ltd. Patnay

		roved in favour of Digital Construction				14,294.28
		per direction of E/I		Each	280.50 b - Total	Rs. Two hundred eighty and paise fifty only.
15		Supplying labour and developing the T/Well to have sand free discharge all complete as	1	Fools	Salator	
14		Providing all labour & tools and lowering 32 mm dia G.I pipe as per specificatin etc. all Complete	24	mtr	21.34	Rs. Twenty one and paise thirty four only.
13		a) For 40mm dia UPVC ribbed strainer of approved quality	8	mtr	148.79	Rs. One hundred forty eight and paise seventy nine only.
					/	Time only.
12		a) For 40mm dia UPVC pipe (iv) 75.00 m to above	14	mtr	148.79	Rs. One hundred forty eight and paise seventy nine only.
		(iii) 61.00 m to 75.00 m				only.
11		(a) For 40 mm dia UPVC pipe	30.5	mtr	136.8	Rs. One hundred thirty six and paise eighty eight
		(ii) 30.5 m to 61.0 m				omy.
		(i) 0 to 30.5 m	3.5	mtr	119.(Rs. One hundred nineteen and paise thre only.
10		(b) for 40 mm dia UPVC pipe				omy.
	9	(a) For 125 mm dia U.PV.C pipe	27	mtr	208.	Rs. Two hundred eight and paise seventy sevently.
		(i) 0 to 30.5 m				
		Boring by jet dheki by suitable cutter of reduce as the case may be lowering 125 r x U.P.V.C x 40 mm dia G.I pipe & strain of standard quality iron, shoe, plug & soc etc. all complete including providing all tools and plants required for the job as pe specification and direction of the engineer in charge.	er ket			

Tender approved in favour of Digital Construction pvt. Ltd. @ 10.00% (Ten Decimal Zero Zero Percent) below BOQ rates i.e. total amount comes to Rs. 65,52,464=00 (Rupees Sixty Five Lacs Fifty Two Thousand Four Hundred Sixyt Four Only)

For DIGITAL CONSTRUCTION PVT. LTD.

निट्मिष्ठ वरायामण रिट्ट MANAGING DIRECTOR

Chief Engineer S.E.I.D.C. Ltd. Patna

Performance Security

Name of Agency - "Digital Construction Pvt. Ltd."

Performance Security of "Digital Construction Pvt. Ltd." of "BRC-Obra(SL. No.-131)"

NCC N-				ora(DL. I	10131)
NSC No. 08DE 09981-92 17EF 189918-26 Passbook No. 45100837	<u>DOI</u> 03.06.16 12.01.13 <u>DOI</u> 25.08.15	Reg No. 926 639 Reg No.	5000*12 10000*9		Amount 60000.00 90000.00
					250000.00
				Total	400000.00

(Rupees Four Lacs Only)

रिखा पदाधिकारी

बिहार राज्य शैक्षणिक आधारभूत संरचना

विकास निगम लि०, प्रदेना,

02/01/19

For DIGITAL CONSTRUCTION PVT. LTD.

ACTIVE OF THE BEACH

MANAGING DIRECTOR

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

314

BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

Shiksha Bhawan, Bihar Rastrabhasa Parishad Campus ,Acharya Shiv Pujan Sahay Path, Saidpur, (A Govt. Of Bihar Undertaking)

Cor. ID. No.: U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256

Letter of Acceptance

Letter no :- BSEIDC/FIN/2584/2016-17/- 9889

Digital Construction Pvt. Ltd Vill-Bhawan Bigha, P.O- Doudnagar, Aurangabad.

Dear Sir,

This is to notify you that your Bid dt. 11.06.2016 for execution of "Construction of Block Resource Centre at Obra, Aurangabad (SL. No.-131 of NIT No.-40/2015-16) in the State of Bihar" has been accepted by the Corporation at your quoted rate of 10.00% (Ten Decimal Zero Zero Percent) below BOQ rates amounting to total contract price of Rs: 65,52,464=00 (Rs: Sixty Five Lacs Fifty Two Thousand Four Hundred Sixty Four Only)

You are hereby requested to furnish performance security including additional security in the form detailed in I.T.B. para 31.1, 27.4 and clarification issued thereon by RCD, Govt. of Bihar, vide letter no. 3376 (E) dt. 17.08.2010, for an amount equivalent to Rs. 3,77,000=00 (Rs. Three Lacs Seventy Seven Thousand Only) within ten days of receipt of this letter of acceptance valid upto 28 days from the date of expiry of defects liability period and sign the contract, failing which action as stated in Para 31.3 of ITB will be taken.

Yours faithfully

(Brajesh Prasad)

Memo no: BSEIDC/FIN/2584/2016-17/-Chief Consultant (Technical)

Copy forwarded to: Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC website/Senior Account Officer, BSEIDC, Patna for information & necessary action

Memo no: BSEIDC/FIN/2584/2016-17/- 9889

17-10-2016 Chief Consultant (Technical)

Date: .. 18:10:16

Copy forwarded to: Chief Engineer, BSEIDC, Patna for information Please.

Memo no: BSEIDC/FIN/2584/2016-17/-

Chief Consultant (Technical)

Date: 18:10.16

Copy forwarded to :Managing Director, BSEIDC, Patna for information Please. For DIGITAL CONSTRUCTION PVT. LTD.

Horte or mor the

MANAGING DIRECTOR

Chief Consultant (Yechmical)

B.S.E.I.D.C. Ltd, Patna

बिहार राज्य शैक्षणिक आधारभूत संरवना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

शिक्षा भवन, बिहार राष्ट्रमाषा परिषद् पेरिसर, शिवपूजन सहाय पथ, सैदपुर, पटना–800004. दूरमाष–0612–2910314 कॉर्पोरेट पहचान संख्या: U80301BR2011SGC015859, e-mail: bseide@gmail.com, website.www.bseide.in, Fax No. 0612-2660256,

Letter no.: BSEIDC/NIT/2015-16/- 3950

Patina, Date: Coroy 16

Corrigendum No.- 3

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "हिन्दुस्तान" on dated 10.02.2016 vide P.R.-12943 (नि०नि०)15—16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below :-

1		
110.	Existing provision	Amended provision
Withman)	Period of Sale of Bid document (Download) from dated 16.04.2016 to 10.05.2016, 15:00 Hrs.	1le (20
a	Date and Time of Pre bid Meeting – 25.04.2016. Date and Time of Pre bid Meeting – 25.05.2016, 14:30 Hrs.	Date and Time of Pre bid Meeting – 25.05.2016,
0	Last date and time for receipt (Upload) of Bids on dated 11.05.2016, 15:00 Hrs.	Last date and time for receipt (Upload) of Bids on
7	hnical Bids on	Time and date for opening of Technical Bids on
5	Time and date for opening of Financial Bids on dated 27.05.2016, 15:30 Hrs.	Time and date for opening of Financial Bids on
9	The Cost of BOQ and EMD will he a	The Cost of BOO and EMD will be accepted up to 00 of 201.

The other terms and conditions shall remain unchanged.

Chief Engineer
3.S.E.I.D.C. Ltd, Patna

30-4-2016 (Brajesh Prasad)

Chief Consultant (Technical)

For DIGITAL CONSTRUCTION PVT. LTD. 21 cm on mandi MANAGING DIRECTOR

बिहार राज्य शेक्षाणिक आधारमत संरचना विकास निगम लि०

बिहार सरकार का एक उपक्रम)

शिक्षा भवन, विहार राष्ट्रमाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना–800004, दूरमाष–0612–2910314

कॉपॅरिट पहचान संख्याः U80301BR2011SGC015859, e-mail. bseide@gmail.com, website, www.bseide.in, Fax No.: 0612-2660256,

Letter no.: BSEIDC/NIT/2015-16/- 2937

Patna, Date: 28-03-2016

Corrigendum No.- 2

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "हिन्दुस्तान" on dated 10.02.2016 vide P.R.-12943 (नि०नि०)15—16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below :-

	Period of Sale of Bid document (Download) from dated 03.03.2016 to 28.03.2016, 15:00 Hrs.	Period of Sale of Bid document (Download) from dated 16.04.2016 to 10.05.2016,
	14:30 Hrs. Last date and time for receipt (Upload) of Bids on dated 29.03.2016, 15:00 Hrs. Last date and time for receipt (Upload) of Bids on	Date and Time of Pre bid Meeting – 25.04.2016, 16:00 Hrs. Last date and time for receipt (Upload) of Bids on
		Time and date for opening of Technical Bids on dated 13, 05, 2016, 15, 2016
***************************************	dated 11.04.2016, 15:30 Hrs.	Time and date for opening of Financial Bids on dated 27.05.2016, 15.30 Hrs

The other terms and conditions shall remain unchanged.

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

314.

Chief Consultant (Technical) (Brajesh Prasad)

For DIGITAL CONSTRUCTION PVT. LTD. अध्येष्ट्र गणाया रिक MANAGING DIRECTOR

बिहार राज्य शेक्षाणिक आधारभूत संरवना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

कॉर्पोरेट पहचान संख्याः U80301BR2011SGC015859, e-mail bseide@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256, शिक्षा भवन, विहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना—800004, दूरभाष—0612—2910314

Letter no.: BSEIDC/NIT/2015-16/- 2638

Patna, Date: 17.03.16

Corrigendum No.- 1

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below:-

or.	PA-100-100-100-100-100-100-100-100-100-10	
110.	Existing provision	A recovered and
	Period of Sale of 12:4 description	Amended provision
	from dated 03.03.2016 to 28.03.2016,	Period of Sale of Bid document (Download) from dated 03.03.2016 to 30.04.2016.
1	38t Oato and time L	15:00 Hrs.
CI	on dated 29.03.2016, 15.00 Hr.s	Last date and time for receipt (Upload) of Bids on
	Time and data for a contract	dated 01.05,2016,15:00 Hrs.
m	dated 31, 03.2016, 16:30 Hrs	Time and date for opening of Technical Bids on
	Time and date for moning of Fi	dated 04, 05,2016, 16:30 Hrs.
+	dated 11.04.2016, 15:30 Hrs	Time and date for opening of Financial Bids on
	P P P	dated 17.05.2016, 15:30 Hrs.
5	The Cost of BOQ and EMD will be	The Cost of BOQ and EMD will be accented up to 04 of 2000

The other terms and conditions shall remain unchanged.

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

314

(Brajesh Prasad)

Chief Consultant (Technical)

For DIGITAL CONSTRUCTION PVT. LTD. MANAGING DIRECTOR

- c. Transport and procurement difficulties.
- d. Circumstances beyond the control of the state.
- 15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- 16. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
- 17. The contractor shall make his own arrangement for water and light at the work site.
- 18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 20. The Tenderer must not quote their rate more than 10 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
- 21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 22. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.

----X-----X

23. The Defect liability Period shall be Three (3) Years from the date of completion of the work.

For DIGITAL CONSTRUCTION PVT. LTD.

MANAGING DIRECTOR

(Seal & Signature of Tenderer)

Page 7 of 2

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

SPECIAL CONDITIONS

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes royalties and other

4. To qualify for award of work, the Bidder must possess the following:-

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of

b) DD for required value of B.O.Q. Cost.

c) Sufficient Earnest Money Deposit. d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and

to be submitted for last five years as mentioned in Technical bid.

Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed at least one Building work of value not less than 25 % of estimated value of contract) in last five years as mentioned in Technical bid.

f) Litigation History as mentioned in Technical bid.

g) Affidavit as mentioned in Technical bid.

h) Valid Registration with Central/ State Govt. / PSU.

i) Valid labour license as mentioned in Technical bid.

j) Affidavit/Certificate for not been debarred as mentioned in Technical bid.

- 5. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.
- 6. The tender without earnest money or insufficient earnest money submitted with the tender, will be outright rejected.

7. Conditional tenders shall be outright rejected.

- 8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.
- 9. Authority shall reserve the right to reject any or all the tenders or distribute the work to more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained.

- 11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules
- 12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the
- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss
- a. Natural calamities

 b. Act of enemies. For DIGITAL CONSTRUCTION PVT. LTD.

भागम् गरायण दे MANAGING DIRECTOR

(Seal & Signature of Tenderer)

Chief Engineer B.S.E.I.D.C. Ltd, Patna

बिहार राज्य शैक्षणिक आधारमूत संरचना विकास निगम लिमिटेड

(बिहार सरकार का एक उपक्रम) 49 शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् कैम्पस, आचार्य शिवपुजन सहाय पथ, सैदपुर, पटना—800004 (दूरभाष:—0612—2910314)

निविदा आमंत्रण सूचना संख्या- 40 वर्ष 2015-16 (केवल ई-टेन्डरिंग पद्धति के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

बिहार राज्य के भवन निर्माण कार्य हेतु निम्नांकित निविदायें आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार/सार्वजनिक क्षेत्रों में निबंधित् हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रजिस्ट्रेशन, उक्त कार्य का लेटर ऑफ

	कार्य का नाम		ग्लित शि में)	अग्रध की रा (रू० म	शि विपत्र	की Beltron E	ng समाप्ति
	BRC Ekma,Saran				(रू० मे		s.) की अवधि
	BRC Baniyapur,Saran	85		1,70,40	20,00	00 5750	15 मार
3	Triasian, Saran	85		1,70,40	- 0,00		15 माह
4	Bre Mariowran, Saran	85.		1,70,40	- 0,00		15 माह
5	BRC Amnour, Saran	85.		1,70,40	0 10,00		15 माह
6	BRC,Dariyapur,Saran	85.		1,70,40	0 10,00		15 माह
7	BRC,Garkha,Saran	85.		1,70,40	0 10,00		15 माह
8	- Darphanga - Darphanga	85.		1,70,40	0 10,00		
9	BRC, Keoti, Darbhanga	85.		1,70,400		2,00	15 माह 15 माह
10	BRC, kusheshwarsthan Darbhanga	85.2		1,70,400		2,20	
11	DRC, Ghanshyampur Darbhango	85.2	2	1,70,400		0,00	15 माह
12	BRC,Kiratpur,Darbhanga	85.2	2	1,70,400		0,20	15 माह
13	BRC,Baheri,Darbhanga	85.2	2	1,70,400		0.00	15 माह
14	BRC, Hanumannagar, Darbhanga	85.2		1,70,400		2,20	15 माह
15	BRC, Lakhnaur, Madhubani	85.2		1,70,400	,-00	0,20	15 माह
16	BRC Ibanibarran M. H.	85.2		1,70,400	, , , ,	2750	15 माह
17	BRC, Jhanjharpur, Madhubani	85.2		$\frac{1,70,400}{1,70,400}$	- 0,000	5750	15 माह
18	BRC, Phulparas, Madhubani	85.2		$\frac{1,70,400}{1,70,400}$	-,-00	0750	15 माह
19	BRC,Khutauna,Madhubani	85.2			, , ,	5750	15 माह
20	BRC, Khajouli, Madhubani	85.2		1,70,400	10,000	5750	15 माह
21	BRC,Bisfi,Madhubani	85.2		1,70,400	10,000	5750	15 माह
22	BRC,Rahika,Madhubani	85.2		1,70,400	10,000	5750	15 माह
	BRC, Harlakhi, Madhubani			1,70,400	10,000	5750	15 माह
23	BRC,Babubarhi,Madhubani	85.2		,70,400	10,000	5750	15 माह
24	BRC Rosada, Samastinur	85.2		,70,400	10,000	5750	15 माह
25	BRC Samastipur	85.2		,70,400	10,000	5750	15 माह
26	BRC, Khanpur, Samastipur	85.2		,70,400	10,000	5750	15 माह
27	BRC, Hasanpur, Samastinur	85.2	1.	,70,400	10,000	5750	
28	BRC, Mohanpur, Samastipur	85.2	1,	,70,400	10,000	5750	
29	BRC, Patori Samastinur	85.2	1,	70,400	10,000	5750	
30	BRC, Shivajinagar, Samastipur	85.2	1,	70,400	10,000	5750	15 माह
31	BRC,Sangrampur,E.Champaran	85.2	1,	70,400	10,000		15 माह
32	BRC,Kalyanpur,E.Champaran	85.2		70,400	10,000	5750	15 माह
33	BRC Chakia, E. Champaran	85.2	1,	70,400	10,000	5750	15 माह
34	BRC Sugauli,E.Champaran	85.2		70,400	10,000	5750	15 माह
35	BRC Madhuban, E. Champaran	85.2		70,400	10,000	5750	15 माह
36	BRC Patahi, E. Champaran	85.2		70,400	10,000	5750	15 माह
7	BRC Raxaul, E. Champaran	85.2		70,400		5750	15 माह
8	BRC Adapur,E.Champaran	85.2		0,400	10,000	5750	15 माह
9	BRC Panlate D. Cl	85.2		0,400	10,000	5750	15 माह
0	BRC Bankatwa,E.Champaran	85.2			10,000	5750	15 माह
1 1	BRC Dhaka,E.Champaran	85.2		0,400	10,000	5750	15 माह
2 1	BRC Bairia, W.Champaran			0,400	10,000	0	15 माह
2 I	BRC Narkatiaganj, W.Champaran	85.2		0,400	10,000	5750	15 माह
1 🔔 🤇	BKC Sikta W Champana	85.2		0,400	10,000		1.5 माह
1 4		85.2	1,7(0,400	10,000	/ N 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	
	Elevis Novel Port	85.2	1,70	0,400	10,000		15 माह 15 माह
					F 1 1 1 1 1		10 418

B.S.E.I.D.C. Ltd, Patna

45 BRC Lauriya, W. Champaran	85.2	1,70,400	10,000	5750	15 F
46 BRC,Piprasi,W.Champaran	85.2	1,70,400	10,000	5750	15 F
47 BRC,Majhaulia,W.Champaran	85.2	1,70,400	10,000	5750	15 F
48 BRC Darauli, Siwan	85.2	1,70,400	10,000	5750	15 F
49 BRC Hussainganj, Siwan	85.2	1,70,400	10,000	5750	15 F
50 BRC Mairwa, Siwan	85.2	1,70,400	10,000	5750	15 F
51 BRC Basantpur, Siwan	85.2	1,70,400	10,000	5750	15 F
52 BRC Maharajganj, Siwan	85.2	1,70,400	10,000	5750	15 F
53 BRC,Bhagwanpur,Siwan	85.2	1,70,400	10,000	5750	
54 BRC,Hasanpur,Siwan	85.2	1,70,400	10,000	5750	
55 BRC Uchkagaon,Gopalganj	85.2	1,70,400	-		
56 BRC Sidhwalia,Gopalganj	85.2		10,000	5750	15 F
57 BRC Bhorey, Gopalganj	85.2	1,70,400	10,000	5750	15 F
58 BRC,Bijaipur,Gopalganj		1,70,400	10,000	5750	15 F
59 BRC Pachdeuri, Gopalgani	85.2	1,70,400	10,000	5750	15 F
60 BRC Kuchaikot,Gopalganj	85.2	1,70,400	10,000	5750	15 म
61 BRC,Ramgarh,Kaimur	85.2	1,70,400	10,000	5750	15 म
62 BRC Chainpur, Kaimur	85.2	1,70,400	10,000	5750	15 म
	85.2	1,70,400	10,000	5750	15 म
8 ,	85.2	1,70,400	10,000	5750	15 म
64 BRC Chakki,Buxar	85.2	1,70,400	10,000	5750	15 म
65 BRC Buxar	85.2	1,70,400	10,000	5750	15 н
66 BRC,Chausa,Buxar	85.2	1,70,400	10,000	5750	15 म
67 BRC Dinara, Rohtas	85.2	1,70,400	10,000	5750	15 म
68 BRC Karahgar,Rohtas	85.2	1,70,400	10,000	5750	15 म
69 BRC Kochas, Rohtas	85.2	1,70,400	10,000	5750	15 म
70 BRC Tilauthu,Rohtas	85.2	1,70,400	10,000	5750	15 म
71 BRC Karakat, Rohtas	85.2	1,70,400	10,000	5750	15 н
72 BRC Dawat,Rohtas	85.2	1,70,400	10,000	5750	15 म
73 BRC,Mansahi,Katihar	85.2	1,70,400	10,000	5750	15 म
74 BRC,Manihar,Katihar	85.2	1,70,400	10,000	5750	15 म
75 BRC,Pranpur,Katihar	85.2	1,70,400	10,000	5750	
76 BRC, Kadwa, Katihar	85.2	1,70,400	10,000		
77 BRC,Barsoi,Katihar	85.2			5750	15 म
78 BRC,Azamnagar,Katihar		1,70,400	10,000	5750	15 म
79 BRC,Narpatganj,Araria	85.2	1,70,400	10,000	5750	15 म
80 BRC, Araria	85.2	1,70,400	10,000	5750	15 म
81 BRC, Jokihat, Araria	85.2	1,70,400	10,000	5750	15 म
	85.2	1,70,400	10,000	5750	15 म
82 BRC,Bhargama,Araria	85.2	1,70,400	10,000	5750	15 म
83 BRC,Kursakata,Araria	85.2	1,70,400	10,000	5750	15 म
84 BRC,Purnea East,	85.2	1,70,400	10,000	5750	15 म
85 BRC, Baisi, Purnea	85.2	1,70,400	10,000	5750	15 म
86 BRC,Amour,Purnea	85.2	1,70,400	10,000	5750	15 म
87 BRC, Dhamdaha, Purnea	85.2	1,70,400	10,000	5750	15 म
88 BRC,Banmankhi,Purnea	85.2	1,70,400	10,000	5750	15 म
89 BRC,Tarhagach,Kishanganj	85.2	1,70,400	10,000	5750	15 म
90 BRC,Thakurganj,Kishanganj	85.2	1,70,400	10,000	5750	15 म
91 BRC,Pothia,Kishanganj	85.2	1,70,400	10,000	5750	15 म
92 BRC Katoria,Banka	85.2	1,70,400			
93 BRC Rajaun,Banka	85.2		10,000	5750	15 म
94 BRC,Barhat,Banka		1,70,400	10,000	5750	15 म
95 BRC Belhar,Banka	85.2	1,70,400	10,000	5750	15 म
96 BRC Jamui	85.2	1,70,400	10,000	5750	15 म
97 BRC Barhat, Jamui	85.2	1,70,400	10,000	5750	15 म
	85.2	1,70,400	10,000	\$750	15 म
98 BRC Chakai, Jamui	85.2	1,70,400	10,000	\$750	15 円
99 BRC Gidhour, Jamui	85.2	1,70,400	10,000	5 750	150 н
00 FOR BISCHARISONGTRUSTION PVT. LTD.	85.2	1,70,400	10,000	5150	7)13/н
अध्यो नगरा है।			Chief F	ngipeer	X
ACULT TO THE STATE OF		R	SELDC	Ltd, Patn	a /
MANAGING DIRECTOR		Zuc	Boo o F o East o	amount a server	
		-017			

	101 BRC Asharganj, Munger						
	102 BRC Naugachhia Bhagalpur	85		1,70,40	00 10,000	5750	15 माह
	103 BRC Pirpainti.Bhagalpur	85.		1,70,40	10,000	0,00	110
	104 BRC Shahkund, Bhagalpur	85.		1,70,40		5750	110
	105 BRC Puraini, Madhenura	85.		1,70,40	, , ,	5750	110
$\overline{}$	106 BRC Gwalpada, Madhenura	85. 85.		1,70,40	,,,,,	5750	
	107 BRC Kumarkhand, Madhenura	85.		1,70,40	,	5750	
	Janani, Madhenira	85.2		1,70,40	,	5750	15 माह
	Saturdazai, Sanarsa	85.2		1,70,40 1,70,40	,	5750	15 माह
		85.2		1,70,40	- 7,000	5750	15 माह
	111 BRC Mahensi,Saharsa 112 BRC Sonbarsa,Saharsa	85.2		1,70,400	9000	5750	15 माह
	113 BRC Simri, Bakhtiyarpur Saharsa	85.2		1,70,400	- 0,000	5750	15 माह
	114 BRC Supaul	85.2	2	1,70,400		5750	15 माह
	115 BRC Pipra, Supaul	85.2	2	1,70,400	,000	5750 5750	15 माह
	116 BRC Pratapganj, Supaul	85.2		1,70,400		5750	15
	117 BRC Nirmali, Supaul	85.2		1,70,400		5750	15 माह 15 माह
	118 BRC Raghopur Supaul	85.2		1,70,400		5750	15 माह 15 माह
	119 BRC, Atari, Gaya	85.2		1,70,400	9000	5750	15 माह
	120 BRC, Neemchak, Gaya	85.2		1,70,400	10,000	5750	15 माह
	121 BRC, Wazirgani, Gaya	85.2		1,70,400	10,000	5750	15 माह
	122 BRC, Mohanpur, Gaya	85.2		1,70,400	10,000	5750	15 माह
	123 BRC, Imamgani, Gaya	85.2		1,70,400	10,000	5750	15 माह
	124 BRC Amas, Gaya	85.2		1,70,400	10,000	5750	15 माह
	BRC, Koch, Gaya	85.2 85.2		1,70,400	10,000	5750	15 माह
	126 BRC, Jehanabad	85.2		1,70,400	10,000	5750	15 माह
	BRC,Kako,Jehanabad BRC Ghosi Jehanabad	85.2		1,70,400	10,000	5750	15 माह
	BRC,Ghosi,Jehanabad BRC Arwal	85.2		1,70,400 1,70,400	10,000	5750	15 माह
		85.2		1,70,400	10,000	5750	15 माह
	- Tulpi, Al Wal	85.2		,70,400	10,000	5750	15 माह
	31 BRC,Obra,Aurangabad 32 BRC,Dev,Aurangabad	85.2		,70,400	10,000	5750	15 माह
	33 BRC Madanpur, Aurangabad	85.2		,70,400	10,000	5750	15 माह
	34 BRC Kutumba, Aurangabad	85.2		,70,400	10,000	5750	15 माह
1	BRC, Rega,Sitamarhi	85.2		,70,400	10,000	5750 5750	15 माह
1.	BRC,Merajgang,Sitamarhi	85.2		,70,400	10,000	5750	15 माह
13	BRC,Pupri,Sitamarhi	85.2		70,400	10,000	5750	15 माह 15 माह
13	BRC,Barthnaha,Sitamarhi	85.2	1,	70,400	10,000	5750	15 माह 15 माह
13	BRC,Runisaidpur,Sitamarhi	85.2	1,	70,400	10,000	5750	15 माह
14	BRC,Suppi,Sitamarhi	85.2	1,	70,400	10,000	5750	15 माह
14	1 BRC, Pakribarawan, Nawada	85.2		70,400	10,000	5750	15 गाह
14	2 BRC, Warisaligani, Nawada	85.2		70,400	10,000	5750	15 माह
14	3 BRC, Akabarpur, Nawada	85.2		70,400	10,000	5750	15 माह
14	4 BRC, Narhat, Nawada	85.2		70,400	10,000	5750	15 माह
14	- To, Changi, Najalida	85.2 85.2		70,400	10,000	5750	15 माह
14	- 10, rustilawali , Nalanda	85.2		70,400	10,000	5750	15 माह
148	, reality, valality	85.2		70,400	10,000	5750	15 माह
149	- 110, Ekungarsarat, Najanda	85.2		0,400	10,000	5750	15 माह
150	-110,5 Haw, I valalida	85.2		0,400	10,000	5750	15 माह
151	-10, Radi Isarai, Nalanda	85.2		0,400	10,000	5750	15 माह
152	BRC, Motipur, Muzaffarpur	85.2		0,400	10,000	5750	15 माह
153	-10,110tipui,WiuZallarbiir	85.2		0,400	10,000	5750 5750	15 माह
154	BRC,Aurai,Muzaffarpur	85.2		0 1	10,000	5750 (5750	15 माह
155	BRC,Bandra,Muzaffarnur	85.2			10,000	5750	15 माह
156	BRC, Minaput Myzaffalavit ITD	85.2		.400	10.000		15 माह ∤ 5 माह
	FOR DIGITAL CONSTRUCTION HONORIDA INC. LTD.	85.2	1,70	,400	10,000	5750	15 माह 18 माह
	FOR DIGITAL CONSTRUCTION AND LETD.				Chief E	heineer	116
	CONTRACTOR			B	.S.E.I.D.C	Ltd. Pat	na
				- 4	- Change	,	
				3/2	1 .		
				1			
							A STATE OF THE STA

	157	BRC,Bhagwanpur,Muzaffarpur					
	158	BRC,Jagdishpur,Bhojpur	85.2	1,70,400	10,000	5750	15 मा
	159	BRC ,Charpokhri,Bhojpur	85.2	1,70,400	10,000	5750	15 मा
	160	BRC, Udwantnagar, Bhojpur	85.2	1,70,400	10,000	5750	15 मार
	161	BRC,Garhani,Bhojpur	85.2	1,70,400	10,000	5750	15 माह
	162	BRC ,Koilwar,Bhojpur	85.2	1,70,400	10,000	5750	15 माह
	163	BRC, Fatuhan, Patna	85.2	1,70,400	10,000	5750	15 माह
	164	BRC, Bakhtiyarpur, Patna	85.2	1,70,400	10,000	5750	15 माह
	165	BRC, Naubatpur, Patna	85.2	1,70,400	10,000	5750	15 माह
	166	BRC,Maner,Patna	85.2	1,70,400	10,000	5750	15 माह
	167	BRC,Begusarai	85.2	1,70,400	10,000	5750	15 माह
	168	BRC,Matihani,Begusarai	85.2	1,70,400	10,000	5750	
	169	BRC, Bhagwanpur, Begusarai	85.2	1,70,400	10,000	5750	15 माह 15 माह
	170	BRC, Bakhri,Begusarai	85.2	1,70,400	10,000	5750	15 माह
	171	BRC, Mansoorchak, Begusarai	85.2	1,70,400	10,000	5750	15 माह
	172	BRC, Cheria Bariyarpur, Begusarai	85.2	1,70,400	10,000	5750	15 माह
	173	BRC ,Chuatham,Khagaria	85.2	1,70,400	10,000	5750	15 माह
	174	BRC ,Gogari,Khagaria	85.2	1,70,400	10,000	5750	15 माह
	175	BRC, Beldour,Khagaria	85.2	1,70,400	10,000	5750	15 माह
	176	BRC,Parbatta,Khagaria	85.2	1,70,400	10,000	5750	15 माह
	177	BRC,Raghopur,Vaishali	85.2	1,70,400	10,000	5750	15 माह
	178	BRC ,Desari,Vaishali	85.2	1,70,400	10,000	5750	15 माह
	179	BRC, Bidupur, Vaishali	85.2	1,70,400	10,000	5750	15 माह
	180	BRC,Jandaha,Vaishali	85.2	1,70,400	10,000	5750	15 माह
	181	BRC ,Mahua, Vaishali	85.2	1,70,400	10,000	5750	15 माह
	182	BRC, Garoul, Vaishali	85.2	1,70,400	10,000	5750	15 माह
	183	BRC,Chewada,Shekhpura	85.2	1,70,400	10,000	5750	15 माह 15 माह
-		BRC,Barhiya,Lakhisarai	85.2	1,70,400	10,000	5750	
-	185	BRC Alinagar Survegarla I 11:	85.2	1,70,400	10,000	5750	
	.00	BRC ,Alinagar, Suryagarha,Lakhisarai	85.2	1,70,400	10,000	5750	15 माह 15 माह

नोटः (i). निविदाकार एक या अधिक कार्य के लिए अलग-अलग निविदा डाल सकते हैं।

(ii). प्राक्कलित राशि घट या बढ़ सकती है एवं तद्नुसार अग्रधन की राशि घट या बढ़ सकती है।

(iii) वेबसाईट—www.eproc.bihar.gov.in पर अंकित प्राक्कलित राशि, अग्रधन की राशि एवं परिमाण विपन्न की राशि अंतिम रुप से

(2) विज्ञापन निर्गत करने की तिथि

दिनांक:-03.02 .2016 (3) परिमाण विपत्र प्राप्त करने(डाउनलोड) की अवधि एवं समय :— दिनांक— 03.03.2016 से 28.03.2016, 15:00 घंटा

(वेबसाईट:www.eproc.bihar.gov.in पर)

(4) प्री बिड मीटिंग का समय, स्थान एंव तिथि

दिनांक:— 15.03.2016, 14:30 घंटा प्रबंध निदेशक का कार्यालय,बिहार राज्य शैक्षणिक आधारभूत

संरचना विकास निगम, पटना। दिनांक- 29.03.2016, समय- 15:00 घंटा

(5) निविदा प्राप्ति(अपलोड) की अंतिम तिथि एवं समय:—

(6) अग्रधन जमा करने की अंतिम तिथि एवं समय (7) टेक्निकल बिड खोलने की तिथि एवं समय

(8) वित्तीय बिड खोलने की तिथि एवं समय

(9) निविदा खोलने का स्थान

(10) निविदा की वैधता की अवधि

दिनांक— 31.03.2016, समय— 15:00 घंटा दिनांक— 31.03.2016, समय— 16:30 घंटा (वेबसाईट-www.eproc.bihar.gov.inपर)

दिनांक- 11.04.2016, समय- 15:30 घंटा

वेबसाईट-www.eproc.bihar.gov.inपर

120 दिन

(11) ई—टेन्डरिंग की प्रकिया में भाग लेने हेतु संवेदकों को पंजीकृत होना होगा, जिससे कि उन्हें उपयोगकर्ता का नाम (user ID) पासवर्ड (Password) अंकीय हस्ताक्षर (Digital Signature) निर्गत की जायेगी। यह उन्हें वेबसाईट

www.eproc.bihar.gov.in से डाउनलोड करने / टेन्डर की प्रक्रिया में भाग लेने की योग्यता प्रदान करेगा।

(12) ई—निविदा पत्र बेवसाईट www.eproc.bihar.gov.in से प्राप्त किया जा सकता है। संवेदक द्वारा सिर्फ उपर्युक्त वेबसाईट से ही परिमाण विपत्र प्राप्त करने के उपरांत वेबसाईट पर ही इलेक्ट्रानिक निविदा पत्र को भरकर भेजना है। अन्य सभी महत्वपूर्ण कागजात / बैंक ड्राफ्ट / अग्रधन की राशि / सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को स्कैन कर ई—निविद्यों के साथ संलग्न करना अनिवार्य है।

(13) परिमाण विपन्न के दूर से कुम हर PENGITAL CONSTRUCTION PVT. LTD. PENGTHIANCE Guarantee एक्र्सूनामा के पूर्व जमा करना होगा।

सत्मेहा नारायम दि

Chief Engineer 3.S.E.I.D.C. Ltd, Patna

MANAGING DIRECTOR

- (14) (क) प्रत्येक परिमाण विपत्र का मूल्य जो प्रत्येक निविदा के सामने उपर कण्डिका (1) में अंकित है (जो लौटाया नहीं जाएगा) किसी भी राष्ट्रीयकृत बैंक द्वारा निर्गत एवं BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. के नाम से एवं पटना में भुगतेय हो, स्वीकार किया जायेगा। मूल बैंक ड्राफ्ट ''बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड'' पटना के कार्यालय में दिनांक 31.03.2016 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना है। ऐसा नहीं करने पर निविदा मान्य नहीं
- (ख) Beltron Bid Processing Fee is mandatory to be paid through online mode i.e. Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS" Bids along with necessary online payments must be submitted through e-procurement portal www.eproc.bihar.gov.in before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffic/ Holidays or
- (ग) वांछित अग्रधन की राशि राष्ट्रीय बचत पत्र/डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक जो बिहार राज्य से क्रय या जमा किया हो, प्रबंध निदेशक, BSEIDC Ltd., पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा बिहार वित्त नियमावली के अनुसार BSEIDC Ltd. के नाम से फिक्सड डिपोजिट रिसिप्ट अथवा बैंक गारन्टी जो बिड के मान्य अवधि तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत/अनुसूचित बैंक से निर्गत हो (अगर बिहार प्रान्त के बाहर के बैंक से निर्गत बैंक गारन्टी दिया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड, पटना में दिनांक 31.03.2016 के 15:00 घंटे तक स्वयं / निबंधित डाक / स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना आवश्यक है। ऐसा नहीं करने पर निविदा
- (15) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर लें। ताकि अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से बच सकें।
- (16) निविदाकार निविदा डालने से पहले अपने स्तर से भी प्रस्तावित कार्य स्थल पर भूमि उपलब्धता के संबंध में आश्वस्त हो
- (17) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। बिना कारण बताये निविदा या उसके अंश को अस्वीकृत करने / रद्द करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।
- (18) विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्य अविध में सम्पर्क किया जा सकता है। ई—टेन्डरिंग की प्रक्रिया से संबंधित किसी भी प्रकार की जानकारी / सूचना हेतु सहायता कक्ष, ई-टेन्डरिंग कक्ष, प्रथत तल्ला, M / 22, बैंक ऑफ इण्डिया भवन, रोड न० २५, श्री कृष्णा नगर, पटना—800001, दूरभाष सं० 0612—2523006/9939035696.

ब्रजेश प्रसाद मुख्य अभियंता

For DIGITAL CONSTRUCTION PVT. LTD. HEALT STRING ME

MANAGING DIRECTOR

Chief Epgineer B.S.E.I.D.C. Ltd, Patna