1. All works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer.

This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours.

- 2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so.
- 3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm.
- 4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender.

5. The amount of earnest money to be deposited will be : -		Rs.
If the amount of the estimate does not exceed Rs. 2,000		50
If the amount of the estimate exceeds Rs. 2,000 but does	•	
not exceed Rs. 5,000		100
If the amount of the estimate exceeds Rs. 5,000 but does	A	
not exceed Rs. 10,000	•	200
For each additional Rs. 5,000 or portion of Rs. 5.000	* * * * * * * * * * * * * * * * * * * *	
additional earnest money		100

6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompanied by the treasury challan for the required earnest money will be liable to rejection. No single tender shall include more than one work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the envelop of the position for earnests money here in before mentioned shall be made in Government Treasuries and the challan there of should be enclosed with the tender.

31/05/19

- 7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.
 - 8. The Engineer shall have the right of rejecting all or any of the tenders.
- 9. In the event of a tender being selected for acceptance the Engineer who opened the tenders will, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the priscribed time. The tender with the specification and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to the tenderer.

- 10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.
- 11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required amount of the security money has been deposited the Engineer shall scrutinise all pages of the form of item, rate, tender & contract for works to see that the form has been properly filled up and signed by the contractor & the signature witnessed He shall then if he is competent, to accept the tender, sign the acceptance of the tender, or, if he is not so competent shall send the form for signature of the acceptance of the officer competent to accept it.

Garsin buil

_200						
	edule	3713	,	C	A 1 -	C 4
15 h	PULIF	XIV	./	-orm	IMO.	n

rec

(3)

TENDER FOR WORKS

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

			MEMORAND	UM		
If several sub-work are included they should be	[a]	Name of work	· · · · · · · · · · · · · · · · · · ·			· ·
detained in a separate list.	[b]	Estimated cost				
This deposit will be 5%						
of the estimated cost of the Work.	[c]	Earnest money	.,	~	••••••	
This percentage deduction from bills will be addressed to the contractors	[d]	Initial security deposits (the commencement of	including ear the work	nest mone	y) to be depos	ited befor
ecurity deposit.	[e]	Percentage to be deduc	ted from bills	Rs. 5% (Ru	upees five per	cent)
	[ŋ	Time required for the wor	k from date of monthly	fwritten ord	er to commend	æ
O	[g]	Date of written other to	commence			
	[h]	Total number of item of v	work tendered	l for		

		RATE TE	Per	
Ol) Item No.	Item of work	In figures	In words	Pei
0				
		â		
				2/31/05/19
06			Chief E B.S.E.I.D.C	7 (3) 18 reser Ltd., Patria
se			10	

Schedule XLV	/ - Form No. 61	(4)		
Item No.		RATE TENDERED		
ILCHI INO.	Item of work	In figures	In words	Per
				7
			Prisoner and the second and the seco	
			To the second se	
			The state of the s	
AUP DE LOUIS			TO COLUMN TO THE TOTAL THE TOTAL TO THE TOTAL TOTAL TO THE TOTAL TO THE TOTAL TO THE TOTAL TO THE TOTAL TO TH	
TO COLOR DE LA COL				
			4	
			Parent de la constant	
			*	
and the second s				
GT-Control			× × × × × × × × × × × × × × × × × × ×	
			The state of the s	
			The state of the s	
		HEM.A.P.D.DivinionExpose		
Department of the same of the				
Reference		**************************************	Company of Company	
			and the second s	
Withington		ACCENTUM SERVICE	CHARLES Williams and page	
Prince Control of the	THE PROPERTY OF THE PROPERTY O		Tale of the Control o	
ı,		METICALITY		
		The state of the s	To all supplies to the supplination to the supplies to the supplies to the supplies to the sup	•
		The second secon	Control of the Contro	

		TO A SERVICE DE	WHEN THE PROPERTY OF THE PROPE	
ATTACACION DE LA CONTRACTOR DE LA CONTRA	3.	##/ (##) (##) (##) (##) (##) (##) (##) (SEED THE SECOND STATE OF T	
Newscanners of the Section of the Se		Woodstagenda	N. C.	
		THE STATE OF THE S	STATE OF THE PARTY	
		Tricker to the control of the contro	Michigan	
		Option and the second	Name and Conference of the Con	•
3	And the second of the second o	V	e .	
		Marie 22 Vivine GA Col.	- The state of the	1
		THE STATE OF THE S	Polymorphism (Color)	
				1110900

~ر re(

· 5			RATE TE		
	Item No.	Item of work	In figures	In words	Per
. •					
. 0				THE PROPERTY OF THE PROPERTY O	nomenta alan dalam da
(*)				on proposed and the second sec	
				Control of the Contro	
0				The state of the s	Portunal Accessory (Accessory Accessory Access
0					pppp research challe page 1
					Procession (April 1997)
New York					A STATE OF THE STA
					Principle Control of C
.ne					
ed					
	. *			TOTAL PARTICIPATION OF THE PAR	
er					
0				edusopasari production	Application of the state of the
. (SI)					
				Name of the Control o	
() ()				Accounts to the contract of th	
P				A CONTRACTOR OF THE CONTRACTOR	TAMORIAN STATE OF THE STATE OF
. 0				64 (A)	mental municipal
(D)					ADDRESS AND ADDRES
				THE PROPERTY OF THE PROPERTY O	
at)			mil se con 100 Marie 100 M	succession of the state of the	AND THE PROPERTY OF THE PROPER
0					
()					tegical social s
				and the second s	MANAGEMENT AND
					CONCINCIONAL PROPERTY AND A STATE OF THE STA
0					e programme de la companya de la com
			G 15.7 5 15.0 00 15.7 15.0 15.0 15.0 15.0 15.0 15.0 15.0 15.0		CERTAIN PROVIDE SECURITY SECUR
					A CONTRACTOR OF THE CONTRACTOR
	:				WASHINGTON TO THE
W					
· ()					Name of the Control o
					RECORDING THE PROPERTY OF THE
				THE STATE OF THE S	Manufacture:
9					
ુક				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Name of the Control o
1			l		1

Item I	Vo.	Item of work	RATE 1	A 1	
		HOLLO, MOLK	In figures	In words	Per
			-		
	O HANDA STREET				W/W
1 - 42 - 42 - 42 - 42 - 42 - 42 - 42 - 4					9
· ·. · ·	THE REAL PROPERTY OF THE PERSON NAMED IN COLUMN 1				
					•
	TO COMPANY				
	-				

	TOTAL STATE OF THE				
*					•
	- Constitution of the Cons				
	- TOTAL STREET, STREET				×

				E STATE OF THE STA	
	· October				
<i>3</i>	and the second	THE PARTY OF THE P			
				No.	
				Manageria international del construction	0
				No. of Concession, No. of Conces	<i>)</i>
s., *	THE STATE OF THE S				
	-			Took Service Annual Control of the C	
	· ·				
				Williams which was the state of	
		A			
		5			
	· · · · · · · · · · · · · · · · · · ·				

0		RATE TE	Per	
Item No.	Item of work	In figures	In words	rei
<u></u>				
0		THE COLUMN TO TH		
O				
Ô.				
0		99 P P P P P P P P P P P P P P P P P P		
0		Assaurantens proportion		
		Opposite restaurant and the second se		
0				
0				
0				
0			Arrana de la Caracia de la	Taxanian variation of the control of
		· emanante	market de la companya	THE PROPERTY OF THE PROPERTY O
0		Miletan managaman para managaman para managaman para managaman para managaman para managaman para managaman pa		
		THE THE POST OF THE		
		AN A		
9.				
			Social customers and the social customers are social customers are social customers and the social customers are social customers are social customers are social customers and the social customers are soci	
		Co. La facilità del Constantino		
		www.documenter		
9		re geranden en de mente de men		
				eg agginature seguina de la companya
· (3)		management of the control of the con		Revision for the second
		Polar music variation of the second variation of the s		
			Na te library are to the library	A spinger and the spinger and

should this tender be accepted I/we hereby agree to abide by and fulfill all th terms and provisions of the said conditions of contract annexed hereto so. for a applicable, or in ssors in office the sums of money mentioned in the said conditions Dated the

day of

*Signature, of contractor before comission of tender

> Address Occupation

witness

Signature of witness to contractor's signature

The above tender is hereby accepted by me on behalf of the Governor of Biha Dated the day of

Acceptances communicated on....

signature of the office accepting the tender

signature of the part, taking the tender

Compensation

CONDITIONS OF CONTRACT

Clause 1:- All compensation or other sums of payable by the contractor to Government under the terms of his contract may be deducted from, paid by the sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor by Government on any account whatsoever and in the event of his security deposit being reduced by reason of any such deduction or sale as aforesaid, the contractor shall within ten days there after make good in cash or Government securities endorsed as aforesaid any sum or sums which may have been deducted from, or arised by, sale of his security deposit of any part thereof.

work should not be considered untill such date as the Executive Engineer shall certify as the date on which the work is finished after necessary rectification of defects as pointed by the Executive En- gineer or his authorised agents are fully contractor to the Engineer's satisfaction.

Clause 2 :- The time allowed for carrying out the work as entered in the tende shall be strictly observed by the contractor and shall be reckoned from the date on which the wirtten order to comence work is given to the contractor. The work sha throughout the stipulated period of the contract be carried on with all due diligence (time being deemed to be the essence of the contract on the part of the contract) or) and the contractor shall pay as compensation an amount equal to ½ percent on the amount of the estimated cost of the whole work as shown by the tender fo every day that the work remains uncommenced or unfinished after the proper date. And further to ensure good progress during the execution of the work the contracto shall be bound in all cases in which the time allowed for any work exceeds one month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before onehalf of such time elapsed and three-fourths of the work, before three fourths of sucl time has elapsed in the event of the contractor failing to employ with this condition, I shall be liable to pay as compensation an amount equal to ½ percent on the sair estimated cost of the whole work for every day that the due quantity of work remains incomplete provided always that the entire amount of compensation to be paid under the provisions the clause shall not exceed 10 percent of the estimated cost of the work as shown in the tender.

Action when persnle security deposit foreited

Clause 3:- In any case which under any clause or clauses of or this contract the contractor shall have rendered himself laible to pay compensation amounting to the whole of his security deposit in the hands of Government (where paid in one sum or deducted by instalments) the Executive Engineer on behalf on the Bihal Government shall have been powered to adopt any of the following courses, as he may deem best suited to the enterest of Government

(a) To rescind the contract (of which rescind notice in witing to the contractor under the hand of the Executive Engineer shall be conclusive endence) and in which case the sectitiry deposit of the contractor shall statt to reted, and be absolutely at the disposal of Government

- (b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debitting the construction with afthe cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in -charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under o the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.
- (c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another fh sontractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had peen executed by'him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original PVsontractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a Sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by whim by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4: - In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may, if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or Pallowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all Prespect, and the certificate of the Executive Enginee, as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

contractor remains liable to pay compensation if action not take under

Power to take posession of or require removal of or sall contractor plant.

Clause 5 :- If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) he shall apply in writing to the Executive Engineer within 40 days from the date of starting of the hinderance on account of which be desires such extension as aforesaid and the Executive Engineer shall, if in his opinion (which shall be final) reasonable grounds be shown for thereof authorised such extension of time if any, as may in his opinion be necessary or proper. The Executive Engineer shall at the same time inform the contractor whether he claims compensation for the delay.

Extension of time

Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion, but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinctly marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-work doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurements shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus materials and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid. except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-in charge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not a payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away an reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the account or in any other way vary or affect the contract.

Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Stores supplied Government

Clause 9:- If the specification or estimate of the work provides for the use of any special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-incharge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums then due or there after to become due to the contractor under the contract or otherwise, and gainst or form the security deposit, or the proceed of sale thereof, if the same is held a Covernment security the same or sufficient portion thereof in this case sold for the purpose. All materials supplied to the contractor shall remain the absolute property of Government and shall not on any accounts he removed from this site of the work and shall at all times be open to

- Whesh 311

Inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: The contractor shall executive the whole and every part of the work the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor hall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his pwn expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid.

Clause 11:- Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the ame rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original pontract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a disputes the decision of the superintending Engineer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period.

Clause 12:- If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out. the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsoever on account of any profit or advantage, which he might have derived from the execution of the work in full, but which he did not derive in consequence of the full amount of the work not having been carried out neither shall he have any claim for compensation by reason of any alternation having been made in the original specification, drawing, designs and instruction which shall involve any installment of the work as originally contemplated clause 12 (a) As contained in G O 1929 dated 11.9.56.

Work to be executed accordance with specification drawing other etc.

Alteration in specifications and designation.

Do not in validate contract

Time in consequence of

Rate for work no in estimate or schedule of rates of the district.

Compensation for alteration in or restriction of work to be called out.

. Ltd. Paine

धनन्त्रम अभार

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such failure is due to:-

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as finally by the contractor.

Action and compensation payable in case of work.

Clause 13 :- If it shall appear to the Engineer-in-charge or his subordinate in charge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or article. provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall or demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-incharge in his demand aforesaid the contractor shall be laible to pay compensation a the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and expense in all respects of the contractcor.

Work to be taken to inspection

Clause 14:-All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineer in-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be present.

Clause 15:- The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which the same was effected.

Notice to be taken before work covered up

Clause 16:- If the contractor or his work-people, or servants shall break, deface injure or destroy any part of a building in which they may be working or any building, road, road curves, fence enclosure water pipes, cables, drains, electrical telephone posts or wires, trees, grass or grassland or cultivated ground contiguous on which the work or any part of it is being executed or if any damage shall happen to the work, while in progress from any cause whatsoever or any imperfection become apparent in if within three months (six months in the case of a road-work) after a certificate final or other of its completion shall have been given by the Engineer-in-charge

-47-514

371TC

(); a fore seal, the contractor shall make the same good at his own expense, or in default, the Engineer-in-charge may cause the same to be made be good by other rksmen and deduct the expense of which time thereafter may become due to the contractor, or from his security deposit, or the proceed of sale there of, or of a sufficient prtion there of the security deposit at the contractor shall not be refunded before the expiry of three months (six months in the case of a road-work) after the issue of the prtificate final or otherwise of completion of work provided that in the case of a road work if in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable ter three months of the issue of the said certificate of completion

Contractor liable for damage done and for imperfection a months and after certificate

Clause 17:- The contractor shall supply at his own cost all materials (except such special materials) if any as may in accordance with the contract be supplied from the ngineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, tackle scaffolding and temporary works requisits or proper for the proper execution of the ork whether original, altered or substituted and whether include in the specification or other documents forming part of the contract or referred to in these conditions or not or hich may be necessary for purpose of satisfying or complying with the requirement of the Engineer-in-charge as to any matter as to which under these conditions he is entitled be satisfied which he is entitled to require together with carriage therefore to and form the work. The contractor shall also supply without charge the requisite number of persons (ith the means and materials necessary for the purpose of setting out works, and counting, weighing and assisting in the measurement or examination at any time and form time to me of the work or materials failing his so doing the same may be Provided by the Engineer-in-charge at the expense of the contractor and the expenses may be deducted om any money due to the contractor under the contract from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide Inecessary fencing and lights required to protect the public from accident, and shall be bound to bear to expenses of defence of every suit action or other proceeding at law that may be brought by any person for injury sustained owing to neglect of the above precautions and to any such person or which may with the consent of the contractor be aid to compromise any claim by any such person.

Contractor to supply to plantladder scaffolding

And is liable for damage arising for non-provision of light fencing etc.

Clause 18:- No female labour shall be employed within the limits of contonment. The contractor shall not employ for the purpose of his contract any person who is below The age of twelve years and shall pay to each labour for the work done by such labourer wages not less than the wages paid for similar work in the neighbourhood.

Work not to be subject

The executive Engineer shall have the right to enquire into the case and decide Ony complaint alleging that the wages paid by the contractor to any labourer for the work done by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer Employed by contractor is below the age of twelve years and to refuse to allow any labourer whom he decided to be below the age of twelve years to be employed by the Jontractor.

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his contract, or attempt so to do, or become insolvent proceedings to make any composition with his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward or advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, or offered by the contractor, or any of his servant or agents to any public officer or person n the employ of Government in any way relating to his officer or employment or if any such officer or person shall become in any way directly or indirectly interested in the contract the Executive Engineer may there upon by notice in writing rescind the contract. The security deposit of the contractor shall there upon stand forfeited and be absolutely at the disposal of Government and the same consequence shall ensure as if the centract Eng nest had been recinded under clause 3 here of, in addition the contractor shall not be entitled o recover or be paid to any work therefore actually performed the under the contract.

Contract may be resinded and security deposit forfelted for subletting bribes or if contractor become

भगारमा , रेपार

such payable by way of compensation to be considered reasonable compensation without reference to actual loss Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained.

Clause 21: In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this information.

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposition of the contractor shall thereupon stand forfeited and be absolutely at the disposal of Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer Clause 22: All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and what manner they are to be commenced, and from time to time carried on.

Clause 23: In case any dispute or difference shall arise between the parties or either of there upon any question relating to the meaning of the specifications, design drawings and instructions here before mentioned or as to the quality of workmanship or materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, or any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions or otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof or as the breach of those contract then either party shall forthwith give to the order notic of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusion and binding on all the parties.

Lum sum in estimate

(a) Clause 24: When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items of work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-incharge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineer in-charge shall be final and conclusive against the contractor with regard to any sum payable to him under the provision of this clause.

Action where specification.

no

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Definition of works

Clause 26: The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to succonstruction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered substituted or additional.

Contractor

Schedule XLV - Form No. 61

(15)

Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied

	which they are to be char Particulars			Rates at wh	nich the material harged to the ntractor	Place of delivery	
				Unit	Rs.	P.	
					•		
	·) .						
				-	•		
	4						
	P						
				And the second	A CONTRACTOR OF THE CONTRACTOR		
	\$						
	-						
	0	karan Sangaran Sangaran Sangaran					
1 2	74						
	0						
{							
					The second secon		
	9	ing the second s					
	9.						
odiniosilizabil	J)						
SAMPLE PARTY							
gstroothyper							
, manualistic	W.						
110000000000000000000000000000000000000)						
Strommody	: 3/2"					- Table	
The second second	. 6				Specialistics		
AND DESCRIPTION OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS)			* . *			
The state of the s				•			
. Comment	1		· Address				
			100 mg/s				
	1	e de la companya de l					

Note:-The person or firm submitting the tender should see that the rates in the above schedules med up by the Engineer-in-charge on the issue of the form prior to the submission of the tender

अगार अगार Signature of Contrator)

Chief Engineer B.S.E.I.D.C. Ltd. Patna (Signature of Executive Engineer)

BIHAR STATE EDUCATION INFRASTRUCTURE DEVELOPMENT CORPORATION LTD., SHIKSHA BHAWAN, SAIDPUR, PATNA.

Bill of Quantity for Construction of Additional Class Rooms at Project Girls High School Kako, Under Block - Kako, District - Jahanabad.

Rates are based on SOR 2016 (w.e.f. 17.10.2016) & BSR Electrical 2016 (w.e.f. 01.10.2016)

Sl.No.	Name Of School		Bloo	ck	District Jahanabad		
1		Project Girls High School, Kako	Kako				
SI. No.	SOR Item No.	Item Of Work	Quantity	Unit	Rate (Rs.)	Amount (Rs.)	
1	2.8.1	Earthwork in excavation in areas (exceeding 30cm in depth. 1.5m in width as well as 10 sqm on plan) including dressing of sides and ramming of bottom, lift upto 1.5 including getting out the excavated soil and disposal of surplus soil as directed within a lead of 50m. All Kind of soil.	261.780	cum	230.50	Rupees two hundred thirty & paise fifty only.	
2	11.72	Providing designation 100A one blrick flat soling joints filled with local sand including cost of watering taxes royalty all complete as per building specification and direction of E/I.	369,955	sqm	253.80	Rupees two hundred fifty three & paise eighty only.	
3	2.28	Supplying and Filling in plinth with local sand and under floors including, watering, ramming consolidating and dressing complete.	145.929	cum	204.40	Rupees two hundred four & paise forty only.	
4	4.1.5	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - all work upto plinth level. 1:3:6(1 cement: 3 coarse sand: 6 graded stone aggregate 20mm nominal size)	34.485	cum	3174.30	Rupees three thousand one hundred seventy four & paise thirty only.	
5	5.1.1	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centering, shuttering, finishing and reinforcement-All work upto plinth level 1:1:2(1 cement: 1 coarse sand: 2 graded stone aggregate 20mm nominal size)	72.845	cum	6035,20	Rupees six thousand thirty five & paise twenty only.	
6	5.1.3	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centering, shuttering, finishing and reinforcement-All work upto plinth level 1:2:4(1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size)	0.930	cum	3984.50	Rupees three thousand nine hundred eighty four & paise fifty only.	

· Grenn 3/11

Chief Eng mear
B.S.E.I.D.C. J. D. Paina

Keheuth

3115

			, portrain
			The state of the s
			1
			1 3
			-etimb _a
			, which is a second of the sec
			·
			À
			· 1889
) () () () () () () () () () (
•			
			Ĵ
			À
			je na se

, december 2 house and a second		Brick work with bricks of class designation		*		Rupees four
7	6.1.12/1	100A in foundations and plinth in cement mortar 1:4(1cement : 4coarse sand).	8.750	cum	4724.40	thousand seven hundred twenty
	Residence of the second	(isosier			four & paise fort
8	6.1.14A	Brick work with bricks of class designation 100A in foundations and plinth in cement mortar 1:6 (1cement : 6coarse sand)	11.189	cum	4490.60	only. Rupees four thousand four hundred ninety & paise sixty only.
9	2.26	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth: consolidating each deposited layer by ramming and watering lead	159,179	cum	74.50	Rupees seventy four & paise fifty only.
10	2.29.1	Surface dressing of the ground including removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5m All kinds of soil.	240,360	100sqm	8.06	Rupees eight & paise six only.
11	6.1.14A + 6.3A	Brick work with bricks of class designation 100A in superstructure above plinth level upto three floor cement mortar 1:6(1cement:6coarse sand)	193,617	cum	5003.90	Rupees five thousand three & paise ninety only
12	5.3 + 5.33B.4 + 5.33B.1	Reinforced cement conrete work in beams, suspended floors, roofs having slope upto 15, landings,balconiec, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto floor five level excludingthe cost of centring, shuttering, finishing and reinforement with 1:2:4(1 cement:2 coarse sand:4 graded stone aggregate 20 mm nominal size). Add or deduct for providing richer or leaner mixes respectively at all floor levels. Providing M-20grade R.C.C instead of M-15 grade R.C.C.				Rupees five thousand three hundred nineteer & paise ten only.
		grade R.C.C. Reinforced cement concrete work in wall (any	143.199	cum	5319.10	
13	5.2.1	thickness), including attached pilasters, buttresses, plinth and struts etc upto floor five level excluding the cost of centring, shuttering, finishing & reinforcement - all work upto plinth level. 1:1:2 (1cement: 1 coarse sand: 2 graded stone aggregate 20mm nominal size)	21.626	cum	6644.60	Rupees six thousand six hundred forty four & paise sixty only

- यान्त्राम अगार

Chief Eng near
B.S.E.I.D.C. Ltd. Payra
3//05/31

1	1		77			
14	11.26.1	Providing and laying kota stone floor in different sizes (thickeness to be specified by the manufacturer) with water absorption's less than 0.08% and confirming to IS: 15622 of approved make in all colours and shades, laid on 20 mm thick cement mortar 1:3 (1 cement:3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the floor including rubbing and polishing complete. Details of cost for 10 sqm	565.765	5 sqm	998.30	Rupees nine hundred ninety eight & paise thirty only.
15	11.27	Kota stone slabs 20mm thick in risers of steps skirting. Dado & pillars laid on 12mm average thick cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm.	69.615	sqm	973.00	Rupees nine hundred seventy three only.
16	11.38	Providing and laying ceramic glazed floor tiles 300 x 300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS:15622 of approved make in all colors, shades, except white .Ivory, Grey,Fume red, Brown laid on 20mm thick bed of cement Mortar 1:4 (1 cement :4 coarse sand) including pointing the joints woth white cement matching pigments etc complete. Toilet unit	3.780	sqm	812.20	Rupees eight hundred twelve & paise twenty only.
17	11.36	Providing and fixing 1st quality Ceramic glazed wall tiles conforming to IS: 15622 {thickness to be specified by the manufacturer} of approved make in all colours, shades, except burgundy, bottle green, black of any size as approved by Engineer-incharge in skirting, risers of step and dados over 12mm thick bed of Cement Mortar 1:3 (1 cement: 3 Coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigments of matching shade complete. Toilet	28.350	sqm	766.30	Rupees seven hundred sixty six & paise thirty only.
18	13.11.4	12 mm cement plaster of mix; 1:6 (1 cement: 6 coarse sand)	1,299.234	sqm	101.20	Rupees one hundred one & paise twenty only.
19	13.24.2	6mm cement plaster to ceiling of mix 1:4 (1 cement :4 coarse sand)	702.210	sqm	87.40	Rupees eighty seven & paise
20	13.13.4	20mm Plaster 1:6(1 cement : 6 coarse sand)	701.895	sqm	140.40	Rupees one hundred forty & paise forty only.

जागा अभा

Chief Eng near

B.S.E.I.D.C. Lid. Patro

3115-31/05/49

				5		
21	13.17.1 +13.36.1	12 mm cement Plaster 1:3 (1 cement: 3 coarse sand) with a floating coat of neat cement & Extra for providing and mixing water proofing material in proportion recommended by the manufacturers: 12 mm cement plaster 1:3 (1 cement: 3 sand)	52,82	sqm	166.30	Rupees one hundred sixty six & paise thirty only.
22	13.13.1 + 13.26	20 mm cement Plaster 1:3 (1 cement: 3 coarse sand) with a floating coat of neat cement & neat cement punning	16.65	sqm radenaria	214.60	Rupees two hundred fourteen & paise sixty only
23	11.3.1+11.	Cement concrete flooring 1:2:4(1 cement:2 coarse:sand:4 graded stone agregate) finished with a floating coat of neat cement including cement slurry, etc. but excluding the cost of nosing of steps etc. complete. 40 mm thick with 20 mm nominal size stone aggregate. Extra for making chequers of approved pattern on cement concrete floors, steps, landing, pavements etc.	179.213	sqm	267.70	Rupees two hundred sixty seven & paise seventy only.
24	13.80A.2	Providing and applying white cement based putty of average thickness 2mm, of approved brand and manufacturer, over the plastere d wall surface to prepare the surface even and smooth complete.	2,703.339	sqm	118.40	Rupees one hundred eighteen & paise forty only.
25	13.46.1	Finishing walls with Acrylic Smooth exterior paint of required shade: New work (Two or more coat applied @ 1.67 ltr/ 10 sqm over and including priming coat of exteriorprimer applied @ 2.20 kg/ 10 sqm)	701.895	sqm.	71.10	Rupees seventy one & paise ten only.
26	13.77.A.1	Distempering with 1st quality washable distemper (ready made) of approved manufacturer and of required shade and colour complete. As per manufacture's specifications. Two or more coats on new work	2,001.444	sqm.	37.20	Rupees thirty seven & paise twenty only.
27	13.81.1	Applying priming coat with ready mixed pink or grey primer of approved brand and manufacture on wood work (hard and softwood)	65.866	sqm.	26.70	Rupees twenty six & paise seventy only.
28	13.81.3	Applying priming coat with ready mixed zinc chromate yellow primer of approved brand and manufacture on steel galvanized iron/steel work.	63,000	sqm.	22.80	Rupees twenty two & paise eighty only.
29	13,93,1	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade two or more coats on new work	128,866	sqm.	54.10	Rupees fifty four & paise ten only.

- Un-514 3414

Chief Eng near

B.S.E.I.D.C. Ltd. Prince

3//05/19

		7
		7
		<i>‡</i>
		· ·
		i greening.
		i i
		ÿ.
		100 Her.
		A Control
)
		, and the
		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
		and the second
		JATEN,
		Ì
	,	, messy.
		e station
		7 1
		je i se
		·····-}
		,
		<i>.</i>
		,
		AND THE PROPERTY OF THE PROPER

30	5.9.1	Centring and shuttering including strutting, proping etc. and removal of form for foundation, footings, bases of columns etc. for mass concrete. Pedestal	144.560	sqm	169,00	Rupees one hundred sixty nine only.
31	5.9.5	Centring and shuttering including strutting, proping etc. and removal of form for foundation, footings, bases of columns etc. for mass concrete.	249.628	sqm	261.70	Rupees two hundred sixty one & paise seventy only.
32	5,9.6	Centring and shuttering including strutting, Propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts.	344.800	sqm	357.60	Rupees three hundred fifty seven & paise sixty only.
33	5.9.3	Centering and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform.	946,563	sqm	291.00	Rupees two hundred ninety one only.
34	9.21.1	Providing and fixing flush door shutters conforming to IS: 2202 (Part-I) non-decorative type.core of block board construction with frame of 1st class tiard wood and well mathched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters. 35 mm thick including anodized aluminum butt hinges with necessary screws	52,605	sqm	1698.20	Rupees one thousand six hundred ninety eight & paise twenty only.
35	10.1	Structural steel work in singal section fixed without connecting plate including cutting. hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	368.550	Kg	59.20	Rupees fifty nine & paise twenty only.
36	9.62.1	Providing and fixing oxidised M.S. sliding door bolts with nuts and screws etc. complete 300x16xmm	19.00	each	166.10	Rupees one hundred sixty six & paise ten only.
37	9.66.1	Providing and fixing M.S.handles with necessary screws etc.complete 125 mm	38.00	each	27.70	Rupees twenty seven & paise seventy only.
38	9.101.2	Providing and fixing alluminium hanging floor door stopper anodised (anodic coating not less than grade AC 10 as per IS :1868) transparent or dyed to required colour and shade with necessary screws etc. complete: Twin rubber stopper	19.00	each	83.80	Rupees eighty three & paise eighty only.
39	9.63.1	Providing and fixing oxidised M.S.tower bolt black finish, (barrel type) with necessary screws etc.complete. 250x10mm	19.00	each	65.30	Rupees sixty five & paise thirty only.

पारमा उपार

Chief Eng near

St. S.E.I.D.C. Ltd. Parks

3/125/19

William.

40	14.2.1	Fixing chowkhat in existing opening including embedding chowkhats in floors or walls cutting masonry for hold fasts embedding hold fasts in cement concrete blocks with cement concrete 1:3:6 (1cement:3coarsesand:6gradestoneaggregate) 20 mm nominal size) painting two coats of coal tar to sides of chowkhats and making good the damages to walls and floors as required complete including disposal of rubbish the dumping ground within 50 metres lead. Door chowkhats		each	531.90	Rupees five hundred thirty one & paise ninety only.
41	9.9.1.1	Providing and fixing glazed shutters for doors, windows and clerestory windows using 10 kg/square meter {4 mm thick} glass panes including black enamelled M.S. butt hinges with necessary screws.35mm thick 2nd class teak wood.	1.215	sqm	3064.00	Rupees three thousand sixty four only.
42	9.1.3	Providing wood work in frames of doors, windows, clere story window sand other frames, wrought framed and fixed in position. Kiln seasoned and chemically treated hollock wood.	0.1485	cum	49794.40	Rupees forty nine thousand seven hundred ninety four & paise forty only.
43	2.37.1.1	Diluting and injecting chemical emulsion for POSTCONSTRUCTIONAL anti-termites' treatment(including the cost of chemical emulsion) Along external wall where the apron is not provided using chemical imulsion @ 7.5 liters / sqm of the vertical surface of the substructure to a depth of 300 mm including excavation channel along the wall & rodding etc. complete: With chlorpyriphos/Lindone E.C. 20% with 1% concentration	4.7250	sqm	32.70	Rupees thirty two & paise seventy only.

THE MOIN

Chief Eng near

Chief Eng near

Je January

31/5

44	10.12.1 + 10.13B	Providing and fixing glazed steel doors, windows or ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm M.S. lugs10cm long with steel legs embedded in cement concrete blocks 15x10x10cm.of (1:3:6) (1cement: 3coarse sand: 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units.	69 480	sqm.	3175.00	Rupees three thousand one hundred seventy five only.
45	9.48.1	Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding. For all floor	1,528.560	Kg	86.00	Rupees eighty six only.
46	10.33,1	Providing & fixing hand rail by welding etc. to steel ladder railling & staircases railling including applying a priming coat of approved steel primer. MS tube (medium) 40mm nominal bore. Steel Hand Rail	634.095	Kg	90.70	Rupees ninety & paise seventy only.
47	10.17	Providing & fixing M.S. Fan hook of 16 mm. dia. M.S. bar 1 Mtr. Long bent to required size and shape, placed in position and fixed in Truss Frame / RCC Slab / beam at the time of casting all complete as per building specification and direction of E/I. (Where materials is not supplied by deptt.)	36.000	each	97.00	Rupees ninety seven only.
48	10.38.2	Providing & fixing glass panes with putty and glazing clip in door, window clearstory windows all complete with 5.5mm thick glass panes	5.985	each	970.00	Rupees nine hundred seventy only.

Un-114 3411

Chief Eng near

B.S.E.I.D.C. Led Pains

31/5

	5.22	Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.				
	5.22.7A	TMTC-500 8mm dia	10280.00	Kg	56.00	Rupees fifty six only.
49	5.22.7B	TMTC-500 10mm dia	950.00	Kg	54.70	Rupees fifty four & paise seventy only.
	5.22.7C	TMTC-500 12mm dia	5217.00	Kg	53.40	Rupees fifty three & paise forty only.
	5.22.7D	TMT-500 16mm dia	9326,00	Kg	54.40	Rupees fifty four & paise forty only.
	5.22.7E	TMT-500 20mm dia	800.00	Kg	53.60	Rupees fifty three & paise sixty only.
		Making plinth protection 50mm thick of	7			
50	4.17	cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand	32.94	sqm.	359.80	Rupees three hundred fifty nine & paise eighty only.
		including finishing the ton smooth				<u> </u>
	Water Sum	l Dly and Sanitation	1	OTAL (A)		6,686,875.53
51	B.S.R 12.78.2	Providing and fixing on wall face unplastidsed PVC (working pressure 4 kgf per sqm) rain water pipes conforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10 mm gap for thermal expansion. 110 mm diameter.	95.00	MTS	212.40	Rupees two hundred twelve & paise forty only.
52	B.S.R 17.1.1	Providing and fixining water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast iron P or S tap, 10 litre low white P.V.C. Flushing cistern with munally controlled device (handle level) conforming to IS: 7231 Parryware/Hindware with all fittings and fixtures complete including cutting and making good the walls and floors wherever required. White Vitreous China Orissa pattern W C pan of size 580 x 440 mm with integral type foot rest.	3.00	Each	3049,30	Rupees three thousand forty nine & paise thirty only.

Tars14 3417

Chief Eng near

B.S.E.I.D.C. Ltd. Patro

3115

3110749

)
)

53	B.S.R 17.2.2	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required: W.C. pan with ISI marked black solid plastic seat and lid	3.00) Each	2903.00	Rupees two thousand nine hundred three only.
54	B.S.R 17.4.3	Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I. clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required: Range of three urinal basins with 10litre white P.V.C. automatic flushing cistern.	1.00	Each	6205.20	Rupees six thousand two hundred five & paise twenty only.
55	B.S.R 17.7.1	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: White Vitreous China Wash basin size 550x400 mm with 15 mm C.P. brass pillar taps.	1.00	Each	1604.90	Rupees one thousand six hundred four & paise ninety only.
56	B.S.R 17.28.2.1	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. Flexible pipe 32 mm dia	1.00	Each	76.10	Rupees seventy six & paise ten only.
57	B.S.R 17.32.2	Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing: Rectangular shape 453 x 357 mm	1.00	Each	636.90	Rupees six hundred thirty six & paise ninety only.
		Providing and fixing 600 x 120 x 5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete.	1.00	Each	473.70	Rupees four hundred seventy three & paise seventy only.

Grann Still

Chief Eng room

She E.I.D.C. Lai, 198193

31/05/19

and the second

	B.S.R 18.9.2	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement ,trenching ,refilling & testing of joints complete as per direction of Engineer in Charge. 20 mm nominal outer dia Pipes	20.00	metre	147.30	Rupees one hundred forty seven & paise thirty only.
58	B.S.R 18.8.1	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I Concealed work including cutting chases and making good the wall etc. 15 mm nominal outer dia Pipes	25.00	metre	221.40	Rupees two hundred twenty one & paise forty only.
59	B.S.R 18.9.3	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 25 mm nominal inner dia Pipes	18.00	metre	193,60	Rupees one hundred ninety three & paise sixty only.
	B.S.R 18.48	Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI:12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.	1,000.00	per litre	6.60	Rupees six & paise sixty only.
60	B.S.R 18.49.1	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 15 mm nominal bore.	4.00	Each	481.60	Rupees four hundred eighty one & paise sixty only.
61	B.S.R 18.52.1	Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS: 8931 15 mm nominal bore.	2.000	Each	650.10	Rupees six hundred fifty & paise ten only.

स्वनाम उपार

Chief Eng near


B.S.E.I.D.C. Lind, Pages

3/10-J4/

--}

62	B.S.R 19.2.1	Providing and laying cement concrete 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size) all-round S.W. pipes including bed concrete as per standard design : 100 mm diameter S.W. pipe	15.000	metre	431.30	Rupees four hundred thirty on & paise thirty only.
02	B.S.R 19.6.1	Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete: 150 mm dia R.C.C. pipe	15.000	metre	329.40	Rupees three hundred twenty nine & paise forty only.
	B.S.R 19.27.1	Constructing brick masonry road gully chamber 50x45x60 cm with bricks in cement mortar 1:4 (1cement: 4 coarse sand) including 500x450 mm pre-cast R.C.C. horizontal grating with frame complete as per standard design: With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	8.000	Each	3384.80	Rupees three thousand three hundred eighty four & paise eighty only.
63	B.S.R 19.30.1.1	Contructing brick masonry chamber for Underground C.I. Inspection Chamber and bend with 75 class designation bricks in cement mortar 1:4 (1 cement: 4 coarse sand) C.I. Cover with frame (light duty) 455x610 mm internal dimentions, total weight of cover with frame to be not less than 38 kg. (weight of cover 23 kg. and weight of frame 15 kg.) RCC top slab with 1:1.5:3 mix (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20 mm nominal size) foundation concrete 1:5:10 mix (1 cement:5 coarse sand: 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm th. with cement mortar 1:3 (1 cement:3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design. Inside dimensions 466x610 mm and 45cm deep for single pipe line: With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	2.000	Each	4147.30	Rupees four thousand one hundred forty seven & paise thirty only.
64	B.S.R 19.32.1	Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter, 1.8 m long complete as per standard design. With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	1.000	Each	28775.50	Rupees twenty eight thousand seven hundred seventy five & paise fifty only.

प्रानाम अभार



J

65	B.S.R 19.34.1	Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete : 100 mm dia.		Each	281,30	Rupees two hundred eighty one & paise thirt only.
66	Code no. of 1352	(i) C.L. cover and frame 300 x 300 mm inside	. 1.	Each	312.17	Rupees three hundred twelve & paise seventeen only.
67	Code no. of 1621	(ii) S.C.I. plain bend 100 mm dia	1	Each	364.20	Rupees three
68	Code no. of	(iii) S.C.I. Tee 150 mm dia	1	Each	624.34	Rupees six hundred twenty four & paise thirty
69	÷.	Construction of 125mm x 40mm x 90m Tubewell Part 'A' - Cost of Materials				four only.
	A	125mm dia UPVC casing pipe confirming to ISS	27.0	Meter	315.00	Rupees three hundred fifteen
	В	40mm dia UPVC pipe confirming to ISS	54.0	Meter	99.38	only. Rupees ninety nine & paise thirty eight only.
	С	40mm dia PVC ribbed strainer of approved quality	8.0	Meter	182.00	Rupees one hundred eighty two only,
	D	Reducing socket 125mm x 40mm	1.0	Each	270.00	Rupees two hundred seventy only.
	E	Supplying all labour and materials & fitting & fixing PVC cap over the new sink T/well	1.0	Each	140.00	Rupees one hundred forty
	F	Providing and fixing of G.I pipes complete with G.I fittings and clamps, including, cutting and making good etc 32 mm dia (15% C.P & 1% L.Cess)	18.0	mtr	224.44	Rupees two hundred twenty four & paise forty three only.
	3	32 mm nominal bore Bross Full valve 15% C.P & 1% L.Cess)	1,0	Each	511.21	Rupees five hundred eleven & paise twenty one

स्वान्त्राम अभार्

Chief Eng Treat

B.S.E.I.D.C. Lid, Pains

Skehace

3//05///

	Н	Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter contropanel, 1.25" Full way valve, 1.25" M.S clamp 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9 long G.I Nipple etc. all complete as perdirection of E/I.	1.0	Each	26446.00	Rupees twenty six thousand four hundred forty six only.
		Part 'B' - Cost of Labour Boring by jet dheki by suitable cutter of reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge.				
	***************************************	(i) 0 to 30.5 m				
	I	(a) For 125 mm dia U.PV.C pipe	27.0	mtr	208.77	Rupees two hundred eight & paise seventy seven only.
	J	(b) For 40 mm dia U.PV.C pipe	3.5	mtr	119.03	Rupees one hundred nineteen & paise three only
		(ii) 30.5 m to 61.0 m				Omv.
	K	(a) For 40 mm dia UPVC pipe (iii) 61.00 m to 75.00 m	30,5	mtr ####	136.88	Rupees one hundred thirty six & paise eighty eight only
		(III) 61,00 III to 73.00 m				
	L	a) For 40mm dia UPVC pipe	19.0	mtr	148.79	Rupees one hundred forty eight & paise seventy nine only.
		(iv) 75.00 m to above				
]	M	a) For 40mm dia UPVC pipe & ribbed strainer of approved quality	8.0	mtr	148.79	Rupees one hundred forty eight & paise seventy nine only.
]	N	Providing all labour & tools and lowering 32 mm dia G.I pipe as per specificatin etc. all Complete	24,0	mtr		Rupees twenty one & paise thirty four only.
	0	Supplying labour and developing the T/Well to have sand free discharge all complete as per direction of E/I	1.0	Each	280.50	Rupees two nundred eighty & paise fifty only.

Tuneny 3th

Chief Eng negr 31/05/19

: ** j

		Non Scheduled Items (Market Rate)				
70		UPVC Pipe				
		Provding and fixing soil, waste and vent pipes				And the second s
						Rupees three
71	A	110 mm dia	50.00	mtr	347.00	hundred forty seven only.
/1	***************************************	UPVC fittings for UPVC pipes.				Sovem only,
	В	Door Tee 110 mm dia	10.00	Each	365.00	Rupees three hundred sixty five only.
	С	Door Bend 110 mm dia	12.00	Each	283,00	Rupees two hundred eighty three only.
manageri ya dii canage aya da manageri	D	Plain Bend 110 mm dia	15.00	Each	185.00	Rupees one hundred eighty five only.
	Е	Vent Cowel 110 mm dia	7.00	Each	65.00	Rupees sixty five only.
***************************************	F	Pipe Clip 110 mm dia	88.00	Each	53.00	Rupees fifty three only.
	G	Floor Trap 110X110 mm dia	11.00	Each	436.00	Rupees four hundred thirty six only.
	DCD Cobo	July Town		To	tal Cost (B) =	245,667.83
	DSK SCHE	lule Items - Internal Electrical Work				
72	1.1.	Wiring for light point /fan point / exhaust fan point / call bell point with 1.5 sq.mm FR PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with piano type switch, phenolic laminated sheet, suitable size M.S. / PVC. box etc as required				
	1.1.3	Group C	60.000	Nos.	621.00	Rupees six hundred twenty
73	1.2	Wiring for twin control point with 1.5 sq.mm FR PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, 2 way piano type switch,	6.000	Nos.	628.00	Rupees six
	RESIDENCE OF THE PROPERTY OF T	phenolic laminated sheet, suitable size M.S. / PVC box etc as required.	0.000	TAOS.	048.00 988-988-97-0-12	hundred twenty eight only.
74	1,5	Wiring for light/ power plug with 2x4 sq.mm FR PVC insulated copper conductor single core cable in surface/ recessed medium class PVC conduit along with 1 No 4 sq. mm FR PVC insulated copper conductor single core cable for loop earthing as required.	323,00	meter	193,00	Rupees one hundred ninety three only.

ध्वल्यम अभार

Chief Eng near

B. E.I.D.C. Les, Pains

31/50/9

		Wiring for circuit / 1	T			
		Wiring for circuit / submain wiring alongwith				
		earth wire with the following sizes of FR PVC			ļ	
	1.7	insulated copper conductor, single core cable	İ			
		in surface / recessed medium class PVC				
		conduit as required.				
75	1.14.2	,	285.00	meter	150,00	Rupees one hundred fifty only
	1	2 x 6 sq.mm + 1 x 6 sq.mm earth wire.				Rupees two
1	1.14.3		62.00	meter	276.00	hundred seventy
	<i></i>			William		six only.
	1115	2 x 10 sq.mm + 1 x 10 sq.mm earth wire.				Rupees four
	1.14.5		10.00	meter	417.00	hundred seventeen
	 			Warner Comment	- material and	only.
	1	Supplying and fixing metal/pvc of 150mm x	a distribution of the second			
		75mm x 60mm deep (nominal size) on surface		ļ	Ì	<i>P</i>
		or in recess with suitable size of phenolic				D
76	1.29	laminated sheet cover in front including	18.000	non	100.00	Rupees one
	1	providing and fixing 5 pin 5/6 amps socket	18.000	nos.	199.00	hundred ninety
	Andrew Co.	outlet and 5/6 amps piano type	Virginia .	Especial a	and the second s	nine only.
	`	switch, connections, painting etc. as required.]		Market Control
		Supplying and fixing metal/pvc box of 180mm				- 1
	į.	x 100mm x 50mm deep (nominal size) on]
		surface or in recess with suitable size of phenolic laminated sheet cover in front				
77	1.30		9.000		212.00	Rupees three
:		including providing and fixing 6 pin 5/6 &	8.000	nos.	313.00	hundred thirteen
	September 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	15/16 amps socket outlet and 15/16 amps	Of Participation of the Partic	and the second		only.
	, ·	piano type switch, connections, painting etc. as				
		required				
	1.00	Supplying and fixing following piano type				
	1.23	switch/ socket on the existing switch box /				
78		cover including connections etc.as required	Avecament of the second of the			
/6	1.23.1	5/6 amps switch.	46.000	Each	32,00	Rupees thirty two
			40.000	Lacii	32,00	only.
	1 22 4	5 pin, 5/6 amps socket outlet.	46.000	Each	44.00	Rupees forty four
	1.23.4		10.000	Lacii	44.00	only.
		Supplying and fixing stepped type electronic		Water Park		Rupees three
79		fan regulator on the existing modular plate	8.000	Each	387.00	hundred eighty
1	1 25	switch box including connections but	0.000		367.00	
	1.25	excluding modular plate etc. as required	-			seven only
İ		suppling and fixing fixing 3/2 pin, 5 amp		}		
1	1.33	ceiling rose on the existing junction box/	24.000	Each	35.00	Rupees thirty five
80	Marketon "	wooden block including connection etc as		2007	33.00	only.
ŀ		required.	455	, F		
		Supplying and fixing batten / angle holder	24.000	Each	48.00	Rupees forty
		including connection etc as required.			,00	eight only.
	Service Contraction of the Contr		Edition of the second	egen-	Section of the last of the las	Marie Commission Commi

MA GULLAND

Chief Engraver

B.S.E.I.D.C. Lid, Person

He,

3//27/4/5

			- X-100
	*		· ·
			e de la companya de l
			erellan .
			politicis in the second
			· And Company
			yetelli.
			And the second s
			, and they
)
			, we will be a first of the second of the se
			,
			- XXXIII.
		•.	· · · · · · · · · · · · · · · · · · ·
			, ACTION .
			> 2000a
			<u>}</u>
			· AND SALES
			Supres
			and the second
			₩
			<i>J</i>
			. J
			<i>)</i>
			.)

81	2.12	Supplying and fixing following rating,240/415 volts "C" curve, miniature circuit breaker suitable for loads of single pole in the existing MCB DB complete with connection, and commissioning etc. as required.				
	2.12.3	40 amp, Single pole and neutral	3.000	Each	819.00	Rupees eight hundred nineteen
82	2.8	Supplying and fixing following way, single pole & neutral, sheet steel, MCB distribution board, 240 volts, on surface / recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted, including earthing etc as required. (But without MCB/RCCB/Isolator)		gen		only.
	2.8.5	2 + 12 way,Double door,	3.000	Each	1170.00	Rupees one thousand one hundred seventy only.
83	2.15	Supplying and fixing following rating, double pole, 240 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required				garante
	2.15.2	63 Amps	3.000	Each	528.00	Rupees five hundred twenty
84	2.12	Supplying and fixing following rating, 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in existing MCB DB completed with connections, testing and commissioning etc. as required				eight only.
	2.12.1	6/32 amps, Single Pole	60.000	Each	208.00	Rupees two hundred eight
85	2.17	Supplying and fixing following rating, double pole, (single phase and neutral), 240 volts, residual current circuit breaker (RCCB), having a sensitivity current upto 300 milliamperes in the existing MCB DB complete with connections, testing and commissioning etc. as required	Venezur.	·		only.
	2.17.2	40 Amps	3.000	Each	2509.00	Rupees two thousand five hundred nine only.
86	2.14	Supplying and fixing single pole blanking plate in the existing MCB DB complete etc. as required.	6.000	Each	16.00	Rupees sixteen only.

- Union Jak

Chief Eng meer

B.S.E.I.D.C. Jied Pages

31/5 31/05//

87	3.6	Earthing with copper earth plate 600 mm X 600 mm X 3 mm thick including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe of 2.7 metre long etc. with charcoal/ coke	1.000	Each	11703.00	Rupees eleve thousand seve hundred three
		and salt as required.		gold all control of the	nga kirilakirika kirilakiri	only,
88	3.8	Supplying and laying 25 mm X 5 mm copper strip at 0.50 metre below ground as strip earth electrode, including connection/ terminating with nut, bolt, spring, washer etc. as required. (Jointing shall be done by overlapping and with 2 sets of brass nut bolt & spring washer spaced at 50mm)	10.000	meter	868.00	Rupees eight hundred sixty eight only.
89	3.14	Providing and fixing 25 mm X 5 mm copper strip on surface or in recess for connections etc. as required.	10.000	meter	976.00	Rupees nine hundred sevent six only.
90	1907 JSR	3.5 core, 35 sq.mm XLPE/PVC insulated PVC sheathed (Heavy duty) armoured electric cable with aluminium conductor	100.000	meter	303.00	Rupees three hundred three only.
91	7.1	Laying of one number PVC insulated and PVC sheathed / XLPE power cable of 1.1 kv grade of following size direct in ground including excavetion and refilling the trench etc as required.		parent.		
	7.1.1	Upto 35sq mm	90.000	meter	149.00	Rupees one hundred forty nit only.
92	6.10	Providing and fixing of lighting conductor finial made of 25mm dia 300 long copper, tube having single prong at top with 85mm dia 3mm thick copper base plate including hole	3	Nos.	304.00	Rupees three hundred four onl
93	6.5	etc complete as required. Providing and fixing copper tape 20 mm X 3 mm thick on parapet or surface of wall for lightning conductor complete as required. (For horizontal run)	100	meter	66.00	Rupees sixty six only.
94	6.6	Providing and fixing copper tape 20 mm X 3 mm thick on parapet or surface of wall for lightning conductor complete as required. (For vertical run)	82	meter	100.00	Rupees one hundred only.
	2.1	Providing and fixing following capacity TP&N disconnector fuse switch unit inside the existing panel board with ISI marked HRC fuse including drilling holes in cubical panel, making connections etc. as required.				
95	2.1.3	100 Amps TP&N	1.000	Each	3233.00	Rupees three thousand two hundred thirty three only.

41-114 3711

Chief Engineer

B.S.E.I.D.C. Job Pairs


3115

31167/JC

-J. - Antin

	-					
	2.1.1	32 Amp TP&N	2.000	Each	1284.00	Rupees one thousand two hundred eight four only.
96	2.5.2	Providing & fixing following capacity busbar chamber with 4 strips of suitable size made of copper, heavy duty, complete with all accessories including connections, 100 Amp.	1.000	Each	3228.00	Rupees three thousand two hundred twent eight only.
97	2.6.2	Providing and fixing following capacity four pole OFF-load changeover switch with side handle operation, in sheet enclosure in existing metal board, including drilling holes in metal panel, making connections etc. as required. 63 Amp, double pole.	1.000	Each	2256,00	Rupees two thousand two hundred fifty s only.
98	9.13.4	Providing, laying and fixing of following dia G.I. pipe (medium class) in ground complete with G.I. fittings including trenching (75 cm deep) and refilling etc. as required.			1	
		150 mm dia.	10,000	meter	1416.00	Rupees one thousand fou hundred sixtee only.
99	9.14.2	Providing, laying and fixing following dia RCC pipe NP2 class(light duty) in ground complete with RCC collars, joints with cement mortar 1:2 (1 cement: 2 fine sand) including trenching (75 cm) and refilling etc.as required. (Road crossing as per site condition)				GIIIV.
		150mm dia	10.000	meter	348.00	Rupees three hundred forty eight only.
100	DGS&D	Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit.	6.000	Nos.	tal Cost (C) =	Rupees sever thousand five hundred forty ni & paise sevent five only.
107		GLPDVI GP OF VI I TO TO TO TO TO TO TO TO TO TO TO TO TO		Total	Cost (D) =	45,298.50
101	Lead in Km	Type of materials			Rate Incl. 1% Lab. Cess	.
A	5	Cement	180.000	МТ	282.30	Rupees two hundred eight two & paise twenty nine on

- धान्त्राम अगाउँ



			TOTAL (A+F			7796649.26 7796649.00
					tal Cost (E) =	
F	5	Steel	27.000	МТ	282,30	two & paise twenty nine only.
E	8	Brick	112.000	Thous.	531.02	Rupees five hundred thirty one & paise one only.
D	61	Stone Chips (From Manpur)	231,000	cum	735,63	Rupees seven
С	3	Local Sand	152.000	cum	181.48	Rupees one
В	56	Sand	244.000	cum	717.91	Rupees seven hundred seventeen & paise ninety only.

Sl.No	Name of School	Block	District	Amount		
1	Project Girls High School, Kako	Kako	Jahanabad	7,796,649.00		
	(Rupees Seventy Seven Lakh Ninety Six Thousand Six Hundred Forty Nine only)					

Tender approved in favour of Dhananjay Kumar @ 10.00% (Ten Decimal Zero Zero Percent) below BOQ Ratei.e. total amount comes to Rs. 70,16,984=00 (Rupees Seventy Lacs Sixteen Thousand Nine Hunred Eighty Four Only)

Goesin Shill

Chief Eng near

2.3.S.E.I.D.C. Lid Pains

3/15

Man

Performance Security

Name of Agency:- "Dhananjay Kumar"

Performance Security of Regarding "Construction of A.C.R. at Project Girls High School, Kako, Jahanabad (NIT No- 32/2018-19) SL no. 03"

NSC/ P.book	DOI	,	AMOUNT
82500026	08.06.2017		
45500066	11.08.2018		65,000.00
45500052	16.08.2017		76,000.00
	. 6166.2617		80,000.00
42403197	01.03.2019		5,000.00
98CC693676 TO 77	10.06.2016	1000*2	,
98CC693678 TO 79	10.06.2015	1000*2	2,000.00
98CC693680	10.06.2016	1000*2	2,000.00
50 EF 845009 TO 16			1,000.00
10.0	10.06.2016	10000*8	80,000.00
50EF845017	10.06.2015		10,000.00
50EF845018 TO 20	10.06.2016	10000*3	30,000.00
		Total-	3,51,000.00

(Rupees Three Lacs Fifty One Thousands only)

लखा पदाधिकारी
लखा पदाधिकारी
किहार राज्य शैक्षणिक आधारभूत संरक्षमा
किलारि

JUS HISTED

Chief Eng negr

Comme Comme



बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड TURE DEVELOPMENT CORPORATION LTD. BIHAR STATE EDUCATIONAL INFRASTRIC

(A Govt. of Bihar Undertaking) ISO 9001:14001; OHSAS 18001

Shiksha Bhawan, Bihar Rashtrabhasha Parishad Campus, Acharya Shivpujan Sahay Path, Saidpur, Patna - 800 004 Tel. No.: 0612 - 2660850 • Fax No.: 0612 - 2660256

E-mail: bseidc@gmail.com • Website: http://www.bseidc.in • CIN: U80301BR2010SGC015859

Letter of Acceptance

8120

पत्रांक:- BSEIDC/FIN/3425/2018-19/-सेवा में.

पटना, दिनांक ७५:12:18

Dhananjay Kumar

Vill.-Belkhari, P.O.-Khajuri,

P.S.-Karpi, Distt.-Arwal

विषय:--बिहार राज्य अंतर्गत "Construction of Additional Class Rooms at Project Girls High School Kako, Under Block - Kako, District - Jahanabad.N.I.T. No.-32 /(2018-19), Sl. No.: 03 हेतु Performance Security जमा कर एकरारनामा करने के संबंध में।

महाशय,

उपर्युक्त विषय के संबंध में कहना है कि विषयांकित कार्य की निविदा आपके द्वारा उद्धत दर BOQ से 10% कम पर कुल राशि रू० 70,16,984 / - (सतर लाख सोलह हजार नौ सौ चौरासी रूपये) मात्र पर आपके पक्ष में स्वीकृत की गयी है।

अतः निदेश दिया जाता है कि उक्त कार्य के एकरारनामा हेतु Performance Security की राशि रू० 3,51,000/- (तीन लाख एकावन हजार रूपये) मात्र का पोस्ट ऑफिस सावधि जमा पासबुक / 1, 2, 3 वर्षीय पोस्ट ऑफिस टाईम डिपोर्जिट / राष्ट्रीय बचत प्रमाण पत्र / किसान विकास पत्र, जो प्रबंध निदेशक, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०, पटना के नाम से प्रतिज्ञिप्त (Pledged) हो अथवा फिक्सड डिपोजिट रसीद जो बिहार राज्य में स्थित Nationalized/ Scheduled बैंक से निर्गत हो एवं प्रबंध निदेशक, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि० पटना के नाम से प्रतिज्ञिप्त (Pledged) हो, जमा कर एकरारनामा कर लें।

Performance Security की राशि के सत्यापन एवं समुचित श्रेणी में इस निगम में निबंधन के उपरांत एकरारनामा किया जाएगा।

क्रिकेट विश्वी १०० विश्व मुख्य अभियंता क

पटना, दिनांक.....०.५...। २ । १२ ज्ञापांक : BSEIDC/FIN/3425/2018-19/- ४। ९० प्रतिलिपि :Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC website/Senior Account Officer/ All Executive Engineer/ Suprintending Engineer BSEIDC for information

& necessary action.

मुख्य अभियंता

Chief Engineer A.E.I.D.C. Ltd. Patra

SPECIAL CONDITIONS

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes, royalties and other

incidental charges.

4. To qualify for award of work, the Bidder must possess the following:

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of signatory bid.

b) DD for required value of B.O.Q. Cost.

c) Sufficient Earnest Money Deposit.

d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.

e) Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed at least one Building work of value not less than 25 % of estimated value of contract) in last five work of value and less than 25 % of estimated

value of contract) in last five years as mentioned in Technical bid.

- f) Certificate from EE / Concerned Authority for Work Experience of Minimum Quantities of work done as prime contractor in any one Financial year during last five years as mentioned in Technical bid.
- g) Litigation History as mentioned in Technical bid.

h) Valid Registration with Central/State Govt. / PSU.

i) Affidavit/Certificate "for not been debarred and required attachments are true and correct and if found fake/ forged, the undersigned will be liable to be inflicted upon the FIR and lawful punishment as well as black listing".

5. Contractor should satisfy themselves fully about the nature, site of work before offering

their tender and place of any ignorance afterwards shall not be considered.

6. The tender without earnest money or insufficient earnest money submitted with the tender, will be outright rejected.

7. Conditional tenders shall be outright rejected.

8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.

9. Authority shall reserve the right to reject any or all the tenders or distribute the work to more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained.

- 11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules prevalent in the locality.
- 12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the contractor.
- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-
- a. Natural calamities
- b. Act of enemies.

- Jan 3111

(Seal & Signature of Tenderer)

Page 1 of 2

c. Transport and procurement difficulties.

- d. Circumstances beyond the control of the state.
- 15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- 16. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
- 17. The contractor shall make his own arrangement for water and light at the work site.
- 18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 20. The Tenderer must not quote their rate more than 10 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
- 21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 22. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.
- 23. The Defect liability Period shall be Three (3) Year from the date of completion of the work.
- 24. The Contractor shall rectify at his own cost in case the work is found to be defective during checking in liability period.
- 25. It will be the responsibility of the contractor to pay royalty of mines materials .The Contractor shall submit form "M" and "N" duly Filled as per "Bihar" Mines and Mineral Act 1972.
- 26. The Contractor shall Display a Signboard at work site about the work as on the format prescribed by Engineer- in- Charge.
- 27. The Contractor shall Furnish his programme of construction for execution of the work within the stipulated time schedule together with methodology of construction of each item or work and obtain the approval of the Engineer- in- Charge prior to actual commencement of work.

(Seal & Signature of Tenderer)

505 31 p5 111

Page 26fi2f Engineer B.S.E.I.D.C. Ltd, Patha IV





बिहार राज्य शैक्षणिक आघारभूत संरचना विकास निगम लिमिटेड BIHAR STATE EDUCATIONAL INFRASTRÜCTURE DEVELOPMENT CORPORATION LTD.

(A Govt. of Bihar Undertaking) ISO 9001:14001; OHSAS 18001

Shiksha Bhawan, Bihar Rashtrabhasha Parishad Campus, Acharya Shivpujan Sahay Path, Saidpur, Patna - 800 004 Tel. No.: 0612 - 2660850 - Fax No.: 0612 - 2660256

E-mail ; bseidc@gmail.com • Website : http://www.bseidc.in • CIN : U80301BR2010SGC015859

निविदा आमंत्रण सूचना संख्या-32 वर्ष 2018-19 प्रतिशत दर निविदा

(केवल ई-टेन्डरिंग पद्धति के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

बिहार राज्य के अन्तर्गत विभिन्न विद्यालयों का भवन निर्माण कार्य हेतु प्रतिशत दर निविदा आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार/सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रिजस्ट्रेशन, उक्त कार्य का लेटर ऑफ एक्सेपटेंस प्राप्त होने के बाद कराना होगा।

		,	ven and 6	गत के बाद के	रामा होसा।	
क्रम संo	काय का नाम	प्राक्कलित राशि (लाख रू० मे)	अग्रधन की पाशि (लाख रूठ में)	परिमाण विपन्न का भूत्य (रूठमें)	Beltron Bid Processing Fee (In Rs.)	कार्य समाप्ति की अवधि
1.	मधुबनी जिलान्तर्गत प्रखण्ड-पंडील स्थित लक्ष्मीनगर एकेडमी, सरिसव में +2 स्तरीय विद्यालय भवन का निर्माण कार्य।	133.158	2.66	10,000/-	As appeared or the website	
2.	भोजपुर जिलान्तर्गत प्रखण्ड-संदेश स्थित उच्च विद्यालय, भाटौली में +2 स्तरीय विद्यालय भवन का निर्माण कार्य।	126.85	2.54	10,000/-	As appeared on the website	15 माह
3.	जहानाबाद जिलान्तर्गत प्रखण्ड-काको स्थित प्रोजेक्ट कन्या उच्च विद्यालय, काको में अतिरिक्त वर्ग कक्ष का निर्माण कार्य।	78.657	1.57	10,000/-	As appeared on the website	12 माह
4.	जहानाबाद जिलान्तर्गत प्रखण्ड—काको स्थित उच्च विद्यालय, काको परिसर में स्थित भवनों का जीर्णोद्धार कार्य।	32.106	0.64	5,000/-	As appeared on the website	06 माह
	रोहतास जिलान्तर्गत प्रखण्ड—कोचस रिथत उक्तमित माध्यमिक विद्यालय, कुर्सा में निर्माणाधीन भवन (SSS-132 A) का अवशेष कार्य।	64.6645	1.29	10,000/-	As appeared on the website	10 माह
6.	रोहतास जिलान्तर्गत प्रखण्ड-कोचस स्थित उक्तमित माध्यमिक विद्यालय, लहेरी में निर्माणाधीन भवन (SSS-132 B) का अवशेष कार्य।	85.74843	1.71	10,000/-	As appeared on the website	12 माह

नोट:-(i) प्राक्कलित राशि घट या बढ़ सकती है एवं तद्वुसार अग्रधन की राशि घट या बढ़ सकती है।

(ii) वैबसाईट-www.eproc.bihar.gov.in पर अकित प्राक्किति राशि, अग्रधन की राशि एवं परिमाण विपत्र की राशि अंतिम रूप से भान्य होगा। (#) निविदाकार एक या अधिक कार्य के लिए अलग-अलग निविदा डाल सकते हैं।

(1) विज्ञापन निर्गत करने की तिथि

परिमाण विपत्र प्राप्त करने(डाउनलोड)

विगांक:- 24.07.2018 दिनांक- 06.08.2018 से 13.08.2018, 15:00 घंटा तक

की अवधि एवं समय

(वेबसाईट:www.eproc.bihar.gov.in पर)

(3) प्री बिंड मीटिंग का समय, स्थान एंव तिथि

दिनांक:— 09.08.2018, 16:00 घंटा तक, प्रबंध निदेशक का

कार्यालय,बिहार राज्य शैक्षणिक आधारमूत

संरचना विकास निगम, पटना।

Chief Englisher B.S.E.I.D.C. Ltd. Paths

	,				, de la composition della comp
					, , , , , , , , , , , , , , , , , , ,
					· Amax
					, portugues,
					, whites,
					ANTON
					ر المالكاني
					e de la companya de l
					and the second s
					enta,
					m.
					W.,
					, Manny
					A EEE A
		i			» Anticon
					arting.
					- AUGUS
					- NEW -
					ne en en en en en en en en en en en en e
					Ž
					artifo
					A CHILD
		. variable			anticolor H
		•			

(4) निविदा प्राप्ति(अपलोड) की अंतिम तिथि एवं समय:-

(5) अग्रधन जमा करने की अंतिम तिथि एवं समय

टेक्निकल बिंड खोलने की तिथि एवं समय

(7) वित्तीय बिड खोलने की तिथि एवं समय

(8) निविदा खोलने का स्थान

(9) निविदा की वैधता की अवधि

दिनांक- 14.08.2018, समय- 15:00 घंटा तक

दिनांक- 16.08.2018, समय- 15:00 घंटा तक

दिनांक- 16.08.2018, समय- 16:30 घंटा तक

(वेबसाईट-www.eproc.bihar.gov.inपर)

दिनांक- 21.08.2018, समय- 15:30 घंटा

वेबसाईट-www.eproc.bihar.gov.inपर

120 दिन

11) ई-टेन्डरिंग की प्रकिया में भाग लेने हेतु संवेदकों को पंजीकृत होगा होगा, जिससे कि उन्हें उपयोगकर्ता का नाम (user ID) पासवर्ड (Password) अंकीय हस्ताक्षर (Digital Signature) निर्गत की जायेगी। यह उन्हें वेबसाईट www.eproc.bihar.gov.in से डाउनलोड करने / टेन्डर की प्रक्रिया में भाग लेने की योग्यता प्रदान करेगा।

(12) ई-निविदा पत्र बेक्साईट www.eproc.bihar.gov.in से प्राप्त किया जा मकता है। संवेदक द्वारा सिर्फ उपर्युक्त वेक्साईट से ही परिभाण विपन्न प्राप्त करने के उपरांत वेबसाईट पर ही इलेक्ट्रानिक निविदा पत्र को भरकर भेजना है। अन्य सभी महत्वपूर्ण कागजात / वैंक ड्रापट/अग्रधन की राशि/सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को स्केन कर ई—निविदा के साथ संलग्न करना अनिवार्य है।

(13) (西) Beltron Bid Processing Fee as appeared on the e-tendering website: www.eproc.bihar.gov.in & BOQ cost as mentioned is mandatory to be paid through e-payment mode i.e. Internet payment gateway, (Credit/Debit card), Net Banking,

Bids along with necessary online payments must be submitted through e-procurement portal www.eproc.bihar.gov.in before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffie/ Holidays or any other reason. ऐसा नहीं करने पर निविदा मान्य नहीं होगा।

(ख) वांछितं अग्रधन की राशि राष्ट्रीय बचत पत्र / डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक जो विहार राज्य से क्रय या जमा किया हो, प्रबंध निदेशक, BSEIDC Ltd., पटना के नाम प्रतिज्ञिग्त (Pledged) हो अथवा बिहार वित्त नियमावली के अनुसार BSEIDC Ltd. के नाम से फिक्सड डिपोजिट रिसिप्ट अथवा वैंक मारन्टी जो विड के मान्य अवधि तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत/अनुसूचित वैंक से निर्गत हो (अगर विहार प्रान्त के वाहर के वैंक से निर्गत वैंक मारन्टी दिया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड, पटना में दिनांक 16.08.2018 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रूप र्से जमा किया जाना आवश्यक है अथवा EMD can also be paid through e-payment mode i.e. "Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS". ऐसा नहीं करने पर निविदा मान्य नहीं होगा।

(14) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उक्क्षेवत वेक्साइट पर अपलोड कर लें। ताकि अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से बच सकें।

(15) निविदाकार निविदा डालने से पहले अपने स्तर से भी प्रस्तावित कार्य स्थल पर भूमि उपलब्बता के संबंध में आश्वस्त हो लेंगे।

(16) Even though the bidders meet the qualifying criteria, they are subject to be disqualified if they have record of poor performance such as abandoning the works, not properly completing the contract, inordinate delays in completion, litigation history or financial failture in the work of this Corporation.

(17) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। विना कारण बताये निविदा या उसके अंश को अरवीकृत करने / रदद करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।

(18) विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्य अविध वे सम्पर्क किया जा सकता है। ई—टेन्डरिंग की प्रकिया से संबंधित किसी भी प्रकार की जानकारी/सूचना हेतु संहायता कक्ष, ई टेन्डरिंग कक्ष, प्रथत तल्ला, M/22, बैंक ऑफ इण्डिया भवन, रोड न**० 25, श्री कृष्णा नगर, पटना-800001, दूरभाष सं० 0612-2523006/993**9035696.

Chief Engin B.E.I.D.C. Ltd. Pairta

)
		and the second s
		1 12 Mar. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		of Paters
		All the second
		, politica
		, petition.
		Joseph Land
		19 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)
		2 COMPA
		, LP 13.5%;
		postility.
)
		, 000 NET 4,
		entition
		water in the second
		and the state of t
		- o-c22 Fg.
)
		, ACCORD
		J
)
		et all and a second a second and
		Vanne



बिहार राज्य शेक्षणिक आधार**भूत संर**चना विकास निगम लिमिटेड BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

(A Govt. of Bihar Undertaking) ISO 9001:14001; OHSAS 18001

Shiksha Bhawan, Bihar Rashtrabhasha Parishad Campus, Acharya Shivpujan Sahay Path, Saidpur, Patna - 800 004 Tel. No.: 0612 - 2660850 • Fax No.: 0612 - 2660256

E-mail: bseidc@gmail.com • Website: http://www.bseidc.in • CIN: U80301BR2010SGC015859

Letter no: - BSEIDC/FIN/3425/2018-19-

1298

From,

Chief Engineer BSEIDC, Patna

TO,

Dhananjay Kumar Vill-Belkhari, P.O.-Khajuri P.S.-Karpi, Distt-Arwal

Sub: - Provisional work order for the Construction of Additional Class Room at Project Girl's High School Kako under Block-Kako, Distt-Jahanabad in the State of Bihar under NIT No-32/2018-19.

Sir,

In continuation to this office Letter of Acceptance No. BSEIDC/FIN/3425/2018-19-8130, dated-04.12.2018, you are hereby instructed to proceed with the execution of the said works in consultation with the Engineer-in-Charge. The date of commencement of work shall be reckoned from the date of issue of this letter. Payment will be done after execution of Agreement.

Yours Faithfully

Chief Engineer

Memo no: BSEIDC/FIN/3425/2018-19- 1398

Date:

05.08.2019

Copy forwarded to- Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC website/CCT/S.E./All Ex. Er./Senior Account Officer, BSEIDC, Patna for information & necessary action.

प्तन्नम अभार

Chief Engineer

B.S.E.I.D.C. Led, Page

31/5

.