of Work - Construction of 10 Additional class Room (ACR), 06 Toilets of Two Schedule XLV - Form No. 61 seater and Ol Girls Common Room um Multipurpose Hall at Ramajain School Sasaram (M), Rohtas [Form No. F-2] Dhananjay Kuman Singl TENDER AND CONTRACT FOR WORKS - 10 F2 of 2019 - 20 General Rule and Direction for the guidance of Contractors. ommencement - 05-03-2019 1. All works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer. This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours. 2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so. 3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm. 4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender. 5. The amount of earnest money to be deposited will be : -If the amount of the estimate does not exceed Rs. 2,000 50 If the amount of the estimate exceeds Rs. 2,000 but does not exceed Rs. 5,000 If the amount of the estimate exceeds Rs. 5,000 but does ... 200 not exceed Rs. 10,000 For each additional Rs. 5,000 or portion of Rs. 5.000 additional earnest money

6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompanied by the treasury challan for the required earnest money will be liable to rejection. No single tender shall include more than one work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the envelop. Cash deposits for earnests money here in before mentioned shall be made in Government Treasuries and the challan there of should be enclosed with the tender.

Dhananjay kuman Singh 7/16/19

- 7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.
 - 8. The Engineer shall have the right of rejecting all or any of the tenders.
- 9. In the event of a tender being selected for acceptance the Engineer who opened the tenders will, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the priscribed time. The tender with the specification and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to the tenderer.

- 10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.
- 11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required amount of the security money has been deposited the Engineer shall scrutinise all pages of the form of item, rate, tender & contract for works to see that the form has been properly filled up and signed by the contractor & the signature witnessed He shall then if he is competent, to accept the tender, sign the acceptance of the tender, or, if he is not so competent shall send the form for signature of the acceptance of the pricer competent to accept it.

Dhannyay kumar Singl

TENDER FOR WORKS

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

RATE TENDERED

		MEMORANDUM
(a) If several sub-work are included they should be detained in a separate list.	[a]	Name of work
	[b]	Estimated cost
(b) This deposit will be 5% of the estimated cost of the Work.	[c]	Earnest money
(c) This percentage	[d]	Initial security deposits (including earnest money) to be deposited befor the commencement of the work
credited to the contractors security deposit.	[e]	Percentage to be deducted from bills Rs. 5% (Rupees five percent)
Q	<i>;</i>	
	[1]	Time required for the work from date of written order to commence monthly
ીંદ	[g]	Date of written other to commence
	[h]	Total number of item of work tendered for

		11	ltom of work		Per
(iv)	Item No.	Item of work	In figures	In words	rei.
:O'	, , , , , , , , , , , , , , , , , , , 				
0					
0				The state of the s	
0					*
U.					
1					
Û					
OI)					
w. m			Terrenopina de Calacia	6	ST1106/11
y J			*	B.3.E.I.D.C	ig neer Lid, Patha

ltom No	Item No. Item of work RATE TENDERED		NDERED	
Rem No.	item of work	In figures	In words	Per
		-		
L.				
			<u></u>	And the second of
		•		
Take the same of t		*	The state of the s	
-				
js.				
The state of the s				
			The state of the s	
			1770	e de la companya de l
77		SECTION AND ADDRESS OF THE PERSON ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON ADDRESS OF THE PERSON ADDRESS OF THE PER	1	
			Manual 1991	
AND REAL PROPERTY AND A PROPERTY AND		-	disection paper	
111111111111111111111111111111111111111		·	a and a second	•
		STATUS		
		CO ADD AND AND AND AND AND AND AND AND AND	Management	
W11-70-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-		O PARA	n de la company	
THE PROPERTY OF THE PROPERTY O			TAXABLE VALUE	
THE CONTRACT OF THE CONTRACT O		NA PROPERTY IN	No. of the local line of the l	
The state of the s			, , , , , , , , , , , , , , , , , , ,	
			Navember 1	
				•
			DOMESTICAL	
otariumium samp				
O CONTRACTOR CONTRACTO		and a second second		
AN SACLED TO SERVICE STATES OF THE SERVICE S		THOUGHT AND THE PARTY OF THE PA	With 1997 200 200 200 200 200 200 200 200 200 20	
Tarrison de la casa de		THE PROPERTY OF THE PROPERTY O	Non-school Section (Section Section Se	
		Management	West	
,				
Riverenter		Name of the last o		

and and

Schedule XLV - Form No. 61

(5)

,			RATE TE	ENDERED	
9	Item No.	Item of work	In figures	In words	Per
0					
9					
0					tigning and the state of the st
					Weeting to the control of the contro
0			•		Marie Communication of the Com
(3)					
0					NEWSCHOOL
9	•				
•					Sign and control of the control of t
0					TO THE PROPERTY OF THE PROPERT
·					e de la constitución de la const
			•	100 CO	TANAN CLIPPINA
)				A CANADA	
					CONTRACTOR
0					
(le					Novil marron popular
a.			S 1 1 1 1 1		
ð					
m)					
	a characteristic construction of the characteristic				
	WW				
	, pisational				
Ø.	T.Z.Z.G.J. Services				
				BAAAA AAAA	
D .					
	and the second second			Makeumaning	
9					
		THE PARTY OF THE P		Barrach Construction of the Construction of th	
			,		

Item No.	Item of work	RATE 1		
	mem of work	In figures	In words	Per
and the same of th				•
TO AND				
Security and a securi				
		The second state of the se		
100 miles (100 miles (

(i)

9	Schedule XI	_V - Form No. 61	(7)		
7		I		NDERF.D	
9	Item No.	Item of work	In figures	In words	Per
9	·		.,		
a .					
a					
8	4				
3					
ô					
9					
0	* - *			Activities recommendation and the second and the se	
70				one in the second of the secon	
٩	· · · · · · · · · · · · · · · · · · ·			ON COLUMN TO THE	-
3					, · · · · · · · · · · · · · · · · · · ·
9		4		THE PRINCIPLE AND ADDRESS OF THE PRINCIPLE AN	
ĨÒ.					
				Curativa Caracteristica Caracteristi	
()					
0					
(J					
(i)					
J					
(, ak					
			•		
Ø.					*
Ú.					
.0					
) · · · · · · · · · · · · · · · · · · ·
U :					
.					
(J)					
الوا					

should this tender be accepted I/we hereby agree to abide by and fulfill all the terms and provisions of the said conditions of contract annexed hereto so. for as applicable, or in ssors in office the sums of money mentioned in the said conditions.

Dated the

day of

*Signature, of contractor before comission of tender

witness:

Address :-

Occupation:-

Signature of witness to contractor's signature

The above tender is hereby accepted by me on behalf of the Governor of Bihar. Dated the day of

20

signature of the officer accepting the tender.

Acceptances communicated on.

signature of the party taking the tender

CONDITIONS OF CONTRACT

Compensation

Clause 1:- All compensation or other sums of payable by the contractor to Government under the terms of his contract may be deducted from, paid by the sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor by Government on any account whatsoever and in the event of his security deposit being reduced by reason of any such deduction or sale as aforesaid, the contractor shall within ten days there after make good in cash or Government securities endorsed as aforesaid any sum or sums which may have been deducted from, or arised by, sale of his security deposit of any part thereof.

work should not be considered untill such date as the Executive Engineer shall certify as the date on which the work is finished after necessary rectification of defects as pointed by the Executive En- gineer or his authorised agents are fully contractor to the Engineer's satisfaction.

Clause 2: - The time allowed for carrying out the work as entered in the tender shall be strictly observed by the contractor and shall be reckoned from the date on which the wirtten order to comence work is given to the contractor. The work shall throughout the stipulated period of the contract be carried on with all due diligence (time being deemed to be the essence of the contract on the part of the contract or) and the contractor shall pay as compensation an amount equal to ½ percent on the amount of the estimated cost of the whole work as shown by the tender for every day that the work remains uncommenced or unfinished after the proper date. And further to ensure good progress during the execution of the work the contractor shall be bound in all cases in which the time allowed for any work exceeds one month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before onehalf of such time elapsed and three-fourths of the work, before three fourths of such time has elapsed in the event of the contractor failing to employ with this condition, I shall be liable to pay as compensation an amount equal to ½ percent on the said estimated cost of the whole work for every day that the due quantity of work remains incomplete provided always that the entire amount of compensation to be paid under the provisions the clause shall not exceed 10 percent of the estimated cost of the work as shown in the tender.

Action when persnle security deposit foreited

Clause 3: In any case which under any clause or clauses of or this contract the contractor shall have rendered himself laible to pay compensation amounting to the whole of his security deposit in the hands of Government (where paid in one sum or deducted by instalments) the Executive Engineer on behalf on the Bihar Government shall have been powered to adopt any of the following courses, as he may deem best suited to the enterest of Government

(a) To rescind the contract (of which rescind notice in writing to the dontractor under the hand of the Executive Engineer shall be conclusive evidence) and in which case the sectitiry deposit of the contractor shall start for each and be absolutely at the disposal of Government.

(9)

- (b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debitting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in -charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.
- (c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original contractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4: - In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may, if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Enginee, as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

contractor remains liable to pay compensation if action not take under

Power to take posession of or require removal of or sell contractor plant.

Clause 5:- If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) he shall apply in writing to the Executive Engineer within 40 days from the date of starting of the hinderance on account of which be desires such extension as aforesaid and the Executive Engineer shall, if in his opinion (which shall be final) reasonable grounds be shown thereof authorised such extension of time if any, as may in his opinion be necessary or proper. The Executive Engineer shall at the same time inform the contractor whether he claims compensation for the delay.

Extension of time

Eng hear

Dhananjay Kumen Singh

Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion, but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinctly marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-work, doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurements shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus materials and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid, except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible, before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-incharge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts or in any other way vary or affect the contract.

Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Stores supplied Government

Clause 9 - If the specification or estimate of the work provides for the use of any special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-incharge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums then due or there after to become due to the contractor under the contract or otherwise, or available form the security deposit, or the proceed of sale thereof, if the same is held in Government security the same or sufficient portion thereof in this case sold for the purpose. All materials supplied to the contractor shall remain the absolute property of Government and shall not on any accounts he removed from this site of the work abushall at all times be open to

Dhamanjay Laman Si

n)

d

3

inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: - The contractor shall executive the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid.

accordance with specification drawing other etc.

Work to be executed

Clause 11:- Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound of to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the a same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to d) such proportion and to the additional work includes any class of work, for which no rales is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in

Alteration in specifications and designation.

Do not in validate contract

Time in consequence of alteration

Engineer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period.

respect of the work carried out or expenditure incurred by him prior to the date of the

determination of the rates as aforesaid according to such rate or rates as shall be fixed

by the Engineer-in-charge in the event of a disputes the decision of the superintending

Rate for work no in estimate or schedule of rates of the district.

Clause 12:- If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out, the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsoever on account of any profit or advantage, which he might have derived from the execution of the work in full, but which he did not derive in consequence of the full amount of the work not having been carried out neither shall he have any claim for compensation by reason of any alternation having been made in the original specification, drawing, designs and instruction which shall involve any installment of the work as originally contemplated clause 12 (a) As contained in G O 1929 dated 11.9.56.

Dhangailan Kuman

Compensation for alteration in or restriction of work to be carried out.

Fina

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such failure is due to:-

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as finally by the contractor.

Action and compensation payable in case of work

Clause 13 :- If it shall appear to the Engineer-in-charge or his subordinate incharge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall on demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-incharge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and expense in all respects of the contractcor.

Work to be taken to inspection

Clause 14:-All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineer-in-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be present.

Clause 15:- The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which the same was effected.

Notice to be taken before work covered up

Clause 16:- If the contractor or his work-people, or servants shall break, deface injure or destroy any part of a building in which they may be working or any building, road, road curves, fence enclosure water pipes, cables, drains, electric or telephone posts or wires, trees, grass or grassland or cultivated ground contiques on which the work or any part of it is being executed or if any damage shall happen to the work, while in progress from any cause whatsoever or any imperfection become apparent in if within three months (six months in the case of a road-work) after a certificate final or other of its completion shall have been given by the Engineer-in-charge

Dhananjay Kumun Singly

0

d

as a fore seal, the contractor shall make the same good at his own expense, or in lefault, the Engineer-in-charge may cause the same to be made be good by other worksmen and deduct the expense of which time thereafter may become due to the contractor, or from his security deposit, or the proceed of sale there of, or of a sufficient portion there of the security deposit at the contractor shall not be refunded before the expiry of three months (six months in the case of a road-work) after the issue of the certificate final or otherwise of completion of work provided that in the case of a road work in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable after three months of the issue of the said certificate of completion

Contractor liable for damage done and for imperfection a months and after certificate

Clause 17:- The contractor shall supply at his own cost all materials (except such special materials) if any as may in accordance with the contract be supplied from the Engineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, Hackle scaffolding and temporary works requisits or proper for the proper execution of the work whether original, altered or substituted and whether include in the specification or _other documents forming part of the contract or referred to in these conditions or not or which may be necessary for purpose of satisfying or complying with the requirement of the Engineer-in-charge as to any matter as to which under these conditions he is entitled to be satisfied which he is entitled to require together with carriage therefore to and form outhe work. The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting, h iweighing and assisting in the measurement or examination at any time and form time to time of the work or materials failing his so doing the same may be Provided by the Engineer-in-charge at the expense of the contractor and the expenses may be deducted from any money due to the contractor under the contract from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide , all necessary fencing and lights required to protect the public from accident, and shall be idbound to bear to expenses of defence of every suit action or other proceeding at law that may be brought by any person for injury sustained owing to neglect of the above precautions and to any such person or which may with the consent of the contractor be paid to compromise any claim by any such person.

Contractor to supply to plantladder scaffolding

And is liable for damage arising for non-provision of light fencing etc.

Clause 18:- No female labour shall be employed within the limits of contonment. The contractor shall not employ for the purpose of his contract any person who is below the age of twelve years and shall pay to each labour for the work done by such labourer viswages not less than the wages paid for similar work in the neighbourhood.

Work not to be subject

The executive Engineer shall have the right to enquire into the case and decide any complaint alleging that the wages paid by the contractor to any labourer for the work Udone by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer employed by contractor is below the age of twelve years and to refuse to allow any labourer whom he decided to be below the age of twelve years to be employed by the

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his contract, or attempt so to do, or become insolvent proceedings to make any composition with his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward or advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, or offered by the contractor, or any of his servant or agents to any public officer or person பு in the employ of Government in any way relating to his officer or employment or if any such officer or person shall become in any way directly or indirectly interested in the contract the Executive Engineer may there upon by notice in writing rescind the contract. The security deposit of the contractor shall there upon stand forfeited and be absolutely at the disposal of Government and the same consequence shall ensure as if the contract had been recinded under clause 3 here of, in addition the contractor shall not be entitled to recover or be paid to any work therefore actually performed the under the contractive Engineer

Contract may be resinded and security deposit forfelted for subletting bribes or if contractor become insolvant

Elociel Pare

Dhansnjay Kumun Singl

such payable by way of compensation to be considered reasonable compensation without reference to actual loss Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained.

Clause 21: In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this information.

Charges in constitution of firm

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal of Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer

Clause 22:- All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23: In case any dispute or difference shall arise between the parties or either of there upon any question relating to the meaning of the specifications, designs, drawings and instructions here before mentioned or as to the quality of workmanship or materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, or any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions or otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof or as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

(a) Clause 24:- When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items or work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-in-charge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineer-in-charge shall be final and conclusive against the contractor with regard to any sumpayable to him under the provision of this clause.

Action where no specification.

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Definition of works

Clause 26: The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to such construction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered, substituted or additional.

> Dhananjay know Sali Contractor

Witness.

(15)

Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied

	Particulars	will be o	hich the material charged to the ontractor		Place of delivery
Auto-		Unit	Rs.	P.	
٠ .			-		
<u>-</u>					
wayn .					
~)					
-					
14,		of the state of th			
)					
			5500m-6600		
OU		* ·			
ht					
air					
		9			
ıdı					
		· ·			
· +h		100 PM			
W.					
					h
vis					
		Date of the state			
on				and	
. 7		0.00			
9-2			WAS 100 A 10		
,			A COLUMN A C		
الرمون و					
				PLANTAGO (
			TO COMMITTEE OF THE PROPERTY O		
13		mental de la companya			
1				And the second	
٠				N N N N N N N N N N N N N N N N N N N	· ·

Note:-The person or firm submitting the tender should see that the rates in the above schedules are filled up by the Engineer-in-charge on the issue of the form prior to the submission of the tender.

Dhananjay knowly

(Signature of Contrator)

Chief Eng heer B.S.E.I.D.C. Ltd., Patron

Signature of Executive Engineer)

:) , and the last ŀ) John Street /)

BILL OF QUANTITIES FOR CONSTRUCTION OF 10ACR, 12 TOILETS AND 1 GIRLS COMMON ROOM CUM MULTI PURPOSE HALL AT RAMAJAIN GIRLS HIGH SCHOOL SASARAM IN THE DIST OF ROHTAS BIHAR STATE EDUCATION INFRASTRUCTURE DEVELOPMENT CORPORATION LTD., SHIKSHA BHAWAN, SAIDPUR, PATNA

Based on SOR FOR BCD BIHAR- 2018, B.S.R. (ELECTRICAL)2016 Group No Scheme Block District **CONSTRUCTION OF 10ACR, 12 TOILETS AND 1** GIRLS COMMON ROOM CUM MULTI PURPOSE ACR-221 Sasaram(M) Rohtas HALL AT RAMAJAIN GIRLS HIGH SCHOOL SASARAM IN THE DIST OF ROHTAS SOR Rate Amount Sr.No. Unit Item Of Work Quantity <u>Item No.</u> (Rs.) (Rs.) Below Plinth Earth Work Earthwork in excavation in areas (exceeding 30cm in depth. 1.5m in width as well as 10 sqm on plan) including dressing of sides and Rupees three ramming of bottom, lift upto 1.5 including 1 2,8.1 196.10 319.60 Cum hundred nineteen & getting out the excavated soil and disposal of paise sixty only. surplus soil as directed within a lead of 50m. All Kind of soil. **Brick Soling** Providing designation 100A one blrick flat soling joints filled with local sand including Rupees two hundred cost of watering taxes royalty all complete as 2 11.72 302.32 277.50 seventy seven & sq.m per building specification and direction of E/I. paise fifty only. Sand Filling Supplying and Filling in plinth with local sand and under floors including, watering, ramming Rupees two hundred consolidating and dressing complete. 3 2.28 238,60 thirty eight & paise 47.80 cum sixty only. P.C.C in Footing Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - all work upto Rupees three plinth level. 1:3:6(1 cement: 3 coarse sand: 6 thousand four 4.1.5 4 21.86 3461.40 cum graded stone aggregate 20mm nominal size) hundred sixty one & paise forty only.

Dhananjay kuman Singl


Chief Engineer

S.S.E.I.D.C. Lid. Patro

Zyo Skihowi | 11/06/49

	RCC W	ork in Footing				
5	5.1.1	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centering, shuttering, finishing and reinforcement-All work upto plinth level 1:1:2(1 cement : 1 coarse sand : 2 graded stone aggregate 20mm nominal size)	25.24	cum	6434,40	Rupees six thousand four hundred thirty four & paise forty only.
6	6.1.14A	Brick work with bricks of class designation 100A in foundations and plinth in cement mortar 1:6(1cement:6coarse sand)		cum	4799.20	Rupees four thousand seven hundred ninety nine & paise twenty only.
	Back Fil	ling				
7	2.26	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth: consolidating each deposited layer by ramming and watering lead	0.00	cum	74.50	Rupees seventy four & paise fifty only.
8	2.29.1	Surface dressing of the ground including removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5m All kinds of soil.		00 sqr	1126.90	Rupees one thousand one hundred twenty six & paise ninety only.
	Above P	linth			ини компоненция на под на На под на под	
9	6.1.14A + 6.3A	Brick work above Plinth Brick work with bricks of class designation 100A in superstructure above plinth level upto three floor cement mortar 1:6(1cement:6coarse sand)		cum	5501.40	Rupees five thousand five hundred one & paise forty only.
10	6.18.4A + 6.19A	Half brick Masonary with bricks of class designation 100A in superstructures above plinth level upto five floor cement mortar 1:4 (1 cement :4 coarse sand)		sq.m	671.50	Rupees six hundred seventy one & paise fifty only.
11	6.21A	Extra for providing and placing in position 2 nos., 6dia MS bars at every third course of half brick masonary (with F.P.S. brick)	80.81	sq.m	87.70	Rupees eighty seven & paise seventy only.

Dharanjay kumar singh



j

Professional Control of Control o	RCC wo	ork above Plinth.	T	1		
12	5.3+ 5.33B.4 + 5.33B1	Reinforced cement concrete work in wall (any thickness), including attached pilasters, buttresses, plinth and struts etc upto floor five level excluding the cost of centering, shuttering, finishing & reinforcement all work upto plinth level. 1:1:2 (1cement:1 coarse sand: 2 graded stone aggregate 20mm nominal size) (Extra for providing M-15 grade RCC instead of M-20 grade) (Extra for providing M-15 grade RCC instead of M-20 grade)	86.03	cum	5917.30	Rupees five thousand nine hundred seventeen & paise thirty only.
13	5.2.1	Reinforced cement concrete work in wall (any thickness), including attached pilasters, buttresses, plinth and struts etc upto floor five level excluding the cost of centring, shuttering, finishing & reinforcement - all work upto plinth level. 1:1:2 (1cement: 1 coarse sand: 2 graded stone aggregate 20mm nominal size)	34.87	sqm	7255,40	Rupees seven thousand two hundred fifty five & paise forty only.
	Flooring					
14	11.3	Cement concrete flooring 1:2:4(1 cement:2 coarse:sand:4 graded stone agregate) finished with a floating coat of neat cement including cement slurry, etc. but excluding the cost of nosing of steps etc. complete.				
	11.3.1	40 mm thick with 20 mm nominal size stone aggregate	636.89	sqm	282.60	Rupees two hundred eighty two & paise sixty only.
15	11.6	Cement plaster skirting (upto 30 cm hieght) with cement mortar 1:3 (1 cement:3 coarse sand) finished with a floating coat of neat cement.				
	11.6.1	18 mm thick	210.87	sqm	284.86	Rupees two hundred eighty four & paise eighty six only.

Dhanonjay Kumon Singh

Chief Eng were

28.5 E.I.D.C. Lid, Patria

210

11/6

11/06/19

	Bath Ro	om				p. 20-20-400000000000000000000000000000000
16	11.38	Providing and laying ceramic glazed floor tiles 300 x 300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS:15622 of approved make in all colors, shades, except white .Ivory, Grey,Fume red, Brown laid on 20mm thick bed of cement Mortar 1:4 (1 cement :4 coarse sand) including pointing the joints woth white cement matching pigments etc complete.	114.58	sq.m	736.40	Rupees seven hundred thirty six & paise forty only.
17	11.36	Providing and fixing 1st quality Ceramic glazed wall tiles conforming to IS: 15622 {thickness to be specified by the manufacturer} of approved make in all colours, shades, except burgundy, bottle green, black of any size as approved by Engineer-in-charge in skirting, risers of step and dados over 12mm thick bed of Cement Mortar 1:3 (1 cement: 3 Coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigments of matching shade complete.	280.68	sq.m	739.80	Rupees seven hundred thirty nine & paise eighty only.
18	11,3,1+	Cement concrete flooring 1:2:4(1 cement:2 coarse:sand:4 graded stone agregate) finished with a floating coat of neat cement including cement slurry, etc. but excluding the cost of nosing of steps etc. complete.40 mm thick with 20 mm nominal size stone aggregate				
		Extra for making chequers of approved pattern on cement concrete floors, steps, landing, pavements etc.	215.32	sqm.	312.80	Rupees three hundred twelve & paise eighty only.
	Plaster \	Work				
19	13.11.4	12 mm cement plaster of mix; 1:6 (1 cement : 6 coarse sand)	1648.69	sq.m	126.20	Rupees one hundred twenty six & paise twenty only.

Dhananjay Kumar Singh

Chief Eng near

B.S.E.I.D.C. Ltd. Patro

Je July 11/08/19

;)

		6mm cement mix plaster of mix 1:4 (1 cement		T		Rupees one hundred
20	13.24.2	:4 coarse sand) Roof	588.56	Sqm	110.90	ten & paise ninety only.
de la dela della come come come come come come come come		 ide Plaster	September 1		a forest	Unity.
***************************************		20mm Plaster 1:6(1 cement : 6 coarse sand)			W.G. et al. in control of the contro	
21	13.13.4		765.76	sq.m	173.00	Rupees one hundred seventy three only.
***************************************	FINISH	ING WORK	*		945-4- Marie Carrier Construction (1945-1944)	
22	13.78.1	Applying one coat of cement primer of approved brand and manufacture on wall surface: Cement primer.		sqm.	31.00	Rupees thirty one only.
23	13,79.1	Finishing walls with water proofing cement paint of approved brand and manufacture and of required shade to give an even shade New work (three or more coats)	ì	sqm.	68,30	Rupees sixty eight & paise thirty only.
24	13.78.2	Applying one coat of cement primer of approved brand and manufacture on wall surface: Distemper primer.	2237.25	sqm.	31.70	Rupees thirty one & paise seventy only.
25	13.77A.1	Distempering with 1st quality washable distemper (ready made) of approved manufacturer and of required shade and colour complete. As per manufacture's specifications. Two or more coats on new work		sqm.	46.50	Rupees forty six & paise fifty only.
26	13.81.1	Applying priming coat with ready mixed pink or grey primer of approved brand and manufacture on wood work (hard and softwood)		sqm.	32.20	Rupees thirty two & paise twenty only.
27	13.81.3	Applying priming coat with ready mixed zinc chromate yellow primer of approved brand and manufacture on steel galvanized iron/steel work.		sqm.	27.50	Rupees twenty seven & paise fifty only.
28	13.93.1	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade two or more coats on new work	191.11	sqm.	70.40	Rupees seventy & paise forty only.

Dhananjay Kuman Singt

Chief Eng near

2 B.S.E.I.D.C. Jud. Pappa

11/6 11/06/19

	CI. 44					der
	Shutter	Footing		-		
29	5.9.1	Centring and shuttering including strutting, proping etc. and removal of form for foundation, footings, bases of columns etc. for mass concrete. Pedestal		sqm.	186.30	Rupees one hundred eighty six & paise thirty only.
		Tie Beam at NGL.				
30	5.9.5	Centring and shuttering including strutting, proping etc. and removal of form for foundation, footings, bases of columns etc. for mass concrete.	!	sqm.	335.30	Rupees three hundred thirty five & paise thirty only.
Service and the American supply	-	Stiffner upto Plinth				
31	5.9.6	Centring and shuttering including strutting, Propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts.	345.82	sqm	425.80	Rupees four hundred twenty five & paise eighty only.
	-	Roof Shuttering		,		
32	5.9.3	Centering and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform.	758.14	sqm.	362,60	Rupees three hundred sixty two & paise sixty only.
		Doors				, dec
33	9.21.1	Providing and fixing flush door shutters conforming to IS: 2202 (Part-I) non-decorative type.core of block board construction with frame of 1st class tiard wood and well mathched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters. 35 mm thick including anodized aluminum butt hinges with necessary screws	49.14	sqm.	1602.70	Rupees one thousand six hundred two & paise seventy only.
		Steel Door Frame			a de como como como como como como como com	
34	10.1	Structural steel work in singal section fixed without connecting plate including cutting hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	493.50	Kgs.	68,20	Rupees sixty eight & paise twenty only.

Dhananjay Kuman Singh

2 B.3. E.I.D.C. Ly, Patro Whehave) 11/6

1)) :)

	T	Providing and Evine M.Chandles with	I	1		
35	9.66,1	Providing and fixing M.S.handles with necessary screws etc.complete 125 mm	28.00	each	29.90	Rupees twenty nine & paise ninety only.
36	9.101.2	Providing and fixing alluminium hanging floor door stopper anodised (anodic coating not less than grade AC 10 as per IS:1868) transparent or dyed to required colour and shade with necessary screws etc.complete:Twin rubber stopper	28.00	each	40.40	Rupees forty & paiso forty only.
37	9.63.1	Providing and fixing oxidised M.S.tower bolt black finish,(barrel type) with necessary screws etc.complete 250x10mm	i e	each	67.20	Rupees sixty seven & paise twenty only.
38	9.62.1	Providing and fixing oxidised M.S. sliding door bolts with nuts and screws etc. complete 300x16xmm		each	162,40	Rupees one hundred sixty two & paise forty only.
39	+	Providing and fixing glazed steel doors, windows or ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm M.S. lugs10cm long with steel legs embedded in cement concrete blocks 15x10x10cm.of (1:3:6) (1cement: 3coarse sand: 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units.	69.12	sq.m	3340,30	Rupees three thousand three hundred forty & paise thirty only.

Dhananjay Kumer Singly

Chief Engineer

248

Methous

11/06/1/9

•))

40	10.12.1 + 10.13c	Providing and fixing glazed steel doors, windows or ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm M.S. lugs10cm long with steel legs embedded in cement concrete blocks 15x10x10cm.of (1:3:6) (1cement: 3coarse sand: 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. VENTILATOR	0.00		0.00	
41	9.48.1	Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete. Fixed to steel windows by welding		Kgs.	114.20	Rupees one hundred fourteen & paise twenty only.
42	10.17	Providing & fixing M.S. Fan hook of 16 mm. dia. M.S. bar 1 Mtr. Long bent to required size and shape, placed in position and fixed in Truss Frame / RCC Slab / beam at the time of casting all complete as per building specification and direction of E/I. (Where materials is not supplied by deptt.)	44.00	each	137.70	Rupees one hundred thirty seven & paise seventy only.
43	10.33.1	Providing & fixing hand rail by welding etc. to steel ladder railling & staircases railling including applying a priming coat of approved steel primer. MS tube (medium) 40mm nominal bore. Steel Hand Rail		kg	87.80	Rupees eighty seven & paise eighty only.

Dhananjay kumen Singl

Chief Eng near
S.S.E.I.D.C. Led Pains
Till 6. 11/06/49

44	5.22	Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.				
		TMTC-500				
	5.22.1B	Mild steel 6.0 mm dia	145.00	kg	75.90	Rupees seventy five & paise ninety only
					and the second section of the section of t	<u></u>
	5.22.7A		3610.00	kg	77.40	Rupees seventy seven & paise forty only.
	1	TMTC-500 8mm dia				
	5.22.7B		3754.00	kg	76.70	Rupees seventy six & paise seventy only.
		TMTC-500 10mm dia		Vaccino		
n na tha ann an ann an ann an ann an ann an ann an a	5.22.7C	TMTC-500 12mm dia	3754.00	kg	75.20	Rupees seventy five & paise twenty only
	5.22.7D	TMT-500 16mm dia	2166.00	kg	76.00	Rupees seventy six only.
	5.22.7E	TMT-500 20mm dia	1011.00	kg	76.00	Rupees seventy sit
		Micslaneous Work				
45	4.17	Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth.	27.68	sq.m	417.60	Rupees four hundre seventeen & paise sixty only.
					Total (A) =	5,791,910.5
	Water S	upply and Sanitation				District Control of the Control of t
46	B.S.R 12.78,2	Providing and fixing on wall face unplastidsed PVC (working pressure 4 kgf per sqm) rain water pipes conforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10 mm gap for thermal expansion.				
	Care Care Care Care Care Care Care Care	110 mm diameter.	66.00	MTS	238.30	Rupees two hundre thirty eight & pais thirty only.

Dhananjay Kumor Singl.

J

Chief Eng near

B.S.E.I.D.C. July Pair

Ula 11/08/

47	SOR 12.79	Providing and fixing on wall face unplasticised Rigid PVC moulded fittings/ acessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A including jointing with seal ring conforming to IS: 5382				
		leaving a 10 mm gap for thermal expansion.				
	12.79.5	Bend 87.5 °				orticiscomocionecon de decidado de destribido de de la comoción de la comoción de destribido de la comoción de del de destribido de la comoción de del del
	12.79.5.				48M00-02-0000-02-000-000-000-000-000-000-0	
	2			ľ		Rupees one hundred
			6,00	Each	124.70	twenty four & paise
t'		·	and the same of th		and the second second	seventy only.
			`	Partie Control		
	12.79.6	Shoe (Plain)			enanticolon() has his bracks the his 644 HTP S-45-46 Holes	
		110 mm Shoe				
	2					Rupees one hundred
			6.00	Each	108.52	eight & paise fifty
			Person	Reference.	Residence .	two only.
	SOR	Providing and fixing unplasticised - PVC pipe				****
	12.80	clips of approved design to unplasticised - PVC				
		rain water pipes by means of 50 x 50 x 50 mm				
48		hard wood plugs, screwed with M.S. screws of				
		required length cutting brick work and fixing in cement mortar 1:4 (1 cement : 4 coarse sand				
)and making good the wall etc. complete.				
- Andrews	12.80.2	1 10 mm				
	12,00,2	110 mm				n
			54.00	Each	157.37	Rupees one hundred fifty seven & paise
			J7,00		151,51	thirty seven a palse
			Marine .	Constant of the second	Carried livery Street	
	SOR	Providing and fixing to the inlet mouth of rain				
49	12.81	water pipe cast iron grating 15 cm diameter and	6.00	Each	44.90	Rupees forty four &
and the same of th	Separatura de la constitución de	weighing not less than 440 grams.	Carrier .		the state of the s	paise ninety only.

Dhangnjay kumar Singh

Chief Eng near

B.S.E.I.D.C. Lid, Paina

Pul

11/08ffg

	B.S.R	Providing and fixining water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast iron P or S tap, 10 litre low white P.V.C. Flushing cistern with munally controlled device (handle level) conforming to IS: 7231 Parryware/Hindware with all fittings and fixtures complete including cutting and making good the walls and floors wherever required.				
50	17.1.1	White Vitreous China Orissa pattern W C pan of size 580 x 440 mm with integral type foot rest.		Each	3,390.90	Rupees three thousand three hundred ninety & paise ninety only.
	B.S.R	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:				
51	17.7.1	White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps.	6.00	Each	2,307.10	Rupees two thousand three hundred seven & paise ten only.
	B.S.R	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.				
52	17.28.2.	Flexible pipe 32 mm dia	6.00	Each	83.70	Rupees eighty three & paise seventy only.
53	B.S.R 17.32.2	Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing: Rectangular shape 453 x 357 mm		Each	683.80	Rupees six hundred eighty three & paise eighty only.

Dhancinjay known Jungh

J

Chief Engress

B.S.E.I.D.C. Lid, Pains

Slevhaue

11/06///


)

1

17.

54	B.S.R 17.33	Providing and fixing 600 x 120 x 5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete.	6,00	Each	521.20	Rupees five hundred twenty one & paise twenty only.
55	B.S.R 18.8.1	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I Concealed work including cutting chases and making good the wall etc. 15 mm nominal outer dia Pipes	15.00	metre	214.30	Rupees two hundred fourteen & paise thirty only.
56	B.S.R 18.8.2	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I Concealed work including cutting chases and making good the wall etc. 20 mm nominal outer dia Pipes		metre	255.70	Rupees two hundred fifty five & paise seventy only.
57	B.S.R 18.8.3	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I Concealed work including cutting chases and making good the wall etc. 25 mm nominal outer dia Pipes	9	metre	308.00	Rupees three hundred eight only.

Dhananjay kumar Sigot



Section 1

58	B.S.R 18.9.4	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 32 mm nominal inner dia Pipes	15	metre	249.30	Rupees two hundred forty nine & paise thirty only.
59	B.S.R 18.48	Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI:12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.	2000.00	er litre	7.90	Rupees seven & paise ninety only.
60	B.S.R 18.49	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 15 mm nominal bore.	12	Each	401,40	Rupees four hundred one & paise forty only.
61		Providing and fixing C.P brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931				
	B.S.R 18.53.1	15 mm nominal bore.	12	Each	512,90	Rupees five hundred twelve & paise ninety only.
62	SOR 18.58	Providing and fixing PTMT grating of approved quality and colour.				
	18.58.1	Circular type				
	18.58.1.	100mm nominal dia.	3.00	Each	36.20	Rupees thirty six & paise twenty only.
63	B.S.R 19.2.1	Providing and laying cement concrete 1:5:10 (1 cement: 5 coarse sand: 10 graded stone aggregate 40 mm nominal size) all-round S.W. pipes including bed concrete as per standard design: 100 mm diameter S.W. pipe	2.40	metre	391.90	Rupees three hundred ninety one & paise ninety only.

Dhananjay kuman Singl

Chief Eng near

B.S.E.I.D.C. Leg. Patro

Jkehoud)

11106//)

 $\left\{ \cdot \right\}$

64	B.S.R 19.6.1	Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete: 100 mm dia R.C.C. pipe	12.00	metre	329,70	Rupees three hundred twenty nine & paise seventy only.
65	B.S.R 19.30.1. 1	Contructing brick masonry chamber for Underground C.I. Inspection Chamber and bend with 75 class designation bricks in cement mortar 1:4 (1 cement: 4 coarse sand) C.I. Cover with frame (light duty) 455x610 mm internal dimentions, total weight of cover with frame to be not less than 38 kg. (weight of cover 23 kg. and weight of frame 15 kg.) RCC top slab with 1:1.5:3 mix (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20 mm nominal size) foundation concrete 1:5:10 mix (1 cement:5 coarse sand: 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm th. with cement mortar 1:3 (1cement:3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design. Inside dimensions 466x610 mm and 45cm deep for single pipe line: With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	2.00	Each	4,194.20	Rupees four thousand one hundred ninety four & paise twenty only.
66	B.S.R 19.32.1	Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter, 1.8 m long complete as per standard design. With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	1.00	Each	32,412.70	Rupees thirty two thousand four hundred twelve & paise seventy only.
67	B.S.R	Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement: 1 fine sand) including testing of joints etc. complete:				
	19.34.1	100 mm dia	1.00	Each	299.50	Rupees two hundred ninety nine & paise fifty only.

Dhananjay kumar Sixyl

English English Patry Stehow 11/06/1)

AII

68	Detailed Estimate for septic tank size 4.95X1.60X2.225 M. deep	1.00	Facili	05 026 00	Rupees ninety five thousand nine
08		1.00	Each	95,926.00	hundred twenty six only.
	Detailed Estimate for construction of 125 mm x 40 mm x 90 m Tube well Manual Boring				Rupees sixty thousand two
69		1.00	Each	60,292.95	ł
70	NON SCHEDULED ITEMS(MARKET RATE)	(Spring Cock) and the Spring amount of the			
	P.V.C. PIPE				
	Provding and fixing soil, waste and vent pipes				
	110 mm dia	randama urandatka melikar kemala		mann til förstådels om et i för er men skale fre da som med där er om men kanna som et i för er om men kanna s	Rupees three
		80.00	Mtr	347.00	hundred forty seven only.
	P.V.C. FITTINGS				,
	DOOR BEND 110 mm dia				
		7.00	Each	283.00	Rupees two hundred eighty three only.
	BEND 45 110 mm dia				
		4.00	Each	185.00	Rupees one hundred eighty five only.
	VENT COWEL 110 mm dia	3.00	Each	65.00	Rupees sixty five only.
	PIPE CLIP 110 mm dia	27.00	Each	53.00	Rupees fifty three only.
	FLOOR TRAP 110X110 mm dia	Vanis .		E-Marie Control	
	200K HGH HOZHIO HIII GIA	3.00	Each	436.00	Rupees four hundred thirty six only,
		mpqqaaaaaaaaaaaaaaaaaaaaa		Total (B) =	361,932.01

Dhananjay kumar Singli

Chief Englishers

2018

11/06

11/06

11/06

11/06

11/06

11/06

11/06

11/06

11/06

11/06

11/06

11/06

11/06

11/06

11/06

11/06

11/06

11/06

11/06

11/06

11/06

11/06

11/06

11/06

11/06

11/06

11/06

11/06

11/06

11/06

11/06

11/06

11/06

Accept) 1

	Electric	al Works				
71	1.3	Wiring for light point /fan point / exhaust fan point / call bell point with 1.5 sq.mm FR PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with modular switch, modular plate, suitable size G.I. box etc as req				
	1.3.3	Group C	241,00	Nos.	675.00	Rupees six hundred seventy five only.
72	1.5	Wiring for light/ power plug with 2x4 sq.mm FR PVC insulated copper conductor single core cable in surface/ recessed medium class PVC conduit along with 1 No 4 sq. mm FR PVC insulated copper conductor single core cable for loop earthing as required.	220.00	meter	193.00	Rupees one hundred ninety three only.
	1.7	Wiring for circuit / submain wiring alongwith earth wire with the following sizes of FR PVC insulated copper conductor, single core cable in surface / recessed medium class PVC conduit as required.				
73	1.7.2	2 x 2.5 sq.mm + 1 x 2.5 sq. mm earth wire	660.00	meter	150.00	Rupees one hundred fifty only.
	1.7.5	2 x 10 sq.mm + 1 x 10 sq.mm earth wire.	150.00	meter	417.00	Rupees four hundred seventeen only.
74	1.29	Supplying and fixing metal/pvc of 150mm x 75mm x 60mm deep (nominal size) on surface or in recess with suitable size of phenolic laminated sheet cover in front including providing and fixing 5 pin 5/6 amps socket outlet and 5/6 amps piano type switch, connections, painting etc. as required.	2.00	nos.	199.00	Rupees one hundred ninety nine only.

Dhananjay Kumer Smyle

Chief Eng near

B.S.E.I.D.C. Lyd, Patra

Jechan

11/66//9

ì)

75	1.30	Supplying and fixing metal/pvc box of 180mm x 100mm x 60mm deep (nominal size) on surface or in recess with suitable size of phenolic laminated sheet cover in front including providing and fixing 6 pin 5/6 & 15/16 amps socket outlet and 15/16 amps piano type switch, connections, painting etc. as required.	11.00	nos.	313.00	Rupees three hundred thirteen only.
76	1.23	Supplying and fixing following piano type switch/ socket on the existing switch box / cover including connections etc.as required				
	1.23.1	5/6 amps switch.	28.00	Each	32.00	Rupees thirty two only.
	1.23.4	3 pin, 5/6 amps socket outlet.	28.00	Each	44.00	Rupees forty four only.
77	1.25	Supplying and fixing stepped type electronic fan regulator on the existing modular plate switch box including connections but excluding modular plate etc. as required		Each	387.00	Rupees three hundred eighty seven only.
78	1,33	suppling and fixing fixing 2 pin, 6 amp ceiling rose on the existing junction box/ wooden block including connection etc as required.		Each	35.00	Rupees thirty five only.
79	1,34	Supplying and fixing batten / angle holder including connection etc as required.	77.00	Each	48.00	Rupees forty eight only.
80	2.8	Supplying and fixing following way, single pole & neutral, sheet steel, MCB distribution board, 240 volts, on surface / recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted, including earthing etc as required. (But without MCB/RCCB/Isolator)				de la constantina de
-		2 + 12 way,Double door,				Rupees one thousand
	2.8.9		5.00	Each	1846.00	eight hundred forty six only.

Dhanonjay kuman Singly

Chief Eng mean 2 B.S.E.I.D.C. Lid, Patry Je Shehaw) 11/6 11/06/19

81	2.2	Supplying and fixing following rating, double pole, 240 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required				
	2,15,2	63 Amps	5.00	Each	528,00	Rupees five hundred twenty eight only.
82	2.12	Supplying and fixing following rating, 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in existing MCB DB completed with connections, testing and commissioning etc. as required.				
	2.12.1	6/32 amps, Single Pole	44.00	Each	208.00	Rupees two hundred eight only.
83	3.6	Earthing with copper earth plate 600 mm X 600 mm X 3 mm thick including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe of 2.7 metre long etc. with charcoal/ coke and salt as required.	1.00	Each	11703.00	Rupees eleven thousand seven hundred three only.
84	3.8	Supplying and laying 25 mm X 5 mm copper strip at 0.50 metre below ground as strip earth electrode, including connection/ terminating with nut, bolt, spring, washer etc. as required. (Jointing shall be done by overlapping and with 2 sets of brass nut bolt & spring washer spaced at 50mm)	15.00	meter	868.00	Rupees eight hundred sixty eight only.
85	2.1	Providing and fixing following capacity TP&N disconnector fuse switch unit inside the existing panel board with ISI marked HRC fuse including drilling holes in cubical panel, making connections etc. as required.				
	2.1.6	100 Amps TP&N	1	Each	6997.00	Rupees six thousand nine hundred ninety seven only.

Dhananjay kumar Singh

Chief Eng meles

28.3.E.I.D.C. Ligh, Potrac

Illobol)

11/66//

1 , and a)

		Local Sand	52.43	cum	262.05	Rupees two hundred sixty two & paise five only.
		Sand	177.52	cum	453,07	Rupees four hundred fifty three & paise seven only.
der von des bestehende		Cement	89.80	MT	328.25	Rupees three hundred twenty eight & paise twenty five only.
88	***************************************	Carriage of Materials				
		Type of materials			Rate Incl. 1% Lab. Cess	
					Total (D) =	75,497.50
87	DGS&D	Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit.	10.00	Nos.	7,549.75	Rupees seven thousand five hundred forty nine & paise seventy five only.
				T	otal Cost (C)	456,325.00
	2.7.3	100 Amps, Four pole	1.00	Each	5795.00	Rupees five thousand seven hundred ninety five only.
86	2.7	Providing and fixing following capacity four pole OFF-load changeover switch with side handle operation, in sheet enclosure in existing metal board, including drilling holes in metal panel, making connections etc. as required.			·	

Dhananjay Kuman Singly

Chief Eng near

8.8.E.I.D.C. dechow)

11/6

) 1) •)

	Say				7,325,350.00
	Grand Total	Total (A)	+(B)+(C)+(D)+(E) =	7,325,349.77
				Total (E) =	639,684.73
		Contraction of the Contraction o		- September Sept	only.
		14,44	MT	362.76	hundred sixty two & paise seventy six
	Cement				Rupees three
- the state of the	Cement				
89		130.33	Nos.	249.72	Rupees two hundred forty nine & paise seventy two only.
	Brick				
	Difference Cost of Material w.r.t Magadh Division				
				Market and the second	& paise twenty five only.
		14.44	MT	328.25	Rupees three hundred twenty eight
	Steel				
ļ		serve.	Section 1	V ille and the second	& paise eight only.
		130.33	Nos.	767.08	Rupees seven hundred sixty seven
	Brick				
		at rest private section of	e de la companya de		five & paise fifty three only.
		166.35	cum	2,245.53	two hundred forty
	Stone Chips				Rupees two thousand

(Rupees Seventy Three Lacs Twenty-Five Thousand Three Hundred Fifty Only)

Dhananjay Kumar SizyL

2, B.3. E.I.D.C. Light Pains 11/06/1

"Details of SI No.69(Construction of 125mm x 40mm x 90m Tube well)is given below"						
Part 'A'	' - Cost o	f Materials		and ground person and the state of the state		
1		125mm dia UPVC casing pipe confirming to ISS	27	Mete r	315.00	Rupees three hundred fifteen only.
2		40mm dia UPVC pipe confirming to ISS	48	Mete r	99.38	Rupees ninety nine & paise thirty eight only.
3		40mm dia PVC ribbed strainer of approved quality	8	Mete r	182.00	Rupees one hundred eighty two only.
4		Reducing socket 125mm x 40mm	1	Each	270.00	Rupees two hundred seventy only.
5		Supplying all labour and materials & fitting & fixing PVC cap over the new sink T/well	1	Each	140.00	Rupees one hundred forty only.
6	B.S.R 1548	Providing and fixing of G.I pipes complete with G.I fittings and clamps, including, cutting and making good etc 32 mm dia (15% C.P & 1% L.Cess)		mtr	217.55	Rupees two hundred seventeen & paise fifty five only.
7	B.S.R 1928	32 mm nominal bore Bross Full valve (15% C.P & 1% L.Cess)	1	Each	495.53	Rupees four hundred ninety five & paise fifty three only.
8		Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of E/I	1	Each	26,446.00	Rupees twenty six thousand four hundred forty six only.
	AND THE STREET OF THE STREET O	Sub - Total "A"				45,998.67

Dhananjay Kumar Sizet

Chief Engineer

ZIE LD.C. Light Patrice

11/06/1)

1)

Part 'B' - C	ost of Labour				
	Boring by jet dheki by suitable cutter of reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge.				
	(i) 0 to 30.5 m				
9	(a) For 125 mm dia U.PV.C pipe	27	mtr	208.77	Rupees two hundred eight & paise seventy seven only
10	(b) for 40 mm dia UPVC pipe				
	(i) 0 to 30.5 m	3.5	mtr	119.03	Rupees one hundred nineteen & paise three only.
	(ii) 30.5 m to 61.0 m				
11	(a) For 40 mm dia UPVC pipe	30.5	mtr	136.88	Rupees one hundred thirty six & paise eighty eight only.
	(iii) 61.00 m to 75.00 m				
12	a) For 40mm dia UPVC pipe	14	mtr	148.79	Rupees one hundred forty eight & paise seventy nine only.
	(iv) 75.00 m to above				
13	a) For 40mm dia UPVC ribbed strainer of approved quality	8	mtr	148,79	Rupees one hundred forty eight & paise seventy nine only.
14	Providing all labour & tools and lowering 32 mm dia G.I pipe as per specificatin etc. all Complete	24	mtr	21.34	Rupees twenty one & paise thirty four only.

Dhananjay Kum ar Sigh

Chief Eng near

B.S.E.I.D.C. Lid, Fatage

Tiple Rehauf

). ()

15		Supplying labour and developing the T/Well to have sand free discharge all complete as per direction of E/I		Each	280.50	Rupees two hundred eighty & paise fifty only.
		Sub - Total				14,294.28
		Total C="A+B"				60,292.95
1	T 201	"Details of Sl. No. 68** of S	eptic Tan	ik "		7
1	2.8,1	Earthwork in excavation	***************************************			
		(i) Septic tank	31.89	cum	319.60	Rupees three hundred nineteen & paise sixty only.
2	2,28	Sand filling	1,02	cum	238.60	Rupees two hundred thirty eight & paise sixty only.
3	11.72	Flat Brick soling	13.57	sq.m	277.50	Rupees two hundred seventy seven & paise fifty only.
4	4.1.5	P.C.C. (1:3:6)	2.71	cum	3461.40	Rupees three thousand four hundred sixty one & paise forty only.
		(i) Sloping portion 1:20	0.27	cum	3461,40	Rupees three thousand four hundred sixty one & paise forty only.
1.44 vill für Bing versi lised mörerenna		Brick work with bricks of class designation 100A in foundations and plinth in : Cement mortar 1 .:4 (1 cement: 4 coarse sand)				

Dhananjay Kumar Stagel

B.S.E.I.D.C. Lid, Patra Zije derhous

. :

e de la companya de l

5		(i) Long wall	6.06	cum	5037.20	Rupees five thousand thirty seven & paise twenty only.
	6.1A + 6.1.12/1	(ii) Short Wall	2.06	cum	5037.20	Rupees five thousand thirty seven & paise twenty only.
		(iii) Partition wall	0.26	cum	5037.20	Rupees five thousand thirty seven & paise twenty only.
		(iv) Partition wall	0.37	cum	5037.20	Rupees five thousand thirty seven & paise twenty only.
		112 mm cement biaster 1.3(1 cement 3 sand)	23.14	sq.m	199.00	Rupees one hundred ninety nine only.
6	13.17.1 +13.36.1		21.36	sq.m	199.00	Rupees one hundred ninety nine only.
			8.32	sq.m	199,00	Rupees one hundred ninety nine only.
7	13,13,1	20 mm cement Plaster 1:3 (1 cement: 3 coarse sand) with a floating coat of neat cement & neat cement punning 3.13.1	4.68	sq.m	254.20	Rupees two hundred fifty four & paise twenty only.
,	+ 13,26		11.97	sq.m	254.20	Rupees two hundred fifty four & paise twenty only.

Dhananjay Kumar Singt

Chief Eng near

Chief Eng near

Sleihow

11/06//

. Supram

		Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing and reinforcement-All work puto plinth level. 1:2:4 (1 cement:2 coarse sand:4 graded stone aggregate 20 mm				
8	5.1.3	nominal size) (i) Roof cover slab of septic tank	0.90	cum	4345.40	Rupees four thousand three hundred forty five & paise forty only.
		(ii) Rcc Beam in septic tank	0.03	cum	4345.40	Rupees four thousand three hundred forty five & paise forty only.
9	5.22.7A	(i) Steel 8mm in R.C.C.	93.00	Kg.	77.40	Rupees seventy seven & paise forty only.
10	Code no. of 1352	(i) C.I. cover and frame 300 x 300 mm inside	1.00	Each	324.31	Rupees three hundred twenty four & paise thirty one only.
	Code no. of 1621	(ii) S.C.I. plain bend 100 mm dia	1.00	Each	378.36	Rupees three hundred seventy eight & paise thirty six only.
	Code no. of 7087	(iii) S.C.I. Tee 150 mm dia	1.00	Each	648.61	Rupees six hundred forty eight & paise sixty one only.
					Total	**************************************
					Says	95926,00

Tender approved in favour of Dhananjay Kumar Singh @ 10.00% (Ten Decimal Zero Zero Percent) below i.e. total amount comes to Rs. 65,92,815=00 (Rupees Sixty Five Lacs Ninety Two Thousand Eight BOQ rates Hundred Fifteen Only)

246

Dhancingery Kumer Singh

Chief Eng near

B.S.E.I.D.C. Ltd., Patria

II/6

II/06//

:) and the same)

Performance Security

Name of Agency:- "Dhananjay Kumar Singh"

Performance Security of Regarding "ACR-221 SL.NO-05 (NIT No-51/18-19)"

FDR No.	DOI		<u>AMOUNT</u>
216900DP00015165	06.09.17		1,83,000.00
216900PU00005215	20.10.18		1,50,000.00
	•	Total-	3,33,000.00

(Rupees Three Lac Thirty Three Thousand Only)

लेखा पदाधिकारी

विहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०, पटना

AC ambores

Dhananjay Kumar Sizyl

Chief Eng near B.S.E.I.D.C. Ltd., Patro

	Allian	
	g of the second	
	, miles	
	Allan	
	Allen,	
÷		
	of the control of the	
	li.	
	· •	h.
	A COLOR	
	·	
		andolin.
	*	
)	
	: 1	
))
	and the state of t	
)	
)	
	2000	
	:)	
	·	
))



बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

(A Govt. of Bihar Undertaking) ISO 9001:14001; OHSAS 18001

Shiksha Bhawan, Bihar Rashtrabhasha Parishad Campus, Acharya Shivpujan Sahay Path, Saidpur, Patna - 800 004 Tel. No.: 0612 - 2660850 • Fax No.: 0612 - 2660256

E-mail: bseidc@gmail.com • Website: http://www.bseidc.in • CIN: U80301BR2010SGC015859

Letter no: - BSEIDC/FIN/3477/2018-19-1426

Patna, Date. 65 10 2 12019

From.

Chief Engineer BSEIDC, Patna

TO.

Dhananjay Kumar Singh At+Po+Jamuhar, Rohtas Bihar

Sub: - Provisional work order for the Construction of 10 Additional Class Room with 6Toilet (2 Seater) and 1 Girl's Common Room cum Multipurpose Hall at Ramajain Balika High School (ACR-221) in the State of Bihar under NIT No-51/2018-19.

Sir,

In continuation to this office Letter of Acceptance No. BSEIDC/FIN/3477/2018-19-8766, dated-27.12.2018, you are hereby instructed to proceed with the execution of the said works in consultation with the Engineer-in-Charge. The date of commencement of work shall be reckoned from the date of issue of this letter. Payment will be done after execution of Agreement.

Yours Faithfully

Chief Engineer

Memo no: BSEIDC/FIN/3477/2018-19-

Date:

05.03.2018

Copy forwarded to- Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC website/CCT/S.E./All Ex. Er./Senior Account Officer, BSEIDC, Patna for information & necessary action.

Dharanjay Kuman Singl

ELDIC LINI PARM

:) ;)) () A CARREST 1 1



बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

(A Govt. of Bihar Undertaking) ISO 9001:14001; OHSAS 18001

Shiksha Bhawan, Bihar Rashtrabhasha Parishad Campus, Acharya Shivpujan Sahay Path, Saidpur, Patna - 800 004

Tel. No.: 0612 - 2660850 • Fax No.: 0612 - 2660256

 $E-mail: bseidc@gmail.com \bullet Website: http://www.bseidc.in \bullet CIN: U80301BR2010SGC015859 and U803015859 and U80301BR2010SGC015859 and U803015859 and U803015859 and U80301580 and U803015859 and U80301580 and U80301580 and U80301$

Letter of Acceptance

BSEIDC/FIN/3477/2018-19/-पत्रांक:-

प्रेषक.

मुख्य अभियंता

सेवा में.

Dhananjay Kumar Singh At+Po+Jamuhar, Rohtas, Bihar

विषय:— बिहार राज्य अंतर्गत Construction Of 10 Additional Class Room With 6 Toilet And 1 Girls Common Room Cum Multipurpose Hall At Ramajain Balika High School (N.I.T. No.-51/(2018-19), Group No.-ACR-221, Sl. No.: 05) हेतु Performance Security जमा कर एकरारनामा करने के संबंध में।

महाशय.

उपर्युक्त विषय के संबंध में कहना है कि विषयांकित कार्य की निविदा आपके द्वारा उद्भृत दर BOQ से 10% कम पर कुल राशि रू० 65,92,815 / —(पैंसठ लाख बानवे हजार आंठ सौ पंद्रह रूपये) मात्र पर आपके पक्ष में स्वीकृत की गयी है।

अतः निदेश दिया जाता है कि उक्त कार्य के एकरारनामा हेतु Performance Security की राशि रू० 3,30,000/- (तीन लाख तीस हजार रूपये) मात्र का पोस्ट ऑफिस सावधि जमा पासबुक / 1, 2, 3 वर्षीय पोस्ट ऑफिस टाईम डिपोजिट / राष्ट्रीय बचत प्रमाण पत्र / किसान विकास पत्र, जो प्रबंध निदेशक, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०, पटना के नाम से प्रतिज्ञिप्त (Pledged) हो अथवा फिक्सड डिपोजिट रसीद जो बिहार राज्य में स्थित Nationalized/Scheduled बैंक से निर्गत हो एवं प्रबंध निदेशक, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि० पटना के नाम से प्रतिज्ञिप्त (Pledged) हो, जमा कर एकरारनामा कर लें।

Performance Security की राशि के सत्यापन एवं समुचित श्रेणी में इस निगम में निबंधन के उपरांत एकरारनामा किया जाएगा।

ज्ञापांक : BSEIDC/FIN/3477/2018-19/-8-766

पटना, दिनांक 271218

प्रतिलिपि : Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC website/Senior Account Officer/ All Executive Engineer / Suprintending Engineer BSEIDC for information & necessary action.

Dianonjay Kumar Singh

) Seem (_) (,)

SPECIAL CONDITIONS (Qualifying Criteria)

- 1. Tenderer should be registered with Central Govt./State Govt./PSU/Govt. Undertaking and valid registration certificate should be uploaded with tender.
- 2. The tenderers are required to deposit the earnest money as prescribed in the NIT and scanned copy of EMD Should be uploaded with tender.
- 3. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.
- 4. Certificate from EE / Equivalent Authority for Work Experience of Similar nature (Satisfactory completed at least one Building work of value not less than 25 % of estimated value of contract) in last five years as mentioned in Technical bid.
- 5. Affidavit/Certificate "for not been debarred/Black listed and required attachments are true and correct and if found fake/ forged, the undersigned will be liable to be inflicted upon the FIR and lawful punishment as well as black listing".
- 6. Tenderer will have to upload proof for availability of minimum required key equipments(either owned or leased or by procurement).
- 7. Conditional tenders shall be rejected.

GENERAL CONDITIONS

- 1. (i) The Tenderer is not allowed to quote their rate more than 10 % below Bill of Quantity rates otherwise their tender will be rejected being unworkable for this work.
 - (ii) The rates quoted by the contractor should be inclusive of all taxes, royalties and other incidental charges.
- 2. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.
- 3. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money will be forfeited.
- 4. Authority shall reserve the right to reject any or all the tenders or distribute the work to more than one contractor without assigning any reason.
- 5. Any claim for idle labours on any account shall not be entertained.
- 6. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. for his labour on his own cost and initially will comply with labour rules prevalent in the locality.
- 7. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the contractor.
- 8. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
- 9. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-
- a. Natural calamities
- b. Act of enemies.
- c. Transport and procurement difficulties.

Dhangnjay Kumar Singl.

d. Circumstances beyond the control of the state.

(Seal & Signature of Tenderer)

Page 1 of 2

)

- 10. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- 11. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
- 12. The contractor shall make his own arrangement for water and light at the work site.
- 13. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 14. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 15. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 16. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.
- 17. The Defect liability Period shall be Three (3) Year from the date of completion of the work.
- 18. The Contractor shall rectify at his own cost in case the work is found to be defective during checking in liability period.
- 19. It will be the responsibility of the contractor to pay royalty of mines materials .The Contractor shall submit form "M" and "N" duly Filled as per "Bihar" Mines and Mineral Act 1972.
- 20. The Contractor shall Display a Signboard at work site about the work as on the format prescribed by Engineer- in- Charge.
- 21. The Contractor shall Furnish his programme of construction for execution of the work within the stipulated time schedule together with methodology of construction of each item or work and obtain the approval of the Engineer- in- Charge prior to actual commencement of work.

(Seal & Signature of Tenderer)

Dhananjay Kumur Singl

Page 2 of 2

Chief Engineer

1 1 100

बिहार राज्य शैक्षणिक आघारभूत संरचना विकास निगम लिमिटेड BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

(A Govt. of Bihar Undertaking) 150 9001:14001; 0HSAS 18001

Shiksha Bhawan, Bihar Rashtrabhasha Parishad Campus, Acharya Shivpujan Sahay Path, Saidpur, Patna - 800 004 Tel. No.: 0612 - 2660850 * Fax No.: 0612 - 2660256

E-mail ; bseidc@gmail.com • Website : http://www.bseidc.in • CIN : U80301BR2010SGC015859

निविदा आमंत्रण सूचना संo-51 वर्ष 2018-19

प्रतिशत दर निविदा

(केवल ई-टेन्डरिंगपद्धित के अनुसारवेबसाइटwww.eproc.bihar.gov.inपर)

बिहार राज्य के अन्तर्गत विभिन्न विद्यालयों में अतिरिक्त वर्ग कक्ष (ACR) एवं करतुरवा गाँधी बालिका विद्यालय (KGBV) में अतिरिक्त भवनों का निर्माण कार्य हेतु प्रतिशत दर निविदा आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार/सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रिजस्ट्रेशन कार्य के आवंटन के बाद कराना अनिवार्य होगा।

क्रम सं०	गुप का नाम	जिला का नाम	प्रखण्ड का नाम	विद्यालय का नाम	इकाई	प्राक्कलित राशि (लाख रू० में)	अग्रधन की राशि (लाख रू० में)	परिमाण विपन्न का मूल्य (रू०में)	Beltron Bid Processin g Fee (In Rs.)	कार्य समाप्ति की अवधि
and the same	ACR-	0.5.4		प्रोजेक्ट कन्या उ० मा० वि० गोकुलपुर	4				As	en-estrato es epresente esta esta esta esta esta esta esta es
1	214	पूर्णियाँ	के० नगर	बेद्यनाथ उ० वि० जगनी चम्पानगर	4	80.35	1.607	10,000/-	appeared on e- tendering website	6 माह
	and a first section is the contract and any distance dispersion and property and the contract and the contra			सिया मोहन उ० वि० सहरा	4					
2	ACR- 218	दरभंगा	जाले	+2 उच्च विद्यालय जाले (शौचालय सहित)	6	44.64	0.893	5,000/~	As appeared on e- tendering website	6 माइ
3	ACR- 219	दरभंगा	हयाघाट	+2 उच्च वद्यालय आनन्दपुर बालक (शौचालय सहित)	6	44.64	0.893	5,000/-	As appeared on c- tendering website	६ माह
4	ACR- 220	दरभंगा	मनीगाछी	+2 मिथिला हाई स्कूल, बलोर (शौचालय सहित)	6	44.64	0.893	5,000/-	As appeared on e- tendering website	६ माह
5	ACR- 221	रोहतास	सासाराम (एम)	रमाजैन बा0उ०मा0 (+2) (10 अतिरिक्त वर्गकक्ष, दो सीट वाला 6 शौचालय एवं 1 गर्ल्स कॉमन रूम सह मल्टी परपस हॉल)	17	84.40	1.688	10,000/-	As appeared on e-tendering website	10 माह
6	KGBV-2	दरभंगा	GauraBo ram	Construction of Additional Building in KGBV, Boram	gardensk	93.00	1.86	10000/-	As appeared on e-tendering website	12 माह

Dhananjay kuman Singh

Chief Englisers

ME

1 ()

नोट:-(i) प्राक्कलित राशि घट या बढ़ सकती है एवं तदनसार अग्रधन की राशि घट या बढ़ सकती है।

(ii) वेबसाईट:www.eproc.bihar.gov.in पर अंकित प्राक्कलित राशि, अग्रधन की राशि एवं परिमाण विपत्र की राशि अंतिम रुप से मान्य होगा।

(1) विज्ञापन निर्मत करने की तिथि

(2) घरिमाण विपन्न प्राप्त करने(डाउनलोड) की अवधि एवं समय :- दिनांक- 06.10.2018 से 22.10.2018, 15:00 घंटा तक

प्री विड मीटिंग का समय, रथान एंव तिथि

(4) निविदा प्राप्ति(अपलोड) की अंतिम तिथि एवं समय

अग्रधन जमा करने की अंतिम तिथि एवं समय

टेक्निकल बिंह खोलने की तिथि एवं समय

(7) वित्तीय विड खोलने की तिथि एवं समय

(8) निविदा खोलने का स्थान

(9) निविदा की वैधता की अवधि

विनांक:-14,09,2018

(वेबसाईट:www.eproc.bihar.gov.in पर)

:- दिनांक:- 10.10.2018, 16:00 घटा तक, प्रबंध निर्देशक का कार्यालय, बिहार राज्य शैक्षणिक आधारमत संरचना विकास निगम, पटना।

:- दिनांक- 23.10.2018, समय- 15:00 घंटा तक

:- दिनांक- 24.10.2018 (अवकाश धोपित होने पर अगला कार्य दिवस), समय- 15:00 घंटा तक

:- दिनांक- 24.10.2018, समय- 16:30 घंटा तक

(वेबसाईट–www.eproc.bihar.gov.inपर)

:- दिनांक- 26.10.2018, समय- 15'30 घंटा तक :- वेबसाइंट-www.eproc.bihar.gov.inपर

:- 120 दिन

(10) ई-टेन्डिएंग की प्रकिया में भाग लेने हेतु संवेदकों को पंजीकृत होना होगा. जिससे कि उन्हें उपयोगकर्ता का नाम (user

ID) पासवर्ड (Password) अंकीय हरताक्षर (Digital Signature) निर्गत की जायेगी। यह उन्हें वेयसाईट www.eproc.bihar.gov.in से डाउनलोड करने / टेन्डर की प्रक्रिया में भाग लेने की योग्यता प्रदान करेगा।

(11) ई-निविदा पत्र बेवसाईट www.eproc.bihar.gov.in से प्राप्त किया जा सकता है। संवेदक द्वारा सिर्फ उपर्युक्त वेबसाईट से ही परिमाण विपत्र प्राप्त करने के उपरांत वेबसाइंट पर ही इलेक्ट्रानिक निविदा पत्र को भरकर भेजना है। अन्य सभी महत्वपूर्ण कागजात/बैंक द्वापट/अग्रंधन की राशि/सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को स्कैन कर ई-निविदा के साथ संलग्न करना अनिवास है।

(12) (45) Beltron Bid Processing Fee as appeared on the e-tendering website: www.eproc.bihar.gov.in & BOQ cost as mentioned is mandatory to be paid through e-payment mode i.e. Internet payment gateway. (Credit/Dobit card). Net Banking, NEFT/RTGS"

Bids along with necessary online payments must be submitted through e-procurement portal www.eproc.bihnr.gov.in before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffic/ Holidays or any other reason.

(ख) वांछित अग्रधन की राशि राष्ट्रीय बचत पत्र/किसान विकास पत्र/डाकघर सावधि जमा पासबुक/ 1. 2, 3 वर्षीय पोस्ट ऑफिस टाईम डिपोजिट जो बिहार राज्य से क्रय या जमा किया हो तथा प्रबंध निदेशक, BSEIDC Ltd., पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा विहार वित्त नियमावली के अनुसार प्रबंध निवेशक, BSEIDC Ltd. के नाम से प्रतिज्ञिप्त (Pledged) बिहार राज्य में स्थित Nationlised/Scheduled वैंक का फिक्सड डिपोजिट रिसिंग्ट के रूप में प्रवध निदेशक का कार्यालय, विहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड, पटना में दिनांक - 24.10.2018 के 15:00 घंटे तक रवयं/निवधित डाक /रपीड पोस्ट द्वारा निश्चित रूप से जमा किया जाना आवश्यक है अथवा EMD can also be paid through e-payment mode i.e. "Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS". ऐसा नहीं करने पर निविदा मान्य नहीं होगा।

(13) निविदाकारो द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर लें।

ताकि अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से बच सर्के।

(14) निविदाकार निविदा डालने से पहरवे अपने स्तर से भी प्रस्तावित कार्य रथल पर भूमि उपलब्धता के संबंध में आश्वरत हो

(15) Even though the bidders meet the qualifying criteria, they are subject to be disqualified if they have record of poor performance such as abandoning the works, not properly completing the contract, inordinate delays in completion, litigation history or financial failture in the work of this Corporation.

(16) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। बिना कारण बताये निविदा या उसके अंश को अरवीकृत करने/रदद करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।

(17) विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्य अवधि में सम्पर्क किया जा सकता है। ई-टेन्डरिंग की प्रकिया से संबंधित किसी भी प्रकार की जानकारी/सूचना हेतु सहायता कक्ष, ई-टेन्डरिंग कक्ष, प्रथत तल्ला, M / 22, बैंक ऑफ इंण्डिया भवन, रोड न० 25, श्री कृष्णा नगर, पटना-800001, दूरभाष सं० 0612-2523006 / 9939035696.

मुख्य अभियंता

Dhananjay kumar Singh

Chief Eng 1869 B.S.E.I.D.C. Little Patrice



1)