Name of Work-Construction of Block. Schedule XLV-Form No. 61 Resouthce Centre at Koch, Gaya. (SL No.-125).

BIHAR PUBLIC WORKS DEPARTMENT

Agency - [Form No. F-2] Sweendra Kumar ITEM RATE VENDER AND CONTRACT FOR WORKS

Agreement No. ______100 F_2 of 2018-19.

General Rule and Direction for the guidance of Contractors.

Date of Commencement - 26-10-2018.

1. All works proposed for execution by contract will be notified in a form of invitation to tenders assed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer.

This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Ingineer during office hours.

- 2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so.
- 3. Receipt for payments made on account of work when executed by a firm must also be signed the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm.
- 4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Sublivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he omplete and delivers his tender.

5. The amount of earnest money to be deposited will be : -		Rs.			
If the amount of the estimate does not exceed Rs. 2,000			• • •	50	
If the amount of the estimate exceeds Rs. 2,000 but does		•			
not exceed Rs. 5,000			•••	100	
If the amount of the estimate exceeds Rs. 5,000 but does					
not exceed Rs. 10,000			,	200	
For each additional Rs. 5,000 or portion of Rs. 5.000					
additional earnest money	,	•••	·	100	

6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sert, or omit to note the time within which the work can be finished, or which are not accompanied by the reason challan for the required earnest money will be liable to rejection. No single tender shall include more than one prk, but contractors who will to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the envelop. Cash deposits for earnests oney here in before mentioned shall be made in Government Treasuries and the challanthere of shoulds.

26-10-2018

enclosed with the tender.

- 7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.
 - 8. The Engineer shall have the right of rejecting all or any of the tenders.
- 9. In the event of a tender being selected for acceptance the Engineer who opened the tenders ill, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon signification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount or the security money within the priscribed time. The tender with the specification and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to the tenderer.

- 10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.
- 11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 c the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required amount of the security money has been deposited the Engineer shall scrutinise all pages of the form of item rate tender & contract for works to see that the form has been properly filled up and signed by the contractor & the signature witnessed He shall then if he is competent, to accept the tender signature acceptance of the tender of the is not so competent shall send the form for signature of the acceptance of the officer competent to accept it

TENDER FOR WORKS

I/We hereby tender for the execution for the Governor of Bihar of the work
specified in the under written memorandum at the rates specified therein within a
the date of written order to commence and in accordance
n all respects with the specifications designs, drawing, and other documents referred
n all respects with the specifications designed around the specific and with such to rule hereof and Subject to the annexed conditions of contract and with such
materials as are provided for by and in other respects in accordance with, such
materials as are provided for by and in other toops and in other toops
conditions so far as applicable.

MEMORANDUM

(a) If several sub-work are	[a]	Name of work
included they should be de ned in a separate list.		
	[b]	Estimated cost
(b) This deposit will be 5%		
of the estimated cost of the W./k.	[c]	Earnest money
		to he denocited befor
(c) This percentage dejuction from bills will be credited to the contractors	[d]	Initial security deposits (including earnest money) to be deposited befor the commencement of the work
security deposit.	[e]	Percentage to be deducted from bills Rs. 5% (Rupees five percent)
	[f]	Time required for the work from date of written order to commencemonthly
	[g]	Date of written other to commence
	(h)	Total number of item of work tendered for

		RATE TE	NDERED	Per
Item No.	Item of work	In figures	In words	rei
	Control of the Contro			
		•		CHARLES AND
and the second s				
· ·				
			o.	
				and the same of th
		Name of the last o		
Ĵ.				And the second s
			N	
,				
				100000
			7	20-2014
The state of the s			A CHECK COMSTILL	(Millernnicol)
		B	har State Educat	ionai infrastructure
-	100 1/110009		L. Iha	Poration Ltd., Pains

		RATE TE		
Item No.	Item of work	In figures	In words	Per
AND THE SAME STATE OF THE SAME				
				ver era constitution of the constitution of th
				of water and the state of the s
•				
*				
				with the control of t
				The contract of the contract o
			the statement of the st	A COLUMN TO THE TAXABLE PROPERTY OF TA
				ye wy to make the state of the
				Normal management of the contract of the contr
				Anna de Constitución de la Const
				No.
- 1				
		Management of the Control of the Con		
			tribuminari market	
		The second secon		ETHEROLOGICA
		***		MARKET AND
		neces and the second se		Contraction (Contraction (Contr
		STATE OF THE STATE		
		CT HOLD THE STATE OF THE STATE		

Schedule XLV - Form No. 61 (5)

63		RATE TE	RED Per		
Item No.	Item of work	In figures	In words	Tel	
			A CONTRACTOR OF THE CONTRACTOR		
			dines de la constitución de la c		
			esta de la companya d		
•		- Commonwealth			
			Except Section	COLUMN TO THE PROPERTY OF THE	
			BANDAGO COLOR DE LA COLOR DE L		
9					
0				10 mg 4 mg 5	
0,		A property of the control of the con	NATIONAL PROPERTY OF THE PROPE		
		A CONTRACTOR OF THE CONTRACTOR	A CANADA		
				e de la companya de l	
				to the statement of the	
				TO THE	
0					
				No. and Associated Section 1975	
				0.00	
				OCOLDANIE ENDO	
				CODE A CELL SIMBLE OCCUPATION OCCUPA	
				Bases #JACCOMON_Freezon	
				Part of the Part o	
				A DOMESTICAL STATE OF THE STATE	
		To the state of th		eso deserva y l'architectura de l'architectura d	
		COCKER CO		BASAN AND PROPERTY OF THE PROP	
- (.)		Action of the second se		The state of the s	
		- Landan Andrews Control of the Cont			
				The second secon	

3

		RATE TE	RATE TENDERED		
Item No.	Item of work	In figures	in words	Per	
		THE PROPERTY OF THE PROPERTY O			
name of the state			e contraction of the contraction	Table Committee	
			egy in an annual Public		
				TO THE PARTY OF TH	
		No. of the state o		ADD AMERICAN	
11 12 12 12 12 12 12 12 12 12 12 12 12 1		Property of the Property of th		THE PROPERTY OF THE PROPERTY O	
		17944 17944			
dispersion of the control of the con		A CALLED TO THE			
-		Salaria de Carlos de Carlo	digram in the control of the control		
			No. Comments		
			Object Control		
			- Caracana		
Quantization (Control of Control					
- Princepasson Anna Paris				3 TO THE REAL PROPERTY OF THE PROPERTY OF THE REAL PROPERTY OF THE PROPERTY OF THE PROPERTY O	
ADD COMMENTS		The state of the s	The second secon	ne de la constitución de la cons	

				*	
A COMMISSION OF THE PROPERTY O					
NAME OF THE PERSON OF THE PERS					
Mario Providence					
		A SECTION OF SECTION O	The same of the sa		
				No.	

all parties and the second sec					
ezna organistica					
			To the second se		
CONTRACTOR			86		
			name of the second		
			CONTRACTOR OF THE CONTRACTOR O		
And the state of t				- Nethermanning	
e processor de la companya de la com	¥			TO COMPANY OF THE COM	
AL ALLESS AND A STATE OF THE ST					
chereling			was successful to the successf		
				School Service Control Service	
because of the state of the sta					

10 00 W

n th

m for will is

Schedule XLV - Form No. 61 (7)

N	Item of work	RATE TENDERED		Per		
tem No.	NO. ILEITI OF WORK	In figures	In words			
0)	AND CONTRACTOR OF THE SECOND PROPERTY OF THE					
0)				manufactura particular de la companya de la company		
9)			ATT THE PARTY OF T	TO AND THE PROPERTY OF THE PRO		
			DISTRICT THE PROPERTY OF THE P	PERSONAL PRINCIPAL PRINCIP		
•			THE PART AND ADDRESS OF THE PA			
0			The state of the s	A CONTRACTOR OF THE CONTRACTOR		
9)			Canada Ca			
0		ober proposed de la constanta	The second secon			
()		Service Control of the Control of th		o le control de la control de		
()		ER ALEXANDER		Company of the Assessment of t		
()		Martin Communication Communica	Land a contract of the contrac			
		ADJANUARY CONTRACTOR				
0		distribution of the control of the c		Hardings strong statements of the strong strong statements of the strong		
0				,		
0						
0						
		And the second s				
		School Control				
		Transconding to the second sec				

should this tender be accepted I/we hereby agree to abide by and fulfill all the terms and provisions of the said conditions of contract annexed hereto so, for a applicable, or in ssors in office the sums of money mentioned in the said conditions.

Dated the

day of

20

*Signature, of contractor before comission of tender witness

Address:-

Occupation.

Signature of witness to contractor's signature

The above tender is hereby accepted by me on behalf of the Governor of Bihar

Dated the

day of

20

signature of the office accepting the tender

Acceptances communicated on.....

signature of the part taking the tender



CONDITIONS OF CONTRACT

Compensation

Clause 1:- All compensation or other sums of payable by the contractor to Government under the terms of his contract may be deducted from, paid by the sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor by Government on any account whatsoever and in the event of his security deposit being reduced by reason of any such deduction or sale as aforesaid, the contractor shall within ten days there after make good in cash or Government securities endorsed as aforesaid any sum or sums which may have been deducted from, or arised by, sale of his security deposit of any part thereof.

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which the work is finished after necessary rectification of defects as pointed by the Executive Engineer or his authorised agents are fully contractor to the Engineer's satisfaction.

Clause 2 :- The time allowed for carrying out the work as entered in the tends shall be strictly observed by the contractor and shall be reckoned from the date which the wirtten order to comence work is given to the contractor. The work sha throughout the stipulated period of the contract be carried on with all due diligence (time being deemed to be the essence of the contract on the part of the contract or) and the contractor shall pay as compensation an amount equal to ½ percent on the amount of the estimated cost of the whole work as shown by the tender for every day that the work remains uncommenced or unfinished after the proper date. And further to ensure good progress during the execution of the work the contracto $_{\rm DD}$ shall be bound in all cases in which the time allowed for any work exceeds one month to complete one fourth of the whole of the work before one - fourth of the))) whole time allowed under the contract has elapsed one-half of the work before onehalf of such time elapsed and three-fourths of the work, before three fourths of suq time has elapsed in the event of the contractor failing to employ with this condition, I shall be liable to pay as compensation an amount equal to ½ percent on the sai estimated cost of the whole work for every day that the due quantity of work remains incomplete provided always that the entire amount of compensation to be paid under the provisions the clause shall not exceed 10 percent of the estimated cost of the work as shown in the tender.

Action when persnle security deposit foreited

Clause 3:- In any case which under any clause or clauses of or this contract the contractor shall have rendered himself laible to pay compensation amounting to the whole of his security deposit in the hands of Government (where paid in one sum or deducted by instalments) the Executive Engineer on behalf on the Bihal Government shall have been powered to adopt any of the following courses, as he may deem best suited to the enterest of Government -

(a) To rescind the contract (of which rescind notice from the contractor under the hand of the Executive Engineer shall be consusive evidence) and in which case the sectitiry deposit of the contractor shall start forfeited, and be absolutely at the disposal of Government. State Educational Infrastructure

Swendra Kumari

- (b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debitting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in -charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.
- (c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original contractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4: - In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may. if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Engineer as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

contractor remains liable to pay compensation if action not take under cause 2.

Power to take posession of or require removal of or sell contractor plant.

Clause 5:- If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) he shall apply in writing to the Executive Engineer within 40 days from the date of starting of the hinderance on account of which be desires such extension as aforesaid and the Executive Engineer shall, if in his opinion (which shall be final) reasonable grounds be at even thereof authorised such extension of time, if any, as may in his opinion be necessary or proper. The Executive Engineer shall at the same time inform the contractor whether he chief Consultant (Technical)

Bihar State Educational Infrastructure Development Corporation Ltd., Patna

Extension of time

Swiendra Kumor

claims compensation for the delay.

na

Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion, but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete and until the contractor shall have removed from the area of the premises (to be distinctly marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-work, doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurements shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus materials and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid, except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible, before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-in-charge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts or in any other way vary or affect the contract.

• Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Stores supplied Government

Clause 9:- If the specification or estimate of the work provides for the use of any special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-incharge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums then due of these after to become due to the contractor under the contract or otherwise, or apains or form the security deposit, or the proceed of sale thereof, if the same is held in the same is h the same or sufficient portion thereof in this case sold for the purpose. All materials supplied to the contractor shall remain the absolute property of Government and shall not on any accounts he removed from this site of the work and shall at all times be open to

Sweendow Kumaer

Development Corporation Ltd., Patna

()

(1)

inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: The contractor shall executive the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid.

Clause 11:- Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the

Engineer of the circle will be final. Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period.

determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a disputes the decision of the superintending

Clause 12:- If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out, the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsoever on account of any profit or advantage, which he might have derived from the execution of the work in full, but which he did not derive in consequence of the full amount of the work in full, but which he did not derive in consequence of the full amount of the work in full, but which he did not derive in consequence of the full amount of the work in full, but which he did not derive in consequence of the full amount of the work in full, but which he did not derive in consequence of the full amount of the work in full, but which he did not derive in consequence of the full amount of the work in full amount of the work not having been carried out neither shall he have any claim for compensation by of any alternation having been made in the original specification drawing designs and instruction which shall involve any installment of the work as originally contemplated clause 12 (a) As contained in G O 1929 dated 11.9.56.

Work to be executed accordance with specification drawing other etc.

Alteration in specifications and designation.

Do not in validate contract

Time in consequence of alteration

Rate for work no in estimate or schedule of rates of the district.

Compensation for alter-

2 50 cm

Corporation Ltd., Patna

rus prepulsion

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such failure is due to:-

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as finally by the contractor.

Action and compensation payable in case of work.

Clause 13 :- If it shall appear to the Engineer-in-charge or his subordinate incharge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or articles () provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall on 1) demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-incharge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and expense in all respects of the contractcor.

Work to be taken to inspection

Clause 14:-All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineer-in-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be present.

Clause 15:- The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which the same was effected.

Notice to be taken before work covered up

Clause 16:- If the contractor or his work-people, or servants shall break, deface injure or destroy any part of a building in which they may be working of any building, road, road curves, fence enclosure water pipes, cables, drains describe or telephone posts or wires, trees, grass or grassland or cultivated ground contiguous on which the work or any part of it is being executed or if any damage shall happen to the work, while in progress from any cause whatsoever or any imperfection become apparent in if within three months (six months in the case of a road work) after a certificate final or other of its completion shall have been given by the Engineer-in-charge

Swendra Kumori

as a fore seal, the contractor shall make the same good at his own expense, or in default, the Engineer-in-charge may cause the same to be made be good by other worksmen and deduct the expense of which time thereafter may become due to the contractor, or from his security deposit, or the proceed of sale there of, or of a sufficient portion there of the security deposit at the contractor shall not be refunded before the expiry of three months (six months in the case of a road-work) after the issue of the certificate final or otherwise of completion of work provided that in the case of a road work if in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable after three months of the issue of the said certificate of completion

damage done and for imperfection a months and after certificate

Clause 17:- The contractor shall supply at his own cost all materials (except such special materials) if any as may in accordance with the contract be supplied from the Engineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, tackle scaffolding and temporary works requisits or proper for the proper execution of the work whether original, altered or substituted and whether include in the specification or other documents forming part of the contract or referred to in these conditions or not or which may be necessary for purpose of satisfying or complying with the requirement of the Engineer-in-charge as to any matter as to which under these conditions he is entitled to be satisfied which he is entitled to require together with carriage therefore to and form the work. The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting, weighing and assisting in the measurement or examination at any time and form time to time of the work or materials failing his so doing the same may be Provided by the Engineer-in-charge at the expense of the contractor and the expenses may be deducted from any money due to the contractor under the contract from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide all necessary fencing and lights required to protect the public from accident, and shall be no bound to bear to expenses of defence of every suit action or other proceeding at law that may be brought by any person for injury sustained owing to neglect of the above precautions and to any such person or which may with the consent of the contractor be paid to compromise any claim by any such person.

Contractor to supply to

plantladder scaffolding

And is liable for damage arising for non-provision of light fencing etc.

Clause 18: - No female labour shall be employed within the limits of contonment. The contractor shall not employ for the purpose of his contract any person who is below the age of twelve years and shall pay to each labour for the work done by such labourer wages not less than the wages paid for similar work in the neighbourhood.

Work not to be subject

The executive Engineer shall have the right to enquire into the case and decide any complaint alleging that the wages paid by the contractor to any labourer for the work done by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer employed by contractor is below the age of twelve years and to refuse to allow any labourer whom he decided to be below the age of twelve years to be employed by the contractor.

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his contract, or attempt so to do, or become insolvent proceedings to make any composition with his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward or advantage pecunalry of otherwise, shall either directly or indirectly be given promissed, or offered by the contractor, or any of his servant or agents to any public officer or person in the employ of Government in any way relating to his officer or employment or if any such officer or person shall become in any way directly or indirectly interested in the contract the Executive Engineer may there upon by notice in writing rescind the contract The security deposit of the contractor shall there upon stand forfeited and be absoluted at the disposal of Government and the same consequence shall ensure as if the confact had been recinded under clause 3 here of, in addition the contractor shall not be entitled to recover or be paid to any work therefore actually performed the under the contract (Technical)

and security deposit forfelted for subletting bribes or if contractor become

Contract may be resinded

Bihar State Educational Infrastructure eloppy nt Corporation Ltd., Paina

Grendow Kumas

such payable by way of compensation to be considered reasonable compensation without reference to actual loss Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained.

Clause 21:- In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this information.

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal of Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer

Clause 22: All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23: In case any dispute or difference shall arise between the parties or either of there upon any question relating to the meaning of the specifications, designs, drawings and instructions here before mentioned or as to the quality of workmanship or materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, or any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions or otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof or as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

(a) Clause 24:- When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items or work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-incharge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineer-in-charge shall be final and conclusive against the contractor with regard to any sum payable to him under the provision of this clause.

Action where no specification.

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Definition of works

Clause 26: The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to such construction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered, substituted or additional.

Witness.

Sucrendra Kumo

Schedule XLV - Form No. 61

(15)

Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied

Particulars		which they are to be charged for and the places at which the material Particulars Particulars Rates at which the material will be charged to the contractor	
6		Unit Rs. P.	
(A)			
(La			
(g)			
0 :			
0			
5	6 9		
(6)			
(S)			
0			
0			
D.			
D			
(O)			
3			
9			
()			
. VI			
			man managaman and a same and a sa
Ů.			

Note: The person or firm submitting the tender should see that the rates in the above schedules are filled up by the Engineer-in-charge on the issue of the form prior to the submission of the tender.

Signature of Contrator)

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Paina
Signature of Executive Engineer)

Bihar State Educational Infrastructure Development Corporation Ltd.

AGREEMENT for Construction of Block Resource Centre at Koch, Gaya

TENDER FOR WORKS

I/we heredy tender for the execution for the Governor of Bihr of the work specifed in the under written memorandum at the rates specified therein within a period of years month from the date of witten order to commence and in accodance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subjects to the annexed condation of contract and with such materaials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

MEMORANDUM

incuded they should be detained in the separate list

- (a) If several sub-work are (A) Name of Work: Construction of Block Resource Centre at Koch, Gaya(Sl. No-125)
 - (B) Estimated Cost :- Rs. 70,37,785=00 Agreement value :- Rs. 64,34,006=00

(b) This deposit will be 5% of the estimated cost of the work.

(C)Earnest Money:-

(c)This percentage deduction from bills will be credited to the contractors security deposits

(D) Initial security deposits (including earnest money) to be deposited before the Commencement of the work-

Earnest Money:- Rs. 3,67,000/- (Details attached)

- (E) Percentage to be deducted from bill Rs. 5% (Rupees five percent)
- (F) Time required for the work from date of written order to commence FIFTEEN MONTHS
- (G) Date of written order to commence:-
- (H) Total number of item of work tendered for :- 115

Chief Consultant (Technical) Bihar State Educational Infrastructure evelopment Corporation Ltd., Paina

Sweendord Kumaon

BIH	AR STATI	E EDUCATIONAL INFRASTRUCTU SHIKSHA BHAWAN, S				RPORATION LTI
		B.O.Q. FOR BLOCK RESOUR				
	THE ITEM	RATE BASED ON S.O.R BCD BIHAR, DA	ATE - 15-0	09-2014, &	D.S.R (ELI	ECTRICAL) 2014
SL. No. DISTRICT NAME OF INSTITUTE BLOCK						
1	Gaya	BLOCK RESOURCE CENTRE			Koch	
		<u>CIVIL W</u>	<u>ORKS</u>			
Sl. No.	SOR Item No.	Item of Work	Qty.	Unit	Rate (Rs.)	Amount (Rs.)
1	2	3	4	5	6	7
F	ILE WORK					
1	20.2	Boring, providing and installing bored cast- in-situ reinforced cement concrete piles of grade M-25 of specified diameter and length below the pile cap, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring, with bentonite solution and temporary casing of appropriate length for setting out and removal of same and the length of the pile to be embedded in the pile cap etc. all complete, including removal of excavated earth with all lifts and leads (Length of pile for payment shall be measured upto bottom of pile cap).				
	20.2.1	300 mm dia Piles	0.000	meter	1309.30	Rs. One thousand three hundred nine and paise thirty only.
	20.2.2	400 mm dia Piles	0.000	meter	1523.20	Rs. One thousand five hundred twenty three a paise twenty only.
	20.2.3	450 mm dia Piles	0.000	meter	1978.80	Rs. One thousand nine hundred seventy eight and paise eighty only.
	20.2.4	500 mm dia Piles	0.000	meter	2306.60	Rs. Two thousand thre hundred six and paise sixty only.
	20.2.5	600 mm dia Piles	0.000	meter	2996.10	Rs. Two thousand nine hundred ninety six and paise ten only.

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

Swendera Kumaer

ſ	20.2.6	750 mm dia Piles		Ι		Rs. Four thousand two
						hundred nineteen and
			0.000	motor		paise seventy only.
			0.000	meter	4217.70	paise sevensy enzy.
2	20.3	Boring, Providing and installing cast in situ				A A A A A A A A A A A A A A A A A A A
		single under reamed piles of specified				
		diameter and length below pile cap in M-25				
		cement concrete, to carry a safe working				
İ		load not less than specified, excluding the				
		cost of steel reinforcement but including the				
		cost of boring with bentonite solution and				
		the length of the pile to be embedded in pile				
		cap etc. all complete. (Length of pile for				
		payment shall be measured upto to the				
		bottom of pile cap):				
	20.3.1	300 mm dia Piles				Rs. One thousand nine
						hundred thirty four and
			0.000	meter	1934.20	paise twenty only.
	20.3.2	400 mm dia Piles				Rs. Two thousand two
			0.000	1 . 1	2225 22	hundred twenty five and
			0.000	meter	2225.30	paise thirty only.
	20.3.3	450 mm dia Piles				Rs. Two thousand three
			0.000		2207.50	hundred ninety seven an
	0001	1. Dil	0.000	meter	2397.30	paise fifty only. Rs. Two thousand six
	20.3.4	550 mm dia Piles				hundred five and paise
			0.000	meter	2605.10	ten only.
			0.000	meter	2003.10	ten omy.
3	20.4	Extra over item No. 23.3 for providing				
	:	additional bulb in under reamed piles, under				
		specified dia meter				
		(Only the quantity of extra bulbs are to be				
		paid).				
	20.4.1	300 mm dia Piles				Rs. One thousand two
						hundred forty and paise
			0.000	Each	1240.10	ten only.
	20.4.2	400 mm dia Piles				Rs. One thousand three
						hundred seventy three
			0.000	Each	1373.80	and paise eighty only.
	20.4.3	450 mm dia Piles				Rs. One thousand four
			0.000		1,,,,,	hundred fifty four and
			0.000	Each	1454.80	paise eighty only. Rs. One thousand five
	20.4.4	500 mm dia Piles				hundred ninety seven ar
			0.000	Each	1597.20	naise twenty only.
						12.6-10-2018

Suerendera Kumaer

AKI		N EXCAVATION		Т		
4	2.8.1	Earthwork in excavation in as(exceeding 30cm in depth. 1.5m in width as well es 10sqm on plan) incloding dressing of sides and ramming of bottom,lift upto 1.5 including getting out the excavated soil and disposal of surplus soil as directed within a lead of 50m. All Kind of soil = 286.64 CUM SEPTIC TANK = 31.89 CUM TOTAL QUANTITY = 318.53 CUM	210.520		205 20	Rs. Two hundred five and paise twenty only.
	2.29.1	Surface dressing of the ground including	318.530	cum	205.20	
5	2,29.1	removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5m All kinds of soil. = 136.41 CUM	136.410	100 sqm	718.800	Rs. Seven hundred eighteen and paise eight only.
EA	RTH FILL	ING		1		
6	2.26	Filling available excavated earth (excluding				
		rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth: consolidating each deposited layer by ramming and watering lead = 188.98 CUM				Rs. Sixty six and paise forty only.
			188.980	cu.m	66.40	
SA	ND FILLI	NG				
7	2.28	Supplying and Filling in plinth with local sand and under floors including, watering, ramming consolidating and dressing complete. = 118.79 CUM SEPTIC TANK = 1.02 CUM TOTAL QUANTITY = 119.81 CUM	119.810	cu.m	192.50	Rs. One hundred ninety two and paise fifty only
FLAT	BRICK S	OLING				
8	11.72	Providing designation 100 A one brick flat soling joints filled with local sand including cost of watering, taxes, royalty all complete as per building specification and direction of E/I, 10 + 2, BUILDING = 291.84 CUM SEPTIC TANK = 13.57 CUM TOTAL QUANTITY = 305.41 CUM				Rs. Two hundred twent seven and paise sixty only.
			305.410	sq.m	227.600)

Surrendera Kumaer

						The state of the s	
7		P.C.C.					
- AMA						·	
, All ,						ı	
garan Janan	9	4.1.5	Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level 1:3:6 (1cement: 3 coarse sand : 6 graded				Rs. Two thousand seven hundred seventy five and
1			stone aggregate 20mm nominal size)				paise seventy only.
Ì			= 13 CUM	13.000	cu.m	2775.70	
and the second and the second second	10	4.1.4	Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level 1:2:4 (1 Cement: 2 coarse sand : 4 graded stone aggregate 40 mm nominal size)10 + 2 , BUILDING = 8.74 CUM SEPTIC TANK = 2.98 CUM TOTAL QUANTITY = 11.72 CUM	11.720	cu.m		Rs. Three thousand two hundred nineteen and paise seventy only.
		FLOORING	·				
	11	11.38	Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturer) of ist quality conforming to IS: 15622 of approved make in colours such shades except white, Ivory, Grey, Fume Red, Brown, laid on 20 mm thick Cement motar 1:4 (1 cement: 4 coarse sand) including pointing the joints with white cement and matching pigment etc., complete. TOILET PORTION = 46.04 SQM				Rs. Eight hundred one and paise eighty only.
inna*				46.040	sq.m	801.800	

Chief Canadama an

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Paina
Skehar M

Swiender Kumaer

Г	***	VATT TITT	30				
ŀ	12	VALL TILE 11.36	Providing and fixing 1st quality ceramic				
	12	11.30	glazed wall tiles conforming to IS: 15622				
			(Thickness to be specified by the				
3			manufacture) of approved make in all				
, of Gallian			colours, shades except burgundy, bottle				
			green, black of any size as approved by				Rs. Seven hundred fifty
			Engineer-in-charge in skirting, risers of				four and paise twenty
)			steps and dados over 12 mm thick bed of cement Motar 1:3(1 cement: 3 coarse sand)				only.
			and jointing with grey cement slurry @ 3.3				omy.
)			kg per sqm including pointing in white				
			cement mixed with pigment of matching				
			shade complete.				
			TOILET PORTION = 188.874 SQM	100 074		754.200	
ŀ		NOTE OF CITY	TDENA C	188.874	sq.m	/34.200	
ŀ		RING & SK 11.26.1	Kota stone slab flooring over 20 mm				
	13	11,20.1	(average) thick base laid				
			over and jointed with grey cement slurry				
			mixed with pigment to				
			match the shade of the slab including			•	
			rubbing and polishing				Rs. Nine hundred sixty
			complete . Base with 1:1:1 (1 lime : 1)				eight only.
			surkhi: 1 coarse sand) / 1:4 (20 TO 25MM				
			THICK)				·
			= 281.852 SQM				, i
			201.032 5 Q141	281.852	sq.m	968.00	
	14	11.27	Kota stone slabs 20 mm thick in risers of				
	- '		steps skirting. Dado &				
			pillars laid on 12 mm (average (thick cement				
			mortar 1:3 (1 cement:				
			3 coarse sand) and jointed with grey cement				Rs. Nine hundred twenty
			slurry mixed with				seven and paise fifty
			pigment to match the shade of the slab				only.
			including rubbing and				NO STREET, CONTROL OF THE PARTY
			polishing complete. Details of cost for 10				
			sqm		,		
				74.37	sq.m	927.50	
ı	15	8.3.2	Extra for providing edge moulding to 18				
			mm thick marble stone counters, Vanities				
			etc. over item no. 8.2 including machine				
l			polishing to edge to give high gloss finish				Two Hundred Thirty
			etc. complete as per design approved by				Nine and paise ten only
			Engineer -in -charge.				F
			Granite work				
				0.00	M	239.10	
L		L		0.00	141	237.10	

Surendora Kumar

WOR	K BELOW	PLINTH LVL.				
16	5.1.1	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing & reinforcement - all work upto plinth level. 1:1:2 (1cement: 1 coarse sand : graded stone aggregate 20mm nominal size) = 59.183 CUM	59.183	cu.m	5110.70	Rs. Five thousand one hundred ten and paise seventy only.
R.C.C	. WORK A	BOVE PLINTH LVL.				
17	5.2.1	Reinforced cement concrete work in wall (any thickness), including attached plasters, buttresses, plinth and struts etc upto floor five level excluding the cost of centring, shuttering, finishing & reinforcement 1:1:2 (1cement: 1 coarse sand : 2 graded stone aggregate 20mm nominal size) $10 + 2$, BUILDING = 20.51 SQM				Rs. Five thousand six hundred sixty six and paise twenty only.
			20.510	cu.m	5666.20	
18	5.1.3	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing and reinforcement-All work puto plinth level. 1:2:4 (1 cement:2 coarse sand:4 graded stone aggregate 20 mm nominal size) SEPTIC TANK = 0.93 CUM				Rs. Three thousand four hundred thirty eight and paise ninety only.
			0.930	cum	3438.90	

Guerendera Kumaer

			,				
	19	5.3	Reinforced cement conrete work in				,
		+	beams, suspended floors, roofs having slope				
		5.33B.4	upto 15, landings,balconiec, shelves,				
		+	chajjas, lintels, bands, plain window sills,				
-		5.33B.1	staircases and spiral stair cases upto floor				
			five level excludingthe cost of centring,				
			shuttering, finishing and				
			reinforement with 1:2:4(1 cement:2 coarse				
			sand:4 graded stone aggregate 20 mm				Rs. Four thousand five
			nominal size).				hundred eighty one and
			Add or deduct for providing richer or leaner				paise twenty only.
			mixes respectively at all floor levels.				paise twenty only.
			Providing M-15grade R.C.C instead of M-				
			20 grade R.C.C.				ŕ
			Proiding M-25 grade R.C.C. instead of M-				
			20 grade R.C.C.				
			= 100.44 CUM				
				100 440		4504.50	
ŀ				100.440	cu.m	4581.20	
-	BI	RICK WOR	KK				
ı							
ſ	20	6.1.14A	Brick work with bricks of class designation				
			100A in foundations and plinth in cement				
			mortar 1:6 (1cement :6 coarse sand)				Rs. Three thousand nine
			= 39.878 CUM				hundred ninety two and
							paise ninety only.
				39.878	011 ***	2002.00	
ŀ	21	C 1 1 / A	Duiele vyeule vyith haieles of aleas designation	39.878	cu.m	3992.90	
	21	6.1.14A	Brick work with bricks of class designation			:	
		+ 624	100A in foundations and plinth in : Cement				
		6.3A	mortar 1:6 (1 cement: 6 coarse sand)				Rs. Four thousand four
			Extra for Brick work in superstructure				hundred twenty seven
			above plinth level upto floor V cum = 160.082 CUM				and paise fifty only.
			- 100.082 CUM				September 1970 - 1970 - 1970 - 1970 - 1970 - 1970 - 1970 - 1970 - 1970 - 1970 - 1970 - 1970 - 1970 - 1970 - 19
				160.082	cu.m	4427.50	
I	22	6.18.4A	Half brick masonry with bricks of class	100,002	Cuill	1127,50	
	~~	+	designation 100A in foundations and plinth				
		6.19A	in : Cement mortar 1:4 (1 cement: 4 coarse				
		0.1711	sand)				Rs. Five hundred thirty
			Extra for half Brick masonry in				eight and paise thirty
	ļ		superstructure above pinth level upto floor				only.
			V level.				J.
			= 134.043 SQM				~
			151.015 04111	134.043	Sq.m.	538.30	
L			1		1 1		

Chief Consultant (Tochnical

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna
Chass

Surendora Kumaer

	23	6.21A	Extra for providing and placing in position 2				
			Nos, 6 mm dia , MS bars at every third				
			course of half brick masonry (with F. P. S.				Da Cayanty five and
			bricks)				Rs. Seventy five and
			= 134.043 SQM				paise ninety only.
							Contraction of the Contraction o
				134.043	Sq.m.	75.90	
Γ	24	6.1A +	Brick work with bricks of class designation				
		6.1.12/1	100A in foundations and				
			plinth in: Cement mortar 1::4 (1 cement: 4				Rs. Four thousand one
			coarse sand)				hundred eighty four only.
			= 8.75 CUM	0 = 40			pure.
-		****		8.750	cum	4184.00	
	\mathbf{PL}_{λ}	ASTER WO	DRK				
Γ	25	13.13.4	20 mm cement plaster of mix; 1:6 (1 cement				
			: 6 coarse sand)				Rs. One hundred twenty
			= 836.658 SQM				three and paise fifty only.
L				836.658	sq.m	123.50	<u> </u>
	26	13.13.1	20 mm cement Plaster 1:3 (1 cement: 3				
		+ 13.26	coarse sand) with a floating coat of neat				Rs. One hundred eighty
			cement & neat cement punning				five and paise sixty only.
			SEPTIC TANK = 16.65 SQM	16.650		105.60	
F		10 11 4	10 11 1 6 1 1 6 1	16.650	sq.m	185.60	popularia.
	27	13.11.4	12mm thick Cement plaster of mix 1:6 (1				
1			cement : 6 coarse sand)			1	Rs. Eighty nine and paise
İ			= 1041.58 SQM			1	thirty only.
L				1041.580	sq.m	89.30	
	28	13.17.1	12 mm cement Plaster 1:3 (1 cement: 3				
		+13.36.1	coarse sand) with a floating coat of neat				
			cement & Extra for providing and mixing				
			water proofing material in				Rs. One hundred forty
			proportion recommended by the				five and paise fifty only.
			manufacturers: 12 mm cement plaster 1:3(1				and paise titty only.
			cement :3 sand)				
			SEPTIC TANK = 52.82 SQM				
L				52.820	sq.m	145.50	
	29	13.24.2	6mm thick Cement plaster of Ceiling mix				
			1:4 (1 cement : 4 coarse sand)				Rs. Seventy seven and
			= 388.53 SQM	200 520	gg	77.40	paise forty only.
L				388.530	sq.m	77.40	

Chief County In 1

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna
Kenous Programment

Surrendora Kumaer

20	11 2 1	Compart consents flooring 1,2,4/1			[
30	11.3.1 + 11.8	Cement concrete flooring 1:2:4(1 cement:2 coarse:sand:4 graded stone agregate) finished with a floating coat of neat cement including cement slurry, etc. but excluding the cost of nosing of steps etc. complete. 40 mm thick with 20 mm nominal size stone				Rs. Two hundred thirty
		aggregate. Extra for making chequers of approved pattern on cement concrete floors, steps, landing, pavemerts etc. = 136.41 SQM			l	two and paise ninety only.
			136.410	sq.m	232.90	NACH BOARD AND THE STREET OF T
FINIS	HING WO	RK				
31	13.46.1	Finishing walls with Acrylic Smooth exterior paint of required shade :New work (Two or more coat applied @ 1.67 ltr/ 10				Rs. Sixty eight and paise
		sqm over and including priming coat of exterior primer applied @ 2.20 kg/ 10 sqm) EXTERNAL WALL = 836.658 SQM			:	eighty only.
32	13.80A.2	Providing and applying white cement based	836.658	sq.m	68.80	
		putty of average thickness 2 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and				Rs. One hundred eighteen and paise seventy only.
		smooth complete.	2266.768	sq.m	118.70	
33	13.77.2	Distempering with oil bound washa ble distemper of approved brand and manufacture to give an even shade. New work (two or more coats) over and				
		including priming coat with cement primer INTERNAL WALL & CEILING = 1430.11 SQM				Rs. Sixty four only.
	-1		1430.110	sq.m	64.00	
34	13.81.1	Applying priming coat with ready mixed pink or grey primer of approved brand and manufacture on wood work (hard and softwood)				Rs. Twenty five and paise twenty only.
		= 115.68 SQM	115.680	sq.m	25.20	

Chief Consultant (Technical)

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Dayelopment Corporation Ltd., Patna
Kehwulk

Surendra Kumar

) r			<u> </u>		· · · · · · · · · · · · · · · · · · ·		
	35	13.81.3	Applying priming coat with ready mixed				
			zinc chromate yellow primer of approved				Rs. Twenty one and paise
		•	brand and manufacture on steel galvanized				thirty only.
\$			iron/steel work.				unity only.
) [= 105.728 SQM	105.728	sq.m	21.30	
<u> </u>	36	13.93.1	Painting with synthetic enamel paint of				
)			approved brand and manufacture to give an				De Pigerand maior minoger
			even shade two or more coats on new work				Rs. Fifty and paise ninety
Year.			= 221.408 SQM				only.
.				221.408	sq.m	50.90	
7.1167	37	10.14.1	Providing and fixing T-iron frames for				
1000			doors. windows and ventilators of mils steel				
			Tee-sections, joints miltred and welded with				
À			15x3 mm lugs 10				
			cm long embedded in cement concerete				
Asia,			blocks 15x10x10 cm of 1:3:6 (1 cement : 3				Rs. Seventy five and
			coarse sand: 6 graded stone aggregate 20				paise ten only.
er/Sta			mm nominal size)				
			or with wooden plugs and screws or rawl				parties 1 to 1
			plugs and screws or with fixing clips or with				
)ii			bolts and nuts as required including				
			= 339.675 KG	339.675	Kg.	75.10	
Magnific The graph of the party	38	9.21.1	Providing and fixing flush door shutters				
			conforming to IS: 2202 (Part-I) non-				
			decorative type.core of block board				
			construction with frame of 1st class tiard				
			wood and well mathched commercial 3 ply				
			veneering with vertical grains or cross bands				Rs. One thousand eight
			and face veneers on both faces of shutters.				hundred twenty three and
Mary			35 mm thick including anodized aluminum				paise eighty only.
			butt hinges				parse engine, entry
			with necessary screws				
			= 48.195 SQM				*
				48.195	sq.m	1823.80	
<u> </u>	39	9.119.1	Providing and fixing oxidised M.S.tower	10.170	541111	1025,00	
	- 1		bolt black finish,(barrel				
			type) with necessary screws etc.complete				Rs. Sixty six and paise
		•	250x10mm				fifty only.
			10 + 2, BUILDING = 44 EACH				
			,	44.000	each	66.50	
}	40	9.104.1	Providing and fixing M.S.handles with				
			necessary screws etc.complete				
			125 mm				Rs. Twenty seven and
			10 + 2 , BUILDING = 44 EACH				paise fifty only.
				44.000	each	27.50	Constitution .
	1		<u> </u>		L		<u> </u>

Suerendera Kumaer

\							
general production productions	11	9.223.2	Providing and fixing alluminium hanging floor door stopper anodised (anodic coating not less than grade AC 10 as per IS :1868) transparent or dyed to required colour and shade with necessary screws etc.complete:Twin rubber stopper = 22 EACH Providing and fixing M.S. sliding door bolts	22.000	each	82.70	Rs. Eighty two and paise seventy only.
And desired to the second seco			bright finished or/and black enamelled,with nuts and screws etc.compelled: 300x16 mm = 22 EACH				Rs. One hundred seventy seven and paise forty only.
-				22.000	each	177.40	
È L	Si	TEEL WOR	RK .				
	13	10.12.1 + 10.13B	Providing and fixing glazed steel doors, windows or ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm M.S. lugs10cm long with steel legs embedded in cement concrete blocks 15x10x10cm.of (1:3:6) (1cement: 3coarse sand: 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required. Doors Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel Windows. = 95.715 SQM	95.715	sq.m	3270.60	Rs. Three thousand two hundred seventy and paise sixty only.

Swendra Kumari

Chief Consultant (Technical)

Ribar State Educational Infrastructi

Bihar State Educational Infrastructure
Development Corporation Ltd., Patna
Kenousi

44	10.12.1	Providing and fixing glazed steel doors, windows or ventilators of standard rolled	.,	:		
	10.13C	steel sections, joints mitered and welded	Ē			
	10.150	with 15x3 mm M.S. lugs10cm long with				
		steel legs embedded in cement concrete				
		blocks 15x10x10cm.of (1:3:6) (1cement :				
		3coarse sand : 6graded stone aggregate				
		20mm nominal size) or with wooden plugs				
		and screws or rawl plugs and screws or with				
		fixing clips or with bolts and nuts as required, including providing and fixing of				
		glass panels with glazing clips and special				
		metal-sash putty of approved make complete				Rs. Three thousand two
		including applying a priming coat of				hundred seventy seven and paise sixty only.
		approved steel primer excluding the cost of				and paise sixty only.
		metal beading and other fitting except		:		
		necessary hinges or pivots as required.Doors Extra for providing and fixing steel beading				
		of approved shape and section with screws				
		instread of glaxing clips and met. Sash putty				
		in steel doors, windows, ventilators and				
		composite units.Steel ventilators				
		= 3.24 SQM				
			3.240	sq.m	3277.60	
45	9.82.1	Providing and fixing M.S. grills of				
		requirement pattern in frames of windows				
		etc. with M.S. flats square or round bars etc				Rs. Ninety one and pais
		all complete fixed to steel windows by welding.				fifty only.
		= 1722.87 KG				
		1722.07 110	1722.870	Kgs.	91.50	
46	5.22	Reinforcement for RCC work including				
		straightening, cutting, bending, placing in				
		position and bonding all complete.				
		TMTC-500				
	5.22.7A	Thermo-Mechanically Treated bars TMTC-				
		500 8mm dia				
		= 8300 KG				Rs. Seventy four and
		SEPTIC TANK = 93 CUM				paise forty only.
		TOTAL QUANTITY = 8393 KG	8393.000	KG	74.40	
	5.22.7B	Thermo-Mechanically Treated bars TMTC-			<u> </u>	D G
		500 10mm dia				Rs. Seventy three and paise ten only.
		= 1300 KG		e e	i	ivaise teli ulliy.

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

Sweendra Kumar

	5.22.7C	Thermo-Mechanically Treated bars TMTC-500 12mm dia = 7000 KG	7000.000	KG		Rs. Seventy one and paise eighty only.
	5.22.7D	Thermo-Mechanically Treated bars TMT-500 16mm dia = 700 KG	700.000	KG	72.80	Rs. Seventy two and paise eighty only.
	5.22.7E	Thermo-Mechanically Treated bars TMT-500 20mm dia = 750 KG	750.000	KG	72.20	Rs. Seventy two and paise twenty only.
	5.22.7F	Thermo-Mechanically Treated bars TMT-500 25mm dia = 0 KG	0.000	KG	72.20	Rs. Seventy two and paise twenty only.
47	10.19	Providing & fixing M.S. Fan hook of 16 mm. dia. M.S. bar 1 Mtr. Long bent to required size and shape, placed in position and fixed in Truss Frame / RCC Slab / beam at the time of casting all complete as per building specification and direction of E/I. (Where materials is not supplied by deptt.) = 42 EACH				Rs. One hundred twenty one and paise eighty only.
			42.000	Each	121.80	
48	10.33.1	Providing & fixing hand rail by welding etc. to steel ladder railling & staircases railling including applying a priming coat of approved steel primer. MS tube (medium) 40mm nominal bore. = 550 KG		kg.	91.10	Rs. Ninety one and paise ten only.
49	10.5	Providing and fixingin position collapsibble steel shutters with vertical channes 20x10x2mm and braced with flat iron diagonals 20x5mm size with top and bottom rail of T-iron 40x40x6mm with 40mm dia steel pulleys complete with bolts nuts locking arrangement stoppers handles including applying a priming coat of approved steel primer.		sq.m	4115.60	Rs. Four thousand one hundred fifteen and paise sixty only.

Surendera Kumar

	T A NITION	TANOPA				
ISCEI	LLANEOUS	SWORK				
50	4.17	Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth. = 75.414 SQM				Rs. Three hundred nineteen and paise thirty only.
			75.414	sq.m	319.30	
S	HUTTERIN	NG				
51	5.9.1	Centring and shuttering including strutting, propping etc. and removal of form for foundation, footings, basees of columns etc. for mass concrete. = 55.781 SQM		G.	16670	Rs. One hundred sixty six and paise seventy only.
52	5.9.5	Centring and shuttering including strutting,	55.781	Sqm.	166.70	
32	3.9.3	propping etc. and removal of form for lintel, beams, plinth beams, griders, bressumers and contilevers. = 349.241 SQM	349.241	Sqm.	251.30	Rs. Two hundred fifty one and paise thirty only.
53	5.9.6	Centring and shuttering including strutting, propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts = 367.575 SQM	367.575	Sqm.	344.40	Rs. Three hundred forty four and paise forty only.
54	5.9.3	Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 451.54 SQM		•		Rs. Two hundred seventy five and paise sixty only.
			451.540	Sqm.	275.60	
					Total	57,16,706.85
					Total (A)	57,16,707.00

Surrendora Kumaor

]	Plur	nbing a	nd sanitary Work				
	55	B.S.R 12.78	Providing and fixing on wall face unplastidsed PVC (working pressure 4 kgf per sqm) rain water pipes cinforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10 mm gap for thermal expansion.				
		12.78.2	110 mm diameter. = 40 MTS	40.000	MTS	214.200	Rs. Two hundred fourteen and paise twenty only
	56	SOR 12.79	Providing and fixing on wall face unplasticised -PVC moulded fittings/accessories for unplasticised PVC rainwater pipes conforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10mm gap for thermal expansion.				
		SOR 12.79.1	Coupler				
		SOR 12.79.1.2	110mm = 10 MTS	10.000	Each	144.700	Rs. One hundred forty four and paise seventy only.
		SOR 12.79.5	Bend 87.50°				
		SOR 12.79.5.2	110mm bend = 12 MTS	12.000	Each	173.700	Rs. One hundred seventy three and paise seventy only.
		SOR 12.79.6	Shoe (Plain)				
		SOR 12.79.6.2	110mm Shoe = 12 MTS	12.000	Each	314.730	Rs. Three hundred fourteen and paise seventy three only.

Surendera Kumaer

-							
	57	B.S.R 17.1.1	Providing and fixining water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast iron P or S tap, 10 litre low white P.V.C. Flushing cistern with munally controlled device (handle level) conforming to IS: 7231 Parryware/Hindware with all fittings and fixtures complete including cutting and making good the walls and floors wherever required.				
			White Vitreous China Orissa pattern W C pan of size 580 x 440 mm with integral type foot rest. = 6 EACH	6.000	Each	3035.400	Rs. Three thousand thirty five and paise forty only.
Active Miles	58	B.S.R 17.2.2	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required:	0.000	·		
			W.C. pan with ISI marked black solid plastic seat and lid = 3 EACH	3.000	Each	2928.300	Rs. Two thousand nine hundred twenty eight and paise thirty only.
	59	B.S.R 17.4.2	Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I. clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required:				
- HE 7			Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern = 3 EACH	3.000	Each	4688.900	Rs. Four thousand six hundred eighty eight and paise ninety only.
,				3.000	Lacii	1 4000.900	2011
L F						Chilofo	angultant (Toolminal)

Surrendora Kumaon

60	SOR	Provding and fixing toilet paper holder				
	17.34 SOR 17.34.2	Vitreous china	3	Each	304.2	Rs. Three hundred four and paise twenty only.
61	B.S.R 17.7.1	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:				and paise twenty only.
		White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps. = 12 EACH	12.000	Each	2120.300	Rs. Two thousand one hundred twenty and pais thirty only.
62	18.63	Providing and fixing PTMT angle stop cock 15 mm nominal bore, weighing not less than 85 gms	15.000	Each	180.900	Rs. One hundred eighty and paise ninety only.
63	B.S.R 17.28	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.				
	17.28.2.1	Flexible pipe 32 mm dia = 12 EACH	12.000	Each	78.600	Rs. Seventy eight and paise sixty only.
64	B.S.R 17.32.2	Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing: Rectangular shape 453 x 357 mm = 12 EACH				Rs. Six hundred forty three and paise forty only.
65	B.S.R 17.33	Providing and fixing 600 x 120 x 5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete. = 12 EACH		Each	643.400	Rs. Four hundred seven eight and paise thirty only.
			12.000	Each	478.300	

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

Surrendera Kumaer

F	66	B.S.R	Providing and fixing Chlorinated Polyvinyl				
arri. Alba 1888. Alba Salah Alba Alba		18.8.1	Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I Concealed work including cutting chases and making good the wall etc. 15 mm nominal outer dia Pipes = 50 METER			·	Rs. Two hundred forty one only.
300				50.000	metre	241.000	
internal control of the control of t	67	B.S.R 18.9.3	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 25 mm nominal inner dia Pipes = 60 METER	60.000	metre	193.800	Rs. One hundred ninety three and paise eighty only.
yella,		18.9.4	32 mm nominal outer dia Pipes	40.000	metre	251.100	Rs. Two hundred fifty one only.
		18.9.2	20 mm nominal outer dia Pipes	40.000	metre	146.400	Rs. One hundred forty six and paise forty only.
	68	B.S.R 18.48	Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI:12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. = 4000 PER LITER	4000.000	per litre	6.800	Rs. Six and paise eighty only.
	69	B.S.R 18.49	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931				
			15 mm nominal bore. = 12 EACH	12.000	Each	497.000	Rs. Four hundred ninety seven only.

Surendrakumar

70	B.S.R	Providing and fixing C.P. brass stop cock				
	18.52	(concealed of standard design and of				
		approved make conforming to IS: 8931				
	18.52.1	15 mm nominal bore.				Rs. Six hundred seventy
		= 10 EACH				and paise seventy only.
			10.000	Each	670.700	and pulse seventy only.
71	SOR	Providing and fixing P.T.M.T. grating of				
	18.58	approved quality & colour				
	SOR	circular type				
	18.58.1					
	SOR	100 mm nominal dia,	11	Each		
	18.58.1.1				47.90	Rs. Forty seven and paise
					17.50	ninety only.
72	B.S.R	Providing and laying cement concrete 1:5:10				
	19.2.1	(1 cement : 5 coarse sand : 10 graded stone	•			
		aggregate 40 mm nominal size) all-round				
		S.W. pipes including bed concrete as per				Rs. Three hundred twelve
		standard design:				and paise fifty only.
		100 mm diameter S.W. pipe = 50 METER				and the second s
		= 50 METER	50,000		212.500	
72	B.S.R	Providing and laying non-pressure NP2	50.000	metre	312.500	
73	19.6.1	class (light duty) R.C.C. pipes with collars				
	17.0.1	jointed with stiff mixture of cement mortar				
		in the proportion of 1:2 (1 cement : 2 fine	i e			Rs. Three hundred twelve
		sand) including testing of joints etc.				and paise ninety only.
		complete:				and paise innery only.
		100 mm dia R.C.C. pipe				
		= 15 METER	15.000	motro	312.900	
74	B.S.R	Constructing brick masonry road gully	12,000	metre	312.700	
/4	19.27.1	chamber 50x45x60 cm with bricks in				
	17,21,1	cement mortar 1:4 (1cement : 4 coarse sand)				
		including 500x450 mm pre-cast R.C.C.				Rs. Three thousand one
		horizontal grating with frame complete as				hundred seventeen and
		per standard design :				paise thirty only.
		With common burnt clay F.P.S. (non				
		modular) bricks of class designation 7.5				
		= 2 EACH	2.000	Each	3117.300	

Sweendera Kumaer

) r					r		
	75	B.S.R	Contructing brick masonry chamber for				
Jan.		19.30.1.1	Underground C.I. Inspection Chamber and			,	
			bend with 75 class designation bricks in				
			cement mortar 1:4 (1 cement : 4 coarse			•	
	,		sand) C.I. Cover with frame (light duty)				·
-			455x610 mm internal dimentions, total				
			weight of cover with frame to be not less				
7			than 38 kg. (weight of cover 23 kg. and				
			weight of frame 15 kg.) RCC top slab with				
) William							
			1:1.5:3 mix (1 cement: 1.5 coarse sand :3				
)			graded stone aggregate 20 mm nominal				
ĺ			size) foundation concrete 1:5:10 mix (1				Rs. Three thousand nine
M			cement:5 coarse sand : 10 graded stone				hundred forty nine and
			aggregate 40 mm nominal size), inside				paise ten only.
ì			plastering 12 mm th. with cement mortar 1:3				at loren
.			(1cement:3 coarse sand) finished smooth				
1			with a floating coat of neat cement on walls				
			and bed concrete etc. complete as per				
Ì			standard design.				
			Inside dimensions 466x610 mm and 45cm				
)			deep for single pipe line :				
194			With common burnt clay F.P.S. (non				
Name of the last							
1			modular) bricks of class designation 7.5				
Vegetor.			= 6 EACH				
production,			· ·	6.000	Each	3949.100	
No.	76	B.S.R	Making soak pit 2.5 m diameter 3.0 metre				
'a		19.32.1	deep with 45 x 45 cm dry brick honey comb				
Parage (shaft with brick and S.W. drain pipe 100				
New Common Commo			mm diameter, 1.8 m long complete as per				· ·
37			standard design.				
Transfer.			With common burnt clay F.P.S. (non				Rs. Twenty five thousand
e ^r			· · · · · · · · · · · · · · · · · · ·				nine hundred and paise
			modular) bricks of class designation 7.5				ten only.
			= 1 EACH				
-	'						· mm
,							
and the second							
				1.000	Each	25900.100	
)	77	B.S.R	Providing and fixing S.W. intercepting trap				
	, ,	19.34	in manholes with stiff mixture of cement				
Name of Street,		17.54	mortar 1:1 (1 cement : 1 fine sand) including				
			testing of joints etc. complete:				
)			resume of Johns etc. complete.				
j							
		19.34.1	100 mm dia				Rs. Two hundred eighty
Þ			= 2 EACH				three and paise eighty
				2.000	Each	283.800	only.
A CORPORATION AND A CORPORATIO	ł			2,300		1 ===:000	
							726-10-201
Ì		`					10.00
15	·	reven	Idora Kumaor			CLILE	Consider Marketinal
j)						uniej (Consultant (Technical)

ſ	78		Detailed Estimate for construction of 125				
	, 0		mm x 40 mm x 90 mm Tube well Manual				Rs. Sixty thousand four
S)		1	Boring				hundred thirty two and
y			= 1 EACH	1.000	Each	60432.650	paise sixty five only
- 1	79	ANALYSI	NON SCHEDULED ITEMS(MARKET				
ħ	, -	l i	RATE)				
			= EACH				
8.6%			P.V.C. PIPE				- CALLANDAR - CALL
ì			= EACH				
			Provding and fixing soil, waste and vent				
Ì			pipes				
			= EACH				
							D TI 1 1 1 1
			110 mm dia	40.000	,	2.47.000	Rs. Three hundred forty
1			= 40 EACH	40.000	metre	347.000	seven and only.
			P.V.C. FITTINGS				
			= EACH				D - Thurs have desired - 1-1-1-
			DOOR TEE 110 mm dia = 4 EACH	4.000	,	265,000	Rs. Three hundred sixty
١				4.000	each	365.000	five only.
			DOOR BEND 110 mm dia				Rs. Two hundred eighty
Age,			= 8 EACH	8.000	each	283.000	three only.
			BEND 45° 110 mm dia	0.000			Rs. One hundred eighty
			= 10 EACH	10.000	each	185.000	five only.
			VENT COWEL 110 mm dia				Rs. Sixty five only.
			= 3 EACH	3.000	each	65.000	Rs. Sixty live only.
			PIPE CLIP 110 mm dia				Rs. Fifty three only.
			= 100 EACH	100.000	each	53.000	
i i			FLOOR TRAP 110X110 mm dia				Rs. Four hundred thirty
			= 10 EACH	10.000	each	436.000	six only.
	80	Code no. of	(i) C.I. cover and frame 300 x 300 mm				Rs. Three hundred
		1352	inside				seventy four and paise six
			SEPTIC TANK = 1 EACH	1.000	Each	374.060	only.
	81	Code no. of	(ii) S.C.I. plain bend 100 mm dia	1,000	Lacii	37-7.000	Rs. Four hundred thirty
	01	1621	SEPTIC TANK = 1 EACH	1.000	Each	436.400	six and paise forty only.
	82		(iii) S.C.I. Tee 150 mm dia				Rs. Seven hundred forty
		7087	SEPTIC TANK = 1 EACH				eight and paise eleven
				1.000	Each	748.110	only.
						Total	3,48,404.98
						Total (B)	3,48,405.00

Swendera Kumaer

		Electrical Works (1% labour cess has	·			
		been added on current DSR-2014)				
83	1.10	Point Wiring in PVC Conduit, with Modular type Switch:-				
		Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc as required.				
	1.10.3	Group C	119.000	Nos.	725.180	Rs. Seven hundred twenty five and paise eighteen only.
84	1.11	Twin Control Point Wiring in PVC Conduit, with Modular type Switch:-	119.000	1105.	723.180	eignteen only.
		Wiring for twin control light point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, 2 way modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc as required	3.000	Nos.	777.700	Rs. Seven hundred seventy seven and paise seventy only.
85	1.31	Supply and Fixing Light Plug Point with Modular Type Accessories:-				
		Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 3 pin 5/6 amps modular socket outlet and 5/6 amps modular switch, connection etc. as required. (For light plugs to be used in non residential buildings).	25.000	Nos.	306.030	Rs. Three hundred six and paise three only.

Surrendera Kumaer

Γ	06 1	1.20	lo i i più para pla paise sidi				
	86	1.32	Supply and Fixing Power Plug Point with Modular Type Accessories:-				
			Wiodular Type Accessories				
			Supply and Fixing GI box with modular				
			plate and cover in front on surface or in				
			recess including providing and fixing 6 pin,				Rs. Five hundred ninety
			15/16 amps modular socket outlet and 15/16				only.
			amps modular type switch, connection, painting etc as required.				and the same of th
			painting etc as required.				
				12.000	Nos.	590.000	
	87	2.18	Supply & fixing 20A SPN MCB Industrial				
			Socket Outlet:-				
	Ì		Supplying and fixing 20 amps, 240 volts,				
			SPN industrial type,				
			socket outlet, with 2 pole and earth, metal				
			enclosed plug top				
			alongwith 20 amps "C" curve, SP, MCB, in				Rs. Nine hundred sixty
			sheet steel enclosure,				three and paise fifty four
			on surface or in recess, with chained metal cover for the socket				only.
			out let and complete with connections,				establishment.
			testing and commissioning				
			etc. as required				
				12.000	Nos.	963.540	
	88	1.12	Power Plug Wiring in PVC conduit (2x4 sq.	12.000	1105.	7031810	
		1.12	mm):-				
			,				
			Wiring for light/ power plug with 2X4 sq.	•			
			mm FRLS PVC insulated				
			copper conductor single core cable in				
			surface/ recessed mediumclass PVC conduit		:		Rs. One hundred sixty
			alongwith 1 No 4 sq. mm FRLS PVC				three and paise sixty two
			insulated				only.
			copper conductor single core cable for loop				
			earthing as required				
				420.000	Mtrs.	163.620	
	89	1.24	Supplying and fixing following modular				
			type switch/ socket on the existing modular				
			plate switch box / cover including				
			connections etc.as required				
ŀ	l	<u></u>		l	I		. 0//
_	\		bra Kumage				126-10-2014
-) L	SUND	1900 Kumagr			Chica	126
					×	oniej G	onsultant (Technical)

1	1041	Is to				
	1.24.1	5/6 amps switch.	:	:		Rs. Eighty one and paise
			27.000	- ·	01.010	eighty one only.
	1044	5	25.000	Each	81.810	Rs. Seventy nine and
	1.24.4	5 pin, 5/6 amps socket outlet.	25.000	Each	79.790	paise seventy nine only.
90	1.14	Circuit / Sub-main wiring in PVC Conduit:-				
	,	Wiring for circuit / sub-main wiring along				
		with earth wire with the following sizes of				
		PVC insulated, copper conductor, single				
		core cable in surface/recessed PVC conduit				
		as required.				
	1.14.1	2x1.5 Sqmm + 1x1.5 sqmm earth wire				Rs. One hundred seven
			40.000	Mtrs.	107.060	and paise six only.
	1.14.2	2x2.5 Sqmm + 1x2.5 sq mm earth wire				Rs. One hundred thirty
			350.000	Mtrs.	132.310	two and paise thirty one only.
	1.14.9	4x6.0 Sqmm + 2x6.0 sqmm earth wire (to be	330.000	171113.	132.310	Rs. Three hundred ninety
	1.11.5	used as sub main)				two and paise eighty nine
		,	54.000	Mtrs.	392.890	only.
	1.14.10	4 X 10 sq. mm + 2 X 10 sq. mm earth wire				Rs. Six hundred two and
			10.000	Mtrs.	602.970	paise ninety seven only.
		S/F 'C' series SP MCB:-				
91		Supplying and fixing 240 volts, 'C' series, miniature circuit breaker suitable for				
		inductive loads of following poles in the				
		existing MCB DB complete with				
		connections, testing and commissioning etc,				
		as required.				
	2.10.1	6/32A, Single Pole				
	2.10.1	0/32/1, Shigie 1 ole				Rs. One hundred seventy
			36.000	Each	170.690	and paise sixty nine only.
	2.10.3	6/32A ,DP				Rs. Four hundred sixty
						three and paise fifty nine
		G/E (ED) I M (CD)	3.000	Each	463.590	only.
92	2.13	S/F TPN MCB:-				
		Supplying and fixing following rating, four				
		pole, 240 volts, isolator in the existing MCB				
		DB complete with connections, testing and				
		commissioning etc. as required				
	2.13.2	63 A,TPN				Rs. Six hundred seventy
						six and paise seventy
			3.000	Each	676.700	only.
						77 - 23'V

Surrendora Kumaer

93	2.15	S/F TPN RCCB:-Supplying and fixing of				
93	2.15	following rating three phase and neutral, 415 volts, residual current circuit breaker				
		(RCCB) having a sensitivity current upto 300 miliamperes in the existing MCB DB complete with connections, testing and				
		commissioning etc. as required.				
	2.15.2	40 Amp.			2144.222	Rs. Two thousand one hundred forty four and
94	2.8	S/F TP MCB DB:-	3.000	Each	2144.230	paise twenty three only.
77	2.0	Supplying and fixing of following way, horizontal type three pole and neutral, sheet steel, MCB distribution board, 415 volts, on surface/recess, complete with tinned copper bus bar, neutral bus bar, earth				
		bar, din bar, detachable gland plate, interconnections, phosphatized and powder painted including earthing etc. as required (Without MCB/RCCB/ISOLATOR). Make: Legrand/Anchor/Havells/HPL.				
	2.8.5	4 Ways (4+12 ways) double door				
						Rs. Seven thousand four hundred thirty and paise fifty seven only.
			3.000	Set	7430.570	
95	1.33	S/F Ceiling Rose:-				
		Supplying and fixing 2 pin ceiling rose on the existing junction box/ wooden block including connection etc as required.	80.000	Each	43.430	Rs. Forty three and paise forty three only.
96	1.34	S/F Batten / Angle Holder:-	27.000	Each	74.740	Rs. Seventy four and paise seventy four only.
-		Supplying and fixing batten / angle holder including connection etc as required.				
97	1.25	S/F Modular type electronic fan regulator:-	AATA III			Rs. Two hundred eighty six and paise eighty four
l			24.000	Each	286.840	only.

Surrendera Kumaer

			Supplying and fixing stepped type fan regulator on the existing modular plate switch box including connections but excluding modular plate etc as required.				
	98	1.21	S/F PVC Conduit:-				
			Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting				
			the wall and making good the same in case of recessed conduit as required.				
		1.21.1	20 mm				Rs. Fifty three and paise fifty three only.
L				110.000	Mtrs.	53.530	
	99		Telephone Wiring in Existing Conduit:-				
		1.18	Supplying and drawing following pair 0.5 mm dia FRLS PVC insulated annealed copper conductor, unarmored telephone cable in the existing surface/ recessed steel/ PVC conduit as required				
		1.18.2	2 pair	50.000	Mtrs.	18.180	Rs. Eighteen and paise eighteen only.
	100	1.24	S/F Modular type Switch / Socket:- Supplying and fixing following modular type switch / socket on the existing modular plate and switch box including connections but excluding modular plate etc as required.				
		1.24.6	Telephone socket outlet	2.000	Each	95.950	Rs. Ninety five and paise ninety five only.
-	101	5.7	EARTHING COPPER EARTH PLATE ELECTRODE:-				
	101	5.6	COPPER EARTH PLATE ELECTRODE:-				
			Earthing with copper earth plate 600mmx 600mmx 3mm thick including acessories and providing masonary enclosure with cover plate having locking arrangement and watering pipe of 2.7 meter long etc with				Rs. Nine thousand three hundred eighty four and paise ninety two only.
			charcoal/cock and salt as required.	2.000	Each	9384.920	out of the second

Surrendera Kumaer

Chief Consultant (Technical)
Bihar State Educational Infrastructure

Development Corporation Ltd., Paina Skehous S

100	£ 10	DE 25 - 5	<u> </u>		<u> </u>	
102	5.10	P/F 25 x 5mm copper earth strip in pipe :-				
		Providing and fixing 25 mm X 5 mm copper strip in 40 mm dia G.I. pipe from earth electrode including connection with brass nut, bolt, spring, washer excavation and refilling etc. as required.				Rs. One thousand ninety two and paise eighty two only.
			12.000	Mtrs.	1092.820	
103	5.14	P/F 25 x 5 mm copper earth strip in surface/recess:-				
			:			
		Providing and fixing 25 mm X 5 mm copper strip on surface or in recess for connections etc. as required.	24.000	Mtrs.	864.560	Rs. Eight hundred sixty four and paise fifty six only.
104		Cable Laying of 1.1 KV & 11 KV :-	24.000	1710.5.	001.500	
	7.1	Laying of one number PVC insulated and PVC Sheathed / XLPE power cable of 1.1 KV grade of following size direct in ground including excavation, sand cushioning, protective covering and refilling the trench etc as required.				
	7.1.2	Above 35sq.mm and Upto 95 Sq.mm.				Rs. Two hundred four
105		G.I. Bina for Cable protection:	80.000	Mtrs.	204.020	and paise two only.
105	14.14	G.I. Pipe for Cable protection:- Providing, laying and fixing following dia RCC pipe NP2 class(light duty) in ground complete with RCC collars, joints with cement mortar 1:2 (1 cement : 2 fine sand) including trenching (75 cm) and refilling etc.as required. (Road crossing as per site condition)				
	14.14.2	150 mm dia	10.000		207.046	Rs. Three hundred eighty seven and paise eighty four only.
			10.000	Mtr.	387.840	Tour only.

Swendera Kumaer

-				T			
	106	9.1	1.1 KV Cable End Termination:				
			Supplying and making indoor cable end termination with brass double compression				
			gland and aluminium lugs for following size				
			of PVC insulated XLPE Al. Ar. Cable of 1.1				
			KV grade as required.				
			K v grade as required.				
	Ì						
		9.1.22	3.5 Core 50 Sq.mm.				Rs. Two hundred seventy
1			·				two and paise seventy
				2.000	Each	272.700	only.
	107	1908 JSR	3.5 core 50 sq mm xlpe/pvc insulated				
		2014	sheathed				
			(Heavy duty)armoured electric cable				1
			aluminium conducter.				
ř			3.5C x 50 Sq.mm 1.1kV			201.000	Rs. Three hundred ninety
)				100.000	Mtrs.	391.000	one only.
	108		S/F HRC fuse type TP&N switch				
		2.1	disconnector:- Providing and fixing				
			following capacity TP&N disconnector fuse				
			switch unit inside the existing panel board				
(Special)			with ISI marked HRC fuses including drilling holes in cubicle				
A			panel, making connections,				
			etc. as required.				
			cto. as required.				
							D (D 11
}		2.1.2	63 amps,TP&N, HRC				Rs. Two thousand two
/				2 000	- T	2260 280	hundred sixty and paise
				3.000	Each	2260.380	thirty eight only.
	109	2.5	S/F Busbar Chamber:-				
		2.5	Desidies and fiving following connects:				
		2.5.3	Providing and fixing following capacity busbar chamber with 4 strips of suitable size				
		B.S.R 2009	made of capper, heavy duty, complete with all				
		2009	accessories including connections, earthing				Rs. Six thousand two
			the body, etc as required.				hundred twenty two and
			200 amp.TPN				paise sixty one only.
\							
)				1.000	Each	6222.610	
, all 1	110	2.7.4	Providing and fixing following capacity four				
	3	B.S.R	pole OFF-load changeover switch with side				
		2009	handle operation, in sheet enclosure in		1		
5			existing metal board, including drilling				Rs. Seven thousand nine
esper			holes in metal panel, making connections				hundred seven only.
, a			etc. as required.				
160%			125 Amps, Four pole				
la de				1.000	Each	7907.000	
		<u> </u>	dera Kuman		1		3100-0018

Surrendora Kumaer

-							
	111	6.5	Providing and fixing copper tape 20 mm X 3				
			mm thick on parapet				Rs. Three hundred
			or surface of wall for lightning conductor				
			complete as required.				seventy nine and paise
			(For horizontal run)				seventy six only.
1				00.000		270.760	and the same of th
ŀ				80.000	meter	379.760	
	112	6.6	Providing and fixing copper tape 20 mm X 3				
			mm thick on parapet				Rs. Four hundred ten and
			or surface of wall for lightning conductor				paise six only.
			complete as required.	30.000	meter	410.060	·
ľ	113	2.2	Providing and fixing follwing rteing and				
			breaking capacity MCCB in existing				
			cubicale panel bord including drilling hole				
-			cubicale panel making connection etc as				
			required				
			l				
		222	160 ama 16VA				D. D. Hansand five
		2.2.3	160 amp. 16KA				Rs. Four thousand five
		:					hundred sixty five and
				1.000	EACH	4565.200	paise twenty only.
I	·					Total (C)	5,03,812.73
ŀ			FIRE FIGHTING				
Ì	114	DGS&D	Brand new ISI marked Life Guard ABC				
			type multipurpose Fire Extinguishers 4 Kgs.				
			Capacity, fitted with pressure guage				Rs. Seven thousand five
			complete in all respects, ready to use,				hundred forty nine and
			complete installation kit.				paise seventy five only.
	,		Complete histariation kit.	10.000	Nos.	7549.750	
				10.000	1405.	Total	75,497.50
				· · · · · · · · · · · · · · · · · · ·	***************************************	Total (D)	73,490.00
			CARRIAGE OF MATERIALS				
	115					Rate Incl.	
			Type of materials			1% Lab.	
						Cess	
							Rs. Two hundred eighty
			Cement	139.566	MT	289.87	nine and paise eighty
							seven only.
				40- 4			Rs. six hundred forty
			Sand	188.457	cum	644.10	four and paise ten only.
				and the second		Programmer.	
			A A A A A A A A A A A A A A A A A A A				Two Hundred Five and
			Local Sand	125.918	cum	205.29	
						1	paise I wenty Nine only
				4			Rs. seven hundred
			Stone Chips	176.279	cum	726.61	twenty six and paise sixty
						AND OF THE SECOND	one only.
		L		<u> </u>		<u> </u>	

Guerendera Kumaer

Chief Consultant (Technical)

Bihar State Educational Infrastructure
Development Corporation Ltd., Patna
Ulchaud

		Brick	120.253	Thous.	601.67	Rs. Six hundred one and paise sixty seven only.	
		Steel	18.050	МТ		Rs. Two hundred eighty nine and paise eighty seven only.	
					Total	3,93,361.72	
					Total (E)	3,93,362.0	
			Grand	Total (A+	B+C+D+E)	70,37,784.7	
SL. No.	DISTRICT	NAME OF INSTITUT	E			Amount (Rs.)	
1	Gaya	BLOCK RESOURCE CE	NTRE			70,37,784.73	
	Total Cost in 'Rs'				70,37,785.0		
	Rupees S	eventy lacs Thirty Seven Thous	sand Sev	en Hun	dred Eig	hty Five Only)	
	"Details	of Sl. No. 78 (Construction of 125mr	n x 40mm	x 90m T	Tube well)	is given below	
Part	'A' - Cost	of Materials	T	Ţ	· · · · · · · · · · · · · · · · · · ·	Γ	
1		125mm dia UPVC casing pipe confirming to ISS	27	Meter	315.00	Rs. Three hundred fiftee only.	
2		40mm dia UPVC pipe confirming to ISS	48	Meter	99.38	Rs. Ninety nine and pais thirty eight only.	
3		40mm dia PVC ribbed strainer of approved quality	8	Meter	182.00	Rs. One hundred eighty two only.	
4		Reducing socket 125mm x 40mm	1	Each	270.00	Rs. Two hundred sevent only.	
5		Supplying all labour and materials & fitting & fixing PVC cap over the new sink T/well	1	Each	140.00	Rs. One hundred forty only.	
6	B.S.R 1548	Providing and fixing of G.I pipes complete with G.I fittings and clamps, including, cutting and making good etc 32 mm dia (15% C.P & 1% L.Cess)	18	mtr	224.44	Rs. Two hundred twenty four and paise forty four only.	
7	B.S.R 1928	32 mm nominal bore Bross Full valve (15% C.P & 1% L.Cess)	1	Each	511.21	Rs. Five hundred elever and paise twenty one only.	

Surrendora Kumari

A Residence

		_					
	8		Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of E/I	1	Each	26,446.00	Rs. Twenty six thousand four hundred forty six only.
			Sub - Total "A"				46138.37
(Part	'B' - Cost					
			Boring by jet dheki by suitable cutter of				
			reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket				
			etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge.				
			(i) 0 to 30.5 m				
	9		(a) For 125 mm dia U.PV.C pipe	27	mtr	208.77	Rs. Two hundred eight and paise seventy seven only.
	10		(b) for 40 mm dia UPVC pipe				
			(i) 0 to 30.5 m	3.5	mtr	119.03	Rs. One hundred nineteen and paise three only.
			(ii) 30.5 m to 61.0 m				
	11		(a) For 40 mm dia UPVC pipe	30.5	mtr	136.88	Rs. One hundred thirty six and paise eighty eight only.
			(iii) 61.00 m to 75.00 m		_		D O I I I I
	12		a) For 40mm dia UPVC pipe	14	mtr	148.79	Rs. One hundred forty eight and paise seventy nine only.
			(iv) 75.00 m to above				
	13		a) For 40mm dia UPVC ribbed strainer of approved quality	8	mtr	148.79	Rs. One hundred forty eight and paise seventy nine only.
							200000

Surrendora Kuman

14		Providing all labour & tools and lowering 32 mm dia G.I pipe as per specificatin etc. all Complete	24	mtr	21.34	Rs. Twenty one and paise thirty four only.
15		Supplying labour and developing the T/Well to have sand free discharge all complete as per direction of E/I	1	Each	280.50	Rs. Two hundred eighty and paise fifty only.
		<u></u>		S	ub - Total	14,294.28
	Total C="A+B"				60,432.65	

Tender approved in favour of Surendra Kumar @ 10.00% (Ten Decimal Zero Zero Percent) below BOQ rates i.e. total amount comes to Rs. 63,34,006=00 (Rupees Sixty Three Lacs Thirty four Thousand Six Only)

Sweendora Kumagi

Chief Consultant (Technical)
Bihar State Educational Infrastructure

Development Corporation Ltd., Pains

Performance Security

Name of Agency:- "Surendra Kumar"

Performance Security of "BRC Koch, Gaya (SL. NO-125)"

BG 38/12 Period 20

<u>AMOUNT</u>

28.05.18 to 28.05.2021

3,67,000.00

Total -

3,67,000.00

(Rupees Three Lac Sixty Seven Thousands Only)

And Leve Sallons

विहार राज्य शैक्षणिक आधारमृत संस्तान

विकास बिगम लिल, पटना

Chief Congulant (Tachnical

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna
Skehald)

Sweendra Kumagn

BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

(A Govt. Of Bihar Undertaking)

Shiksha Bhawan, Bihar Rastrabhasa Parishad Campus, Acharya Shiv Pujan Sahay Path, Saidpur, PATNA-800004. (Tel. No: 0612-2910314)

Cor. ID. No.: U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256

Letter of Acceptance

Letter no :- BSEIDC/FIN/2578/2016-17/- 9886

Date... 18:10:16

To,

Surendra Kumar

Vill-Pradhan, P.o.-Konch, Gaya,

Dear Sir,

This is to notify you that your Bid dt. 11.06.2016 for execution of "Construction of Block Resource Centre at Koch, Gaya (SL. No.-125 of NIT No.-40/2015-16) in the State of Bihar" has been accepted by the Corporation at your quoted rate of 10.00% (Ten Decimal Zero Zero Percent) below BOQ rates amounting to total contract price of 63,34,006=00 (Rs. Sixty Three Lacs Thirty Four Thousand Six Only)

You are hereby requested to furnish performance security including additional security in the form detailed in I.T.B. para 31.1, 27.4 and clarification issued thereon by RCD, Govt. of Bihar, vide letter no. 3376 (E) dt. 17.08.2010, for an amount equivalent to Rs. 3,65,000=00 (Rs. Three Lacs Sixty Five Thousand Only) within ten days of receipt of this letter of acceptance valid upto 28 days from the date of expiry of defects liability period and sign the contract, failing which action as stated in Para 31.3 of ITB will be taken.

Yours faithfully

(Braiesh Prasad)

9886 Memo no: BSEIDC/FIN/2578/2016-17/-

Chief Consultant (Technical)

Date: ... 8 .12.16

Copy forwarded to: Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC website/Senior Account Officer, BSEIDC, Patna for information & necessary action

Memo no: BSEIDC/FIN/2578/2016-17/-

Chief Consultant (Technical)

Date: .. /. Q .. / v .. /. &

Copy forwarded to: Chief Engineer, BSEIDC, Patna for information Please.

9886

7-10-2016 Chief Consultant (Technical)

Date: ... / & . \ / \po \ \ / \f

Copy forwarded to : Managing Director, BSEIDC, Patna for information Please.

Chief Consultant (Rechnical)

Chief Consultant (Technical) Bihar State Educational Infrastructure

Development Corporation Ltd., Paina

Justendera Kumaer

Memo no: BSEIDC/FIN/2578/2016-17/-

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

कॉपॉरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256, शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथा, सैदपुर, पटना—800004, दूरभाष—0612—2910314

Letter no.: BSEIDC/NIT/2015-16/- 3 9 5 0

Patna, Date: (30.04.16

Corrigendum No.-3

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "हिन्दुस्तान" on dated 10.02.2016 vide P.R.-12943 (नि०नि०)15—16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below:

		The state of the s
SL.	Existing provision	Amended provision
no.		
	Period of Sale of Bid document (Download)	Period of Sale of Bid document (Download) from
pand	from dated 16.04.2016 to 10.05.2016,	dated 16.05.2016 to 05.06.2016,
	15:00 Hrs.	15:00 Hrs.
,	Date and Time of Pre bid Meeting - 25.04.2016, Date and Time of Pre bid Meeting - 25.05.2016,	Date and Time of Pre bid Meeting - 25.05.2016,
7	14:30 Hrs.	16:00 Hrs.
	Last date and time for receipt (Upload) of Bids	Last date and time for receipt (Upload) of Bids on
'n	on dated 11.05.2016 ,15:00 Hrs.	dated 06.06.2016,15:00 Hrs.
	Time and date for opening of Technical Bids on	Time and date for opening of Technical Bids on
4	dated 13. 05.2016, 16:30 Hrs.	dated 08. 06.2016, 16:30 Hrs.
	Time and date for onening of Financial Bids on	Time and date for opening of Financial Bids on
S	dated 27.05.2016, 15:30 Hrs.	dated 24.06.2016, 15:30 Hrs.
9	The Cost of BOQ and EMD will be	The Cost of BOQ and EMD will be accepted up to 08.00.2010, 15:00 rits.

The other terms and conditions shall remain unchanged.

Brajesh Prasad) Donokumant Consultant (Technical) C pment Corporation Ltd., Patha

Chief Consultant (Technical)

JUNEARDS KUMBSI

बिहार राज्य शैक्षाणिक आधारभूत संरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

कॉर्पोरेट पहचान संस्याः U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256, शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना–800004, दूरभाष–0612–2910314

Letter no.: BSEIDC/NIT/2015-16/- 2937

Patma, Date: 28 03-2016

Corrigendum No.-2.

Paper "हिन्दुस्तान" on dated 10.02.2016 vide P.R.-12943 (नि०नि०)15—16 through e-tendering With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below:

t		
7. 10.	Existing provision	Amended provision
permet	Period of Sale of Bid document (Download) from dated 03.03.2016 to 28.03.2016, 15:00 Hrs.	Period of Sale of Bid document (Download) from dated 16.04.2016 to 10.05.2016, 15:00 Hrs.
2	Date and Time of Pre bid Meeting – 15.03.2016, Date and Time of Pre bid Meeting – 25.04.2016. 14:30 Hrs.	Date and Time of Pre bid Meeting – 25.04.2016, 16:00 Hrs.
w	Last date and time for receipt (Upload) of Bids on dated 29.03.2016,15:00 Hrs.	Last date and time for receipt (Upload) of Bids on dated 11.05.2016, 15:00 Hrs.
7	Time and date for opening of Technical Bids on dated 31. 03.2016, 16:30 Hrs.	Time and date for opening of Technical Bids on dated 13. 05.2016, 16:30 Hrs.
5	Time and date for opening of Financial Bids on dated 11.04.2016, 15:30 Hrs.	Time and date for opening of Financial Bids on dated 27.05.2016, 15:30 Hrs.
9	The Cost of BOQ and EMD will be	The Cost of BOQ and EMD will be accepted up to 13.05.2016, 15:00 Hrs.

The other terms and conditions shall remain unchanged.

Justendora Kumade

(Brajesh Prasado Proposation Lid., Patna

Chief Consultant (Technical)

बिहार राज्य शैक्षणिक आधारभूत संरवना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

कॉपोरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256, शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना–800004, दूरभाष–0612–2910314

Letter no.: BSEIDC/NIT/2015-16/- 2638

Patna, Date: パギゥヌット

Corrigendum No.- 1

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below:-

SL.		1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
no.	Existing provision	Amenaea provision
	Period of Sale of Bid document (Download)	Period of Sale of Bid document (Download) from
possi	from dated 03.03.2016 to 28.03.2016,	dated 03.03.2016 to 30.04.2016,
	15:00 Hrs.	15:00 Hrs.
C	Last date and time for receipt (Upload) of Bids	Last date and time for receipt (Upload) of Bids on
7	on dated 29.03.2016 ,15:00 Hrs.	dated 01.05.2016,15:00 Hrs.
,	Time and date for opening of Technical Bids on	Time and date for opening of Technical Bids on
'n	dated 31. 03.2016, 16:30 Hrs.	dated 04. 05.2016, 16:30 Hrs.
	Time and date for opening of Financial Bids on	Time and date for opening of Financial Bids on
†	dated 11.04.2016, 15:30 Hrs.	dated 17.05.2016, 15:30 Hrs.
Ŋ	The Cost of BOQ and EMD will be	The Cost of BOQ and EMD will be accepted up to 04.05.2016, 15:00 Hrs.

The other terms and conditions shall remain unchanged.

102,2016 126-11-21:11

Chief Consultant (Technical)

(Brajesh Prasad)har State Educational Infrastructure Chief Consultant (Tegnifear) Corporation Ltd., Patna

Susendera Kumeer

SPECIAL CONDITIONS

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes royalties and other

incidental charges.

4. To qualify for award of work, the Bidder must possess the following:-

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of signatory bid.

b) DD for required value of B.O.Q. Cost.

c) Sufficient Earnest Money Deposit.

d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.

Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed at least one Building work of value not less than 25 % of estimated

value of contract) in last five years as mentioned in Technical bid.

f) Litigation History as mentioned in Technical bid.

g) Affidavit as mentioned in Technical bid.

h) Valid Registration with Central/State Govt. / PSU.

i) Valid labour license as mentioned in Technical bid.

Affidavit/Certificate for not been debarred as mentioned in Technical bid.

5. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.

6. The tender without earnest money or insufficient earnest money submitted with the tender, will be outright rejected.

7. Conditional tenders shall be outright rejected.

8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.

9. Authority shall reserve the right to reject any or all the tenders or distribute the work to

more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained.

11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules prevalent in the locality.

12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the

contractor.

13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.

14. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-

a. Natural calamities

b. Act of enemies.

Chief Consultant (Technical) Bihar State Educational Infrastructure Development Corporation Ltd., Patna Kahau Page 1 of 2

surrendora Kumar (Seal & Signature of Tenderer)

बिहार राज्य शैक्षणिक आधारमूत संरचना विकास निगम लिमिटेड (विहार सरकार का एक उपक्रम)

(१४६)२ सरकार को एक उपक्रम) शिक्षा भेवन, बिहार राष्ट्रभाषा परिषद् कैम्पस, आचार्य शिवपुजन सहाय पथ, सैदपुर, पटना-८००००४ (दूरभाष:-0612-2910314)

निविदा आमंत्रण सूचना संख्या— 40 वर्ष 2015—16 (केवल ई—टेन्डरिंग पद्धति के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

 बिहार राज्य के भवन निर्माण कार्य हेतु निम्नांकित निविदायें आगंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार/सार्वजनिक क्षेत्रों में निविधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रिजस्ट्रेशन, उक्त कार्य का लेटर ऑफ एक्सेपटेंस प्राप्त होने के बाद कराना होगा।

क्रम	कार्य का नाम	प्रावकलित राशि (लाख में)	अग्रधन की राशि (रू० में)	परिमाण विपत्र की राशि (रू० में)	Beltron Bid Processing Fee (In Rs.)	कार्य समाप्ति की अवधि
1	BRC Ekma,Saran	85.2	1,70,400	000,01	5750	-15 माह
2	BRC Baniyapur,Saran	85.2	1,70,400	10,000	5750	15 माह
3	BRC Masrak,Saran	85.2	1,70,400	10,000	5750	15 माह
4	BRC Marhowrah, Saran	85.2	1,70,400	10,000	5750	15 माह
5	BRC Amnour,Saran	85.2	1,70,400	10,000	5750	15 HIE
6	BRC,Dariyapur,Saran	85.2	1,70,400	10,000	5750	15 माह
7	BRC,Garkha,Saran	85.2	1,70,400	10,000	5750	15 माह
8	BRC, Manigachhi, Darbhanga	85.2	1,70,400	10,000	5750	15 mg
9	BRC, Keoti, Darbhanga	85.2	1,70,400	10,000	5750	15 माह
10	BRC,kusheshwarsthan,Darbhanga	85.2	1,70,400	10,000	5750	15 माह
11	BRC, Ghanshyampur, Darbhanga	85.2	1,70,400	10,000	5750	15 माह
12	BRC,Kiratpur,Darbhanga	85.2	1,70,400	10,000	5750	15 माह
13	BRC,Baheri,Darbhanga	85,2	1,70,400	10,000	5750	15 गाह
14	BRC, Hanumannagar, Darbhanga	85.2	1,70,400	10,000	5750	15 माइ
15	BRC, Lakhnaur, Madhubani	85.2	1,70,400	10,000	5750	15 माह
16	BRC,Jhanjharpur,Madhubani	85.2	1,70,400	10,000	5750	15 पाह
17	BRC,Phulparas,Madhubani	85.2	1,70,400	10,000	5750	15 माह
18	BRC,Khutauna,Madhubani	85.2	1,70,400	10,000	5750	15 माह
19	BRC, Khajouli,Madhubani	85.2	1,70,400	10,000	5750	15 माह
20	BRC,Bisfi,Madhubani	85.2	1,70,400	10,000	5750	15 मांह
21	BRC,Rahika,Madhubani	85.2	1,70,400	10,000	5750	15 माह
22	BRC, Harlakhi, Madhubani	85.2	1,70,400	10,000	5750	15 माह
23	BRC,Babubarhi,Madhubani	85.2	1,70,400	10,000	5750	15 माह
24	BRC Rosada,Samastipur	85.2	1,70,400	10,000	5750	15 माह
25	BRC Samastipur	85,2	1,70,400	10,000	5750	15 माह
26	BRC, Khanpur, Samastipur	85.2	1,70,400	10,000	5750	15 माह
27	BRC, Hasanpur, Samastipur	85.2	1,70,400	10,000	5750	15 माह
28	BRC, Mohanpur, Samastipur	85.2	1,70,400	10,000	5750	√5 माह.
29	BRC, Patori, Samastipur	85.2	1,70,400	10,000	5750	15 सिंह

Swendra Kumar

		The second secon					
	68	BRC Karahgar, Rohtas	85.2	1,70,400	10,000	5750	15. पार
	69	BRC Kochas,Rohtas	85,2	1,70,400	10,000	5750	15 mg
	70	BRC Tilauthu,Rohtas	85.2	1,70,400	10,000	5750	15 गाह
Ì	71	BRC Karakat, Rohtas	85.2	11,70,400	10,000	5750	15 मार
	72	BRC Dawat, Rohtas	85.2	1,70,400	10,000	5750	15 गाइ
	73	BRC,Mansahi,Katihar	85.2	1,70,400	10,000	5750	15 माह
	74	BRC,Manihar,Katihar	85.2	1,70,400	10,000	5750	15 माह
	75	BRC,Pranpur,Katihar	85.2	1,70,400	10,000	5750	15 माह
	76	BRC, Kadwa,Katihar	85.2	1,70,400	10,000	5750	15 माह
	77	BRC,Barsoi,Katihar	85.2	1,70,400	10,000	5750	15 माह
	78	BRC,Azamnagar,Katihar	85.2	1,70,400	10,000	5750	15 माछ
	79	BRC, Narpatganj, Araria	85.2	1,70,400	10,000	5750	15 माह
1	80	BRC, Araria	85.2	1,70,400	10,000	5750	15 भाह
	81	BRC, Jokihat, Araria	85.2	1,70,400	10,000	5750	15 माह
	82	BRC,Bhargama,Araria	85.2	1,70,400	10,000	5750	15 माह
	83	BRC,Kursakata,Araria	85.2	1,70,400	10,000	5750	15 माह
	84	BRC,Purnea East,	85.2	1,70,400	10,000	5750	15 माह
	85	BRC, Baisi, Purnea	85.2	1,70,400	10,000	5750	15 मार
	86	BRC,Amour,Purnea	85,2	1,70,400	10,000	5750	15 मह
	87	BRC, Dhamdaha,Purnea	85.2	1,70,400	10,000	5750	15 गार
	88	BRC,Banmankhi,Purnea	85.2	1,70,400	10,000	5750	15 माह
	89	BRC, Tarhagach, Kishanganj	85.2	1,70,400	10,000	5750	15 माह
	90	BRC,Thakurganj,Kishanganj	85.2	1,70,400	10,000	5750	15 माह
***************************************	91	BRC,Pothia,Kishanganj	85.2	1,70,400	10,000	5750	15 माह
Januari inneces in	92	BRC Katoria,Banka	85.2	1,70,400	10,000	5750	15 गाह
-	93	BRC Rajaun,Banka	85.2	1,70,400	10,000	5750	15 माह
· ·	94	BRC,Barhat,Banka	85.2	1,70,400	10,000	5750	15 गाह
	.95	BRC Belhar,Banka	85.2	1,70,400	10,000	5750	15 गाह
	-96	BRC Jamui	85,2	1,70,400	10,000	5750	15 माह
	97	BRC Barhat, Jamui	85.2	1,70,400	10,000	5750	15 गाह
	98	BRC Chakai, Jamui	85.2	1,70,400	10,000	5750	15 माह
	99	BRC Gidhour,Jamui	85.2	1,70,400	10,000	5750	15 माह
	100	BRC Sikandra, Jamui	85.2	1,70,400	10,000	5750	15 मार
	101	BRC Asharganj, Munger	85.2	1,70,400	10,000	5750	15 गाह
	102	BRC Naugachhia,Bhagalpur	85.2	1,70,400	10,000	5750	15 माह
i	103	BRC Pirpainti,Bhagalpur	85.2	1,70,400	10,000	5750	15 माह
***************************************	104	BRC Shahkund,Bhagalpur	85.2	1,70,400	10,000	5750	15 माह
1	105	BRC Puraini, Madhepura	85,2	1,70,400	10,000	5750	15 mg
						·	11/2 18

Subrendora Kumar

pr						
147	BRC, Rahui, Nalanda	85.2	1,70,400	10,000	5750	15 माह
148	BRC, Ekangarsarai, Nalanda	85.2	1,70,400	10,000	5750	15 माह
149	BRC,Silaw,Nalanda	85.2	1,70,400	10,000	5750	15 माह
150	BRC, Katrisarai, Nalanda	85.2	1,70,400	10,000	5750	15 माह
151	BRC, Karaiparsurai, Nalanda	85.2	1,70,400	10,000	5750	15 माह
152	BRC,Motipur,Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह
153	BRC Gaighat, Muzaffarpur	85.2	1,70,400	10,000	5750	15 गाह
154	BRC, Aurai, Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह
155	BRC,Bandra,Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह
156	BRC,Minapur,Muzaffarpur	85.2	1,70,400	10,000	5750	15 माइ
157	BRC,Bhagwanpur,Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह
158	BRC, Jagdishpur, Bhojpur	85.2	1,70,400	10,000	5750	15 गाह
159	BRC ,Charpokhri,Bhojpur	85.2	1,70,400	10,000	5750	15 माह
160	BRC, Udwantnagar, Bhojpur	85.2	1,70,400	10,000	5750	15 माह
161	BRC,Garhani,Bhojpur	85.2	1,70,400	10,000	5750	15 माह
162	BRC ,Koilwar,Bhojpur	85,2	1,70,400	10,000	5750	15 माह
163	BRC, Fatuhan, Patna	85.2	1,70,400	10,000	5750	15 FIE
164	BRC, Bakhtiyarpur, Patna	85.2	1,70,400	10,000	5750	15 माह
165	BRC, Naubatpur, Patna	85.2	1,70,400	10,000	5750	15 माह
166	BRC, Maner, Patna	85,2	1,70,400	10,000	5750	15 माह
167	BRC, Begusarai	85.2	1,70,400	10,000	5750	15 माह
168	BRC, Matihani, Begusarai	85.2	1,70,400	10,000	5750	15 माइ
169	BRC, Bhagwanpur, Begusarai	85.2	1,70,400	10,000	5750	15 माह
170	BRC, Bakhri, Begusarai	85.2	1,70,400	10,000	5750	15 माह
171	BRC, Mansoorchak, Begusarai	85.2	1,70,400	10,000	5750	15 माह
172	BRC, Cheria Bariyarpur, Begusarai	85.2	1,70,400	10,000	5750	15 माह
173	BRC, Chuatham, Khagaria	85,2	1,70,400	10,000	5750	15 माह
174	BRC ,Gogari,Khagaria	85.2	1,70,400	10,000	5750	15 माह
175	BRC, Beldour, Khagaria	85.2	1,70,400	10,000	5750	15 ਸਾਫ਼
176	BRC,Parbatta,Khagaria	85.2	1,70,400	10,000	5750	15 माह
177	BRC,Raghopur,Vaishali	85.2	1,70,400	10,000	5750	15 माह
178	BRC ,Desari, Vaishali	85.2	1,70,400	10,000	5750	15 His
179	BRC, Bidupur, Vaishali	85,2	1,70,400	10,000	5750	15 माह
180	BRC, Jandaha, Vaishali	85.2	1,70,400	10,000	5750	15 माह
181	BRC ,Mahua, Vaishali	85.2	1,70,400	10,000	5750	15 ਸਾਫ
182	BRC, Garoul, Vaishali	85.2	1,70,400	10,000	5750	15 माह
183	BRC,Chewada,Shekhpura	85,2	1,70,400	10,000	5750	15 गाह
184	BRC,Barhiya,Lakhisarai	85.2	1,70,400	10,000	5750	15 गाह
185	BRC ,Alinagar, Suryagarha,Lakhisarai	85.2	1,70,400	10,000	5750	15 माह

नोटः (i). निविदाकार एक या अधिक कार्य के लिए अलग-अलग निविदा डाल सकते हैं।

(ii). प्राक्कलित राशि घट या बढ़ सकती है एवं तद्नुसार अग्रधन की राशि घट या बढ़ सकती है।

(ii). प्रावकालित साश घट या बढ़ सकता ह एवं तबुउतार अञ्चल पर कारा पर जानक करना है। (iii).वैबसाईट-www.eproc.bihar.gov.in पर ॲकित प्रावकलित राशि, अग्रथन की राशि एवं परिमाण विपन्न की राशि ॲतिम रुप से

Swendowa Kumaer