1. All works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer.

This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours.

- 2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so.
- 3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm.
- 4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender.

and delivers his tender.		
5. The amount of earnest money to be deposited will be: -	Rs.	
If the amount of the estimate does not exceed Rs. 2,000		50
If the amount of the estimate exceeds Rs. 2,000 but does		
not exceed Rs. 5,000		00
If the amount of the estimate exceeds Rs. 5,000 but does		
not exceed Rs. 10,000	2	00
For each additional Rs. 5,000 or portion of Rs. 5.000		
additional earnest money	1	00

6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompanied by the treasury challan for the required earnest money will be liable to rejection. No single tender shall include more than one work, but contractors who will to tender for two or more works shall submit a separate in dentity pach Tender shall bear the name of the work to which they refer written outside the envelop. Cash deposits for earnests money here in before mentioned shall be made in Government Treasuries and the challan there of should be enclosed with the tender.

31/10/18

- 7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.
 - 8. The Engineer shall have the right of rejecting all or any of the tenders
- 9. In the event of a tender being selected for acceptance the Engineer who opened the tenders will, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the priscribed time. The tender with the specilication and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to the tenderer.

- 10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.
- 11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required and united the security money has been deposited the Engineer shall scrutinise all pages of the form of item, rate, tender & contract for works to see that the form has been properly filled up and signed by the contractor & the signature witnessed He shall then if he is competent to accept the tender, sign the acceptance of the tender of if he is not so competent shall send the form for signature of the acceptance of the officer competent to accept it.

TENDER FOR WORKS

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

MEMORANDUM

) If several sub-work are	[a]	Name of work
included they should be detained in a separate list.	[a]	TVAILE OF WORK
detailled in a separate	[b]	Estimated cost
of the estimated cost of the		
Work.	[c]	Earnest money
) This percentage deduction from bills will be	[d]	Initial security deposits (including earnest money) to be deposited befor the commencement of the work
redited to the contractors security deposit.		Percentage to be deducted from bills Rs. 5% (Rupees five percent)
	[e]	Percentage to be deducted from bills its. 5 % (italpees live percent)
()	[f]	Time required for the work from date of written order to commence monthly
9	[g]	Date of written other to commence
	[h]	Total number of item of work tendered for

		RATE TE	Per	
th Item No.	Item of work	In figures	In words	Pei
w				
9				
				Acceptance and a second and a s
				a
0				to the state of th
· ·			The state of the s	
a	NS GANGATI CONSTRUCTION			3/1/0/18
(al)	JIGIG BARTINETE	Tagging and a share of the shar	I Thier D	iv neti
ાં	La SVHIME		B.S.E.I.D.C Più	Lid, Patna

31/1

		((4)		
Schedu	Item No.	Item of work	RATE T	ENDERED	
Some		NOTIFICITION WORK	In figures	In words	Per
intendir	er e		-		
compar money					
earnes				Machine Market Control of the Contro	
	1				
will, i					
sign				, de la companya de l	
and amo					
amo of th					· · · · · · · · · · · · · · · · · · ·
	22				
	NAME OF THE PERSONS ASSESSMENT ASSESSMENT OF THE PERSONS ASSESSMENT ASSESSMENT ASSESSMENT ASSESSMENT ASSESSMENT ASSESSMENT ASSESSMENT ASSESSMENT ASS				
	Merch Control				
ter of					
the			invertication of the control of the		
by th	* ##				•
	of the state of th				
				The state of the s	
ţ 5	NAME AND ADDRESS OF THE PERSONS			Tiday Para Carry	
•					
٧	1				
			s) (quantification)		
					, .
	TOTAL PROPERTY.				
	Market Control	**			
					· · · · · · · · · · · · · · · · · · ·
		The same of the sa	National Control of the Control of t		♥
				TO ANY THE REAL PROPERTY OF THE PERSON OF TH	
	000 m maint				
			and the control of th		
	No. of Contrast of				
	Por series			The state of the s	
			THE REAL PROPERTY.		

Schedule XLV - Form No. 61

(5)

5		N		RATE TENDERED	
(→	Item No.	Item of work	In figures	In words	Per
· · · · ·					
0)					
					No. of the control of
0					THE CONTRACTOR OF THE CONTRACT
0					
.0					
éP)					
0					
(S))					
. ((
0)					
0					
1				ettinin kontantantantantantantantantantantantantan	
Ō.					
				DATE OF THE PARTY	
				TO TOTAL ADDRESS AND THE STATE OF THE STATE	
ી .				INCOMPODED SERVICE SER	
th				PP-PENADORE REPORTED TO	
w)					
0					
0	•				
0					
0			•		
0					
·(9).	:				
9					
.0					
٩					
٩					
· .					

(6)

	Ochedule A	LV - Form No. 61	(6)	
Schedu	Item No.	Item of work	RATE TENDERED	A 100
	***************************************	item of work	In figures In words	Per
intendi compa				•
money				
earne				
	a			
will, sign				
and				(
amo of t				1
+0				
ter of				
th				
b) th				
				-
-	Market Linear and the Control of the			
	470am 100am			
				I toward
	N () () () () () () () () () (0
				♥ §
demonstration of the second				
		The second secon		· · · · · · · · · · · · · · · · · · ·

Ş	Item No.	Item of work	RATE TE	ENDERED	
		No. Work	In figures	In words	Per
(1)					
7					
				Appen III Appen	
5)					
0					
9)					
D					
					•
)).					
parties.					
Ŋ					
)					
)				H	
))					
)			THE PARTY OF THE P		
)					
			PANYMENUZZZANI		
			Nagran to Accommodate		
			and the second s	***************************************	
. •	WEST COMPANY		No.		
			The state of the s		

should this tender be accepted I/we hereby agree to abide by and fulfill all the terms and provisions of the said conditions of contract annexed hereto so. for as applicable, or in ssors in office the sums of money mentioned in the said conditions,

Dated the

day of

*Signature, of contractor before comission of tender

witness:

Address :-

Occupation:

Signature of witness to contractor's signature

The above tender is hereby accepted by me on behalf of the Governor of Bihar day of Dated the

20

signature of the officer accepting the tender

Acceptances communicated on..

signature of the party taking the tender

CONDITIONS OF CONTRACT

Compensation

Clause 1:- All compensation or other sums of payable by the contractor to Government under the terms of his contract may be deducted from, paid by the sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor by Government on any account whatsoever and in the event of his security deposit being reduced by reason of any such deduction or sale as aforesaid, the contractor shall within ten days there after make good in cash or Government securities endorsed as aforesaid any sum or sums which may have been deducted from, o arised by, sale of his security deposit of any part thereof.

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which the work is finished after necessary rectification of defects as pointed by the Executive En- gineer or his authorised agents are fully contractor to the Engineer's satisfaction.

Clause 2: - The time allowed for carrying out the work as entered in the tende shall be strictly observed by the contractor and shall be reckoned from the date on which the wirtten order to comence work is given to the contractor. The work sha. throughout the stipulated period of the contract be carried on with all due diligence (time being deemed to be the essence of the contract on the part of the contract or) and the contractor shall pay as compensation an amount equal to ½ percent on the amount of the estimated cost of the whole work as shown by the tender fo every day that the work remains uncommenced or unfinished after the proper date. And further to ensure good progress during the execution of the work the contracto shall be bound in all cases in which the time allowed for any work exceeds one month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before onehalf of such time elapsed and three-fourths of the work, before three fourths of suc. time has elapsed in the event of the contractor failing to employ with this condition, I shall be liable to pay as compensation an amount equal to ½ percent on the sai. estimated cost of the whole work for every day that the due quantity of work remains incomplete provided always that the entire amount of compensation to b. paid under the provisions the clause shall not exceed 10 percent of the estimated cost of the work as shown in the tender.

Action when persnle security deposit foreited

Clause 3:- In any case which under any clause or clauses of or this contract the contractor shall have rendered himself laible to pay compensation amounting to the whole of his security deposit in the hands of Government (where paid in one sum or deducted by instalments) the Executive Engineer on behalf on the Bihar Government shall have been powered to adopt any of the following courses, as he may deem best suited to the enterest of Government 10112 Man

(a) To rescind the contract (of which rescind notice in willing to the contract under the hand of the Executive Engineer shall be conclusive evidence) and in Which case the sectitiry deposit of the contractor shall start de lead and to absolutely at the disposal of Government

- (b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debitting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in -charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.
- (c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another Shontractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had Roeen executed by him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original Contractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4: - In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may, if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Enginee, as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

contractor remains liable to pay compensation if action not take under

Power to take posession of or require removal of or sall contractor plant.

Clause 5 :- If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) he shall apply in writing to the Executive Engineer within 40 days from the date of starting of the hinderance on account of which be desires such extension as aforesaid and the Executive Engineer shall, if in his opinion (which shall be final) reasonable grounds be shown 125 thereof authorised such extension of time if any, as may in his opinion be necessary or need proper. The Executive Engineer shall at the same time inform the contractor whether he ad. Patna claims compensation for the delay.

Extension of time

Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion, but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinctly marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-work doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurement shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus materials and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid,

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-in charge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

except for any sum actually realised by the sale thereof.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts or in any other way vary or affect the contract.

Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Stores supplied Government

Clause 9 - If the specification or estimate of the work provides for the use of any special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-incharge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums then due or there after to become due to the contractor under the contract or otherwise, or against or form the security deposit, or the proceed of sale thereof, if the same is held in spyeniment security the same or sufficient portion thereof in this case sold for the purpose All materials supplied to the contractor shall remain the absolute property of Government and shall not on any accounts he removed from this site of the work and shall at all times be open to

DI 01/9 3

Shapections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be eturned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied o him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: - The contractor shall executive the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and o which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his Jwn expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid.

Clause 11:- Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be hecessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the rwork is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge tidoes not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may $^{
m V}$ consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a disputes the decision of the superintending Engineer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period.

Clause 12:- If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out. the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsoever on account of any profit or advantage, which he might have derived from the execution of the work in full, but which he did not derive in consequence of the full amount of the work or restriction of not having been carried out neither shall he have any claim for compensation by reason of any alternation having been made in the original specification, drawing, designs and Ltd, Patna instruction which shall involve any installment of the work as originally contemplated clause 12 (a) As contained in GO 1929 dated 11.9.56.

accordance with specification drawing other etc.

Alteration in specifications and designation

Do not in validate contract

Time in consequence of alteration

Rate for work no in estimate or schedule of rates of the district.

Companisation for alter-

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such failure is due to:

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted affinally by the contractor.

Action and compensation payable in case of work.

Clause 13 :- If it shall appear to the Engineer-in-charge or his subordinate incharge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall on demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-incharge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and expense in all respects of the contractcor.

Work to be taken to inspection

Clause 14:-All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineer-in-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be present

Clause 15: The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which the same was effected.

Notice to be taken before work covered up

Clause 16:- If the contractor or his work-people, or servants shall break, deface injure or destroy any part of a building in which they may be working or any building, road, road curves, fence enclosure water pipes, cables, drains, electric or telephone posts or wires, trees, grass or grassland or cultivated ground continuation which the work or any part of it is being executed or if any damage shall happen to the work, while in progress from any cause whatsoever or any imperfection become apparent to if within three months (six months in the case of a road-work) after a certificate final or other of its completion shall have been given by the Engineer-in-charge

Wis GAMPATI CO

50s a fore seal, the contractor shall make the same good at his own expense, or in default, the Engineer-in-charge may cause the same to be made be good by other orksmen and deduct the expense of which time thereafter may become due to the contractor, or from his security deposit, or the proceed of sale there of, or of a sufficient ortion there of the security deposit at the contractor shall not be refunded before the expiry of three months (six months in the case of a road-work) after the issue of the ertificate final or otherwise of completion of work provided that in the case of a road work if in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable ter three months of the issue of the said certificate of completion

Contractor liable for damage done and for imperfection a months and after certificate

Clause 17:- The contractor shall supply at his own cost all materials (except such special materials) if any as may in accordance with the contract be supplied from the ingineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, tackle scaffolding and temporary works requisits or proper for the proper execution of the ork whether original, altered or substituted and whether include in the specification or other documents forming part of the contract or referred to in these conditions or not or hich may be necessary for purpose of satisfying or complying with the requirement of the Engineer-in-charge as to any matter as to which under these conditions he is entitled be satisfied which he is entitled to require together with carriage therefore to and form the work. The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting, weighing and assisting in the measurement or examination at any time and form time to me of the work or materials failing his so doing the same may be Provided by the Engineer-in-charge at the expense of the contractor and the expenses may be deducted rom any money due to the contractor under the contract from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide Ill necessary fencing and lights required to protect the public from accident, and shall be bound to bear to expenses of defence of every suit action or other proceeding at law that may be brought by any person for injury sustained owing to neglect of the above precautions and to any such person or which may with the consent of the contractor be haid to compromise any claim by any such person.

Contractor to supply to plantladder scaffolding

And is liable for damage arising for non-provision of light fencing etc.

Clause 18: - No female labour shall be employed within the limits of contonment. The contractor shall not employ for the purpose of his contract any person who is below the age of twelve years and shall pay to each labour for the work done by such labourer wages not less than the wages paid for similar work in the neighbourhood.

Work not to be subject

The executive Engineer shall have the right to enquire into the case and decide any complaint alleging that the wages paid by the contractor to any labourer for the work done by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer employed by contractor is below the age of twelve years and to refuse to allow any labourer whom he decided to be below the age of twelve years to be employed by the contractor.

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his contract, or attempt so to do, or become insolvent proceedings to make any composition with his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward or advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, or offered by the contractor, or any of his servant or agents to any public officer or person in the employ of Government in any way relating to his officer or employment or if any such officer or person shall become in any way directly or indirectly interested in the contract the Executive Engineer may there upon by notice in writing rescind the contract. "The security deposit of the contractor shall there upon stand forfeited and be absolutely 🙌 at the disposal of Government and the same consequence shall ensure as if the contract. had been recinded under clause 3 here of, in addition the contractor shall not be entitled Ltd. Patna to recover or be paid to any work therefore actually performed the under the contract.

Contract may be resinded and security deposit forfelted for subletting bribes or if contractor become

such payable by way of compensation to be considered reasonable compensation without reference to actual loss Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained.

Clause 21: In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or thir information.

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposition of the contractor shall thereupon stand forfeited and be absolutely at the disposal of Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer

Clause 22: All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23: In case any dispute or difference shall arise between the parties or either of there upon any question relating to the meaning of the specifications, designs drawings and instructions here before mentioned or as to the quality of workmanship or materials used on the work or as to the construction of any of the conditions or an clause or thing there in contained or as to any question, claim, rights of the parties, or any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions or otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof or as the breach of those contract then either party shall forthwith give to the order notic of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

(a) Clause 24: When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items of work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-in charge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineer in-charge shall be final and conclusive against the contractor with regard to any sum payable to him under the provision of this clause.

Action where no specification.

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle-specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Definition of works

Clause 26 - The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to succonstruction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered, substituted or additional.

Clause 27:- The terms and conditions of the agreement have been read/explained to me and certify.

Witness.

Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied

	Particulars	Rates at w	hich the materia charged to the ontractor	*, ***********************************	Place of delivery
		Unit	Rs.	P.	
- 74					
. 4					
7					
ne.				-	
		STATE OF THE STATE	. Ma		
()		Printernaments.			
		edDrevering			
		No. of the control of			
10))		nineseagus/vec			
	* * * * * * * * * * * * * * * * * * * *	MANAGEMENT AND A STATE OF THE S			
!		Valuation of the state of the s			
(5).		as the same of the	*		
		P. Company of the Com			
1-2-1		NAME			
5).)		development of the control of the co			
70		AND CONTRACTOR OF THE CONTRACT			
79		A DESCRIPTION OF THE PROPERTY			
th					
		Name of the Control o			
∴ yv					
19		STREET, CALLED STREET			
· }		Districtive and the state of th			
		A STEER OF THE STE			
5.		newspapers			
		Downwoodstands			
		escape account of the contract			
.)			***		
9					
•					
ris					

Note: The person or firm submitting the tender should see that the rates in the above schedules are mied up by the Engineer-in-charge on the issue of the form prior to the submission of the tender.

no N/S GANRATI CONSTRUCTION

no 21 C/19 93' (1716

(Signature of Contrator) PARTINER


Chief Eng neer
Signature of Executive Engineer)


A012005-) . 7 Ì ...) .)

BIHAR STATE EDUCATION INFRASTRUCTURE DEVELOPMENT CORPORATION LTD., SHIKSHA BHAWAN, SAIDPUR, PATNA BILL OF QUANTITIES FOR PROPOSED ADMINISTRATIVE BLOCK AT MAHARANI KALYANI COLLEGE, LAHERIASARAI DARBHANGA.

Based on SOR FOR BCD BIHAR- 2016, & B.S.R. (ELECTRICAL)2016

				- j		Market Market Control of the Control
Sr.No.	SOR Item No		Quantity	Unit	Rate (Rs.)	Amount (Rs.)
		Earthwork in excavation in areas				
		(exceeding 30cm in depth. 1.5m in width				
		as well as 10 sqm on plan) including				
1	2.8.1	dressing of sides and ramming of bottom,				
		lift upto 1.5 including getting out the	ļ			
		excavated soil and disposal of surplus soil			İ	Rupees two hundred
	ļ	as directed within a lead of 50m. All Kind		į.		thirty & paise fifty
		of soil.	266.08	cum	230.50	only.
		Providing designation 100A one brick flat				and the second s
_		soling joints filled with local sand		and the same	gapeneri	
2	11.72	including cost of watering taxes royalty all				Rupees two hundred
		complete as per building specification and		ł		fifty three & paise
-		direction of E/I.	234.10	sq.m	253.80	eighty only.
	!	Supplying and Filling in plinth with local	and the same of th			
3	2.28	sand and under floors including, watering,	r	6		Rupees two hundred
		ramming consolidating and dressing			<u> </u>	four & paise forty
		complete.	76.09	cum	204.40	only.
-		Providing and laying in position cement				
		concrete of specified grade excluding the				
4	4.1.5	cost of centering and shuttering - all work				
7	4.1.3	upto plinth level. 1:3:6(1 cement: 3 coarse				Rupees three
ļ		sand: 6 graded stone aggregate 20mm				thousand one
		nominal size)	01.60			hundred seventy four
		Providing and leving in a sixty is a	21.69	cum	3174.30	& paise thirty only.
ļ		Providing and laying in position specified		agenture o	A Property Control of the Control of	
		grade of reinforced cement concrete		·		
	1	excluding the cost of centering, shuttering,				
5	5.1.1	finishing and reinforcement-All work			·	
ļ		upto plinth level 1:1:2(1 cement : 1 coarse				D
		sand: 2 graded stone aggregate 20mm	İ	ł		Rupees six thousand
	[nominal size)	50.62	cum	6035.20	thirty five & paise
		Brick work with bricks of class	50.02	vuili	0033.20	twenty only. Rupees four
6	1.	designation 100A in foundations and			and the second second	thousand four
6	6.1.14A	plinth in cement mortar				hundred ninety &
		1:6(1cement:6coarse sand)	26.27	cum	4490.60	
		em		Annı	7770,00	paise sixty only.





Alle ,,,0000 Ì

	k

		Filling available excavated earth					
	ł	(excluding rock) in trenches, plinth, sides					
7	2.26	of foundations etc. in layers not exceeding	ς				
		20 cm in depth: consolidating each		}			
		deposited layer by ramming and watering		ł		Rupees seventy four	
-		lead	131.96	cum	74.50	& paise fifty only.	
		Surface dressing of the ground including					
		removing vegetation and inequalities not		ľ	i programa de la companya de la comp		
8	2.29.1	exceeding 15 cm deep and disposal of	1				
		rubbish, lead upto 50 m and lift upto 1.5m					
		All kinds of soil.		100		Rupees eight	
		Dui 1	150.56	sqm	806.00	hundred six only.	
	1	Brick work with bricks of class					
	(1144	designation 100A in foundations and					
9	6.1.14A + 6.3A	-					
	1 0.3A	1:6(1cement:6coarse sand)				Rupees five	
		Extra for brick work in superstructure				thousand three &	
***************************************		above plinth level upto floor V level.	131.51	cum	5003.90	paise ninety only.	
	ļ	Brick work with bricks of class	and the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of th				
10	6.1A +	6.1A +	designation 100A in foundations and	•	Paramar.	U.	Rupees four
10	6.1.12/1	plinth in : Cement mortar 1 .:4 (1 cement: 4 coarse sand) in Septic Tank				thousand seven	
		descend in Septic Tank				hundred twenty four	
		Dainfarrad	8.75	cum	4724.40	& paise forty only.	
		Reinforced cement conrete work in	·		Name of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last o		
		beams, suspended floors, roofs having	,				
		slope upto 15, landings, balconiec,					
		shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair					
		cases upto floor five level excludingthe					
		cost of centring, shuttering, finishing and					
	5.3+5.33	reinforement with 1:2:4(1 cement:2					
11	B.4+5.33	coarse sand:4 graded stone aggregate 20					
	B1	mm nominal size).					
		Add or deduct for providing richer or					
		leaner mixes respectively at all floor					
		levels.					
	ļ	Providing M-15grade R.C.C instead of M-			,	Rupees five	
		20 grade R.C.C.				thousand three	
	į.	Proiding M-25 grade R.C.C. instead of M-				hundred nineteen &	
	į.	20 made R C C	69.73	cu.m	5319.10	paise ten only.	

2161/0° 9 311 176

Chief Eng neer

B.S.E.I.D.C. Ltd. Patna

Jillolift

31/10/19

, and 11.6

12	5.2.1	Reinforced cement concrete work in wall (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts, etc. upt floor five level excluding cost of centring, shuttering, finishin and reinforcement.				Rupees six thousand six hundred forty
		1:1:2 (1 cement: 1 coarse sand: 2 graded stone	15.19	cum	6644.60	four & paise sixty only.
13	5,1.3	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing and	10.17	ouiii	0014.00	Oilly.
PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE PRINTED CONTROL OF THE		reinforcement-All work puto plinth level. 1:2:4 (1 cement:2 coarse sand:4 graded stone aggregate 20 mm nominal size) in Septric Tank	0.93	cum	3984.50	Rupees three thousand nine hundred eighty four & paise fifty only.
14	11.26.1	Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1				
	·	(1 lime: 1 surkhi: 1 coarse sand) / 1:4 (1 cement: 4 coarse sand) (20 to 25 mm thick)	321.78	sqm	998.30	Rupees nine hundred ninety eight & paise thirty only.
15	11,27	Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing	Verseemen		**************************************	
·		complete. Details of cost for 10 sqm	49.67	sq.m	973.00	Rupees nine hundred seventy three only.

Mis GAMPATH JOHNSHIPMON AND PROPERTY CHANGE CHANGE

Chief Eng neer


B.S.E.I.D.C. Ltd, Patna

Skehouely

31/10/1/


. . A ...)

r							
			Providing and laying Ceramic glazed flootiles 300x300 mm (thickness to be specified by the manufacturer) of ist quality conforming to	or			
	16	11.38	IS:15622 of approved make in colours				Rupees eight hundred twelve &
-	W		_lcomplete	21.60	sq.m	812.20	paise twenty only.
			Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (Thickness to be specified by the				james oriently oriny.
		İ	manufacture) of approved make in all				
		-	colours, shades except burgundy, bottle green, black of any size as approved by				
	17	11.36	Engineer-in-charge in skirting, risers of				
	17		steps and dados over 12 mm thick bed of		1		
			cement Motar 1:3(1 cement: 3 coarse				
			sand) and jointing with grey cement	•			
			slurry @ 3.3 kg per sqm including				
			pointing in white cement mixed with				Rupees seven
			pigment of matching shade complete.				hundred sixty six &
-				80.91	sq.m	766.30	paise thirty only.
	18	13.11.4	12 mm cement plaster of mix; 1:6 (1 cement: 6 coarse sand)			a	Rupees one hundred
			dement : o coarse sand)	958.71		101.20	one & paise twenty
			6mm cement mix plaster of mix 1:4 (1	930.71	sq.m	101.20	only.
	19	13.24.2	cement :4 coarse sand) Roof				Rupees eighty seven
	den entre en			313.34	sq.m	87.40	& paise forty only.
			12 mm cement Plaster 1:3 (1 cement: 3			2	ca paise forty only.
		40.45.4	coarse sand) with a floating coat of neat				Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction o
١.	20	13.17.1	cement & Extra for providing and mixing				
'	20	+13.36.1	water proofing material in proportion				
	1		recommended by the manufacturers: 12			•	Rupees one hundred
	1		mm cement plaster 1:3(1 cement :3 sand)	<i>5</i> 2.02		4.5.5.5	sixty six & paise
			in Sentric Tank 20mm Plaster 1:6(1 cement : 6 coarse	52.82	sqm	166.30	thirty only.
2	21	13.13.4	sand)	· .		Residence of the second	Rupees one hundred
			,	421.81	sq.m	140.40	forty & paise forty
			20 mm cement Plaster 1:3 (1 cement: 3	1 I, VI	54,111	170,40	only.
2	22	13.13.1	coarse sand) with a floating coat of neat	September 1000		Wanted Street Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control	Rupees two hundred
		+ 13.26	cement & neat cement punnin	16.55			fourteen & paise
Mary and April 1990				16.65	sq.m	214.60	sixty only.




, A. C. C.

J



1 0) À

		14				
23	11.3.1 + 11.8	Cement concrete flooring 1:2:4(1 cement:2 coarse:sand:4 graded stone agregate) finished with a floating coat of neat cement including cement slurry, etc. but excluding the cost of nosing of steps etc. complete. 40 mm thick with 20 mm nominal size stone aggregate Extra for making chequers of approved pattern on cement concrete floors, steps, landing, pavemerts etc.	105.11		267.70	Rupees two hundred sixty seven & paise
24	13.80 A.2	Providing and applying white cement based putty of average thickness 2 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.		sq.m	267,70	Rupees one hundred eighteen & paise
25	13.46.1	Finishing walls with Acrylic Smooth exterior paint of required shade: New work (Two or more coat applied @ 1.67 ltr/ 10 sqm over and including priming coat of exterior primer applied @	421.01	sqm.	118.40	Rupees seventy one
26	13.78.2	2.20 kg/ 10 sam) Applying one coat of cement primer of approved brand and manufacture on wall surface: Distemper primer	421,81	sqm.	71.10	& paise ten only. Rupees twenty eight
27	13.77A.1	Distempering with 1st quality washable distemper (ready made) of approved manufacturer and of required shade and colour complete. As per manufacture's specifications	1272.05	sqm.	28.10	& paise ten only. Rupees thirty seven & paise twenty only.
28	13.81.1	Applying priming coat with ready mixed pink or grey primer of approved brand and manufacture on wood work (hard and softwood)	22.68	sqm.	26.70	Rupees twenty six & paise seventy only.
29		Applying priming coat with ready mixed zinc chromate yellow primer of approved brand and manufacture on steel galvanized iron/steel work.	79.38	sqm.	22.80	Rupees twenty two & paise eighty only.
30	13.93.1	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade two or more coats on new work	102.06	sqm.	54.10	Rupees fifty four & paise ten only.



Chief Eng neer


B.S.E.I.D.C. Ltd, Patna

Skehous)

31/19/18

M M 0 Negari ¹ Aggar J J

F						
31	5.9.1	Centring and shuttering including strutting, proping etc. and removal of form for foundation, footings, bases of columns etc. for mass concrete.	39.39		160.00	Rupees one hundred
32	5,9.5	griders, bressumers and		para	169.00	Rupees two hundred sixty one & paise
33	5.9.6	contilevers. Centring and shuttering including strutting, Propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts.	183.0	sqm.	261.70	Rupees three hundred fifty seven
34	5.9.3	Centering and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform.	52.62	sqm.	357.60	& paise sixty only. Rupees two hundred
35	9,21.1	Providing and fixing flush door shutters conforming to IS: 2202 (Part-I) non-decorative type.core of block board construction with frame of 1st class tiard wood and well mathched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters. 35 mm thick including anodized aluminum butt hinges with necessary screws.	18.90		291.00	Rupees one thousand six hundred ninety eight
36	10.1	Structural steel work in singal section fixed without connecting plate including cutting.hoisting,fixing in position and applying a priming coat of approved steel primer all complete.	181.65	sqm. Kg	1698.20 59.20	& paise twenty only. Rupees fifty nine &
37	9.62.1	Providing and fixing oxidised M.S. sliding door bolts with nuts and screws etc. complete 300x16xmm	10.00	each	166.10	Rupees one hundred sixty six & paise ten
38		Providing and fixing M.S.handles with necessary screws etc.complete125 mm	20.00	each	27.70	Rupees twenty seven & paise seventy only.



Chief Eng neer

B.S.E.I.D.C. Ltd. Patna

JKehoue

31/10/14

. ._) 11.5

j	1	
1	6	
f	0	

ř ************************************						
		Providing and fixing alluminium hanging				
	ļ	floor door stopper anodised (anodic				
39	9.101.2	coating not less than grade AC 10 as per			1	
39	9.101.2	,		l		
		colour and shade with necessary screws				
		etc.				Rupees eighty three
		complete:Twin rubber stopper	10.00	each	83.80	& paise eighty only.
ľ		Providing and fixing oxidised M.S.tower		-	<i>—</i> .	a constructive and
40	9.63.1	bolt black finish,(barrel type) with				
		necessary screws etc.complete				Rupees sixty five &
		250x10mm	10.00	each	65.30	paise thirty only.
		Providing and fixing glazed steel doors,				,
		windows or ventilators of standard rolled			apple of the second	
		steel sections, joints mitered and welded				and the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contra
		with 15x3 mm M.S. lugs10cm long with	i I			, "
		steel legs embedded in cement concrete				
		blocks 15x10x10cm.of (1:3:6) (1cement:				
		3coarse sand : 6graded stone aggregate				
		20mm nominal size) or with wooden				
		plugs and screws or rawl plugs and	:			
		screws or with fixing clips or with bolts]		
	10.12.1	and nuts as required, including providing				
41	+	and fixing of glass panels with glazing				
	10.13B	clips and special metal-sash putty of				
		approved make complete including				
		applying a priming coat of approved steel			,	
		primer excluding the cost of metal				
		beading and other fitting except necessary				
		hinges or pivots as required				
ļ		Extra for providing and fixing steel				
		beading of approved shape and section				
		with screws instread of glaxing clips and				Rupees three
		met. Sash putty in steel doors,		·		thousand one
]	windows, ventilators and composite units.	64.00		048800	hundred seventy five
L.,			64.80	sqm.	3175.00	only.

216/4 gaille

Chief Eng neer

B.S.E.I.D.C. Lid, Patna

She

31/10/19

17

		ID :::				
		Providing and fixing glazed steel doors,				
		windows or ventilators of standard rolled	f standard rolled gred and welded 10cm long with genent concrete 1:3:6) (1cement : one aggregate with wooden plugs and so or with bolts adding providing with glazing sh putty of including f approved steel of metal except necessary edicing steel e and section exing clips and ors, omposite units. 1.62 sqm. 3181.80 Rupees three thousand one hundred eighty one & paise eighty only. grills of nes of windows or round bars welding. 1.733.76 Kg 86.00 Rupees eighty six only. il by welding & staircases a priming coat nominal bore. 411.40 Kg 90.70 Rupees ninety & paise seventy only.			
		steel sections, joints mitered and welded				
		with 15x3 mm M.S. lugs10cm long with				
	1	steel legs embedded in cement concrete				
ĺ		blocks 15x10x10cm.of (1:3:6) (1cement	:			
		3 coarse sand: 6 graded stone aggregate				
	1	20mm nominal size) or with wooden				
		plugs and screws or rawl plugs and				
		screws or with fixing clips or with bolts	1	1		
	10.12.1	and nuts as required, including providing		1		
42	+	and fixing of glass panels with glazing				
	10.13c	clips and special metal-sash putty of				
		approved make complete including				
		applying a priming coat of approved steel		1		
		primer excluding the cost of metal				
		beading and other fitting except necessary	·			
		hinges or pivots as required				
		Extra for providing and fixing steel				
		beading of approved shape and section				
		with screws instread of glaxing clips and	ľ			Rupees three
		met. Sash putty in steel doors,				thousand one
		windows, ventilators and composite units. VENTILATOR	1.00			hundred eighty one
		Providing and fixing M.S. grills of	1.62	sqm.	3181.80	& paise eighty only.
		requirement pattern in frames of windows	e	garan.	And the second second	and the second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second s
12	0.40.1	etc. with M.S. flats square or round bars				
43	9.48.1	etc all complete				
		fixed to steel windows by welding.				D
		For all floor	1733 76	Ka	96.00	
			1100.10	I Ng	00,00	only.
		Providing & fixing hand rail by welding	part	parameter.	and the second second	
,		etc. to steel ladder railling & staircases				
44	10.33.1	railling including applying a priming coat				
	:	of approved steel primer.				
		MS tube (medium) 40mm nominal bore.				Rupees ninety &
		Steel Hand Rail	411.40	Kg	90.70	
		Providing and fixing M.S. fan clamp type I	piecies	- سن	Marie State	July.
		or II of 16 mm dia.M.S. bar bent to shape		R. Care		and the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of t
45	10.17	with hooked ends in R.C.C slabs during				
43		laying				
	į,	including painting the exposed portion of				
l]	loop, all as per standard design complete.			İ	Rupees ninety seven
			24.00	each	97.00	only.

MIS GAMPATH CONSTRUCTION,
214/9 371 (THE

Chief Engineer

B.S.E.I.D.C. Ltd. Patna


NO.


31/19/16

9 .) 1/4

WA	
IU	
1-1	

	1					
46	5.22	Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.				
		TMTC-500				
	5.22.7A	TMTC-500 8mm dia	7343.00	Kg	56.00	Rupees fifty six only
	5.22.7B	TMTC-500 10mm dia	750.00	Kg	parameter.	Rupees fifty four of paise seventy only
	5.22.7C	TMTC-500 12mm dia	3500.00		53.40	Rupees fifty three & paise forty only
- Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission of the Commission	5.22.7D	TMT-500 16mm dia	8250.00		54.40	Rupees fifty four &
······································	5.22.7E	TMT-500 20mm dia	8000,00		53.60	Rupees fifty three &
		Micslaneous Work		1.5	33.00	paise sixty only
47	4.17	Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well				
NOV POLICE STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A		rammend and consolidated and grouted with fine sand including finishing the top smooth.	101.59	sqm.	359.80	Rupees three hundred fifty nine & paise eighty only.
وزوستو بالتوارات والتحار			Name of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State		Total(A) =	4,881,191.58
48	12.78.2	Providing and fixing on wall face unplastidsed PVC (working pressure 4 kgf per sqm) rain water pipes conforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10 mm gap for thermal expansion. 110 mm diameter.	18.00	MTS		Rupees two hundred twelve & paise forty
		Providing and fixining water closet	18.00	MIS	212.40	only.
49	B.S.R 17.1.1	squatting pan (Indian type W.C. pan) with 100 mm sand cast iron P or S tap, 10 litre low white P.V.C. Flushing cistern with munally controlled device (handle level) conforming to IS: 7231 Parryware/Hindware with all fittings and ixtures complete including cutting and making good the walls and floors wherever required. White Vitreous China Orissa pattern W C ban of size 580 x 440 mm with integral type foot rest.				Rupees three thousand forty nine





7 September 1 . J

ž	p
-/	14
1	8

	- Contraction	/9				
50	17.2.1	Providing and fixing white vitreous chin pedestal type water closet(European typ W.C. pan) with seat and lid, 10 litre lov level white P.V.C. flushing cistern including flush pipe, with manuall controlled device (handle lever) conforming to IS: 7231, with all fitting and fixtures complete, including cutting and making good the walls and floors wherever required: W.C. pan with ISI marked white solid plastic seat and lid	e v v v v v v v v v v v v v v v v v v v	Each	2970	Rupees two thousand nine hundred seventy
51	B.S.R 17.4.3	Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I. clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required: Range of three urinal basins with 10litre				Rupees six thousand
		white P.V.C. automatic flushing cistern. Providing and fixing wash basin with C.I.	3.00	Each	6,205.20	two hundred five & paise twenty only.
52	B.S.R 17.7.2	brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:		toperature."		
		White Vitreous China Wash basin size 630x450 mm with a single 15 mm C.P. brass pillar tap	6.00	Each	1,818.50	Rupees one thousand eight hundred eighteen &
53	B.S.R	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C.	0.00	Lacii	1,010.30	paise fifty only.
	17.28.2.1	waste fittings complete. Flexible pipe 32 mm dia	6.00	Each	76.10	Rupees seventy six & paise ten only.


Chief Eng neer


B.S.E.I.D.C. Ltd. Patn

Pho.

31/16/19


Froviding and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I Concealed work including cutting chases and making good the wall etc. 15 mm nominal outer dia Pipes Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. Solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. Solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. Solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. Solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. Solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. Solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. Solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. Rupees one hundred ninety three & paise sixty only without fittings and the base support for tank. Providing and pair and pair and pair and pair and pair and pair and pair and pair and pair and pair and pair and pair and pair and pair and pair and pair and pair and pair and pair and pair and pair and pair and pair and pair and pair and pair and pair and pair and pair and pair and pair and pair and pair and pair and pair and pair an			20				
backing: Rectangular shape 453 x 357 mm Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings includes joining of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I Concealed work including cutting chases and making good the wall etc. 15 mm nominal outer dia Pipes Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. S.S.R. 18.9.3 B.S.R. 18.9.8 18.9.8 18.9.8 18.9.9 B.S.R. 18.93 B.S.R. 18.93 B.S.R. 18.93 B.S.R. 18.93 B.S.R. 18.93 B.S.R. 18.93 B.S.R. 18.93 B.S.R. 19.90 B.S.R. 19.90 B.S.R. 18.93 B.S.R. 19.90 B.S.R. 19.90 B.S.R. 19.90 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S.R. 19.91 B.S	54	1	glass (of approved quality) and required shape and size with plast moulded frame of approved make ar	of ic id			Rupees six hundred
Rectangular shane 453 x 157 mm Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of F/I Concealed work including cutting chases and making good the same including cutting chases and making good the wall etc. 15 mm nominal outer dia Pipes 60.00 metre 221.40 forty only forty only forty only pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 8.S.R 18.93. 18.8.8 lb.S.R 18.48 locking arrangement and making necessary holes for inlet, outet and overflow pipes but without fittings and the base support for tank. 8.S.R 18.93. Providing and fixing C.P. brass bib cock of approved quality conforming to 1S.893. 1 mn nominal bore. Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to 1S.893. 1 mn nominal bore. 10.00 Each 481.60 Rupees six hundred fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten fifty & paise ten			backing:		1		
Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including cutting chases and making good the wall etc. 15 mm nominal outer dia Pipes Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 25 mm anamical includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 25 mm anamical includes a per direction of Engineer in Charge. 25 mm anamical includes a per direction of Engineer in Charge. 25 mm anamical includes a per direction of Engineer in Charge. 25 mm anamical includes a per direction of Engineer in Charge. 25 mm anamical includes a per direction of Engineer in Charge. 25 mm anamical includes a per direction of Engineer in Charge. 27 mm anamical includes a per direction of Engineer in Charge. 28 manamical includes a per direction of Engineer in Charge. 29 providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI and the base support for tank. 29 providing and fixing C.P. brass bib cock of approved quality conforming to 15:8931 15 mm nominal bore. Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS:8931 15 mm nominal bore. Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS:8931 15 mm nominal bore.		,	Rectangular shape 453 x 357 mm		Each	636,90	
Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 25 mm nominal inner dia Dines Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI 12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. B.S.R 18.48 B.S.R 18.49 Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS:8931 Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS:8931 Suppose the design of the standard design and of approved make conforming to IS:8931 Rupees six hundred fifty & paise ten	55	1 .	Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brast threaded fittings including fixing the pipe with clamps at 1.00 m spacing. The includes joining of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joint complete as per direction of E/I Concealed work including cutting chase and making good the wall etc.	er es ee ee dd s	metre	221 40	Rupees two hundred twenty one & paise
Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI :12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 B.S.R 18.49 B.S.R 18.52.1 B.S.R 18.52.1 Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS:8931 15 mm nominal bore. Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS:8931 15 mm nominal bore. Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS:8931 15 mm nominal bore. Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS:8931 15 mm nominal bore. Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS:8931	56	1	Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge.				Rupees one hundred ninety three & paise
B.S.R 18.49 B.S.R 18.49 B.S.R 18.49 B.S.R 18.49 B.S.R 18.52.1 B.S.R 18.52.1 Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 10.00 B.S.R 10.00 Rupees two thousand nine hundred seventy only. Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS:8931 To make the seventy only. Rupees six hundred fifty & paise ten	57	18.48	Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI:12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but	-	per		sixty only. Rupees six & paise
B.S.R 18.52.1 Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS: 8931 15 mm nominal bore 10.00 F. 1	58	B.S.R 18.49	of approved quality conforming to IS:8931		eggerer		Rupees two thousand nine hundred seventy
1 15 mm nominal hara 1000 10 1 cm and	59	B.S.R 18.52.1	Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS: 8931	TO.OU			Rupees six hundred
			15 mm nominal bore.	10.00	Each	650.10	· =





.) J j

J		2				
60	B.S.R 19.6.2	Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement: 2 fine sand) including testing of joints etc. complete: 150 mm dia R.C.C. pipe	25.00	metre	329.40	Rupees three hundred twenty nine
61	B.S.R 19.27.1	Constructing brick masonry road gully chamber 50x45x60 cm with bricks in cement mortar 1:4 (1cement : 4 coarse sand) including 500x450 mm pre-cast R.C.C. horizontal grating with frame complete as per standard design : With common burnt clay F.P.S. (non modular) bricks of class designation 7.5				Rupees three thousand three hundred eighty four
n/I	B.S.R 9.30.1.1	Contructing brick masonry chamber for Underground C.I. Inspection Chamber and bend with 75 class designation bricks in cement mortar 1:4 (1 cement : 4 coarse sand) C.I. Cover with frame (light duty) 455x610 mm internal dimentions, total weight of cover with frame to be not less than 38 kg. (weight of cover 23 kg. and weight of frame 15 kg.) RCC top slab with 1:1.5:3 mix (1 cement: 1.5 coarse sand :3 graded stone aggregate 20 mm nominal size) foundation concrete 1:5:10 mix (1 cement:5 coarse sand : 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm th. with cement mortar 1:3 (1 cement:3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design. Inside dimensions 466x610 mm and 45cm deep for single pipe line : With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	2.00	Each	4,147.30	Rupees four thousand one hundred forty seven & paise thirty only.




Chief Eng neer


B.S.E.I.D.C. Ltd. Patnay

31110

160 , called 7 J 1116


	****	22_				
63	B.S.R 19.32.1	Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter, 1.8 m long complete as per standard design. With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	1.00	Each	28,775.50	Rupees twenty eight thousand seven hundred seventy five & paise fifty only.
64	B.S.R 19.34.1	Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete: 100 mm dia	10.00	Each	281.30	Rupees two hundred eighty one & paise
65	Code no. of 1352	(i) C.I. cover and frame 300 x 300 mm inside	1.00	Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of th	362.59	Rupees three hundred sixty two & paise fifty nine only.
66	Code no. of 1621	(ii) S.C.I. plain bend 100 mm dia	1.00	Each	423.02	Rupees four hundred twenty three & paise two only.
67	Code no. of 7087	(iii) S.C.I. Tee 150 mm dia	1.00	Each	725.17	Rupees seven hundred twenty five & paise seventeen only.
68		Detailed Estimate for construction of 125 mm x 40 mm x 90 m Tube well Manual Boring	1.00	Each	60 202 05	Rupees sixty thousand two hundred ninety two & paise ninety four
		NON SCHEDULED ITEMS(MARKET RATE)		Each	60,292.95	only.
69		P.V.C. PIPE Provding and fixing soil,waste and vent pipes 110 mm dia	20.00	Mtr	347.00	Rupees three hundred forty seven
70		P.V.C. FITTINGS DOOR TEE 110 mm dia	6.00	Each	365.00	Rupees three hundred sixty five only.
71		DOOR BEND 110 mm dia	6.00	Each	283.00	Rupees two hundred eighty three only.






SH

		2-2				
72		BEND 45 110 mm dia	·			Rupees one hundred
			10.00	Each	185.00	eighty five only.
73		VENT COWEL 110 mm dia	20.00	Each	65.00	Rupees sixty five
74		PIPE CLIP 110 mm dia	20.00	Each	53.00	Rupees fifty three only.
75		FLOOR TRAP 110X110 mm dia	8.00	Each	Market Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the	Rupees four hundred
			8.00	Each	436.00 Total (B) =	thirty six only. 264,874.43
	Electric	cal Works (1% labour cess has been added	l on curre	ent - 201	The second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second secon	204,674,43
		Wiring for light point / fan point / exhaust				
76	1.3	fan point / call bell point with 1.5 sq.mm FR PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with modular			·	
		switch, modular plate, suitable size G.I. box etc as required.				Rupees six hundred
embere, es es este este este este este este e	1.3.3	Group C	90.00	Nos.	675.00	seventy five only.
77	1.4	Wiring for twin control point with 1.5 sq.mm FR PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, 2 way modular type switch, phenolic	Name of the second			
		laminated sheet, suitable size M.S. / PVC				Rupees seven
PRINCE TO STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF		hox etc as required	6.00	Nos.	720.00	hundred twenty only.
78	1.5	Wiring for light/ power plug with 2x4 sq.mm FR PVC insulated copper conductor single core cable in surface/ recessed medium class PVC conduit along with 1 No 4 sq. mm FR PVC				
-		insulated copper conductor single core	180.00			Rupees one hundred
		Cable for loop earthing as required Wiring for circuit / submain wiring	150.00	meter	193.00	ninety three only.
	1.7	alongwith earth wire with the following sizes of FR PVC insulated copper conductor single core cable in surface /		Parente		
79	1.7.2	2 x 2.5 sq.mm + 1 x 2.5 sq. mm earth wire	65.00	meter	150.00	Rupees one hundred fifty only.
	1.7.4	2 x 6 sq.mm + 1 x 6 sq.mm earth wire.	0,00	meter	all control of	Rupees two hundred
r.	and the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of t		0,00	1110101	2/0.00	seventy six only.





,c5//25,



ejla

1		24				
	1.7.5	2 x 10 sq.mm + 1 x 10 sq.mm earth wire.	60.00	mator	417.00	Rupees four hundred
		Supplying and fixing metal/pvc of 150mm x 75mm x 60mm deep (nominal size) on surface or in recess with suitable	eicenen.	meter	417.00	seventeen only.
80	1,29	size of phenolic laminated sheet cover in front including providing and fixing 5 pin 5/6 amps socket outlet and 5/6 amps piano type switch, connections, painting etc. as required.	ı			Rupees one hundred
			14.00	nos.	199.00	ninety nine only.
81	1.3	Supplying and fixing metal/pvc box of 180mm x 100mm x 60mm deep (nominal size) on surface or in recess with suitable size of phenolic laminated sheet cover in front including providing and fixing 6 pin		Personal Control		
		5/6 & 15/16 amps socket outlet and 15/16 amps piano type switch, connections, painting etc. as required.	20.00	nos.	313.00	Rupees three hundred thirteen only.
	1.24	Supplying and fixing following Modular type switch/ socket on the existing switch box / cover including connections etc.as required	6	gareri.		Omy,
82	1.24.1	5/6 amps switch.	90.00	Each	98.00	Rupees ninety eight only.
	1.24.4	3 pin, 5/6 amps socket outlet.	18.00	Fooh	120.00	Rupees one hundred
83	1.25	Supplying and fixing stepped type electronic fan regulator on the existing modular plate switch box including	10,00	Each	120.00	twenty only. Rupees three
No week to a suit of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the supplementary of the suppl		connections but excluding modular plate etc. as required	24.00	Each	387.00	hundred eighty seven only.
84	1.33	suppling and fixing fixing 2 pin, 6 amp ceiling rose on the existing junction box/wooden block including connection etc as		Poderani	· ·	
		required.	24.00	Each	35.00	Rupees thirty five
85	1.34	Supplying and fixing batten / angle holder	<u> </u>	Each	35.00	only.
65		including connection etc as required.	18.00	Each	48.00	Rupees forty eight only.





• :)

		25				
86	2.8	Supplying and fixing following way, sing pole & neutral, sheet steel, MCB distribution board, 240 volts, on surface / recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted, including earthing etc as required. (But without MCB/RCCB/Isolator)				Rupees one thousand eight hundred forty six
	2.8.9	2 + 12 way, Double door,	3.00	Each	1846.00	only.
87	2.15	Supplying and fixing following rating, double pole, 240 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required		p. de de l'architecture.		
	2.15.2	63 Amps	3.00	Each	528.00	Rupees five hundred twenty eight only.
88	2.12	Supplying and fixing following rating, 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in existing MCB DB completed with connections, testing and	and the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of th			Orday Organ Only.
	2.10.1	commissioning etc. as required.				Rupees two hundred
89	3.60	Earthing with copper earth plate 600 mm X 600 mm X 3 mm thick including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe of 2.7 metre long etc. with charcoal/ coke and	24.00	Each	208.00	eight only. Rupees eleven
		salt as required.	1.00	Each	11703.00	thousand seven
90	3.80	Supplying and laying 25 mm X 5 mm copper strip at 0.50 metre below ground as strip earth electrode, including connection/ terminating with nut, bolt, spring, washer etc. as required. (Jointing	1.00	Each	11703,00	hundred three only.
		shall be done by overlapping and with 2 sets of brass nut bolt & spring washer spaced at 50mm)	15.00	meter	868.00	Rupees eight hundred sixty eight only.
91	2206.00	3.5 core, 35 sq.mm XLPE/PVC insulated PVC sheathed (Heavy duty) armoured electric cable with aluminium conductor	50,00		351.93	Rupees three hundred fifty one & paise ninety three
L			20.00	meter	221.73	only.

2101/9 3 h/ 17-16

.)

Chief Eng neer

3.S.E.I.D.C. Ltd, Patna

Allo

31/10/1/

À .) ..) , di J.

		26				
92	7.1	Laying of one number PVC insulated and PVC sheathed / XLPE power cable of 1.1 kv grade of following size direct in ground including excavetion and refilling the trench etc as required.				Rupees one hundred
	7.1.1	Upto 35sq mm	40.00	meter	149.00	forty nine only.
	2.1	Providing and fixing following capacity TP&N disconnector fuse switch unit inside the existing panel board with ISI marked HRC fuse including drilling holes in cubical panel, making connections etc. as required.				
93		100 Amps TP&N				
	2.1.6		1.00			Rupees six thousand nine hundred ninety
1	***************************************	32 Amp TP&N	1.00	Each	6997.00	seven only.
	2.1.4	32 Amp Tran	/			Rupees one thousand eight hundred fifty three
			1.00	Each	1853.00	only.
94	2.5,	Providing & fixing following capacity busbar chamber with 4 strips of suitable size made of copper, heavy duty, complete with all accessories including				Rupees six thousand
	0.50	connections.			i	three hundred sixty
	2.5.3	200 Amps	1.00	Each	6360.00	only.
95	2.7	Providing and fixing following capacity four pole OFF-load changeover switch with side handle operation, in sheet enclosure in existing metal board,		general constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraints of the second constraint		
		including drilling holes in metal panel, making connections etc. as required.				Rupees five thousand seven
	2.7.3	100 Amps, Four pole	1.00	Each	5795,00	hundred ninety five
			1.00	Lacii	Total Cost	only. 241,206.50
96	DGS&D	Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit.	10.00	Nos.	7,549.75	Rupees seven thousand five hundred forty nine & paise seventy five
			10.00	1,400,		only.
١	1		Passer .	L	Total(D) =	75,497.50

2101/9 gnilles

:)

Chief Eng neer

3.S.E.I.D.C. Ltd, Patna

Skehnel

31/10/19

\$ 4.86°

	Type of materials			Rate Incl. 1% Lab. Cess	
	Cement	104.83	MT	282.30	Rupees two hundred
			all the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of th		eighty two & paison twenty nine only
	Sand				Rupees one thousand six
		152.64	cum	1,668.52	hundred sixty eigh & paise fifty two
	Local Sand				only
		81.08	cum	181.48	Rupees one hundred
97		O1.00		101.40	eighty one & paise
	Stone Chips				forty seven only.
	·	146.69	cum	1,619.61	Rupees one thousand six
	Brick	with the second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second		And the second second	hundred nineteen & paise sixty one only.
	Brick	89.35	Thous	531.02	Rupees five hundred thirty one & paise
	Steel				one only.
		27.75	MT	282.30	Rupees two hundred
					eighty two & paise twenty nine only.
98	Add Extra Cost of Material with respect to Gaya				Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction o
	Brick				Rupees three
		89.35	Thous	370.75	hundred seventy & paise seventy five
	Cement			And the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of t	only.
		104.83	МТ	319.03	Rupees three hundred nineteen &
			-	ALL ALL AREA	paise two only.
***	Grand Total	al (A	TDTV	Total (E) =	658,426.41
	Grand 10th	aı (A	+B+C+	-D+E) Say	6,121,196.42

Single Byllifit

:)


()

1

:)

0

1.3



J j ١

"Details of SI No.68(Construction of 125mm x 40mm x 90m Tube well)is given below"

**************************************		Part 'A' - Cost of Materials				
1		125mm dia UPVC casing pipe confirming to ISS	27	Meter	315	Rupees three hundred fifteen only
2		40mm dia UPVC pipe confirming to ISS	48	Meter	99.38	Rupees ninety nine & paise thirty eight
3		40mm dia PVC ribbed strainer of approved quality	8	Meter	182	Rupees one hundred eighty two only.
4		Reducing socket 125mm x 40mm	1	Each	270	Rupees two hundred seventy only.
5		Supplying all labour and materials & fitting & fixing PVC cap over the new sink T/well		Each	140	Rupees one hundred forty only.
6	B.S.R 1548	Providing and fixing of G.I pipes complete with G.I fittings and clamps, including, cutting and making good etc 32 mm dia (15% C.P & 1% L.Cess)	18	mtr	217.55	Rupees two hundred seventeen & paise fifty five only.
7	B.S.R 1928	32 mm nominal bore Bross Full valve (15% C.P & 1% L.Cess)	, 1	Each	495.53	Rupees four hundred ninety five & paise fifty three only.
8		Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of E/I	1	Each	26446	Rupees twenty six thousand four hundred forty six only.
		Sub - Total "A"				45,998.67
		Part 'B' - Cost of Labour				

214/9 BAILIFE

Chief Eng neer

3. S.E.I.D.C. Ltd, Patna

21/10/14

) .) J) Jensey

	2)				
	Boring by jet dheki by suitable cutter reduce as the case may be lowering 12 mm x U.P.V.C x 40 mm dia G.I pipe strainer of standard quality iron, sho plug & socket etc. all complete includin providing all tools and plants required for the job as per specification and direction of the engineer in charge.	25 & e, or			
	(i) 0 to 30.5 m				
9	(a) For 125 mm dia U.PV.C pipe	27	mtr	208.77	Rupees two hundred eight & paise seventy seven only.
10	(b) for 40 mm dia UPVC pipe				seventy seven only.
	(i) 0 to 30.5 m	3.5	mtr	119,03	Rupees one hundred nineteen & paise three only.
	(ii) 30.5 m to 61.0 m				infecting.
11	(a) For 40 mm dia UPVC pipe (iii) 61.00 m to 75.00 m	30.5	mtr	136.88	Rupees one hundred thirty six & paise eighty eight only.
	(iii) 51,55 iii to 75,00 iii			The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s	
12	a) For 40mm dia UPVC pipe	14	mtr	148.79	Rupees one hundred forty eight & paise seventy nine only.
	(iv) 75.00 m to above				
13	a) For 40mm dia UPVC ribbed strainer of approved quality	8	mtr	148.79	Rupees one hundred forty eight & paise
14	Providing all labour & tools and lowering 32 mm dia G.I pipe as per specificatin etc. all Complete	24	mtr	21.34	Rupees twenty one & paise thirty four only.

1/8 GANDATI JONSTRUCIANI 2161/9 GANLIFE

)

Chief Eng neer

3.S.E.I.D.C. Ltd. Patna

21/19/18

0 ` STREET, ST.

15	Supplying labour and developing the T/Well to have sand free discharge all complete as per direction of E/I	Each	280.5	Rupees two hundred eighty & paise fifty only.
	Sub - Total			14,294.28
	Total C="A+B"			60,292.95

Tender approved in favour of Ganpati Construction @ 10.00% (Ten Decimal Zero Zero Percent) below i.e. total amount comes to Rs. 55,09,077=00 (Rupees Fifty Five Lacs Nine Thousand Seventy seven Only)

N/S GATENTE CONSTRUCTION
21019 STATES

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Jehandh

31/10/16

Performance Security

Name of Agency:- "Ganpati Construction"

Performance Security of Regarding "Construction of Admin. Block at Maharani Kalyani College, Lehariasarai, SL. NO- 01 (NIT No- 83/17-18-"

FDR A/C No.	Period		<u>AMOUNT</u>
721100DP00010158	23.02.18		150000.00
721100DP00010149	23.02.18	•	150000.00
,		Total –	300000.00

(Rupees Three Lac Only)

Awir Ly Som 4/10/10 लेखा पदाधिकारी बिहार राज्य शेक्षणिक आधारभूत संरचना विकास निगम लि०, पटना

214/9 971 Pet

Chief Eng neer

B.S.E.I.D.C. Ltd, Patna

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम) 32

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, षिवपूजन सहाय पथ, सैदपुर, पटना-800004, दूरभाष-0612-2910314 कॉर्पोरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256,

पत्रांक:- BSEIDC/FIN/3317/2018-19/- ५ ५,८०

पटना, दिनांक......१२...४,७५१४

सेवा में,

Ganpati Construction At-Ranigani Ward 03 Bara Chakia East Champaran

विषय:--बिहार राज्य अंतर्गत "Construction of Administrative Block At Maharani Kalyani College, Laheriasarai Darbhanga (NIT No.-83/2017-18). SI No.-01 in the State of Bihar (निविदा आमंत्रण सूचना सं0-83/2017-18 के कार्य हेतु Performance Security जमा कर एकरारनामा करने के संबंध में।

महाषय,

उपर्युक्त विषय के संबंध में कहना है कि विषयांकित कार्य की निविदा हेत् आपके द्वारा मदवार उद्धत दरों के आधार पर कुल निविदित राशि रू० 55,09,077 / - (पचपन लाख नौ हजार सतहतर रूपये) मात्र आपके पक्ष में स्वीकृत की गयी है।

अतः निदेश दिया जाता है कि उक्त कार्य के एकरारनामा हेतु Performance Security की राशि रू० 2,76,000/- (दो लाख छिहतर हजार रूपये) मात्र का सावधि पासबुक/राष्ट्रीय बचत प्रमाण पत्र के रूप में प्रबंध निदेशक, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि॰, पटना के नाम से प्रतिज्ञप्ति (Pledge) अथवा एकाउंट पेयी डिमाण्ड ड्राफ्ट / फिक्सड डिपोजिट रसीद / बैंक गारंटी, जो राष्ट्रीय बैंक / अनुसूचित बिहार राज्य स्थित बैंक द्वारा निर्गत एवं बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि० के पक्ष में पटना में भुगतेय हो, जमा कर एकरारनामा कर लें।

कार्यहितू में यह निदेश दिया जाता है कि आप तत्काल संबंधित कार्यपालक अभियंता से संपर्क कर निर्माण कार्य प्रारंभ करें। इस पत्र की निर्गत की तिथि को कार्य प्रारंभ की तिथि माना जाएगा। Performance Security की राशि के सत्यापन एवं समुचित श्रेणी में इस निगम में निबंधन के उपरांत एकरारनामा किया जाएगा।

ज्ञापांक : BSEIDC/FIN/3317/2018-19/- ५२४ -

पटना, दिनांक..<u>श्र.८.८.८/</u>//८

प्रतिलिपि : Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC website/Senior Account Officer/ All Executive Engineer / All Suprintending Engineer BSEIDC for

information & necessary action.

Chief Eng neer S.S.E.I.D.C. Ltd, Patna

-.) : 19 .) ...)

SPECIAL CONDITIONS

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes royalties and other

incidental charges.

4. To qualify for award of work, the Bidder must possess the following:-

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of signatory bid.

b) DD for required value of B.O.Q. Cost.

c) Sufficient Earnest Money Deposit.

d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.

Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed at least one Building work of value not less than 25 % of estimated

value of contract) in last five years as mentioned in Technical bid.

f) Certificate from EE / Concerned Authority for Work Experience of Minimum Quantities of work done as prime contractor in any one year during last five years as mentioned in Technical bid.

g) Litigation History as mentioned in Technical bid.

h) Valid Registration with Central/State Govt. / PSU.

Affidavit/Certificate "for not been debarred and required attachments are true and correct and if found fake/ forged, the undersigned will be liable to be inflicted upon the FIR and lawful punishment as well as black listing".

5. Contractor should satisfy themselves fully about the nature, site of work before offering

their tender and place of any ignorance afterwards shall not be considered.

6. The tender without earnest money or insufficient earnest money submitted with the tender, will be outright rejected.

7. Conditional tenders shall be outright rejected.

8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.

9. Authority shall reserve the right to reject any or all the tenders or distribute the work to

more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained.

11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules prevalent in the locality.

12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the

contractor.

- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-
- a. Natural calamities
- Act of enemies.
- Transport and procurement difficulties.

(Seal & Signature of Tenderer)

Page 1 of 2

Chief Eng neer 3.S.E.I.D.C. Lkd, Patna

d. Circumstances beyond the control of the state.

- 15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- 16. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
- 17. The contractor shall make his own arrangement for water and light at the work site.
- 18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 20. The Tenderer must not quote their rate more than 10 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
- 21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 22. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.
- 23. The Defect liability Period shall be Three (3) Years from the date of completion of the work.
- 24. The Contractor shall rectify at his own cost in case the work is found to be defective during checking in liability period.
- 25. It will be the responsibility of the contractor to pay royalty of mines materials .The Contractor shall submit form "M" and "N" duly Filled as per "Bihar" Mines and Mineral Act 1972.
- 26. The Contractor shall Display a Signboard at work site about the work as on the format prescribed by Engineer- in- Charge.
- 27. The Contractor shall Furnish his programme of construction for execution of the work within the stipulated time schedule together with methodology of construction of each item or work and obtain the approval of the Engineer- in- Charge prior to actual commencement of work.

as to m we co as m no on m in an m m to on to as to to by to a m in a m in a m in a m in a m in a m

Was GAMPAUL CONSTRUCTION.
PIONE SANTHER

(Seal & Signature of Tenderer)

Page 2 of 2

Chief Eng neer 3.S.E.I.D.C. Ltd, Patna

3110

W L Commonwealth

विहार राज्य शैक्षणिक आधारमूत संरचना विकास निगम लिमिटेड (बिहार सरकार का एक उपक्रम) रिक्षा भवन, बिहार राष्ट्रमाषा परिषद् कैम्पस, आचार्य शिवपुजन सहाय पथ, सैवपुर, पटना-800004 (दूरमाप-0612-2910314)

निविदा आमंत्रण सूचना संख्या-83 वर्ष 2017-18 किवल ई-टेन्डिरिंग पद्धति के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

1. बिहार राज्य के अन्तर्गत विभिन्न भवनों का निर्माण कार्य हेतु प्रतिशत दर निविदा आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार/सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रजिस्ट्रेशन, उक्त कार्य का लेटर ऑफ एक्सेपर्वेस प्राप्त होने के बाद कराना होगा।

क्रमांव		प्राक्कित राशि (लाख स में)	की राहि	रा विपन्न हैं का मूल	Beltron Bid Processing Fee	
1	Construction of Administrative Block at Maharani Kalyani College, Laheriasarai Darbhanga.	e 70.00	1,40	(स्र <i>्वे</i>) -10,000	As appeared	की अवधि
2	Construction Laboratory Block (Psychology & Geology) at Maharani Kalyani College, Darbhanga,	70.00	1.40	10,000	As appeared	
3	Construction of PG Chemistry Block at CM Science College, Darbhanga.	70.00	1.40	10,000/	4	
4	Construction of Remaining Portion of Boundary Wall, Approach Road, Cycle Stand, Gate & Campus Development at Women's College Gulzarbag at Gaighat, Patna.		1.70	10,000/-		3 माह
5	Construction of Rajkiyakrit Balika uchhay vidayalai +2, Dalsingsarai in the dist. of Samastipur	125.830	2.517	10,000/-	As appeared on the website	15 माह
8	Construction of Balika uchhay vidayalai +2, Rosera in the dist. of Samastipur	127,531	2.551	10,000/-	As appeared on the website	15 माह
7	Construction of Project Balika uchhay vidayalai +2, Vaishali in the dist. of Vaishali	125,508	2,511	10,000/-	As appeared on the website	15 माह
	Construction of S.M.T Uchhay vidayalai +2, Vaishali in the dist. of Vaishali Construction of Raikiya	125,508	2,511	10,000/-	As appeared on the website	15 माह
9	Rajgrihi Uchhay vidayalai +2, Premraj in the dist of Vajshali	125.293	2,506	10,000/-	As appeared on the website	15 माह
10 1 1	Construction of High School bullding in Jogbani at Forbesganj in dist. of Araria (SSSM -365)	131.00	2.620	10,000/-	As appeared on the website	15 माह
1 3 N A	Construction of High School building in Varpatganj in the dist, of Araria (SSSM-366)	131,00	2.620	10,000/-	As appeared on the website	15 माह
2 C	onstruction of High School	131.00	2.620	10,000/-	As appeared on the website	15 माह

Offiqual.

Chief Eng neer B.S.E.I.D.C. Ltd. Patna

:) of C

13	Kamalpur at Raniganj in the dist. of Araria (SSSM- 368)	131.00	2.620	10,000/	As appeared on the website	15 माह
14	Construction of High School building at upgraded high school Kochadhaman in the dist. of Kishanganj (SSSM-369)	131.00	2.620	10,000/-	As appeared on the website	-15 माह
15	Construction of High School building at upgraded high school Kuwarikairi at kochadhaman in the dist, of Kishanganj (SSSM-370)	131.00	2.620	10,000/-	As appeared on the website	15 माह
16	Construction of High School building at upgraded high school Barijan at kochadhaman in the dist. of Kishanganj (SSSM-371)	131.00	2.620	10,000/-	As appeared on the website	15 माह
17	Construction of High School building in middle school Badinaki at sanhaula in the dist. of Bhagalpur (SSSM-372)	131.00	2,620	10,000/-	As appeared on the website	15 माह
18	Construction of High School building in Akderva at Thawe in the dist. of Gopalganj (SSSm-373)	131.00	2.620	10,000/-	As appeared on the website	15 माह
19	Construction of High School building in Singhwara in the dist. of Darbhanga (SSSM-374)	126.30	2.530	10,000/-	As appeared on the website	15 माह
20	Interior works of state Appellate authority, 5C, Niyojan Bhawan, Patna.	71.50	1.430	10,000/-	As appeared	15 माह

(1.) चौट:-- (i) प्राक्कितित राशि घट या बढ़ सकती है एवं त्वनुसार अग्रधन की राशि घट या बढ़ सकती है। (ii) वेबसाईट-www.eproc.bihar.gov.in पर अंकित प्राक्कलित राशि, अग्रधन की राशि एवं परिमाण विपत्र की राशि अंतिम रुप से मान्य होगा।

(2) विज्ञापन निर्गत करने की तिथि।

(3) परिमाण विपत्र प्राप्त करने(डाउनलोड) की अवधि एवं समय:- दिनांक- 17.02.2018से 26.02.2018, 16:00 घंटा

:- दिनांक:-07.02.2018

(वेबसाईट:www.eproc.bihar.gov.in पर)

(4) प्री बिंड मीटिंग का समय, स्थान एंव तिथि

दिनांक:- 21.02.2018, 16:00 घंटा प्रबंध निदेशक का कार्यालय,बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम, पटना। दिनांक- 27.02.2018, समय- 15:00 घंटा

(5) निविदा प्राप्ति(अपलोड) की अंतिम तिथि एवं समय:-(६) अग्रधन जमा करने की अंतिम तिथि एवं समय

(7) टेक्निकल बिंड खोलने की तिथि एवं समय

दिनांक- 28.02.2018, समय- 15:00 घटा दिनांक- 28.02.2018, समय- 16:30 घंटा (वेबसाईट–www.eproc.bihar.gov.inपर)

(8) वित्तीय बिंड खोलने की तिथि एवं समय (9) निविदा खोलने का स्थान

(10) निविदा की वैद्यता की अवधि

दिनांक- 06.03.2018, समय- 16:30 घंटा वेबसाइंट-www.eproc.bihar.gov.inपर

(11) ई-टेन्डरिंग की प्रकिया में नाग लेने हेतु संवेदकों को पंजीकृत होना होगा, जिससे कि उन्हें उपयोगकर्ता का नाम (user ID) पासवर्ड (Password) अंकीय हस्ताक्षर (Digital Signature) निर्गत की जायेगी। यह उन्हें वेबसाईट www.eproc.bihar.gov.in से डाउनलोड करने / टेन्डर् की प्रक्रिया में भाग लेने की योग्यता प्रदान करेगा।

Chief Eng neer B.S.E.I.D.C. Ltd, Patna

Ì 1000 A. . (12) ई-निविदा पत्र बेवसाईट www.eproc.bihar.gov.in से प्राप्त किया जा सकता है। संवेदक द्वारा सिर्फ उपर्युक्त वेबसाईट से ही पिरमाण विपन्न प्राप्त करने के उपरांत वेबसाईट पर ही इलेक्ट्रानिक निविदा पत्र को भरकर भेजना है। अन्य सभी महत्वपूर्ण कागजात / बैंक ड्राफ्ट / अग्रधन की राशि / सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को स्कैन कर ई-निविदा के साथ संलग्न करना अनिवार्य है।

(13) (47) Beltron Bid Processing Fee as appeared on the e-tendering website: www.eproc.bihar.gov.in & BOQ is mandatory to be paid through e-payment mode i.e. Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS"

Bids along with necessary online payments must be submitted through e-procurement portal www.eproc.bihar.gov.in before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffic/ Holidays or any other reason. ऐसा नहीं करने पर निविदा मान्य नहीं होगा।

(ख) वांकित अग्रधन की राशि राष्ट्रीय बचत पत्र/डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक जो बिहार राज्य से क्रय या जमा किया हो, प्रबंध निदेशक, BSEIDC Ltd., पटना के नाम प्रतिक्विप्त (Pledged) हो अथवा बिहार वित्त नियमावली के अनुसार BSEIDC Ltd. के नाम से फिक्सड डिपोजिट रिसिप्ट अथवा बैंक गारन्टी जो बिड के मान्य अविध तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत/अनुसूचित बैंक से निर्गत हो (अगर बिहार प्रान्त के बाहर के बैंक से निर्गत वैंक गारन्टी दिया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारमूत संरचना विकास निगम लिमिटेड, पटना में दिनांक 28.02.2018 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चत रूप से जमा किया जाना आवश्यक है अथवा EMD can also be paid through e-payment mode i.e. "Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS". ऐसा नहीं करने पर निविदा मान्य नहीं होगा।

(14) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड़ कर लें। ताकि अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से बच सकें।

(15) निविदाकार निविदा डालने से पहले अपने स्तर से भी प्रस्तावित कार्य स्थल पर भूमि उपलब्धता के संबंध में आश्वस्त हो लेगे।

(16) Even though the bidders meet the qualifying criteria, they are subject to be disqualified if they have record of poor performance such as abandoning the works, not properly completing the contract, inordinate delays in completion, litigation history or financial failture in the work of this Corporation.

(17) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। बिना कारण बताये निविदा या उसके अंश को अस्मीकृत करने/रद्द करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।

(18) विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्य अवधि में सम्पर्क किया जा सकता है। ई-टेन्डरिंग की प्रिक्या से संबंधित किसी भी प्रकार की जानकारी/सूचना हेतु सहायता कक्ष, ई-टेन्डरिंग कक्ष, प्रथत तल्ला, M/22, वैंक ऑफ हिण्डिया भवन, रोड न० 25, श्री कृष्णा नगर, पटना-800001, दूरमाष सं० 0612-2523006/9939035696.

ब्रजेश प्रसाद मुख्य परामर्शी(तकनीकी) (प्रमायम्

07/02/18

NIS GARAGE AN LIFES

Chief Eng neer
3.S.E.I.D.C. Ltd, Patna

.