Name of Nork-Construction of Upgraded.

Schedule XLV-Form No. 61 Decondary Schools in Bihaz.

Group No. - USS-198(A). M.S.

Laxmipur, Barari, Katihar.

BHAR PUBLIC WORKS DEPARTMENT ion Ltd. IHAR ency [Form No. F-2] Prem Yrakash. 1:15.09.2014 & ITEM RATE TENDER AND CONTRACT FOR WORKS wreement No. -----104 Fz 0-2017-18. at the rates spects with the General Rule and Direction for the guidance of Contractors. f contract and with ate of Commencement - 20-07-2017 1. All works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer. This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be IN BIHAR deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours. 2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so. 3. Receipt for payments made on account of work when executed by a firm must also be signed Sby the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm. 4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender LVE MONTHS without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender. 5. The amount of earnest money to be deposited will be : -Rs. If the amount of the estimate does not exceed Rs. 2,000 If the amount of the estimate exceeds Rs. 2,000 but does not exceed Rs. 5,000 If the amount of the estimate exceeds Rs. 5,000 but does not exceed Rs. 10,000 For each additional Rs. 5,000 or portion of Rs. 5.000 additional earnest money 6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompanied by the treasury challan for the required earnest money will be liable to rejection. No single tender shall include more than one work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the envelop Gash deposits for earnests money here in before mentioned shall be made in Government Treasing and the challan there of should be enclosed with the tender.

44 4 91H 2017 12019 $f(x) \stackrel{\text{\tiny def}}{=} f(x) = g_{1} + g_{2} + g_{3} + g_{4} + g$

- 7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.
 - 8. The Engineer shall have the right of rejecting all or any of the tenders.
- 9. In the event of a tender being selected for acceptance the Engineer who opened the tenders will, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the priscribed time. The tender with the specification and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to the tenderer.

- 10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.
- 11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tendered may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required amount of the security money has been deposited the Engineer shall scrutinise all pages of the form of item, face tender & contract for works to see that the form has been properly filled up and signed by the contractor & the signature witnessed He shall then if he is competent, to accept the tender, significant acceptance of the tender, or, if he is not so competent shall send the form for signature of the acceptance of the officer competent to accept it

मेग प्रकार

chedule XLV - Form No. 61

TENDER FOR WORKS

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

| ME | VIOF | ٦A١ | dV | U | V |
|----|------|-----|----|---|---|
|----|------|-----|----|---|---|

Name of work

Estimated cost

Earnest money

Initial security deposits (including earnest money) to be deposited befor

the commencement of the work

Percentage to be deducted from bills Rs. 5% (Rupees five percent)

Time required for the work from date of written order to commence

a) If several sub-work are scluded they should be stained in a separate list.

[a] [b]

[0]

o) This deposit will be 5% the estimated cost of the Vork.

percentage eduction from bills will be redited to the contractors ecurity deposit.

[e]

Item No.

[9]

[f]

[h]

Total number of item of work tendered for

Item of work

RATE TENDERED

..... monthly

Date of written other to commence

In figures

In words

Per

ELVE MONTHS

hed)

ion Ltd.

IHAR

ool

m at the rates

respects with the of contract and with

S IN BIHAR

ed: 15.09.2014 &

Chief Exa S.E.I.D.C.L

| Item No. | Item of work | RATE TE | T- | |
|----------|---------------|------------|----------|-----|
| | TROTT OF WORK | In figures | In words | Pe |
| | | | | |
| | | | | |
| | | , | | |
| | | | | · |
| | | | | |
| | | | | ٠. |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| Ī | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| 1. | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | - C |
| | | 14 July 1 | | |
| | | | | |
| | | 54 Jan | | |
| | | | ` . | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| _ | | | | |
| | | | 1 | . * |

chedule XLV - Form No. 61

| 3chedule XI | .V - Form No. 61 | (5) | • | ion Ltd |
|----------------------|------------------|-------------------|--------|--|
| Item No. | Item of work | RATE TENDERED | | IHAR |
| <u> </u> | itelli oi woix | In figures In wor | ds Per | - |
| • | | | | ool |
|) . | | | | d: 15.09.20 |
| | | | | n at the rates |
| | | | | respects with of contract an |
| | | | | in a second seco |
| | | | | |
| | | | | S IN BIHA |
| | | | | Silver and the second s |
| | | | | TAXAMINYTY OLU TAXA |
| | | | | the |
| 1000 | | | | hed) |
| | | | | ELVE MOI |
| | | | | ooka mmacineamic kana |
| | | | | Manfi (1.000) |
| | | | | Bellevino para na Agres. |
| | | | | Website Water Commence |
| A PERSONAL PROPERTY. | | | | |
| | | | | pla |
| | | | · V | er Patna w.l.] |

2014 &

h the and with

[AR

NTHS

| ltem No. | Item of work | RATE | T | |
|---------------------------------------|---------------|------------|--|--|
| | recition work | In figures | In words | → Per |
| | | V | | |
| | | | Construction of the constr | |
| | | | | |
| | | | | in the second of |
| | | | | eministration of the second |
| | | | | |
| | | | | T. Commission of the Commissio |
| | | | | |
| | | | | e e e e e e e e e e e e e e e e e e e |
| And the second distance of the second | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

pedule XLV - Form No. 61

| RATE TENDERED In figures In words Per Het 15.00 The title of contract SIN BI SIN BI LELVE W Per Het 25.00 A series of contract A series of contract A series of contract Bell 15.00 A series of contract A ser | | | <u> </u> | | | 1011 T |
|--|---------------|--------------|--|--|------|--|
| In figures In words OOI Jr ed : 15.00 | item No. | Item of work | | | Per | SIHAR |
| ed: 15.0 m at the respects work of contract of the shed) FELVE No. 1984 | • | | In figures | In words | I Ci | |
| ed: 15.0 m at the respects work of contract of the shed) FELVE No. 1984 | | | of T | | | امما |
| ed: 15.0 m at the respects wo of contract. S IN BI The shed) VELVE W | 7 : | | | | | |
| m at the respects w of contract the shed) TELVE W | • | | | | | |
| s IN BI the shed) FELVE V | | | | | | ea : 15.0: |
| s IN BI the shed) FELVE V | 7 | | | | | ·- <u></u> |
| s IN BI the shed) FELVE V | • | | | | | m at the ra |
| S IN BI the hed) FLIVE N ger Patia | | | | | | respects w |
| the shed) FLIVE M | | | | | | of contrac |
| the hed) FELVE Note: The state of the state | | | | , | | 3. |
| the hed) FELVE Note: The state of the state | | | | | | |
| the hed) FELVE Note: The state of the state | | | | | | |
| the hed) FELVE Note: The state of the state | | | | | | |
| the hed) FELVE Note: The state of the state | | | | | | CINDI |
| ELVE N | | | | | | 13 III DI |
| ELVE N | | | | | | |
| ELVE N | | | | | | • |
| ELVE N | | | | | | |
| ELVE N | | | | | | ħ : ! |
| ELVE N | | | | | | |
| ELVE N | | | | | | |
| ELVE N | | | | | | the |
| CELVE N | | | | | | |
| eer Patna | | | | | | ched) |
| eer Patna | | | | | | |
| eer Patna | | | | | | A Comment of the Comm |
| eer Patna | | | | | | ELVE V |
| programme to the control of the cont | | | | | | |
| programme to the control of the cont | | | | Wethanie | | |
| programme to the control of the cont | | | NA. | Chicalenge | | |
| programme to the control of the cont | | | Part of the second seco | | | |
| programme to the control of the cont | | | | NAST CONTRACTOR OF THE PROPERTY OF THE PROPERT | | |
| programme to the control of the cont | | | | | | |
| programme to the control of the cont | | | | TANKS. | | |
| programme to the control of the cont | | | 4 | | | |
| programme to the control of the cont | | | COLOR STATE | TCCARCO | | |
| programme to the control of the cont | | | | 2 | | |
| programme to the control of the cont | | | | | | |
| programme to the control of the cont | | | | | | 2/18/ |
| programme to the control of the cont | | | | | | Mar. |
| harly a | | | | | | eer |
| | | | | (2000) | | L.Patpa |
| The state of the s | | | | | | 1/4 |

ion Ltd.

09.2014 &

rates with the act and with

IHAR

MONTHS

should this tender be accepted I/we hereby agree to abide by and fulfill terms and provisions of the said conditions of contract annexed hereto so applicable, or in ssors in office the sums of money mentioned in the said con

day of

*Signature, of contractor before comission of tender

Signature of witness to contractor's signature

The above tender is hereby accepted by me on behalf of the Governor of

Dated the

day of

signature of the accepting the te

Occupa

Acceptances communicated on 25-11-2015.

signature of the taking the to



Compensation

CONDITIONS OF CONTRACT

Clause 1:- All compensation or other sums of payable by the contract Government under the terms of his contract may be deducted from, paid b sale of a sufficient part of his security deposit or from the Interest arising there or from any sums which may be due or may become due to the contract Government on any account whatsoever and in the event of his security de being reduced by reason of any such deduction or sale as aforesaid, the contra shall within ten days there after make good in cash or Government secur endorsed as aforesaid any sum or sums which may have been deducted from arised by, sale of his security deposit of any part thereof.

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which the work is finished after necessary rectification of defects as pointed by the Executive En- gineer or his authorised agents are fully contractor to the Engineer's satisfaction.

Clause 2 in The time allowed for carrying out the work as entered in the tell shall be strictly observed by the contractor and shall be reckoned from the date which the wirtten order to comence work is given to the contractor. The works throughout the stipulated period of the contract be carried on with all due dilige (time being deemed to be the essence of the contract on the part of the confi or) and the contractor shall pay as compensation an amount equal to 1/2 per on the amount of the estimated cost of the whole work as shown by the tende every day that the work remains uncommenced or unfinished after the proper And further to ensure good progress during the execution of the work the contra shall be bound in all cases in which the time allowed for any work exceeds month to complete one fourth of the whole of the work before one - fourth of whole time allowed under the contract has elapsed one-half of the work before half of such time eiapsed and three-fourths of the work, before three fourths of time has elapsed in the event of the contractor failing to employ with this condi-I shall be liable to pay as compensation an amount equal to ½ percent on the estimated cost of the whole work for every day that the due quantity of w remains incomplete provided always that the entire amount of compensation to paid under the provisions the clause shall not exceed 10 percent of the estimate cost of the work as shown in the tender.

Action when persnle security deposit foreited

Clause 3:- In any case which under any clause or clauses of or this confi the contractor shall have rendered himself laible to pay compensation amount to the whole of his security deposit in the hands of Government (where paid in sum or deducted by instalments) the Executive Engineer on behalf on the Bill Government shall have been powered to adopt any of the following courses, as may deem best suited to the enterest of Government -

(a) To rescind the contract (of which rescind notice in walting to the contract under the hand of the Executive Engineer shall be conclusive endence) and which case the sectitiry deposit of the contractor shalf staff for elect and absolutely at the disposal of Government 112

chedule XLV - Form No. 61

- (b) To employ labour paid by the Public Works Department and to supply laterials to carry out the work, or any part of the work, debitting the construction with le cost of the labour and the price of the materials (of the amount of which cost and rice certificate of the Engineer-in -charge shall be final and conclusive against the ontractor), and crediting him with the value of the work done, in all respects in the ame manner and at the same rates as if it had been carried out by the contractor under ne terms of his contract, the certificate of the Executive Engineer as to the value of the rock done shall be final and conclusive against the contractor.
- (c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another ontractor to complete in which case any expenses which may be incurred in excess of ne sum which would have been paid to the original contractor if the whole work had een executed by him (of the amount of which excess the certificate in writing of the executive Engineer shall be final and conclusive) shall be born and paid by the original contractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or he performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value bayable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4: - In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may, if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Engineer as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

Clause 5:- If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) he shall apply in writing to the Executive Engineer within 40 days from the date of starting of the hinderance on account of which be desires such extension as aforesaid and the Executive Engineer shall, if in his opinion (which shall be final) reasonable grounds be shown thereof authorised such extension of time, if any, as may in his opinion be necessary over proper. The Executive Engineer shall at the same time inform the contractor whether the claims compensation for the delay.

म्म मुकाभ

ration Ltd.

N BIHAR

School

nipur

dated: 15.09.2014 &

ndum at the rates
all respects with the
tion of contract and with
able.

OLS IN BIHAR

contractor remains liable to pay compensation if action not take undercause 2.

re the

ached)

Power to take posession of or require removal of or sell contractor plant.

WELVE MONTHS

Extension of time

per harly Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certific by the Executive Engineer (herein after called the Engineer-in-charge) of such complete but no such certificate be given, nor shall the work be considered to be complete until contractor no such certificate be given, nor shall the work be considered to be comple until the contractor shall have removed from the area of the premises (to be disting marked by the Executive Engineer in the site plan) on which the work shall be execut all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-wo doors, windows, walls, floors or other parts of any building, in upon or about which t work is to be executed, or of which he may have had possession for the purpose of execution thereof, not until the work shall have been measured by the officer of t Public Work Department in accordance with rules of Department whose measurement shall be binding and conclusive against the contractor. If the contractor shall fail comply with the requirements of this clause as to removal of scaffolding, surplus material and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplu materials and rubbish and dispose of the same as the thinks fit and clean of such dirt a aforesaid, and the contractor shall forth with pay amount of all expense so incurred, an shall have no claim in respect of any such scaffolding or surplus materials as aforesaid except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible before the expiry of the days from the presentation of the bill. If the contractor does no submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-in-charge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts or in any other way vary or affect the contract.

Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Clause 9:- If the specification or estimate of the work provides for the use of any special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-in-charge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums then due or there after to become due to the contractor under the contract or otherwise or against or form the security deposit, or the proceed of sale thereof, if the same is held in Government security the same or sufficient portion thereof in this case sold for the proceed. All materials supplied to the contractor shall remain the absolute property of Government and shall not on any accounts he removed from this site of the Welk and shall at all times be open to

Stores supplied Government

hedule XLV - Form No. 61

(11)

spections by the Engineer-in-charge. Any such materials unused and in correctly in od condition at the time of the completion or determination of the contract shall be turned to the Engineer-in-charge's store, at the prevailing market rate or at the issue te whichever is less if by a notice in writing under his hand he shall so require, but the ntractor shall not be entitled to return any such materials unless with such consent d shall have no claim for compensation on account of any such materials so supplied him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: The contractor shall executive the whole and every part of the work the most substantial and workman like manner, and both as regards materials and nerwise in every respect in strict accordance with the specifications. The contractor all also confirm exactly, fully and faithfully to designs, drawings, and instructions in ting relating to the work singed by the Engineer-in-charge and lodged in his office and which the contractor shall be entitle to access at such office, for the purpose of pection during office hours, and the contractor shall, if he so require be entitled at his n expenses to make or cause to be made copies of the specification, and of all such signs, drawings and instructions as aforesaid.

Clause 11:- Engineer-in-charge shall have power to make any alteration in additions he original specifications, drawings and instructions that may appear to him to be cessary or advisable during the progress of the work. The contractor shall be bound carry out the work in accordance with any instructions which may be given to him in ting signed by the Engineer-in-charge, and such alteration shall not invalidate the ntract and any additional work which the contractor may be directed to do in the nner above specified as part of the work shall be carried out by the contractor on the ne conditions in all respects on which he agreed to do the main work, and at the ne rates as are specified in the tender of the main work. The time for completion of work shall be extended in the proportion that the additional work bears to the original tract work and the certificate of the Engineer-in-charge shall be conclusive as to h proportion and to the additional work includes any class of work, for which no rales pecified in this contractor then such class of work shall be carried out at the rates ered in the sanctioned schedule or rates of the locality during the period when the k is being carried on and if such last mentioned class of work is not entered in the edule of rates of the district then the contractor shall within seven days of the date is receipt of the order to carry out the work inform the Engineer-in-charge does the which in his intention to charge for such class of work and if the Engineer-in-charge s not agree to this rate he shall be noticed in writing be at liberty to cancel his order arry out such class of work and arrange to carry it out in such manner as he may sider advisable provided always that if the contract shall commence work or in our expenditure in regard thereof before the rate shall have been determine as lastly in before mentioned then and in such case he shall only be entitled to be paid in ect of the work carried out or expenditure incurred by him prior to the date of the rmination of the rates as aforesaid according to such rate or rates as shall be fixed e Engineer-in-charge in the event of a disputes the decision of the superintending neer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any tional work done unless he has received an order in writing from the Engineer-inge for the additional work the contractor shall be bound to submit his claim for any tional work done during any month on or before the 15th days other following month mpanied by a copy of the order in witting of the Engineer-in-charge for the additional and that contractor or shall not be entitled to any payment in respect of such ional work if be other submit his claim within date afore said period.

Clause 12:- If at any time after the commencement of the wok the Government of shall for any reason whatsoever not require the whole thereof as specified in the er to be carried out. the Engineer-in-charge shall give notice in writing of the fact to ontractor who shall have no claim to any payment of compensation whatsoever on unt of any profit or advantage, which he might have derived from the execution of ork in full, but which he did not derive in consequence of the full amount of the work aving been carried out neither shall he have any claim for compensation by reason exert to be carried out. y alternation having been made in the original specification, drawing, telegos atd, Patna iction which shall involve any installment of the work as originally contemplated

e 12 (a) As contained in G O 1929 dated 11.9.56.

oration Ltd.

IN BIHAR

School

mipur

n dated: 15.09.2014 &

Work to be executed accordance with specification drawing other etc.

> randum at the rates in all respects with the dation of contract and with

Alteration in specifications and designation.

OOLS IN BIHAR

Do not in validate contract

efore the

attached)

ETWELVE MONTHS

Time in consequence of alteration

Rate for work no in estimate or schedule of rates of the district.

Clause 12 (a) The contractor shall not be entitled to claim any compensation loss suffered by him on account of delay by or on behalf of Government in the supply materials as stores which the Government may have undertaken to supply where su failure is due to :-

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficult or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted finally by the contractor.

a compensation payable in case of work

Clause 13 :- If it shall appear to the Engineer-in-charge or his subordinate charge of the work that any work has been executed with unsound, imperfect or unskill workmanship or with materials of any inferior description, or by any materials or article provided by him for the execution of the work are unsound or of a quality inferior to the contracted for at otherwise not in accordance with the contract, the contractor shall o demand in writing form the Engineer-in-charge specifying the inadverentaly passe certified and paid for, forthwith rectify or remove and re-contract the work so specified whole or in part as the case may remove the materials or articles so specified an provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-in charge in his demand aforesaid the contractor shall be laible to pay compensation a the rate of one percent, on the amount of the estimate for every day not exceeding ter days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and expense in all respects of the contractcor.

Work to be taken to inspection

Clause 14:-All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineerin-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be present

Clause 15:- The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up of placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which the same was effected.

Notice to be taken before work covered up

Clause 16:- If the contractor or his work-people, or servants shall break, deface injure or destroy any part of a building in which they may be working or any building, road, road curves, fence enclosure water pipes, cables, drains, electric on telephone posts or wires, trees, grass or grassland or cultivated ground contiguous on which the work or any part of it is being executed or if any damage will reppen to the work, while in progress from any cause whatsoever collaborate claimse come apparent in if within three months (six months that he case of a road-work) after a certificate final or other of its completion shall have been by the Engineer-in-charge

edule XLV - Form No. 61

fore seal, the contractor shall make the same good at his own expense, or in ult, the Engineer-in-charge may cause the same to be made be good by other smen and deduct the expense of which time thereafter may become due to the ractor, or from his security deposit, or the proceed of sale there of, or of a sufficient on there of the security deposit at the contractor shall not be refunded before the y of three months (six months in the case of a road-work) after the issue of the icate final or otherwise of completion of work provided that in the case of a road work ne opinion of the Engineer-in-charge behalf of the security deposit will be refundable three months of the issue of the said certificate of completion

Clause 17:- The contractor shall supply at his own cost all materials (except such al materials) if any as may in accordance with the contract be supplied from the neer-in-charges stores). Plants, tools, application, implements, ladders, cordage, scaffolding and temporary works requisits or proper for the proper execution of the whether original, altered or substituted and whether include in the specification or documents forming part of the contract or referred to in these conditions or not or may be necessary for purpose of satisfying or complying with the requirement of ngineer-in-charge as to any matter as to which under these conditions he is entitled satisfied which he is entitled to require together with carriage therefore to and form ork. The contractor shall also supply without charge the requisite number of persons e means and materials necessary for the purpose of setting out works, and counting, ing and assisting in the measurement or examination at any time and form time to of the work or materials failing his so doing the same may be Provided by the eer-in-charge at the expense of the contractor and the expenses may be deducted ny money due to the contractor under the contract from his security deposit or the eds of sale thereof or of a sufficient portion thereof. The contractor shall also provide essary fencing and lights required to protect the public from accident, and shall be to bear to expenses of defence of every suit action or other proceeding at law that e brought by any person for injury sustained owing to neglect of the above itions and to any such person or which may with the consent of the contractor be compromise any claim by any such person.

Clause 18:- No female labour shall be employed within the limits of contonment. ntractor shall not employ for the purpose of his contract any person who is below of twelve years and shall pay to each labour for the work done by such labourer not less than the wages paid for similar work in the neighbourhood.

he executive Engineer shall have the right to enquire into the case and decide nplaint alleging that the wages paid by the contractor to any labourer for the work a such labour is less than the wages paid for similar work in the neighbourhood.

he officer in-charge of the work shall have the right to decide whether any labourer ed by contractor is below the age of twelve years and to refuse to allow any r whom he decided to be below the age of twelve years to be employed by the for.

lause 19:- The Contractor shall not be assigned or subject without the written of the Executive Engineer. And if the contractor shall assign or subject his creditors or attempt so to do, or become insolvent proceedings to make any composition creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward tage pecunairy of otherwise, shall either directly or indirectly be given promissed, d by the contractor, or any of his servant or agents to any public officer or person nploy of Government in any way relating to his officer or employment or if any icer or person shall become in any way directly or indirectly interested in the Executive Engineer may there upon by notice in writing rescind the contract writy deposit of the contractor shall there upon stand forfeited and be absolved posal of Government and the same consequence shall ensure as if the contract or recinded under clause 3 here of, in addition the contractor shall rice to entitled any work therefore actually performed the uncertine contract.

म प्रकाश

Contractor liable for damage done and for imperfection a months and after certificate

Contractor to supply to plantladder scaffolding

oration Ltd. IN BIHAR

f School

xmipur

m dated: 15.09.2014 &

orandum at the rates
e in all respects with the
hdation of contract and with
plicable.

IOOLS IN BIHAR

And is liable for damage arising for non-provision of light fencing etc.

before the

s attached)

Work not to be subject

ce TWELVE MONTHS

Contract may be resinded and security deposit forfelted for subletting bribes or if contractor become insolvent

Engineer

Lid Paths

Skehwelf

20/04/11

such payable by way of compensation to be considered reasonable compensation without reference to actual loss

S

Clause 20:- All sums payable by way of compensation under any of the conditions shall be considered as reasonable compensation to be applied to the use the Government without reference to the actual loss or damages sustained and there not any damage shall have been sustained.

Clause 21:- In the case of a sender by partners, any change in the constitut of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or tinformation.

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days to Engineer-in-charge may be notice in writing rescind the contract and the security depond the contractor shall thereupon stand forfeited and be absolutely at the disposal Government and the same consequences shall ensure as if the contract has be rescinded under clause 3 hereof, and in addition the contractor shall not be entitled recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer Clause 22:- All work to be executed under the contract shall be executed und the direction and subject to the approval in all respect of the superintending Engineer the circle for the time being who shall be entitled to direct at what point or points and what manner they are to be commenced, and from time to time carried on.

Clause 23: In case any dispute or difference shall arise between the parties of either of there upon any question relating to the meaning of the specifications, designs drawings and instructions here before mentioned or as to the quality of workmanship of materials used on the work or as to the construction of any of the conditions or an clause or thing there in contained or as to any question, claim, rights of the parties, of any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions of otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof of as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

(a) Clause 24:- When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items or work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-incharge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineer-in-charge shall be final and conclusive against the contractor with regard to any sumpayable to him under the provision of this clause.

Action where specification.

no

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle-specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Definition of works

Clause 26:- The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to such construction be constructed and taken to mean the work by or virtue of the contracted to be executed whether temporary or permanent, and whether original, altered, substituted or additional.

Clause 27:- The terms and conditions of the agreement have been read/explained to me and certify clearly understand them.

Witness.

Dy John S

| ΧL | V | ' _ | Fo | rm | N | 0 | 61 |
|----|-----|-----|----|----|-----|----|-----------|
| 1 | ~ Y | | | | 1 V | Ο. | v ı |

15)

dule showing (Approximately) materials to be supplied, it available the rates of they are to be charged for and the places at which they are to be supplied

| Particulars | Rates at will be | which the materi charged to the contractor | | Place of delivery |
|-------------|------------------|--|------|-------------------|
| | Unit | Rs. | . P. | |
| | | | | |
| | | | 1 | |
| • | | | | |
| | . · | | | |
| | | | | |
| | | | | i. |
| | | | | |
| | | | | |
| | | | | |
| | i.e. | | | |
| | | | | |
| | | | | |
| | • | | | |
| | | | | |
| | • | | | |
| | | | | |
| | | | | |
| | • | | | |
| | • | | - | |
| | | | | |
| | | | | |
| | <u>.</u> | | | |
| | | , , | | |
| | | | · | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | . , | | |
| | | | | |

orporation Ltd. LS IN BIHAR

ie of School

5.Laxmipur

e from dated: 15.09.2014 &

memorandum at the rates dance in all respects with the d condation of contract and with as applicable.

SCHOOLS IN BIHAR

ted before the

tails attached)

ent)

ience TWELVE MONTHS


-The person or firm submitting the tender should **se**e that the rates in the above schedules are ne Engineer-in-charge on the issue of the form prior to the submission of the tender.

19121

Contrator)

Chief Engineer

f Engineer I.C. Ltd. Patna Skeher 17 20/07/19



Bihar State Educational Infrastructure Development Corporation Ltd.

AGREEMENT FOR UPGRADED SECONDARY SCHOOLS IN BIHAR

| | | Group No.: USS-19 | 8(A) |
|-------|----------|-------------------|----------------|
| S.N. | District | Block | Name of School |
| 3.14. | KATIHAR | Barari | M.S.Laxmipur |

THE ITEM RATES ARE BASED ON BIHAR SCHEDULE OF RATES, BCD, effective from dated: 15.09.2014 & **DSR 2014**

TENDER FOR WORKS

I/we heredy tender for the execution for the Governor of Bihr of the work specifed in the under written memorandum at the rates specified therein within a period of years month from the date of witten order to commence and in accodance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subjects to the annexed condation of contract and with such materaials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

MEMORANDUM

incuded they should be detained in the separate list Group No. : USS-198 A

(a) If several sub-work are (A) Name of Work :- CONSTRUCTION OF UPGRADED SCHOOLS IN BIHAR

(B) Estimated Cost :- Rs. 65,21,834=00 Agreement value :- Rs. 58,69,651=00

(b) This deposit will be 5% of the estimated cost of the (C)Earnest Money :-

(c)This percentage deduction from bills will be credited to the contractors security deposits

(D) Initial security deposits (including earnest money) to be deposited before the Commencement of the work-

Earnest Money :- Rs. 3,00,000/- (Details attached)

- (E) Percentage to be deducted from bill Rs. 5% (Rupees five percent)
- (F) Time required for the work from date of written order to commence TWELVE MONTHS
- (G) Date of written order to commence:-
- (H) Total number of item of work tendered for :- 76

Chief Eng

|) | Bihar State Educational Infrastructure Development Corporation Ltd. AGREEMENT FOR UPGRADED SECONDARY SCHOOLS IN BIHAR | | | | | | | |
|---|--|-----------|---------------|---|----------|-------------|-------------|---|
| | | | | Group No. : U | | | | |
| ł | S.N. | Dia | strict | Block | <u> </u> | N | ame of Scl | nool |
| | 1 | | TIHAR / | Barari | #W-1 | N | /I.S.Laxmir | our |
| | BUIL | | | Quantity per School) | | | | |
| ı | CIV | (L WOR | KS | | | | | 6_A00000 |
| | S.N | Sub N. | SOR Ref.N. | DESCRIPTION | Quantity | Unit | Rate | Amount |
| | 1 | | 2.8 | 2.0 Earth Work EARTH WORK IN EXCAVATION over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including dressing of sides and ramming of bottom, lift upto 1.5m including getting out the excavated soil and disposal of surplus soil as directed, within a lead of 50m. | | | | |
| | | | 2.8.1 | ALL KINDS OF SOIL | 270.35 | CU.M | 205.20 | Rs. Two hundred five and paise twenty only. |
| | 2 | | 2.26 | Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth: consolidating each deposited layer by ramming and watering lead of 50 m. | 201.88 | cu.m | 66.40 | Rs. Sixty six and paise forty only. |
| | 3 | 7 | 2.28 | SUPPLY AND FILLING in plinth & Foundation with local sand and under floors inluding watering, ramming, consolidating and dressing and dressing complete. | 183.51 | cu.m | 192.50 | Rs. One hundred ninety two and paise fifty only. |
| | 4 | | 2,29.1 | SURFACE DRESSING of the ground including removing vegetation and in-equalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5 m | 340.30 | 100 SQ.M | 718.80 | Rs. Seven hundred eighteen and paise eighty only. |
| | | | | 4.0 Concrete Work | | | | |
| | 5 | | 4.1 | Providing and laying of in position cement concrete of specified grade, excluding the cost of centering and shuttering all work upto plinth level. | | | | |
| | · · · · · · · · · · · · · · · · · · · | | 4.1.5 | 1:3:6 (1 Cement : 3 Coarse sand : 6 graded stone aggregate 40mm nominal size) | 29.04 | CU.M | 2775.70 | Rs. Two thousand seven hundred seventy five and paise seventy only. |
| | | | | 5.0 Reinforced Cement Concrete | | | | |

- 9 4 y 95/21

()

 $\left(\cdot \right)$

Chief Engineer

B.S.E.I.D.C. Ltd. Patra

2017

2017

| | | • |) | _ | | _ |
|----|-----------------|--|-------|------|---------|--|
| 6 | 5.1 | Providing and laying of in position, of specified mix of reinforced cement concrete, excluding the cost of centering and shuttering, finishing and reinforcement - all work upto plinth level. | | | | |
| | 5.1.2 | 1:1½:3 (1 Cement : 1½ Coarse sand : 3 graded stone aggregate 20 mm nominal size) IN FOUNDATION. | 45.96 | CU.M | 3881.20 | Rs. Three thousand eight hundred eighty one and paise twenty only. |
| 7 | 5.2 | Reinforced cement concrete work in wall (any thickness), including attached pilasters, butteresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts, etc. upto floor v level, excluding costs of centering, shuttering, finishing and | | | | |
| | 5.2.2 | Col. In plinth & superstructure 1:1½:3 (1 Cement : 1½ Coarse sand : 3 graded stone aggregate 20 mm nominal size). | 24.84 | CU.M | 4436.60 | Rs. Four thousand four hundred thirty six and paise sixty only. |
| 8 | 5.3+ 5.33B.4 | Reinforced cement concrete work in LINTEL BAND upto five level excluding cost of centring, shuttering and finishing and reinforcement with 1:1½:3(1cement: 1½ coarse sand :3 graded stone agreagate 20 mm niminal size) | 32.23 | CU.M | 4422.40 | Rs. Four thousand four hundred twenty two an paise forty only. |
| 9 | 5.3+ 5.33B.4 | Reinforced cement concrete work in suspended floors & roofs upto five level excluding cost of centring, shuttering and finishing and reinforcement with 1:1½:3(1cement: 1½ coarse sand :3 graded stone agreagate 20 mm niminal size) | 63.30 | CU.M | 4422.40 | Rs. Four thousand four hundred twenty two and paise forty only. |
| 10 | 5.3+ 5.33B.4 | Reinforced cement concrete work in beams, upto five level excluding cost of centring, shuttering and finishing and reinforcement with 1:1½:3(1cement: 1½ coarse sand :3 graded stone agreagate 20 mm niminal size) | 7.03 | CU.M | 4422.40 | Rs. Four thousand four hundred twenty two and paise forty only. |

पप अनाश

Chief Engineer

B.S.E.I.D.C. Ltd. Patna.

219
207
207

| | | | | 12 | | | |
|----|------|-----------------|--|--|-------|--|---|
| 1 | 1 | 5.3+ 5.33B.4 | Reinforced cement concrete work in STAIRCASE upto five leve excluding cost of centring, shuttering and finishing and reinforcement with 1:1½:3(1cement: 1½ coarse sand :3 graded stone agreagate 20 mm niminal size) | 8.04 | CU.M | 4422.40 | Rs. Four thousand four hundred twenty two and paise forty only. |
| | | 5.9 | Centering and shuttering including struting, propping etc. and removal of form for - | | | | - |
| | 12.1 | 5.9.1 | Foundations, footings,bases of columns etc. for mass concrete. | 223,28 | Sqm | 166.70 | Rs. One hundred sixty six and paise seventy only. |
| 12 | 12.2 | 5.9.3 | ROOF SLAB | 506.39 | SQ.M. | 375.60 | Rs. Three hundred seventy five and paise sixty only. |
| | 12.3 | 5.9.5 | Lintels, beams, plinth beams,- | 438.97 | SQ.M. | 251,30 | Rs. Two hundred fifty one and paise thirty only. |
| | 12.4 | 5.9.6 | Columns | 393.87 | SQ.M. | 344.40 | Rs. Three hundred forty four and paise forty only. |
| | 12.5 | 5.9.7 | Stairs (excluding landings). | 47.72 | SQ.M. | 321.50 | Rs. Three hundred twenty one and paise fifty only. |
| | | 5.22 | Reinforcement for RCC work including straightening, cutting bending, placing in position and binding all complete. | 1438.91 | kg | 70.40 | Rs. Seventy and paise forty only. |
| | 13.1 | 5.22.1 | Mild steel 6.00 mm dia | Charles States | | Low William | |
| 13 | 13.2 | 5.22.7A | Thermo- Mechanically Treated bars TMTC-500- 8mm dia. | 8626.38 | Kg | 74.40 | Rs. Seventy four and paise forty only. |
| | 13.3 | | Thermo- Mechanically Treated bars TMTC-500- 10mm dia. | 3079.91 | Kg | 73.10 | Rs. Seventy three and paise ten only. |
| | 13.4 | 11/// | Thermo- Mechanically Treated bars TMTC-500- 12mm dia. | 957.49 | Kg | 71.80 | Rs. Seventy one and paise eighty only. |
| | 13,5 | 13///11 | Thermo- Mechanically Treated bars TMTC-500- 16mm dia. | 432.11 | Kg | //XII I | Rs. Seventy two and paise eighty only. |
| · | 13.6 | 1 / / / / / 1 | Thermo- Mechanically Treated bars TMTC-500- 20mm dia. | 720.33 | Kg | 7//11 | Rs. Seventy two and paise twenty only. |
| 14 | A | j. | | Mary Control of Contro | | Market Control of the | |

जेप मुलाश

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Pho

2017

2019

| | _ |
|-----|------------|
| - 1 | つ ⊾ |
| ſ | " |

| ľ | | | | | 13 | | | |
|--------|----|-------|-------------------|--|---|-------|----------------|---|
| of the | | | 6.1 A | 6.0 Brick Work (A) Brick work with bricks of class of cl | 1 | | | · |
| N/// | 14 | 14.1 | 6.1.14A | Cement mortar 1: 6 (1 cement : 6 coarse sand) | 25.33501055 | CU.M | 3992.9 | Rs. Three thousand nine hundred ninety two and paise ninety only. |
| | | 14.2 | 6.1.12/1 | Cement mortar 1: 4 (1 cement : 4 coarse sand) | 7.03 | CU.M | 4184.00 | Rs. Four thousand one hundred eighty four only. |
| | | 1.5.1 | 6.1 A | Brick work with bricks of class of class designation 100 A in superstucture upto floor V level in: | | | | |
| | 15 | 15.1 | 6.1.14 A+6.3A | Cement mortar 1: 6 (1 cement : 6 coarse sand) | 173.66 | CU. M | 4427.50 | Rs. Four thousand four hundred twenty seven and paise fifty only. |
| | | 15.2 | 6.18.4A+6 .19A | Cement mortar 1: 4 (1 cement : 4 coarse sand) | 15.28 | SQ.M. | 538.30 | Rs. Five hundred thirty eight and paise thirty only. |
| | | | | 9.0 Wood Work | See | | god property . | Gritzen. |
| | 16 | | 9.82.1 | Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc. all complete | 1431.17 | Kg | 91.50 | Rs. Ninety one and paise fifty only. |
| | | | | 10.0 Steel Work | | | | |
| | 17 | | 10.5 | Providing and fixing in position collapsable steel shutters with vertical channels 20X10X2 mm and braced with flat iron ds 20X5 mm size with top and bottom rail of T-iron 40X40X6 mm with 40 mm dia steel pulleys completes with bolts-nuts locking arrangement stoppers handles including applying a priming coat of approved steel primer. | 9.76 | SQ.M | 4115.60 | Rs. Four thousand one hundred fifteen and paise sixty only. |
| | 18 | | 10.7 g | Providing and fixing 1 mm thick M.S. sheet door & window with frame of 40X40X6 mm angle iron and 3 mm gusset plates at the junction and corners all necessary fittings complete including applying a primming coat of pproved steel primer. | 36.43 | SQ.M. | į. | Rs. Two thousand five hundred ninety eight and paise ninety only. |

र्मुप प्रकाश

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Skehneine

20104/1

| | | | | 14 | | | 1 |
|----|---|--------------------|--|-----------|-------|----------|--|
| 19 | | D.S.R14 9.119 | Providing and fixing factory made P.V.C. door frame of size 50x47 mm with a wall thickness of 5 mm, made out of extruded 5mm rigid PVC foam sheet, mitred at corners and joined with 2 Nos of 150 mm long brackets of 15x15 mm M.S. square tube, the vertical d | 40.24 | Mt. | 463.5395 | Rs. Four hundred sixty three and paise fifty four only. |
| 20 | | D.S.R14 9.120.1 | Providing and fixing factory made panel PVC door shutter consisting of frame made out of M.S. tubes of 19 gauge thickness and size of 19 mm x 19 mm for styles and 15x15 mm for top & bottom rails. M.S. frame shall have a coat of steel primers of pproved m | 13.008864 | Sq.m | 2777.096 | Rs. Two thousand seven hundred seventy seven and paise ten only. |
| 21 | | 10.12.1 | Providing and fixing steel glazed doors, windows and ventilatrs of standard rolled steel sections, joints mitered and welded with 15x3 mm lugs 10 cm long with steel lugs embedded in cement concrete blocks 15x10x10 Cm of 1:3:6 (1 Cement:3 coarse sand: 6 graded stone aggregate 22 mm nominal size) or with woodenplugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panes with glazing clips and special metalsash putty of approved make complete including applying a priming coat of approved steel primer; excluding the cost of metal beading and other fitting except necessary hinges or pivots as required. | 66.50 | SQ.M. | 2928.10 | Rs. Two thousand nine hundred twenty eight and paise ten only. |
| 22 | - | 10.19 | Providing and fixing M.S. Fan clamp type 1 of 16 mm | 22.00 | EACH | 121.80 | Rs. One hundred twenty one and paise eighty only. |
| 23 | | 10.32.2 | Steel work welded in built up sections as per drawing including cutting hoisting, fixing in position and applying a priming coat of approved steel primer using steel in Stairs / Balcony railing. | 539 67 | K.G. | 82.00 | Rs. Eighty two only. |

पेप प्रकाश

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

2017 20107/17

| • | - |
|-----|---|
| - 1 | > |

| 10.33 | Providing and fixing hand rail by welding etc. to steel ladder railings & staircases railing including applying a priming coat of approved steel primer | | | | |
|---------|---|---|--|---|--|
| 10.33.1 | MS tube (medium) 40 mm nominal bore | 108.00 | K.G. | 91.10 | Rs. Ninety one and paise ten only. |
| | 11.0 Flooring | -2 | | and the second | |
| 11.4 | some thick cement concrete flooring with metallic concrete hardener topping undr layer 40 mm thick cement concrete 1:2:4(1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal Size) and top layer 12 mm thick metallic cement hardener consisting of mix 1:2 (1 cement hardenr miz: 2 stone aggregate 6 Mrr. ominal size) by volume hardning compund is mixed @ 2 litre per 50 kag of cement or as per manufacture specification. This includes cost of cement slurry, etc, but excluding the cost of nosing of steps etc. complete. | 664.42 | SQ.M | 335.20 | Rs. Three hundred thirty five and paise twenty only. |
| 11.8 | Extra for making chequers of approved pattern on cement concrete floors, steps, landing, pavements etc. | 228.28 | SQ.M | 20.10 | Rs. Twenty and paise ten only. |
| 11.72 | Providing designation 100 - A, BRICK FLAT SOLING joints filled with local sand including cost of watering,taxes and royalty all complete as per building specification and direction of Engineer Incharge. | 402.08 | SQ.M | 227.60 | Rs. Two hundred twenty seven and pais sixty only. |
| 11.76 | Providing average 150 mm thick dry remmed Khoa beaten to 112 mm (Compacted with water) made of well burnt or Jhama bricks including ramming properly till compacted thickness is achieved. Curing and carriage of water with all leads, making proper slope and blinding the top with cement mortar, (1: 10) all complete as per building specification | 214.53 | SQ.M | 295.30 | Rs. Two hundred ninety five and paise thirty only. |
| | 11.4 | welding etc. to steel ladder railings & staircases railing including applying a priming coat of approved steel primer 10.33.1 MS tube (medium) 40 mm nominal bore 11.0 Flooring 52 mm thick cement concrete flooring with metallic concrete hardener topping undr layer 40 mm thick cement concrete 1:2:4(1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal Size) and top layer 12 mm thick metallic cement hardener consisting of mix 1:2 (1 cement hardenr miz: 2 stone aggregate 6 Mrr. ominal size) by volume hardning compund is mixed @ 2 litre per 50 kag of cement or as per manufacture specification. This includes cost of cement slurry, etc, but excluding the cost of nosing of steps etc. complete. Extra for making chequers of approved pattern on cement concrete floors, steps, landing, pavements etc. Providing designation 100 - A, BRICK FLAT SOLING joints filled with local sand including cost of watering, taxes and royalty all complete as per building specification and direction of Engineer Incharge. Providing average 150 mm thick dry remmed Khoa beaten to 112 mm (Compacted with water) made of well burnt or Jhama bricks including ramming properly till compacted thickness is achieved. Curing and carriage of water with all leads, making proper slope and blinding the top with cement mortar, (1: 10) all | welding etc. to steel ladder railings & staircases railing including applying a priming coat of approved steel primer 10.33.1 MS tube (medium) 40 mm nominal bore 11.0 Flooring 52 mm thick cement concrete flooring with metallic concrete hardener topping undr layer 40 mm thick cement concrete 1:2:4(1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal Size) and top layer 12 mm thick metallic cement hardener consisting of mix 1:2 (1 cement harden mix: 2: stone aggregate 6 Mrr. ominal size) by volume hardning compund is mixed @ 2 litre per 50 kag of cement or as per manufacture specification. This includes cost of cement slurry, etc, but excluding the cost of nosing of steps etc. complete. Extra for making chequers of approved pattern on cement concrete floors, steps, landing, pavements etc. Providing designation 100 - A, BRICK FLAT SOLING joints filled with local sand including cost of watering, taxes and royalty all complete as per building specification and direction of Engineer Incharge. Providing average 150 mm thick dry remmed Khoa beaten to 112 mm (Compacted with water) made of well burnt or Jhama bricks including ramming properly till compacted thickness is achieved. Curring and carriage of water with all leads, making proper slope and blinding the top with cement mortar, (1: 10) all | welding etc. to steel ladder railings & staircases railing including applying a priming coat of approved steel primer 10.33.1 MS tube (medium) 40 mm nominal bore 11.0 Flooring 52 mm thick cement concrete flooring with metallic concrete hardener topping undr layer 40 mm thick cement concrete 1:2:4(1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal Size) and top layer 12 mm thick metallic cement hardener consisting of mix 1:2 (1 cement hardener mix: 2 stone aggregate 6 Mrr. ominal size) by volume hardning compund is mixed @ 2 litre per 50 kag of cement or as per manufacture specification. This includes cost of cement slurry, etc, but excluding the cost of nosing of steps etc. complete. Extra for making chequers of approved pattern on cement concrete floors, steps, landing, pavements etc. Providing designation 100 - A, BRICK FLAT SOLING joints filled with local sand including cost of watering,taxes and royalty all complete as per building specification and direction of Engineer Incharge. Providing average 150 mm thick dry remmed Khoa beaten to 112 mm (Compacted with water) made of well burnt or Jhama bricks including ramming properly till compacted thickness is achieved. Curing and carriage of water with all leads, making proper slope and blinding the top with cement mortar, (1: 10) all | 10.33 welding etc. to steef ladder railings & staircases railing including applying a priming coat of approved steel primer 10.33.1 MS tube (medium) 40 mm nominal bore 11.0 Flooring 52 mm thick cement concrete flooring with metallic concrete hardener topping undr layer 40 mm thick cement concrete 1:2:4(1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal Size) and top layer 12 mm thick metallic cement hardener 11.4 consisting of mix 1:2 (1 cement hardener miz: 2 stone aggregate 6 Mr. ominal size) by volume harding compund is mixed @ 2 litre per 50 kag of cement or as per manufacture specification. This includes cost of cement slurry, etc, but excluding the cost of noising of steps etc. complete. Extra for making chequers of approved pattern on cement concrete floors, steps, landing, pavements etc. Providing designation 100 - A, BRICK FLAT SOLING joints filled with local sand including cost of watering,taxes and royalty all complete as per building specification and direction of Engineer Incharge. Providing average 150 mm thick dry remmed Khoa beaten to 112 mm (Compacted with water) made of well burnt or Jhama bricks including ramming properly till compacted thickness is achieved. Curing and carriage of water with all leads, making proper slope and blinding the top with cement mortar, (1: 10) all |

र्ना प्रशास

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

2017 20101117

| | | | | 16 | | | |
|----|------|-----------|--|--|-------|--|--|
| 29 | | 12.78 | Providing & fixing on wall face unplasticised - Rigid P.V.C. rain water pipes conforming to IS: 13592 Type A including jointing with seal ring conforming to IS: 5382 leaving 10mm gap for thermal expansion. Single socket ed pipes. 110 mm dia | | | | |
| | | 12.78.2 | 110 MM RAIN WATER PIPE | 82.31 | Metre | 214.20 | Rs. Two hundred fourteen and paise twenty only. |
| | | 12.79.5.2 | BEND | Market and a second | | O Berney work | |
| 30 | | | 110 MM | 10.00 | EACH | 173.70 | Rs. One hundred seventy three and paise seventy only. |
| 31 | | 12.79.6.2 | SHOE - 110MM | 10.00 | EACH | 314.73 | Rs. Three hundred fourteen and paise seventy three only. |
| | **** | | 13.0 Finishing | · · | | et de la companya de | Market Service Co. |
| 32 | 30.1 | 13.11.2 | Cement Plaster in coarse sand with 12 mm cement plaster 1:4 (1 Cement : 6 Coarse Sand) | 229.32 | SQ.M. | 100.30 | Rs. One hundred and paise thirty only. |
| | 30.2 | 13.11.4 | Cement Plaster in coarse sand with 12 mm cement plaster 1:6 (1 Cement: 4 Coarse Sand) | 1288.59 | SQ.M. | 89.30 | Rs. Eighty nine and paise thirty only. |
| | | 13.13. | 20 mm thick plaster of mix : | Land and Marie Control | | | |
| 33 | | 13.13.2 | 1:4(1 Cement; 4 Coarse Sand) | 41.62 | SQ.M | 140.60 | Rs. One hundred forty and paise sixty only. |
| | | 13.13.4 | 20 mm thick plaster of mix : | | | No. of Park | · professional and a second se |
| 34 | | | 1:6(1 Cement:6 Coarse Sand) | 663.40 | SQ.M. | 123.50 | Rs. One hundred twenty three and paise fifty only. |
| 35 | | | 12 mm cement Plaster 1:3 (1 Cement : 3 Coarse Sand) finished with a floating coat of neat Cement | 48.53 | SQ.M. | 138.00 | Rs. One hundred thirty eight only. |
| 36 | | 13.24.2 | 6 mm Cement Plaster to Ceiling of mix - cement plaster 1:4 (1 Cement : 4 | 448.01 | SQ.M. | 77.40 | Rs. Seventy seven and |
| 37 | | | Coarse Sand) Neat Cement Punning | 330.08 | SQ.M | 27.90 | Rs. Twenty seven and paise ninety only. |
| | | | White washing with lime to give an | and the state of t | | Charles and the same of the sa | paise innery only. |
| 38 | | 13.70.1 | even shade New work (three or more coats) | 1560.61 | SQ.M | 11.70 | Rs. Eleven and paise seventy only. |
| 39 | | 13.78 | Applying one coat of cement primer of approved brand and manufacturer on wall surface. | W. Carlotte | | Watter Commence. | |

水平300年

Chief Engineer

2017

2017

2019

| | | | | 17 | | | • |
|----|------|------------------|---|--------|-------|-----------------------|---|
| | | 13.78.1 | cement primer on outer wall surface | 730.49 | SQ.M | 24.90 | Rs. Twenty four and paise ninety only. |
| 40 | | 13.79 | Finishing walls with water proofing cement paint of approved brand and manufacture and of required shade to give an even shade | | | and the second second | only. |
| | | 13.79.1 | New work (three or more coats) | 730.49 | SQ.M | 60.50 | Rs. Sixty and paise fifty only. |
| 41 | | 13.93 | Painting with Synthetic enamel paints of approved brand and manufacture of required color to give an even shade. | | | | |
| | | 13.93.1 | Two or more coats on new work Paiting over Steel surface | 202 02 | SOM | 50.00 | Rs. Fifty and paise |
| - | | | 23.0 Pile Work | 283.83 | SQ.M | 50.90 | ninety only. |
| 42 | 40.1 | 23.2.5 BSR-13 | Making 25 cm (10") dia bore up to 4 Mtr Depth below ground with hand auger of approved quality in ordinary soil (Vide classification of soil item A) true to plumb and without eccentricity in any stage of operation and disposal of gthe excavated earth up to 50 mtr. lead in eluiding all lifts. all complete as per approved disign and directions of E/I | 0.00 | Metre | 80.40 | Rs. Eighty and paise forty only. |
| | 40.2 | 23.2.6 BSR-13 | 63 cm (25) UNDER REAM making 63 cm (25) dia under ream at required with hand auger of approved quality in ordinary soil (Vide classification of soil item-A) true to plumb and without iccentric city in may stage of operation and disposal of the excavated earth up to 50 mts. lead in eluding all lifts. All complete as per approved design and direction of (E/I) | 0.00 | Each | 85.70 | Rs. Eighty five and paise seventy only. |
| | | | Sanitary Works | | | NHW. 1 | |
| 43 | | 17.1.1 | Providing and fixining water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast iron P or S tap, 10 litre low white P.V.C. Flushing cistern with munally controlled device (handle level) conforming to IS:7231 Parryware/ Hindware with all fittings and fixtures complete including cutting and making good the walls and floors wherever required. | | | | |

पुर पुराय

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

2019

2019

2019

2019

18

| Ì | , | , | | | 18 | | | |
|-------|----|------|-----------|---|--------------|------|--|--|
| | | | | White Vitreous China Orissa pattern W C pan of size 580 X 440 mm with integral type foot rest. | 8.00 | Each | 3035.40 | Rs. Three thousand thirty five and paise forty only. |
| | 44 | | 18.4 | Providing and fixing C.P. brass bil cock of approved qualityconforming to IS:8931 | b | | | |
|) | , | | | 15 mm nominal bore. | 8.00 | Each | 497.00 | Rs. Four hundred ninet |
| , day | 45 | | 17.7.1 | Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps,32 mm C.P. brass waste of standard pattern, including painting o fittings and brackets, cutting and making good the walls wherever require: | • | | e e e e e e e e e e e e e e e e e e e | seven only. |
| | | | | White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps. | e 4.00 | EACH | 2120.30 | Rs. Two thousand one hundred twenty and paise thirty only. |
| | | 44.1 | 17.28 | Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. | K. Mariani | | and the second of the second o | |
| | 46 | | 17.28.2 | | - | | | |
| | | | 17.28.2. | 1 32 mm dia | 4.00 | EACH | 78.60 | Rs. Seventy eight and paise sixty only. |
| | | 44.2 | 17.28.2.2 | 40 mm dia | 1.00 | EACH | 81.10 | Rs. Eighty one and paise ten only. |
| | 47 | | 17.11 | Providing and fixing white vitreous china laboratory sink with C.I. brackets, C.P. brass chain with rubber plug 40mm C.P brass waste and including painting of fittings and brackets, cutting and making good the wall wherever required: | egisterine . | | green and a second | paise ten omy. |
| | | | 17.11.2 | Size 600x450x200mm | 1.00 | ЕАСН | 3046.00 | Rs. Three thousand forty six only. |
| 4 | 8 | | 18.52 | Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS:8931. | | | | |
| | | | 18.52.1 | 15 mm nominal bore. | 5.00 | EACH | | Rs. Six hundred seventy and paise seventy only. |
| 4 | 9 | | 2.38A.2 | Providing & fixing stailess steel jali (grating) with or without hole for waste pipe for floor / nahani trap. 100 mm dia. Weight not less than 100 | 2.00 | | | Rs. Twenty three and |
| | | | | gms. | 2.00 | EACH | 2.3 3 1 | paise thirty seven only. |

Ju 78/21

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Phys. Chief Engineer

2017 2019/19

|) . | | | | | 19 | | | |
|-------------------------------------|----|------|--------------|---|-------|------|---------|---|
| والمراجع والمراجع والمراجع والمراجع | 50 | | 12.78 BSR | Providing and fixing on wall face unplastidsed PVC (working pressure 4 kgf per sqm) rain water pipes conforming to IS: 4985 including jointing with seal ring conforming to IS: 5382 leaving 10 mm gap for thermal expansion. | 76.21 | MTS | 214.20 | Rs. Two hundred fourteen and paise twenty only. |
| | | | 12.78.2 | 110 mm diameter | 1 | | | april 1 |
| | | | 12.79 | Provinding and fixing PVC pipe fittings with all accessories | | | | |
| | 51 | 49.1 | 12.79.5.2 | 1) 110mm Plain bend PVC | 16.00 | Each | 173.70 | Rs. One hundred seventy three and paise seventy only. |
| | | 49.2 | 12.79.3.2 | 3) 110mm door tee PVC | 12.00 | EACH | 315.90 | Rs. Three hundred fifteen and paise ninety |
| | 52 | | | Contructing brick masonry chamber for Underground C.I. Inspection Chamber and bend with 75 class designation bricks in cement mortar 1:4(1 cement: 4 coarse sand)C.I Cover with frame (light duty) 455x610 mm internal dimentions, total weight of cover with frame to be not less than 38 kg.(weight of cover 23 kg. and weight of frame 15 kg) RCC top slab with 1:1.5:3 mix (1 cement:1.5 coarse sand:3 graded stone aggregate 20 mm mm nominal size) foundation concrete 1:5:10 mix (1 cement:5 coarse sand:10 graded stone aggregate 40 mmnominal size), inside plastering 12 mm th. with cenment mortar 1:3 (1 cement:3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design | | | | only. |
| | | · | 1. | nside dimensions 455x610mm and 45 mm deep for single pipe with F.P.S. pricks | 6.00 | EACH | 6641.80 | Rs. Six thousand six hundred forty one and paise eighty only. |

प्रम स्रकाथ

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Plan

2017

2010-113

| } | | | | | 20 | | | |
|---|----|------|-----------|---|---------|------|----------|--|
| Aller Charles on the Charles of the | 53 | | 18.8 | Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including allCPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one stepCPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I | | | | |
| | | | | Concealed work including cutting chases and making good the wall etc. | | | | |
| | | 51.1 | a)18.8.1 | 15mm dia | 35.00 | MTS | 241.00 | Rs. Two hundred forty one only. |
| | | 51.2 | c) 18.9.5 | Exposed on wall 40mm dia | 75.00 | MTS | 344.00 | Rs. Three hundrd forty four only. |
| | 54 | 52.3 | MR | Labour cost for preparation of BIHAR MAP on wall incuding painting all complete. | 1.00 | Each | 15150.00 | Rs. Fifteen thousand one hundred fifty only. |
| | 55 | | 18.48 | Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI: 12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank | 1000.00 | LTS | 6.80 | Rs. Six and paise eighty only. |
| | | 54.1 | | Providing and fixing of Borewell, Handpump with Submerssible pump all complete. Construction of 125 mm x 40mm dia x 75.00 mtr. Deep I.M III hand Tube Well Part 'A' Cost of Materials India mark III hand pump with 8 nos. Connection Rod and one cylender (With provision of force and uplift) | 1.00 | Each | 8635.50 | Rs. Eight thousand six hundred thirty five and paise fifty only. |
| | | 54.2 | | 65 mm dia G.I. pipe medium quality (3mtrs length each). | 8.00 | Each | 1072.62 | Rs. One thousand seventy two and paise sixty two only. |

JU 795/21

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

2017

2017

| _ | |
|----|-----|
| ഗ | • |
| ٠, | - 4 |
| | -1 |

| | | 21 | | | |
|-------|--|-------|------|--------|--|
| 54.3 | 125 mm dia UPVC casing pipe conforming to ISS | 27.00 | mtr | 318.15 | Rs. Three hundred eighteen and paise fifteen only. |
| 54.4 | 40 mm dia length quantity G.I pipe conforming to ISS | 44.00 | mtr | 187.86 | Rs. One hundred eighty seven and paise eighty six only. |
| 54.5 | 40 mm dia x 2 long PVC RIBEED strainer of approved quality | 2.00 | nos. | 183.82 | Rs. One hundred eighty three and paise eighty two onlhy. |
| 54.6 | 125 mm x 40 mm UPVC reducing socket (Heavy quality) | 1 | Each | 166.65 | Rs. One hundred sixty six and paise sixty five only. |
| 54.7 | Part - 'B' Labour Cost (Classification of soil item 'A') Boring by jet dheki by suitable cutter of reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge. (i) 0 to 30.5 m (a) For 125 mm dia U.PV.C pipe | 27 | mtr | 210.86 | Rs. Two hundred ten and paise eighty six only. |
| 54.8 | (b) for 40 mm dia G.1 pipe | 3.5 | ıntr | 105.46 | Rs. One hundred five and paise forty six only, |
| 54.9 | (ii) 30.5 m to 61.0 m (a) For 40 mm dia G.1 Pipe | 30.5 | mtr | 121.28 | Rs. One hundred twenty one and paise twenty eight only. |
| 54.10 | (iii) 61.00 m to 75.00 m a) For 40mm dia G.I pipe | 14 | mtr | 131.84 | Rs. One hundred thirty one and paise eighty four only. |
| 54.11 | Providing all labour & tools and fitting & fixing India mark III hand pump over newely sunk for T/Well etc. all Complete | 1 | Each | 67.38 | Rs. Sixty seven and paise thirty eight only. |

पुष्रभाग

()

()

56

Chief Engineer

28.S.E.I.D.C. Ltd. Patna

2144

20/07/12

| | | 22 | | | • |
|-------|--|-----|------|---------|---|
| 54.12 | Supplying all labour and material and fitting and fixing G.1 Cap over the new sink T/well | 1 | Each | 65.65 | Rs. Sixty five and pais sixty five only. |
| 54.13 | Providing all labour & tools and fitting & fixing Cylender with requisite suspension pipe and connection rod of India mark III hand pump etc. all complete. | 1 | Each | 129.93 | Rs. One hundred twenty nine and paise ninety three only. |
| 54.14 | Providing all labour & tools and lowering 65 mm dia G.I pipe as per specificatin etc. all Complete | 24 | p/m | 21.55 | Rs. Twenty one and paise fifty five only. |
| 54.15 | Supplying labour and developing the T/Well to have sand free discharge all complete as per direction of E/I | 1 | Each | 283.31 | Rs. Two hundred eighty three and paise thirty one only. |
| 54.16 | Providing all materials and labour and construction 1.85 dia circular P.C.C (1:2:4) UNICEF design platform with foot rest etc. all complete | 1 | Each | 3679.43 | Rs. Three thousand six hundred seventy nine and paise forty three only. |
| 54.17 | Providing all material and labour & constructing 1 P.C.C (1:2:4) UNICEF design drain for disposal of waste water etc. all complete. | 3 | P/M | 311.08 | Rs. Three hundred eleven and paise eight only. |
| 54.18 | Transportation of T/W materials, tools & plant from Store to work site and back to store if materials are surplus. | 1 . | Each | 361.28 | Rs. Three hundred sixty one and paise twenty eight only. |
| 54.19 | Part 'C' Cost for Additional Motorised system for filling overhead water-tank Providing and fixing of G.I pipes complete with G.I fittings and clamps, including, cutting and making good the walls etc. (internal work) 25mm | 12 | Р/М | 184.36 | Rs. One hundred eighty four and paise thirty six only. |
| 54.20 | Providing and fixing brass valve 25 mm nominal bore Fullway valve, | 2 | Each | 213.06 | Rs. Two hundred thirteen and paise six only. |
| 54.21 | 25 mm nominal bore Non-Return valve | 1 | Each | | Rs. Two hundred thirty six and paise ninety only. |

मेप प्रकाम

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

20/07/12

| \ | | | | | 23 | | | |
|---|----|-------|--------------|--|-----|------|------------|---|
| Allen Allen Allen Allen Allen Allen Allen | | 54.22 | | Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of E/I | 1 | Each | 26462.00 | Rs. Twenty six thousand four hundred sixty two only. |
| | | | | Internal Electrification Work | | | | |
| | 57 | | 1.1 | Wiring for light point/fan point/exhaust fan point/ call bell poiont with 1.5 sq. mm FR PVC insulated copper conductor single core cable in surface/recessed PVC conduit, with piano type switch, phenolic laminated sheet, suitbale size PVC/ G.I box etc. as required. | 153 | Each | 969.60 | Rs. Nine hundred sixty nine and paise sixty only. |
| | 58 | | 1.1.3 | Group C | | | | |
| | 59 | | 1.2 | Wiring for twin control light point with 1.5 sq. mm FR PVC insulatd copper condctor single core cable in surface/ recessed PVC conduit, with 2way piano type switch, phinollic laminated sheet, suitable size PVC/GI box etc. as required. | 2 | Each | 793.64 | Rs. Seven hundred ninety three and paise sixty four only. |
| | 60 | | 1.5 | Wiring for light/ power plug with 2x4 sq. mm. FR PVC insulated, copper conductor, signle core, cable in and surface, recessed PVC conduit along with 1 no. 4 sq. mm FR PVC insulated copper conductor single core cable for loop earthing as required. | 440 | mtr | 235.33 | Rs. Two hundred thirty five and paise thirty three only. |
| | 61 | | 1.7 | Wiring for circuit/ sub main wiring along with earth wire with the following size of PVC insulated, coppper conductor, signle core cable in surface/ recessed PVC conduit as required. | 335 | Rmt | = 202.00 I | Rs. Two hundred two only. |
| | | | (b) 1.7.2 | 2x2.5 sq. mm + 1x2.5 sq. mm earth wire. | | | 300 miles | |

प्प प्रकाम

Chief Engineer

B.S.E.I.D.C. Ltd., Patna

14.

2017 2010 7/12

| 24 |
|----|
| |

| | | | 24 | | | |
|----|--------|--|---------|------|------------------------|---|
| | 1.7.9 | 4x6 sq. mm + 1x6 sq. mm earth wire. | 25 | Rmt | 514.09 | Rs. Five hundred fourteen and paise nine only. |
| 62 | 1.33 | Supplying and fixing 2 pin 5 amp. Ceiling rose on the existing junction box/ PVC box including connection etc as required. | 40 | Each | 43.43 | Rs. Forty three and paise forty three only. |
| 63 | 1.34 | Supplying and fixing battan/ angle holder including connection as required. | 92 | Each | 74.74 | Rs. Seventy four and paise seventy four only. |
| 64 | 1.23 | Supplying and fixing following piano typed switch/ socket on existing switch box/ cover including connection etc. as required. | 153 | Each | 52.52 | Rs. Fifty two and paise fifty two only. |
| | 1.23.6 | Telephone socket on shutter outlet | | | ester esterior de pro- | |
| 65 | 1.22 | Supplying and fixing metal box of following size (normal size) on surface or in recess with suitable size or phinollic laminated sheet cover in front of including painting etc. as | 6 | Each | 89.89 | Rs. Eighty nine and paise eighty nine only. |
| | 1.22.1 | 75mm X 75mm X 50mm deep (4" x 4") | gramme. | | Programme | |
| 66 | 1.30. | Supplying and fixing suitable G.I/PVC box on surface or in recess with phenolic laminated sheet cover in front including provided and fixing 6 pin, 15/16 amps socket outlet and 15/16 amps piano type switch connection, painting etc, as required. | 46 | Each | 278.76 | Rs. Two hundred seventy eight and paise seventy six only. |
| 67 | 2.9 | Supplying and fixing of following way of three pole and neutral sheet steel, MCB distribution board 415 Volts, on surface/ recess, tinned, copper bus bar, neutral link, earth bar, din bar, detachable gland plate, interconnections, phosphatized and power painted including earthing etc. as required (but without MCB/RCCB/ isolator) 6 way (4+18) double door | 2 | Each | 10306.04 | Rs. Ten thousand three hundred six and paise four only. |
| 68 | | Supplying and fixing 5 amps. to 32 amps, rating, 240 volts, 'C' series, MCB of following poles in the existing MCB DB with connections, testing and commissioning etc. as 6/32 single pole | 35 | Each | 118.17 | Rs. One hundred eighteen and paise seventeen only. |

中国国

Chief Engineer

B.S.E.I.D.C. Ltd. Patnahan

2013/11

| _ | |
|---|---|
| ~ | |
| | _ |
| _ | |

| | | | | 25 | | | |
|-----|--|---------|--|--------|------|---------|--|
| 6 | 9 | 1710 | 6/32 TPN | 1 | Each | 742.35 | Rs. Seven hundred forty two and paise thirty five only. |
| | | | LT Panel & Cable Supplying and laying following size and core PVC/ XLPE insulated PVC | - | | | |
| 70 | | 9,4 | sheathed heavy duty armoured electrical cable with alluminium conductor for working voltage upto & including 1100 Volts. (Conforms to IS: 1554 part-1) | 100 | mtr | 1232.20 | Rs. One thousand two hundred thirty two and paise twenty only. |
| | | 9.4.29 | 16 sq.mm X 4 core alluminium armoured cable | | | | |
| 7 İ | | | Trench cutting in soil of suitable size 1.5 feet wide and 2 feet depth including refilling the trench with same etc. as required. (For laying the cable) | 100 | Rmt | 22.22 | Rs. Twenty two and paise twenty two only. |
| 72 | And the state of t | 2.1 | Providing and fixing following capacity double pole/ TP & N sheet metal switch disconnector fuse unit in existing metal board, with ISI marked HRC fuses, including drilling holes in metal board, making connections, etc. as required. | 1 | Each | 4569.24 | Rs. Four thousand five hundred sixty nine and paise twenty four only. |
| | | 2.1.3 | 100 amps. TP & N, HRC | | _ | | |
| 73 | - | 5.12 | Providing and laying earth conection from earth electrod with 6 SWG dia GI wire in 15 mm dia GI pipe from earth electrod, as required. | 3 | Each | 152.51 | Rs. One hundred fifty two and paise fifty one only. |
| 74 | | | E arthing with copper earth plate 600mmx600mmx3mm thick including accessoies, and providing masonary enclosure with cover plate having locking arrangement and watering pipe etc as required | 1 | Set | 9384.92 | Rs. Nine thousand three hundred eighty four and paise ninety two only. |
| | | MISCELL | | **** | | | |
| | | | CARRAIGE OF MATERIALS | | | | |
| | 73.1 | | A) LOCAL SAND | 188.09 | CU.M | 205.29 | Rs. Two hundred five and paise twenty nine only. |
| | 73.2 | | B) COARSE SAND | 218.88 | си.м | 1055.47 | Rs. One thousand Fifty Five and paise forty Seven only. |

पुप प्रकाम

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Jan

2017

2017

| 26 |
|----|
| |

| 1 | KATIHAR | Barari | M.S.Laxmipur | | | | | |
|------|----------|---|--------------|--------------|-------------|--|--|--|
| S.N. | District | Block | | | ame of Scho | | | |
| | | Group No. : U | SS-198(A) | | | | | |
| | | | ТОТА | L Cost = | Rs. | 6,521,834.47 | | |
| | 74.2 | Cement | 2497.00 | Bags | 53.79 | Rs. Fifty three and pais seventy nine only. | | |
| 76 | 74.1 | Bricks | 97.83 SAND | | 835.35 | Rs. Eight hundred thirt five and paise thirty fivonly. | | |
| | | Add extra cost of material for Purniya Commissionary w.r.t Gaya as per SOR, BCD | | THOU | <i>*</i> | Edin de la companya d | | |
| | 73.6 | F) Steel | 15.26 | М.Т. | 289.87 | Rs. Two hundred eight nine and paise eighty seven only. | | |
| | 73.5 | E) Cement | | Bags | 14.49 | Rs. Fourteen and paise forty nine only. | | |
| | 73.4 | D) BRICKS | 97.83 | THOU SAND | 601.67 | Rs. Six hundred one and paise sixty seven only. | | |
| 75 | 73.3 | C) STONE CHIPS | 203.65 | CU.M | 1635.65 | Rs. One thousand six hundred thirty five and paise sixty five only. | | |

Rupees Sixty Five Lacs Twenty One Thousand Eight Hundred Thirty Four Only

Tender approved in favour of Prem Prakash @ 10.00% (Ten Decimal Zero Zero Percent) below BOQ rates i.e. total amount comes to Rs. 58,69,651=00 (Rupees Fifty Eight Lacs Sixty Nine Thousand Six Hundred Fifty One Only)

中国2912

Chief Engineer

B.S.E.I.D.C. Ltd. Patnar

212.

2017

2017

Rs

Say

6,521,834.47 6,521,834.00

Performance Security

Name of Agency - "Prem Prakash"

Performance Security of "Prem Prakash" of "USS-198A"

| FDR No. | <u>DOI</u> | | Amount |
|--------------|----------------------|----------|-----------|
| 36312805064 | 14.12.16 To 14.21.21 | USS-198A | 165000.00 |
| Passbook No. | DOI Reg. No. | | |
| 4048961 | 08.08.15 | USS-198A | 135000.00 |
| 1 | | | |
| | | Total | 300000.00 |

(Rupees Three Lacs Only)

स्या पदाधिकारी 7/3/17

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि० प्रदना

07/64/19

र्भुग प्रकाम

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

(A.Govt. Of Bihar Undertaking)

Shiksha Bhawan, Bihar Rastrabi asa Parishad Cempus ,Acharya Shiv Pujan Sahay Path, Saidpur, PATNA-800004. [el. No: 0612-2910314)

Letter of Acceptance

Letter no :- BSEIDC/TECH/163/2014-1119/4

Patna. Date (12 - 12 - 2015

With refrence to N.I.T. No.-14,2015-40. Dated-10.08.2015 for execution of "Construction Upgraded Secondary School (USS) buildings in Bibar" the bids have been accepted in favour of the Agencies

| SL NC | Name of Groups | Name of District | Name of School | Name of Agercy | Estimated Cost In | Tenderd Value In | Performance Security in | Time of Completio |
|--------------------|----------------|---------------------|------------------------------|---|-------------------|----------------------|----------------------------|-------------------|
| | USS-120 E |) Kalmur | M.S. Mushiyar | Karnal Fechnocrate Pvi Ltd. Vill Hew Dillian, Po + 11 - Debri On Son: Dist - Robtas, | 62,28,11 | (Rs.) 8 56,35,201 | (Rs.) 2,82,000 | In Month |
| 2 | USS-126 A | Bhagalpur | M.S. Basudeopu Bhaluya | Prizate Limited Vill- Olepter, Pirpaint Kavalgnon, Bliag slpter | 60,15,877 | 55,34,607 | 2,77,000 | 12 माह |
| 3) | USS-127 A | Bhagalpur | M.S. Mahuadhir | Cuandev Engicen Private Limited Vill- Obsper, Pirpaint Katalgaon, Bhag dpur | 60,55,626 | 54,50,063 | 2,73,000 | 12 भाह |
| 4 . | USS-127 D | Bhagalpur | M.S. Ekchar Diyara | ' Olepur, Pirpaint Kahalgaon, Blag apur, | 62,73,374 | 57,08,770 · | 2.86,000 | 12 गाह |
|)) <u>L</u> | USS-141 B | Khagariya | M.S. Khairi Khutaha | Komari Shwee Bharti, Vill-Cackti, Po Mansi, Fs Mansi, Dist- Khagaria- 851244 | 62,38,932 | 56,15,039 | 2,81,000 | १२ गाह |
| 6 | USS-195 A | Katihar '- | M.S. Laxmipur Daiwa | M.S. Excellent Construction, Hridayganj, Sout : Of Ko i Colomy, Cathar | 67,46,059 | 60,71,453 | 3,04,000 | १२ पाह |
| | USS-198 A | Katihar . | M.S. Laxmipur | Prem Prakash. 77 Khuahera, Po+2 - Kursakenta, Dies Areria | 65,21,834 | 58,69,651 | 2,94,009 | 12 गोह |
| b | USS-198 B | Katihar | M.S. Anarkali | Pren Prakash, At Khudahara, Po+2;- Kursakanta, Diss Aracia | 65,21,834 | 58,69,651 | 2,94,000 | 12 माह |
| | USS-198 D | Katihar | M.S. Morsanda | Natiyar Manda , Vill: Barari, Po: Guris Bazar, Thana: Barari, List: Kathar, 854104 | 65,34,822 | 61,34,237 | 3,07,000 | 12माह |
| | USS-198 E | (atihar | M.S Dumar | Narayan Mancat, Vill: Baraci, Po: Gun Bazar, Thana: Barari, Dis: Katihar, 374 104 | 65,04,657 | 60,79,903 | 3,04,000 | 12माह |
| | | | | | | | - in white | |

Chief Engineer .E.I.D.C. Ltd, Patna

Group No.: USS-198A

SPECIAL CONDITIONS

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes royalties and other

incidental charges.

4. To qualify for award of work, the Bidder must possess the following:-

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of signatory bid.

b) DD for required value of B.O.Q. Cost.

c) Sufficient Earnest Money Deposit.

d) Certificate from Charted Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and

to be submitted for last five years as mentioned in Technical bid.

Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed atleast one Building work of value not less than 25 % of estimated value of contract) in last five years and current Financial year will also be considered as mentioned in Technical bid.

f) Litigation History as mentioned in Technical bid.

Affidavit as mentioned in Technical bid.

h) Valid Registration with Central/ State Govt. / PSU. i) Valid labour license as mentioned in Technical bid.

j) Affidavit/Certificate for not been debarred as mentioned in Technical bid.

5. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.

6. The tender without earnest money or insufficient earnest money submitted with the tender, will be outright rejected.

7. Conditional tenders shall be outright rejected.

8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.

9. Authority shall reserve the right to reject any or all the tenders or distribute the work to

more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained.

11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules prevalent in the locality.

12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the

- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-
- a. Natural calamities
- b. Act of enemies.

(Seal & Signature of Tenderer)

Page 1 of 2

Chief Engineer S.E.I.D.C. Ltd, Patna

Group No.: USS-198A

- c. Transport and procurement difficulties.
- d. Circumstances beyond the control of the state.
- 15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- 16. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
- 17. The contractor shall make his own arrangement for water and light at the work site.
- 18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 20. The Tenderer must not quote their rate more than 15 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
- 21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 22. If any departmental materials will be supplied to the contractor the cost for carriage etc. will be borne by the contractor.
- 23. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.

____X_____X

24. The Defect liability Period shall be One (1) Year from the date of completion of the work.

AL A41121

(Seal & Signature of Tenderer)

Page 2 of 2

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

好可到多山"

बिहार राज्य शैक्षणिक आधारमूत संरचना विकास निगम लिमिटेड

(बिहार सरकार का एक उपक्रम)

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् कैम्पस, आचार्य शिवपुजन सहाय पथ, सैदपुर, पटना-800004 (दूरभाष:-0612-2910314)

पुनर्निविदा आमंत्रण सूचना संख्या— 14 वर्ष 2015—16 प्रतिशतं मद दर निविदा

(केवल ई-टेन्डरिंग पद्धति के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

1. बिहार राज्य के अन्तर्गत निम्नांकित भवनों के निर्माण कार्य हेतु निविदा आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार / सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं,परन्तु इस निगम का रजिस्ट्रेशन कराना, उक्त कार्य का लेटर ऑफ एक्सेपटेंस प्राप्त होने के बाद अनिवार्य होगा।

| क्रo संo | ग्रुप संख्या | जिला का नाम | प्रखंड का नाम | विद्यालय का नाम | प्राक्कलित राशि (लाख में) | अग्रधन की राशि (लाख में) | परिमाण विपत्र का मूल्य (रू०में) | Beltron Bid Processing Fee (In Rs.) | कार्य समाप्ति की अवधि |
|-------------|-----------------|----------------|------------------|---------------------------------------|----------------------------------|-----------------------------------|--|---|--------------------------------|
| 1. | USS- | Kaimur | Nuaon | Govt. Basic School Kari Ram Akhili | 62.28 | 1.25 | 10000.00 | 1140.00 | 12 माह |
| 2. | 120(C) USS- | Kaimur | Nuaon | M.S. Mushiyan | 62.28 | 1.25 | 10000.00 | 1140.00 | 12 माह |
| 3. | 120(D) USS- | Bhagalpur | Kahalgaon | M.S. Basudeopur Bhaluya | 60.16 | 1.20 | 10000.00 | 1140.00 | 12 माह |
| | 126(A) USS- | Bhagalpur | Pirpaiti | M.S. Mahuadhih | 60.56 | 1.21 | 10000.00 | 1,140.00 | 12 माह |
| 5. | 127(A) USS- | Bhagalpur | Pirpaiti | M.S. Ekchari Diyara | 62.73 | 1.25 | 10000.00 | 1140.00 | 12 माह |
| | 127(D) USS- | Lakhisarai | Suryagarha | U.M.S. Lahasaurwa | 59.85 | 1.20 | 10000.00 | 1140.00 | 12 माह |
| 6. | 133(E) USS- | Khagariya | Alauli | M.S. Shumbha Ghat | 64.63 | 1.30 | 10000.00 | 1140.00 | 12 माह |
| 7. | 141(A) USS- | Khagariya | Alauli | M.S. Khairi Khutaha | 62.39 | 1.25 | 10000.00 | 1140.00 | 12 माह |
| 8. | 141(B) USS- | Samastipur | Shiviinagar | Middle School Shripur | 66.79 | 1.34 | 10000.00 | 1140.00 | 12 माह |
| 9. | 189(A) USS- | Samastipur | Vibhutipur | Bhataura U.M.S. Mustfapur | 68.61 | 1.37 | 10000.00 | 1140.00 | 12 माह |
| 10. | 189(B) USS- | Katihar | Amdabad | M.S. Laxmipur Daiwa | 67.46 | 1.35 | 10000.00 | 1140.00 | 12 माह |
| 11. | 195(A) USS- | | Manihari | M.S. Mirjapur | 66.39 | 1.33 | 10000.00 | 1140.00 | 12 माह |
| 12. | 195(B) USS- | Katihar | | M.S. Mohanpur | 65.69 | 1.31 | 10000.00 | 1140.00 | १२ माह |
| 13. | 195(C) USS- | Katihar | Mansahi | | 65.21 | 1,30 | 10000.00 | 1140.00 | 12 माह |
| 14. | 198(A) | Katihar | Barari | M.S. Laxmipur | | 1.30 | 10000.00 | 1140,00 | 12 माह |
| 15. | 198(B) | Katihar | Barari | M.S. Anarkali | 65.21 | | 10000.00 | 1140.00 | 12 माह |
| 16. | USS- 198(C) | Katihar | Hasanganj | M.S. Hasanganj | 65.67 | 1.31 | | 1140.00 | 12 माह |
| 17. | USS- 198(D) | Katihar | Falka | M.S. Morsanda | 65.34 | 1.31 | 10000.00 | 1140.00 | <u> </u> |
| 18. | USS- 198(E) | Katihar | Sameli | M.S. Dumar | 65.04 | 1.30 | 10000.00 | 11-10.00 | 12 माह |

नोट:-(i) निविदाकार एक या अधिक ग्रुप में अलग-अलग निविदा डाल सकते हैं।

(ii) प्राक्किलत राशि घट या बढ़ सकती है एवं तद्नुसार अग्रधन की राशि घट या बढ़ सकती है।

(iii) वेबसाईट-www.eproc.bihar.gov.in पर अंकित प्राक्कलित राशि, अग्रधन की राशि एवं परिमाण विपन्न की राशि अंतिम रुप से मान्य होगा।

(2) विज्ञापन निर्गत करने की तिथि

दिनांक:- 14.07.2015

(3) परिमाण विपन्न प्राप्त करने(डाउनलोड) की अवधि एवं समय:--

दिनांक— 29.07.2015 से 09.08.2015, 15:00 घंटा

(वेबसाईट:www.eproc.bihar.gov.in पर)

(4) प्री बिड मीटिंग का समय, स्थान एवं तिथि

दिनांक:-01.08.2015, 14:30 घंटा प्रबंध निदेशक का कार्यालय,बिहार राज्य शैक्षणिक आधारभूत

संरचना विकास निगम, पटना।

निविदा प्राप्ति(अपलोड) की अंतिम तिथि एवं समय

दिनांक-10.08.2015, समय- 15:00 घंटा

(6) अग्रधन जमा करने की अंतिम तिथि एवं संमय

दिनांक-13.08.2015, समय- 15:00 घंटा

Chief Engineer S.E.I.D.C. Ltd, Patna

Tr 790/21

दिनांक—13.08.2015, समय— 16:30 घंटा (वेबसाईट—www.eproc.bihar.gov.inपर)

दिनांक—21.08.2015, समय— 15:30 घंटा

(8) वित्तीय बिड खोलने की तिथि एवं समय (9) निविदा खोलने का स्थान

— वेबसाईट—www.eproc.bihar.gov.inपर — 120 दिन

(10) निविदा की वैधता की अवधि

0) निविद्या का वधता का अवाध :-- 120 ।

(11) ई—टेन्डिरिंग की प्रक्रिया में भाग लेने हेतु संवेदकों को पंजीकृत होना होगा, जिससे कि उन्हें उपयोगकर्ता का नाम (user ID) पासवर्ड (Password) अंकीय हस्ताक्षर (Digital Signature) निर्गत की जायेगी। यह उन्हें वेबसाईट www.eproc.bihar.gov.in से डाउनलोड करने /टेन्डर की प्रक्रिया में भाग लेने की योग्यता प्रदान करेगा।

- (12) ई—िनविदा पत्र बेवसाईट www.eproc.bihar.gov.in से प्राप्त किया जा सकता है। संवेदक द्वारा सिर्फ उपर्युक्त वेबसाईट से ही परिमाण विपत्र प्राप्त करने के उपरांत वेबसाईट पर ही इलेक्ट्रानिक निविदा पत्र को भरकर भेजना है। अन्य सभी महत्वपूर्ण कागजात / बैंक ड्राफ्ट / अग्रधन की राशि / सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को स्कैन कर ई—िनविदा के साथ संलग्न करना अनिवार्य है।
- (13) परिमाण विपन्न के दर से कम दर उद्धृत करने पर बीड डाक्यूमेंट की शत्तों एवं सरकारी निर्णयानुसार अतिरिक्त Performance Guarantee एकरारनामा के पूर्व जमा करना होगा।
- (14) (क) प्रत्येक परिमाण विपत्र का मूल्य जो प्रत्येक निविदा के सामने उपर कण्डिका (1) में अंकित है (जो लौटाया नहीं जाएगा) किसी भी राष्ट्रीयकृत बैंक द्वारा निर्गत एवं BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. के नाम से एवं पटना में भुगतेय हो, स्वीकार किया जायेगा। मूल बैंक ड्राफ्ट "बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड" पटना के कार्यालय में दिनांक 13.08.2015 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना है। ऐसा नहीं करने पर निविदा मान्य नहीं होगा।
- (ত্ৰ) Beltron Bid **Processing Fee** is mandatory to be paid through online mode i.e. Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS"

Bids along with necessary online payments must be submitted through e-procurement portal www.eproc.bihar.gov.in before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffic/ Holidays or any other reason.

- (ग) वांछित अग्रधन की राशि राष्ट्रीय बचत पत्र/डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक जो बिहार राज्य से क्रय या जमा किया हो, प्रबंध निदेशक, BSEIDC Ltd., पटना के नाम प्रतिक्षिप्त (Pledged) हो अथवा बिहार वित्त नियमावली के अनुसार BSEIDC Ltd. के नाम से फिक्सड डिपोजिट रिसिप्ट अथवा बैंक गारन्टी जो बिड के मान्य अवधि तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत/अनुसूचित बैंक से निर्गत हो (अगर बिहार प्रान्त के बाहर के बैंक से निर्गत बैंक गारन्टी दिया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड, पटना में दिनांक 13.08.2015 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना आवश्यक है। ऐसा नहीं करने पर निविदा मान्य नहीं होगा।
- (15) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर लें। ताकि अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से बच सकें।
- (16) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। बिना कारण बताये निविदा या उसके अंश को अस्वीकृत करने / रदद करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।
- (17) निविदाकार निविदा डालने से पहले अपने रतर से भी प्रस्तावित कार्य स्थल पर भूमि उपलब्धता के संबंध में आश्वस्त हो लेगे।
- (18) विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्य अविध में सम्पर्क किया जा सकता है। ई—टेन्डरिंग की प्रक्रिया से संबंधित किसी भी प्रकार की जानकारी/सूचना हेतु सहायता कक्ष, ई—टेन्डरिंग कक्ष, प्रथत तल्ला, M/22, बैंक ऑफ इण्डिया भवन, रोड न० 25, श्री कृष्णा नगर, पटना—800001, दूरभाष सं० 0612—2523006/9939035696.

ब्रजेश प्रसाद मुख्य अभियंता

Fr 490121

Chief Engineer
B.S.E.I.D.C. Ltd, Patna