Name of Work-Renovation Work of Schedule XLV-Form No. 61 K. B. Stahaye High School,
Patha, (SL No. 3)

Agency - Gawri Shankar Singh.

BIMAR PUBLIC WORKS DEPARTMENT

a reemant No. [Form No. F-2] 111 F20/2016-17 ITEM RATE TENDER AND CONTRACT FOR WORKS

### General Rule and Direction for the guidance of Contractors. et area : la bémalagraisséall, a chair .

1. All works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer.

This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours.

- 2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so.
- 3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm.
- 4. The memorandum of work tendered or and the memorandum of máterials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender.

5. The amount of earnest money to be deposited will be If the amount of the estimate does not exceed Rs. 2,000 If the amount of the estimate exceeds Rs. 2,000 but does not exceed Rs. 5.000 ... ... ... ... ... ... ... ... ... If the amount of the estimate exceeds Rs. 5,000 but does Chief Engineer not exceed Rs. 10,000 عبدار بندا كيتريب بيدارين B.S.E.I.D.C. Ltd. Patna For each additional Rs. 5,000 or portion of Rs. 5.000 additional earnest money ... ... ... ... ... ...

6. Any Person who submits a tender shall fill up the usual prihted, form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompended by the treasury challan for the required earnest money will be liable to rejection. No single tender shall include more than the containing the c work, but contractors who will to tender for two or more works shall submit a secretaring free ch Tender shall bear the name of the work to which they refer written outside the engels and captains at the contract of the work to which they refer written outside the engels and captains at the contract of the work to which they refer written outside the engels and captains at the contract of the work to which they refer written outside the engels and captains at the contract of the work to which they refer written outside the engels and captains at the contract of money here in before mentioned shall be made in Government Treasurett and the challan there of should be enclosed with the tender.

15 12 16

7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.

8. The Engineer shall have the right of rejecting all or any of the tenders.

9. In the event of a tender being selected for acceptance the Engineer who opened the tenders will, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the priscribed time. The tender with the specilication and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to the tenderer.

10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.

11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required arts money has been deposited the Engineer shall scrutinise all pages of the form of item. Ale for works to see that the drin has been properly filled up and signed by the witnessed He shall then if he is competent, to accept the tender, sign the acceptance is not so ompetent shall send the form for signature of the acceptance of the officer competent to accept it.

detair

Sched

(b) TI G. JE Work

, lit cred

## TENDER FOR WORKS

of any
lers a
arnest
of the

ders ıpon ation iired punt

> > nt ne en

> > > y е r,

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

#### MEMORANDUM

diam'r.	A		MILIMOTOTAL	*
	(a) If several sub-work are included they should be	[a]	Name of work	
	detained in a separate list.	[b]	Estimated cost	
ders pon tion	(b) This deposit will be 5% of the estimated cost of the Work.	[c]	Earnest money	
ired ount	(c) This percentage deduction from bills will be credited to the contractors security deposit.	[d]	Initial security deposits (including earnest mon the commencement of the work	ey) to be deposited befor
		[e]	Percentage to be deducted from bills Rs. 5% (	Rupees five percent)
the pies It of		[f]	Time required for the work from date of written o	rder to commence
ed to		[g]	Date of written other to commence	

Total number of item of work tendered for

[h]

15/12/16

	,	RATE TE	NDERED	Per
Item No.	Item of work	In figures	In words	I CI
	, and the second			
÷.				
			A	
			Chief	halingineer
re o Poethioù	American Company		B.S.E.I.D.	Engineer C. Ltd, Patn

			TENDERED	Per
Item No.	Item of work	In figures	In words	, 0,
			engen og kristinger en er Frankling og kristinger	
1			neg a veltale e e	
				ign og en fræmskippelinnigeringer i per o
				· 经经济的基础的 (1997)
				The Market Services
		en de la companio de		
- 100 Miles				
	1			
	•			
			·	,
				Brom
			Chie	Fingineer C. Ltd, Patna
S/1/2	Taule Map		B.S.E.I.D	.q. Ltd, Patna

3 (5) Schedule XLV - Form No. 61 RATE TENDERED Per Per Item of work Item No. In figures In words ngineer Ltd, Patna POBLE DA 15/12/16

Schedule XLV - Fo	rm No. 61	(6)	NDEDED T		Sch —
Item No.	Item of work	RATE TE In figures	NDERED In words	Per	!
- Walter and State of the State					
를 가는 물론이 되었다 <b>.(</b> [일본 : 18] 11 (19]					
					Displayer to the second
					- colicion de la coli
					The state of the s
					The state of the s
			7		
					e university
				MIN	
			Chi	ef Engineer  Of 11d, Patna	San
	sind phie Price		A PPI	DIC ! Id. Patna	•

100	Schedule XC	V - Form No. 61	RATE TE	NDERED	5
er ·	Item No.	Item of work	In figures	In words	Per
	·				
And the State of t					
					1 1 mg
					to the second of
77.5					
					7 4
					1 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1
•					
1 1.					
	Programment of the control of the co				
en e	A BANKET TO A SECURE OF THE SE				
	NCTH-coat;				
•					
			6		
h -					1571
		and the same of the same of the		Chie	f Engineer
r ama	Eine C	ी। शे ऑक्षी Veie		Pus	if Engineer D.C. Ltd, Patna
		15/12/16		13/12	
	277.242				ang Penggalangan ang Managan Salah Salah Salah Salah

(

( )

( Jaran

 $\cap$ 

:)

1)

should this tender be accepted I/we hereby agree to abide by and fulfill all the terms and provisions of the said conditions of contract annexed hereto so, for as applicable, or in ssors in office the sums of money mentioned in the said conditions

Dated the

Signature, of contractor before comission of tender

witness:

Address:-

n

the ori

co

зa

thi

·WC

эf

CO

th

be Εş

CO

co

su

Er

hii

er

th

pr

W

EI

pa

E

e;

SI

d

tc

th

tr

C

S

b

a

а

С

t(

to

s

S

Ìs

r

١

¢

Occupation:-

Signature of witness contractor's signature

The above tender is hereby accepted by me on behalf of the Governor of Bihar. day of Dated the

20

signature of the officer accepting the tender.

Acceptances communicated on...

signature of the party taking the tender

## CONDITIONS OF CONTRACT

Compensation

Clause 1:- All compensation or other sums of payable by the contractor to Government under the terms of his contract may be deducted from, paid by the sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor by Government on any account whatsoever and in the event of his security deposit being reduced by reason of any such deduction or sale as aforesaid, the contractor shall within ten days there after make good in cash or Government securities endorsed as aforesaid any sum or sums which may have been deducted from, or arised by, sale of his security deposit of any part thereof.

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which the work is finished after necessary rectification of defects as pointed by the Executive En-gineer or his authorised agents are fully contractor to the Engineer's satisfaction.

Clause 2 :- The time allowed for carrying out the work as entered in the tender shall be strictly observed by the contractor and shall be reckoned from the date on which the wirtten order to comence work is given to the contractor. The work shall throughout the stipulated period of the contract be carried on with all due diligence (time being deemed to be the essence of the contract on the part of the contract or) and the contractor shall pay as compensation an amount equal to ½ percent on the amount of the estimated cost of the whole work as shown by the tender for every day that the work remains uncommenced or unfinished after the proper date. And further to ensure good progress during the execution of the work the contractor shall be bound in all cases in which the time allowed for any work exceeds one month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before onehalf of such time elapsed and three-fourths of the work, before three fourths of such time has elapsed in the event of the contractor failing to employ with this condition, I shall be liable to pay as compensation an amount equal to ½ percent on the said estimated cost of the whole work for every day that the due quantity of work remains incomplete provided always that the entire amount of compensation to be paid under the provisions the clause shall not exceed 10 percent of the estimated cost of the work as shown in the tender.

Action when persule security deposit foreited

Clause 3 :- In any case which under any clause or clauses of or this contract the contractor shall have rendered himself laible to pay compensation amounting to the whole of his security deposit in the hands of Government (where paid in one sum or deducted by instalments) the Executive Engineer on behalf on the Bihar Government shall have been powered to adopt any of the following courses, as he may deem best suited to the enterest of Government -

(a) To rescind the contract (of which rescind notice in writing 1) the under the hand of the Executive Engineer shall be complising which case the sectitiry deposit of the contracte shall sort absolutely atthe disposal of Government.

nd fulfill all the reto so, for as aid conditions.

> witness:-Address: Occupation:vernor of Bihar.

re of the officer ling the tender.

ure of the party king the tender

e contractor to m, paid by the rising therefore contractor by ecurity deposit the contractor nent securities ducted from, or

ed in the tender om the date on The work shall Il due diligence of the contract al to 1/2 percent y the tender for he proper date. k the contractor k exceeds one e - fourth of the ork before onefourths of such n this condition, ent on the said uantity of work pensation to be if the estimated

> or this contract ition amounting nere paid in one alf on the Bihar courses, as he

and in

(b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debitting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in -charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.

(c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original contractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified

Clause 4:- In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Engineer as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

Clause 5 :- If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) he shall apply in writing to the Executive Engineer within 40 days from the date of starting of the hinderance on account of which be desires such extension as aforesaid and the Execu Engineer shall, if in his opinion (which shall be final) reasonable grounds be show

thereof authorised such extension of time, if any, as may in his opinion be negree at the such extension of time, if any, as may in his opinion be negree at the such extension of time, if any, as may in his opinion be negree at the such extension of time, if any, as may in his opinion be negree at the such extension of time, if any, as may in his opinion be negree at the such extension of time, if any, as may in his opinion be negree at the such extension of time, if any, as may in his opinion be negree at the such extension of time. proper The Ekecutive Engineer shall at the same time inform the contracts when the Ltd, Patna claims compensation to the delay.

contractor remains liable to pay compensation if action not take under cause 2.

Power to take posession of or require removal of or sell contractor plant.

Extension of time

Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion, but no such certificate be given; nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinctly marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-work, doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurements shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus materials and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid, except for any sum actually realised by the sale thereof.

ins

god

retu

atı

COL

and

to I

in t

oth

sh:

wri

to ins

NO.

de

to

ne

to

W

CC

m

S

Si

th

C

SI

is

е

W

s

0

ri

d

tı

C

5

C

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible, before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-in-charge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts or in any other way vary or affect the contract.

•Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Stores supplied Government

Clause 9:- If the specification or estimate of the work provides for the use of any special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-in-charge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums then que or there after to become due to the contractor under the contract or otherwise, or applies or form the security deposit, or the proceed of sale thereof, if the same is held in contractor that supplied to the contractor shall remain the absolute properties of the contractor and any supplied to the contractor shall remain the absolute properties.

not on any accounts the

ofore the date on the and the price of the purpose d, if possible, ctor does not a subordinate ounter whose Engineer-inding to the

n each such to make up tor shall be and not as reputing of away and ance of the nor shall it arge under le accounts

Department actor within

use of any tores or if it ngineer-inthe prices ble for the ig or effect contractor schedule , only and pecified in re after to form the it addurity erials apphala e open to

inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him; or for any wastage to or any such materials.

Clause 10: The contractor shall executive the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid.

Clause 11:- Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales

is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a disputes the decision of the superintending

Engineer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period.

Clause 12:- If at any time after the commencement of the wok the Government of Biher shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out. the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsoever on account of any profit or advantage, which he might have derived from the execution of the work in full, but which he did not derive in consequence of the full amount of the work again or restriction of the work in full, but which he did not derive in consequence of the full amount of the work again of any alternation having been made in the original specification, drawing a sequence of any alternation having been made in the original specification, drawing a sequence of any alternation having been made in the original specification, drawing a sequence of any alternation having been made in the original specification, drawing a sequence of any alternation having been made in the original specification, drawing a sequence of any alternation having been made in the original specification, drawing a sequence of the full amount of the work as originally contemplated clause 12 (a) As contained in 5 O 1929 dated 11.9.56.

Work to be executed accordance with specification drawing other etc.

Alteration in specifications and designation.

Do not in validate contract

Time in consequence of

Rate for work no in estimate or schedule of rates of the district.

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such failure is due to :-

SČ

def

cor

വ

ext cer

, ir

afte

σĎŧ

En

ac.

WO tt

wh

ıe

€

wil

**7**6

tin

⊊r

ırc

DE

all

bc

.h

pr

3

TI

h

W.

al.

d٥

la

a

C

ر ر

to

7)

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as finally by the contractor.

Action and compensation payable in case of work

Clause 13 :- If it shall appear to the Engineer-in-charge or his subordinate incharge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall on demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-incharge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and expense in all respects of the contractcor.

Work to be taken to inspection

Clause 14:-All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineerin-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be present.

Clause 15:- The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which the same was effected.

Notice to be taken before work covered up

Clause 16:- If the contractor or his work-people, or servants shall break, deface injure or destroy any part of a building in which they may be working or any building, road, road curves, fence enclosure water pipes, cables, drains, br telephone posts or wires, trees, grass or grassland or cultivated ground the programme for cultivated ground the programme for the

work or any part of it is being executed or if any damage shall happen to the work while in progress from any cause whatsoever or any imbernation become apparent in it within three months (six months in the case of a read work) allows certificate final or other of its completion shall have been given by the Engineer-in-charge

any compensation for ment in the supply of to supply where such

rocurement difficulties

res on an application delay, such extension k as shall appears to inces of the case. The hall be accepted as

r his subordinate ind, imperfect or unskilful y materials or articles a quality inferior to that ne contractor shall on nadverentaly passed e work so specified in les so specified and in proper charge and d by the Engineer-inpay compensation at y not exceeding ten any such failure the remove and replace ly be, at the risk and

> in presence of the on of the Engineers during the usual e intimation of the been given to the uction, or have a rders given to the if they had been

> > otice in writing to re covering up or ler that the same the same is so over up or place in writing of the covered up or I been given or expenses or in rials with which

> > > break, deface ∄ny building, or telephone pon which Secome d Ratea er-in-charge

as a fore seal, the contractor shall make the same good at his own expense, or in default, the Engineer-in-charge may cause the same to be made be good by other worksmen and deduct the expense of which time thereafter may become due to the contractor, or from his security deposit, or the proceed of sale there of, or of a sufficient portion there of the security deposit at the contractor shall not be refunded before the expiry of three months (six months in the case of a road-work) after the issue of the certificate final or otherwise of completion of work provided that in the case of a road work if in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable after three months of the issue of the said certificate of completion

Clause 17:- The contractor shall supply at his own cost all materials (except such special materials) if any as may in accordance with the contract be supplied from the Engineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, tackle scaffolding and temporary works requisits or proper for the proper execution of the work whether original, altered or substituted and whether include in the specification or other documents forming part of the contract or referred to in these conditions or not or which may be necessary for purpose of satisfying or complying with the requirement of the Engineer-in-charge as to any matter as to which under these conditions he is entitled to be satisfied which he is entitled to require together with carriage therefore to and form the work. The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting, weighing and assisting in the measurement or examination at any time and form time to time of the work or materials failing his so doing the same may be Provided by the Engineer-in-charge at the expense of the contractor and the expenses may be deducted from any money due to the contractor under the contract from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide all necessary fencing and lights required to protect the public from accident, and shall be bound to bear to expenses of defence of every suit action or other proceeding at law that may be brought by any person for injury sustained owing to neglect of the above precautions and to any such person or which may with the consent of the contractor be paid to compromise any claim by any such person.

And is liable for damage arising for non-provision of light fencing etc.

Clause 18: No female labour shall be employed within the limits of contonment. The contractor shall not employ for the purpose of his contract any person who is below the age of twelve years and shall pay to each labour for the work done by such labourer wages not less than the wages paid for similar work in the neighbourhood.

The executive Engineer shall have the right to enquire into the case and decide any complaint alleging that the wages paid by the contractor to any labourer for the work done by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer employed by contractor is below the age of twelve years and to refuse to allow any labourer whom he decided to be below the age of twelve years to be employed by the contractor.

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his contract, or attempt so to do, or become insolvent proceedings to make any composition with his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward or advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, or offered by the contractor, or any of his servant or agents to any public officer or person In the employ of Government in any way relating to his officer or employment or if any such officer or person shall become in any way directly or indirectly interested in the contract the Executive Engineer may there upon by notice in writing rescind the contract. The security deposit of the contractor shall there upon stand forfeited and be absolutely at the disposal of Government and the same consequence shall ensure as if the contract had been recinded under clause 3 here of, in addition the contractor shall not b Chief Engineer

to recover or be paid to any work therefore actually performed the under the SeraD.C. Ltd, Patna 214 216 21216

Contractor to supply to

plantladder scaffolding

Contractor liable for damage done and for.

imperfection a months

and after certificate

Work not to be subject

Contract may be resinded and security deposit forfelted for subletting bribes or if contractor become

such payable by way of compensation to be considered reasonable compensation without reference to actual loss Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained.

Clause 21:- In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this information.

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal of Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer Clause 22: - All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23: In case any dispute or difference shall arise between the parties or either of there upon any question relating to the meaning of the specifications, designs, drawings and instructions here before mentioned or as to the quality of workmanship or materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, or any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions or otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof or as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

(a) Clause 24: When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items or work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-incharge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineer-in-charge shall be final and conclusive against the contractor with regard to any sum payable to him under the provision of this clause.

Action where specificalton.

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Definition of works

Clause 26: The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to such construction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered, substituted or additional.

Witness: 18/12/16

Contractor.

Schedule XLV - Form No. 61 inder any of these applied to the use of

stained and there of

ige in the constitution

ger-in-charge or this

within fifteen days the d the security deposit rely at the disposal of he contract has been nall not be entitled to er the contractor.

all be executed under intending Engineer of t point or points and in

etween the parties or pecífications, designs, lity of workmanship or the conditions or any ghts of the parties, or lating to the contract f these conditions or ite the same whether bondment thereof or e to the order notice all be referred to the ill be final, conclusive

> made includes lump spect of the items or le under this contract n of the Engineer-inhis direction pay the iting of the Engineerh regard to any sum

carried on.

Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied

(15)

Rates at which the material Place of delivery will be charged to the Particulars contractor P. Rs. Unit no such specification lance with the circle h, then in such case he instructions and

in these conditions repugnant to such rtue of the contract ther original, altered,

een read/explained understand them.

Contractor.

sild along this (Signature of Contrator) 15/12/16

Note:-The person or firm submitting the tender should see that the rates in the above schedules are filled up by the Engineer-in-charge on the issue of the form prior to the submission of the tender

> Chief Engineer Sisieu O.C. Ltdiv Pamaeer)

... 

÷,

.

e de la companya de l

# Bihar State Educational Infrastructure Development Corporation Ltd.

## AGREEMENT for Repair Work at K.B. Sahaye High School, Patna

## **TENDER FOR WORKS**

I/we heredy tender for the execution for the Governor of Bihr of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of witten order to commence and in accodance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subjects to the annexed condation of contract and with such materaials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

#### **MEMORANDUM**

- (a) If several sub-work are incuded they should be detained in the separate list
- (A) Name of Work: Repair Work at K.B. Sahaye High School, Patna
- (B) Estimated Cost :- Rs. 20,39,371=00 Agreement value :- Rs. 18,35,434=00
- (b) This deposit will be 5% of the estimated cost of the work.
- (C)Earnest Money:-
- (c)This percentage deduction from bills will be credited to the contractors security deposits
- (D) Initial security deposits (including earnest money) to be deposited before the Commencement of the work-

Earnest Money:- Rs. 1,14,000/- (Details attached)

- (E) Percentage to be deducted from bill Rs. 5% (Rupees five percent)
- (F) Time required for the work from date of written order to commence TWO MONTHS
- (G) Date of written order to commence :-
- (H) Total number of item of work tendered for :-97 101.

211x 2191 Nie 15/12/16

Chief Engineer 3.S.E.I.D.C. Ltd, Patn

19/12

T/12/16C

# BIHAR STATE CDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. SHIKSHA BHAWAN, SAIDPUR, PATNA

# AGREEMENT for Repair Work at K.B. Sahaye High School, Patna

	1					
S.N o	S.O.R	Item of Work	Quantity	Unit	Rate	Amount
۱ ۳	20.3A.1	Making 25 cm (10") dia bore up to 4 m depth below ground with hand auger of approved quality in ordinary soil true to plumb and without ecentricity in any stage of operation and disposal of the excavated earth up to 50m. Land including all lifts all complete as per approved design and direction of E/I.	0.00	Meter	100.90	Rs. One hundred and paise ninety only.
2	20.3A.2	63cm (25") dia under reamed at required depth with hand auger of approved quality in ordinary soil true to plumb and without ecentricity in any stage of operation and disposal of the excavated earth up to 50m. Land including all lifts all complete as per approved design and direction of E/I.	0.00	Each	107.70	Rs. One hundred seven and paise seventy only.
3	2.8.1	Earth work in excavation in foundation trenches or drains(not exceeding 1.5 m in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 m . including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m.All Kinds of soil	0.00	Cu.m	205.20	Rs. Two hundred five and pasie twenty only.
4	2.28	Supplying and Filling in plinth with local sand and under floors including, watering, ramming consolidating and dressing complete.	0.00	Cu.m	192.50	Rs. One hundred ninety two and paise fifty only.
5	. 11.72	Providing designation 100 A one brick flat soling joints filled with local sand including cost of watering, taxes, royalty all complete as per building specification and direction of E/l,	0.00	Sq.m	227.60	Rs. Two hundred twenty seven and paise sixty only.

Sir 2 aim reis 15/12/16

Chief Engineer B.S.E.I.D.C. Ltd. Paina

13/12

15/12/16

....

a sanca a que de la compansión de la com

.

			11	-		•
6	4.1.3	Providing and laying in position cement concrete of specified grade exluding the cost of centring and shuttering-all work upto plinth level. 1:2:4	0.00	Cu.m	3323.10	Rs. Three thousand three hundred twenty three and paise ten only.
7	5.1.2	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing and reinforcement- All work puto plinth level 1:1:5:3(1 cement: 1.5 coarse	0.00	Cu.m	3881.20	Rs. Three thousand eight hundred eighty one and paise twenty only.
		sand:3 graded stone aggregate 20 mm nominal size)				
8	5.2.2	Reinforced cement concrete work in wall (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts, etc. upt floor five level excluding cost of centring, shuttering, finishin and reinforcement.1:1:5:3(1 cement: 1.5 coarse sand:3 graded stone aggregate 20mm nominal size)	0.00	Cu.m	4436.60	Rs. Four thousand four hundred thirty six and paise sixty only.
9	5.3	Reinforced cement conrete work in beams, suspended floors, roofs having slope upto 15, landings, balconiec, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto floor five level excludingthe cost of centring, shuttering, finishing and reinforement with 1:2:4(1 cement:2 coarse sand:4 graded stone aggregate 20 mm nominal size).	0.00	Cu.m	4052.00	Rs. Four thousand fifty two only.
10	5.9.1	Centring and shuttering including strutting, propping etc. and removal of form for. Foundations, footings, bases of columns etc. for mass concrete.	0.00	Sq.m	166.70	Rs. One hundred sixty six and paise seventy only.
11	5.9.3	Centring and shuttering including strutting, propping etc. and removal of form for. Suspended floors, roots, landings, balcnies and access platform.	0.00	Sq.m	275.60	Rs. Two hundred seventy five and paise sixty only.

JIN 2 Jan Mic 15/12/16

Chief Engineer

B.S.E.I.D.C. Ltd., Paina

12

112

15/12/16

nge viden krieg is Hold Friedrich in Michigan

: .

			12			· · ·
12 .	5.9.5	Centring and shuttering including strutting, propping etc. and removal of form for Lintels, beams, plinth bams, griders, bressumers and contilevers.	0.00 .	Sq.m	251,30.	Rs. Two hundred fifty one and paise thirty only.
13	5.9.6	Centring and shuttering including strutting, propping etc. and removal of form for. Columns, Pillars, Piers, Abutments, Posts and Struts	0.00	Sq.m	344.40	Rs. Three hundred forty four and paise forty only.
14	6.1.14A	Brick work with bricks of class designation 100A in foundations and plinth in :Cement mortar 1:6 (1 cement: 6 coarse sand)	7.54	Cu.m	3992.90	Rs. Three thousand nine hundred ninety two and paise ninety only.
15	6.3A	Extra for Brick work in superstructure above plinth level upto floor V cum	0.00	Cu.m	4427.50	Rs. Four thousand four hundred twenty seven and paise fifty only.
16	6.18.4A+ 6.19A	Half brick masonry with bricks of class designation 100A in foundations and plinth in :Cement mortar 1:4 (1 cement: 4 coarse send) Extra for half Brick masonry in superstructure above pinth level upto floor V level.	0.00	Sq.m	538.30	Rs. Five hundred thirty eight and paise thirty only.
17	13.11.2	Cement plaster in course sand.1:4(1 cement :4 coarse sand)	0.00	Sq.m	100.30	Rs. One hundred and paise thirty only.
18	13.17.2	12 mm cement plaster 1:4(1 cement: 4coarse sand) finished with a floating coat of near cement Details of cost for 10 sqm	81.00	Sq.m	127.00	Rs. One hundred twenty seven only.
19	5.22.7A	Reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete. Thermo-Mechanically Treated bars TMTC-500-8mm dia.	0.00	Kg	74.40	Rs. Seventy four and paise forty only.
20	5.22.7D	Reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete. Thermo-Mechanically Treated bars TMTC-500-16mm dia.	0.00	Kg	75.40	Rs. Seventy five and paise forty only.

21/2 Stan Vaic 15/12/16

					't	
21	. 1274	Removing white or colour wash by scrapping and sand paper in and preparing the surface smooth including necessary repair scratches etc. complete	6580.31	Sq.m	4.20	Rs. Four-and paise twenty only.
22	14.1.2	Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sqm and under including cutting the patch in proper shape and preparing and plastering the surface of the walls complete including disposal of rubbish to the dumping ground within 50 metres lead. With cement mortar 1:4(1 cement:4 coarse sand)	1783.12	Sq.m	150.10	Rs. One hundred fifty and paise ten only.
23	9.1.2	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position. Sal wood	0.86	Cu.m	74774.3	Rs. Seventy four thousand seven hundred seventy four and paise thirty only.
24	9.21.2	Providing and fixing flush door shutters conforming to IS: 2202 (Part-I) non-decorative type core of block board construction with frame of 1st class tiard wood and well mathched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters.  30 mm thick including anodised aluminum butt hinges wirh necessary screws	0.00	Sq.m	1635	Rs. One thousand six hundred thirty five only.
25	3214	Aluminium sheet 24 gauge	0.00	Sq.m	403.64	Rs. Four hundred three and paise sixty four only.

Six 21 216

Chief Engineer

B.S.E.I.D.C. Ltd., Patna

Skinoudhoff

15/1/2/11

1	4
ŧ	~1

			14			
26	10.12.1	Providing and fixing steel glazed doors, windows and ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm lugs 10 cm long with steel lugs embedded in cement concrete blocks 15x10x10 cm of 1:3:6(1 cement: 3 coarse sand: 6 graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panes with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer; excluding the cost of metal beading and other fitting except necessary hinges or pivots as required.	0.00	Sq.m	2928.1	Rs. Two thousand nine hundred twenty eight and paise ten only.
27	9.82.2	Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats, square or round bars etc.all complete. fixed to openings/wooden frames with rawl plugs screw	2137.88	Kg	92.7	Rs. Ninety two and paise seventy only.
28	9.5.2.2	Providing and fixing panelled or panelled and glazed shutters for doors.windows and clerestory windows including black enamelled M.S. butt hinges with necessary screws excluding.Panelling which will be paid for separately.Kiln seasoned and chemically treated hollock wood.30 mm thick	71.96	Sq.m	1355.40	Rs. One thousand three hundred fifty five and paise forty only.
29	9.100.1	Providing and fixing M.S. sliding door bolts bright finished or/and black enamelled, with nuts and screws etc.compelled: 300x16 mm	5.00	Each	177.40	Rs. One hundred seventy seven and paise forty only.
30	9.104.1	Providing and fixing M.S.handles with necessary screws etc.complete. 125 mm	10.00	Each	27.50	Rs. Twenty seven and paise fifty only.

5/12/16

Chief Engineer

B.S.E.I.D.C. Ltd, Paina

Skehoudhy

15112

151218

and the state of t

			15			
31	9.119.1	Providing and fixing oxidised M.S.tower bolt black finish,(barrel type) with necessary screws etc.complete 250x10mm	10.00	Each	66.50	Rs. Sixty six and paise fifty only.
32		Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (Thickness to be specified by the manufacture) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-incharge in skirting, risers of steps and dados over 12mm thick bed of cement Motar 1:3(1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching shade complete.	434.49	Sq.m	754.20	Rs. Seven hundred fifty four and paise twenty only.
33	11.38.	Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturer) of ist quality conforming to IS: 15622 of approved make in colours such shades except white, Ivory, Grey, Fume Red, Brown, laid on 20 mm thick Cement motar 1:4 (1 cement: 4 coarse sand) including pointing the joints with white cement and matching pigment etc., complete.	58.04	Sq.m	801.80	Rs. Eight hundred one and paise eighty only.
34	13.79.2	Finishing walls with water proofing cement paint of approved brand and manufacture and of required shade to give an even shade.new work (one or more coats)	6580.31	Sq.m	60.50	Sixty and paise fifty only.
35	13.82.4	Painting with ready mixed paint of approved brand and manufacture in all shades to give an even shade: Old wood work (one more coats)	513.74	Sq.m	38.70	Rs. Thirty eight and paise seventy only.

Styl atom Rie 15/12/16

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Yan

15/12/15

0

15/12

		•	16		•	
	·	Painting with ready mixed paint of approved brand and			•	Rs. Thirty eight and
36	13.82.4	manufacture in all shades to give an	117.45	Sq.m	38.70	paise seventy only.
		even shade: steel (one more coats)			1	
		grill			<del> </del>	
37	17.1.1	Providing and fixing water closet squatting pan (Indian type W.C.pan) with 100 mm sand cast Iron P or S trap, 10 litre low fixtures complete, including cutting and making good the walls and level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS:7231, with all fittings and floors wherever required: White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests	15.00	Each	3035.40	Rs. Three thousand thirty five and paise forty only.
38	17.4.2	Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required: Range of two urinal basins with 5 litre white P.V.C.automatic flushing cistern	4.00	Each	4688.90	Rs. Four thousand six hundred eighty eight and paise ninety only.
39	17.7.2	Providing and fixing wash basin with C.I. brackets, 15 mm C.P.brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: White Vitreous China Wash basin size 630x450 mm with a single 15 mm C.P. brass pillar tap	8.00	Each	1838.20	Rs. One thousand eight hundred thirty eight and paise twenty only.
40	18.63	Providing and fixing PTMT angle stop cock 15 mm nominal bore, weighing not less than 85 gms	30.00	Each	180.90	Rs. One hundred eighty and paise ninety only.

JIM 2191 RiE 15/12/16

Chief Engineer

B.S.E.I.D.C. Ltd. Patha

| Chief Engineer

13/12

omiliya kaka Marangan makangga Agawa

1.	_

			.17			
41	17.28.2.1	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. Flexible pipe. 32 mm dia	8.00	Each	78.60	Rs. Seventy eight and paise sixty only.
42	17.32.2	Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard. Rectangular shape 453x357 mm	8.00	Each	643.40	Rs. Six hundred forty three and paise forty only.
	18.9	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement ,trenching ,refilling & testing of joints complete as per direction of Engineer in Charge.	,			
43	18.9.1	15 mm nominal outer dia Pipes	200.00	Metre	125.10	Rs. One hundred twenty five and paise ten only.
44	18.9.2	20 mm nominal outer dia Pipes	115.00	Metre	146.40	Rs. One hundred forty six and paise forty only.
45	18.9.3	25 mm nominal outer dia Pipes	140.00	Metre	193.80	Rs. One hundred ninety three and paise eighty only.
46	18.9.4	32 mm nominal outer dia Pipes	325.00	Metre	251.10	Rs. Two hundred fifty one and paise ten only.
47	18.48	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, ISI: 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.	4000.00	litre	6.80	Rs. Six and paise eighty only.
48	18.49.1	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931:15mm nominal bore	52.00	Each	497.00	Rs. Four hundred ninety seven only.

Jal 2591 Vic

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Skahoudhurf

15/10/16

And All Control of the Control of th

			18	•		
49	18.52.1	Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS:8931.15 mm nominal bore	34.00	Each	670.70	Rs. Six hundred seventy and paise seventy only.
50	18.58.1.1	Providing and fixing PTMT grating of approved quality and colour.Circular type.100 mm nominal dia	35.00	Each	47.90	Rs. Forty seven and paise ninety only.
51	19.2.1	Providing and laying cement concrete 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size) all-round S.W. pipes including bed concrete as per standard design : 100 mm diameter S.W. pipe	0.00	Metre	312.50	Rs. Three hundred twelve and paise fifty only.
52	19.30.1.1	Constructing brick masonry chamber for underground C.I. inspection chamber and bends with bricks in cement mortar 1:4 (1 cement: 4 coarse sand) C.I. cover with frame (light duty) 455x610 mm internal dimensions, total weight of cover with frame to be not less than 38 kg (weight of cover 23 kg and weight of frame 15 kg),R.C.C. top slab with 1:2:4 mix (1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal size), foundation concrete 1:5:10 (1 cement: 5 fine sand: 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm thick with cement mortar 1:3 (1 cement: 3 coarse sand), finished smooth with a floating coat of neat cement onwalls and bed concrete etc. complete as per standard design: Inside dimensions 455x610 mm and 45 cm deep for single pipe line: With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	0.00	Each	3949.10	Rs. Three thousand nine hundred forty nine and paise ten only.

Sill aton Wie

			19			
53	19.32.1	Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45cm dry brick honey comb shaft with bricks and S.W. drain pipe 100 mm diameter, 1.8 m long complete as per standard design. With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	0.00	Each	25900.10	Rs. Twenty five thousand nine hundred and paise ten only.
	And the second s	Detailed estimate for construction of 125mm x 40mm x 90m Tube well manual boring				
54		125mm dia UPVC casing pipe confirming to ISS.	27.00	Metre	315.00	Rs. Three hundred fifteen only
55		40mm dia UPVC casing pipe confirming to ISS.	48.00	Metre	99.38	Rs. Ninety nine and paise thirty eight only.
56		40mm dia PVC ribbed strainer of approved quality.	8.00	Metre	182.00	Rs. One hundred eighty two only.
57		Reducing socket 125mm x 40mm.	1.00	Each	270.00	Rs. Two hundred seventy only.
58		Supplying all labour and materials & fixing PVC cap over the new sink Tube well.	1.00	Each	140.00	Rs. One hundred forty only.
59	B.S.R. 1548	Providing and fixing of G.I pipes complete with G.I fittings and clamos including cutting and making good etc. 32mm dia (15% C.P & 1% L.Cess).	18.00	Metre	224.44	Rs. Two hundred twenty four and paise forty four only
60	B.S.R. 1928	32mm nominal bore brass full way valve. (15% C.P & 1% L.Cess).	1.00	Each	511.21	Rs. Five hundred eleven and paise twenty one only.
61		Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ISI make 2900 rpm capable of dischrge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of E/I.	1.00	Each	26446.00	Rs. Twenty six thousand four hundred forty six only.
		Cost of Labour				

3/12/ Stan Nie 15/12/16

1)

Chief Engineer
B.S.E.I.D.C. Ltd, Patna
Hen.

15/12/16

		,	20			•
		Boring by jet dheki by suitable cutter of reduce as the case may be lowering		-		-
		125mm U.P.V.C x 40mm dia G.I pipe & strainer of standard quality iron shoe plug & socket etc. all complete				
		for the job as per specification and direction of the engineer in charge.	• •			
		0 to 30.50 m			•	
62		For 125mm dia U.P.V.C Pipe.	27.00	Metre	208.77	Rs. Two hundred eight and paise seventy seven only.
		27 to 30.50m				
63		For 40mm dia U.P.V.C Pipe.	3.50	Metre	119.03	Rs. One hundred nineteen and paise three only.
		30.50m to 61.00m				
64		For 40mm dia U.P.V.C Pipe.	30.50	Metre	136.88	Rs. One hundred thirty six and paise eighty eight only.
		61.00m to 75.00m				
65		For 40mm dia U.P.V.C Pipe.	14.00	Metre	148.79	Rs. One hundred forty eight and paise seventy nine only.
		75.00m to Above				
66		For 40mm dia U.P.V.C Ribbed striner.	8.00	Metre	148.79	Rs. One hundred forty eight and paise seventy nine only.
67		Providing all labour & tools and lowering 32 mm dia G.I pipes as perspecification etc. all complete job.	24.00	Metre	21.34	Rs. Twenty one and paise thirty four only.
68		Supplying labour and developing the T/well to have sand free discharge all complete as per direction of E/I.	1.00	Each	280.50	Rs. Two hundred eighty and paise fifty only.
69	M.R	Providing and fixing PVC Soil, Waste and vent pipes. 110mm dia	0.00	Metre	347.00	Rs. Three hundred forty seven only.
70	M.R	Providing and fixing PVC Door TEE. 110mm dia	0.00	Each	365.00	Rs. Three hundred sixty five only.
71 -57	M.R	Providing and fixing PVC Door Bend. 110mm dia	0.00	Each	283.00	Rs. Two hundred eighty three only.
72	M.R	Providing and fixing PVC Bend. 110mm dia	0.00	Each	185.00	Rs. One hundred eighty five only.

- Still ation plic

Chief Engineer

B.S.E.L.D.C. Ltd. Patna

Phan Skehowling

15/12/14

		•	21			
43	M.R	Providing and fixing PVC Vent cowl.  110mm dia	0.00	Each	65.00	Rs. Sixty five only.
14	M.R	Providing and fixing PVC Pipe clip. 110mm dia	0.00	Each	53.00	Rs. Fifty three only.
15/	M.R	Providing and fixing PVC Floor trap. 110mm dia	0.00	Each	. 436.00	Rs. Four hundred thirty six only.
16 12	M.R	Providing and fixing C.I Cover for Septic tank	0.00	Each	374.06	Rs. Three hundred seventy four and paise six only.
# 73	M.R	Providing and fixing S.C.I Plain bend for Septic tank	0.00	Each	436.40	Rs. Four hundred thirty six and paise forty only.
78 74	M.R	Providing and fixing S.C.I Tee for Septic tank	0.00	Each	748.11	Rs. Seven hundred forty eight and paise eleven only.
79,75	8.12	Providing and laying flamed finish Granite stone flooring in required design and patterns, in linear as well as curvilinear portions of the building all complete as per the architectural drawings with 18 mm thick stone slab over 20 mm (average) thick base of cement mortar 1:4 (1 cement : 4 coarse sand) laid and jointed with cement slurry and pointing with white cement slurry admixed with pigment of matching shade including rubbing, curing and polishing etc. all complete as specified and as directed by the Engineerin-Charge::				
	8.12.A	Flamed finish granite stone slab Jet Black, Cherry Red, Elite Brown, Cat Eye or equivalent				
		counter slab	0.00	Sq.m	3276.79	Rs. Three thousand two hundred seventy six and paise seventy nine only.
		Electrical work				

15/12/16

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Plan

[X12]

[X12]

[X12]

6	9
	- L

			22			
3.0 26	1.8	Wiring for light point /fan point / exhaust fan point / call bell point with 1.5 sq.mm FR PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with piano type switch, phenolic laminated sheet, suitable size M.S. box and earthing the point with 1.5 sq.mm. FR PVC insulated copper conductor single core cable etc. as required.				D. Gir burdad
	1.8.3	Group C	120.00	Each	681.75	Rs. Six hundred eighty one and paise seventy five only
	1.14	Wiring for circuit / submain wiring alongwith earth wire with the following sizes of FR PVC insulated copper conductor, single core cable in surface / recessed medium class PVC conduit as required.				
81	1.14.2	2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth wire	60.00	mtr.	132.31	Rs. One hundred thirty two and paise thirty one only.
	1.14.3	2 X 4 sq. mm + 1 X 4 sq. mm earth wire	335.00	mtr.	163.62	Rs. One hundred sixty three and paise sixty two only.
	1.14.4	2 X 6 sq. mm + 1 X 6 sq. mm earth wire	0.00	mtr.	223.21	Rs. Two hundred twenty three and paise twenty one only.
	1.23	Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections etc. as required.		•		
28	i	5/6 amps socket	0.00	Each	33.33	only.
	1.23.2	5/6 amps switch	0.00	Each	37.37	Rs. Thirty seven and paise thirty seven only.

All aton die 15/12/16

ì

, some

1)

0

Chief Engineer
B.S.E.I.D.C. Ltd, Patna
Likehoushy

15/12/18

The state of the s

		•	. 23			
83.	1.25	Supplying and fixing stepped type electronic fan regulator on theexisting modular plate switch box including connections but excluding modular plate etc. as required	0.00	Each		Rs. Two hundred eighty six and paise seighty four only.
34	1.33	Supplying and fixing 3 pin, 5 amp ceiling rose on the existing junction box/ wooden block including connection etc as required	0.00	Each	43.43	Rs. Forty three and paise forty three only.
85 _81	1.34	Supplying and fixing brass batten/ angle holder including connection etc. as required.	0.00	Each	74.74	Rs. Seventy four and paise seventy four only.
86	1.30	Supplying and fixing metal box of 180mm X 100mm X 60mm deep(nominal size) on surface or in recess with suitable size of phenoliclaminated sheet cover in front including providing and fixing 6 pin5/6 & 15/16 amps socket outlet and 15/16 amps piano type switch, connection, painting etc. as required.	2.00	Each	195.94	Rs. One hundred ninety five and paise ninety four only.
87	2.8	Supplying and fixing following way prewired SP&N MCB distribution board of steel sheet for 240 volts on surface/ recess complete with loose wire box, terminal connectors for all incoming and outgoing circuits, duly prewired with suitable size FRLS PVC insulated copper conductor up to terminal blocks, tinned copper bus bar, neutral link, earth bar, din bar, detachable gland plate, interconnections, powder painted including earthing etc. as required. (But without MCB/ RCCB/ Isolator)				
	2.8.6	6 way (4 + 18) Single door	1.00	Each	9,496.00	Rs. Nine thousand four hundred ninety six only.

Mel 250 Lie 15/12/16 Chief Engineer

B.S.E.I.D.G. Ltd. Pagna

The Skehowly

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/12

15/

			24	<b>,</b>		
84 84	2.10	Supplying and fixing 5 amps to 32 amps rating, 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of				
		following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required.				
	2.10.1	Single pole	0.00	Each	170.69	Rs. One hundred seventy and paise sixty nine only.
89 <i>385</i>	2.12	Supplying and fixing following rating, double pole, 240 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required.				
	2.12.1	40 amps	0.00	Each	220.18	Rs. Two hundred twenty and paise eighteen only.
		Supplying, installing, testing and commissioning of following capacity TPN tap off box made of 1.6mm thick				

0.00

0.00

0.00

Each

Each

Nos.

8,134.54

12,769.43

9,384.92

sheet steel enclosure duly painted with

complete with PPN disconnector FSU

etc as required.

100 amps TPN

200 amps TPN

AND HRC fuses, connections, earthing

Earthing with copper earth plate 600mm

x 600mm x 3mm thick including

enclosure with cover plate having

coke and salt as required.

accessories, and providing masonary

locking arrangement and watering pipe

of 2.7 metre long etc. with charcoal /

powder coating on exinsing rising mains

3/12/16 15/12/16

3.2

3.2.4

3.2.5

5.6

90

86

91

Chief Engineer
B.S.E.I.D.C. Ltd. Patna

Rs. Eight thousand one hundred thirty

four and paise fifty

Rs. Twelve thousand seven hundred sixty

nine and paise forty three only.

Rs. Nine thousand

four and paise

ninety two only.

three hundred eighty

four only.

.

-	and the same of
~	
	. –

		<u> </u>	25		
	N.S.	ELECTRIL PANELS Design,manufacturing,assembling,wirin g,supply,installation,testing and commissioning of the following extensible cubicle type indoor mounting,dead front,fully compartementalised with hinged lockable detachable from& backl openable,dust and vermin proof,floor mounting sheet steel clad switchboard fabricated out of 2 mm thick CRCA powder coated sheet steel suitable for use at 415 volt 3 phase 4wire 50 cycle system,BMS Compiatable and to withsatans a symmetrical fault level of below mentioned kA at 415 volt. panels	25		
92 -		shall be fabricated in easily transportable sections,length,height,depth etc.to match with site condition,complete in all respect.  INCOMER:-  1 Nos.160 Amps. TPN MCCB(25 KA) Breaking capacity.  1 Set of RYB phase Indication lamps with suitable rating MCB			
		1 Set of ON/OFF Indication lamps along with 2A SP MCB backup protecting.	-		
		1 set Digital Ampere meter with suitable rating CT and selector switch 1 set Digital Volt meter with suitable rating MCBs and selector switch Busbar Electrolytic high conductivity aluminium three phas and neutral busbars rated at 415V, 125 amps,35 kA,insulated with heat shrinkable coloured PVC sleeves & clip on			
		shrounds for joints. The busbar sizing calculations shall be sumitted for approval, considering all derating factors.  3 Nos. 40 Amps. TPN MCCB(16 KA) with electronic releases.			

जारी शंका , सिंह 15/12/16

Chief Engineer

B.S.E.I.D.C. Ltd. Paina

Skehoudhy

15/12

U/12/16

erwaise a resolution of the second

			26		<u>.</u>	
		Outgoings  1) 4 No.40 amp FP MCB of 10 kA breaking capacity.  2) 5 No.63 amp FP MCB of 10 kA breaking capacity.			· :	
•		TOTAL COST OF MAIN LT PANEL	0.00	Each	109980	Rs. One lac nine thousand nine hundred eighty only
93 289	OL01	Un Skilled labour	0.00	Each	213.72	Rs. Two hundred thirteen and paise seventy two only.
		Carriage of Materials				
4		Bricks	3.72	Th.	601.67	Rs. Six hundred one and paise sixty seven only.
95 97		Sand	3.17	Cu.m	750.53	Rs. Seven hundred fifty and paise fifty three only.
96 92		Local Sand	0.00	Cu.m	205.29	Rs. Two hundred five and paise twenty nine only.
97		Chips	0.00	Cu.m	1360.41	Rs. One thousand three hundred sixty and paise forty one only.
94		Cement	1.08	МТ	289.87	Rs. Two hundred eighty nine and paise eighty seven only.
995		Steel	2.10	MT	289.87	Rs. Two hundred eighty nine and paise eighty seven only.
	<del>                                     </del>	Difference Cost Materials				
96	1	Cement	1.08	MT	798.89	Rs. Seven hundred ninety eight and paise eighty nine only.
101		Bricks	3.72	Th.	1473.55	five only.
-	<del>                                     </del>				Total-	2,039,371.0

(Rupees Twenty Lacs Thirty Nine Thousand Three Hundred and Seventy One) Only Tender approved in favour of Gauri Shankar Singh @ 10.00% (Ten Decimal Zero Zero Percent) below i.e. total amount comes to Rs. 18,35,434=00 (Rupees Eighteen Lacs Thirty Five Thousand Four Hundred

Thirty Four Only)

Chief Engineer B.S.E.I.D.C. Ltd. Patna

110. JK-howly

17/12/18

SIN DIN ( VAIE 15/12/16

-

## Performance Security

Name of Agency - "Gauri Shankar Singh"

17

Performance Security of "Gauri Shankar Singh" of "NIT-26/2016-14(SL. No.-03)"

FDR No. 163020100070273 <u>DOI</u> 03.10.16 To 03.10.17 Amount 42000.00

163020100070389

04.10.16 To 04.10.17

72000.00

Total 114000.00

(Rupees One Lacs Fourteen Thousands Only)

Amit Kr. Som, 4/12/16

लेखा पदाधिकारी

बिहार राज्य शैक्षणिक आधारभूत संरचना

विकास निगम लि०, पटना

Gorayay

14/18/16

-3112/21m Ric 15/12/16 Chief Engineer B.S.E.I.D.C. Ltd, Patna

15/12

0 . . •

### 1901र राज्य राजाणक आधारमूत सरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम) - 28.

शिक्षा मवन, बिहार राष्ट्रमाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना—800004, दूरभाष—0612—2910314 कॉर्पोरेट पहचान संख्या: U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseldc.in, Faxivo.: 0612-2660256,

पत्रांक:- BSEIDC / FIN / 2689 / 2016-17 / - ၂०५० र् पटना, दिनांक <u>े शिक्ष</u> । ७ । ७ प्रेषक,

ब्रजेश प्रसादः

मुख्य परामर्शी (तकनीकी)

सेवा में,

Gauri Shankar Singh, AT-Bigrahpur, P.S.-Jakkanpur, P.O.-GPO, Distt.-Patna.

विषय:— बिहार राज्य अंतर्गत ''के॰बी॰ सहाय उच्च माध्यमिक विद्यालय भोरुल्लाहपुर, पटना में जिर्णोद्धार का कार्य (SL. No.-03)" NIT No.-26/2016-17 के कार्य हेतु जमानत की राशि जमा कर एकरारनामा करने के संबंध में।

महाशय,

उपर्युक्त विषय के संबंध में कहना है कि विषयांकित कार्य की निविदा हेतु आपके द्वारा निविदित दर जो परिमाण विपन्न के दर से 10.00% (दस दशमलव शून्य शून्य प्रतिशत) कम है तद्नुसार निविदा की कुल राशि रू० 18.35,434 / —(अठारह लाख पैंत्तीस हजार चार सौ चौंत्तीस रूपये) मात्र आपके पक्ष में स्वीकृत की गयी है।

अतः निदेश दिया जाता है कि अग्रधन की राशि **रू० 92,000/— (बानवें हजार रूपये)** मात्र का सावधि पासबुक/राष्ट्रीय बचत प्रमाण पत्र के रूप में प्रबंध निदेशक, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०, पटना के नाम से प्रतिज्ञिप्त हो जमा कर अविलंब एकरारनामा कर लें। '

(ब्रजेश प्रसाद)

मुख्य परामर्शी (तकनीकी)

ज्ञापांक : BSEIDC/FIN/2689/2016-17/- 10405

पटना, दिनांक 28:10:16

प्रतिलिपि : Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC Website.

मुख्य परामर्शी (तकनीकी)

ज्ञापांक : BSEIDC/FIN/2689/2016-17/- 104 o

पटना, दिनांक 28:10:16

प्रतिलिपि : वरीय लेखा पदाधिकारी, BSEIDC को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित।

मुख्य परामशीं (तकनीकी)

ज्ञापांक BSEIDC/FIN/2689/2016—17/— 10 10 पटना, दिनांक ्रुड्डा १८१५ पटना, दिनांक ्रुड्डा १८१५

प्रतिलिपि : मुख्य अभियंता, BSEIDC को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित।

मुख्य परामर्शी (तकनीकी)

Chief Engineer

5.S.E.I.D.C. Ltd. Patna

211en 1/5/1/2

STI216

. . 

### SPECIAL CONDITIONS

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes royalties and other

incidental charges.

4. To qualify for award of work, the Bidder must possess the following:-

a) Legal Status. Place of Registration. Principal place of business & Power of attorney of signatory bid.

b) DD for required value of B.O.Q. Cost.

c) Sufficient Earnest Money Deposit.

- d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.
- Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed at least one work Related to Building of value not less than 25 % of estimated value of contract) in last five years as mentioned in Technical bid.

f) Litigation History as mentioned in Technical bid.

g) Affidavit as mentioned in Technical bid.

h) Valid Registration with Central/ State Govt. / PSU. i) Valid labour license as mentioned in Technical bid.

Affidavit/Certificate for not been debarred as mentioned in Technical bid.

5. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.

6. The tender without earnest money or insufficient earnest money submitted with the

tender, will be outright rejected.

Conditional tenders shall be outright rejected.

8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.

9. Authority shall reserve the right to reject any or all the tenders or distribute the work to more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained. —

11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules prevalent in the locality.

12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the

contractor.

- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-
- Natural calamities

b. Act of enemies.

(Seal & Signature of Tenderer)

Page 1 of 2

Chief Engineer B.S.E.I.D.C. Ltd, Patna

Alal sinc lie

. が TORREST TORP (1) おからをしない。 (2) 前 主見 (2) (4)

- c. Transport and procurement difficulties.
- d. Circumstances beyond the control of the state.
- 15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- 16. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
- 17. The contractor shall make his own arrangement for water and light at the work site.
- 18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 20. The Tenderer must not quote their rate more than 10 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
- 21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 22. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.
- 23. The Defect liability Period shall be One (1) Year from the date of completion of the work.

(Seal & Signature of Tenderer)

3/12/16 15/12/16 Chief Engineer B.S.E.I.D.C. Ltd, Patna

15/12

# बिहार राज्य शैक्षणिक आधारमूत संरचना विकास निगम लिमिटेड

(बिहार सरकार का एक उपक्रम)

- 31-

शिक्षा भवन्, बिहार राष्ट्रभाषा परिषद् कैम्पस, आचार्य शिवपुजन सहाय पथ, सैदपुर, पटना-800004 (दूरभाष:-0612-2910314)

#### निविदा आमंत्रण सूचना संख्या.— 26 वर्ष 2016—17 प्रतिशत मद्र दर निविदा

### (केवल ई-टेन्डरिंग पद्धति के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

1. बिहार राज्य के अन्तर्गत निम्नांकित भवनों के जिर्णोद्धार कार्य हेतु निविदा आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार/सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रजिस्ट्रेशन उक्त कार्य का लेटर ऑफ एक्सेपटेंस प्राप्त होने के बाद कराना होगा।

क्र० सं०	कार्य का नाम	प्राक्कलित राशि ( लाख रू० में)	अग्रधन का राशि ( लाख रू० में)	परिमाण विपत्र का मूल्य(रू०में)	Beltron Bid Processing Fee (In Rs.)	कार्य समाप्ति की अवधि
1.	देवीपद चौधरी भाहीद स्मारक उच्च विद्यालय, पटना में जिर्णोद्धार का कार्य।	24.51	0.49	5000.00	1150.00	02 (दो) माह ·
2	राजकीय बालक उच्च माध्यमिक विद्यालय भाास्त्रीनगर, पटना में जिर्णोद्धार का कार्य।	44.88	0.90	5000.00	1150.00	02 (दो) माह
3	के.बी. सहाय उच्च माध्यमिक विद्यालय भोरुल्लाहपुर, पटना में जिर्णोद्धार का कार्य।	23.60	0.48	5000.00	1150.00	०२ (दो) माह
4	राजकीय बालक उच्च माध्यमिक विद्यालय राजेन्द्र नगर, पटना में जिर्णोद्धार का कार्य।	32.92	0.66	5000.00	1150.00	०२ (दो) माह
5	राजकीय बालिका उच्च माध्यमिक विद्यालय गर्दनीबाग, पटना में जिर्णोद्धार का कार्य।	42.39	0.85	5000.00	1150.00	०२ (दो) माह
6	कमला नेहरु बालिका उच्च माध्यमिक विद्यालय यारपुर, पटना में जिर्णौद्धार का कार्य।	31.29	0.63	5000.00	1150.00	०२ (दो) माह
7	राजकीय उच्च माध्यमिक विद्यालय पटना सिटी, पटना में जिर्णोद्धार का कार्य।	41.12	0.83	5000.00	1150.00	०२ (दो) माह

नोट:-1. निविदाकार एक या अधिक ग्रुप में अलग-अलग निविदा डाल सकते हैं।

2. प्राक्कालत राशि घट या बढ़ सकती है एवं तदनुसार अग्रधन की राशि घट या बढ़ सकती है।

3. वेबसाईट—www.eproc.bihar.gov.in पर अंकित प्राक्कलित राशि अग्रधन की राशि एवं परिमाण विपन्न की राशि अंतिम रुप से मान्य होगा।

(2) विज्ञापन निर्गत करने की तिथि दिनांक:- 19.09.2016 परिमाण विपत्र प्राप्त करने(डाउनलोड) की अवधि एवं समय दिनांक— 30.09.2016 से 04.10.2016, 15:00 घंटा (वेबसाईट:www.eproc.bihar.gov.in पर) दिनांक:-01.10.2016, 14:30 घंटा प्रबंध निदेशक का (4) प्री बिड मीटिंग का समय, स्थान एंव तिथि कार्यालय,बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम, पटना। दिनांक-05.10.2016, समय- 15:00 घंटा (5) निविदा प्राप्ति (अपलोड) की अंतिम तिथि एवं समय (6) टेक्निकल बिड खोलने की तिथि एवं समय दिनांक-06.10.2016, समय- 15:30 घंटा (वेबसाईट-www.eproc.bihar.gov.inपर) दिनांक-13.10.2016, समय- 15:30 घंटा (7) वित्तीय बिड खोलने की तिथि एवं समय (8) निविदा खोलने का स्थान वेबसाईट–www.eproc.bihar.gov.inपर 120 दिन (9) निविदा की वैधता की अवधि

(10) ई—टेन्डरिंग की प्रक्रिया में भाग लेने हेतु संवेदकों को पंजीकृत होना होगा, जिससे कि उन्हें उपयोगकर्ता का नाम (user ID) पासवर्ड (Password) अंकीय हस्ताक्षर (Digital Signature) निर्गत की जायेगी। यह उन्हें वेबसाईट www.eproj.bihar.gov.in से डाउनलोड करने / टेन्डर की प्रक्रिया में भाग लेने की योग्यता प्रदान करेगा।

- Six Stone Rie 15/12/16 Chief Engineer B.S.E.I.D.C. Ltd, Patna

11/12

The state of the s

(11) ई—निविदा पत्र बेवसाईट www.eproc.bihar.gov.in से प्राप्त किया जा सकता है। संवेदक द्वारा सिर्फ छपर्युक्त वेवसाईट से ही परिमाण विपत्र प्राप्त करने के छपरांत वेबसाईट पर ही इलेक्ट्रानिक निविदा पत्र को भरकर भेजना है। अन्य सभी महत्वपूर्ण कागजात/बैंक ड्राफ्ट/अग्रधन की राशि./सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को स्कैन कर ई—िविदा के साथ संलग्न करना अनिवार्य है।

(12) परिमाण विपन्न के दर से कम दर उद्धृत करने पर बीड डाक्यूमेंट की शर्तों एवं सरकारी निर्णयानुसार अतिरिक्त Performance Guarantee एकरारनामा के पूर्व जमा करना होगा।

(13) (क) प्रत्येक परिमाण विपन्न का मूल्य जो प्रत्येक निविदा के सामने उपर कण्डिका (1) में अंकित है (जो लौटाया नहीं जाएगा) किसी भी राष्ट्रीयकृत बैंक द्वारा निर्गत एवं BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. के नाम से एवं पटना में भुगतेय हो, स्वीकार किया जायेगा। मूल बैंक ड्राफ्ट "बिहार राज्य भौक्षणिक आधारभूत संरचना विकास निगम लिमिटेड" पटना के कार्यालय में दिनांक 06.10.2016 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निि चत रुप से जमा किया जाना है। ऐसा नहीं करने पर निविदा मान्य नहीं होगा।

(ख) Beltron Bid Processing Fee is mandatory to be paid through online mode i.e. Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS"

Bids along with necessary online payments must be submitted through e-procurement portal <a href="https://www.eproc.bihar.gov.in">www.eproc.bihar.gov.in</a> before the date and time specific in the NIT/Corrigendum. The department docsn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffic/ Holidays or any other reason.

(ग) वांछित अग्रधन की राशि राष्ट्रीय बचत पत्र/डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक जो बिहार राज्य से क्रय या जमा किया हो, प्रबंध निदेशक, BSEIDC Ltd., पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा बिहार वित्त नियमावली के अनुसार BSEIDC Ltd. के नाम से फिक्सड डिपोजिट रिसिप्ट अथवा बैंक गारन्टी जो बिड के मान्य अवधि तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत/अनुसूचित बैंक से निर्गत हो (अगर बिहार प्रान्त के बाहर के बैंक से निर्गत बैंक गारन्टी दिया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदे कि का कार्यालय, बिहार राज्य भौक्षणिक आधारभूत संरचना विकास निगम लिमिटेड, पटना में दिनांक 06.10.2016 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोरट द्वारा निि चत रुप से जमा किया जाना आवश्यक है। ऐसा नहीं करने पर निविदा मान्य नहीं होगा।

(14) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई थी दावा यान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर लें। ताकि अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से बच सकें।

(15) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। बिना कारण बताये निविदा या उसके अंश को अस्वीकृत करने/रदद करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।

(16) वि ोष जानकारी हेतु अधोहरताक्षरी के कार्यालय में कार्य अविध में सम्पर्क किया जा सकता है। ई—टेन्डरिंग की प्रक्रिया से संबंधित किसी भी प्रकार की जानकारी/सूचना हेतु सहायता कक्ष, ई—टेन्डरिंग कक्ष, प्रथत तल्ला, M/22, बैंक ऑफ इण्डिया भवन, रोड न० 25, श्री कृष्णा नगर, पटना—800001, दूरभाष सं० 0612—2523006/9939035696.

मुख्य परायशाीं (तकनीकी)

- 3/12/16 d'an Nie

Chief Engineer B.S.E.I.D.C. Ltd, Patna

15/12

.1) , Jan