Schedule XLV-Form No. 61 of Work_ Construction of Block.

Resource Centre, Raghapur,

Supaul, (SL No. -118). tion Ltd. BIHAR PUBLIC WORKS DEPARTMENT Name of Agency [Form No. F-2] Sachindar Kuman ITEM RATE TENDER AND CONTRACT FOR WORKS & D.S.R Agreement No. ----129 F20f2016-17 General Rule and Direction for the guidance of Contractors. d in the month from 1. All works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer. ecifications This notice will state the work to be carried out the items and approximate quantities thereof as annexed well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the respects in amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive RE Engineer during office hours. 2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so. 3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm. 4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender. before the 5. The amount of earnest money to be deposited will be : -If the amount of the estimate does not exceed Rs. 2,000 If the amount of the estimate exceeds Rs. 2,000 but does not exceed Rs. 5,000 If the amount of the estimate exceeds Rs. 5,000 but does e FIFTEEN not exceed Rs. 10,000 For each additional Rs. 5,000 or portion of Rs. 5.000 additional earnest money 6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompanied by the treasury challan for the required earnest money will be liable to rejection. No single tender shall in state more time one work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the envelop. Can de coits for earnests money here in before mentioned shall be made in Government Treasuries and the chall rendered shall be made in Government Treasuries and the chall rendered shall be made in Government Treasuries and the chall rendered shall be made in Government Treasuries and the chall rendered shall be made in Government Treasuries and the chall rendered shall be made in Government Treasuries and the chall rendered shall be made in Government Treasuries and the chall rendered shall be made in Government Treasuries and the chall rendered shall be made in Government Treasuries and the chall rendered shall be made in Government Treasuries and the chall rendered shall be made in Government Treasuries and the chall rendered shall be made in Government Treasuries and the chall rendered shall be made in Government Treasuries and the chall rendered shall be made in Government Treasuries and the chall rendered shall be made in Government Treasuries and the chall rendered shall be made in Government Treasuries and the chall rendered shall be made in Government Treasuries and the chall rendered shall be made in Government Treasuries and the chall rendered shall be made in Government Treasuries and the chall rendered shall be made in Government Treasuries and the chall rendered shall be made in Government Treasuries and the chall rendered shall be made in Government Treasuries and the chall rendered shall be made in Government Treasuries and the chall rendered shall be made in Government Treasuries and the chall rendered shall be made in Government Treasuries and the chall rendered shall be made in Government Treasuries and the chall rendered shall be made in Government Treasuries and the chall rendered shall be made in Government Treasuries and the chall rendered shall be made in Government Treasuries and the chall rendered shall be made in Government Treasuries and the chall rendered shall be made in Government Treasuries and the chall rendered shall be made in Government Treasuries and the chall rendered shall be made in Government Tre Sachindra kumar 23/12/16

7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the

8. The Engineer shall have the right of rejecting all or any of the tenders.

9. In the event of a tender being selected for acceptance the Engineer who opened the tenders ill, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the priscribed time. The tender with the specilication and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to

10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been

11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the requires about of the security money has been deposited the Engineer shall scrutinise all pages of the form of item rate, tender & contract for works to see that the form has been properly filled up and signed by the characters ignature. witnessed He shall then if he is competent, to accept the tender, sign the accept the tender if he is competent, to accept the tender, sign the accept the tender. is not so competent shall send the form for signature of the acceptance of the officer competent to accept it.

Sechindra Kymar. 23/12/16

2

TENDER FOR WORKS

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

MEMORANDUM

- (a) If several sub-work are included they should be stained in a separate list.
- (b) This deposit will be 5% the estimated cost of the
- (c) This percentage [d] duction from bills will be credited to the contractors security deposit.

Sachindra laurar. 23/12/16

- [a] Name of work
 - Estimated cost
 - Earnest money
- [d] Initial security deposits (including earnest money) to be deposited befor the commencement of the work
- [e] Percentage to be deducted from bills Rs. 5% (Rupees five percent)
- [f] Time required for the work from date of written order to commence monthly
- [g] Date of written other to commence
- [h] Total number of item of work tendered for

em No.	Item of work	RATE TE	RATE TENDERED				
	TIGHT OF WORK	In figures	In words	Per			
				To be seen			
			A Shirt St.				
			3-1				

		3.0					
31			\	1 de last			
				ingineer Ltd, Patna			
			Chief E	agineer			
	*		B.S.E.I.D.C	. Ltd. Patna			

tion Ltd.

2F

& D.S.R

ed in the month from pecifications e annexed er respects in

TRE

d before the

nt)

nce FIFTEEN

123/12/14 ineer

td, Patna howharf

		The state of the s	RATE T	RATE TENDERED	
tem No.	Item of v	vork	In figures	In words	Per
				1 1 2 10 2 1	-4
ore similar					
r			9 15 14 14 34 34 38		
			STORY RES		
				V Commence of the Commence of	
The state of	*	n en	in the term		
			Todon 4.1	18.1	
			A 100 100 100 100 100 100 100 100 100 10		
V et la boû				1404	in.
			A RECOUNTED		
The second second	en ipposition to a				
			7 ()		
1 Sept. 10 S					
- 10 April 1944					
			Ship was		
			Control Statement		
					1
200					
19 K					
			1 - 4 t. V		
				1	
				16-2	
4.					
4 / 1					
		1			
					AND W
	The second second	. 100			
	A				
W. No.	/				
4 Pignis Wal					
rowing	Chief				
Ltd. Patna	Chief E 8.S.E.I.D.C.				

54/85

Schedule XLV - Form No. 61 (5)

	D	NDERED	NAME AND POST OFFICE ADDRESS OF THE OWNER, T	Item of work	- I	Item No.
	Per	In words	In figures		156 fee - 127	
RE /						
& D.S.R			~ ***			
& D.S.R						
d in the						
month fr						
ecificatio						
annexed						
er respects						
TUDE						
TRE	,					
			1			9
1 before the						
it)						
nce FIFTE						
0 >			363 , 4			
03/12/						
23/12			100			
neer						
d, Patna						
112186						3 2 2 2 4 5

3

tion	Ltd
HUII	Liu

chedule XLV - Form No. 61

(7)

		RATE TE	NDERED	Per	ation Ltd.	
Item of work		In figures	In words	Per		
92	100		ad her 1- i.	missione to audengia		
		and the state of t				
					RE	
to grant and a letter of the		horter obligation of	Lister To	Signature of sittingers	, & D.S.R	
			. act totall . a			
		100 CT 200 CT 100 CT 10		1	2 1: 41-	
6702=		Examena .	a chargeons.		fed in the s month from	
					pecifications	
					ie annexed	
		e enstation (en l'	A DESCRIPTION		er respects in	
57.4 (374912)05				note discours?		
			marrier 4		TENE	
		today ayu	TO BE MOTILE		VTRE	
ST MENTE TO THE TOTAL						
		ig say it sugar no	of mark was the second	echia salah sara		
the mean and control and			132 / 1/2 3/38 har 1/2			
og formisk er vike stilker i		a an or derify	A Section 5	on Muone their est.		
		in light made from	refresh to the	A TYPE MEN AND AS A TOTAL		
				Mary Brasil Alexander		
				A second see see promise		
				THE SECOND SECOND SECOND	d before the	
			med so de s			
			en light of the control of the contr		ıt)	
the state of the s		av po estivación			nce FIFTEE	
cium Agence rate Vales albert			a made and a			
			CHAPTER STATE			
				e les parlesen libraries		
and a Comment of the			iou exista vita in Repartmenta vita		1 And	
in the second			es management is		23/12/1	
Chief Engineer			ger transmiss		neer	
					d, Patna	

should this tender be accepted I/we hereby agree to abide by and fulfill all the terms and provisions of the said conditions of contract annexed hereto so, for as applicable, or in ssors in office the sums of money mentioned in the said conditions.

Dated the

day of

20

*Signature, of contractor before comission of tender

witness Address

Occupation

Signature of witness to contractor's signature

The above tender is hereby accepted by me on behalf of the Governor of Bihar day of Dated the

signature of the office accepting the tender

Acceptances communicated on 03-10-2016

signature of the part taking the tender



CONDITIONS OF CONTRACT

Compensation

Clause 1:- All compensation or other sums of payable by the contractor to Government under the terms of his contract may be deducted from, paid by the sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor by Government on any account whatsoever and in the event of his security deposit being reduced by reason of any such deduction or sale as aforesaid, the contractor. shall within ten days there after make good in cash or Government securities endorsed as aforesaid any sum or sums which may have been deducted from, or arised by, sale of his security deposit of any part thereof.

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which the work is finished after necessary rectification of defects as pointed by the Executive En- gineer or his satisfaction.

Clause 2:- The time allowed for carrying out the work as entered in the tender shall be strictly observed by the contractor and shall be reckoned from the date on which the wirtten order to comence work is given to the contractor. The work shall throughout the stipulated period of the contract be carried on with all due diligence (time being deemed to be the essence of the contract on the part of the contract or) and the contractor shall pay as compensation an amount equal to ½ percent authorised agents are fully on the amount of the estimated cost of the whole work as shown by the tender for contractor to the Engineer's every day that the work remains uncommenced or unfinished after the proper date And further to ensure good progress during the execution of the work the contractor shall be bound in all cases in which the time allowed for any work exceeds one month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before onehalf of such time elapsed and three-fourths of the work, before three fourths of such time has elapsed in the event of the contractor failing to employ with this condition I shall be liable to pay as compensation an amount equal to 1/2 percent on the said estimated cost of the whole work for every day that the due quantity of work remains incomplete provided always that the entire amount of compensation to be paid under the provisions the clause shall not exceed 10 percent of the estimated cost of the work as shown in the tender.

Action when persnle security deposit foreited

Clause 3:- In any case which under any clause or clauses of or this contract the contractor shall have rendered himself laible to pay compensation amounting to the whole of his security deposit in the hands of Government (where paid in one sum or deducted by instalments) the Executive Engineer on behalf on the Biha Government shall have been powered to adopt any of the following courses, as he may deem best suited to the enterest of Government

(a) To rescind the contract (of which rescind notice in writing to the contractor under the hand of the Executive Engineer shall be conclusive evidence) and in which case the sectitiry deposit of the contractor shall start forfeited, and be which case the sectitiry deposit of the contra absolutely at the disposal of Government

Sachindra rumar 23/12/16



(b) To employ labour paid by the Public Works Department and to supply (9) materials to carry out the work, or any part of the work, debitting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in -charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.

(c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by'him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original contractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4:- In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may. if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Engineer as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

Clause 5 :- If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) he shall apply in writing to the Executive Engineer within 40 days from the date of starting hinderance on account of which be desires such extension as aforesaid and the Executive Engineer within the days in an account of which be desired such extension as aforesaid and the Executive Engineer within the days in a such extension as aforesaid and the Executive Engineer within the days in a such extension as aforesaid and the Executive Engineer within the days in a such extension as aforesaid and the Executive Engineer within the days in a such extension as aforesaid and the Executive Engineer within the days in a such extension as a foresaid and the Executive Engineer within the days in a such extension as a foresaid and the Executive Engineer within the executive Engineer within the extension as a foresaid and the Executive Engineer within the executive Engineer with Engineer shall, if in his opinion (which shall be final) reasonable grounds be thereof authorised such extension of time, if any, as may in his opinion be necessary proper. The Executive Engineer shall at the same time inform the contractor what her he Ltd, Patna

23/12/16

ation Ltd.

'RE _

, & D.S.R

fed in the 's month from specifications ne annexed ier respects in

NTRE

contractor remains liable to pay compensation if action not take under

Power to take posession of or require removal of or sell contractor plant.

ed before the

int)

ence FIFTEEN

td, Patna

Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion, but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinctly marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-work, doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurements shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus materials and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid, except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly

Stores supplied Government

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible, before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-incharge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts or in any other way vary or affect the contract.

• Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Clause 9:- If the specification or estimate of the work provides for the use of any special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-incharge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums the due or there after to become due to the contractor under the contract or otherwise, of the contractor form the security deposit, or the proceed of sale thereof, if the same is helder the same of sufficient portion thereof in this case sold for the same is helder congruent security the same of sufficient portion thereof in this case sold for the same of sufficient portion thereof in this case sold for the same is helder congruent. supplied to the contractor shall remain the absolute property of Government and shall not on any accounts he removed from this site of the workand shall at all times be open to

Sachindra Kyman. 23112116

inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: - The contractor shall executive the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid.

Clause 11:- Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the Time in consequence of determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a disputes the decision of the superintending Engineer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period.

Clause 12:- If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out. the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsoever of account of any profit or advantage, which he might have derived from the execution of the work in full, but which he did not derive in consequence of the full amount of the work not having been carried out neither shall he have any claim for compensation by reason of any alternation having been made in the original specification, drawing instruction which shall involve any installment of the work as original clause 12 (a) As contained in G O 1929 dated 11.9.56.

Sachindro Kurar. 23/12/16

ation Ltd.

RE -

Work to be executed accordance with specification drawing other etc.

, & D.S.R

fed in the 's month from pecifications ne annexed ier respects in

Alteration in specifications and designation.

NTRE

Do not in validate contract

ed before the

ent)

ience FIFTEEN

Rate for work no in estimate or schedule of rates of the district.

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such failure is due to :-

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as finally by the contractor.

Action and compensable in case of work

Clause 13 :- If it shall appear to the Engineer-in-charge or his subordinate incharge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall on demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-incharge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be, at the risk and expense in all respects of the contractcor.

Work to be taken to inspection

Clause 14:- All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineerin-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be present

Clause 15:- The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which the same was effected.

Notice to be taken before work covered up

Clause 16:- If the contractor or his work-people, or servants shall break, deface injure or destroy any part of a building in which they may be working or any building, road, road curves, fence enclosure water pipes, cables, drains, electron telephone posts or wires, trees, grass or grassland or cultivated ground and usus on which the work or any part of it is being executed or if any dam characteristics the work, while in progress from any cause whatsoever g.s.Einpereditd, Batna apparent in if within three months (six months in the pase of a road-work) after a certificate final or other of its completion shall have been given by the Engineer-in-charge

Sachindro Kumar.

as a fore seal, the contractor shall make the same good at his own expense, or in default, the Engineer-in-charge may cause the same to be made be good by other Contractor liable for worksmen and deduct the expense of which time thereafter may become due to the contractor, or from his security deposit, or the proceed of sale there of, or of a sufficient and after certificate portion there of the security deposit at the contractor shall not be refunded before the expiry of three months (six months in the case of a road-work) after the issue of the certificate final or otherwise of completion of work provided that in the case of a road work if in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable after three months of the issue of the said certificate of completion

Clause 17:- The contractor shall supply at his own cost all materials (except such special materials) if any as may in accordance with the contract be supplied from the Engineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, tackle scaffolding and temporary works requisits or proper for the proper execution of the work whether original, altered or substituted and whether include in the specification or other documents forming part of the contract or referred to in these conditions or not or which may be necessary for purpose of satisfying or complying with the requirement of the Engineer-in-charge as to any matter as to which under these conditions he is entitled to be satisfied which he is entitled to require together with carriage therefore to and form the work. The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting, weighing and assisting in the measurement or examination at any time and form time to time of the work or materials failing his so doing the same may be Provided by the Engineer-in-charge at the expense of the contractor and the expenses may be deducted from any money due to the contractor under the contract from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide all necessary fencing and lights required to protect the public from accident, and shall be bound to bear to expenses of defence of every suit action or other proceeding at law that may be brought by any person for injury sustained owing to neglect of the above of light fencing etc. precautions and to any such person or which may with the consent of the contractor be paid to compromise any claim by any such person.

Clause 18:- No female labour shall be employed within the limits of contonment. The contractor shall not employ for the purpose of his contract any person who is below the age of twelve years and shall pay to each labour for the work done by such labourer wages not less than the wages paid for similar work in the neighbourhood.

The executive Engineer shall have the right to enquire into the case and decide any complaint alleging that the wages paid by the contractor to any labourer for the work done by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer employed by contractor is below the age of twelve years and to refuse to allow any labourer whom he decided to be below the age of twelve years to be employed by the

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his contract, or attempt so to do, or become insolvent proceedings to make any composition with his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward or advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, or offered by the contractor, or any of his servant or agents to any public officer or person n the employ of Government in any way relating to his officer or employment or if any such officer or person shall become in any way directly or indirectly interested in the contract the Executive Engineer may there upon by notice in writing rescind the contract. The security deposit of the contractor shall there upon stand forfeited and be absolutely the disposal of Government and the same consequence shall ensure as if the contract ad been recinded under clause 3 here of, in addition the contractor shall not be Chief Engine o recover or be paid to any work therefore actually performed the under the Control of the Contr

damage done and for

4, & D.S.R

TRE -

ation Ltd.

Contractor to supply to plantladder scaffolding

> ifed in the ars month from specifications the annexed ther respects in

ENTRE

And is liable for damage arising for non-provision

Work not to be subject

ited before the

cent)

mence FIFTEEN

Contract may be resinded and security deposit forfelted for subletting bribes or if contractor become

such payable by way of compensation to be considered reasonable compensation without reference to actual loss Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained.

Clause 21:- In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this information.

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal of Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer Clause 22: All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23: In case any dispute or difference shall arise between the parties or either of there upon any question relating to the meaning of the specifications, designs, drawings and instructions here before mentioned or as to the quality of workmanship or materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, or any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions or otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof or as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

(a) Clause 24: When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items or work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-incharge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineer-in-charge shall be final and conclusive against the contractor with regard to any sum payable to him under the provision of this clause.

Action where no specificaiton.

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Definition of works

Clause 26: - The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to such construction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered, substituted or additional.

Witness a

Contractor.

Sachindra Kuma 23/12/16

Schedule XLV - Form No. 61 ation Ltd. Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied Rates at which the material Particulars will be charged to the Place of delivery contractor TRE -Unit Rs. 1, & D.S.R ifed in the rs month from specifications he annexed her respects in ENTRE ited before the cent) mence FIFTEEN Note:-The person or firm submitting the tender should see that the rates in the above schedules are filled up by the Engineer-in-charge on the issue of the form prior to the submission of the tender. Sachhera kumar, (Signature of Contrator) 23/12/16 Chief Engineer
(Spacet D. Exetitive Patinaer)

Chief Engineer 8.5.E.t.D.C. Ltd. Patns

Bihar State Educational Infrastructure Development Corporation Ltd. B.O.Q. FOR BLOCK RESOURCE CENTRE IN BIHAR S.N. District Block Name of BRC RAGHOPU SUPAUL BLOCK RESOURCE CENTRE R THE ITEM RATE BASED ON S.O.R BCD BIHAR, DATE - 15-09-2014, & D.S.R (ELECTRICAL) 2014 **TENDER FOR WORKS** I/we heredy tender for the execution for the Governor of Bihr of the work specifed in the under written memorandum at the rates specified therein within a period of years month from the date of witten order to commence and in accodance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subjects to the annexed condation of contract and with such materaials as are provided for by and in other respects in accordance with, such conditions so far as applicable. **MEMORANDUM** (a) If several sub-(A) Name of Work :- CONSTRUCTION OF BLOCK RESOURCE CENTRE work are incuded RAGHOPUR, SUPAUL (SL.No.-118) they should be detained in the separate list (B) Estimated Cost :-Rs. 78,86,584=00 Agreement value :- Rs. 70,97,926=00 (b) This deposit will be 5% of the (C)Earnest Money:estimated cost of the work. (c)This percentage (D) Initial security deposits (including earnest money) to be deposited before the deduction from bills will be credited to Commencement of the workthe contractors Earnest Money:- Rs. 4,11,000/- (Details attached) security deposits (E) Percentage to be deducted from bill Rs. 5% (Rupees five percent) (F) Time required for the work from date of written order to commence FIFTEEN **MONTHS** (G) Date of written order to commence :-

(H) Total number of item of work tendered for :- 116

Sachindra Kuman

BUILDING WORKS : (Quantity per BRC)

Chief Engineer

3.S.E.I.D.C. Ltd, Patna
Skehoudhorf

23/12/1

BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. SHIKSHA BHAWAN, SAIDPUR, PATNA.

B.O.Q. FOR BLOCK RESOURCE CENTRE IN BIHAR

THE ITEM RATE BASED ON S.O.R BCD BIHAR, DATE - 15-09-2014, & D.S.R (ELECTRICAL) 2014

							DIOIN (LLLCTRICAL) 2014
	SL. No.	DISTRIC	The state of the s				ВLОСК
	1	SUPAU L	BLOCK RESOURCE CENTRE			RA	AGHOPUR
				CIVIL W	ORKS		
(+	SI. No.	SOR Item No.	Item of Work	Qty.	Unit	Rate (Rs.)	Amount (Rs.)
_	1	2	3	4	5	6	7
		_E WOR	KS				7
	1		Boring, providing and installing bored cast-in-situ reinforced cement concrete piles of grade M-25 of specified diameter and length below the pile cap, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring, with bentonite solution and temporary casing of appropriate length for setting out and removal of same and the length of the pile to be embedded in the pile cap etc. all complete, including removal of excavated earth with all lifts and leads (Length of pile for payment shall be measured upto pottom of pile cap).				
		20.2.1	300 mm dia Piles	0.000	meter	1309.30	Rs. One thousand three hundred nine and paise thirty only.
		20.2.2	00 mm dia Piles	0.000	meter	1523.20	Rs. One thousand five hundred twenty three and paise twenty only.
	2	20.2.3	50 mm dia Piles	0.000	meter	1978.80	Rs. One thousand nine hundred seventy eight and pasie eighty only.
		20.2.4	00 mm dia Piles	0.000	meter	2306.60	Rs. Two thousand three hundred six and paise sixty only.
			00 mm dia Piles	0.000	meter	2996.10	Rs. Two thousand nine hundred
		0.2.6 75	50 mm dia Piles	0.000	meter	4219.70	Rs. Four thousand two hundred nineteen and paise seventy only
							Paido dovertly offly.

Sachindra Kurner 23/12/16

Chief Engineer 3.S.E.I.D.C. Ltd, Patna 144 Skehow how 3/12 23/12/16

					11		
	2	20.3	in situ single under reamed piles specified diameter and leng below pile cap in M-25 ceme concrete, to carry a safe workir load not less than specifie excluding the cost of ste reinforcement but including the co of boring with bentonite solution and the length of the pile to be	of th nt ng d, el st	.		
1			embedded in pile cap etc. a complete. (Length of pile for payment shall be measured upto the bottom of pile cap):	orl			
-		20.3.1	300 mm dia Piles	0.000	meter	1934.20	Rs. One thousand nine hundred
		20.3.2		0.000	meter	2225.30	Rs. Two thousand two hundred
		20.3.3	450 mm dia Piles	0.000	meter	2397.50	Rs. Two thousand three hundred ninety seven and paise fifty only.
		20.3.4	550 mm dia Piles	0.000	meter	2605.10	Rs. Two thousand six hundred five and paise ten only.
	3	20.4	Extra over item No. 23.3 for providing additional bulb in under reamed piles, under specified dia meter (Only the quantity of extra bulbs are to be paid).				rance to romy.
		20.4.1	300 mm dia Piles	0.000	Each	1240.10	Rs. One thousand two hundred
		20.4.2	400 mm dia Piles	0.000	Each	1373.80	Rs. One thousand three hundred seventy three and paise eighty
			450 mm dia Piles	0.000	Each	1454.80	Rs. One thousand four hundred fifty four and paise eighity only.
1		20.4.4	500 mm dia Piles	0.000	Each	1597.20	Rs. One thousand five hundred ninety seven and paise twenty only.
			CAVATION				
	4		Earthwork in excavation in as(exceeding 30cm in depth. 1.5m in width as well es 10sqm on plan) incloding dressing of sides and ramming of bottom, lift upto 1.5 ncluding getting out the excavated soil and disposal of surplus soil as directed within a lead of 50m. All Kind of soil = 286.64 CUM SEPTIC TANK = 31.89 CUM TOTAL QUANTITY = 318.53 CUM	318.530	cum	205.20	Rs. Two hundred five and paise twenty only.

Sachindra Kumar 23172/16

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Skehoullus

23112

23112

		0.00.4			12		
	5	2.29.1	including removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5m All kinds of soil. = 136.41 CUM	nd m	0 100 sq	m 718.800	Rs. Seven hundred eighteen and paise eighty only.
		RTH FIL					
	6	2.26	Filling available excavated earth (excluding rock) in trenches, plinth sides of foundations etc. in layers not exceeding 20 cm in depth consolidating each deposited laye by ramming and watering lead = 188.98 CUM	s S	cu.m	66.40	Rs. Sixty six and paise forty only.
		ND FILLI					
((() () ()	7 LAT 8	2.28 BRICK S 11.72	Providing designation 100 A one	119.810	cu.m	192.50	Rs. One hundred ninety two and paise fifty only.
			brick flat soling joints filled with local sand including cost of watering, taxes, royalty all complete as per building specification and direction of E/I, 10 + 2, BUILDING = 291.84 CUM SEPTIC TANK = 13.57 CUM TOTAL QUANTITY = 305.41 CUM		sq.m	227.600	Rs. Two hundred twenty seven and paise sixty only.
	9	4.1.5 I	Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level 1:3:6 (1cement: 3 coarse sand : 6 graded stone aggregate 20mm nominal size) = 13 CUM	13.000	cu.m	2775.70	Rs. Two thousand seven hundred seventy five and paise seventy only.

Sachindra KNWar 23/12/16

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

210 Kehowihar

23/12 23/12/16

_				13		
		Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth lever 1:2:4 (1 Cement: 2 coarse sand: graded stone aggregate 40 mm nominal size)10 + 2 BUILDING = 8.74 CUM SEPTIC TANK = 2.98 CUM TOTAL QUANTITY = 11.72 CUM	de nd		3219.70	Rs. Three thousand two hundred nineteen and paise seventy only.
11	FLOORIN 11.38					
	/ALL TILE	Providing and laying Cerami glazed floor tiles 300x300 mm (thickness to be specified by the manufacturer) of ist quality conforming to IS: 15622 of approved make in colours such shades except white, Ivory, Grey, Fume Red, Brown, laid on 20 mm thick Cement motar 1:4 (1 cement: 4 coarse sand) including pointing the joints with white cement and matching pigment etc., complete. TOILET PORTION = 46.04 SQM	46.040	sq.m	801.800	Rs. Eight hundred one and paise eighty only.
12	T					
	ji 3 v n T	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (Thickness to be specified by the manufacture) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-charge in skirting, risers of steps and dados over 12 mm thick bed of cement Motar 1:3(1 cement: 3 coarse sand) and ointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching shade complete. FOILET PORTION = 188.874 SQM		sq.m	754.200	Rs. Seven hundred fifty four and paise twenty only.
FOOKI	NG & SKII	KIING				

Sachindra kymar. 23/12/16

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Pla Skehowih 199

23/12/16

23/12

complete . Base with 1:1:1 (1 lime : 1 surkhi: 1 coarse sand) / 1:4 (20 TO 25MM THICK) = 281.852 SQM 14 11.27 Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average)	Nine hundred sixty eight only.
risers of steps skirting. Dado & pillars laid on 12 mm (average)	
(thick cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm	Nine hundred twenty seven paise fifty only.
Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge. Granite work Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. 0.00 M 239.10 Paise	Two hundred thirty nine and e ten only.
VORK BELOW PLINTH LVL.	
	rive thousand one hundred nd paise seventy only.
Reinforced cement concrete work in wall (any thickness), including attached plasters, buttresses, plinth and struts etc upto floor five level excluding the cost of centring, shuttering, finishing & 20.510 cu.m. 5666.20 Rs. Fiv	ve thousand six hundred six and pasie twenty only.

Sachindra Fumas. 23/12/16

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Skehow hear

23/12/12

						15	
	18		specified grade of reinforced cement concrete excluding the co of centring, shuttering, finishing ar reinforcement-All work puto plinth level. 1:2:4 (1 cement: coarse sand:4 graded stone aggregate 20 mm nominal size) SEPTIC TANK = 0.93 CUM	ond 0.930	cum	3438.90	Rs. Three thousand four hundred thirty eight and paise ninety only.
	19	5.3 + 5.33B.4 + 5.33B.4	Reinforced cement conrete work in beams, suspended floors, roof having slope upto 15 landings, balconiec, shelves chajjas, lintels, bands, plain windows sills, staircases and spiral staircases upto floor five lever excluding the cost of centring shuttering, finishing and reinforement with 1:2:4(1 cement: 2 coarse sand: 4 graded stones aggregate 20 mm nominal size). Add or deduct for providing richer or leaner mixes respectively at all floor levels. Providing M-15grade R.C.C instead of M-20 grade R.C.C. Proiding M-25 grade R.C.C. instead of M-20 grade R.C.C.	55, 55, 56, 57, 58, 57, 58, 58, 58, 58, 58, 58, 58, 58, 58, 58	cu.m	4581.20	Rs. Four thousand five hundred eighty one and paise twenty only.
	BR	ICK WO	RK				
Ī	20	6.1.14A	Brick work with bricks of class				
			designation 100A in foundations and plinth in cement mortar 1:6 (1cement :6 coarse sand) = 39.878 CUM		cu.m	3992.90	Rs. Three thousand nine hundred ninety two and paise ninety only.
	21	+ 6.3A	Brick work with bricks of class designation 100A in foundations and plinth in : Cement mortar 1:6 (1 cement: 6 coarse sand) Extra for Brick work in superstructure above plinth level upto floor V cum = 160.082 CUM	160.082	cu.m	4427.50	Rs. Four thousand four hundred twenty seven and paise fifty only.
	22	6.19A 1	Half brick masonry with bricks of class designation 100A in foundations and plinth in : Cement mortar 1:4 (1 cement: 4 coarse sand) Extra for half Brick masonry in superstructure above pinth level upto floor V level. = 134.043 SQM	134.043	Sq.m.	538.30	Rs. Five hundred thirty eight and paise thirty only.

Sachindra Kumar.

Chief Engineer

8.S.E.I.D.C. Ltd. Patna

Skehoudkag

31/2

23/12/11

					16	
23		position 2 Nos, 6 mm dia , MS bar at every third course of half bric masonry (with F. P. S. bricks) = 134.043 SQM	rs 134.043			Rs. Seventy five and paise ninety only.
	6.1.12/1	Brick work with bricks of class designation 100A in foundations and plinth in: Cement mortar 1 .:4 (*cement: 4 coarse sand) = 8.75 CUM	S	cum	4184.00	Rs. Four thousand one hundred eighty four only.
	STER W					
25		20 mm cement plaster of mix; 1:6 (1 cement: 6 coarse sand) = 836.658 SQM	836.658	sq.m	123.50	Rs. One hundred twenty three and paise fifty only.
26	+ 13.26	20 mm cement Plaster 1:3 (1 cement: 3 coarse sand) with a floating coat of neat cement & neat cement punning SEPTIC TANK = 16.65 SQM	16.650	sq.m	185.60	Rs. One hundred eighty five and paise sixty only.
27		12mm thick Cement plaster of mix 1:6 (1 cement : 6 coarse sand) = 1041.58 SQM	1041.580	sq.m	89.30	Rs. Eighty nine and paise thirty only.
		12 mm cement Plaster 1:3 (1 cement: 3 coarse sand) with a floating coat of neat cement & Extra for providing and mixing water proofing material in proportion recommended by the manufacturers: 12 mm cement plaster 1:3(1 cement :3 sand) SEPTIC TANK = 52.82 SQM		sq.m	145.50	Rs. One hundred forty five and paise fifty only.
	13.24.2	Smm thick Cement plaster of Ceiling mix 1:4 (1 cement : 4 coarse sand) = 388.53 SQM	388.530	sq.m	77.40	Rs. Seventy seven and paise forty only.
	ff fr e s w a E a co	Cement concrete flooring 1:2:4(1) cement:2 coarse:sand:4 graded stone agregate) finished with a loating coat of neat cement including cement slurry, etc. but excluding the cost of nosing of teps etc. complete. 40 mm thick with 20 mm nominal size stone ggregate. Extra for making chequers of pproved pattern on cement concrete floors, steps, landing, avements etc.	136.410	sq.m	232.90	Rs. Two hundred thirty two and paise ninety only.

Saelindra kuvar 23/12/16.

Chief Engineer

B.S.E.I.D.C. Ltd., Patna

Skahoushin

23/12/16

23/12

,					17	_	
	31		Finishing walls with Acrylic Smoo exterior paint of required shade :New work (Two more coat applied @ 1.67 ltr/ 10 sqm over and including primin coat of exterior primer applied @ 2.20 kg/ 10 sqm) EXTERNAL WALL = 836.658 SQN	or 19 836.658		68.80	Rs. Sixty eight and paise eighty only.
	32		plastered wall surface to prepare the surface even and smooth complete	2266.768	sq.m	118.70	Rs. One hundred eighteen and paise seventy only.
			Distempering with oil bound washable distemper of approved brand and manufacture to give an ever shade. New work (two or more coats) over and including priming coat with cement primer INTERNAL WALL & CEILING = 1430.11 SQM	1430.110	sq.m	64.00	Rs. Sixty four only.
	34		Applying priming coat with ready mixed pink or grey primer of approved brand and manufacture on wood work (hard and softwood) = 115.68 SQM	115.680	sq.m	25.20	Rs. Twenty five and paise twenty only.
	35		Applying priming coat with ready mixed zinc chromate yellow primer of approved brand and manufacture on steel galvanized iron/steel work. = 105.728 SQM		sq.m	21.30	Rs. Twenty one and paise thirty only.
	36	t	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade two or more coats on new work = 221.408 SQM	221.408	sq.m	50.90	Rs. Fifty and paise ninety only.

Sachindra Euwar, 23/12/16

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

19. Skehoulhyr)

3112 23 /12/16

,					1.	8	
	37	9.21.1	Providing and fixing T-iron fram for doors, windows and ventilated of mils steel Tee-sections, join miltred and welded with 15x3 milugs 10 cm long embedded in ceme concerete blocks 15x10x10 cm 1:3:6 (1 cement : 3 coarse sand : graded stone aggregate 20 minominal size) or with wooden plugs and screws or with fixing clips or with bolts and nuts a required including = 339.675 KG	ors ints int of 6 339.675 m	5 Kg.	75.10	Rs. Seventy five and paise ten only.
	39		shutters conforming to IS: 220 (Part-I) non-decorative type.core of block board construction with fram of 1st class tiard wood and we mathched commercial 3 ply veneering with vertical grains of cross bands and face veneers of both faces of shutters. 35 mm thick including anodized aluminum butt hinges with necessary screws = 48.195 SQM	2 of e III 48.195	sq.m	1823.80	Rs. One thousand eight hundred twenty three and paise eighty only.
1))			Providing and fixing oxidised M.S.tower bolt black finish,(barrel type) with necessary screws etc.complete 250x10mm 10 + 2 , BUILDING = 44 EACH	44.000	each	66.50	Rs. Sixty six and paise fifty only.
	40		Providing and fixing M.S.handles with necessary screws etc.complete 125 mm 10 + 2 , BUILDING = 44 EACH	44.000	each	27.50	Rs. Twenty seven and paise fifty only.
			Providing and fixing alluminium hanging floor door stopper anodised (anodic coating not less than grade AC 10 as per IS :1868) transparent or dyed to required colour and shade with necessary screws etc.complete:Twin rubber stopper = 22 EACH	22.000	each	82.70	Rs. Eighty two and paise seventy only.
	42 9	k S	Providing and fixing M.S. sliding door bolts bright finished or/and black enamelled, with nuts and screws etc.compelled: 300x16 mm = 22 EACH	22.000	each	177.40	Rs. One hundred seventy seven and paise forty only.

Sachindra Khwar. 23/12/16

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Skehouther

28 12 28 1214 22/12

STEEL WORK 43 2.1+10.13 Providing and fixing glazed steel doors, windows or ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm M.S. lugs10cm long with steel legs embedded in cement concrete blocks 15x10x10cm.of (1:3:6)	
doors, windows or ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm M.S. lugs10cm long with steel legs embedded in cement concrete blocks 15x10x10cm.of (1:3:6)	
(1cement: 3coarse sand: 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metalsash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required. Doors Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators 44 2.1+10.13 Providing and fixing glazed steel doors, windows or ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm	
M.S. lugs10cm long with steel legs embedded in cement concrete blocks 15x10x10cm.of (1:3:6) (1cement : 3coarse sand : 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required. Doors Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows,ventilators and composite units. Steel ventilators = 3.24 SQM	

Sachidra Kuman 23/12/16

Chief Engineer

3.S.E.I.D.C. Ltd., Patna

Skehowskay 23/1/11

23/12

1					2	-0	
	45	9.82.	Providing and fixing M.S. grills or requirement pattern in frames of windows etc. with M.S. flats squar or round bars etc all complete fixed to steel windows by welding. = 1722.87 KG	of			Rs. Ninety one and paise fifty only.
-	46	5.22	Reinforcement for RCC wor including straightening, cutting bending, placing in position and bonding all complete. TMTC-500				
			Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG	8393.000	KG	74.40	Rs. Seventy four and paise forty only.
			Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG	1300.000	KG	73.10	Rs. Seventy three and paise ten only.
			Thermo-Mechanically Treated bars TMTC-500 12mm dia = 7000 KG	7000.000	KG	71.80	Rs. Seventy one and paise eighty only.
			Thermo-Mechanically Treated bars TMT-500 16mm dia = 700 KG	700.000	KG	72.80	Rs. Seventy two and paise eighty only.
1			Thermo-Mechanically Treated bars TMT-500 20mm dia = 750 KG	750.000	KG	72.20	Rs. Seventy two and paise twenty only.
1			Thermo-Mechanically Treated bars TMT-500 25mm dia = 0 KG	0.000	KG	72.20	Rs. Seventy two and paise twenty only.
	47		Providing & fixing M.S. Fan hook of 16 mm. dia. M.S. bar 1 Mtr. Long bent to required size and shape, placed in position and fixed in Truss Frame / RCC Slab / beam at the time of casting all complete as per building specification and direction of E/I. (Where materials is not supplied by deptt.) = 42 EACH	42.000	Each	121.80	Rs. One hundred twenty one and paise eighty only.
	48	t	Providing & fixing hand rail by welding etc. to steel ladder railling & staircases railling including applying a priming coat of approved steel primer. MS tube (medium) 40mm nominal pore.	550.000	kg.	91.10	Rs. Ninety one and paise ten only.

Sachindra kuwar. 23/12/16

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Jan

Sk.howlkg

10.5 Providing and fixingin position collapsible steel shutters with vertical channes 20x10x2mm and braced with flat iron diagonals 20x5mm size with top and bottom rail of T-iron 40x40x6mm with 4.52 sq.m 4115.60 Rs. Four thousand one hundred fifteen and paise sixty only.						21	
SHUTTERING Section S			collapsibble steel shutters with vertical channes 20x10x2mm and braced with flat iron diagonal 20x5mm size with top and bottom rail of T-iron 40x40x6mm with 40mm dia steel pulleys complete with bolts nuts locking arrangement stoppers handles including applying a priming coat of approved steel primer.	th d d ls m h 4.52	sq.m	4115.60	Rs. Four thousand one hundred fifteen and paise sixty only.
thick of cement : 3 concrete 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth. 75.414 SQM				2			
51 5.9.1 Centring and shuttering including strutting, propping etc. and removal of form for foundation, footings, basees of columns etc. for mass concrete. = 55.781 SQM 52 5.9.5 Centring and shuttering including strutting, propping etc. and removal of form for lintel, beams, plinth beams, griders, bressumers and contilevers. = 349.241 SQM 53 5.9.6 Centring and shuttering including strutting, propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts = 367.575 SQM 59 Sqm. 50 Sqm. 50 Sqm. 50 Sqm. 50 Sqm. 50 Sqm. 50 Sqm. 51 Sqm. 52 Sqm. 53 Sqm. 54 Sqm. 55 Sqm. 56 Sqm. 57 Sqm. 57 Sqm. 58 Three hundred forty four and paise forty only. 59 Sqm. 50 Sqm. 50 Sqm. 50 Sqm. 50 Sqm. 51 Sqm. 51 Sqm. 52 Sqm. 53 Sqm. 54 Sqm. 55 Sqm. 56 Sqm. 57 Sqm. 59 Sqm. 50 S			thick of cement concrete 1:3:6 (*cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth. = 75.414 SQM	75.414	sq.m	319.30	
strutting, propping etc. and removal of form for foundation, footings, basees of columns etc. for mass concrete. = 55.781 SQM 52 5.9.5 Centring and shuttering including strutting, propping etc. and removal of form for lintel, beams, plinth beams, griders, bressumers and contilevers. = 349.241 SQM 53 5.9.6 Centring and shuttering including strutting, propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts = 367.575 SQM 59 5.9.3 Centring and shuttering including strutting, propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts = 367.575 SQM 59 5.9.3 Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 451.54 SQM 51 5.716,706.85							
strutting, propping etc. and removal of form for lintel, beams, plinth beams, griders, bressumers and contilevers. = 349.241 SQM 5.9.6 Centring and shuttering including strutting, propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts = 367.575 SQM 5.9.3 Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 451.54 SQM Total Sqm. 251.30 Rs. Two hundred fifty one and paise thirty only. Rs. Three hundred forty four and paise forty only. Rs. Three hundred forty four and paise forty only. Rs. Three hundred seventy five and paise sixty only.			strutting, propping etc. and removal of form for foundation, footings, basees of columns etc. for mass concrete. = 55.781 SQM	55.781	Sqm.	166.70	Rs. One hundred sixty six and paise seventy only.
strutting, propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts = 367.575 SQM 54 5.9.3 Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 451.54 SQM Total Total Total Sqm. 344.40 Rs. Three hundred forty four and paise forty only. Rs. Two hundred seventy five and paise sixty only.			strutting, propping etc. and removal of form for lintel, beams, plinth beams, griders, bressumers and contilevers.		Sqm.	251.30	Rs. Two hundred fifty one and paise thirty only.
strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 451.54 SQM Total Total Rs. Two hundred seventy five and paise sixty only.	53		strutting, propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts	367.575	Sqm.	344.40	Rs. Three hundred forty four and paise forty only.
Total (A) 3,710,706.85	54	K	strutting, propping etc. and removal of form for suspended floors, roofs, andings, balconies and access platform.	451.540	Sqm.		Rs. Two hundred seventy five and paise sixty only.
[Otal (A)							5,716,706.85
A STATE OF THE STA			Plumbing and sanita	ary Wor	k	lotal (A)	

Sachindra kuman 23/12/16

Chief Engineer

3.S.E.I.D.C. Ltd, Patna

Skehowling

3 12 23/12/16

				22			
	55	B.S.R 12.78	interior interior of wall lac	e g er 5			
((12.78.2	2 110 mm diameter. = 40 MTS	40.000	MTS	214.200	Rs. Two hundrd fourteen and
	56	SOR 12.79	Providing and fixing on wall face unplasticised -PVC moulded fittings/ accessories for unplasticised PVC rainwater pipes conforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10mm gap for thermal expansion.				paise twenty only.
		SOR 12.79.1	Coupler				
		SOR 12.79.1. SOR	110mm = 10 MTS Bend 87.50°	10.000	Each	144.700	Rs. One hundred forty four and paise seventy only.
))		12.79.5 SOR 12.79.5. SOR	110mm bend = 12 MTS Shoe (Plain)	12.000	Each	173.700	Rs. One hundred seventy three and paise seventy only.
		12.79.6 SOR 12.79.6.	110mm Shoe = 12 MTS	12.000	Each	314.730	Rs. Three hundred forteen and
	57		Providing and fixining water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast iron P or S tap, 10 litre low white P.V.C. Flushing cistern with munally controlled device (handle level) conforming to IS: 7231 Parryware/Hindware with all fittings and fixtures complete including cutting and making good the walls and floors wherever required.				paise seventy three only.
			White Vitreous China Orissa pattern W C pan of size 580 x 440 mm with integral type foot rest. = 6 EACH	6.000	Each	3035.400	Rs. Three thousand thirty five and paise forty only.

Sachindra James 2. 23/12/16

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Skehowky

23 | 2 23 | 12 W

23/12

				23	3	
58	B.S.R 17.2.2	The street will be the street of the street	et at te ag ad ad a			
59	, Den	W.C. pan with ISI marked blac solid plastic seat and lid = 3 EACH	3.000	Each	2928.300	Rs. Two thousand nine hundred twenty eight and paise thirty only.
59	B.S.R 17.4.2	china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I. clamps complete including painting of fittings and brackets, cutting and making good the walls and floors wherever required:	e f d d d d d d d d d d d d d d d d d d			
000	0.00	Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern = 3 EACH	3.000	Each	4688.900	Rs. Four thousand six hundred eighty eight and paise ninety only.
60		Provding and fixing toilet paper holder				
0.1	SOR 17.34.2	Vitreous china	3	Each	304.2	Rs. Three hundred four and paise twenty only.
61	17.7.1	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:				
62	1	White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps.	12.000	Each	2120.300	Rs. Two thousand one hundred twenty and paise thirty only.
62	8	Providing and fixing PTMT angle stop cock 15 mm nominal pore,weighing not less than 85 gms	15.000	Each	180.900	Rs. One hundred eighty and paise ninety only.

Sechidra Kuvar 23/12/16

Chief Engineer
3.S.E.I.D.C. Ltd. Patna
Skehowlheig
23/MIL

~					2	4	
	63	B.S.R 17.28	pipe for sink or wash bas including P.V.C. waste fitting complete.	in			
-	C 4	1	2. Flexible pipe 32 mm dia = 12 EACH	12.000	Each	78.600	Rs. Seventy eight and paise sixty only.
	64	B.S.R 17.32.2	superior glass (of approved quality and of required shape and size with	/) h			ony.
			plastic moulded frame of approve make and shade with 6 mm thic hard board backing: Rectangular shape 453 x 357 mm = 12 EACH	d	Each	643.400	Rs. Six hundred forty three and paise forty only.
	65	B.S.R 17.33	Providing and fixing 600 x 120 x 8 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P brass brackets and guard rai complete fixed with 40 mm long screws, rawl plugs etc., complete. = 12 EACH	12.000	Each	478.300	Rs. Four hundred sevnety eight and paise thirty only.
	666		Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I Concealed work including cutting chases and making good the wall etc. 15 mm nominal outer dia Pipes = 50 METER	50.000	metre	241.000	Rs. Two hundred forty one only.
6	- 1	18.9.3	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 25 mm nominal inner dia Pipes = 60 METER	60.000	metre	193.800	Rs. One hundred ninety three and paise eighty only.

Sachindra larman. 23/12/16

			*			_	
		18.9.4	22		2	\$	
			The same and the s	40.000	metre	251.100	Rs. Two hundred fifty one and paise ten only.
	00	18.9.2	The same of the sa	40.000	metre	146.400	Do One hundred ()
(68	B.S.R 18.48	Providing and placing on terrace (a all floor levels) polyethylene wate storage tank ISI :12701 marke with cover and suitable locking	er d			pares forty offiny.
			arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. = 4000 PER LITER	4000.000	per litre	6.800	Rs. Six and paise eighty only.
	69	B.S.R 18.49	Providing and fixing C.P. brass bit cock of approved quality conforming to IS:8931	1			
			15 mm nominal bore. = 12 EACH	12.000	Each	497.000	Rs. Four hundred ninety seven only.
((70	B.S.R 18.52	Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS: 8931				only.
1	71	18.52.1 SOR	15 mm nominal bore. = 10 EACH	10.000	Each	670.700	Rs. Six hundred seventy and paise seventy only.
	7 1	18.58	Providing and fixing P.T.M.T. grating of approved quality & colour				
		SOR 18.58.1	circular type				
		18.58.1.	100 mm nominal dia,	11	Each	47.90	Rs. Forty seven and paise ninety only.
	72	19.2.1	Providing and laying cement concrete 1:5:10 (1 cement : 5 coarse sand : 10 graded stone				
			aggregate 40 mm nominal size) all- round S.W. pipes including bed concrete as per standard design : 100 mm diameter S.W. pipe = 50 METER	50.000	metre	312.500	Rs. Three hundred twelve and paise fifty only.
	73	19.6.1	Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete: 00 mm dia R.C.C. pipe = 15 METER	15.000	metre		Rs. Three hundred twelve and paise ninety only.

Sachindra Kumar 23/12/16

Chief Engineer
B.S.E.I.D.C. Ltd, Patna
Skehould

28/12/16

	74 5 6			26		
	74 B.S. 19.27	R Constructing brick masonry roa gully chamber 50x45x60 cm with bricks in cement mortar 1: (1cement: 4 coarse sand) includin 500x450 mm pre-cast R.C.C horizontal grating with frame complete as per standard design: With common burnt clay F.P.S (non modular) bricks of class designation 7.5 = 2 EACH	2.000	Each	n 3117.30	Rs. Three thousand one hundred seventeen and paise thirty only.
7:	19.30.	for Underground C.I. Inspection Chamber and bend with 75 class designation bricks in cement mortal 1:4 (1 cement: 4 coarse sand) C.I. Cover with frame (light duty) 455x610 mm internal dimentions, total weight of cover with frame to be not less than 38 kg. (weight of cover 23 kg. and weight of frame 15 kg.) RCC top slab with 1:1.5:3 mix (1 cement: 1.5 coarse sand :3 graded stone aggregate 20 mm nominal size) foundation concrete 1:5:10 mix (1 cement:5 coarse sand : 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm th. with cement mortar 1:3 (1cement:3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design. Inside dimensions 466x610 mm and 45cm deep for single pipe line: With common burnt clay F.P.S. (non modular) bricks of class	6.000	Each	3949.100	Rs. Three thousand nine hundred forty nine and paise ten only.
76		Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter, 1.8 m long complete as per standard design. With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH	1.000	Each	25900.100	Rs. Twenty five thousand nine hundred and paise ten only.
77	19.34	Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete :				Dismy

Scellindra kumar 23/12/16

Chief Engineer

3.S.E.I.D.C. Ltd. Patna

Jkehoudhus

23112

31 | 2116

				27		
		4.1 100 mm dia = 2 EACH	2.000		h 283.80	Rs. Two hundred eighty three and paise eighty only.
	78	Detailed Estimate for consof 125 mm x 40 mm x 90 m well Manual Boring = 1 EACH	struction Im Tube) Each	60432.6	Do Cirt II
79		TEMS(MARKET RATE) = EACH	DULED			
		P.V.C. PIPE = EACH				
	ANA SIS	= EACH	ste and			
		110 mm dia = 40 EACH	40.000	metre	347.000	Rs. Three hundred forty seven only.
		P.V.C. FITTINGS = EACH DOOR TEE 110 mm dia				
		= 4 EACH DOOR BEND 110 mm dia	4.000	each	365.000	Rs. Three hundred sixty five only.
		= 8 EACH BEND 45° 110 mm dia	8.000	each	283.000	Rs. Two hundred eighty three only.
		= 10 EACH VENT COWEL 110 mm dia	10.000	each	185.000	Rs. One hundred eighty five only.
		= 3 EACH PIPE CLIP 110 mm dia	3.000	each	65.000	Rs. Sixty five only.
		= 100 EACH FLOOR TRAP 110X110 mm d	100.000	each	53.000	Rs. Fifty three only.
80	Code	= 10 EACH	10.000	each	436.000	Rs. Four hundred thirty six only.
	no. of 1352	(i) C.I. cover and frame 300 : mm inside SEPTIC TANK = 1 EACH	1.000	Each	374.060	Rs. Three hundred seventy four and paise six only.
81	Code no. of 1621	(ii) S.C.I. plain bend 100 mm di SEPTIC TANK = 1 EACH	1.000	Each	436.400	Rs. Four hundred thirty six and paise forty only.
82	Code no. of 7087	(iii) S.C.I. Tee 150 mm dia SEPTIC TANK = 1 EACH	1.000	Each	748.110	Rs. Seven hundred forty eight and paise eleven only.
					Total	
		Flootrice I Manual (40)			Total (B)	348,404.98 348,405.00
		Electrical Works (1% labour c has been added on current D 2014)	ess SR-			340,405.00
83	1.10	Point Wiring in PVC Conduit, Modular type Switch:-	with			

Sachinder kumar. 231/2/16

Modular type Switch:-

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Skehowship

23/11/116

					- 0		
			Wiring for light point/ fan point exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with modular switch, modular plate suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor		2.8		
	1	1.10.3	single core cable etc as required. Group C	119.000	Nos.	725.180	Rs. Seven hundred twenty five
	84	1.11	Twin Control Point Wiring in PVC Conduit, with Modular type Switch:-				and paise eighteen only.
	35	1.31	Wiring for twin control light point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, 2 way modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc as required Supply and Fixing Light Plug Point with Modular Type Accessories:- Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and	3.000	Nos.	777.700	rs. Seven hundred seventy seven and paise seventy only.
8	6 1	.32	fixing 3 pin 5/6 amps modular socket outlet and 5/6 amps modular switch, connection etc. as required. (For light plugs to be used in non residential buildings). Supply and Fixing Power Plug Point	25.000	Nos.	306.030	Rs. Three hundred six and paise three only.
			with Modular Type Accessories:- Supply and Fixing GI box with modular plate and cover in front on surface or in recess including providing and fixing 6 pin, 15/16 amps modular socket outlet and 15/16 amps modular type switch, connection, painting etc as required.	12.000	Nos.	590.000	Rs. Five hundred ninety only.
87	7 2.		Supply & fixing 20A SPN MCB ndustrial Socket Outlet:-				

Sachindra Kuman 2312/16

Chief Engineer

3.S.E.I.D.C. Ltd, Patna

Skehoudhen

23 | 11/16

					20	7	
			Supplying and fixing 20 amps, 24 volts, SPN industrial type, socket outlet, with 2 pole and eart metal enclosed plug top alongwith 20 amps "C" curve, SI MCB, in sheet steel enclosure, on surface or in recess, wi chained metal cover for the socket out let and complete wirk connections, testing and commissioning etc. as required	th 12.000	Nos.	. 963.540	Rs. Nine hundred sixty three and paise fifty four only.
7	88	1.12	(2x4 sq. mm):-				
			Wiring for light/ power plug wit 2X4 sq. mm FRLS PVC insulated copper conductor single core cablin surface/ recessed mediumclas PVC conduit alongwith 1 No 4 somm FRLS PVC insulated copper conductor single core cable for loop earthing as required	e s 420.000	Mtrs.	163.620	Rs. One hundred sixty three and paise sixty two only.
	89	1.24	Supplying and fixing following modular type switch/ socket on the existing modular plate switch box cover including connections etc.as required			,	
		1.24.1	5/6 amps switch.	25.000	Each	81.810	Rs. Eighty one and paise eighty
Ĺ		1.24.4	5 pin, 5/6 amps socket outlet.	25.000	Each	79.790	one only. Rs. Seventy nine and paise
	90	1.14	Circuit / Sub-main wiring in PVC Conduit:- Wiring for circuit / sub-main wiring along with earth wire with the following sizes of PVC insulated, copper conductor, single core cable in surface/recessed PVC conduit as required.				seventy nine only.
		1.14.1	2x1.5 Sqmm + 1x1.5 sqmm earth wire	40.000	Mtrs.	107.060	Rs. One hundred seven and paise six only.
		1.14.2	2x2.5 Sqmm + 1x2.5 sq mm earth wire	350.000	Mtrs.	132.310	Rs. One hundred thirty two and
			4x6.0 Sqmm + 2x6.0 sqmm earth wire (to be used as sub main)	54.000	Mtrs.	392.890	Rs. Three hundred ninety two and paise eighty nine only.
			4 X 10 sq. mm + 2 X 10 sq. mm earth wire	10.000	Mtrs.	602 970	Rs. Six hundred two and paise ninety seven only.
			S/F 'C' series SP MCB:-	,		-	Among seven only.

Sachindra Kumar. 23/12/16

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Skewulhory

23 | 12 23 | 12 | 16

,				3	0	
91		Supplying and fixing 240 volts, 'Conseries, miniature circuit breake suitable for inductive loads of following poles in the existing MCE DB complete with connections testing and commissioning etc, as required.	r f B			
	2.10.1	, emgle role	36.000	Each	170.690	Rs. One hundred seventy and paise sixty nine only.
92	2.10.3		3.000	Each	463.590	Rs. Four hundred sixty three an paise fifty nine only.
92	2.13	S/F TPN MCB:-				
	2.40.0	Supplying and fixing following rating, four pole, 240 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required				
	2.13.2	63 A,TPN	3.000	Each	676.700	Rs. Six hundred sevnety six and
93	2.15	S/F TPN RCCB:-Supplying and fixing of following rating three phase and neutral, 415 volts, residual current circuit breaker (RCCB) having a sensitivity current upto 300 miliamperes in the existing MCB DB complete with connections, testing and commissioning etc. as required.				paise seventy only.
	2.10.2	40 Amp.	3.000	Each	2144.230	Rs. Two thousand one hundred forty four and paise twenty three
94		S/F TP MCB DB:- Supplying and fixing of following way, horizontal type three pole and neutral, sheet steel, MCB distribution board, 415 volts, on surface/recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din har, detachables				only.

3.000

Set

7430.570

Sachinda Kumar. 23/12/16

Legrand/Anchor/Havells/HPL.
4 Ways (4+12 ways) double door

S/F Ceiling Rose:-

bar, earth bar, din bar, detachable

phosphatized and powder painted including earthing etc. as required (Without MCB/RCCB/ISOLATOR).

plate, interconnections,

gland

Make

2.8.5

1.33

95

Chief Engineer

Rs. Seven thousand four hundred

thirty and paise fifty seven only.

B.S.E.I.D.C. Ltd., Patna

| Skehowhaz

$\overline{}$					31	
		Supplying and fixing 2 pin ceili rose on the existing junction be wooden block including connection etc as required.	ox/			Rs. Forty three and paise forty three only.
	96 1.3		27.000) Each	74.740	Rs. Seventy four and paise seventy four only.
1		Supplying and fixing batten / ang holder including connection etc a required.	as			coverity four only.
7 9	7 1.2	regulator:-	24.000	Each	286.840	Rs. Two hundred eighty six and paise eighty four only.
		Supplying and fixing stepped typ fan regulator on the existin modular plate switch box includin connections but excluding modular plate etc as required.	g			
98	3 1.2	The Contact.				
		Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required.	n			
	1.21.	1 20 mm	110.000	Mtrs.	53.530	Rs. Fifty three and paise fifty three
99		Telephone Wiring in Existing Conduit:-				only.
	1.18	pair 0.5 mm dia FRLS PVC insulated annealed copper conductor, unarmored telephone cable in the existing surface/ recessed steel/ PVC conduit as required				
	1.10.2	2 2 pair	50.000	Mtrs.	18.180	Rs. Eighteen and paise eighteen
100		S/F Modular type Switch / Socket:- Supplying and fixing following modular type switch / socket on the existing modular plate and switch box including connections but excluding modular plate etc as required.				only.
2.	1.24.6	Telephone socket outlet	2.000	Each	95.950	Rs. Ninety five and paise ninety
		EARTHING				five only.
101	5.6	COPPER EARTH PLATE ELECTRODE:-				

Sachindra kumers. 23/12/16

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Skehowlhor

3 12 22 1211

				2	2	
		Earthing with copper earth plate 600mmx 600mmx 3mm thick including acessories and providing masonary enclosure with cover plate having locking arrangement and watering pipe of 2.7 meter long etc with charcoal/cock and salt as required.	k g r t 2.000	Each		Rs. Nine thousand three hundred eighty four and paise ninety two only.
102	5.10	P/F 25 x 5mm copper earth strip in pipe :-				
		Providing and fixing 25 mm X 5 mm copper strip in 40 mm dia G.I. pipe from earth electrode including connection with brass nut, bolt, spring, washer excavation and re-filling etc. as required.	12.000	Mtrs.	1092.820	Rs. One thousand ninety two and paise eighty two only.
103	5.14	P/F 25 x 5 mm copper earth strip in surface/ recess :-				
		Providing and fixing 25 mm X 5 mm copper strip on surface or in recess for connections etc. as required.		Mtrs.	864.560	Rs. Eight hundred sixty four and paise fifty six only.
104	,	Cable Laying of 1.1 KV & 11 KV :-				
	7.1	Laying of one number PVC insulated and PVC Sheathed / XLPE power cable of 1.1 KV grade of following size direct in ground including excavation, sand cushioning, protective covering and refilling the trench etc as required.				
105	7.1.2	Above 35sq.mm and Upto 95 Sq.mm.	80.000	Mtrs.	204.020	Rs. Two hundred four and paise two only.
105		G.I. Pipe for Cable protection:- Providing, laying and fixing following dia RCC pipe NP2 class(light duty) in ground complete with RCC collars, joints with cement mortar 1:2 (1 cement : 2 fine sand) including trenching (75 cm) and refilling etc.as required. (Road crossing as per site condition)				Siny.

10.000

Mtr.

387.840

Sachindra Kumar, 23/12/16

14.14.2 150 mm dia

crossing as per site condition)

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Skehoucher

23 | 12/16

paise eighty four only.

Rs. Three hundred eighty seven and

100				33		
106	9.1	1.1 KV Cable End Termination:-Supplying and making indoor cable end termination with brass double compression gland and aluminium lugs for following size of PVC insulated XLPE Al. Ar. Cable of 1.1 KV grade as required.				
	9.1.22	3.5 Core 50 Sq.mm.	2.000	Each	272.700	Rs. Two hundred seventy two and
107	JSR 2014	3.5 core 50 sq mm xlpe/pvc insulated sheathed (Heavy duty)armoured electric cable aluminium conducter.				paise seventy only.
		3.5C x 50 Sq.mm 1.1kV	100.000	Mtrs.	391.000	Rs. Three hundred ninety one only.

Sachindra lamar. 23/12/16

B.S.E.I.D.C. Ltd, Patna 23/12

_				2	34	
10	2.1	S/F HRC fuse type TP&N switch disconnector:- Providing and fixing following capacity TP& disconnector fuse switch unit inside the existing panel board with ISI marked HRC fuses including drilling holes in cubicle panel, making connections etc. as required.	ng N el			Zero
7	2.1.2	63 amps,TP&N, HRC				
100			3.000	Each	2260.380	Rs. Two thousand two hundred sixty and paies thirty eight only.
109	2.5	S/F Busbar Chamber:-	September 1			
	2.5.3 B.S.R 2009	capacity busbar chamber with a strips of suitable size made o capper,heavy duty,complete with al accessories including connections,earthing the body,etc as required. 200 amp.TPN	1 1.000	Each	6222.610	Rs. Six thousand two hundred twenty two and paise sixty one only.
110	2.7.4 B.S.R 2009	Providing and fixing following capacity four pole OFF-load changeover switch with side handle operation, in sheet enclosure in existing metal board, including drilling holes in metal panel, making connections etc. as required. 125 Amps, Four pole	1.000	Each	7907.000	Rs. Seven thousand nine hundred seven only.
111		Providing and fixing copper tape 20 mm X 3 mm thick on parapet or surface of wall for lightning conductor complete as required. (For horizontal run)	80.000	meter	379.760	Rs. Three hundred seventy nine and paise seventy six only.
112	6.6	Providing and fixing copper tape 20 mm X 3 mm thick on parapet or surface of wall for lightning conductor complete as required. (For vertical run)	30.000	meter	410.060	Rs. Four hundred ten and paise six only.
113		Providing and fixing follwing rteing and breaking capacity MCCB in existing cubicale panel bord including drilling hole cubicale panel making connection etc as required				
	2.2.3	160 amp. 16KA	1.000	EACH		Rs. Four thousand five hundred sixty five and paise twenty only.
		FIDE FIGURENCE			Total (C)	503,812.73
		FIRE FIGHTING				^

Sachindra Januar. 23/12/16

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Skehowhof

28/12/14

<u> </u>			2	35	
	DGS&D Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit.	10.000	Nos.	7549.750	Rs. Seven thousand five hundred forty nine and paise seventy five only.
				Total	75,497.50
				Total (D)	75,498.00

Sectional knowns. 23/12/16

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Skehoulhest

23/12

23/12

_					36		
		CARRIAGE OF MATERIALS					
11	5	Type of materials			Rate Incl. 1% Lab. Cess		
		Cement	139.566	МТ	289.87	Rs. Two hundred eighty nine and paise eighty seven only.	
		Sand	188.457	cum	2568.21	Rs. Two thousand five hundred sixty eight and paise twenty one only.	
1		Local Sand	125.918	cum	205.29	Rs. Two hundred five and paise twenty nine only.	
1		Stone Chips	176.279	cum	2247.57	Rs. Two thousand two hundred forty seven and paise fifty seven only.	
		Brick	120.253	Thous.	601.67	Rs. Six hundred one and paise sixty seven only.	
116		Steel	18.050	MT	289.87	Rs. Two hundred eighty nine and paise eighty seven only.	
	ADDE	TRA COST OF MATERIAL FOR SA COMM. W.R.T GAYA AS PER CD					
	Bricks		120.253	Thous.	500.70	Rs. Five hundred and paise seventy only,	
	Cement		139.566	MT		Rs. One thousand one hundred thirty one and paise ten only.	
					Total Total (E)	1,242,160.80	
SI	DISTRIC	NAME OF	Grand	Total (A-	B+C+D+E)	1,242,161.00 7,886,583.73	
	SUPA	NAME OF SCHO	OOL			Amount	
1	LII	BLOCK RESOURCE				7,886,583.73	
	Pun	200 Soverty First I	otal Cost	in 'Rs'		7,886,584.00	
	"Details	ees Seventy Eight Lacs Eight	ty Six Tho	usand F	ive Hundre		
Part	"Details of SI. No. 78 (Construction of art 'A' - Cost of Materials		of 125mm	<u>x 40mm</u>	x 90m Tuk	pe well) is given below	
		125mm dia UPVC casing pipe					
1		confirming to ISS	27	Meter	315.00 F	Rs. Three hundred fifteen only.	
2		40mm dia UPVC pipe confirming to ISS	48	Meter	99.38 F	Rs. Ninety nine and paise thirty ight only.	

eight only.

Sachindra Kumar, 23/12/16

Chief Engineer
B.S.E.I.D.C. Ltd. Patna

37						37	
	-	3	40mm dia PVC ribbed strainer of approved quality	8	Meter	182.00	Rs. One hundred eigihty two only
-		1	Reducing socket 125mm x 40mm	1	Each	270.00	Rs. Two hundred seventy only.
1	5	5	Supplying all labour and materials & fitting & fixing PVC cap over the new sink T/well	1	Each	140.00	Rs. One hundred forty only.
7 7	6	B.S.R 1548	Providing and fixing of G.I pipes complete with G.I fittings and clamps, including, cutting and making good etc 32 mm dia (15% C.P & 1% L.Cess)	18	mtr	224.44	Rs. Two hundred twenty four and paise forty four only.
	7	B.S.R 1928	32 mm nominal bore Bross Full valve (15% C.P & 1% L.Cess)	1	Each	511.21	Rs. Five hundred eleven and paise twenty one only.
	8		Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of E/I	,	Each	26,446.00	Rs. Twenty six thousand four hundred forty six only.
			Sub - Total "A"				46420.27
Pa	art '	B' - Cos	st of Labour				46138.37
			Boring by jet dheki by suitable cutter of reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge.				
		(i) 0 to 30.5 m				
	9	(a) For 125 mm dia U.PV.C pipe	27	mtr	208.77	Rs. Two hundred eight and paise seventy seven only.
1	0		(b) for 40 mm dia UPVC pipe			Parameter 1	and sover only.
		(i) 0 to 30.5 m	3.5	mtr	119.03	Rs. One hundred nineteen and
		(i	i) 30.5 m to 61.0 m				paise three only.

Sechindra Kumar. 23/12/16

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Skehous har

28/12

23/12/16

				38	3	
	11	(a) For 40 mm dia UPVC pipe	30.5	mtr	136.88	Rs. One hundred thirty six and paise eighty eight only.
		(iii) 61.00 m to 75.00 m				printed digital dring.
	12	a) For 40mm dia UPVC pipe	14	mtr	148.79	Rs. One hundred forty eight and
-		(iv) 75.00 m to above	Secretaria		San	paise seventy nine only.
1 1	13	a) For 40mm dia UPVC ribbed strainer of approved quality	8	mtr	148.79	Rs. One hundred forty eight and paise seventy nine only.
1 1	4	Providing all labour & tools and lowering 32 mm dia G.I pipe as per specificatin etc. all Complete	24	mtr	21.34	Rs. Twenty one and paise thirty four only.
1:	5	Supplying labour and developing the T/Well to have sand free discharge all complete as per direction of E/I	1	Each	280.50	Rs. Two hundred eighty and paise fifty only.
-			Sub - Total			14,294.28
			60.432.65			

Tender approved in favour of Sachindar Kumar @10% (Ten Percent) below BOQ rates i.e. total amount comes to Rs. 70,97,926=00 (Rupees Seventy Lacs Ninety Seven Thousand Nine Hundred Twenty Six Only)

Sachindra Kumar, 23/12/16

Chief Engineer
B.S.E.I.D.C. Ltd, Patna
Skehoudrag

12 Ske

Performance Security

Name of Agency – "Sachindar Kumar"

Performance Security of "Sachindar Kumar" of "BRC-Raghopur, Supaul(SL. No.-118)"

Passbook No. 869207 7737639077 FDR No.	DOI 24.08.15 28.11.14 DOI	Reg No.		Amount 190000.00 181000.00
440745110009087	29.10.16 To	29.10.17		40000.00
			Total	411000.00

(Rupees Four Lacs Eleven Thousands Only)

लेखा पदाधिकारी
बिहार राज्य शैक्षणिक आधारभूत संरचना
विकास निगम लि०, पटना

Sashindra / chmam 23/12/16

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

23/12

BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

(A Govt. Of Bihar Undertaking)

Shiksha Bhawan, Bihar Rastrabhasa Parishad Campus ,Acharya Shiv Pujan Sahay Path, Saidpur, PATNA-800004. (Tel. No: 0612-2910314)

Cor. ID. No.: U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256

Letter of Acceptance

Letter no :- BSEIDC/FIN/2573/2016-17/-

Date. 18:10:16

To.

Sachindar Kumar

Baghal, Trivegiganj, Supaul.

Dear Sir,

This is to notify you that your Bid dt. 11.06.2016 for execution of "Construction of Block Resource Centre at Raghopur, Supaul (SL. No.-118 of NIT No.-40/2015-16) in the State of Bihar" has been accepted by the Corporation at your quoted rate of 10.00% (Ten Decimal Zero Zero Percent) below BOQ rates amounting to total contract price of Rs. 70,97,926=00 (Rs. Seventy Lacs Ninty Seven Thousand Nine Hundred Twenty Six Only)

You are hereby requested to furnish performance security including additional security in the form detailed in I.T.B. para 31.1, 27.4 and clarification issued thereon by RCD, Govt. of Bihar, vide letter no. 3376 (E) dt. 17.08.2010, for an amount equivalent to Rs. 4,09,000=00 (Rs. Four Lacs Nine Thousand Only) within ten days of receipt of this letter of acceptance valid upto 28 days from the date of expiry of defects liability period and sign the contract, failing which action as stated in Para 31.3 of ITB will be taken.

(Brajesh Prasad)

Yours faithfully

Chief Consultant (Technical)

Memo no: BSEIDC/FIN/2573/2016-17/- 9870 Copy forwarded to: Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC Date: .. 12: 10: 16

9870

website/Senior Account Officer, BSEIDC, Patna for information & necessary action

Chief Consultant (Technical) Date: | * | 0 1]

Memo no: BSEIDC/FIN/2573/2016-17/-Copy forwarded to: Chief Engineer, BSEIDC, Patna for information Please.

Memo no: BSEIDC/FIN/2573/2016-17/-98 70 Chief Consultant (Technical)

Date: 1.8:12:16

Copy forwarded to :Managing Director, BSEIDC, Patna for information Please.

Chief Consultant (Technical)

Chief Engineer B.S.E.I.D.C. Ltd, Patna

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना—800004, दूरभाष—0612—2910314 कॉपॉरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256,

Letter no.: BSEIDC/NIT/2015-16/- 2638

Patna, Date: 17.03.16

Corrigendum No.- 1

Sachinda Kyman 23/12/16

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in

I () ANT CO CONTROL OF THE CONTROL			
)			
e e			
2			
		١.	
	7	>	
4	-	>	
é	-	1	
)	9	2	
)	-	-	
	7	7	
	ione	1	
	-	5	
	0 900	7	
	5	11	
	9	-	
	=	7.7	
	2	2	
	CC	2	
	0		
	3		
	n ma		
	Special		
	5		
	G		
	2		
	0		
	\geq		
	50		
	10		
	+		
	5		
	Ĭ		
,	ndme		
	9		
	ving ame		
	a		
	ving a		
	3		
	0		
-	-		
c	9		
	1)		
_	Ĭ		
+			
99			
,	Read mod		
0 1	-		
Name of Street	none i		
4	magi mag		
-			
4	-		
C	2		
TI	5		
-)		
-	1		
4	9		

B.S.E.I.D.C. Ltd, Patna

The other terms and conditions shall remain unchanged.

Joe 2 201

Letter no.: BSEIDC/NIT/2015-16/- 2937

Patna, Date: 28-03-2016

Corrigendum No.-2

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "हिन्दुस्तान" on dated 10.02.2016 vide P.R.-12943 (नि०नि०)15—16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below:-

Amended provision Period of Sale of Bid document (Download) from dated 16.04.2016 to 10.05.2016, 15:00 Hrs. Date and Time of Pre bid Meeting – 25.04.2016, 16:00 Hrs. Last date and time for receipt (Upload) of Bids on dated 11.05.2016, 15:00 Hrs. Time and date for opening of Technical Bids on dated 13. 05.2016, 16:30 Hrs. Time and date for opening of Financial Bids on dated 27.05.2016, 15:30 Hrs.	accepted up to 13.05.2016, 1
Period of Sale of Bid document (Download) from dated 03.03.2016 to 28.03.2016, 15:00 Hrs. Last date and Time of Pre bid Meeting – 15.03.2016, Last date and time for receipt (Upload) of Bids on dated 29.03.2016, 15:00 Hrs. Time and date for opening of Fechnical Bids on dated 11.04.2016, 15:30 Hrs. The Cost of BOO and FMD will be exercised.	The Cost of BOQ and EMD will be accepted up to 13.05.2016, 15:00 Hrs.
Ame Period of Sale of Biadated 16.04.2016 to 15:00 Hrs. Date and Time of Pr 16:00 Hrs. Last date and time for op dated 11.05.2016, 1 Time and date for op dated 13.05.2016, 1 Time and date for op dated 27.05.2016, 15	occepted up to 13.05.2016, 1
Ame Sale of Bir 14.2016 to 15.2016 to 15.2016 ,1 1ate for op 15.2016 ,1 1ate for op 15.2016 ,1	to 13.05.2016, 1
Amended provision of Bid document (Do. 16 to 10.05.2016, of Pre bid Meeting— ne for receipt (Uploa 16,15:00 Hrs. or opening of Technic 16, 16:30 Hrs. or opening of Financi or opening of Financi 6,15:30 Hrs.	4 /

24gas 28/12

Sachindra kur 23/12/16

Letter no.: BSEIDC/NIT/2015-16/- 350

Patna, Date: 30.04.16

Corrigendum No.- 3

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "हिन्दुस्तान" on dated 10.02.2016 vide P.R.-12943 (नि०नि०)15—16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below :-

Amended provision	(d) Period of Sale of Bid document (Download) from dated 16.05.2016 to 05.06.2016, 15:00 Hrs.	1.2016, Date and Time of Pre bid Meeting – 25.05.2016, 16:00 Hrs.	Bids Last date and time for receipt (Upload) of Bids on dated 06.06.2016, 15:00 Hrs.		ds on Time and date for opening of Financial Bids on dated 24.06.2016, 15:30 Hrs.	The Cost of BOQ and EMD will be accepted up to 08.06.2016, 15:00 Hrs.
Existing provision	Period of Sale of Bid document (Download) from dated 16.04.2016 to 10.05.2016, 15:00 Hrs.	Date and Time of Pre bid Meeting – 25.04.2016, 14:30 Hrs.	Last date and time for receipt (Upload) of Bids on dated 11.05.2016,15:00 Hrs.	Time and date for opening of Technical Bids on dated 13. 05.2016, 16:30 Hrs.	Time and date for opening of Financial Bids on dated 27.05.2016, 15:30 Hrs.	The Cost of BOQ and EMD
SL.	promond	2	m	4 (9
			8.S.E	hief Ei	ngineer Ltd, Pa	atna

Sachindra ferman

SPECIAL CONDITIONS

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes royalties and other

incidental charges.

4. To qualify for award of work, the Bidder must possess the following:-

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of

b) DD for required value of B.O.Q. Cost.

c) Sufficient Earnest Money Deposit.

- d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.
- Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed at least one Building work of value not less than 25 % of estimated value of contract) in last five years as mentioned in Technical bid.

f) Litigation History as mentioned in Technical bid.

g) Affidavit as mentioned in Technical bid.

h) Valid Registration with Central/ State Govt. / PSU. i) Valid labour license as mentioned in Technical bid.

Affidavit/Certificate for not been debarred as mentioned in Technical bid.

5. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.

6. The tender without earnest money or insufficient earnest money submitted with the tender, will be outright rejected.

7. Conditional tenders shall be outright rejected.

8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.

9. Authority shall reserve the right to reject any or all the tenders or distribute the work to

more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained.

11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules prevalent in the locality.

12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the

- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-
- a. Natural calamities

b. Act of enemies.

(Seal & Signature of Tenderer)

Sechinda kymar

Page 1/of 2

Chief Engineer B.S.E.I.D.C. Ltd, Patna

बिहार राज्य शैक्षणिक आधारमूत संरचना विकास निगम लिमिटेड (बिहार सरकार का एक उपक्रम) शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् कैम्पस, आचार्य शिवपुजन सहाय पथ, सैदपुर, पटना—800004 (दूरभाष:—0612—2910314)

निविदा आमंत्रण सूचना संख्या- 40 वर्ष 2015-16 (केवल ई—टेन्डरिंग पद्धति के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

बिहार राज्य के भवन निर्माण कार्य हेतु निम्नांकित निविदायें आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार/सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रजिस्ट्रेशन, उक्त कार्य का लेटर ऑफ

क्र	काय का नाम	प्राक्कलित राशि (लाख में	की राशि	राशि	Beltron Bid Processing Fee (In Rs.)	समापि
1	BRC Ekma,Saran	85.2	1,70,400	(रू० में)	-	
2	BRC Baniyapur,Saran	85.2	1,70,400		5750	15 मा
3	BRC Masrak,Saran	85.2	1,70,400	,	5750	15 मा
4	BRC Marhowrah, Saran	85.2		-,	5750	15 मा
5	BRC Amnour, Saran	85.2	1,70,400	10,000	5750	15 मा
6	BRC,Dariyapur,Saran	85.2	1,70,400	10,000	5750	15 मा
7	BRC,Garkha,Saran	85.2	1,70,400	10,000	5750	15 मा
8	BRC, Manigachhi, Darbhanga	85.2	1,70,400	10,000	5750	15 मा
9	BRC, Keoti, Darbhanga	85.2	1,70,400	10,000	5750	15 माह
10	BRC,kusheshwarsthan,Darbhanga		1,70,400	10,000	5750	15 माह
11	BRC,Ghanshyampur,Darbhanga	85.2	1,70,400	10,000	5750	15 माह
12	BRC,Kiratpur,Darbhanga	85.2	1,70,400	10,000	5750	15 माह
13	BRC,Baheri,Darbhanga	85.2	1,70,400	10,000	5750	15 माह
14	BRC, Hanumannagar, Darbhanga	85.2	1,70,400	10,000	5750	15 माह
15	BRC, Lakhnaur, Madhubani	85.2	1,70,400	10,000	5750	15 माह
16	BRC,Jhanjharpur,Madhubani	85.2	1,70,400	10,000	5750	15 माह
17	BRC,Phulparas,Madhubani	85.2	1,70,400	10,000	5750	15 माह
18	BRC,Khutauna,Madhubani	85.2	1,70,400	10,000	5750	15 माह
19	BRC, Khajouli,Madhubani	85.2	1,70,400	10,000	5750	15 माह
20	BRC,Bisfi,Madhubani	85.2	1,70,400	10,000	5750	15 माह
21	BRC,Rahika,Madhubani	85.2	1,70,400	10,000	5750	15 माह
22	BRC, Harlakhi, Madhubani	85.2	1,70,400	10,000	5750	15 माह
23	BRC,Babubarhi,Madhubani	85.2	1,70,400	10,000	5750	15 माह
24	BRC Rosada, Samastipur	85.2	1,70,400	10,000	5750	15 刊度
25	BRC Samastipur BRC Samastipur	85.2	1,70,400	10,000	5750	
26	PPC Viscourie C	85.2	1,70,400	10,000	5750	
7	BRC, Khanpur, Samastipur	85.2	1,70,400	10,000	5750	
8	BRC, Hasanpur, Samastipur	85.2	1,70,400	10,000	5750	15 माह
9	BRC, Mohanpur, Samastipur	85.2	1,70,400	10,000		15 माह
0	BRC, Patori, Samastipur	85.2	1,70,400	10,000		15 माह
	BRC, Shivajinagar, Samastipur	85.2	1,70,400	10,000		15 माह
1	BRC, Sangrampur, E. Champaran	85.2	1,70,400	10,000		15 माह
2	BRC,Kalyanpur,E.Champaran	85.2	1,70,400			15 माह
3	BRC Chakia, E. Champaran	85.2	1,70,400	10,000		15 माह
4	BRC Sugauli, E. Champaran	85.2	1,70,400	10,000		15 माह
5	BRC Madhuban,E.Champaran	85.2	1,70,400	10,000		15 माह
5	BRC Patahi, E. Champaran	0 = -	1,70,400	10,000		15 माह
7	BRC Raxaul, E. Champaran	0	1,70,400	10,000		15 माह
3	BRC Adapur, E. Champaran	0.5.		10,000		15 माह
	BRC Bankatwa, E. Champaran		1,70,400	10,000		5 माह
	BRC Dhaka,E.Champaran	0 = -	1,70,400	10,000	5750 1	5 माह
	BRC Bairia, W. Champaran	0 = -	1,70,400	10,000		5 माह
	BRC Narkatiaganj, W. Champaran		1,70,400	10,000	5750 1	,5 माह
	BRC Sikta, W. Champaran		1,70,400	10,000	5750	हैं माह
7	BRC Bhithan, W. Champaran		1,70,400	10,000 10,000 B.S.E.I.D	5758 V 1	5 माह
128	Dindidit, w.Champaran	85.2	1,70,400	10 000	Lugineer	5 माह 108

Sachindra Kymas,

	101	BRC Asharganj, Munger					
	102	BRC Naugachhia Bhagalaus	85.2	-,,.		5750	15 म
	103	BRC Pirpainti,Bhagalpur		-,,	00 10,000		15 म
	104	BRC Shahkund,Bhagalpur	85.2	, , , , ,	,		15 平
	105	BRC Puraini, Madhepura	85.2	- 7. 0 9 . 0			15 मा
	106	BRC Gwalpada, Madhepura	85.2	, , , , ,	/	5750	15 मा
	107	BRC Kumarkhand, Madhepura	85.2	7.09.0	,000	5750	15 मा
	108	BRC Gailarh, Madhepura	85.2	-,,	0 10,000		15 मा
	109	BRC Saurbazar, Saharsa	85.2	-,,	-,000	5750	15 मा
	110	BRC,Navhatta,Saharsa	85.2	1,70,40	0 10,000	5750	15 मा
	111	BRC Mahensi, Saharsa	85.2	1,70,40	-,	5750	15 मा
	112	BRC Sonbarsa, Saharsa	85.2	1,70,40	,	5750	15 माह
	113	BRC Simri, Bakhtiyarpur Saharsa	85.2	1,70,40	, , , ,	5750	15 माह
	114	BRC Supaul	85.2	1,70,400	-,000	5750	15 माह
	115	BRC Pipra, Supaul	85.2	1,70,400	-,	5750	15 माह
	116	BRC Pratapganj, Supaul	85.2	1,70,400	,	5750	15 माह
	117	BRC Nirmali, Supaul	85.2	1,70,400	,	5750	15 माह
	118	BRC Raghopur, Supaul	85.2	1,70,400	-)0	5750	15 माह
	119	BRC, Atari, Gaya	85.2	1,70,400	-,	5750	15 माह
	120	BRC, Neemchak, Gaya	85.2	1,70,400	,	5750	15 माह
		BRC, Wazirganj, Gaya	85.2	1,70,400	,	5750	15 माह
	122	BRC, Mohanpur, Gaya	85.2	1,70,400	10,000	5750	15 माह
	123	BRC, Imamganj, Gaya	85.2	1,70,400	10,000	5750	15 माह
-		BRC Amas,Gaya	85.2	1,70,400	10,000	5750	15 माह
	125	BRC, Koch,Gaya	85.2	1,70,400	10,000	5750	15 माह
	126	BRC, Jehanabad	85.2	1,70,400	10,000	5750	15 माह
		BRC,Kako,Jehanabad	85.2	1,70,400	10,000	5750	15 माह
	128	BRC,Ghosi,Jehanabad	85.2	1,70,400	10,000	5750	15 माह
		BRC Arwal	85.2	1,70,400	10,000	5750	15 माह
		BRC Karpi,Arwal	85.2	1,70,400	10,000	5750	15 माह
	131 I	BRC,Obra,Aurangabad	85.2	1,70,400	10,000	5750	15 माह
1	132 I	BRC, Dev, Aurangabad	85.2	1,70,400	10,000	5750	15 माह
1	133 E	BRC Madanpur, Aurangabad	85.2	1,70,400	10,000	5750	15 माह
1	.34 E	BRC Kutumba, Aurangabad	85.2	1,70,400	10,000	5750	15 माह
1	.35 E	BRC, Rega, Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
1	36 E	BRC, Merajgang, Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
1	37 B	BRC, Pupri, Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
1	38 B	BRC,Barthnaha,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
1.	39 B	RC,Runisaidpur,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
1	40 B	RC,Suppi,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
14	41 B	RC, Pakribarawan, Nawada	85.2	1,70,400	10,000	5750	15 माह
14	42 B	RC, Warisaliganj, Nawada	85.2	1,70,400	10,000	5750	15 माह
14	13 B	RC, Akabarpur, Nawada	85.2	1,70,400	10,000	5750	15 माह
14	14 B	RC, Narhat, Nawada	85.2	1,70,400	10,000	5750	15 माह
14		RC, Chandi,Nalanda	85.2	1,70,400	10,000	5750	15 माह
14	6 BI	RC, Austhawan ,Nalanda	85.2	1,70,400	10,000	5750	15 माह
14	7 BI	RC, Rahui,Nalanda	85.2	1,70,400	10,000	5750	15 माह
14		RC, Ekangarsarai, Nalanda	85.2	1,70,400	10,000	5750	15 माह
14	9 BI	RC,Silaw,Nalanda	85.2	1,70,400	10,000	5750	15 माह
15		RC, Katrisarai,Nalanda	85.2	1,70,400	10,000	5750	15 माह
15		RC, Karaiparsurai, Nalanda	85.2	1,70,400	10,000	5750	15 माह
15		RC,Motipur,Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह
153	BR	RC Gaighat, Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह
154	4 BR	RC Aurai Muzaffarnur	85.2	1,70,400	10,000	5750	15 माह
155	BR	C Bandra Muzaffarnur	85.2	1,70,400	10,000	(15750	15 माह
150	DD		85.2	1,70,400	10,000	5250	15 माह
	1920	The second secon	85.2	1,70,400	10,000	5750	15 माह
0.60	MAR (C	Sochinda kuran			Chief	Chambel	
		Sachindra Kumar 23/12/16		5	D.3.E.I.D.	C. Ltd, Pa	tna
		/ /0			1 Ph		
				. 23	112		
				1			

- (14) (क) प्रत्येक परिमाण विपन्न का मूल्य जो प्रत्येक निविदा के सामने उपर कण्डिका (1) में अंकित हैं (जो लौटाया नहीं जाएगा) किसी भी राष्ट्रीयकृत बैंक द्वारा निर्गत एवं BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. के नाम से एवं पटना में भुगलेंग्न हो स्वीकार किया जायेगा। मूल बैंक ड्राफ्ट ''बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड'' पटना के कार्यालय में दिनांक 31.03.2016 के 15:00 घंटे तक स्वयं/निबंधित डाक / स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना है। ऐसा नहीं करने पर निविदा मान्य नहीं होगा।
- (望) Beltron Bid **Processing Fee** is mandatory to be paid through online mode i.e. Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS"
 Bids along with necessary online payments must be submitted through e-procurement portal www.eproc.bihar.gov.in before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffic/ Holidays or any other reason.

- (ग) वांछित अग्रधन की राशि राष्ट्रीय बचत पत्र/डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक जो बिहार राज्य से क्रय या जमा किया हो, प्रबंध निदेशक, BSEIDC Ltd., पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा बिहार वित्त नियमावली के अनुसार BSEIDC Ltd. के नाम से फिक्सड डिपोजिट रिसिप्ट अथवा बैंक गारन्टी जो बिड के मान्य अवधि तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत/अनुसूचित बैंक से निर्गत हो (अगर बिहार प्रान्त के बाहर के बैंक से निर्गत बैंक गारन्टी दिया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारमूत संरचना विकास निगम लिमिटेड, पटना में दिनांक 31.03.2016 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रूप से जमा किया जाना आवश्यक है। ऐसा नहीं करने पर निविदा मान्य नहीं होगा।
- (15) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर लें। ताकि अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से बच सकें।

(16) निविदाकार निविदा डालने से पहले अपने स्तर से भी प्रस्तावित कार्य स्थल पर भूमि उपलब्धता के संबंध में आश्वस्त हो

(17) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। बिना कारण बताये निविदा या उसके अंश को अस्वीकृत करने / रद्द करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।

(18) विशेष जानकारी हेतु अघोहस्ताक्षरी के कार्यालय में कार्य अविध में सम्पर्क किया जा सकता है। ई—टेन्डिरेंग की प्रक्रिया से संबंधित किसी भी प्रकार की जानकारी/सूचना हेतु सहायता कक्ष, ई—टेन्डिरेंग कक्ष, प्रथत तल्ला, M/22, बैंक ऑफ इण्डिया भवन, रोड न० 25, श्री कृष्णा नगर, पटना—800001, दूरभाष सं० 0612—2523006/9939035696.

ब्रजेश प्रसाद मुख्य अभियंता

Sachindra Kuman. 23/12/16

> Chief Engineer B.S.E.I.D.C. Ltd, Patna

23/12