Name of Work-Construction of
Schedule XLV-Form No. 61

Black Resource Centre

at Mairwa, Siwan,

(SL No. - 50) n Ltd. **IWAN** [Form No. F-2] Balindra Choudhan 1 memorandum at If gency [Form No. F-2] Balindra Cho ITEM RATE TENDER AND CONTRACT FOR WORKS ind in accodance in Subjects to the ----130 F2 of 2017-18 greement No. accordance with, General Rule and Direction for the guidance of Contractors. Date of Commencement - 09-08-2017 1. All works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer. This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours 2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so. 3. Receipt for payments made on account of work when executed by a firm must also be signed e Commencement of by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm. 4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender EEN MONTHS without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender. 5. The amount of earnest money to be deposited will be : -If the amount of the estimate does not exceed Rs. 2,000 If the amount of the estimate exceeds Rs. 2,000 but does not exceed Rs. 5,000 If the amount of the estimate exceeds Rs. 5,000 but does not exceed Rs. 10,000 For each additional Rs. 5,000 or portion of Rs. 5.000 additional earnest money 6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate s willing to undertake each item of the work incomplete tender and tenders which propose any alteration the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompanied by the treasury as for the required earnest money will be liable to rejection. No single tendenshall include more than one at contractors who will to tender for two or more works shall submit a separate tender for each Tender tall bear the name of the work to which they refer written outside the envelop Cash deposits for earnests ere in before mentioned shall be made in Government Treasuries and the challan there of should be structure

Schedule XLV - Form No. 61

7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money

8. The Engineer shall have the right of rejecting all or any of the tenders

9. In the event of a tender being selected for acceptance the Engineer who opened the tenders will, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the priscribed time. The tender with the specilication and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to the tenderer.

10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.

11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required amount of the security money has been deposited the Engineer shall scrutinise all pages of the form of item, rate, tender & contract for works to see that the form has been properly filled up and signed by the contractor & the signature witnessed He shall then if he is competent, to accept the tender, significant of the tender, or, if he is not so competent shall send the form for signature of the acceptance of the officer competent to accept its not so competent shall send the form for signature of the acceptance of the officer competent to accept its not so competent shall send the form for signature of the acceptance of the officer competent to accept its not so competent shall send the form for signature of the acceptance of the officer competent to accept its not so competent shall send the form for signature of the acceptance of the officer competent to accept its not so competent shall send the form for signature of the acceptance of the officer competent to accept its not so competent shall send the form for signature of the acceptance of the officer competent to accept its not so competent shall send the form for signature of the acceptance of the officer competent to accept its not so competent shall send the form for signature of the acceptance of the officer competent to accept its not so competent shall send the form for signature of the acceptance of the officer competent shall send the form for signature of the acceptance of the officer competent shall send the form for signature of the officer competent shall send the form for signature of the officer competent shall send the form for signature of the officer competent shall send the form for signature of the officer competent shall send the form for signature of the officer competent shall send the form for signature of the officer competent shall send the form for signature of the officer competent shall send the form for signature of the officer competent shall send the form for signature of the form for signature shall send the form for signature shall send the fo



#### TENDER FOR WORKS

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

#### **MEMORANDUM**

(a) If severa	I sub-work are	4
	ey should be	
detained in a	separate list.	

- (b) This deposit will be 5% of the estimated cost of the Work.
- This percentage [d] deduction from bills will be credited to the contractors security deposit.

Item No.

- Name of work ..... [a]
- Estimated cost [b]
- Earnest money ..... [c]
- Initial security deposits (including earnest money) to be deposited befor the commencement of the work .....
- Percentage to be deducted from bills Rs. 5% (Rupees five percent) [e]
- Time required for the work from date of written order to commence ..... [f] ..... monthly

In figures

RATE TENDERED

In words

Date of written other to commence [g]

Item of work

Total number of item of work tendered for [h]

the Commencement of

on Ltd.

**SIWAN** 

en memorandum at

in accordance with,

and in accodance in I Subjects to the

**TEEN MONTHS** 

hnical)

rastructure Ltd., Patna

Per

of Consultant (Technical) Bihar State Educational infrastructure

े वा भी जा स्तिरो

	2 MOON SOT FE	RATE TE	RATE TENDERED			
tem No.	Item of work	In figures	In words	Per		
nébrok nices	sance assumes with the		Cate Too Discourse			
estation in a min	Galeria desi e describe e finale e Status to cancile can have e se	marantona ani miki s ani di moroudi bira M				
ea three sometr		the provided area				
		affection as applicable	samalbano			
			1			
		210W 10 99	6.1 - 13, 5 P			
		ions helias				
		e la acceptace la				
		yernom rasig	and a			
		\.				
KIRO DEN DE AU.			10.2			
1 1782 33 89	encourt 7's, all allid intention	colo ( vorepsino)				
			1			
e lain	in the section and to all property.	The state of the s	H. A.			
	en e					
		who distributed and a second				
		The Court of the	wiolim\			
		replaced to the form of the				
		The second secon				
A STORE THAT D						
19.8 D (31.8)			-			
*						
18 20 00 3						
1						
1.76	12/20-	4				
	W 13 1480					
ename mater	hardwell to deput to the					
THE RESERVE TO SERVE	460					
			Y			

3 (5) Schedule XLV - Form No. 61 on Ltd. RATE TENDERED Item No. Item of work Per In figures In words SIWAN en memorandum at and in accodance in d Subjects to the in accordance with, the Commencement of FTEEN MONTHS echnical) infrastructure n Ltd., Patna Kehowal

	of work	In figures	In words	Per	on Ltd.
			en pareci		TXX/ A NI
		n and skylver of the Other Designation of Demokratic	Statesta established		IWAN
		a literation is	Name and the second		
					n memorandum at
		de de la la la company	despite of the		and in accodance in
		The Laboratory		Rulings a diserto r	Subjects to the n accordance with,
			Market and the second		
				Ç. <b>8</b>	
			The Conners		
	1 - 1 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -	to manufacture	TOWNER NAME OF		
			euglo apuro	compression	
			MINISTER STATE		
		11/12/11/2014 19			
			Date of A		
		Start and, age	Che Blue Car		
		Figure 1 in the page of	vd kanina,		the Commencement of
			di Gella de la constantina della constantina del		
	ereta de la completa	A restant months	Separation of the second	Nens authorized pro-	
			banka est		
					TEEN MONTHS
the figure, the					
			ower by the		
	esta de la companya				
	Albertanie ich grein. Den Stelsenn	biotional in the le	athlyne gy tall		
	e filozofia da selatin la		The state of the s		
150000000000000000000000000000000000000	and production of the second	UNDER AD HOUSE	I to isco		
			The same of the same of		
			may		
					2017
Casadayi yazılağ	Oftana)				
Section of the Section Control of the Section	The second		130 of 110 of 11		chnical) frastructure
					Ltd., Patna
			VAN TE	ANNEX.	Squeet,

should this tender be accepted I/we hereby agree to abide by and fulfill all the terms and provisions of the said conditions of contract annexed hereto so, for as applicable, or in ssors in office the sums of money mentioned in the said conditions

Dated the

day of

witness

Address Occupation:

Signature of witness to contractor's signature

\*Signature, of contractor be-

fore comission of tender

The above tender is hereby accepted by me on behalf of the Governor of Bihar Dated the day of

> signature of the officer accepting the tender.

Acceptances communicated on.....

signature of the party taking the tender



Compensation

### CONDITIONS OF CONTRACT

Clause 1:- All compensation or other sums of payable by the contractor to Government under the terms of his contract may be deducted from, paid by the sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor by Government on any account whatsoever and in the event of his security deposit being reduced by reason of any such deduction or sale as aforesaid, the contractorshall within ten days there after make good in cash or Government securities endorsed as aforesaid any sum or sums which may have been deducted from, or arised by, sale of his security deposit of any part thereof.

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which the work is finished after necessary rectification of defects as pointed by the Executive En- gineer or his contractor to the Engineer's satisfaction.

Clause 2 :- The time allowed for carrying out the work as entered in the tender. shall be strictly observed by the contractor and shall be reckoned from the date on which the wirtten order to comence work is given to the contractor. The work shall throughout the stipulated period of the contract be carried on with all due diligence (time being deemed to be the essence of the contract on the part of the contract or) and the contractor shall pay as compensation an amount equal to ½ percent authorised agents are fully on the amount of the estimated cost of the whole work as shown by the tender for every day that the work remains uncommenced or unfinished after the proper date. And further to ensure good progress during the execution of the work the contractor shall be bound in all cases in which the time allowed for any work exceeds one month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before onehalf of such time elapsed and three-fourths of the work, before three fourths of such time has elapsed in the event of the contractor failing to employ with this condition, I shall be liable to pay as compensation an amount equal to ½ percent on the said estimated cost of the whole work for every day that the due quantity of work remains incomplete provided always that the entire amount of compensation to be paid under the provisions the clause shall not exceed 10 percent of the estimated cost of the work as shown in the tender.

Action when persnle security deposit foreited

Clause 3:- In any case which under any clause or clauses of or this contract. the contractor shall have rendered himself laible to pay compensation amounting to the whole of his security deposit in the hands of Government (where paid in one sum or deducted by instalments) the Executive Engineer on behalf on the Bihale Government shall have been powered to adopt any of the following courses, as he may deem best suited to the enterest of Government

(a) To rescind the contract (of which rescind in writing to the contractor under the hand of the Executive Engineer/strail be conclusive evidence) and in which case the sectitiry deposit of the contractor shall start forfeited, and b absolutely at the disposal of Government Corporation Ltd., Patna

ला भी नड़ ट्रास्ति।

(b) To employ labour paid by the Public Works Department and to supply naterials to carry out the work, or any part of the work, debitting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in -charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.

(c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by'him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original contractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified

Clause 4: - In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may. if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Engineer as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

Clause 5 :- If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) he shall apply in writing to the Executive Engineer within 40 days from the date of starting of the hinderance on account of which be desires such extension as aforesaid and the Executive Engineer shall, if in his opinion (which shall be final) reasonable grounds be shall thereof authorised such extension of time, if any, as may in his opinion be necessary or proper. The Executive Engineer shall at the same time inform the contractor whether Rehnical) claims compensation for the delay. Development Corporation Ltd., Patna

व्यापान्ड स्मान्त्र)

on Ltd.

SIWAN

en memorandum at and in accodance in | Subjects to the in accordance with,

to pay compensation if action not take under

he Commencement of

Power to take posession of or require removal of or sell contractor plant.

**FEEN MONTHS** 

Extension of time

inical) astructure Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion, but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinctly marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-work, doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurements shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus materials and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid, except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible, before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-in-charge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts or in any other way vary or affect the contract.

• Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Clause 9:- If the specification or estimate of the work provides for the use of any special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-incharge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums then the security there after to become due to the contractor under the contract or otherwise or egainst or form the security deposit, or the proceed of sale thereof, if the same is had in Government security the same or sufficient portion thereof in this case sold for the purpose. All materials supplied to the contractor shall remain the absolute property of covernment and shall not on any accounts he removed from this site of the work and shall acan time the open to

Stores supplied Government

ON MOS EACH)

inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: - The contractor shall executive the whole and every part of the work n the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid.

Clause 11:- Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the Time in consequence of determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a disputes the decision of the superintending Engineer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period.

Clause 12:- If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the ender to be carried out. the Engineer-in-charge shall give notice in writing of the fact to he contractor who shall have no claim to any payment of compensation whatsoever on account of any profit or advantage, which he might have derived from the compensation for alterthe work in full, but which he did not derive in consequence of the full amount of the work ation in or restriction of not having been carried out neither shall he have any claim for compensation by feason compensation by feason compensation by of any alternation having been made in the original specification, arrawing designs and infrastructure nstruction which shall involve any installment of the work as enginetry of femorate Ltd., Patna clause 12 (a) As contained in G O 1929 dated 11.9.56.

Olans Ether?

### on Ltd.

### SIWAN

Work to be executed accordance with specification drawing other etc.

en memorandum at and in accodance in I Subjects to the in accordance with,

Alteration in specifications and designation.

Do not in validate contract

the Commencement of

**TEEN MONTHS** 

Rate for work no in estimate or schedule of rates of the district.

hnical)

rastructure

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such failure is due to:

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as finally by the contractor.

Action and compensation payable in case of work.

Clause 13 :- If it shall appear to the Engineer-in-charge or his subordinate incharge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall one demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-incharge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and expense in all respects of the contractcor.

Work to be taken to inspection

Clause 14:-All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineer-in-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be present.

Clause 15: The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which the same was effected.

Notice to be taken before work covered up Clause 16:- If the contractor or his work-people, or servants shall break, deface injure or destroy any part of a building in which they may be working or any building, road, road curves, fence enclosure water pipes, cables, draine, electric or telephone posts or wires, trees, grass or grassland or cultivated gracing contiguous on which the work or any part of it is being executed or if any damage strail happen to the work, while in progress from any cause whatsoever or any imperfection become apparent in if within three months (six months in the case of a toad work and certificate final or other of its completion shall have been given by the Engineer-in-charge

alalog exten)

as a fore seal, the contractor shall make the same good at his own expense, or in Jefault, the Engineer-in-charge may cause the same to be made be good by other worksmen and deduct the expense of which time thereafter may become due to the contractor, or from his security deposit, or the proceed of sale there of, or of a sufficient portion there of the security deposit at the contractor shall not be refunded before the expiry of three months (six months in the case of a road-work) after the issue of the certificate final or otherwise of completion of work provided that in the case of a road work in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable after three months of the issue of the said certificate of completion

Clause 17:- The contractor shall supply at his own cost all materials (except such pecial materials) if any as may in accordance with the contract be supplied from the Engineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, ackle scaffolding and temporary works requisits or proper for the proper execution of the work whether original, altered or substituted and whether include in the specification or ther documents forming part of the contract or referred to in these conditions or not or which may be necessary for purpose of satisfying or complying with the requirement of he Engineer-in-charge as to any matter as to which under these conditions he is entitled to be satisfied which he is entitled to require together with carriage therefore to and form he work. The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting, veighing and assisting in the measurement or examination at any time and form time to time of the work or materials failing his so doing the same may be Provided by the Engineer-in-charge at the expense of the contractor and the expenses may be deducted from any money due to the contractor under the contract from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide all necessary fencing and lights required to protect the public from accident, and shall be ound to bear to expenses of defence of every suit action or other proceeding at law that arising for per-provision may be brought by any person for injury sustained owing to neglect of the above of light fencing etc. precautions and to any such person or which may with the consent of the contractor be paid to compromise any claim by any such person.

Clause 18:- No female labour shall be employed within the limits of contonment. ne contractor shall not employ for the purpose of his contract any person who is below the age of twelve years and shall pay to each labour for the work done by such labourer vages not less than the wages paid for similar work in the neighbourhood.

The executive Engineer shall have the right to enquire into the case and decide any complaint alleging that the wages paid by the contractor to any labourer for the work done by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer employed by contractor is below the age of twelve years and to refuse to allow any labourer whom he decided to be below the age of twelve years to be employed by the

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his contract, or attempt so to do, or become insolvent proceedings to make any composition. with his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward pr advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, or offered by the contractor, or any of his servant or agents to any public officer or person n the employ of Government in any way relating to his officer or employment or if any such officer or person shall become in any way directly or indirectly interested in the contract the Executive Engineer may there upon by notice in writing rescind the contract The security deposit of the contractor shall there upon stand forfeited and be absolutely The security deposit of the contractor shall there upon stand for letter and the contract stand for letter and the same consequence shall ensure as if the contract had been recinded under clause 3 here of, in addition the contractor shall not be entitled. (Technical) to recover or be paid to any work therefore actually performed the under the contract.

ENATISTERANT

damage done and for imperfection a months and after certificate

, SIWAN

tion Ltd.

Contractor to supply to

plantladder scaffolding

itten memorandum at ce and in accodance in nd Subjects to the is in accordance with,

at

arising for non-provision

Work not to be subject

Contract may be resinded and security deposit forfelted for subletting bribes or if contractor become

> Technical) infrastructure on Ltd., Patna Skehow

IFTEEN MONTHS

e the Commencement of

such payable by way of compensation to be considered reasonable compensation without reference to actual loss Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained.

(14)

Clause 21: In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this information.

Charges in constitution

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal of Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer Clause 22:- All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23:- In case any dispute or difference shall arise between the parties of either of there upon any question relating to the meaning of the specifications, designs drawings and instructions here before mentioned or as to the quality of workmanship of materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, of any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions of otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof or as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

(a) Clause 24: When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items or work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-incharge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineer-in-charge shall be final and conclusive against the contractor with regard to any sumpayable to him under the provision of this clause.

Action where specification.

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions are requirements of the Engineer-in-charge.

Definition of works

Clause 26: The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to succonstruction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, alteresubstituted or additional.

Witness

Contractor

वागीन्द्रसम्ही

8

Schedule XLV - Form No. 61

(15)

Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied

Particulars	will be ch	ich the materia narged to the ntractor	al	Place of delivery
	Unit	Rs.	P	The work proceed in the unit in graph of with a make the war because the work in the transfer the work to be a wind in the work to be a wind in the work of the wo
			0 CH   10 CH	of Moral Sesource Car (N (St. No-50)
			\$(53) e 180	astronics) sold Septembel Octobership
		or order to hear	n blir be	e i ve tiku erez five perezne) odwriatre ce nei sa dobre ene
			The state of	

tion Ltd.

, SIWAN

itten memorandum at ce and in accodance in nd Subjects to the s in accordance with,

t

e the Commencement of

IFTEEN MONTHS

Note:-The person or firm submitting the tender should see that the rates in the above schedules are filled up by the Engineer-in-charge on the issue of the form prior to the submission of the tender.

(Signature of Contrator)

CAN STAR)

Chief Constituent (Technical)
Bihar State Educational Infrastructure
Developsigna Gregoria Meauling. Praincer)

201

Technical)
Infrastructure
on Ltd., Patna
Kehoud

will be unarget to the Place of debugo. 

# Bihar State Educational Infrastructure Development Corporation Ltd.

# AGREEMENT for Construction of Block Resource Centre at Mairwa, SIWAN

### **TENDER FOR WORKS**

I/we heredy tender for the execution for the Governor of Bihr of the work specifed in the under written memorandum at the rates specified therein within a period of years month from the date of witten order to commence and in accodance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subjects to the annexed condation of contract and with such materaials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

### **MEMORANDUM**

detained in the separate list

- (a) If several sub-work are (A) Name of Work :- Construction of Block Resource Centre at Mairwa, SIWAN (Sl. No-50)
  - (B) Estimated Cost :- Rs. 74,83,719=00 Agreement value :- Rs. 69,85,303=00

(b) This deposit will be 5% of the estimated cost of the work.

(C)Earnest Money:-

(c)This percentage deduction from bills will be credited to the contractors security deposits

(D) Initial security deposits (including earnest money) to be deposited before the Commencement of the work-

Earnest Money :- Rs. 3,500;00%/- (Details attached)

- (E) Percentage to be deducted from bill Rs. 5% (Rupees five percent)
- (F) Time required for the work from date of written order to commence FIFTEEN MONTHS
- (G) Date of written order to commence:-
- (H) Total number of item of work tendered for :- 116

Chief Consultant (Technical) Bihar State Educational infrastructure Development Corporation Ltd., Patna

MATOS = AGAR)

## BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. SHIKSHA BHAWAN, SAIDPUR, PATNA.

## B.O.Q. FOR BLOCK RESOURCE CENTRE IN BIHAR

	THE ITEM	RATE BASED ON S.O.R BCD BIHAR, DA	ATE - 15-09-2014, & D.S.R (ELECTRICAL) 2014
SL. No.	DISTRICT		BLOCK

SIWAN BLOCK RESOURCE CENTRE Mairwa

		<u>CIVIL W</u>	ORKS	3		ě
SI. No.	SOR Item No.	Item of Work	Qty.	Unit	Rate (Rs.)	Amount
1	2	3	4	5	6	(Rs.)
F	PILE WOR	KS				/
1	20.2	Boring, providing and installing bored cast-in-situ reinforced cement concrete piles of grade M-25 of specified diameter and length below the pile cap, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring, with bentonite solution and temporary casing of appropriate length for setting out and removal of same and the length of the pile to be embedded in the pile cap etc. all complete, including removal of excavated earth with all lifts and leads (Length of pile for payment shall be measured upto bottom of pile cap).				
	20.2.1	300 mm dia Piles	0.000	meter	1200.20	Rs. One thousand three hundred nine and paise
	20.2.2	400 mm dia Piles	0.000			thirty only.  Rs. One thousand five hundred twenty three an
	20.2.3	450 mm dia Piles	0.000	meter		paise twenty only.  Rs. One thousand nine hundred seventy eight
	20.2.4	500 mm dia Piles		meter	<i>8</i>	and paise eighty only. Rs. Two thousand three hundred six and paise
	20.2.5	600 mm dia Piles	0.000	meter		Rs. Two thousand nine hundred ninety six and paise ten only.

0/01/052/16/2)

Chief Consultant (Technical) Bihar State Educational Infrastructure

F105 2017

Development Corporation Ltd., Patna

В	3
9	- 1

	20.2.6	750 mm dia Piles				
	20.2.0	730 min dia Piles				Rs. Four thousand tw
				5		hundred nineteen and
			0.000	meter	4219.7	paise seventy only.
						processing only.
2	20.3	Boring, Providing and installing cast in situ	11			
		single under reamed piles of specified	d			
		diameter and length below pile cap in M-25	5			
		cement concrete, to carry a safe working				
		load not less than specified, excluding the	9			
		cost of steel reinforcement but including the	ع ا			
		cost of boring with bentonite solution and				
		the length of the pile to be embedded in pile	2			
		cap etc. all complete. (Length of pile for	rl			
		payment shall be measured upto to the	3			
		bottom of pile cap):				
	20.2.1	200				
	20.3.1	300 mm dia Piles				Rs. One thousand nine
						hundred thirty four and
	20.2.2		0.000	meter	1934.20	paise twenty only.
	20.3.2	400 mm dia Piles			170,1120	Rs. Two thousand two
1						hundred twenty five ar
	20.2.2	1.50	0.000	meter	2225.30	paise thirty only.
	20.3.3	450 mm dia Piles				Rs. Two thousand thre
						hundred ninety seven a
1	20.2.4	777	0.000	meter	2397.50	paise fifty only.
	20.3.4	550 mm dia Piles				Rs. Two thousand six
						hundred five and paise
			0.000	meter	2605.10	ten only.
2	20.4				2003.10	ten only.
3	20.4	Extra over item No. 23.3 for providing				-
		additional bulb in under reamed piles, under				
		specified dia meter				
		(Only the quantity of extra bulbs are to be				
		paid).				
	20.4.1	300 mm dia Piles				
		of this did i nos				Rs. One thousand two
			0.000		ŀ	hundred forty and paise
	20.4.2	400 mm dia Piles	0.000	Each	1240.10 t	ten only.
		da i iid				Rs. One thousand three
			0.000		ŀ	nundred seventy three
	20.4.3	450 mm dia Piles	0.000	Each	1373.80 a	and paise eighty only.
	18	130 mm did i nes			F	Rs. One thousand four
					h	nundred fifty four and
	20.4.4	500 mm dia Piles	0.000	Each	1454.80 p	paise eighty only.
	20	300 mm dia Files			R	Rs. One thousand five
		(				
			0.000		П	nundred ninety seven an

d भी गुर्नेहरू)

Sul+ Chief Consultant (Technical) Bihar State Educational Infrastructure Development Corporation Ltd., Patna

T			12			
		IN EXCAVATION				
4	2.8.1	Earthwork in excavation in as(exceeding 30cm in depth. 1.5m in width as well es 10sqm on plan) incloding dressing of sides and ramming of bottom, lift upto 1.5 including getting out the excavated soil and				
		disposal of surplus soil as directed within a lead of 50m.  All Kind of soil = 286.64 CUM  SEPTIC TANK = 31.89 CUM				Rs. Two hundred five and paise twenty only.
	2001	TOTAL QUANTITY = 318.53 CUM	318.530	cum	205.20	
5	2.29.1	Surface dressing of the ground including removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5m All kinds of soil.  = 136.41 CUM				Rs. Seven hundred eighteen and paise eighty only.
EA	ARTH FILL	ING	136.410	100 sqm	718.800	
6	2.26	Filling available excavated earth (excluding				
		rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth: consolidating each deposited layer by ramming and watering lead = 188.98 CUM				Rs. Sixty six and paise forty only.
8/	AND FILLI	NC.	188.980	cu.m	66.40	
7	2.28	Supplying and Filling in plinth with local sand and under floors including, watering, ramming consolidating and dressing complete.  = 118.79 CUM SEPTIC TANK = 1.02 CUM TOTAL QUANTITY = 119.81 CUM	119.810	cu.m	192.50	Rs. One hundred ninety two and paise fifty only.
FLAT	BRICK SO	DLING				
8	11.72	Providing designation 100 A one brick flat soling joints filled with local sand including cost of watering, taxes, royalty all complete as per building specification and direction of E/I, 10 + 2, BUILDING = 291.84 CUM SEPTIC TANK = 13.57 CUM TOTAL QUANTITY = 305.41 CUM				Rs. Two hundred twenty seven and paise sixty only.
			305.410	sq.m	227.600	

Il Mogentup)

Cnief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

8	-
- 11	1

			13			
	P.C.C.					
9	4.1.5	Providing and laying in position ceme concrete of specified grade excluding the cost of centring and shuttering- all woupto plinth level 1:3:6 (1cement: 3 coarse sand: 6 grade stone aggregate 20mm nominal size) = 13 CUM	ne rk			Rs. Two thousand seven hundred seventy five an paise seventy only.
10		Providing and laying in position cemer concrete of specified grade excluding th cost of centring and shuttering- all wor upto plinth level  1:2:4 (1 Cement: 2 coarse sand : 4 graded stone aggregate 40 mm nominal size)10 + 2 , BUILDING = 8.74 CUM  SEPTIC TANK = 2.98 CUM  TOTAL QUANTITY = 11.72 CUM	e k d	cu.m	2775.7	Rs. Three thousand two hundred nineteen and paise seventy only.
FLO	ORING	11.72 COW	11.720	cu.m	3219.70	
	1.38 It to the control of the contro	Providing and laying Ceramic glazed floor iles 300x300 mm (thickness to be specified by the manufacturer) of ist quality conforming to IS: 15622 of approved make a colours such shades accept white, Ivory, Grey, Fume Red, Brown, laid on 20 mm thick Cement motar: 4 (1 cement: 4 coarse sand) including ointing the joints with white cement and natching pigment etc., complete.  OILET PORTION = 46.04 SQM				Rs. Eight hundred one and paise eighty only.

C(A) SIZHER)

Joby 21 (Lecunical)

Bihar State Educational infrastructure

Development Corporation Ltd., Patna

Kehoush

glazed wall tiles conforming to IS: 15622 (Thickness to be specified by the manufacture) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-charge in skirting, rissers of steps and dados over 12 mm thick bed of cement Motar 13(1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching shade complete.  TOILET PORTION = 188.874 SQM  LOORING & SKIRTING  13 11.26.1 Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime: 1 surkhi: 1 coarse sand) / 1:4 (20 TO 25MM THICK)  281.852 SQM  281.852 SQM  281.852 sq.m 968.00  14 11.27 Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  15 8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters. Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer-in-charge. Granite work	12	11.26	D. Lill	14			
1.26.1   Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime: 1 surkhi: 1 coarse sand) / 1:4 (20 TO 25MM THICK) = 281.852 SQM   281.852 SQM   281.852 Sq.m   968.00	12	11.36	(Thickness to be specified by the manufacture) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-charge in skirting, risers of steps and dados over 12 mm thick bed of cement Motar 1:3(1 cement: 3 coarse sand and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching shade complete.	2 e e l l e e f f f f f f f f f f f f f f			
11.26.1 Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime: 1 surkhi: 1 coarse sand) / 1:4 (20 TO 25MM THICK) = 281.852 SQM  281.852 SQM  281.852 sq.m 968.00  14 11.27 Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  74.37 sq.m 927.50  Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work	1.00	DINC & CL	TIDENIC	188.874	sq.m	754.20	0
Rota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand ) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  15 8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  Rs. Nine hundred twenty seven and paise fifty only.  74.37 sq.m 927.50  Two Hundred Thirty Nine and paise ten only	13	11.26.1	(average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime: 1 surkhi: 1 coarse sand) / 1:4 (20 TO 25MM THICK)				
Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Nine and paise ten only	14	11.27	steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10		sq.m	968.00	Rs. Nine hundred twenty seven and paise fifty
0.00 M 239.10	15		mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.	74.37	sq.m		Two Hundred Thirty Nine and paise ten only

al Mosetter?)

Chief Consultant (Technical)
Bihar State Educational infrastructure Development Corporation Ltd., Patha

WOD	Y/ DDY 0		15			
WOR		V PLINTH LVL.				
16	5.1.1	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing & reinforcement - all work upto plinth level.  1:1:2 (1cement: 1 coarse sand : graded stone aggregate 20mm nominal size)  = 59.183 CUM		cu.m	5110.70	Rs. Five thousand one hundred ten and paise seventy only.
₹.C.C	. WORK	ABOVE PLINTH LVL.			3110.70	
., ., .	· · · OILL	ABOVE PEINTH LVL.				
17	5.2.1	Reinforced cement concrete work in wall (any thickness), including attached plasters, buttresses, plinth and struts etc upto floor five level excluding the cost of centring, shuttering, finishing & reinforcement 1:1:2 (1cement: 1 coarse sand: 2 graded stone aggregate 20mm nominal size) 10 + 2, BUILDING = 20.51 SQM				Rs. Five thousand six hundred sixty six and paise twenty only.
18	5.1.3	Description 1.1.	20.510	cu.m	5666.20	,
	5.1.5	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing and reinforcement-All work puto plinth level. 1:2:4 (1 cement:2 coarse sand:4 graded stone aggregate 20 mm nominal size) SEPTIC TANK = 0.93 CUM				Rs. Three thousand found hundred thirty eight and paise ninety only.
			0.930	cum	3438.90	·

0/4705=AER)

Chief Consultant (Technical)

Bihar State Educational infrastructure Development Corporation Ltd. Patna Kehelly

19	5.3	Reinforced cement conrete work	16	10		
	5.33B.4 + 5.33B.1	beams, suspended floors, roofs having slop upto 15, landings, balconiec, shelve chajjas, lintels, bands, plain window sill	es, ls, or g, se m			Rs. Four thousand five hundred eighty one and paise twenty only.
			100.440	cu.m	4581.20	
BRI	RICK WOR	RK .				
20		Brick work with bricks of class designation 100A in foundations and plinth in cement mortar 1:6 (1cement :6 coarse sand) = 39.878 CUM			  }	Rs. Three thousand nine hundred ninety two and paise ninety only.
21	6.1.14A	Brick work with bricks of class designation	39.878	cu.m	3992.90	
	+ 6.3A	100A in foundations and plinth in: Cement mortar 1:6 (1 cement: 6 coarse sand)  Extra for Brick work in superstructure above plinth level upto floor V cum  = 160.082 CUM			h	Rs. Four thousand four nundred twenty seven and paise fifty only.
22 6	6.18.4A I	Half brick masonry with bricks of class	160.082	cu.m	4427.50	
	6.19A iii	designation 100A in foundations and plinth in: Cement mortar 1:4 (1 cement: 4 coarse sand)  Extra for half Brick masonry in superstructure above pinth level upto floor V level.  = 134.043 SQM			ei	Rs. Five hundred thirty ight and paise thirty nly.
		_	134.043		1	

al 47155=17617)

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna
Kelvot

23	6.21A	Evitus f	17			
23	0.21A	Extra for providing and placing in position Nos, 6 mm dia, MS bars at every this course of half brick masonry (with F. P. bricks) = 134.043 SQM				Rs. Seventy five and paise ninety only.
24	6.1A +	Brick work with bricks of class designation	134.043	Sq.m.	75.90	0
	6.1.12/1	100A in foundations and plinth in: Cement mortar 1 .:4 (1 cement: coarse sand) = 8.75 CUM				Rs. Four thousand one hundred eighty four only
PL	ASTER W	ORK	8.750	cum	4184.00	
25	13.13.4	20 mm cement plaster of mix; 1:6 (	1			
		= 836.658 SQM	926.659			Rs. One hundred twenty three and paise fifty only
26	13.13.1 + 13.26	20 mm cement Plaster 1:3 (1 cement: 3	836.658	sq.m	123.50	pulse Tity Offing
	13.20	coarse sand) with a floating coat of neat cement & neat cement punning SEPTIC TANK = 16.65 SQM				Rs. One hundred eighty five and paise sixty only.
27	13.11.4	12mm thick Cement plaster of mix 1:6 (1	16.650	sq.m	185.60	ALC PROPERTY OF THE PARTY OF TH
		cement: 6 coarse sand) = 1041.58 SQM			   t	Rs. Eighty nine and paise thirty only.
28	13.17.1	12 mm cement Plaster 1:3 (1 cement: 3	1041.580	sq.m	89.30	
	+13.36.1	coarse sand) with a floating coat of neat cement & Extra for providing and mixing water proofing material in				
		proportion recommended by the manufacturers: 12 mm cement plaster 1:3(1 cement :3 sand)  SEPTIC TANK = 52.82 SQM			fi	s. One hundred forty ve and paise fifty only.
9	13.24.2		52.820	sq.m	145.50	
		6mm thick Cement plaster of Ceiling mix 1:4 (1 cement : 4 coarse sand) = 388.53 SQM			R	s. Seventy seven and
			388.530	sq.m	77.40 pa	nise forty only.

of Mosetter?

Chief Consultant (Technical)
Bihar State Educational infrastructure
Development Corporation Ltd., Patna

20	1121		18			
30	11.3.1 + 11.8	Cement concrete flooring 1:2:4(1 cement coarse:sand:4 graded stone agregat finished with a floating coat of neat ceme including cement slurry, etc. but excluding the cost of nosing of steps etc. complete. 4 mm thick with 20 mm nominal size ston aggregate.  Extra for making chequers of approve pattern on cement concrete floors, step landing, pavemerts etc.  = 136.41 SQM	te) ent ng 40 ne			Rs. Two hundred thirty two and paise ninety only.
			136.410	sq.m	232.90	0
FINIS	SHING WO	ORK				
31	13.46.1	Finishing walls with Acrylic Smooth exterior paint of required shade :New work (Two or more coat applied @ 1.67 ltr/ 10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/ 10 sqm)  EXTERNAL WALL = 836.658 SQM	re			Rs. Sixty eight and paise eighty only.
32	13.80A.2	Providing and applying white cement based	836.658	sq.m	68.80	
		putty of average thickness 2 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	2266.760			Rs. One hundred eighteen and paise seventy only.
33	13.77.2	Distempering with oil bound washa ble distemper of approved brand and manufacture to give an even shade.  New work (two or more coats ) over and including		sq.m	118.70	
		priming coat with cement primer INTERNAL WALL & CEILING = 1430.11 SQM	1.100			Rs. Sixty four only.
34		Applying priming coat with ready mixed pink or grey primer of approved brand and manufacture on wood work (hard and softwood) = 115.68 SQM	1430.110	sq.m	p	Rs. Twenty five and paise twenty only.
			115.680	sq.m	25.20	

al Mogester?

Chief Consultant (Technical) Bihar State Educational infrastructure Development Corporation Ltd., Patna 34 0.

35	12 01 1		19			
33	13.81.3	Applying priming coat with ready mixe zinc chromate yellow primer of approve brand and manufacture on steel galvanize iron/steel work.  = 105.728 SQM	d			Rs. Twenty one and paise thirty only.
36	13.93.1	Painting with synthetic enamel paint o	105.72	8 sq.n	1 21.	30
		approved brand and manufacture to give an even shade two or more coats on new work = 221.408 SQM	ו			Rs. Fifty and paise ninety only.
37	10.14.1	Providing and fixing T-iron frames for	221.408	sq.m	50.9	90
38		doors. windows and ventilators of mils steel Tee-sections, joints miltred and welded with 15x3 mm lugs 10 cm long embedded in cement concerete blocks 15x10x10 cm of 1:3:6 (1 cement: 3 coarse sand: 6 graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required including = 339.675 KG		Kg.	75.10	Rs. Seventy five and paise ten only.
38	9.21.1	Providing and fixing flush door shutters conforming to IS: 2202 (Part-I) non-decorative type.core of block board construction with frame of 1st class tiard wood and well mathched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters.  35 mm thick including anodized aluminum butt hinges with necessary screws = 48.195 SQM		Kg.	75.10	Rs. One thousand eight hundred twenty three and paise eighty only.
9		Providing and fixing oxidised M.S.tower bolt black finish,(barrel type) with necessary screws etc.complete	48.195	sq.m	1823.80	
		250x10mm 10 + 2 , BUILDING = 44 EACH				Rs. Sixty six and paise fifty only.
			44.000	each	66.50	

al allogestar?)

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

40	9.104.1	Providing and fixing M.S.handles with	20			
		necessary screws etc.complete 125 mm 10 + 2, BUILDING = 44 EACH				Rs. Twenty seven and paise fifty only.
41	9.223.2	Providing and fixing alluminium hanging	44.000	each	27.50	0
		floor door stopper anodised (anodic coating not less than grade AC 10 as per IS :1868) transparent or dyed to required colour and shade with necessary screws etc.complete:Twin rubber stopper = 22 EACH	22.000			Rs. Eighty two and pai seventy only.
42	9.100.1	Providing and fixing M.S. sliding door bolts	22.000	each	82.70	
		bright finished or/and black enamelled, with nuts and screws etc.compelled: 300x16 mm = 22 EACH				Rs. One hundred seven seven and paise forty only.
ST	EEL WOI	RK	22.000	each	177.40	
43	10.12.1	Providing and fixing glazed steel doors,				
		windows or ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm M.S. lugs10cm long with steel legs embedded in cement concrete blocks 15x10x10cm.of (1:3:6) (1cement : 3coarse sand : 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required. Doors  Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel Windows.  = 95.715 SQM			h	Rs. Three thousand two nundred seventy and paise sixty only.
			95.715	sq.m	3270.60	

al Mosether?)

16. 4. 2017

Chief Consultant (Technical)
Bihar State Educational infrastructure
Development Corporation Ltd., Patna

	44 10.12		21			
	+	I all IIIII Blazed steel door	rs,			
	10.13	windows or ventilators of standard roll	ed			
	10.15	Jest Sections, Joints initered and weld	ed			
		with 15x3 mm M.S. lugs10cm long wi	th			
		steel legs embedded in cement concre	te			
		blocks 15x10x10cm.of (1:3:6) (1cement	:			
		occurre sand: 6graded stone aggregation	to			
		20111 nominal size) or with wooden pluc	oro!			
		and screws or rawl plugs and screws or wit	th			
		maining clips or with bolts and nuts of	20			
		required, including providing and fixing of	of.			
		glass panels with glazing clips and specie	all			
		metal-sash putty of approved make	- 0			Rs. Throathan 1
		complete including applying a priming coa	n+			Rs. Three thousand two
		of approved steel primer excluding the cos	1			hundred seventy seven
		of metal beading and other fitting excep	xt			and paise sixty only.
		necessary hinges or pivots as required Doors				
		Extra for providing and fixing steel heading				
		of approved shape and section with screws	5			
		instread of glaxing clips and met. Sash putty	5			
		in steel doors, windows, ventilators and				
		composite units. Steel ventilators and				
		= 3.24 SQM				
		3.2 1 5Q1VI				
		· ·				
45	0.00.1		3.240	sa m	2277.6	
43	9.82.1	Providing and fixing M.S. grills of		sq.m	3277.6	0
		requirement pattern in frames of windows				
		etc. With M.S. flats square or round hars etc.				
		all complete				Rs Ninety one and :
		fixed to steel windows by welding.				Rs. Ninety one and paise fifty only.
		= 1722.87 KG				inty only.
			1700			
46	5.22	Reinforcement for RCC work including	1722.870	Kgs.	91.50	
		straightening, cutting, bending, placing in				
		position and bonding all complete.				
		and boliding an complete.				
		TMTC-500				1
		1.1.1.0-300				
	5.22.7A	Thermo-Mechanically Treated bars TMTC-				
		500 8mm dia				
		= 8300 KG				
		SEPTIC TANK = 93 CUM				Rs. Seventy four and
		TOTAL QUANTITY - 9202 KG				paise forty only.
		TOTAL QUANTITY = 8393 KG	)202.000			paise forty only.
	5.22.7B	TOTAL QUANTITY = 8393 KG	8393.000	KG	74.40	paise forty only.
	5.22.7B	TOTAL QUANTITY = 8393 KG  Thermo-Mechanically Treated bars TMTC-	3393.000	KG	74.40	
_	5.22.7B	TOTAL QUANTITY = 8393 KG	3393.000	KG	74.40	Rs. Seventy three and paise ten only.

al Mozetter?

Chief Consultant (Technical)

Bihar State Educational Infrastructure
Development Corporation Ltd., Patna
Webell

	5.22.7C	Thermo-Mechanically Treated bars TM	22			
		500 12mm dia	ITC-			
		= 7000  KG				Rs Savanta
	-	7000 KG				Rs. Seventy one and
	5.22.7D	Thermo-Mechanically T	7000.	000 K	G 71	paise eighty only.
		Thermo-Mechanically Treated bars TI 500 16mm dia	MT-		/1	.00
		= 700 KG				Rs. Seventy two and
			700.0	00		noice sint
	5.22.7E	Thermo-Mechanically Treated bars TN	700.0	00 KC	72	.80 paise eighty only.
		500 20mm dia	V1 1 -			D G
		= 750  KG				Rs. Seventy two and
	5.22.7F	Thermo-Mechanically Treated bars TM	750.00	00 KG	72.	paise twenty only.
		500 25mm dia	1T-			
		= 0 KG				Rs Savanta
						Rs. Seventy two and
47	10.19	Providing & fixing M.S. Fan hook of	0.000	KG	72.2	paise twenty only.
		mm dia M.S. han hook of	16		72.2	
		mm. dia. M.S. bar 1 Mtr. Long bent	to			
		required size and shape placed in marie				
		land fixed in Truss Frame / RCC Slab / has				
		lat the time of casting all complete as				Rs. One hundred twen
		ounding specification and direction of E	/T			one and pairs at the
		where materials is not supplied by don't	/1.			one and paise eighty
		= 42 EACH				only.
			10.00			
48	10.33.1	Providing & fixing hand rail by welding etc	42.000	Each	121.80	
	1	to steel ladder railling & staircases railling	C.			
	li	ncluding applying staircases raillin	g			
		ncluding applying a priming coat of approved steel primer.	of			D
	10	ipproved steel primer.				Rs. Ninety one and pais
		MS tube (medium) 40mm nominal bore.				ten only.
10		- 330 KG	550.00			
49	10.5 P	roviding and fixingin position collapsibble	550.000	kg.	91.10	
	S	teel shuffers with warting	9			
			3			
	d	0x10x2mm and braced with flat iron	1			
	100	iagonals 20x5mm size with top and bottom		,		
	110	11 01 1-11011 40x40x6mm with 10mm 1	1			Rs. Four thousand one
	St	pulleys complete with bolts mut-				hundred fifteen and paise
	110	cking arrangement stoppers beauti	1			sixty only.
	III	cluding applying a priming cost of				only,
	ap	proved steel primer.				
		•	1.50			
			4.52	sq.m	4115.60	
ELLA	NEOUS W	ORK				
CELLA	NEOUS W	ORK				

de Mogenter?)

Chief Consultant (Techni

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

50	4.17	Making plinth master 50	23			
	,	Making plinth protection 50mm thick company company 12 (city)	of			
		cement concrete 1:3:6 (1 cement :3 coars	se			
		sand : 6 graded stone aggregate 20mr	n			
		nominal size ) over 75mm bad by dry bric	k			
		ballast 40mm nominal size well rammen	d			Rs. Three hundred
		and consolidated and grouted with fine sand	d			nineteen and paise thirt
		including finishing the top smooth.				only.
		= 75.414  SQM				
			75 414			
S	HUTTER	ING	75.414	sq.m	319.3	0
51	5.9.1	Centring and shuttering including strutting				
		propping etc. and removal of form for	r			
		foundation, footings, basees of columns etc.				Rs. One hundred
		for mass concrete.				Rs. One hundred sixty s
		= 55.781  SQM				and paise seventy only.
52	5.9.5		55.781	Sqm.	166.70	
	3.7.3	Centring and shuttering including strutting,				
		propping etc. and removal of form for lintel,	3			
		beams, plinth beams, griders, bressumers				Rs. Two hundred fifty
		and contilevers.				one and paise thirty only
		= 349.241 SQM				one and paise unity only
53	5.9.6	Contrin	349.241	Sqm.	251.30	
	3.9.0	Centring and shuttering including strutting,				
		propping etc. and removal of form for				
		columns, pillars, piers, abutments, posts and				Do Thurst 1 1 1 0
		struts				Rs. Three hundred forty
		= 367.575 SQM				four and paise forty only.
			367.575	Sqm.	344.40	and the second of the second o
54	5.9.3	Centring and shuttering including strutting,	007.075	Sqiii.	344.40	
		propping etc. and removal of form for				
		suspended floors, roofs, landings, balconies				
		and access platform.				Rs. Two hundred seventy
		= 451.54  SQM				five and paise sixty only.
			451.540	Sqm.	275.60	The state of the s
			101.010	Sqiii.	275.60	
-					Total	5,716,706.85
					Total (A)	5,716,707.00
lum	bing a	nd sanitary Work				5,710,707.00
	B.S.R	Providing and fixing on wall focus				
5	12.78	Providing and fixing on wall face unplastidsed PVC (working pressure 4 kgf				
5		unprastitused PVC (working pressure 4 kgf				
5		pressure + Kgi	I			
5		per sqm) rain water pipes cinforming to				
5		per sqm) rain water pipes cinforming to IS:4985 including jointing with seal ring				
5		per sqm) rain water pipes cinforming to				

MATS EASIR)

Chief Consultant (Technical)
Bihar State Educational infrastructure
Development Corporation, Ltd., Patna

12.78.2 110 mm diameter. = 40 MTS Rs. Two hundred fourteen and paise twenty 40.000 MTS 214.200 56 SOR Providing and fixing on wall 12.79 unplasticised -PVC moulded fittings/ accessories for unplasticised PVC rainwater pipes conforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10mm gap for thermal expansion. SOR Coupler 12.79.1 SOR 110mm 12.79.1.2 = 10 MTSRs. One hundred forty four and paise seventy only. 10.000 Each 144.700 SOR Bend 87.50° 12.79.5 SOR 110mm bend Rs. One hundred seventy 12.79.5.2 = 12 MTSthree and paise seventy 12.000 Each 173.700 only. SOR Shoe (Plain) 12.79.6 SOR 110mm Shoe 12.79.6.2 = 12 MTSRs. Three hundred fourteen and paise 12.000 Each seventy three only. 314.730 57 B.S.R Providing and fixining water squatting pan (Indian type W.C. pan) with 17.1.1 100 mm sand cast iron P or S tap, 10 litre low white P.V.C. Flushing cistern with munally controlled device (handle level) conforming to IS Parryware/Hindware with all fittings and fixtures complete including cutting and making good the walls and floors wherever required.

6.000

Each

a Mos esters)

foot rest.

= 6 EACH

White Vitreous China Orissa pattern W C pan of size 580 x 440 mm with integral type

Chief Consultant (Technical)
Bihar State Educational infrastructure
Development Corporation Ltd., Patna

3035.400

Rs. Three thousand thirty

five and paise forty only.

			25			
58	8 B.S.R 17.2.2	Providing and fixing white vitreous chin pedestal type water closet (European typ W.C. pan) with seat and lid, 10 litre lo level white P.V.C. flushing cister including flush pipe, with manual controlled device (handle lever conforming to IS: 7231, with all fittings ar fixtures complete, including cutting an making good the walls and floors wherever required:	n, ly old			
		W.C. pan with ISI marked black soli plastic seat and lid = 3 EACH	3.000	Each	2928.300	Rs. Two thousand nine hundred twenty eight and paise thirty only.
59	B.S.R 17.4.2	Providing and fixing white vitreous chin flat back or wall corner type lipped from urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I. clamps complete including painting of fittings and brackets cutting and making good the walls and floors wherever required:	a t t d d d d d d d d d d d d d d d d d	Edell	2728.300	
		Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern = 3 EACH	3.000	Fach	4689 000	Rs. Four thousand six hundred eighty eight and paise ninety only.
60	SOR 17.34	Provding and fixing toilet paper holder	3.000	Each	4688.900	
61	SOR 17.34.2 B.S.R	Vitreous china  Providing and fiving week to in the Green Company of the Company	3	Each	304.2	Rs. Three hundred four and paise twenty only.
	17.7.1	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:				
		White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps. = 12 EACH	12.000	Each	2120.300	Rs. Two thousand one hundred twenty and paise thirty only.

alles Ester)

Chief Consultant (Technical)

Bihar State Educational infrastructure

Development Corporation Ltd., Patna

Kehoully

62	18.63	Providing and fixing PTMT angle stop coc	26			
		15 mm nominal bore, weighing not less than 85 gms				Rs. One hundred eigh
63	D.C.D.		15.000	) Eacl	h 180.900	and paise ninety only.
03	B.S.R 17.28	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste	r	Buci	180.900	
		fittings complete.	e			
	17.28.2.1	pipe 32 milli dia				
		= 12 EACH	12,000			Rs. Seventy eight and paise sixty only.
64	B.S.R 17.32.2	Providing and fixing mirror of superior	12.000	Each	78.600	
	17.52.2	glass (of approved quality) and of required shape and size with plastic moulded frame				
		of approved make and shade with 6 mm thick hard board backing:	-			Rs. Six hundred forty
		Rectangular shape 453 x 357 mm = 12 EACH				three and paise forty only.
65	D.C.D.		12.000	Each	643.400	
03	B.S.R 17.33	Providing and fixing 600 x 120 x 5 mm glass shelf with edges round off, supported	12.000	Lacii	043.400	
		on anodised aluminium angle frame with C.P. brass brackets and guard rail complete				
		etc., complete.				Rs. Four hundred seven eight and paise thirty
		= 12 EACH				only.
66	B.S.R	Providing and fixing Chlorinated Polyvinyl	12.000	Each	478.300	
	10.0.1	stability for hot & cold water supply including all CPVC plain & brass threaded	×-			
		clamps at 1.00 m spacing. This includes joining of pipes & fittings with one step				
	i	CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I				Rs. Two hundred forty one only.
	a n	Concealed work including cutting chases and making good the wall etc. 15 mm nominal outer dia Pipes				
	-	= 50 METER	50.000	metre	241.000	

al Mos Esters)

Chief Consultant (Technical)
Bihar State Educational infrastructure
Development Corporation Ltd., Patna

67	B.S.R	Duran't'	27	_		
07	18.9.3	I am g and manig chilomated Polyvir	nyl			
	10.9.3	pipes, playing therm	nal			
		Stability for hot & cold water supp	dy			
		Including all CPVC plain & brass thread	be			
		Tittings This includes jointing of nines	8,			
		Tittings with one step CPVC solvent cemer	nt l			Rs. One hundred nine
		trenching, refilling & testing of join	te			three and paise eighty
		complete as per direction of Engineer	in			only.
		Charge.				
		25 mm nominal inner dia Pipes				
		= 60 METER				
			60.000	n matua	102 000	
	18.9.4	32 mm nominal outer dia Pipes	00.00	0 metre	193.800	
			40.000			Rs. Two hundred fifty
	18.9.2	20 mm nominal outer dia Pipes	40.000	metre	251.100	
		did Tipes	10.000			Rs. One hundred forty
68	B.S.R	Providing and placing on terrace (at all floo	40.000	metre	146.400	and paise forty only.
	18.48	levels) polyethylene water storage tank IS	r			
		:12701 marked with cover and suitable	1			The second second
		locking arrangement and suitable	e			
		locking arrangement and making necessary	/			D 01
		holes for inlet, outlet and overflow pipes but	t			Rs. Six and paise eight
		without fittings and the base support for tank.				only.
		10.000 (0.000 (0.000 )				
		= 4000 PER LITER		per		
69	B.S.R	Providing and C. C. C. C.	4000.00	0 litre	6.800	
	18.49	Providing and fixing C.P. brass bib cock of				
	10.4)	approved quality conforming to IS:8931				*
		15				
		15 mm nominal bore.				Ρ. Γ. Ι. Ι. Ι.
10		= 12 EACH	12.000	Each	107.000	Rs. Four hundred ninety
70	B.S.R	Providing and fixing C.P. brass stop cock		Lacii	497.000	seven only.
	18.52	(concealed of standard design and of				And the second
-		approved make conforming to IS: 8931				
-						*
	18.52.1	15 mm nominal bore.				
		= 10 EACH				Do Ci 1
						Rs. Six hundred seventy
1	SOR	Providing and C : D man	10.000	Each	670.700	and paise seventy only.
	18.58	Providing and fixing P.T.M.T. grating of				
	. 0.00	approved quality & colour				
	SOR	circular to a				
	18.58.1	circular type				
	10.50.1					
_	0.					
	SOR	100 mm nominal dia,	1	Eagle		
	18.58.1.1		1	Each		
					47.90	Rs. Forty seven and paise
					1	ninety only.

WM =5=7727)

Chief Consultant (Technical)

Bihar State Educational Infrastructure

Development Corporation Ltd., Patna

Kehotulk

72	B.S.R	D ' 1'	28			
72	19.2.1	Providing and laying cement concrete 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size) allround S.W. pipes including bed concrete as per standard design : 100 mm diameter S.W. pipe = 50 METER	d			Rs. Three hundred twel and paise fifty only.
73	B.S.R	Providing	50.000	metre	312.500	
	19.6.1	Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete:  100 mm dia R.C.C. pipe  = 15 METER				Rs. Three hundred twelvand paise ninety only.
74	B.S.R	Constructing brick masonry road gully	15.000	metre	312.900	
	19.27.1	chamber 50x45x60 cm with bricks in cement mortar 1:4 (1cement : 4 coarse sand) including 500x450 mm pre-cast R.C.C. horizontal grating with frame complete as per standard design :  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5  = 2 EACH	2.000			Rs. Three thousand one hundred seventeen and paise thirty only.
			2.000	Each	3117.300	

011105=1751)

1000. Chief Consultant (Technical)

Bihar State Educational Infrastructure Development Corporation Ltd., Patna

Kehou hog

			29			
75		Contructing brick masonry chamber for	or			
	19.30.1.	Underground C.I. Inspection Chamber an	d			
		bend with 75 class designation bricks i	n			
		cement mortar 1:4 (1 cement : 4 coars	e			
	4	sand) C.I. Cover with frame (light duty				
		455x610 mm internal dimentions, total	á			
		weight of cover with frame to be not les	S			
		than 38 kg. (weight of cover 23 kg. and	d			
		weight of frame 15 kg.) RCC top slab with	h			
		1:1.5:3 mix (1 cement: 1.5 coarse sand ::	3			
		graded stone aggregate 20 mm nomina	1			
		size) foundation concrete 1:5:10 mix (	1			
		cement:5 coarse sand : 10 graded stone				Rs. Three thousand nine
		aggregate 40 mm nominal size), inside				hundred forty nine and
		plastering 12 mm th. with cement mortar 1:3				paise ten only.
		(1cement:3 coarse sand) finished smooth				
		with a floating coat of neat cement on walls	1			
		and bed concrete etc. complete as per				
		standard design.				
		Inside dimensions 466x610 mm and 45cm				
		deep for single pipe line :				
		With common humat also E.B.C.				
		With common burnt clay F.P.S. (non modular) bricks of class decired in 7.7.5				
		modular) bricks of class designation 7.5 = 6 EACH	1			
		- 0 EACH				
			6.000	Each	3949.100	
76	B.S.R	Making soak pit 2.5 m diameter 3.0 metre		Bach	3747.100	
	19.32.1	deep with 45 x 45 cm dry brick honey comb				
		shaft with brick and S.W. drain pipe 100	1.00			
		mm diameter, 1.8 m long complete as per				
		standard design.				
		With common burnt clay F.P.S. (non				Rs. Twenty five thousand
		modular) bricks of class designation 7.5				nine hundred and paise
		= 1 EACH				ten only.
						omy.
						A CONTRACTOR OF THE PARTY OF TH
					y.	
			1.000			
77	B.S.R	Providing and fixing S.W. intercepting trap	1.000	Each	25900.100	
	19.34	in manholes with stiff mixture of cement				
		mortar 1:1 (1 coment 1 C				
		mortar 1:1 (1 cement : 1 fine sand)				
		including testing of joints etc. complete:				
	10.0					
	19.34.1	100 mm dia				Re Two hundred : 1
		= 2 EACH				Rs. Two hundred eighty
			2.000	Each	283 800	three and paise eighty

dallog ester)

Chief Consultant (Technical)

283.800

Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

Ke housely

Each

2.000

		30			
78	Detailed Estimate for construction of 125	5			
	mm x 40 mm x 90 mm Tube well Manual	1			Rs. Sixty thousand fou
	Boring				hundred thirty two and
	= 1 EACH	1.000	Each	(0.122.650	poice sixty fine 1
79 ANALYSI	IS NON SCHEDULED ITEMS(MARKET		Lacii	60432.650	
	RATE)				
	= EACH				
	P.V.C. PIPE				
	= EACH				
	Provding and fixing soil, waste and vent				
	pipes				
	= EACH				
	110 mm dia			!	
					Rs. Three hundred fort
	= 40 EACH	40.000	metre		seven and only.
	P.V.C. FITTINGS				
	= EACH				
	DOOR TEE 110 mm dia				Rs. Three hundred sixty
	= 4 EACH	4.000	each		five only.
	DOOR BEND 110 mm dia	Ī	0		
	= 8 EACH				Rs. Two hundred eight
		8.000	each		three only.
	BEND 45 <sup>o</sup> 110 mm dia				Rs. One hundred eighty
	= 10 EACH	10.000	each		five only.
	VENT COWEL 110 mm dia				,
	= 3 EACH	3.000	each	65.000	Rs. Sixty five only.
	PIPE CLIP 110 mm dia			03.000	
	= 100 EACH	100.000	each	53.000	Rs. Fifty three only.
	FLOOR TRAP 110X110 mm dia	100	Cuci.	33.000	
	= 10 EACH				Rs. Four hundred thirty
80 Code no. of	1.0 200 200	10.000	each	436.000 s	six only.
1352	(i) C.I. cover and frame 300 x 300 mm inside			1	Rs. Three hundred
1552					seventy four and paise s
	SEPTIC TANK = 1 EACH	1.000	Faah		seventy four and paise s
81 Code no. of	(ii) S.C.I. plain bend 100 mm dia	1.000	Each	374.000	
1621	SEPTIC TANK = 1 EACH	1 000	T		Rs. Four hundred thirty
82 Code no. of	(iii) S.C.I. Tee 150 mm dia	1.000	Each		six and paise forty only.
7087	SEPTIC TANK = 1 EACH				Rs. Seven hundred forty
	SEL TICHTER PROPERTY	1 000	_ ,		eight and paise eleven
		1.000	Each		only.
				Total	348,404.9
				Total (B)	

al Mojets)

100 W. 2017 Chief Consultant (Technical)

31

			21			
83	1.10	Electrical Works (1% labour cess has been added on current DSR-2014)				
0.5	1.10	Point Wiring in PVC Conduit, with Modula type Switch:-	ar			
		Wiring for light point/ fan point/ exhaust far point/ call bell point with 1.5 sq.mm FRLS PVC insulate copper conductor single core cable in surface / recessed medium class PVC conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc as required.	d n			
	1.10.3	Group C	119.000	Nos.	725.180	Rs. Seven hundred twenty five and paise
84	1.11	Twin Control Point Wiring in PVC Conduit, with Modular type Switch:-	113.000	1103.	723.180	eighteen only.
		Wiring for twin control light point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, 2 way modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc as required	2			Rs. Seven hundred seventy seven and paise seventy only.
35	1.31	Supply and Fixing Light Plug Point with Modular Type Accessories:-	3.000	Nos.	777.700	
		Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 3 pin 5/6 amps modular socket outlet and 5/6 amps modular switch, connection etc. as required. (For light plugs to be used in non residential buildings).				Rs. Three hundred six and paise three only.
			25.000	Nos.	306.030	

of Meg EARING

Chief Consultant (Technical)
Bihar State Educational Infrastructure

Development Corporation Ltd., Patna
II a.

Line School

11an

			32			
86	1.32	Supply and Fixing Power Plug Point wit Modular Type Accessories:-	h			
		Supply and Fixing GI box with modula plate and cover in front on surface or in recess including providing and fixing 6 pin 15/16 amps modular socket outlet and 15/16 amps modular type switch, connection painting etc as required.	n			Rs. Five hundred ninety only.
87	2.18	Supply & fixing 20A SPN MCB Industrial Socket Outlet:-	12.000	Nos.	590.000	
88	1.12	Supplying and fixing 20 amps, 240 volts, SPN industrial type, socket outlet, with 2 pole and earth, metal enclosed plug top alongwith 20 amps "C" curve, SP, MCB, in sheet steel enclosure, on surface or in recess, with chained metal cover for the socket out let and complete with connections, testing and commissioning etc. as required		Nos.	963.540	Rs. Nine hundred sixty three and paise fifty four only.
	1.12	Power Plug Wiring in PVC conduit (2x4 sq. mm):-				
		Wiring for light/ power plug with 2X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed mediumclass PVC conduit alongwith 1 No 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop earthing as required	420.000	Mtrs.		Rs. One hundred sixty three and paise sixty two only.
89	1.24	Supplying and fixing following modular type switch/ socket on the existing modular plate switch box / cover including connections etc.as required	420.000	IVITIS.	163.620	

al Mossetter)

Chief Consultant (Technical)

	1.24.1	5/6 amps switch.	33			
	1.24.4		25.000	Each	81.810	Rs. Eighty one and p eighty one only.
	1.24.4	5 pin, 5/6 amps socket outlet.				Rs. Seventy nine and
90	1.14	Circuit / Sub-main wiring in PVC Conduit:	25.000	Each	79.790	paise seventy nine on
		Wiring for circuit / sub-main wiring along with earth wire with the following sizes of PVC insulated, copper conductor, single core cable in surface/recessed PVC conduitas required.	f			
	1.14.1	2x1.5 Sqmm + 1x1.5 sqmm earth wire				Rs. One hundred seve
	1.14.2	2x2.5 Sqmm + 1x2.5 sq mm earth wire	40.000	Mtrs.	107.060	and paise six only.
	1.14.9	4x6.0  Sqmm + 2x6.0  sqmm earth wire (to	350.000	Mtrs.	132.310	Rs. One hundred thirty two and paise thirty or only.
		be used as sub main)	54.000	26		Rs. Three hundred nine two and paise eighty ni
	1.14.10	4 X 10 sq. mm + 2 X 10 sq. mm earth wire	10.000	Mtrs.	392.890	only.  Rs. Six hundred two ar
91		S/F 'C' series SP MCB:-	10.000	Mtrs.	602.970	paise ninety seven only
91	2.10.1	Supplying and fixing 240 volts, 'C' series, miniature circuit breaker suitable for inductive loads of following poles in the existing MCB DB complete with connections, testing and commissioning etc, as required.				
	2.10.1	6/32A, Single Pole	36.000	Each	170.690	Rs. One hundred sevent and paise sixty nine only
	2.10.3	6/32A ,DP				Rs. Four hundred sixty three and paise fifty nine
2	2.13	S/F TPN MCB:-	3.000	Each		only.
		Supplying and fixing following rating, four pole, 240 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required				

d101165 EARIS)

Chief Consultant (Technical)

Bihar State Educational Infrastructure

Development Corporation Ltd., Patna

Kehwul

	2.13.2	3	4			
	2.13.2	63 A,TPN	3.000	F- 1		Rs. Six hundred seventy
93	2.15	S/F TPN RCCB:-Supplying and fixing of following rating three phase and neutral 415 volts, residual current circuit breaker (RCCB) having a sensitivity current upto 300 miliamperes in the existing MCB DB complete with connections, testing and commissioning etc. as required.		Each	676.700	O only.
	2.15.2	40 Amp.				Rs. Two thousand one hundred forty four and
94	2.8	S/F TP MCB DB:-	3.000	Each	2144.230	paise twenty three only.
	2.8.5	Supplying and fixing of following way, horizontal type three pole and neutral, sheet steel, MCB distribution board, 415 volts, on surface/recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, detachable gland plate, interconnections, phosphatized and powder painted including earthing etc. as required (Without MCB/RCCB/ISOLATOR). Make: Legrand/Anchor/Havells/HPL.				
95	1.33	4 Ways (4+12 ways) double door  S/F Ceiling Rose:-	3.000	Set	7430.570	Rs. Seven thousand four hundred thirty and paise fifty seven only.
		Supplying and fixing 2 pin ceiling rose on the existing junction box/ wooden block including connection etc as required	*			Rs. Forty three and paise

80.000

27.000

Each

Each

43.430

74.740

dans there)

96

1.34

including connection etc as required.

including connection etc as required.

Supplying and fixing batten / angle holder

S/F Batten / Angle Holder:-

Chief Consultant (Technical) Bihar State Educational Infrastructure Development Corporation, Ltd., Patra

Rs. Forty three and paise

forty three only.

Rs. Seventy four and

paise seventy four only.

97	1.25	S/F Modular type electronic fan regulator:-	35			
			24,000	Each	286.840	Rs. Two hundred eigsix and paise eighty for only.
		Supplying and fixing stepped type for regulator on the existing modular plate switch box including connections be excluding modular plate etc as required.	tel			
98	1.21	S/F PVC Conduit:-				
		Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required.	n			
	1.21.1	20 mm				Rs. Fifty three and pais fifty three only.
99		Telephone Wiring in Existing Conduit:-	110.000	Mtrs.	53.530	
	1.18	Supplying and drawing following pair 0.5 mm dia FRLS PVC insulated annealed copper conductor, unarmored telephone cable in the existing surface/ recessed steel/ PVC conduit as required				
	1.18.2	2 pair	50.000	Mtrs.	10 100	Rs. Eighteen and paise
00	1.24	S/F Modular type Switch / Socket:- Supplying and fixing following modular type switch / socket on the existing modular plate and switch box including connections but excluding modular plate etc as required.	20.000	ivius.	18.180	eighteen only.
	1.24.6	Telephone socket outlet	2.000	Each		Rs. Ninety five and paise
01	5.6	EARTHING COPPED EARTH DIATER DIRECTOR		Bacii	73.930	ninety five only.
	5.0	COPPER EARTH PLATE ELECTRODE:-				

al Mogenty?)

100 y 2017 Chief Consultant (Technical) Bihar State Educational Infrastructure Development Corporation Ltd., Patna

		Forthing with	36			
		Earthing with copper earth plate 600mmx 600mmx 3mm thick including acessories and providing masonary enclosure with cover plate having locking arrangement and watering pipe of 2.7 meter long etc with charcoal/cock and salt as required.	es h			Rs. Nine thousand throhundred eighty four a paise ninety two only.
102	5.10	P/F 25 x 5mm copper earth strip in pipe :-	2.000	Each	9384.920	
		Providing and fixing 25 mm X 5 mm copper strip in 40 mm dia G.I. pipe from earth electrode including connection with brass nut, bolt, spring, washer excavation and refilling etc. as required.				Rs. One thousand nine two and paise eighty two only.
103	5.14	P/F 25 x 5 mm copper earth strip in surface/	12.000	Mtrs.	1092.820	
_		Providing and fixing 25 mm X 5 mm copper				
		strip on surface or in recess for connections etc. as required.	24.000	Mtma	,	Rs. Eight hundred sixty four and paise fifty six
104		Cable Laying of 1.1 KV & 11 KV :-	24.000	Mtrs.	864.560	only.
	7.1	Laying of one number PVC insulated and PVC Sheathed / XLPE power cable of 1.1 KV grade of following size direct in ground including excavation, sand cushioning, protective covering and refilling the trench etc as required.		9		
	7.1.2	Above 35sq.mm and Upto 95 Sq.mm.	80.000	Mtrs.		Rs. Two hundred four
105	1 4 1 4	G.I. Pipe for Cable protection:-	00.000	IVIUS.	204.020 a	and paise two only.
		Providing, laying and fixing following dia RCC pipe NP2 class(light duty) in ground complete with RCC collars, joints with cement mortar 1:2 (1 cement: 2 fine sand) including trenching (75 cm) and refilling etc.as required. (Road crossing as per site condition)				

MM og ARR)

Chief Consultant (Technical) Bihar State Educational Infrastructure Development Corporation Ltd., Patna

	14.14.2	150 mm dia	37			
106			10.000	Mtr.	387.840	Rs. Three hundred eight seven and paise eighty four only.
		1.1 KV Cable End Termination: Supplying and making indoor cable enetermination with brass double compression gland and aluminium lugs for following size of PVC insulated XLPE Al. Ar. Cable of 1.1 KV grade as required.	d n			
107	9.1.22 1908 JSR	3.5 Core 50 Sq.mm.	2.000	Each	272.700	Rs. Two hundred seventy two and paise seventy only.
107	2014	sheathed (Heavy duty)armoured electric cable aluminium conducter.			272.700	only.
108		3.5C x 50 Sq.mm 1.1kV	100.000	Mtrs.	391.000	Rs. Three hundred ninety one only.
	2.1	S/F HRC fuse type TP&N switch disconnector:- Providing and fixing following capacity TP&N disconnector fuse switch unit inside the existing panel board with ISI marked HRC fuses including drilling holes in cubicle panel, making connections, etc. as required.				
	2.1.2	63 amps,TP&N, HRC				Rs. Two thousand two hundred sixty and paise
109	2.5	S/F Busbar Chamber:-	3.000	Each	2260.380	thirty eight only.
	2009	Providing and fixing following capacity busbar chamber with 4 strips of suitable size made of capper, heavy duty, complete with all accessories including connections, earthing the body, etc as required.  200 amp.TPN				Rs. Six thousand two hundred twenty two and paise sixty one only.
			1.000	Each	6222.610	

al Moseter)

Chief Consultant (Technical)

	110	274	In the second	38			
	110		Providing and fixing following capacity for	our			
		B.S.R	pole OFF-load changeover switch with si	idal			
		2009	nandle operation, in sheet enclosure	in			
			existing metal board, including drilling	inal			
			notes in metal panel, making connection	ins			Rs. Seven thousand ni
			etc. as required.	113			hundred seven only.
			125 Amps, Four pole				
1	11	6.5	Description 1 C 1	1.000	) Each	h 7907.000	0
		0.5	Providing and fixing copper tape 20 mm	X			3
			3 mm thick on parapet				
			or surface of wall for lightning conductor	or			Rs. Three hundred
			complete as required.				seventy nine and paise
			(For horizontal run)				seventy six only.
							seventy six only.
11	12	6.6	Draviding and Esting and On	80.000	meter	r 379.760	
		0.0	Providing and fixing copper tape 20 mm 3 mm thick on parapet	X			
			or surface of all 6 and 1				Do Do I
			or surface of wall for lightning conducto	r			Rs. Four hundred ten ar
110			complete as required.	20,000		410.050	paise six only.
113	3	2.2	Providing and fixing follwing rteing and	d	meter	410.060	
			breaking capacity MCCB in existing	σ.			
			cubicale panel bord including drilling hole				
			cubicale panel making connection etc as				
			required required required	*			
		2.2.3	160 amp. 16KA				
		2.2.5	100 amp. 10KA				Do Foundles 1 C
		1					Rs. Four thousand five
	+-			1.000	EACH	4565.000	hundred sixty five and
	7			1.000	EACH		paise twenty only.
			FIRE FIGHTING			Total (C)	503,812.7
114	Г		Brand new ISI marked Life Guard ABC				
			type multipurpose Fire Extinguishers 4 Kgs.				
			11 2D2C1Ty +444 - 1 1.1				
							Rs. Seven thousand five
			complete in all respects, ready to use, complete installation kit.				hundred forty nine and
			complete installation Kit.	1			paise seventy five only.
	-			10.000	Nos.	7549.750	
					1100.	Total	
	-					Total (D)	75,497.50
		(	CARRIAGE OF MATERIALS			Total (D)	75,498.00
115							
		7	Type of materials			Rate Incl.	
-						1% Lab.	
						Cess	
			Cement	100 566		F	Rs. Two hundred eighty
				139.566	MT	289.87 r	nine and paise eighty
_							

all of zaters)

Chief Consultant (Technical)

Vo.	SIWAN	NAME OF INSTITUTE				Amount (Rs.)
L.	DISTRICT			otal (A+I	B+C+D+E)	7,483,718.73
			Grand T	otal (A   T	Total (E)	839,296.0
						839,296.3
					Total	920.000
	Cement		139.566	MT	798.89	Rs. Seven hundred nine eighty paise Eighty nine Only.
			120.253	Thous.	0.00	Rs. Zero
	COMM. W	RA COST OF MATERIAL FOR SARAN .R.T TO GAYA AS PER SOR				
116	ADD EVEN	Steel	18.050	МТ	289.87	Rs. Two hundred eight nine and paise eighty seven only.
		Brick	120.253	Thous.	601.67	D OI .
		Stone Chips	176.279	cum	1921.94	Rs. One Thousand nin Hundred twenty one a paise ninety four only.
		Local Sand	125.918	cum	205.29	Two Hundred Five an paise Twenty Nine on
9		Sand	188.457	cum	1300.6	Rs. One Thousand the Hundred and paise S two only.
	1					

Total Cost in 'Rs'

MMoc zater?)

Chief Consultant (Technical)

7,483,718.73

7,483,719.00

(Rupees Seventy four lacs Eighty Three Thousand Seven Hundred Nineteen Only) "Details of Sl. No. 78 (Construction of 125mm x 40mm x 90m Tube well) is given below Part 'A' - Cost of Materials 125mm dia UPVC casing pipe confirming Rs. Three hundred fifteen to ISS 27 Meter 315.00 2 40mm dia UPVC pipe confirming to ISS Rs. Ninety nine and paise 48 Meter 99.38 40mm dia PVC ribbed strainer of approved thirty eight only. 3 Rs. One hundred eighty quality 8 Meter 182.00 two only. 4 Reducing socket 125mm x 40mm Rs. Two hundred seventy 1 Each 270.00 only. Supplying all labour and materials & fitting 5 & fixing PVC cap over the new sink T/well Rs. One hundred forty 1 Each 140.00 only. Providing and fixing of G.I pipes complete with G.I fittings and clamps, including, B.S.R Rs. Two hundred twenty 1548 cutting and making good etc 18 mtr 224.44 four and paise forty four 32 mm dia (15% C.P & 1% L.Cess) only. 32 mm nominal bore Bross Full valve B.S.R Rs. Five hundred eleven 1928 (15% C.P & 1% L.Cess) 1 Each 511.21 and paise twenty one only. Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser 8 Rs. Twenty six thousand pipe, starter control panel, 1.25" Full way 1 26,446.00 four hundred forty six Each valve, 1.25" M.S clamp, 1.25" G.I Elbow, only. 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of E/I Sub - Total "A" 46138.37

al Mos Etter

Chief Consultant (Technical)

Bihar State Educational Infrastructure

Development Corporation Ltd., Patna

Skehou

9 10 11 12 13 14	(ii) 30.5 m to 61.0 m  (a) For 40 mm dia UPVC pipe  (iii) 61.00 m to 75.00 m  a) For 40mm dia UPVC pipe  (iv) 75.00 m to above  a) For 40mm dia UPVC ribbed strainer of approved quality  Providing all labour & tools and lowering 32 mm dia G.I pipe as per specificatin etc. all Complete  Supplying labour and developing the T/Well to have sand free discharge all complete as per direction of E/I	30.5 14 8 24	mtr mtr Each	148.79 148.79 21.34 280.50	Rs. One hundred thirt six and paise eighty eigonly.  Rs. One hundred forty eight and paise seventy nine only.  Rs. One hundred forty eight and paise seventy nine only.  Rs. Twenty one and paise thirty four only.  Rs. Two hundred eight and paise fifty only.
10	(a) For 40 mm dia UPVC pipe  (iii) 61.00 m to 75.00 m  a) For 40mm dia UPVC pipe  (iv) 75.00 m to above  a) For 40mm dia UPVC ribbed strainer of approved quality  Providing all labour & tools and lowering 32 mm dia G.I pipe as per specificatin etc. all Complete	8	mtr	148.79	Rs. One hundred forty eight and paise seventy nine only.  Rs. One hundred forty eight and paise seventy nine only.  Rs. One hundred forty eight and paise seventy nine only.  Rs. Twenty one and
10	(a) For 40 mm dia UPVC pipe  (iii) 61.00 m to 75.00 m  a) For 40mm dia UPVC pipe  (iv) 75.00 m to above  a) For 40mm dia UPVC ribbed strainer of approved quality	14	mtr	148.79	Rs. One hundred forty eight and paise seventy nine only.  Rs. One hundred forty eight and paise seventy nine only.
10	(a) For 40 mm dia UPVC pipe  (iii) 61.00 m to 75.00 m  a) For 40mm dia UPVC pipe				Rs. One hundred forty eight and paise seventy
10	(a) For 40 mm dia UPVC pipe  (iii) 61.00 m to 75.00 m  a) For 40mm dia UPVC pipe				Rs. One hundred forty eight and paise seventy
10	(a) For 40 mm dia UPVC pipe	30.5	mtr	136.88	six and paise eighty eighty
10	(a) For 40 mm dia UPVC pipe	30.5	mtr	136.88	six and paise eighty ei
	(ii) 30.5 m to 61.0 m				
					omy.
	(i) 0 to 30.5 m	3.5	mtr	119.03	Rs. One hundred nineteen and paise thronly.
	(b) for 40 mm dia UPVC pipe				
	(a) For 125 mm dia U.PV.C pipe	27	mtr	208.7	Rs. Two hundred eig and paise seventy sev only.
	(i) 0 to 30.5 m				
	reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socke etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge.				

Tender approved in favour of Balindra Chaudhary @ 6.66% (Six Decimal Six Six Percent) below BOQ Rate i.e. total amount comes to Rs. 69,85,303=00 (Rupees Sixty Nine Lacs Eighty Five Thousand Three Hundred Three Only)

of Mos EART)

Chief Consultant (Technical) Bihar State Educational Infrastructure Development Corporation Ltd., Patna

Kehowin

## **Performance Security**

Name of Agency - "Balindra Chaudhari"

Performance Security of "Balindra Chaudhari" of "BRC-Mairwa (SL. No.-50)"

FDR No.

DOI

50364898609

06.12.16 To 06.12.17

BRC-50

**Amount** 

350000.00

(Rupees Three Lacs Fifty Thousands Only)

बिहार राज्य शैक्षणिक आधारभूत संरचना

विकास निगम लि०, पट्टना

al Mozatter)

Chief Consultant (Technical) Bihar State Educational Infrastructure Development Corporation Ltd., Patna

## बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम) 43

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना-800004, दूरभाष-0612-2910314 कॉपोरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256,

पत्रांक:- BSEIDC/FIN/2536/2016-17/-

8610

पटना, दिनांक 16:0 9:16

प्रेषक.

ब्रजेश प्रसाद मुख्य परामर्शी (तकनीकी)

सेवा में

Balindra Chaudhary, Vill-Lakhrow, P.O.+P.S.+Distt.-Siwan.

बिहार राज्य अंतर्गत "Construction of Block Resource Centre at Mairwa, Siwan (SL. No.-50)" के कार्य हेतु जमानत की राशि जमा कर एकरारनामा करने के संबंध में।

महाशय.

उपर्युक्त विषय के संबंध में कहना है कि विषयांकित कार्य की निविदा हेतु आपके द्वारा निविदित दर जो परिमाण विपत्र के दर से 6.66% (छः दशमलव छः छः प्रतिशत) कम है तद्नुसार निविदा की कुल राशि रू० 69,85,303/-(उनहत्तर लाख पच्चासी हजार तीन सौ तीन रूपये) मात्र आपके पक्ष में स्वीकृत की गयी है।

अतः निदेश दिया जाता है कि अग्रधन की राशि रू० 3,50,000/- (तीन लाख पचास हजार रूपये) मात्र का सावधि पासबुक / राष्ट्रीय बचत प्रमाण पत्र के रूप में प्रबंध निदेशक, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०, पटना के नाम से प्रतिज्ञिप्त हो जमा कर अविलंब एकरारनामा कर लें।

मुख्य परामर्शी (तकनीकी)

ज्ञापांक : BSEIDC/FIN/2536/2016-17/- 861०

पटना, दिनांक 1600 9.16

प्रतिलिपि : वरीय लेखा पदाधिकारी, BSEIDC को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेष्ट्रित। -9-2016

मुख्य परामर्शी (तकनीकी)

Chief Consultant (Technical)

Bihar State Educational Infrastructure Development Corporation Ltd., Patna

NOS CHES)

## बेहार राज्य शैक्षणिक आधारमृत संरचना विकास निगम लि०

शिक्षा भवन, दिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सेंदपुर, पटना—800004, दूरभाष—0612—2910314 कॉपॅरिट पहचान संख्या: U80301BR2011SGC015859, e-mail bseidc@gmail.com, website: www.bseidc.in, Fax No. 1612-2660256

Letter no.: BSEIDC/NIT/2015-16/- 3 9 &

Patna, Date: Recoy.16

## Corrigendum No.- 3

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "हिन्दुस्तान" on dated 10.02.2016 vide P.R.-12943 (नि०नि०)15—16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below

Existing provision	Amended provision
Period of Sale of Bid document (Download) from dated 16.04.2016 to 10.05.2016,	Period of Sale of Bid document (Download) from dated 16.05.2016 to 05.06.2016,
Date and Time of Pre bid Meeting – 25.04.2016, 14:30 Hrs.	Date and Time of Pre bid Meeting – 25.04.2016. Date and Time of Pre bid Meeting – 25.05.2016, 14:30 Hrs.
Last date and time for receipt (Upload) of Bids on dated 11.05.2016,15:00 Hrs.	Last date and time for receipt (Upload) of Bids on dated 06.06.2016.15:00 Hrs.
Time and date for opening of Technical Bids on dated 13. 05.2016, 16:30 Hrs.	Time and date for opening of Technical Bids on dated 08. 06.2016, 16:30 Hrs.
Time and date for opening of Financial Bids on dated 27.05.2016, 15:30 Hrs.	Time and date for opening of Financial Bids on dated 24.06.2016, 15:30 Hrs.
The Cost of BOQ and EMD will be	The Cost of BOQ and EMD will be accepted up to 08.06.2016, 15:00 Hrs.

Chief Consultant (Technical)
Bihar State Educational Infrastructure

Development Corporation Ltd., Patna

Brajesh Prasad)

Chief Consultant (Technical)

Mosziter?

# बिहार राज्य शैक्षणिक आधारभूत संरवना विकास निगम लि

विहार सरकार का एक उपक्रम)

शिक्षा भवन, विहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर. पटना—800004, दूरभाष—0612—2910314 कॉर्पोरेट पहचान संख्या: U80301BR2011SGC015859, e-mail: bseide@gmail.com, website, www.bseide.in, Fax No.: 0612-2660256,

Letter no.: BSEIDC/N1T/2015-16/- 2937

Patna, Date: 28 03-2016

## Corrigendum No.- 2.

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "हिन्दुस्तान" on dated 10.02.2016 vide P.R.-12943 (नि०नि०)15—16 through e-tendering website: www.eprioc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below:-

	Amended provision
Period of Sale of Bid document (Download) from dated 03.03.2016 to 28.03.2016, 15:00 Hrs.	Period of Sale of Bid document (Download) from dated 16.04.2016 to 10.05,2016.
Date and Time of Pre bid Meeting – 15.03.2016, Date and Time of Pre bid Meeting – 25.04.2016, 14:30 Hrs.	Date and Time of Pre bid Meeting – 25.04.2016.
Last date and time for receipt (Upload) of Bids on dated 29.03.2016, 15:00 Hrs.	Last date and time for receipt (Upload) of Bids on
Time and date for opening of Technical Bids on dated 31. 03.2016, 16:30 Hrs.	Time and date for opening of Technical Bids on dated 13, 05, 2016, 16, 20, 11.
Time and date for opening of Financial Bids on dated 11.04.2016, 15:30 Hrs.	Time and date for opening of Financial Bids on dated 27 05 2016 15:30 H
The Cost of BOQ and EMD will be a	The Cost of BOQ and EMD will be accepted up to 13.05.2016, 15:00 Hzs.

The other terms and conditions shall remain unchanged.

Chief Consultant (Technical)

Bihar State Educational Infrastructure Development Corporation Ltd., Patna

(Brajesh Prasad)

Chief Consultant (Technical)

ENON-S ZHER)

## बिहार राज्य शैक्षणिक आधारभूत संरवना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

शिक्षा भवन, विहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथा, सैदपुर, पटना—800004, दूरभाष—0612—2910314 कॉप्रिट पहचान संख्या U80301BR2011SGC015859, e-mail bseide@gmail.com, website: www.bseide.in, Fax No.: 0612-2660256,

Letter no.: BSEIDC/NIT/2015-16/- 2 & 3.8

Patna, Date: 17:03.16

## Corrigendum No.- 1

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below :-

10.	Existing provision	Amended provision
	Period of Sale of Bid document (Download) from dated 03.03.2016 to 28.03.2016, 15:00 Hrs.	Period of Sale of dated 03.03.201
7	Last date and time for receipt (Upload) of Bids on dated 29.03.2016,15:00 Hrs.	Last date and time for receipt (Upload) of Bids on dated 01, 05, 2016, 15,00 Hzs.
ro.	Time and date for opening of Technical Bids on dated 31. 03.2016, 16:30 Hrs.	Time and date for opening of Technical Bids on dated 04, 05,2016, 16:30 Hrs.
4	Time and date for opening of Financial Bids on dated 11.04.2016, 15:30 Hrs.	Time and date for opening of Financial Bids on dated 17.05.2016, 15:30 Hrs.
5	The Cost of BOQ and EMD will be	The Cost of BOQ and EMD will be accepted up to 04.05.2016, 15:00 Hrs.

The other terms and conditions shall remain unchanged.

Chief Consultant (Technical)
Bihar State Educational Infrastructure

Development Corporation Ltd., Patna

(Brajesh Prasad)

Chief Consultant (Technical)

al Alog zara)

### SPECIAL CONDITIONS

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes royalties and other

incidental charges.

4. To qualify for award of work, the Bidder must possess the following:-

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of

b) DD for required value of B.O.Q. Cost.

c) Sufficient Earnest Money Deposit.

d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.

Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed at least one Building work of value not less than 25 % of estimated value of contract) in last five years as mentioned in Technical bid.

f) Litigation History as mentioned in Technical bid.

g) Affidavit as mentioned in Technical bid.

h) Valid Registration with Central/ State Govt. / PSU.

i) Valid labour license as mentioned in Technical bid.

j) Affidavit/Certificate for not been debarred as mentioned in Technical bid.

5. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.

6. The tender without earnest money or insufficient earnest money submitted with the tender, will be outright rejected.

7. Conditional tenders shall be outright rejected.

8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.

9. Authority shall reserve the right to reject any or all the tenders or distribute the work to

more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained. 11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules prevalent in the locality.

12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the

- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-
- a. Natural calamities

b. Act of enemies.

(Seal & Signature of Tenderer)

d(4)=5 zHER)

Chief Community (Jechnical)

- c. Transport and procurement difficulties.
- d. Circumstances beyond the control of the state.
- 15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- 16. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing
- 17. The contractor shall make his own arrangement for water and light at the work site.
- 18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 20. The Tenderer must not quote their rate more than 10 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
- 21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 22. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.

-----X-----X

23. The Defect liability Period shall be Three (3) Years from the date of completion of the work.

(Seal & Signature of Tenderer)

C/1/1805 = HE15)

Page 2 of 2

Chief Consultant (Technical) Bihar State Educational Infrastructure

Development Corporation Ltd., Patna

## बिहार राज्य शैक्षणिक आधारमूत संरचना विकास निगम लिमिटेड

(बिहार सरकार का एक उपक्रम) 49 शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् कैम्पस, आचार्य शिवपुजन सहाय पथ, सैदपुर, पटना—800004 (दूरभाषः—0612—2910314)

### निविदा आमंत्रण सूचना संख्या- ४० वर्ष २०१५-१६ (कंवल ई-टेन्डरिंग पद्धति के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

बिहार राज्य के भवन निर्माण कार्य हेतु निम्नांकित निविदायें आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार/सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रजिस्ट्रेशन, उक्त कार्य का लेटर ऑफ

क्रम 1	काय की नाम	प्राक्कलित राशि (लाख में	की राशि		Beltron Bio Processing Fee (In Rs.)	समारि
	BRC Ekma, Saran	85.2	1,70,400			
2	BRC Baniyapur,Saran	85.2	1,70,400	-,000	5750	15 F
3	BRC Masrak, Saran	85.2	1,70,400	,	5750	15 F
4	BRC Marhowrah, Saran	85.2	1,70,400	,	5750	15 म
5	BRC Amnour,Saran	85.2	1,70,400	-,	5750	15 म
6	BRC,Dariyapur,Saran	85.2	1,70,400		5750	15 म
7	BRC,Garkha,Saran	85.2	1,70,400	10,000	5750	15 म
8	BRC, Manigachhi, Darbhanga	85.2	1,70,400	10,000	5750	15 म
9	BRC, Keoti, Darbhanga	85.2		10,000	5750	15 甲
10	BRC,kusheshwarsthan,Darbhanga	85.2	1,70,400	10,000	5750	15 म
11	BRC, Ghanshyampur, Darbhanga	85.2	1,70,400	10,000	5750	15 मा
12	BRC,Kiratpur,Darbhanga	85.2	1,70,400	10,000	5750	15 मा
13	BRC,Baheri,Darbhanga		1,70,400	10,000	5750	15 मा
14	BRC,Hanumannagar,Darbhanga	85.2	1,70,400	10,000	5750	15 मा
15	BRC, Lakhnaur, Madhubani	85.2	1,70,400	10,000	5750	15 मा
16	BRC,Jhanjharpur,Madhubani	85.2	1,70,400	10,000	5750	15 मा
17	BRC,Phulparas,Madhubani	85.2	1,70,400	10,000	5750	15 मा
18	BRC,Khutauna,Madhubani	85.2	1,70,400	10,000	5750	15 मार
19	BRC, Khajouli, Madhubani	85.2	1,70,400	10,000	5750	15 माह
20	BRC,Bisfi,Madhubani	85.2	1,70,400	10,000	5750	15 माह
21	BRC,Rahika,Madhubani	85.2	1,70,400	10,000	5750	15 माह
22	BRC, Harlakhi, Madhubani	85.2	1,70,400	10,000	5750	15 माह
23	BRC,Babubarhi,Madhubani	85.2	1,70,400	10,000	5750	15 माह
24	BRC Rosada, Samastipur	85.2	1,70,400	10,000	5750	15 माह
25	BRC Samastipur	85.2	1,70,400	10,000	5750	15 माह
26	BRC Khannur Samari'	85.2	1,70,400	10,000	5750	15 माह
27	BRC, Hasangur Samastipur	85.2	1,70,400	10,000	5750	
8	BRC, Hasanpur, Samastipur	85.2	1,70,400	10,000	5750	
9	BRC, Mohanpur, Samastipur	85.2	1,70,400	10,000	5750	15 <b>माह</b>
0	BRC, Patori, Samastipur	85.2	1,70,400	10,000	5750	15 माह
	BRC, Shivajinagar, Samastipur	85.2	1,70,400	10,000		15 माह
2	BRC,Sangrampur,E.Champaran	85.2	1,70,400	10,000	5750	15 माह
3	BRC,Kalyanpur,E.Champaran	85.2	1,70,400	10,000	5750	15 माह
1	BRC Chakia, E. Champaran	85.2	1,70,400	10,000	5750	15 माह
4	BRC Sugauli, E. Champaran	85.2	1,70,400	10,000	5750	15 माह
5	BRC Madhuban,E.Champaran	85.2	1,70,400			15 माह
6	BRC Patahi, E. Champaran	85.2	1,70,400	10,000		15 माह
7	BRC Raxaul, E. Champaran	85.2	1,70,400	10,000		15 माह
3 ]	BRC Adapur,E.Champaran	85.2		10,000		15 माह
) ]	BRC Bankatwa, E. Champaran		1,70,400	10,000	5750	15 माह
)   1	BRC Dhaka,E.Champaran	85.2	1,70,400	10,000	5750	15 माह
. I	BRC Bairia, W.Champaran	85.2	1,70,400	10,000		15 माह
. I	BRC Narkatiaganj, W.Champaran	85.2	1,70,400	10,000	5750	15 माह
E	BRC Sikta, W. Champaran		1,70,400	10,000	25750PUN	15 माह
E	BRC Bhithan, W. Champaran		1,70,400	10,000		15 माह
	, Champaran	85.2	1,70,400 ief	To,000 tant	CHUN I	15 <b>मा</b> ह

al Meg Estern)

45	BRC Lauriya, W. Champaran	85.2	1,70,400	10,000	5750	15
46	BRC Piprasi W Champaran	85.2	1,70,400	10,000	5750	15 माह       15 माह
47	BRC,Majhaulia,W.Champaran	85.2	1,70,400	10,000	5750	15 माह
48	BRC Darauli,Siwan	85.2	1,70,400	10,000	5750	15 माह
49	BRC Hussainganj, Siwan	85.2	1,70,400	10,000	5750	15 गाह
50	BRC Mairwa,Siwan	85.2	1,70,400	10,000	5750	15 माह
51	BRC Basantpur, Siwan	85.2	1,70,400	10,000	5750	15 माह
52	BRC Maharajganj,Siwan	85.2	1,70,400	10,000	5750	15 माह
53	BRC,Bhagwanpur,Siwan	85.2	1,70,400	10,000	5750	15 माह
54	BRC,Hasanpur,Siwan	85.2	1,70,400	10,000	5750	15 माह
55	BRC Uchkagaon,Gopalganj	85.2	1,70,400	10,000	5750	15 माह
56	BRC Sidhwalia,Gopalganj	85.2	1,70,400	10,000	5750	15 माह
57	BRC Bhorey, Gopalganj	85.2	1,70,400	10,000	5750	15 माह
58	BRC,Bijaipur,Gopalganj	85.2	1,70,400	10,000	5750	15 माह
59	BRC Pachdeuri, Gopalganj	85.2	1,70,400	10,000	5750	15 माह
60	BRC Kuchaikot,Gopalganj	85.2	1,70,400	10,000	5750	15 माह
61	BRC,Ramgarh,Kaimur	85.2	1,70,400	10,000	5750	15 माह
62	BRC Chainpur, Kaimur	85.2	1,70,400	10,000	5750	15 माह
63	BRC Bhagwanpur,Kaimur	85.2	1,70,400	10,000	5750	15 माह
64	BRC Chakki,Buxar	85.2	1,70,400	10,000	5750	15 माह
65	BRC Buxar	85.2	1,70,400	10,000	5750	15 माह
66	BRC,Chausa,Buxar	85.2	1,70,400	10,000	5750	15 माह
67	BRC Dinara,Rohtas	85.2	1,70,400	10,000	5750	15 माह
68	BRC Karahgar, Rohtas	85.2	1,70,400	10,000	5750	15 माह
69	BRC Kochas, Rohtas	85.2	1,70,400	10,000	5750	15 माह
70	BRC Tilauthu,Rohtas	85.2	1,70,400	10,000	5750	15 माह
71	BRC Karakat, Rohtas	85.2	1,70,400	10,000	5750	15 माह
72	BRC Dawat,Rohtas	85.2	1,70,400	10,000	5750	15 माह
73	BRC,Mansahi,Katihar	85.2	1,70,400	10,000	5750	15 माह
74	BRC,Manihar,Katihar	85.2	1,70,400	10,000	5750	15 माह
75	BRC,Pranpur,Katihar	85.2	1,70,400	10,000	5750	15 माह
76	BRC, Kadwa, Katihar	85.2	1,70,400	10,000	5750	15 माह
77	BRC,Barsoi,Katihar	85.2	1,70,400	10,000	5750	15 माह
78	BRC, Azamnagar, Katihar	85.2	1,70,400	10,000	5750	15 माह
79	BRC,Narpatganj,Araria	85.2	1,70,400	10,000	5750	15 माह
80	BRC, Araria	85.2	1,70,400	10,000	5750	15 माह
81	BRC, Jokihat, Araria	85.2	1,70,400	10,000	5750	15 माह
82	BRC,Bhargama,Araria	85.2	1,70,400	10,000	5750	15 माह
83	BRC,Kursakata,Araria	85.2	1,70,400	10,000	5750	15 माह
84	BRC,Purnea East,	85.2	1,70,400	10,000	5750	15 माह
85	BRC, Baisi, Purnea	85.2	1,70,400	10,000	5750	15 माह
86	BRC,Amour,Purnea	85.2	1,70,400	10,000	5750	15 माह
87	BRC, Dhamdaha, Purnea	85.2	1,70,400	10,000	5750	15 माह
88	BRC,Banmankhi,Purnea	85.2	1,70,400	10,000	5750	15 माह
89	BRC, Tarhagach, Kishanganj	85.2	1,70,400	10,000	5750	15 माह
90	BRC,Thakurganj,Kishanganj	85.2	1,70,400	10,000	5750	15 माह
91	BRC,Pothia,Kishanganj	85.2	1,70,400	10,000	5750	15 माह
92	BRC Katoria,Banka	85.2	1,70,400	10,000	5750	15 माह
93	BRC Rajaun,Banka	85.2	1,70,400	10,000	5750	15 माह
94	BRC,Barhat,Banka	85.2	1,70,400	10,000	5750	15 माह
95	BRC Belhar,Banka	85.2	1,70,400	10,000	5750	15 माह
96	BRC Jamui	85.2	1,70,400	10,000	5750	15 माह
97	BRC Barhat, Jamui	85.2	1,70,400	10,000	5750	15 माह
98	BRC Chakai, Jamui	85.2	1,70,400	10,000	5750	15 माह
99	BRC Gidhour, Jamui	85.2	1,70,400	10,000	255350	15 माह
100	BRC Sikandra, Jamui	85.2	1,70,400	10,000		15 माह
			Chief C		Technical)	

alas Aus)

	101	BRC Asharganj, Munger					
	102	BRC Naugachhia,Bhagalpur	85.		400 10,00	00 5750	15 т
	103	BRC Pirpainti.Bhagalpur	85.	-,, 0,			
	104	BRC Shahkund, Bhagalpur	05.	-,,			
	105	BRC Puraini, Madhenura	85.	- , ,			
	106	BRC Gwalpada, Madhenura	85.	- 7. 0 9			15 म
	107	BRC Kumarkhand, Madhenura	85.	-,, 0,	,		15 म
	108	BRC Gailarh, Madhepura	85	-,,	900		15 H
	109	BRC Saurbazar, Saharsa	85.2	-,,			15 н
	110	BRC,Navhatta,Saharsa	85.2	-,,	- ,00,	5750	15 मा
-	111	BRC Mahensi, Saharsa	85.2	-,, 0,	-,00		15 मा
	112	BRC Sonbarsa, Saharsa	85.2	-,,		2,20	15 मा
	113	BRC Simri, Bakhtiyarpur Saharsa	85.2 85.2	-,. 0,.	-,000		15 मा
	114	BRC Supaul	85.2	, , , ,	- 5,000	0,00	15 मार
	115	BRC Pipra, Supaul	85.2	7.09.	- 0,000	-,00	15 माह
1	116	BRC Pratapganj, Supaul	85.2	-,. 0,1	- 0,000	0100	15 माह
-	117	BRC Nirmali, Supaul	85.2	-,. 0, .	-,000		15 माह
	118	BRC Raghopur, Supaul	85.2	,. 0,	,	5750	15 माह
	119	BRC, Atari,Gaya	85.2	1,70,40		5750	15 माह
	120	BRC, Neemchak, Gaya	85.2	1,70,40		5750	15 माह
	121	BRC, Wazirganj, Gaya	85.2	1,70,40		5750	15 माह
	122	BRC, Mohanpur.Gava	85.2	1,70,40	-,000	5750	15 माह
	123	BRC, Imamganj, Gaya	85.2	1,70,40	,	5750	15 माह
-	124	BRC Amas,Gaya	85.2	1,70,40	- 0,000	5750	15 माह
	125	BRC, Koch,Gaya	85.2	1,70,40	,	5750	15 माह
	126	BRC, Jehanabad	85.2	1,70,40	, , , , ,	5750	15 माह
	127	BRC,Kako,Jehanabad	85.2	1,70,40	-,000	5750	15 माह
	128	BRC,Ghosi,Jehanabad	85.2	1,70,40	-,000	5750	15 माह
		BRC Arwal	85.2	1,70,400	-,000	5750	15 माह
	130	BRC Karpi,Arwal	85.2	1,70,400	-,000	5750	15 माह
	131	BRC,Obra,Aurangabad	85.2	1,70,400	-,000	5750	15 माह
	132	BRC,Dev,Aurangabad	85.2	1,70,400	-,,,,,	5750	15 माह
	133	BRC Madanpur, Aurangabad	85.2	1,70,400	,,,,,,	5750	15 माह
	134	BRC Kutumba, Aurangabad	85.2	1,70,400	-,	5750	15 माह
	135 I	BRC, Rega,Sitamarhi	85.2	1,70,400	,	5750	15 माह
	136 H	BRC,Merajgang,Sitamarhi	85.2	1,70,400		5750	15 माह
	137 E	BRC,Pupri,Sitamarhi	85.2	1,70,400	, , , , ,	5750	15 माह
	.38 E	BRC,Barthnaha,Sitamarhi	85.2	1,70,400		5750	15 माह
	.39 E	BRC,Runisaidpur,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
	40 E	RC,Suppi,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
	41 B	RC, Pakribarawan, Nawada	85.2	1,70,400	10,000	5750	15 माह
	42 B	RC, Warisaliganj, Nawada	85.2	1,70,400	10,000	5750	15 माह
	43 B	RC, Akabarpur, Nawada	85.2	1,70,400	10,000	5750	15 माह
1/		RC, Narhat, Nawada	85.2	1,70,400	10,000	5750	15 माह
14	+5 B	RC, Chandi, Nalanda	85.2	1,70,400	10,000	5750	15 माह
14	+b B	RC, Austhawan ,Nalanda	85.2	1,70,400	10,000	5750	15 माह
14		RC, Rahui,Nalanda	85.2	1,70,400	10,000	5750	15 माह
14		RC, Ekangarsarai,Nalanda	85.2	1,70,400	10,000	5750	15 माह
15		RC,Silaw,Nalanda	85.2	1,70,400	10,000	5750	15 माह
15		RC, Katrisarai,Nalanda	85.2	1,70,400	10,000	5750	15 माह
	J DI	RC, Karaiparsurai, Nalanda	85.2	1,70,400	10,000	5750	15 माह
15:	2 BI	RC,Motipur,Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह
153	o Bh	RC Gaighat, Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह
154		RC, Aurai, Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह
155	D Bk	C,Bandra,Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह
156	BR	C,Minapur,Muzaffarpur	85.2	1,70,400 1,70,400	10,000	3750	15 माह

01 M 5 ZARR)

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

<u> </u>	157	BRC,Bhagwanpur,Muzaffarpur					
	158	BRC,Jagdishpur,Bhojpur	85.2	1,70,400	10,000	5750	15 मा
	159	BRC ,Charpokhri,Bhojpur	85.2	1,70,400	10,000	5750	15 मा
	160	BRC, Udwantnagar, Bhojpur	85.2	1,70,400	10,000	5750	15 刊
	161	BRC,Garhani,Bhojpur	85.2	1,70,400	10,000	5750	15 чт
	162	BRC ,Koilwar,Bhojpur	85.2	1,70,400	10,000	5750	15 чт
	163	BRC, Fatuhan, Patna	85.2	1,70,400	10,000	5750	15 मार
	164	BRC, Bakhtiyarpur,Patna	85.2	1,70,400	10,000	5750	15 माह
	165	BRC,Naubatpur,Patna	85.2	1,70,400	10,000	5750	15 माह
	166	BRC,Maner,Patna	85.2	1,70,400	10,000	5750	15 माह
	167	BRC,Begusarai	85.2	1,70,400	10,000	5750	15 माह
	168	BRC,Matihani,Begusarai	85.2	1,70,400	10,000	5750	
	169	BRC, Bhagwanpur,Begusarai	85.2	1,70,400	10,000	5750	15 माह 15 माह
	170	BRC, Bakhri, Begusarai	85.2	1,70,400	10,000	5750	15 माह
	171	BRC, Mansoorchak, Begusarai	85.2	1,70,400	10,000	5750	15 माह
	172	BRC, Cheria Bariyarpur, Begusarai	85.2	1,70,400	10,000	5750	15 माह
	173	BRC ,Chuatham,Khagaria	85.2	1,70,400	10,000	5750	15 माह
	174	BRC ,Gogari,Khagaria	85.2	1,70,400	10,000	5750	15 माह
	175	BRC, Beldour,Khagaria	85.2	1,70,400	10,000	5750	15 माह
	176	BRC,Parbatta,Khagaria	85.2	1,70,400	10,000	5750	15 माह
	177	BRC,Raghopur,Vaishali	85.2	1,70,400	10,000	5750	15 माह
	178	BRC ,Desari, Vaishali	85.2	1,70,400	10,000	5750	15 माह
	179	BRC, Bidupur, Vaishali	85.2	1,70,400	10,000	5750	15 माह
	180	BRC, Jandaha, Vaishali	85.2	1,70,400	10,000	5750	15 माह
	181	BRC ,Mahua, Vaishali	85.2	1,70,400	10,000	5750	15 माह 15 माह
	182	BRC, Garoul, Vaishali	85.2	1,70,400	10,000	5750	15 माह
	183	BRC,Chewada,Shekhpura	85.2	1,70,400	10,000	5750	15 माह 15 माह
	184	BRC,Barhiya,Lakhisarai	85.2	1,70,400	10,000	5750	15 माह
	185	BRC ,Alinagar, Suryagarha,Lakhisarai	85.2	1,70,400	10,000	5750	
		, Amagar, Suryagarna, Lakhisarai	85.2	1,70,400	10,000	5750	15 माह 15 माह

नोटः (i). निविदाकार एक या अधिक कार्य के लिए अलग-अलग निविदा डाल संकते हैं।

(ii). प्राक्कलित राशि घट या बढ़ सकती है एवं तद्नुसार अग्रधन की राशि घट या बढ़ सकती है।

(iii) वेबसाईट—www.eproc.bihar.gov.in पर अंकित प्राक्कलित राशि, अग्रधन की राशि एवं परिमाण विपन्न की राशि अंतिम रुप से

(2) विज्ञापन निर्गत करने की तिथि

दिनांक:-03.02 .2016 (3) परिमाण विपत्र प्राप्त करने(डाउनलोड) की अवधि एवं समय :— दिनांक— 03.03.2016 से 28.03.2016, 15:00 घंटा

(वेबसाईट:www.eproc.bihar.gov.in पर)

(4) प्री बिड मीटिंग का समय, स्थान एंव तिथि

दिनांक:— 15.03.2016, 14:30 घंटा प्रबंध निदेशक का

कार्यालय,बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम, पटना।

(5) निविदा प्राप्ति(अपलोड) की अंतिम तिथि एवं समय:—

(6) अग्रधन जमा करने की अंतिम तिथि एवं समय

दिनांक- 29.03.2016, समय- 15:00 घंटा दिनांक- 31.03.2016, समय- 15:00 घंटा

(7) टेक्निकल बिड खोलने की तिथि एवं समय

दिनांक- 31.03.2016, समय- 16:30 घंटा

(8) वित्तीय बिड खोलने की तिथि एवं समय

(वेबसाईट-www.eproc.bihar.gov.inपर) दिनांक— **11.04.2016**, समय— 15:30 घंटा

(9) निविदा खोलने का स्थान (10) निविदा की वैधता की अविध

वेबसाईट-www.eproc.bihar.gov.inपर

120 दिन

(11) ई—टेन्डरिंग की प्रक्रिया में भाग लेने हेतु संवेदकों को पंजीकृत होना होगा, जिससे कि उन्हें उपयोगकर्ता का नाम (user ID) पासवर्ड (Password) अंकीय हस्ताक्षर (Digital Signature) निर्गत की जायेगी। यह उन्हें वेबसाईट www.eproc.bihar.gov.in से डाउनलोड करने / टेन्डर की प्रक्रिया में भाग लेने की योग्यता प्रदान करेगा।

(12) ई-निविदा पत्र बेवसाईट www.eproc.bihar.gov.in से प्राप्त किया जा सकता है। संवेदक द्वारा सिर्फ उपर्युक्त वेबसाईट से ही परिमाण विपत्र प्राप्त करने के उपरांत वेबसाईट पर ही इलेक्ट्रानिक निविदा पत्र को भरकर भेजना है। अन्य सभी महत्वपूर्ण कागजात / बैंक ड्राफ्ट / अग्रधन की राशि / सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को स्कैन कर ई—निविदा के साथ संलग्न करना अनिवार्य है।

(13) परिमाण विपत्र के दर से कम दर उद्भृत करने पर बीड डाक्यूमेंट की शत्तों एवं सरकारी निर्णासकार आमिरिक्त Performance Guarantee एकरारनामा के पूर्व जमा करना होगा।

Chief Consultant (Technical) Bihar State Educational Infrastructure Development Corporation Ltd., Patna

01 (4) of ARR)

- (14) (क) प्रत्येक परिमाण विपत्र का मूल्य जो प्रत्येक निविदा के सामने उपर कण्डिका (1) में अंकित है (जो लौटाया नहीं जाएगा) किसी भी राष्ट्रीयकृत बैंक द्वारा निर्गत एवं BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. के नाम से एवं पटना में भुगतेय हो, स्वीकार किया जायेगा। मूल बैंक इाफ्ट "बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड" पटना के कार्यालय में दिनांक 31.03.2016 के 15:00 होंगा।
- (ख) Beltron Bid **Processing Fee** is mandatory to be paid through online mode i.e. Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS"
  Bids along with necessary online payments must be submitted through e-procurement portal <a href="https://www.eproc.bihar.gov.in">www.eproc.bihar.gov.in</a> before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffic/ Holidays or any other reason.
- (ग) वांछित अग्रधन की राशि राष्ट्रीय बचत पत्र/डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक जो बिहार राज्य से क्रय या जमा किया हो, प्रबंध निदेशक, BSEIDC Ltd., पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा बिहार वित्त नियमावली के अनुसार BSEIDC Ltd. के नाम से फिक्सड डिपोजिट रिसिप्ट अथवा बैंक गारन्टी जो बिड के मान्य अवधि तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत/अनुसूचित बैंक से निर्गत हो (अगर बिहार प्रान्त के बाहर के बैंक से निर्गत बैंक गारन्टी दिया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड, पटना में दिनांक 31.03.2016 के 15:00 मान्य नहीं होगा।
- (15) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर लें। ताकि अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से बच सकें।
- (16) निविदाकार निविदा डालने से पहले अपने स्तर से भी प्रस्तावित कार्य स्थल पर भूमि उपलब्धता के संबंध में आश्वस्त हो लेगे।
- (17) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। बिना कारण बताये निविदा या उसके अंश को अस्वीकृत करने / रद्द करने का अधिकार सक्षम पदाधिकारी को स्रक्षित है।
- (18) विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्य अविध में सम्पर्क किया जा सकता है। ई-टेन्डिरेंग की प्रक्रिया से संबंधित किसी भी प्रकार की जानकारी/सूचना हेतु सहायता कक्ष, ई-टेन्डिरेंग कक्ष, प्रथत तल्ला, M/22, बैंक ऑफ इण्डिया भवन, रोड न० 25, श्री कृष्णा नगर, पटना-800001, दूरभाष सं० 0612-2523006/9939035696.

ब्रजेश प्रसाद मुख्य अभियंता

al Mocenter?

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna