Balance Work of Upgraded Secondary Building (Gr.no. USS-08D) M.S. Kesalipin Bakin, Block-Udvant Nagan [Form No. F-2] Ranjan Gayatin Constn. DER AND CONTRACT FOR WORKSPA 135 F2 of 2018-19 reement No General Rule and Direction for the guidance of Contractors. Date of Commencement - 03-07-2018 1. All works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer. This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours. 2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so. 3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm. 4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender. 5. The amount of earnest money to be deposited will be: -If the amount of the estimate does not exceed Rs. 2,000 If the amount of the estimate exceeds Rs. 2,000 but does not exceed Rs. 5,000 · If the amount of the estimate exceeds Rs. 5,000 but does not exceed Rs. 10,000 ... 200 For each additional Rs. 5,000 or portion of Rs. 5.000 additional earnest money 6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration

6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompanied by the treasury challan for the required earnest money will be liable to rejection. No single tender shall include more than one work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the envelop. Cash deposits for earnests money here in before mentioned shall be made in Government Treasuries and the challan there of should be enclosed with the tender.

-

- 7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.
 - 8. The Engineer shall have the right of rejecting all or any of the tenders.
- 9. In the event of a tender being selected for acceptance the Engineer who opened the tenders will, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the priscribed time. The tender with the specification and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to the tenderer.

- 10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.
- 11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required amount of the security money has been deposited the Engineer shall scrutinise all pages of the form of item, rate, tender & contract for works to see that the form has been properly filled up and signed by the contractor & the signature witnessed He shall then if he is competent, to accept the tender, sign the acceptance of the tender, or, if he is not so competent shall send the form for signature of the acceptance of the officer competent to accept it.

A MORTO MISSION SO

TENDER FOR WORKS

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

		MEMORANDUM
(a) If several sub-work are included they should be etained in a separate list.	[a]	Name of work
	[b]	Estimated cost
(b) This deposit will be 5% of the estimated cost of the asyork.	[c]	Earnest money
(c) This percentage deduction from bills will be credited to the contractors	[d]	Initial security deposits (including earnest money) to be deposited befor the commencement of the work
security deposit.	[e]	Percentage to be deducted from bills Rs. 5% (Rupees five percent)
	[f]	Time required for the work from date of written order to commence
Ō		monthly
	[g]	Date of written other to commence
	[h]	Total number of item of work tendered for

्र	14 3.1	the section of	RATE TE	NDERED	Do-
	Item No.	Item of work	In figures	In words	Per
		TEST COLLING		Varior a	ing neer
		NOT SOME SHOOTS		B.S.E.I.D,C	. Likd, Patna

	14 B.E.	Mars of words	RATE TE	NDERED	Dor
	Item No.	Item of work	In figures	In words	Per
	and the second 				·
	N				
	The state of the s				# 1
				•	
,	19				
	The state of the s			-	
			A CANADA		
te O					
th					
by th					
u)					
ر ا					1
the se					
se			electrical de la companya de la comp		
de					\$4000000000000000000000000000000000000
			TENOME DE LA CONTRACTION DEL CONTRACTION DE LA C		
			No. of the Control of		
aco alre dep failii					
dep					
faili			CALEGORISM		
			OCCUPATIONS AND ADDRESS AND AD		
		**	The state of the s		
may the c			entional and a second a second and a second		
the c			AND THE PROPERTY OF THE PROPER		9 · ·
			TO THE PROPERTY OF THE PROPERT		
mone			December		
for w witne			Therefore		
s not			Name of the state		
					L

Schedule XLV - Form No. 61

(5)

			RATE TI		
. 0	Item No.	Item of work	In figures	In words	Per
				-	
					#
	•				
as					
9				Transferrence Control of the Control	
				etinentiala maria and property and a second	
9				**COCCUPATION AND A TOTAL AND	
9				NEGOTIAN CONTRACTOR CO	
ø					
10					
0				CONTRACTOR	
ĵ.					
				STATE OF THE STATE	
	ATTENDED TO THE PROPERTY OF TH				
				STORY DESIGNATION OF THE STORY	
0	NOTAL DEPARTMENT OF THE PARTMENT OF THE PARTME			esidisanidaning department of the second	
			•		
	And the second s				
	Helipsi saving s				
				occani da di	

	Item No.	Item of work	RATE TE	NDERED	
	1011110	item of work	In figures	In words	Per
To the state of th					•
					9
William Annual Market					
					#*
- 4				A CONTRACTOR OF THE CONTRACTOR	
W	NAT				
O m A	,			Addison	
te of th				110.12.000.000.000.000.000.000.000.000.0	
th					
by the					
	State of the state				
erotestantum					
(Add Charles				The state of the s	
the		and the second second second second			
sec sec der	*			No. of Contrast of	
der					
POSCERZO DE LA CONTRACTOR DE LA CONTRACT			CALL CONTROL OF THE PARTY OF TH	000 997 (100 hazarana)	
THIS STATE OF THE				CCAMINE S MANUAL COMMANDA	
alre			•		•
acc alre depo failir	200				
· aiiii		*			
				TORROW AND STATE OF THE STATE O	
Š. L.					
may the c	†				
the co					en e
mone					
for wo	*				
mone for wo witnes s not s			ACCOMPANY AND AC	- Egyptiment	

(7)

Schedule XLV - Form No. 61

J	Item No.	Item of work	RATE T		
0_	.com i i jo.	ITEM OF WORK	In figures	In words	Per
0					
0					To the second se
		•			Commence of the Commence of th
0					
as				THE CONTRACT OF THE CONTRACT O	
			en e	Land of the state	
(P					
1	•			PARTICIPATION OF THE PARTICIPA	
2					
5	and the state of t				
ø			•		
)				The state of the s	
)	literatura de la companya de la comp				
)	The state of the s			Total Control of the	
n.	Riffreen Company				
Ì				TO THE PARTY OF TH	
•					
i.					
P					

	WAY AND			Name of the state	
j .			-		
					e de la versión de la companya de l La companya de la co
	-				
- in	· ·				
)	and the same of th				
à.	T-Constant		A COLOR		
30,			Daniel M		
-					

should this tender be accepted I/we hereby agree to abide by and fulfill all the terms and provisions of the said conditions of contract annexed hereto so, for as applicable, or in ssors in office the sums of money mentioned in the said conditions.

Dated the

day of

20

*Signature, of contractor before comission of tender

witness Address:

Occupation:

Signature of witness contractor's signature

The above tender is hereby accepted by me on behalf of the Governor of Bihar. Dated the day of

20

signature of the officer accepting the tender.

Acceptances communicated on...

signature of the party

taking the tender

Compensation

Clause 1:- All compensation or other sums of payable by the contractor to Government under the terms of his contract may be deducted from, paid by the his sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor by Government on any account whatsoever and in the event of his security deposit being reduced by reason of any such deduction or sale as aforesaid, the contractor shall within ten days there after make good in cash or Government securities endorsed as aforesaid any sum or sums which may have been deducted from, or (i) arised by, sale of his security deposit of any part thereof.

CONDITIONS OF CONTRACT

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which the work is finished after necessary rectification of defects as pointed by the Executive En- gineer or his authorised agents are fully contractor to the Engineer's

Clause 2:- The time allowed for carrying out the work as entered in the tender shall be strictly observed by the contractor and shall be reckoned from the date on which the wirtten order to comence work is given to the contractor. The work shall throughout the stipulated period of the contract be carried on with all due diligence (time being deemed to be the essence of the contract on the part of the contract or) and the contractor shall pay as compensation an amount equal to ½ percent on the amount of the estimated cost of the whole work as shown by the tender for every day that the work remains uncommenced or unfinished after the proper date. And further to ensure good progress during the execution of the work the contractor shall be bound in all cases in which the time allowed for any work exceeds one month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before onehalf of such time elapsed and three-fourths of the work, before three fourths of such time has elapsed in the event of the contractor failing to employ with this condition, I shall be liable to pay as compensation an amount equal to ½ percent on the said estimated cost of the whole work for every day that the due quantity of work remains incomplete provided always that the entire amount of compensation to be paid under the provisions the clause shall not exceed 10 percent of the estimated cost of the work as shown in the tender.

Action when persnle security deposit foreited

Clause 3:- In any case which under any clause or clauses of or this contract. the contractor shall have rendered himself laible to pay compensation amounting to the whole of his security deposit in the hands of Government (where paid in one sum or deducted by instalments) the Executive Engineer on behalf on the Bihar Government shall have been powered to adopt any of the following courses, as he may deem best suited to the enterest of Government

(a) To rescind the contract (of which rescind notice in writing to the contractor under the hand of the Executive Engineer shall be conclusive evidence) and in which case the sectitiry deposit of the contractor shall start for a ted, and be absolutely at the disposal of Governmen

- (b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debitting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in -charge shall be final and conclusive against the ontractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.
- (c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another Contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original contractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a ogufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by Thim by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or The performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any Nork there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4: - In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be pexercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may, if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Enginee, as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

contractor remains liable to pay compensation if action not take under cause 2

Power to take posession of or require removal of or sell contractor plant.

Clause 5 - If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) he shall apply in writing to the Executive Engineer within 40 days from the date of starting of the hinderance on account of which be desires such extension as aforesaid and the Executive Engineer shall, if in his opinion (which shall be final) reasonable grounds be shown thereof authorised such extension of time if any, as may in his opinion be necessary or proper. The Executive Engineer shall at the same time inform the contractor whether heng neer B.S.E.I.D.C. Ltd., Patna claims compensation for the delay.

Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certificat by the Executive Engineer (herein after called the Engineer-in-charge) of such completion, but no such certificate be given, nor shall the work be considered to be complete until this contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinct) marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-wor doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurement shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus material and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplu materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, an shall have no claim in respect of any such scaffolding or surplus materials as aforesaid, except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-in charge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts or in any other way vary or affect the contract.

Clause 8 - The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Clause 9:- If the specification or estimate of the work provides for the use of an special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-in charge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contracto shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums then due or there after to become due to the contractor under the contract or otherwise, or against or form the security deposit, or the proceed of sale thereof, if the same is held in Government security the same or sufficient portion thereof in this case sold for the purpose. All materials supplied to the contractor shall remain the absolute property of Government and shall not on any accounts he removed from this site of the work and shall at all times be open to

Stores supplied Government

inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: The contractor shall executive the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid.

Clause 11:- Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a disputes the decision of the superintending Engineer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period.

Clause 12:- If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out, the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsoever on account of any profit or advantage, which he might have derived from the execution of the work in full, but which he did not derive in consequence of the full amount of the work, attorbin or restriction of not having been carried out neither shall be have any claim for compensation by reason. Work to be carried out. not having been carried out neither shall he have any claim for compensation by reason of any alternation having been made in the original specification, drawing, designs and neer instruction which shall involve any installment of the work as originally contemplated. Ltd. Patna clause 12 (a) As contained in G O 1929 dated 11.9.56.

Work to be executed accordance with specification drawing other etc.

Alteration in specifications and designation.

Do not in validate contract

Time in consequence of

Rate for work no in estimate or schedule of rates of the district.

Compensation for alter-

DUROU KY CLESNOU BE Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such failure is due to:-

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted a finally by the contractor.

Action and compensation payable in case of work

Clause 13 :- If it shall appear to the Engineer-in-charge or his subordinate incharge of the work that any work has been executed with unsound, imperfect or unskilfu workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall on demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-in charge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and expense in all respects of the contractcor.

Work to be taken to inspection

Clause 14:-All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineer-in-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself

Contractor or responsible Agents to be present

Clause 15: The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which the same was effected.

Notice to be taken before work covered up

Clause 16:- If the contractor or his work-people, or servants shall break, deface injure or destroy any part of a building in which they may be working or any building, road, road curves, fence enclosure water pipes, cables, drains, electric or telephone posts or wires, trees, grass or grassland or cultivated ground contiguous on which the work or any part of it is being executed or if any damage shall happen to the work, while in progress from any cause whatsoever or any imperfection become apparent in if within three months (six months in the case of a road work) after a certificate final or other of its completion shall have been given by the Engineer-in-charge

Frayo

as a fore seal, the contractor shall make the same good at his own expense, or in pfault, the Engineer-in-charge may cause the same to be made be good by other worksmen and deduct the expense of which time thereafter may become due to the mntractor, or from his security deposit, or the proceed of sale there of, or of a sufficient portion there of the security deposit at the contractor shall not be refunded before the - cpiry of three months (six months in the case of a road-work) after the issue of the certificate final or otherwise of completion of work provided that in the case of a road work in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable after three months of the issue of the said certificate of completion

Contractor liable for damage done and for imperfection a months and after certificate

Clause 17:- The contractor shall supply at his own cost all materials (except such pecial materials) if any as may in accordance with the contract be supplied from the Engineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, ckle scaffolding and temporary works requisits or proper for the proper execution of the work whether original, altered or substituted and whether include in the specification or ather documents forming part of the contract or referred to in these conditions or not or which may be necessary for purpose of satisfying or complying with the requirement of pe Engineer-in-charge as to any matter as to which under these conditions he is entitled to be satisfied which he is entitled to require together with carriage therefore to and form The work. The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting, reighing and assisting in the measurement or examination at any time and form time to time of the work or materials failing his so doing the same may be Provided by the Ingineer-in-charge at the expense of the contractor and the expenses may be deducted from any money due to the contractor under the contract from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide all necessary fencing and lights required to protect the public from accident, and shall be bound to bear to expenses of defence of every suit action or other proceeding at law that may be brought by any person for injury sustained owing to neglect of the above Pyrecautions and to any such person or which may with the consent of the contractor be paid to compromise any claim by any such person.

Contractor to supply to

plantladder scaffolding

And is liable for damage arising for non-provision of light fencing etc.

Clause 18: - No female labour shall be employed within the limits of contonment. 🔐 he contractor shall not employ for the purpose of his contract any person who is below the age of twelve years and shall pay to each labour for the work done by such labourer vages not less than the wages paid for similar work in the neighbourhood.

Work not to be subject

The executive Engineer shall have the right to enquire into the case and decide any complaint alleging that the wages paid by the contractor to any labourer for the work done by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer employed by contractor is below the age of twelve years and to refuse to allow any abourer whom he decided to be below the age of twelve years to be employed by the

Clause 19:- The Contractor shall not be assigned or subject without the written Papproval of the Executive Engineer. And if the contractor shall assign or subject his contract, or attempt so to do, or become insolvent proceedings to make any composition with his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward or advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, or offered by the contractor, or any of his servant or agents to any public officer or person in the employ of Government in any way relating to his officer or employment or if any such officer or person shall become in any way directly or indirectly interested in the contract the Executive Engineer may there upon by notice in writing rescind the contract. The security deposit of the contractor shall there upon stand forfeited and be absolutely ዂ at the disposal of Government and the same consequence shall ensure as if the contracting neer had been recinded under clause 3 here of, in addition the contractor shall not be entitled. Ltd. Patna to recover or be paid to any work therefore actually performed the under the contract.

Contract may be resinded and security deposit forfelted for subletting bribes or if contractor become insolvant

medou Ki

such payable by way of compensation to be considered reasonable compensation without reference to actual loss Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there or not any damage shall have been sustained.

Clause 21: In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this information.

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal of Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer

Clause 22: - All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23: In case any dispute or difference shall arise between the parties or either of there upon any question relating to the meaning of the specifications, designs, drawings and instructions here before mentioned or as to the quality of workmanship or materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, or any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions or otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof or as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

(a) Clause 24:- When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items or work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-in-charge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineer-in-charge shall be final and conclusive against the contractor with regard to any surpayable to him under the provision of this clause.

Action where no specification. Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out a accordance with the circle specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Definition of works

Clause 26: The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to such construction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered, substituted or additional.

Witness.

Contractor

So

Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied

which they are to be cha	Rates at w will be o	hich the material harged to the intractor		Place of delivery
	Unit	Rs.	P.	
		•		
	, , , , , , , , , , , , , , , , , , ,	manufacture of the state of the		
1. 				
			1	
		•		
			1	
		,		
			. [
			THE STATE OF THE S	
	/			
		5v		
		HE-1300		

Note:-The person or firm submitting the tender should see that the rates in the above schedules are filled up by the Engineer-in-charge on the issue of the form prior to the submission of the tender.

1010 and ROLLIOU KV

(Signature of Contrator)

Chief Eng neer
Signature of Executive Engineer)

of as d the to be ction utive utive

each rson

ned the ving

d by Subider ider

50

100

200

ate ion ort,

ury

one der sts

be

: ...) Ì

Bihar State Educational Infrastructure Development Corporation Ltd.

AGREEMENT FOR BALANCE WORK OF UPGRADED SECONDARY SCHOOLS IN BIHAR

, , , , , , , , , , , , , , , , , , , ,	Group No. : USS	-08 (D)	
Division	District	Block	Name of School
Patna (E)	Bhojpur	Udvant Nagar	M.S.Kesawpur Bakri
I ama (12)	21-JF-11	L , , , , , , , , , , , , , , , , , , ,	

THE ITEM RATES ARE BASED ON BIHAR SCHEDULE OF RATES, BCD, effective from dated: 17.10.16

			PART-B (Work To	Be Done) /		
CIV	IL WO	ORKS					
S.N	Sub N.	SOR Ref.N.	DESCRIPTION	Unit	Quantit y	Rate	Amount
			2.0 Earth Work	700		· ·	Production of the second
			EARTH WORK IN	. (*			
			EXCAVATION over areas				
			(exceeding 30 cm in depth, 1.5 m in				
			width as well as 10 sqm on plan)				
		2.8	including dressing of sides and				
1			ramming of bottom, lift upto 1.5m				
		Market Parket and Control	including getting out the excavated				
8	1	₹	soil and disposal of surplus soil as				
			directed, within a lead of 50m.				Rs. Two hundred
				CII.) (21.20	220.50	1
		2.8.1	ALL KINDS OF SOIL	CU.M	21.39	230.50	thirty and paise fifty
	<u></u>						only.
			Filling available excavated earth	,		ř	
			(excluding rock) in trenches, plinth,				
		2.26	sides of foundations etc. in layers not	CU.M	0.00	74.50	Rs. Seventy four
2		2.26	exceeding 20 cm in depth: consolidating each deposited layer by	CO.IVI		7 1.50	and paise fifty only.
			ramming and watering lead of 50 m.	al francis .	A Comment of the Comm	St.	
			ramming and watering lead of 30 m.	P			
·····			SUPPLY AND FILLING in plinth &				
			Foundation with local sand and under				Rs. Two hundred
3		2.28	floors inluding watering, ramming,	CU.M	173.37	204.40	four and paise forty
			consolidating and dressing and			and the state of t	only.
			dressing complete.		· ·		
	,		SURFACE DRESSING of the				
			ground including removing vegetation	100		00600	Rs. Eight hundred
4		2.29.1	and in-equalities not exceeding 15 cm	SQ.M	0.00	806.00	six only.
E			deep and disposal of rubbish, lead		Marine and a	State of the second second second	a production of the second
, , , , , , , ,			upto 50 m and lift upto 1.5 m				
1			4.0 Concrete Work			<u> </u>	

- SPROLUGU WV

Chief Eng neer

B.S.E.I.D.C. Ltd., Patris

The Kahault

712

F								
				Providing and laying in position				:
				cement concrete of specified grade			•	
Ì		ŀ		exluding the cost of centring and		i,		
	5			shuttering-all work upto plinth level.				- 7 - 44
is.				1:3:6 (1 Cement : 3 Coarse sand : 6				Rs. Two thousand
			4.1.5	graded stone aggregate 40mm nominal	CU.M	18.90	2775.70	seven hundred
			4.1.5	size)				seventy five and
								paise seventy only.
				5.0 Reinforced Cement Concrete				
				Providing and laying of in position,				(
j.				of specified mix of reinforced cement				
i ja			5.1	concrete, excluding the cost of				
٠,				centering and shuttering, finishing and				
ACCES, CO.	6		/	reinforcement - all work upto plinth				
				level.				Rs. Four thousand
				1:11/2:3 (1 Cement : 11/2 Coarse sand :				five hundred thirty
			5.1.2	3 graded stone aggregate 20 mm	CU.M	0.90	4530.30	and paise thirty
Š			J.1.2	nominal size) IN FOUNDATION.			Bart Charles Comment	only.
					in the state of th		,	Ulliy.
. 70			ļ	Reinforced cement concrete work in				
				wall (any thickness), including				
, h				attached pilasters, butteresses, plinth				
				and string courses, fillets, columns,				
,			5.2	pillars, piers, abutments, posts and				
			1	struts, etc. upto floor v level,				
i)	7		1	excluding costs of centering,				
6.	′			shuttering, finishing and				
i ji				reinforcement.				
				Col. In plinth & superstructure				Rs. Five thousand
				1:1½:3 (1 Cement : 1½ Coarse sand :				one hundred thirty
			5.2.2	3 graded stone aggregate 20 mm	CU.M	31.63	5139.70	nine and paise
.)				nominal size).			Market Market	seventy only.
				Reinforced cement concrete work		+	* · · · · · · · · · · · · · · · · · · ·	
								A STATE OF THE STA
	ı			in LINTEL BAND upto five level				
			5.3+	excluding cost of centring, shuttering and finishing and reinforcement with	CU.M	32.23		
1)	8		5.33B.4	1:1½:3(1cement: 1½ coarse sand :3	00.11.1	J == 1 == 0		
i k				graded stone agreagate 20 mm niminal	i province de la constante de	The second secon		
-3			der.			C.		
		<u> </u>		size)				





1

9		5.3+ 5.33B.4	Reinforced cement concrete work in beams, upto five level excluding cost of centring, shuttering and finishing and reinforcement with 1:1½:3(1cement: 1½ coarse sand :3 graded stone agreagate 20 mm niminal size)	CU.M	63.30		
10		5.3+ 5.33B.4	Reinforced cement concrete work in suspended floors & roofs upto five level excluding cost of centring, shuttering and finishing and reinforcement with 1:1½:3(1cement: 1½ coarse sand :3 graded stone agreagate 20 mm niminal size)	CU.M	7.03		
11		5.3+ 5.33B.4	Reinforced cement concrete work in STAIRCASE upto five level excluding cost of contring, shuttering and finishing and reinforcement with 1:1½:3(1cement: 1½ coarse sand :3 graded stone agreagate 20 mm niminal size)	CU.M	8.04		
				Total=	110.604	5124.90	Rs. Five thousand one hundred twent four and paise ninety only.
		5.9	Centering and shuttering including struting, propping etc. and removal of form for -				/
	12.1	5.9.1	Foundations, footings, bases of columns etc. for mass concrete.	SQ.M.	0.00	169.00	Rs. One hundred sixty nine only.
10	12.2	5.9.6	Columns	SQ.M.	393.87	357.60	Rs. Three hundred fifty seven and pais sixty only.
12	12.3	5.9.3	ROOF SLAB	SQ.M.	506.39	291.00	Rs. Two hundred ninety one only.
	12.4	5.9.5	Lintels, beams, plinth beams,-	SQ.M.	381.85	261.70	Rs. Two hundred sixty one and paise seventy only.
	12.5	5.9.7	Stairs (excluding landings).	SQ.M.	47.72	328.90	Rs. Three hundred twenty eight and

PROLITOURY.

Chief Eng neer

S.S.E.I.D.C. Lid, Pains

Alexander

7/2

—т	r		D : C for DCC				·
		5.22	Reinforcement for RCC work including straightening, cutting bending, placing in position and binding all complete.				D 710 0 1
	13.1	5.22.1	Mild steel 6.00 mm dia	kg	1270.41	54.30	Rs. Fifty four and paise thirty only.
	13.2	5.22.7A	Thermo- Mechanically Treated bars TMTC-500- 8mm dia.	Kg	7532.10	56.00	Rs. Fifty six only.
13	13.3	5.22.7B	Thermo- Mechanically Treated bars TMTC-500- 10mm dia.	Kg	2034.34	54.70	Rs. Fifty four and paise seventy only.
	13.4	5.22.7C	Thermo- Mechanically Treated bars TMTC-500- 12mm dia.	Kg	941.59	53.40	Rs. Fifty three and paise forty only.
	13.5	5.22.7D	Thermo- Mechanically Treated bars TMTC-500- 16mm dia.	Kg	432.11	54.40	Rs. Fifty four and paise forty only.
	13.6	5.22.7E	Thermo- Mechanically Treated bars TMTC-500- 20mm dia.	Kg	720.33	53.60	Rs. Fifty three and paise sixty only.
			6.0 Brick Work (A)			Self-transferred to the self-t	
		6.1 A	Brick work with bricks of class of class designation 100 A in foundations and plinth in:				
	14.1		Cement mortar 1: 6 (1 cement : 6				Rs. Four thousand
14		6.1.14A	coarse sand)	CU.M	35.02	4490.60	four hundred nines
		de de la companya de			North State of the	v ^{rr2}	
	14.2	6.1.12/1	Cement mortar 1: 4 (1 cement : 4 coarse sand)	CU.M	7.03	4724.40	Rs. Four thousan seven hundred twenty four and paise forty only
	15.1	6.1 A	Brick work with bricks of class of class designation 100 A in superstructure upto floor V level in:				
15		6.1.14 A+6.3A	Cement mortar 1: 6 (1 cement : 6 coarse sand)	CU. M	174.64	5003.90	Rs. Five thousand three and paise ninety only.
	15.2	6.18.4A+ 6.19A	Cement mortar 1: 4 (1 cement : 4 coarse sand)	SQ.M.	15.28	608.40	Rs. Six hundred eight and paise for only.
	<u> </u>		9.0 Wood Work	de la companya de la	a de la companya de		





Ì

1	6	9.48.1	Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete.	Kg	1431.17	86.00	Rs. Eighty six only.
ļi .			10.0 Steel Work				
glida gida gida gida gida gida gida gida g	7	10.5	Providing and fixing in position collapsable steel shutters with vertical channels 20X10X2 mm and braced with flat iron ds 20X5 mm size with top and bottom rail of T-iron 40X40X6 mm with 40 mm dia steel pulleys completes with bolts-nuts locking arrangement stoppers handles including applying a priming coat of approved steel primer.	SQ.M	9.75	4248.20	Rs. Four thousand two hundred forty eight and paise twenty only.
	8	10.7	Providing and fixing 1 mm thick M.S. sheet door & window with frame of 40X40X6 mm angle iron and 3 mm gusset plates at the junction and corners all necessary fittings complete including applying a primming coat of approved steel primer.	SQ.M.	49.44	2617.00	Rs. Two thousand six hundred seventeen only.



Chief Engineer

B.S.E.I.D.C. Ltd. Patna

The Official Official Control

The Official Con

A REPORT OF THE PROPERTY OF TH

1							
	19	10.12	Providing and fixing steel glazed doors, windows and ventilatrs of standard rolled steel sections, joints mitered and welded with 15x3 mm augs 10 cm long with steel lugs embedded in cement concrete blocks 15x10x10 Cm of 1:3:6 (1 Cement:3 coarse sand: 6 graded stone aggregate 22 mm nominal size) or with woodenplugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panes with glazing clips and special metalsash putty of approved make complete including applying a priming coat of approved steel primer; excluding the cost of metal beading and other fitting except necessary hinges or pivots as required.	SQ.M.	66.54	2843.00	Rs. Two thousand eight hundred forty three only.
Agent Agent Agent Agent	20	10.17	Providing and fixing M.S.fan clamp type I or II of 16 mm dia.M.S. bar bent to shape with hooked ends in R.C.C slabs during laying including painting the exposed portion of loop, all as per standard design complete.	EACH	40.00	97.00	Rs. Ninety seven only.
Superior Superior Superior	21	10.32.2	Steel work welded in built up sections as per drawing including cutting hoisting, fixing in position and applying a priming coat of approved steel primer using steel in Stairs / Balcony railing.	K.G.	539.67	76.70	Rs. Seventy six and paise seventy only.
position printing parties	22	10.33	Providing and fixing hand rail by welding etc. to steel ladder railings & staircases railing including applying a priming coat of approved steel primer				Rs. Ninety and
J		10.33.1	MS tube (medium) 40 mm nominal bore	K.G.	108.00	90.70	paise seventy only.
J		A Partie	11.0 Flooring				granitation of the state of the



j

Chief Eng neer

3.5.E.I.D.C. Lyd, Patna

212

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

2112

21

Value / Ì A STATE OF THE STA

S2 mm thick cement concrete flooring with metallic concrete hardener topping undr layer 40 mm thick cement concrete 1:2:4(1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal Size) and top layer 12 mm thick metallic cement hardener consisting of mix 1:2 (1 cement: and the mix of mix							
24 11.8 approved pattern on cement concrete floors, steps, landing, pavements etc. Providing designation 100 - A, BRICK FLAT SOLING joints filled with local sand including cost of watering,taxes and royalty all complete as per building specification and direction of Engineer Incharge. Providing average 150 mm thick dry remmed Khoa beaten to 112 mm (Compacted with water) made of well burnt or Jhama bricks including ramming properly till compacted thickness is achieved. Curing and carriage of water with all leads, making proper slope and blinding the top with cement mortar, (1: 10) all complete as per building specification and direction of E/1 Rs. Two hundred fifty three and paise eighty only. Rs. Two hundred fifty three and paise eighty only. Rs. Two hundred thick three and paise eighty only. Rs. Three hundred twenty nine and paise ninety only.	23		with metallic concrete hardener topping undr layer 40 mm thick cement concrete 1:2:4(1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal Size) and top layer 12 mm thick metallic cement hardener consisting of mix 1:2 (1 cement hardenr miz: 2 stone aggregate 6 Mrr. ominal size) by volume hardning compund is mixed @ 2 litre per 50 kag of cement or as per manufacture specification. This includes cost of cement slurry, etc, but excluding the	SQ.M	664.42	383.50	eighty three and
BRICK FLAT SOLING joints filled with local sand including cost of watering, taxes and royalty all complete as per building specification and direction of Engineer Incharge. Providing average 150 mm thick dry remmed Khoa beaten to 112 mm (Compacted with water) made of well burnt or Jhama bricks including ramming properly till compacted thickness is achieved. Curing and carriage of water with all leads, making proper slope and blinding the top with cement mortar, (1: 10) all complete as per building specification and direction of E/1 BRICK FLAT SOLING joints filled with local sand including cost of watering filled with local sand royalty all cost. SQ.M 249.55 SQ.M 249.55 Rs. Two hundred fifty three and paise eighty only. Rs. Three hundred twenty nine and paise ninety only.	24	11.8	approved pattern on cement concrete	SQ.M	228.28	22.00	1
Providing average 150 mm thick dry remmed Khoa beaten to 112 mm (Compacted with water) made of well burnt or Jhama bricks including ramming properly till compacted thickness is achieved. Curing and carriage of water with all leads, making proper slope and blinding the top with cement mortar, (1: 10) all complete as per building specification and direction of E/1 Providing average 150 mm thick dry remmed Khoa beaten to 112 mm (Compacted with water) made of well burnt or Jhama bricks including ramming properly till compacted twenty nine and paise ninety only.	25	11.72	BRICK FLAT SOLING joints filled with local sand including cost of watering,taxes and royalty all complete as per building specification	SQ.M	249.55	253.80	fifty three and paise
	26	11.76	Providing average 150 mm thick dry remmed Khoa beaten to 112 mm (Compacted with water) made of well burnt or Jhama bricks including ramming properly till compacted thickness is achieved. Curing and carriage of water with all leads, making proper slope and blinding the top with cement mortar, (1: 10) all complete as per building specification	glider.	214.53	329.90	twenty nine and

Routou Kv.

Chief Eng neer

B.S.E.I.D.C. Lyd. Patna

Pho Ophralis

Phys. Chief Eng neer

Ophralis

Phys. C

Ally

_			D 11 0 C 1 1 1 food				
			Providing & fixing on wall face				
			unplasticised - Rigid P.V.C. rain				
			water pipes conforming to IS: 13592				
	,		Type A including jointing with seal				
27		Jerr	ring conforming to IS: 5382 leaving				
-		S. C.	10mm gap for thermal expansion.				
			Single socket ed pipes. 110 mm dia				
-			110 MM RAIN WATER PIPE			1	Rs. Two hundred
		12.78.2		Metre	82.31		twelve and paise
		amende		122	18 September 1		forty only.
		12.79.5.2	BEND	Contract of the Contract of th	, 		
28		a service				, , , , , , , , , , , , , , , , , , , ,	Rs. One hundred
20		7	110 MM	EACH	10.00	168.30	sixty eight and paise
			110 141141			Sept. Configuration	thirty only.
		, , , , , , , , , , , , , , , , , , ,		*			Rs. Three hundred
29		12 79 6 2	SHOE - 110MM	EACH	10.00	305.02	five and paise two
29		12.77.0.2			Septiment .	1 and the second	only.
	, , , , , , , , , , , , , , , , , , ,		13.0 Finishing	7			
ŀ		, , ,	Cement Plaster in coarse sand with				Rs. One hundred
	30.1	13.11.2	12 mm cement plaster 1:4 (1 Cement :	SQ.M.	229.32	114.70	fourteen and paise
30	20.1		6 Coarse Sand)	and the same of th	- Spirite Marie	- All Paris	seventy only.
<i></i>			Cement Plaster in coarse sand with	,		•	Rs. One hundred
	30.2	13.11.4	12 mm cement plaster 1:6 (1 Cement :	SQ.M.	1288.59	101.20	one and paise
	JU.2	15.12.	4 Coarse Sand)	Water Control of the			twenty only.
, ,	-,,cum , -,/=-V	13.13.	20 mm thick plaster of mix:	.,	Marie Contraction of the Contrac	er.	
		13.13.2					
31			1:4 (1 Cement; 4 Coarse Sand)	SQ.M			Rs. One hundred
		13.13.2			41.62	161.30	sixty one and paise
						g particular and a second	thirty only.
			20 mm thick plaster of mix:		<u></u>		Rs. One hundred
32		13.13.4		~~	662.40	140.40	forty and paise forty
32		13,13,1	1:6 (1 Cement: 6 Coarse Sand)	SQ.M.	663.40	140.40	only.
		No. of State		A73			
			12 mm cement Plaster 1:3 (1 Cement:	COM	10.52	159.00	Rs. One hundred
33		13.17.1	3 Coarse Sand) finished with a	SQ.M.	48.53	135.00	fifty nine only.
			floating coat of neat Cement	 /	-		
			6 mm Cement Plaster to Ceiling of				
24		13.24.2	mix - cement plaster 1:4 (1 Cement : 4				T' 1
34		13.24.2	Coarse Sand)	SQ.M.	448.10	87.40	Rs. Eighty seven
		electric.	Coarse Sand)	54		and the second	and paise forty only.
Ļ	<u> </u>	<u> </u>		<u>, L</u>			



Chief Eng neer

B.S.E.I.D.C. Lig Patna

Pro

Official

Official

- 18

35		13.26	Neat Cement Punning	SQ.M	330.08	32.30	Rs. Thirty two and paise thirty only.
		13.70.	White washing with lime to give an even shade			Forester	
36	-	13.70.1	New work (three or more coats)	SQ.M.	1560.61	12.50	Rs. Twelve and paise fifty only.
37		13.78	Applying one coat of cement primer of approved brand and manufacturer on wall surface.	·		Market Control	
		13.78.1	cement primer on outer wall surface	SQ.M	730.49	26.90	Rs. Twenty six and paise ninety only.
38		13.79	Finishing walls with water proofing cement paint of approved brand and manufacture and of required shade to give an even shade	Markey	a produce a second	The state of the s	
		13.79.1	New work (three or more coats)	SQ.M	730.49	63.20	Rs. Sixty three and paise twenty only.
39		13.93	Painting with Synthetic enamel paints of approved brand and manufacture of required color to give an even shade.			. Elementer	
·		13.93.1	Two or more coats on new work				
			Painting over Steel surface	SQ.M	283.83	54.10	Rs. Fifty four and paise ten only.
			23.0 Pile Work		g lister and		
40	40.1	23.2.5	Making 25 cm (10") dia bore up to 4 Mtr Depth below ground with hand auger of approved quality in ordinary soil (Vide classification of soil item A) true to plumb and without eccentricity in any stage of operation and disposal of gthe excavated earth up to 50 mtr. lead in eluiding all lifts. all complete as per approved disign and directions of E/I	Metre	0.00	59.80	Rs. Fifty nine and paise eighty only.

Director

TE CONSTRUCTION DE

Chief Eng neer

2.8.S.E.I.D.C. Ltd. Patna

7/2

07/12/4

• • ٠.

				,			
40	40.2		63 cm (25) UNDER REAM making 63 cm (25) dia under ream at required with hand auger of approved quality in ordinary soil (Vide classification of soil item-A) true to plumb and without iccentric city in may stage of operation and disposal of the excavated earth up to 50 mts. lead in eluding all lifts. All complete as per approved design and direction of (E/I)	EACH	0.00	63.80 1	Rs. Sixty three and paise eighty only.
41		D.S.R 17.1.1	Sanitary Works Providing and fixining water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast iron P or S tap, 10 litre low white P.V.C. Flushing cistern with munally controlled device (handle level) conforming to IS:7231 Parryware/ Hindware with all fittings and fixtures complete including cutting and making good the walls and floors wherever required.				
			White Vitreous China Orissa pattern W C pan of size 580 X 440 mm with integral type foot rest.	Each	8.00	3049.30	Rs. Three thousand forty nine and paise thirty only.
42		18.49	Providing and fixing C.P. brass bib cock of approved qualityconforming to IS:8931 15 mm nominal bore.	Each	8.00	481.60	Rs. Four hundred eighty one and paiso sixty only.
43		17.7.1	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps,32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm	EACH	4.00	2093.50	Rs. Two thousand ninety three and paise fifty only.



Chief Eng neer

B.S.E.I.D.C. Lid, Patna

Suc

The Official

•

	·····		1 C L DIV.C				
		17.00	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.				
	44.1		Flexible pipe				
44			32 mm dia	EACH	4.00	76.10	Rs. Seventy six and paise ten only.
-	44.2	17.28.2.2	40 mm dia	EACH	1.00	78.50	Rs. Seventy eight and paise fifty only
45			Providing and fixing white vitreous china laboratory sink with C.I. brackets, C.P. brass chain with rubber plug 40mm C.P brass waste and including painting of fittings and brackets, cutting and making good the wall wherever required:				
		17.11.2	Size 600x450x200mm	EACH	1.00	2986.20	Rs. Two thousand nine hundred eight six and paise twen only.
46		18.52	Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS:8931.				
		18.52.1	15 mm nominal bore.	EACH	5.00	650.10	Rs. Six hundred fifty and paise ten only.
		18.58.1.1	Providing and fixing PTMT grating of approved quality and colour.				
47			100 mm nominal dia	EACH	6.00	46.40	Rs. Forty six and paise forty only.
48		12.78	Providing & fixing on wall face unplasticised - Rigid P.V.C. rain water pipes conforming to IS: 13592 Type A including jointing with seal ring conforming to IS: 5382 leaving 10mm gap for thermal expansion. Single socket ed pipes. 110 mm dia	MTS	76.21	212.40	Rs. Two hundred twelve and paise forty only.
			Provinding and fixing PVC pipe fittings with all accessories				Rs. One hundred
	49.1		1) 110mm Plain bend PVC	EACH	16.00	161.70	sixty one and pais

Rayan Kv.

Chief Eng neer

200

200

210

210

210

210

Carlotte Carlotte

	49.2		2) 110mm door tee PVC	EACH	8.00	245.45	Rs. Two hundred forty five and paise forty five only.
50		19.30.1.1	Contructing brick masonry chamber for Underground C.I. Inspection Chamber and bend with 75 class designation bricks in cement mortar 1:4(1 cement : 4 coarse sand)C.I	EACH	6.00	4147.30	Rs. Four thousand one hundred forty seven and paise thirty only.
51		18.8/.	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including allCPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one stepCPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I				
			Concealed work including cutting chases and making good the wall etc.		·		Rs. Two hundred
	51.1	a)18.8.1	15mm dia	MTS	54.93	221.40	twenty one and paise forty only.
			Exposed on wall	V.			
	51.2	c) 18.9.5	40mm dia	MTS	54.98	339.70	Rs. Three hundred thirty nine and pai seventy only.
52	52.3	MR	Labour cost for preparation of BIHAR MAP on wall incuding painting all complete.	Each	1.00	15000.00	Rs. Fifteen thousand only.
53		18.48/.	Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI: 12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank	LTS	1000.00	6.60	Rs. Six and paise sixty only.
			Providing and fixing of Borewell, Handpump with Submerssible pump all complete.				3

BROUNDIENON FY LINE

RE CONSTRUCTION FY LINE

Chief Eng neer

B.S.E.I.D.C. Lid. Patna

Pho patna

Pho

	Construction of 125 mm x 40mm dia x 61.00 mtr. Deep I.M III hand Tube Well				
	Part 'A' Cost of Materials				
54.1	India mark III hand pump with 8 nos. Connection Rod and one cylender (With provision of force and uplift)	Each	1.00	8550.00	Rs. Eight thousand five hundred fifty only.
54.2	65 mm dia G.I. pipe medium quality (3mtrs length each).	Each	8.00	1062.00	Rs. One thousand sixty two only.
54.3	125 mm dia UPVC casing pipe conforming to ISS	mtr	81.00	315.00	Rs. Three hundred fifteen only.
54.4	40 mm dia length quantity G.I pipe conforming to ISS	mtr	112.00	186.00	Rs. One hundred eighty six only.
54.5	40 mm dia x 2 long PVC RIBEED strainer of approved quality	nos.	2.00	182.00	Rs. One hundred eighty two only.
54.6	125 mm x 40 mm UPVC reducing socket (Heavy quality)	Each	1.00	165.00	Rs. One hundred sixty five only.
-	Part - 'B' Labour Cost (Classification of soil item 'A')				
	Boring by jet dheki by suitable cutter of reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge.				
	(i) 0 to 30.5 m		 		Rs. Two hundred
54.7	(a) For 125 mm dia U.PV.C pipe	mtr	27.00	208.77	eight and paise seventy seven only
54.8	(b) for 40 mm dia G.I pipe	mtr	3.50	104.42	Rs. One hundred four and paise for two only.
	(ii) 30.5 m to 61.0 m				
54.9	(a) For 40 mm dia G.I Pipe	mtr	30.50	120.08	Rs. One hundred twenty and paise eight only.
	(iii) 61.00 m to 75.00 m				



Chief Eng neer

3.S.E.I.D.C. Lyd. Patna

710

7112

54.10	a) For 40mm dia G.I pipe	mtr	14.00	130.53	Rs. One hundred thirty and paise fifty three only.
54.11	Providing all labour & tools and fitting & fixing India mark III hand pump over newely sunk for T/Well etc. all Complete	Each	1.00	66.71	Rs. Sixty six and paise seventy one only.
54.12	Supplying all labour and material and fitting and fixing G.I Cap over the new sink T/well	Each	1.00	65.00	Rs. Sixty five only.
54.13	Providing all labour & tools and fitting & fixing Cylender with requisite suspension pipe and connection rod of India mark III hand	Each	1.00	128.64	Rs. One hundred twenty eight and paise sixty four only.
54.14	pump etc. all complete. Providing all labour & tools and lowering 65 mm dia G.I pipe as per specificatin etc. all Complete	p/m	24.00	21.34	Rs. Twenty one and paise thirty four only.
54.15	Supplying labour and developing the T/Well to have sand free discharge all complete as per direction of E/I	Each	1.00	280.50	Rs. Two hundred eighty and paise fifty only.
54.16	Providing all materials and labour and construction 1.85 dia circular P.C.C (1:2:4) UNICEF design platform with foot rest etc. all complete	Each	1.00	3643.00	Rs. Three thousand six hundred forty three only.
54.17	Providing all material and labour & constructing 1 P.C.C (1:2:4) UNICEF design drain for disposal of waste water etc. all complete.	P/M	3.00	308.00	Rs. Three hundred eight only.
54.18	Transportation of T/W materials, tools & plant from Store to work site and back to store if materials are surplus.	Each	1.00	357.70	Rs. Three hundred fifty seven and paise seventy only.
	Part 'C' Cost for Additional Motorised system for filling overhead water-tank				
54.19	Providing and fixing of G.I pipes complete with G.I fittings and clamps, including, cutting and making good the walls etc. (internal work) 25mm dia	P/M	12.00	182.53	Rs. One hundred eighty two and pais fifty three only.

ALCONSTRUCTOR KA

Chief Eng neer

B.S.E.I.D.C. Lid Patna

Pro.

This

This

The

	54.20		Providing and fixing brass valve 25 mm nominal bore Fullway valve	Each	2.00	210.95	Rs. Two hundred ten and paise ninety five only.
	54.21		25 mm nominal bore Non-Return valve	Each	1.00	234.55	Rs. Two hundred thirty four and paise fifty five only
	54.22		Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of E/I	Each	1.00	26200.00	Rs. Twenty six thousand two hundred only.
55			Internal Electrification Work				
		1.1	point/exhaust fan point/ call bell poiont with 1.5 sq. mm FR PVC insulated copper conductor single core cable in surface/recessed PVC conduit, with piano type switch, phenolic laminated sheet, suitbale size PVC/ G.I box etc. as required.				D - F 1 1
		1.1.3	Group C	Each	153.00	469.00	Rs. Four hundred sixty nine only.
-		Market .	Wiring for twin control light point with 1.5 sq. mm FR PVC insulatd	Constitution of the second		granden de la companya de la company	
56		1.2	copper condctor single core cable in surface/ recessed PVC conduit, with 2way piano type switch, phinollic laminated sheet, suitable size PVC/GI box etc. as required.	Each	2.00	471.00	Rs. Four hundred seventy one only.
57		1.5	Wiring for light/ power plug with 2x4 sq. mm. FR PVC insulated, copper conductor, signle core, cable in and surface, recessed PVC conduit along with 1 no. 4 sq. mm FR PVC insulated copper conductor single core cable for loop earthing as required.	Rmt	440.00	170.00	Rs. One hundred seventy only.

THE CONTRIBUTION PA

Chief Eng neer

3.S.E.I.D.C. Ltd, Patna

The July

7/12/17

• • .

	 ,		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			Tr
		Wiring for circuit/ sub main wiring				
		along with earth wire with the				
	1 57	following size of PVC insulated,				
	1.7	coppper conductor, signle core cable				
58	and a control	in surface/ recessed PVC conduit as				
		required.				
	(h)	2x2.5 sq. mm + 1x2.5 sq. mm earth				Rs. One hundred
	(b)		Rmt	335.00	125.00	twenty five only.
	 1.7.2	wire.	7	· · · · · · · · · · · · · · · · · · ·		Rs. Three hundred
59	(c)	4x6 sq. mm + $1x6$ sq. mm earth wire.	Rmt	25.00	387.00	eighty seven only.
	 1.7.11		· ·		And the second	eighty seven only.
		Supplying and fixing 2 pin 5 amp.	Par	father.		D T 4 11- 11-
60	1.33	Ceiling rose on the existing junction	Each	40.00	23.00	Rs. Twenty three
	11.55	box/ PVC box including connection	and the second second	and the second	-43	only.
	Barrer and American State of the State of th	etc as required.	· ·	William .		
		Supplying and fixing battan/ angle				Rs. Twenty eight
61	1.34	holder including connection as	Each	92.00	28.00	only.
		required.	apple of	and the second	Market Service .	Omy.
	 · · · · · · · · · · · · · · · · · · ·	Supplying and fixing following piano				
	1.00	typed switch/ socket on existing				
62	1.23	switch box/ cover including				
	Markey and a contract of the c	connection etc. as required.				
	1.23.7	Telephone socket on shutter outlet	Each	153.00	49.00	Rs. Forty nine only.
	 	Supplying and fixing metal box of			and the state of t	Application of
	And the second second	following size (normal size) on		i portion de la constante de l		· ·
		surface or in recess with suitable size				
	1.22	or phinollic laminated sheet cover in				
63		front of including painting etc. as				,
	September 1	· · · · · · · · · · · · · · · · · · ·				
		required.			,	
	1.22.1	75mm X 75mm X 60mm deep (4" x	Each	6.00	59.00	Rs. Fifty nine only.
	,	[4")				
	W. Article	Supplying and fixing metal box of	Comment.	· ·	la l	31688 STATE OF THE
		180mm X 100mm X 60mm deep				
		(normal size) on surface or in recess				
		with suitble size phinollic laminated				Rs. Five hundred
64	1.3	sheet cover in front of including	Each	26.00	564.00	sixty four only.
		providing and fixing 3 pin 5/6 amp.		- Allerton	Market and a second	Dinty Tour Only
	A STATE OF THE STA	Socket outlet and 15/16 amp.		(F)	·a [,]	
	Α,	Tumbler/ piano type switch,				·
	•	connection, painting etc. as required.				
	 	DISTRIBUTION BOARD	, , , , , , , , , , , , , , , , , , , 			
1	<u> </u>	DANTALIOUTIA	L,,	!		



Chief Eng neer

3.5.E.I.D.C. Lid Patna

Pyle,

7/12

7/12

65	2.9	Supplying and fixing of following way of three pole and neutral sheet steel, MCB distribution board 415 Volts, on surface/ recess, tinned, copper bus bar, neutral link, earth bar, din bar, detachable gland plate, interconnections, phosphatized and power painted including earthing etc. as required (but without MCB/ RCCB/ isolator)				
	(b) 2.9.5	6 way (4+18) double door	Each	2.00	2529.00	Rs. Two thousand five hundred twenty nine only.
66	2.12	Supplying and fixing 5 amps. to 32 amps, rating, 240 volts, 'C' series, MCB of following poles in the existing MCB DB with connections, testing and commissioning etc. as required.	gar		Comment of the Commen	
	(a) 2.12.1	6/32 single pole	Each	35.00	156.00	Rs. One hundnred fifty six only.
67	(b) 2.12.5	6/32 TPN	Each	1.00	927.00	Rs. Nine hundred twenty seven only.
68	6.14	LT Panel & Cable Supplying and laying following size and core PVC/ XLPE insulated PVC sheathed heavy duty armoured electrical cable with alluminium conductor for working voltage upto & including 1100 Volts. (Conforms to IS: 1554 part-1)				
	(a) 6.14.4	16 sq.mm X 4 core alluminium armoured cable	Rmt	100.00	235.00	Rs. Two hundred thirty five only.
69	/	Trench cutting in soil of suitable size 1.5 feet wide and 2 feet depth including refilling the trench with same etc. as required. (For laying the cable)	Rmt	100.00	22.00	Rs. Twenty two only.

THE SA NOTHING BA

Chief Eng neer

B.S.E.I.D.C. Ltd. Patna

The.

7/12.

.....

			S/F suitable size GI PVC box on surface or in recess with phinollic				
			laminated sheet cover in front of				Rs. Two hundred
70		1.3	including P/F 6 pin. 15/16 amp socket	Each	0.00	215.00	fifteen only.
		and the second	outlet and 15/16amp. Piano type	attitude de la companya de la compa		e de la companya de	
		V Control of the second	switch connection painting etc. as	ř	Edwar,	dia	and the second second
			required.				
			P/F/F 200amp. 415 volt porcelain fuse				
			link conplete rewirable type 415V				
			including drilling holes in board				
		12.6	making connection as required.				
		12.0	P/F/F sheet metal main switch				
71			disconnector fuse unit in existing				
		State of the same	metal board, including drilling holes				
			in metal board making connection				
						# O ## # O O	Rs. Five thousand
		2.2.2	100 amps. TP & N HRC	Each	0.00	5975.00	nine hundred
				g-rist		and the second second	seventy five only.
			EARTHING				
			Providing and laying earth conection				D 0 1 1 1 1
72		3.15	from earth electrod with 6 SWG dia	Each	3.00	122.00	Rs. One hundred
		J.13	GI wire in 15 mm dia GI pipe from	na e		· magazine	twenty two only.
			earth electrod, as required.	Comment	Parameter .	- Allerian	
			E arthing with copper earth plate		:		
			600mmx600mmx3mm thick including			•	Rs. Five thousand
73		3.6	accessoies, and providing masonary	Set	1.00	5578.00	five hundred
, 5		5.0	enclosure with cover plate having			and the second s	seventy eight only.
		·	locking arrangement and watering	W. Carlotte	Washington and the same of the	€31¢2000	
			pipe etc as required				
		<u>M</u>	ISCELLANEOUS WORK				
			CARRAIGE OF MATERIALS				Rs. One hundred
	74.1		A) LOCAL SAND	CU.M	177.11	195.53	ninety five and
	, ,,,,			Market Co		Programma and an and a second	paise fifty three
					6°°	,	only.
				CILL	101.70	E10 14	Rs. Five hundred
	74.2		B) COARSE SAND,	CU.M	181.70	512.14	twelve and paise
				Salar Control of the		Grande.	fourteen only.
							Rs. One thousand
74	74.3		C) STONE CHIPS	CU.M	163.35	1661.39	six hundred sixty
	' '		-,		foreign		one and paise thirty
1				- Marie Comment			nine only.



Chief Eng neer

B.S.E.I.D.C. Ltd. Patna

Pro.

7/12/15

No.

J	1		T.			1		
					THOUS			Rs. Eight hundred
		74.4		D) BRICKS	AND	115.96	815.60	fifteen and paise
					AIVD		ginner	sixty only.
		74.5		E) Cement	Bags	2084.00	8.98	Rs. Eight and paise
		71.5		E) Coment	Dags		0.70	ninety eight only.
		C			Phillips of the state of the st	and the state of t		Rs. One hundred
		74.6		F) Steel	M.T.	12.93	179.50	seventy nine and
		, , , , , , , , , , , , , , , , , , ,		, and the second	e distribution of the second	in the second of	garan.	paise fifty only.
				Add extra cost of material for Patna		,		
				Comm. W.r.t.Gaya as per SOR,				
				BCD	,			
	75				THOUS			Rs. One hundred
	,,,	75.1	(A)	Bricks	AND	115.96	157.50	fifty seven and paise
				•	AND	e d'antico de	Company Strains	fifty only.
		75.2	(B)	Cement	Bags	2084.00	6.92	Rs. Six and paise
		13.4	(D)	Comon	Dags	2004.00	0.94	ninety two only.
L						To	tal=	5454824.98
L							SAY	5454825.00
L		(Rupees I	Fifty Four Lacs Fifty Four Thousand E	ight Hun	dred and '	Twenty Fi	ve Only.)

Tender approved in favour of Ranjan Gayatri Construction Pvt. Ltd. @ 10.00% (Ten Decimal Zero Zero Percent) below BOQ rates i.e. total amount comes to Rs. 49,09,343=00 (Rupees Forty Nine Lacs Nine Thousand Three Hundred Forty Three Only)

AND THE CONSTRUCTION PATER OF A P

Performance Security

Name of Agency:- "Ranjan Gayatri Construction Pvt. Ltd."

Performance Security of Regarding "USS-08 D (NIT No- 82/17-18)-"

FDR A/C No.	<u>DOI</u>	<u> </u>	<u>AMOUNT</u>
37824325146	20.07.18	1	36000.00
37573551485	05.03.18	<u>1</u>	10000.00
		Total –	246000.00

(Rupees Two Lac Forty Six Thousand Only)

Amir vi Sm 31/10/108

लेखा पदााधकारा विवार राज्य शैक्षणिक आधारणुत संस्वन

विकास होता है। वर्ग

3110118

PROUGUKY.

Chief Eng neer
B.S.E.I.D.C. Ltd, Patna

• ~

। बहार राज्य शक्षाणक आधारभूत सरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम) 🛚 🎉

4284

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, षिवपूजन सहाय पथ, सैदपुर, पटना—800004, दूरभाष—0612—2910314 कॉर्पोरेट पहचान संख्याः U80301BR2011SGC015859, e-mail:bseidc@gmail.com, website;www.bseidc.in, Fax No.:0612-2660256,

पत्रांक:- BSEIDC/FIN/3329/2018-19/-

पटना, दिनांक.....०.८. ०२ । ४

सेवा में.

Ranjan Gayatri Construction Private Limited, Main Road Khagaul Near Sabajpura More, PO- Khagaul

विषय:— बिहार राज्य अंतर्गत "Construction of Balance Work of Upgraded Secondary School (Group No.-USS-08 (D) in the State of Bihar (निविदा आमंत्रण सूचना सं0—82/2017—18 के कार्य हेतु Performance Security जमा कर एकरारनामा करने के संबंध में।

महाषय,

उपर्युक्त विषय के संबंध में कहना है कि विषयांकित कार्य की निविदा हेतु आपके द्वारा मदवार उद्धृत दरों के आधार पर कुल निविदित राशि रू० 49,09,343 / – (उनचास लाख नौ हजार तीन सौ तैतालीस रूपये) मात्र आपके पक्ष में स्वीकृत की गयी है।

अतः निदेश दिया जाता है कि उक्त कार्य के एकरारनामा हेतु Performance Security की राशि रू० 2,46,000/— (दो लाख छियालीस हजार रूपये) मात्र का सावधि पासबुक/राष्ट्रीय बचत प्रमाण पत्र के रूप में प्रबंध निदेशक, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०, पटना के नाम से प्रतिज्ञप्ति (Pledge) अथवा एकाउंट पेयी डिमाण्ड ड्राफ्ट/फिक्सड डिपोजिट रसीद/बैंक गारंटी, जो राष्ट्रीय बैंक/अनुसूचित बिहार राज्य स्थित बैंक द्वारा निर्गत एवं बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि० के पक्ष में पटना में भुगतेय हो, जमा कर एकरारनामा कर लें।

कार्य**हितु** में यह निदेश दिया जाता है कि आप तत्काल संबंधित कार्यपालक अभियंता से संपर्क कर निर्माण कार्य प्रारंभ करें। इस पत्र की निर्गत की तिथि को कार्य प्रारंभ की तिथि माना जाएगा। Performance Security की राशि के सत्यापन एवं समुचित श्रेणी में इस निगम में निबंधन के उपरांत एकरारनामा किया जाएगा।

गुख्य अभियंता

ज्ञापांक : BSEIDC/FIN/3329/2018-19/- ५२८५

पटना, दिनांक 💆 🙎 🤈 🗗 🕼

प्रतिलिपि : Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC website/Senior Account Officer/ All Executive Engineer / All Suprintending Engineer BSEIDC for information & necessary action.

PROLUTION PALIFILE
SCONSTRUCTION PARENCE

मुख्य अभियंता क्रिक्टिंग Chief Eng neer

3/12.



बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

(A Govt. of Bihar Undertaking)

ISO 9001; 14001; OHSAS 18001

Shiksha Bhawan, Bihar Rashtrabhasha Parishad Campus, Acharya Shivpujan Sahay Path, Saidpur, Patna - 800 004

Tel. No.: 0612 - 2660850 • Fax No.: 0612 - 2660256

E-mail: bseidc@gmail.com • Website: http://www.bseidc.in • CIN: U80301BR2010SGC015859

Letter No. BSEIDC/NIT/17-18 (Part-I) - 1158

21,02,18

Date :....

CORRIGENDUM NO.-1

With reference to N.I.T No. 82/2017-18, Dated 07.02.2018 for the work of "Construction of different School building in the state of Bihar" through e-Tendering website www.eproc.bihar.gov.in, the High School Building at Hasanpur, Block-Baharwa, Distt:- Sitamarhi, Sl. No.- 29 Group no.-SSSM-363 deleted due to unavoidable reasons.

The Other Terms & Conditions Shall remain unchanged.

Chief Consultant (Technical)

Chief Engineer B.S.E.I.D.C. Ltd. Patna)

SPECIAL CONDITIONS

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes royalties and other

incidental charges.

4. To qualify for award of work, the Bidder must possess the following:-

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of signatory bid.

b) DD for required value of B.O.Q. Cost.

c) Sufficient Earnest Money Deposit.

d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.

Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed at least one Building work of value not less than 25 % of estimated

value of contract) in last five years as mentioned in Technical bid.

- f) Certificate from EE / Concerned Authority for Work Experience of Minimum Quantities of work done as prime contractor in any one year during last five years as mentioned in Technical bid.
- g) Litigation History as mentioned in Technical bid.

h) Valid Registration with Central/ State Govt. / PSU.

i) Affidavit/Certificate "for not been debarred and required attachments are true and correct and if found fake/ forged, the undersigned will be liable to be inflicted upon the FIR and lawful punishment as well as black listing".

5. Contractor should satisfy themselves fully about the nature, site of work before offering

their tender and place of any ignorance afterwards shall not be considered.

6. The tender without earnest money or insufficient earnest money submitted with the tender, will be outright rejected.

7. Conditional tenders shall be outright rejected.

8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.

9. Authority shall reserve the right to reject any or all the tenders or distribute the work to more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained.

11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules prevalent in the locality.

12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the

contractor.

- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-
- Natural calamities

b. Act of enemies.

(Seal & Signature of Tenderer) HI SNOO SH

5 Recyour,

Page 1 of 2

B.S.E.I.D.C. Ltd, Patna

in the

- c. Transport and procurement difficulties.
- d. Circumstances beyond the control of the state.
- 15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- 16. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
- 17. The contractor shall make his own arrangement for water and light at the work site.
- 18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 20. The Tenderer must not quote their rate more than 10 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
- 21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 22. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.
- 23. The Defect liability Period shall be Three (3) Years from the date of completion of the work.
- 24. The Contractor shall rectify at his own cost in case the work is found to be defective during checking in liability period.
- 25. It will be the responsibility of the contractor to pay royalty of mines materials .The Contractor shall submit form "M" and "N" duly Filled as per "Bihar" Mines and Mineral Act 1972.
- 26. The Contractor shall Display a Signboard at work site about the work as on the format prescribed by Engineer- in- Charge.
- 27. The Contractor shall Furnish his programme of construction for execution of the work within the stipulated time schedule together with methodology of construction of each item or work and obtain the approval of the Engineer- in- Charge prior to actual commencement of work.

____X_____X_____

THE CONSTRUCTION DA

(Seal & Signature of Tenderer)

Page 2 of 2

Chief Eng neer

•

बिहार राज्य शैक्षणिक आधारमूत (पेहार सरकार का एक हपक्रम) रिक्षा भवन, बिहार राष्ट्रभाषा परिषद् कैम्प्स, आचार्य शिवपुजन सहाय पथ, सैदपुर, पटना-800004 (दूरभाष:-0812-2910314)

पुनर्निविदा आमंत्रण सूचना संख्या-82 वर्ष 2017-18

(कंवल ई-टेन्डरिंग पदाति के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

1. बिहार राज्य के अन्तर्गत निम्न भवनों के शेष निर्माण कार्य हेतु प्रतिशत दर/मदवार दर निविदा आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार/सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रजिस्ट्रेशन कार्य आवंटन के बाद कराना होगा।

Г	T	जिला का	T mba == =		114 4/()	11 017111			
ត។ ថៃ		नाम	प्रखंड का नाम	कार्य का नाम	प्रांवकलित राशि (लाख रू० में)	अग्रधन का राशि (लाख रू० में)	परिमाण विपन्न का मूल्य (रहें)	Beltron Bid Processing Fee (In Rs.)	कार्य समाप्ति की अवधि
1	07(A)	Bhojpur	Jagdishpur	Balance Work of M.S Jangaldawan	36,16	0.72	5,000/-	1,150/-	8 माह
2	07(B)	Bhojpur	Shahpur	Balance Work of M.S Laludera	48.03	0.96	5,000/-	1,150/-	8 माह
3	08(B) USS-	Bhojpur	Koilwar	Balance Work of M.S Bisunpura	22.51	0.45	5,000/-	1,150/-	6 माह
4	08(D)	Bhojpur	Udvant Nagar	Balance Work of M.S Kesawpur Bakri	54.55	1.09	10,000/-	1,150/-	8 माह
5	USS- 40(B)	West Champaran East	Jogapatti	Balance Work of M.S Kohra	50,46	1.01	10,000/-	1,150/-	८ माह
6	43(A) USS-	Champaran East	Raxaul	Balance Work of M.S Gonaha	42,00	0.84	5,000/-	1,150/-	८ माह
7 8	45(B) USS-	Champaran East	Ghorasahan Madhuban	Balance Work of M.S Laxmipur Laukhan Balance Work of	49.97	1.00	5,000/-	1,150/-	6 माह
9.	45(C) USS-	Champaran East	Madhuban	M.S Betauna Balance Work of	47.54	0.95	5,000/-	1,150/-	८ माह
	45(D)	Champaran		M.S Gurumia	53.08	1.06	10,000/-	1,150/-	8 माह
10		Patna	Patna	Construction of Prefab Classroom at Second Floor at Magadh Mahila College, Patna	258.00	5.16	10,000/-	As appeared on the website	6 माह
11	SSSM -319	पूर्णियाँ	Amour	High School Building at Partiya	131.50	2.63	10,000/-	As appeared on the website	15 माह
12	-332	पूर्वी		High School Building at Karshiya	131.50	2.63	10,000/-	As appeared on the website	15 माह
3	SSSM -333	चम्पारण	Dhaka	High School Building at Barharwa Lakhan Sen	131.50	2.63	10,000/-	As appeared on the website	15 माह
4	SSSM -334	कटिहार	Barsaoi	High School Building at Jalkumar	131,50	2.63	10,000/-	As appeared on the website	15 माह
5	SSSM -341	कटिहार	Kadwa	High School Building at Badhwa	131.50	2.63	10,000/-	As appeared on the website	15 माह
6	SSSM -343	कटिहार	Azam Nagar	High School Building at Rahuiya	131,50	2.63	10,000/-	As appeared on the website	15 माह
	SSSM -344		Zam rvagaf	High School Building at Mangarpur	131.50	2.63	10,000/-	As appeared on the website	15 माह

Alipmal.

Chief Eng neer E.I.D.C. Ltd, P 3.S.E.I.D.C. Lkd. Patna

- Many .

18	888M -346		Araria :	High School Building at Chanderdel	131.50	2.63	10,000/-	As appeared on the website	15 माह
19	SSSM -347			High School Building at Balvat	131.50	2.63	10,000/-	As appeared on the website	15 'माह
20	SSSM -349			High School Bullding at ' Jokihaat	131.50	2.63	10,000/-	As appeared on the website	15 माह
21	SSSM -350		Jokihaat	High School Building at Malheria	31.50	2.63	10,000/-	As appeared on the website	15 माह
22	SSSM -352	अररिया	Jok	High School Building at Bagarhra	131.50	2.63	10,000/-	As appeared on the website	15 भाह
23	\$88M -353			High School Building at Bhansi	, 131.50	2,63	10,000/-	As appeared on the website	१६ माह
24,	SSSM -354		Forbesganj	High School Building at Purandaha	131.50	2.63	10,000/-	As appeared on the website	15 माह
25	888M -355		Narpatganj	High School Building at Basmativa	131,50	2,63	10,000/-	As appeared on the website	15 माह
28	888M -358		Kiratpur	High School Building at Jamalpur	131.50	2.63	10,000/-	As appeared on the website	15 माह
27	SSSM -360	, दरभंगा	Manigachi	New High School Building at Mobehat	131,50	2.63	10,000/-	As appeared on the website	15 माह
28	SSSM -362	-9P	Bairganla	High School Building at Chakwa	131,50	2.63	10,000/-	As appeared on the website	15 माइ
29	SSSM -363	सीतामदी	Baharwa	High School Building at Hasanpur	131.50	2.63	10,000/-	As appeared on the website	15 माह

(1.) नोट:- (I) निविदाकार एक या अधिक कार्य के लिए अलग -अलग निविदा डाल सकते हैं। (I) प्राक्कलित राशि घट या बढ़ सकती है एवं तद्नुसार अग्रधन की राशि घट या बढ़ सकती है।

(ii) वेबसाईट-www.eproc.bihar.gov.in पर अंकित प्राक्कलित राशि, अग्रधन की राशि एवं परिमाण विपन्न की राशि अंतिम रूप से मान्य होगा।

(2) विज्ञापन निर्गत करने की तिथि

(3) परिमाण विपन्न प्राप्त करने(डाउनलोड) की अवधि एवं समग्रः - दिनांक- 23.02.2018 से 05.03.2018, 15:00 घंटा

(वेबसाईट:www.eproc.bihar.gov.in पर) विनांक:- 27.02.2018, 18:00 घंटा प्रबंध निदेशक

विनांक:-07.02.2018

(4) प्री बिड मीटिंग का समय, स्थान एंव तिथि

(5) निविदा प्राप्ति(अपलोड) की अंतिम तिथि एवं समय:--

अग्रधन जमा करने की अंतिम तिथि एवं समय

(7) टेविनकल बिंड खोलने की तिथि एवं समय

(8) वित्तीय विड खोलने की तिथि एवं समय

(a) निविदा खोलने का स्थान

(10) निविदा की वैधता की अवधि

कार्यालय,बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम, पटना। दिनांक- 08.03.2018, समय- 15:00 घंटा दिनांक- 07.03.2018, समय- 15:00 घंटा दिनांक- 07.03.2018, समय- 16:30 घंटा (वेबसाईट–www.eproc.bihar.gov.inपर) दिनांक- 12.03.2018, समय- 15:30 घंटा वेबसाईट-www.eproc.bihar.gov.inपर 120 दिन

पंजीकृत होना होगा, जिससे कि उन्हें उपयोगकर्ता का नाम (11) ई-टेन्डरिंग की प्रकिया में भाग लेने हेतु संवेदकों को (user ID) पासवर्ड (Password) अंकीय हस्ताक्षर (Digital Signature) निर्गत की जायेगी। यह उन्हें वेबसाईट www.eproc.bihar.gov.in से डाउनलोड़ कश्ने/टेन्डर् की प्रक्रिया में भाग लेने की योग्यता प्रदान करेगा।

Raillou Kr BE CONSUBNCTION BALIFU

Chief Eng neer 3.S.E.I.D.C. Lw. Patna (12) ई-निविदा पत्र बेवसाईट www.eproc.bihar.gov.in से प्राप्त किया जा सकता है। संवेदक द्वारा सिर्फ उपर्युक्त वेबसाईट से ही परिमाण विपत्र प्राप्त करने के उपरांत वेबसाईट पर ही इलेक्ट्रानिक निविदा पत्र को भरकर भेजना है। अन्य सभी महत्वपूर्ण कागजात / बेंक ज़ाफ्ट / अग्रधन की राशि / सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को स्कैन कर ई-निविदा के साथ संलग्न करना अनिवार्य है।

(13) (75) Beltron Bid Processing Fee & BOQ cost is mandatory to be paid through e-payment mode i.e. Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS"

Bids along with necessary online payments must be submitted through e-procurement portal www.eproc.bihar.gov.in before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffic/ Holidays or any other reason. ऐसा नहीं करने पर निविदा मान्य नहीं होगा।

(ख) वांष्ठित अग्रधन की राशि राष्ट्रीय बचत पत्र/डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक जो बिहार राज्य से क्रय या जमा किया हो, प्रबंध निदेशक, BSEIDC Ltd, पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा बिहार वित्त नियमावली के अनुसार BSEIDC Ltd. के नाम से फिक्सड डिपोजिट रिसिप्ट अथवा बैंक गारन्टी जो बिड के मान्य अवधि तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत/अनुसूचित बैंक से निर्गत हो (अगर बिहार प्रान्त के बाहर के बैंक से निर्गत बैंक गारन्टी दिया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारमूत संरचना विकास निगम लिमिटेड, पटना में दिनांक 07.03.2018 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना आवश्यक है अथवा EMD can also be paid through e-payment mode i.e. "Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS". ऐसा नहीं करने पर निविदा मान्य नहीं होगा।

(14) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर लें। ताकि अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से बच सकें।

(15) Even though the bidders meet the qualifying criteria, they are subject to be disqualified if they have record of poor performance such as abandoning the works not properly completing the contract. Inordinate delays in completion, litigation history, or financial failure in the work of this corporation.

(16) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। बिना कारण बताये निविदा या उसके अंश को अस्त्रीकृत करने/रद्द करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।

(17) विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्य अवधि में सम्पर्क किया जा सकता है। ई-टेन्डिरंग की प्रकिया से संबंधित किसी भी प्रकार की जानकारी/सूचना हेतु सहायता कक्ष, ई-टेन्डिरंग कक्ष, प्रथत तल्ला, M/22, बैंक ऑफ इण्डिया भवन, रोड न० 25, श्री कृष्णा नगर, पटना-800001, दूरभाष सं० 0612-2523006/9939035696.

ब्रजेश प्रसाद मुख्य परामर्शी (तकनीकी)

0010218

PROUTOUR KIOD STE

Chief Eng neer
3.S.E.I.D.C. Ltd, Patna