Out to Concluse high	of Additional
Schedule XLV-Form No. 61 ASS Room at Bari	Alandh High
Class Room at Bart	Tawish my
School block - Sanna	Mas I'll ine
Didn't of Bhagabur	Gr. No ACR-20
I Form No. F-21	1 Upiller and
item rate tender and contract for	Per Works
TEM RATE MENDER AND CONTRACT TO	
Agreement No. 146	12 0+ 2018-13
General Rule and Direction for the guidance of Cor	itractors.
Date of Commencement - 19-12-	2018
1 All works proposed for execution by contract will be notified in a	torm of invitation to terider
passed on a board hung up in the office of and signed by the Sub-divisional Office	cer/Executive Engineer.
This potice will state the work to be carried out the items and appro-	ximate quantities thereof as
well as the date for submitting and opening tenders also, amount of earnest mo amount of the security deposit to be deposited by the successful tenderex and	the percentage if any to be
and adverted from hills, copies of the specifications, designs and any other docum	ents required in connection
with this submission of tender signed for the purpose of identification by the Sub- Engineer shall also be open for inspection by the contractor at the office of the Sub-	-divisional Officer/Executive
Engineer shall also be open for inspection by the contractor at the office of the odd	
2. In the event of the tender being submitted by a firm, it must be	e signed separately by each
member there of or in the event of the absence of any partner, it must be signe	ed on his behalf by a person
holding a power-authorising him to do so. 3. Receipt for payments made on account of work when executed be	ov a firm must also be signed
where the covered partners, except where the contractors are described in their tenders	er as a firm in which case the
receipt must be signed in the name of the firm by one of the partners, or by	some other person having
Nuthority to give effectual receipt for the firm.	
4. The memorandum of work tendered or and the memorandum of the Public Works Department and their issue rates shall be filled in and complete.	r materials to be supplied by eted in the Office of the Sub-
divisional Officer/Executive Engineer before the tender form is issued. If a form is	s issued to a intending tender
without having been so filled in and completed, he shall request the office t	o have this done before he
complete and delivers his tender. 5. The amount of earnest money to be deposited will be : -	Rs.
If the amount of the estimate does not exceed Rs. 2,000	
If the amount of the estimate exceeds Rs. 2,000 but does	
not exceed Rs. 5,000	100
If the amount of the estimate exceeds Rs. 5,000 but does	
not exceed Rs. 10,000	200
For each additional Rs. 5,000 or portion of Rs. 5.000	
additional earnest money	100
	وقوور فوطين في مسيد ولا يدينا والاستان

6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompanied by the treasury challan for the required earnest money will be liable to rejection. No single tender shall include more than one work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the envelop. Cash deposits for earnests money here in before mentioned shall be made in Government Treasuries and the challan there of should be enclosed with the tender.

VILLAN DRILLER & DEVELOPMENT PAT LTD.

- 7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.
 - 8. The Engineer shall have the right of rejecting all or any of the tenders.
 - 9. In the event of a tender being selected for acceptance the Engineer who opened the tenders ill, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the priscribed time. The tender with the specilication and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to the tenderer.

- 10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.
- 11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required amount of the security money has been deposited the Engineer shall scrutinise all pages of the form of item, rate tender & contract for works to see that the form has been properly filled up and signed by the contractor & the signature witnessed He shall then if he is competent, to accept the tender, sign the acceptance of the tender on if he is not so competent shall send the form for signature of the acceptance of the officer competent to accept it.

(3)

TENDER FOR WORKS

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

		MEMORANDUM	*.
(a) If several sub-work are included they should be clained in a separate list.	[a]	Name of work	
Catained in a separate not	[b]	Estimated cost	••••••
(b) This deposit will be 5% the estimated cost of the vvork.	[c]	Earnest money	
(c) This percentage duction from bills will be credited to the contractors		Initial security deposits (including earnest money) to be deposited to the commencement of the work	efor
security deposit.	[e]	Percentage to be deducted from bills Rs. 5% (Rupees five percent)	ř -
0	[1]	Time required for the work from date of written order to commence monthly	
	[9]	Date of written other to commence	
	[h]	Total number of item of work tendered for	

		RATE TE	NDERED	Per
Item No.	Item of work	In figures	In words	
ЛY				
o)				
				101.12.18
MAN	AGING DIRECTOR		Chief E	ng neer Lwi, Faina

MILAN DRILLER & DEVELOPMENT PVT. LTD.

Item No.		RATE TE	RATE TENDERED			
	Item of work	In figures	In words	Per		
		and the second s				
		1				
* * * *.						
1						
•						
×						
		The state of the s	With the second			
				Traffic evel monorous		
				BACADA AND AND AND AND AND AND AND AND AND		
				and the second s		
			Total Carlot			
2	lonn.	•				
-17	A SUCKE,	New Action				

MANAGING DIRECTOR
WILAN DRILLER & DEVELOPMENT PVT. LTD.

	,0,1,0,0,1,0		RATE TE	Per	
	Item No.	Item of work	In figures	In words	rei
: ()	11				

					Parameter Colonia
0					
0					A STATE TO THE STATE OF THE STA
0					O 100
. ()					The state of the s
45					
0					
0					
0					
0			AND ADDRESS OF THE PROPERTY OF		ACOMA AND THE PROPERTY OF THE
) 		AND THE PROPERTY OF THE PROPER		TO THE PARTY OF TH
			TO AND		
					O D'O
J	<i>y</i>			OA A COUNTY IN THE PROPERTY IN	
)				
ij					
. 3).		6/22/mmm1216		AND
			A STATE OF THE PARTY OF THE PAR	AMERICAN TO THE PROPERTY OF TH	any or other many or other man
	**				A CAMPAGE AND A
3					Number of Management of Manage
					Experience of the control of the con
	()			E August et al. and a second et al. and a seco	
,					
	Ď			State control by the Control of the	
	m 2 ~ S	2 Day		Laboratoria de la companya de la com	
	() (
	DMAN	AGING DIRECTOR			
-	A ALMANA CO.	JULIA DEVELOPARAT DVI 1 m			

Item No. Item of work	RATE T			
item of work	In figures	In words	Per	
			allika eta arraza arraza da Salaksia errega saman arraza da la sarraza da Balen erra arr	
		TE THE PROPERTY OF THE PROPERT		
		***************************************	A Company of the Comp	7
	The second control of	TO THE PERSON NAMED OF THE		
	PRODUCT TO THE PRODUC			1
		And the second control of the second control		
				ì
				,
		**************************************)
	See Additional Control of the Contro		* * * * * * * * * * * * * * * * * * * *	(1)
				•)
				0
				0)
				· ()_() :
				13.)
				•())
			i e	()):
				()
				0
	THE SECOND SECON			U
				0
	Manual Processing St. Co.			
3mm n.				Û
MANAGING DIDECTA				
MANAGING DIRECTOR WILAN DRILLER & DRIVELOPMENT DVI LID				

4 (7)

		RATE TENDERED		
Item No.	Item of work	In figures	In words	Per
8				
100		SERVICE OF THE PROPERTY OF THE	niko o	
r		Laboration and the Control of the Co	ALL	
)				
			RE-SILVER CONTRACTOR C	/
•				
)				And the second
				The state of the s
)				GCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC
)				
)				
and Arthur Victoria			1/	
			X	
)			and on the state of the state o	
)		/-	NAME OF THE OWNER OWNER OF THE OWNER OWNER OF THE OWNER OWNE	
)		/		
			the second secon	
			TOTAL CONTRACTOR OF THE CONTRA	
			Name of the state	- Samurania de la companya de la com
		X		PARTY CONTRIBUTION
)		Topological Participation of the Control of the Con		
	Sold of the second of the	Company of the Compan	- DOCUMENT - COLOR	COMPANY AND
)				- And a second s
		Composition		two same of the sa
				encontraction of the contraction
)				TO THE PARTY OF TH
			The second secon	CT July of Tulas
			Name of Contract o	ecceptable acceptable
)	The second of the second		Table State	
				Manager Annual A
				the production of the producti
				D CONTRACTOR OF THE CONTRACTOR
				PARTIES AND
, and a second				er) ar communication
garage and the				
)				i administrative
))				- Tradition designs and the second se
	47 8 6 5 6 6 6 6 6 6 8			
)				· · · · · · · · · · · · · · · · · · ·
4				No. of the control of
1,0				ACCO CONTRACTOR OF THE PROPERTY OF THE PROPERT
37	DW ON			NECTOR AND
	A			

MANAGING DIRECTOR

should this tender be accepted I/we hereby agree to abide by and fulfill all the terms and provisions of the said conditions of contract annexed hereto so, for as applicable, or in ssors in office the sums of money mentioned in the said conditions.

Dated the

day of

*Signature, of contractor before comission of tender

witness:-

Address:-

Occupation:-

Signature of witness contractor's signature

The above tender is hereby accepted by me on behalf of the Governor of Bihar. Dated the day of

20

signature of the officer accepting the tender.

Acceptances communicated on...

signature of the party taking the tender

CONDITIONS OF CONTRACT

Compensation

Clause 1: All compensation or other sums of payable by the contractor to Government under the terms of his contract may be deducted from, paid by the sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor by Government on any account whatsoever and in the event of his security deposit being reduced by reason of any such deduction or sale as aforesaid, the contractor shall within ten days there after make good in cash or Government securities endorsed as aforesaid any sum or sums which may have been deducted from, or arised by, sale of his security deposit of any part thereof.

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which the work is finished after necessary rectification of defects as pointed by the Executive En-gineer or his authorised agents are fully contractor to the Engineer's satisfaction.

Clause 2 :- The time allowed for carrying out the work as entered in the tender shall be strictly observed by the contractor and shall be reckoned from the date on which the wirtten order to comence work is given to the contractor. The work shall throughout the stipulated period of the contract be carried on with all due diligence (time being deemed to be the essence of the contract on the part of the contract or) and the contractor shall pay as compensation an amount equal to ½ percent on the amount of the estimated cost of the whole work as shown by the tender for every day that the work remains uncommenced or unfinished after the proper date. And further to ensure good progress during the execution of the work the contractor shall be bound in all cases in which the time allowed for any work exceeds one month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before onehalf of such time elapsed and three-fourths of the work, before three fourths of such time has elapsed in the event of the contractor failing to employ with this condition, I shall be liable to pay as compensation an amount equal to ½ percent on the said estimated cost of the whole work for every day that the due quantity of work remains incomplete provided always that the entire amount of compensation to be paid under the provisions the clause shall not exceed 10 percent of the estimated cost of the work as shown in the tender.

Action when persule security deposit foreited

Clause 3: In any case which under any clause or clauses of or this contract the contractor shall have rendered himself laible to pay compensation amounting to the whole of his security deposit in the hands of Government (where paid in one sum or deducted by instalments) the Executive Engineer on behalf on the Bihar Government shall have been powered to adopt any of the following courses, as he may deem best suited to the enterest of Government -

(a) To rescind the contract (of which rescind notice in writing to the contractor under the hand of the Executive Engineer shall be conclusive evidence) and in which case the sectitiry deposit of the contractor shall start for eited, and be S.E.I.D.C. Ltd., Pátna absolutely at the disposal of Government.

YHAN DRILLER & DEVELOPMENT PYT LTD

(b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debitting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in -charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.

(c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original contractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4: - In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Engineer as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

contractor remains liable to pay compensation if action not take under cause 2.

Power to take posession of or require removal of or sell contractor plant.

Clause 5:- If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) he shall apply in writing to the Executive Engineer within 40 days from the date of starting of the hinderance on account of which be desires such extension as aforesaid and the Executive Engineer shall, if in his opinion (which shall be final) reasonable grounds be shown thereof authorised such extension of time, if any, as may in his opinion be necessary or proper. The Executive Engineer shall at the same time inform the contractor whether he claims compensation for the delay.

MANAGING DIRECTOR
MILAN DRILLER & DEVELOPMENT PVT. LTD.

Extension of time

Sheer The Pains Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion, but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinctly marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-work, doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurements shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus materials and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid, except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible, before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-in-charge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts or in any other way vary or affect the contract.

Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Stores supplied Government

Clause 9:- If the specification or estimate of the work provides for the use of any special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-incharge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums then due or there after to become due to the contractor under the contract or otherwise, or against or form the security deposit, or the proceed of sale thereof, if the same is held in Government security the same or sufficient portion thereof in this case sold for the purpose All materials supplied to the contractor shall remain the absolute property of Government and shall not on any accounts he removed from this site of the work and shall at all times be open to

MANAGING DIRECTOR

Scredule XLV - Form No. 61

()

Œ,

(-11)

inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: - The contractor shall executive the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid.

Clause 11:- Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the Do not in validate contract work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a disputes the decision of the superintending Engineer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period.

Clause 12:- If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out, the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsoever on account of any profit or advantage, which he might have derived from the execution of the work in full, but which he did not derive in consequence of the full amount of the work not having been carried out neither shall he have any claim for compensation by reason of any alternation having been made in the original specification, drawing, designs and instruction which shall involve any installment of the work as originally contemplated clause 12 (a) As contained in G O 1929 dated 11.9.56.

Work to be executed accordance with specification drawing other etc.

Alteration in specifications and designation.

Time in consequence of

Rate for work no in estimate or schedule of rates of the district.

Compensation for alteration in or restriction of work to be carried out.

VALLAN DRILLER & DEVELOPMENTIPVIL LTD.

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such failure is due to:

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as finally by the contractor.

Action and compensation payable in case of work.

Clause 13:- If it shall appear to the Engineer-in-charge or his subordinate incharge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall on demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-incharge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and expense in all respects of the contractcor.

Work to be taken to inspection

Clause 14: All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineer-in-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be present.

Sto

Clause 15:- The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which the same was effected.

Notice to be taken before work covered up

Clause 16:- If the contractor or his work-people, or servants shall break, deface injure or destroy any part of a building in which they may be working or any building, road, road curves, fence enclosure water pipes, cables, drains, electric or telephone posts or wires, trees, grass or grassland or cultivated ground contiguous on which the work or any part of it is being executed or if any damage shall happen to the work, while in progress from any cause whatsoever or any imperfection become apparent in if within three months (six months in the case of a road-work) after a certificate final or other of its completion shall have been allen by the Engineer-in-charge

J-Wm

as a fore seal, the contractor shall make the same good at his own expense, or in default, the Engineer-in-charge may cause the same to be made be good by other worksmen and deduct the expense of which time thereafter may become due to the contractor, or from his security deposit, or the proceed of sale there of, or of a sufficient portion there of the security deposit at the contractor shall not be refunded before the expiry of three months (six months in the case of a road-work) after the issue of the certificate final or otherwise of completion of work provided that in the case of a road work if in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable after three months of the issue of the said certificate of completion

Contractor liable for damage done and for imperfection a months and after certificate

Contractor to supply to

plantladder scaffölding

Clause 17: - The contractor shall supply at his own cost all materials (except such special materials) if any as may in accordance with the contract be supplied from the Engineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, (1) tackle scaffolding and temporary works requisits or proper for the proper execution of the work whether original, altered or substituted and whether include in the specification or other documents forming part of the contract or referred to in these conditions or not or which may be necessary for purpose of satisfying or complying with the requirement of the Engineer-in-charge as to any matter as to which under these conditions he is entitled to be satisfied which he is entitled to require together with carriage therefore to and form the work. The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting, weighing and assisting in the measurement or examination at any time and form time to time of the work or materials failing his so doing the same may be Provided by the Engineer-in-charge at the expense of the contractor and the expenses may be deducted from any money due to the contractor under the contract from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide all necessary fencing and lights required to protect the public from accident, and shall be bound to bear to expenses of defence of every suit action or other proceeding at law that may be brought by any person for injury sustained owing to neglect of the above precautions and to any such person or which may with the consent of the contractor be paid to compromise any claim by any such person.

And is liable for damage arising for non-provision of light fencing etc.

Clause 18:- No female labour shall be employed within the limits of contonment. The contractor shall not employ for the purpose of his contract any person who is below the age of twelve years and shall pay to each labour for the work done by such labourer wages not less than the wages paid for similar work in the neighbourhood.

Work not to be subject

The executive Engineer shall have the right to enquire into the case and decide any complaint alleging that the wages paid by the contractor to any labourer for the work on done by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer employed by contractor is below the age of twelve years and to refuse to allow any labourer whom he decided to be below the age of twelve years to be employed by the contractor.

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his contract, or attempt so to do, or become insolvent proceedings to make any composition with his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward or advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, or offered by the contractor, or any of his servant or agents to any public officer or person in the employ of Government in any way relating to his officer or employment or if any such officer or person shall become in any way directly or indirectly interested in the

The security deposit of the contractor shall there upon stand forfeited and be absolutely Kat the disposal of Government and the same consequence shall ensure as if the contract

had been recinded under clause 3 here of, in addition the contractor shall not be entitled to be paid to any work therefore actually performed the under the contract of the paid to any work therefore actually performed the under the contract of the paid to any work therefore actually performed the under the contract of the paid to any work therefore actually performed the under the contract of the paid to any work therefore actually performed the under the contract of the paid to any work therefore actually performed the under the contract of the paid to any work therefore actually performed the under the contract of the paid to any work therefore actually performed the under the contract of the paid to any work therefore actually performed the under the contract of the paid to any work therefore actually performed the under the contract of the paid to any work therefore actually performed the under the contract of the paid to any work therefore actually performed the under the contract of the paid to any work therefore actually performed the under the contract of the paid to any work therefore actually performed the under the contract of the paid to any work therefore actually performed the under the contract of the paid to actually performed the paid to any work the paid to actually performed the paid to actua

Contract may be resinded and security deposit forfelted for subletting bribes or if contractor become insolvant

the contract.
e absolutely
the contract
of be entitled
contract Engineer
S.E.I.D.C. Ltd. Patna

AN A GING DIRECTOR
AN DRILLER & DEVELOPMENT PVI LTD.

such payable by way of compensation to be considered reasonable compensation without reference to actual loss Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained.

Clause 21: In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this information.

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal of Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer

Clause 22: All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23: In case any dispute or difference shall arise between the parties or either of there upon any question relating to the meaning of the specifications, designs, drawings and instructions here before mentioned or as to the quality of workmanship or materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, or any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions or otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof or as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

(a) Clause 24:- When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items or work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-incharge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineer-in-charge shall be final and conclusive against the contractor with regard to any sum payable to him under the provision of this clause.

Action where specification.

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Definition of works

Clause 26: The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to such construction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered, substituted or additional.

Clause 27:- The terms and conditions of the agreement have been read/explained or me and certify understand them.

Witness.

Contractor, CTOR

M

G

Sc Schedule XLV - Form No. 61

(15)

Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied

Particulars		Rates at which the material will be charged to the contractor			Place of delivery
	Annual Action with a contract of the contract	Unit	Rs	P.	
(a io					
(1				RU/natesi serkenyi ongozomza bi	
¥			Control of the Contro	Tarek (A Vega-villa) ya ke (manaza Pakik	
		A de la companya de l			
				ACTO (TELEMANDO) / VOTESTATUS	
attiviani Communica				9	
A CONTRACTOR OF THE PARTY OF TH	3			manufacture de la constante de	
٠,		Care for the care of the care		(OTT. DESCRIPTION OF STREET OF STREET	
·	(IV) on				
				pieryllinkimment/ramasee	
The second secon					
		Na planta menoro y menoro del men			

Note:-The person or firm submitting the tender should see that the rates in the apove schedules are fillied up by the Engineer-in-charge on the issue of the form prior to the submission to the tender. Chief Eng ! 3.5.E.I.D.C. Ltd., 199

PENIANAGING DIRECTOR Signature of Contraton PMENT PVT. LTD. (Signature of Executive Engineer)

... 43

BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. SHIKSHA BHAWAN, SAIDPUR, PATNA. B.O.Q. FOR BARI ADARSH HIGH SCHOOL IN BIHAR THE ITEM RATE BASED ON S.O.R BCD BIHAR, DATE - 15-09-2014, & D.S.R (ELECTRICAL) 2014 SL. No. NAME OF SCHOOL DISTRICT **PANCHAYAT BLOCK** BARI ADARSH HIGH SCHOOL 1 BHAGALPUR **BARI NAKI** SANHAULA **CIVIL WORKS** SOR Item of Work SI. No. Rate Amount Qty. Unit Item No. (Rs.) (Rs.) 1 2 4 5 6 7 PILE WORKS 1 20.2 Boring, providing and installing bored castin-situ reinforced cement concrete piles of grade M-25 of specified diameter and length below the pile cap, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring, with bentonite solution and temporary casing of appropriate length for setting out and removal of same and the length of the pile to be embedded in the pile cap etc. all complete, including removal of excavated earth with all lifts and leads (Length of pile for payment shall be measured upto bottom of pile cap). Rs. One thousand three 20.2.1 hundred nine and paise 300 mm dia Piles 0.000 meter 1309,30 thirty only. Rs,. One thousand five 20.2.2 hundred twenty three and paise twenty only. 400 mm dia Piles 0.000 meter 1523.20 Rs. One thousand nine hundred seventy 20.2.3 eight and paise eighty 450 mm dia Piles only. 0.000 meter 1978.80 Rs. Two thousand 20.2.4 three hundred six and

0.000

meter

2306,60

my my,

MANAGING DIRECTOR
MILAN DRILLER & DEVELOPMENT PVT. LTD.

500 mm dia Piles

Chief Eng neer

B.S.E.I.D.C. Ltd. Patna

P. S. Lide Patna

19/12

19/12

paise sixty only.

.) . , and up . 1...) U

2	20.3		1	***************************************		
		Boring, Providing and installing cast in situ single under reamed piles of specified diameter and length below pile cap in M-25 cement concrete, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring with bentonite solution and the length of the pile to be embedded in pile cap etc. all complete. (Length of pile for payment shall be measured upto to the bottom of pile cap):				
	20.3.1	F				Rs. One thousand nine
						hundred thirty four
		300 mm día Piles	0.000		1024.00	and paise twenty only.
	20.3.2		0.000	meter	1934.20	Rs. Two thousand two
					epite de la constitución de la c	hundred twenty five
		400 mm dia Piles	0.000	meter	2225.30	and paise thirty only.
	20.3.3				/	Rs. Two thousand three hundred ninty
		450 mm dia Piles	0.000	meter	2397.50	seven and paise fifty only.
	20.3.4				O Control of the Co	Rs. Two thousand six hundred five and paise ten only.
3	20.4	550 mm dia Piles	0.000	meter	2605.10	ten omy.
3	20.4	Extra over item No. 23.3 for providing additional bulb in under reamed piles, under specified dia meter (Only the quantity of extra bulbs are to be paid).	0.000	0	0,00	-
	20.4.1		0.000		0.00	Rs. One thousand two
		300 mm dia Piles	0.000	E-1	10.40.40	hundred forty and paise ten only.
	20.4.2		0,000	Each	1240.10	Rs. One thousand three hundred seventy three and paise eighty only.
		400 mm dia Piles	0.000	F .	40	V.B, O.II.,
	20,4.3	1103	0.000	Each	1373.80	Rs. One thousand four
					Milestrano.	hundred fifty four and paise eighty only.
	20.4.4	450 mm dia Piles	0.000	Each	1454.80	
	2 0,4,4					Rs. One thousand five hundred ninty seven and paise eighty only.
		500 mm dia Piles	0.000	Each	1597.20	

0

7

4)

MANAGING DIRECTOR MILAN DRILLER & DEVELOPMENT PVT. LTD. Chief Eng neer

R.S.E.I.D.C. Lid, Patna

19/12/19

.)) - c -Q.

***************************************				7		
	EARTH	WORK IN EXCAVATION				
4	2.8.1	Earthwork in excavation in as(exceeding 30cm in depth. 1.5m in width as well es 10sqm on plan) incloding dressing of sides and ramming of bottom, lift upto 1.5				Rs. Two hundred five and paise twenty only.
		including getting out the excavated soil and disposal of surplus soil as directed within a lead of 50m. All Kind of soil = 171.57 CUM	1			
		TOTAL QUANTITY = 171.57	171.570	cum	205.20	
5	2.29.1	Surface dressing of the ground including removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5m				Rs. Seven hundred eighteen and eighty only.
***		All kinds of soil. = 235,37 CUM	235,370	100 sqm	718,800	
	E	ARTH FILLING				
6	2.26	Filling available excavated earth (excluding rock) in trenches, plinth, sides of	politica.		Problem Stranger	Rs. Sixty six and paise forty only.
		foundations etc. in layers not exceeding 20 cm in depth: consolidating each deposited layer by ramming and watering lead = 142.63 CUM	142.630	cu,m	66.40	
	SAND FILLING				Statement of the state of the s	
7	2.28	Supplying and Filling in plinth with local sand and under floors including, watering, ramming consolidating and dressing complete. = 166.73 CUM				Rs. One hundred ninty two and paise fifty only.
		TOTAL QUANTITY = 166.73	166.730	cu.m	192.50	
F	FLAT BRICK SOLING		And the second			
8	11.72			**************************************	**************************************	Rs. Two hundred
		Providing designation 100 A one brick flat soling joints filled with local sand including cost of watering, taxes, royalty all complete as per building specification and direction of E/I, = 327.65 CUM				twenty seven and paise sixty only.
		TOTAL QUANTITY = 327.65	327.650	sq,m	227.600	

MANAGING DIRECTOR
WILLAN DRILLER & DEVELOPMENT PVT LTD.

1

Chief Eng neer

B.S.E.I.D.C. Lift, Patna

Page 19/12/19

•) .) i h 4.) - 4 ()

	P.C.C.					
9	4.1.8	Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering- all work				Rs. Two thousand three hundred forty six and paise ninty only.
		upto plinth level. 1:4:8 (1cement: 4 coarse sand: 8 graded stone aggregate 40mm nominal size)				
10	4.1.5	= 8.78 CUM Providing and laying in position cement	8.780	cu.m	2346.90	
		concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level			feelless the second	Rs. Two thousand seven hundred seventy five and paise seventy only.
		1:3:6 (1cement: 3 coarse sand : 6 graded stone aggregate 20mm nominal size) 10 + 2, BUILDING = 15.8 CUM				
	The state of the s	TOTAL QUANTITY = 15.8	15,800	cu.m	2775.70	
	FLOORING		programme		Will the state of	
11	11.38	Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturer) of ist quality conforming to IS: 15622 of approved make in colours such shades except white, Ivory, Grey, Fume Red, Brown, laid on 20 mm thick Cement motar 1:4 (1 cement: 4 coarse sand) including pointing the joints with white cement and				Rs. Eight hundred One and paise Eighty only.
		matching pigment etc., complete.	0.000			
		TOILET PORTION = 0 SQM	0.000	sq.m	801.800	
	WALL TILES					
12	11.36	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (Thickness to be specified by the manufacture) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-charge in skirting, risers of steps and dados over 12 mm thick bed of cement Motar 1:3(1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white				Rs. seven hundred fifty four and paise twenty only.
		cement mixed with pigment of matching shade complete. TOILET PORTION = 0 SQM	0.000	sq.m	754.200	

Frank DIRECT

1)

MANAGING DIRECTOR

WILLIAM ORILLER & DEVELOPMENT PVT LTD.

Chief Eng neer

S.S.E.I.D.C. Ltd. Patna

Pre.

19/12/19

-) :) 1) J 13

F	LOORING & SKII	RTING				
13	11.3 +11.3.1	Cement concrete flooring 1:2:4(1 cement:2 coarse:sand:4 graded stone agregate) finished with a floating coat of neat cement including cement slurry, etc. but excluding the cost of nosing of steps etc. complete. 40 mm thick with 20 mm nominal size stone aggregate.				Rs. Two hundred twelve and paise eighty only.
14	11,6,1	Cement plaster skirting(up to 30 cm hieight) with cement mortar 1:3 (1 cement :3 coarse sand) finished with a floting coat of neat cement. 18 mm thick	382.560	sq.m	212.80	Rs. Two hundred five and paise sixty eight only.
	R.C.C. WO	ORK BELOW PLINTH LVL.	88,068	sq.m	205.68	
15	5.1.1	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing & reinforcement - all work upto plinth level. 1:1:2 (1cement: 1 coarse sand: graded stone aggregate 20mm nominal size) = 29.149 CUM	29.149	cu.m	5110.70	Rs. Five thousand one hundred ten and paise seventy only.
R.C.C. W	5.2,1	Reinforced cement concrete work in wall (any thickness), including attached plasters, buttresses, plinth and struts etc upto floor five level excluding the cost of centring, shuttering, finishing & reinforcement - all work upto plinth level. 1:1:2 (1cement: 1 coarse sand: 2 graded)			borner	Rs. Five thousand six hundred sixty six and paise twenty only.
		stone aggregate 20mm nominal size) = 22.33 SQM	22.330	cu.m	5666.20	

Brand r.

0

0

 \cap

·)

()make

1 2

()

MANAGING DIRECTOR
VILAN DRILLER & DEVELOPMENT PVT LTD.

Chief Eng neer

B.S.E.I.D.C. Ltd. Patna

Philadelle

19/12/45

			7
		,	
	,		
	, :		
			7
)
)
			0
			0
			9
			<u>- 3</u>
			j
	,		
)

	3 1		-			
17	5.33 + 5.33B.4 + 5.33B.1	Reinforced cement conrete work in beams, suspended floors, roofs having slop upto 15, landings, balconiec, shelves, chajjalintels, bands, plain window sills, staircase and spiral stair cases upto floor five level excludingthe cost of centring, shuttering, finishing and reinforement with 1:2:4(1 cement:2 coarse sand:4 graded stone aggregate 20 mm nominal size). Add or deduct for providing richer or leane mixes respectively at all floor levels. Providing M-15grade R.C.C instead of M-20 grade R.C.C. Proiding M-25 grade R.C.C. instead of M-20 grade R.C.C.	r ,			Rs. Four thousand five hundred eighty one and paise twenty only.
		- 112,07 COIVI	112.070	cu.m	4581.20	
	BRICK WORK				modele de la companya de la company	
21	6.1,14A					
18		Brick work with bricks of class designation 100A in foundations and plinth in cement mortar 1:6 (1cement :6 coarse sand) = 4.452 CUM	1.150			Rs. Three thousand nine hundred ninty two and paise ninty only.
28	6.1.14A	THE COM	4.452	cu,m	3992.90	Rs. Four thousand four
19	6.3A	Brick work with bricks of class designation 100A in foundations and plinth in: Cement mortar 1:6 (1 cement: 6 coarse sand) Extra for Brick work in superstructure above plinth level upto floor V cum = 140.427 CUM	140.427	cu.m	4427.50	hundred twenty seven and paise fifty only.
29	6.18.4A		1.0.127	Cuin	4427,30	Rs. Five hundred thirty
20	6.19A	Half brick masonry with bricks of class designation 100A in foundations and plinth in: Cement mortar 1:4 (1 cement: 4 coarse sand) Extra for half Brick masonry in superstructure above pinth level upto floor V level.				eight and paise thirty only.
300	6.21A	= 47.631 SQM	47.631	Sq.m.	538.30	
21	A constitution of the cons	Extra for providing and placing in position 2 Nos, 6 mm dia, MS bars at every third course of half brick masonry (with F. P. S. bricks) = 47.631 SQM	47.001	2		Rs. Sventy five and paise ninty only.
***************************************		X X X X X X X X X X X X X X X X X	47.631	Sq.m.	75.90	

्रे प्याचित्र.

1)

1

0

MANAGING DIRECTOR
MILAN DRILLER & DEVELOPMENT PVT LTG.

Chief Eng neer
P.S.E.I.D.C. Ltd, Patna
P.D.
Skehauf
19/12 19/12/18

1) (: } : } -J. 0

	PLASTER WORK					
22	13.13.4	20 mm cement plaster of mix; 1:6 (1 cement: 6 coarse sand) = 815.659 SQM	815.659	sam	122.50	Rs. One hundred twenty three and paise fifty only.
23	13.11,4	12mm thick Cement plaster of mix 1:6 (1 cement : 6 coarse sand)		sq.m	123.50	Rs. Eighty nine and paise thirty only.
233	13,24,2	= 850.39 SQM	850.390	sq.m	89.30	1999
24		6mm thick Cement plaster of Ceiling mix 1:4 (1 cement : 4 coarse sand) = 438.4 SQM	430,400		and a state of the	Rs. Seventy seven and paise forty only.
25	11.3.1+11.8	Cement concrete flooring 1:2:4(1 cement:2 coarse:sand:4 graded stone agregate) finished with a floating coat of neat cement including cement slurry, etc. but excluding the cost of nosing of steps etc. complete. 40 mm thick with 20 mm nominal size stone aggregate. Extra for making chequers of approved pattern on cement concrete floors, steps, landing, pavemerts etc. = 235.37 SQM	235,370	sq.m	77.40	Rs. Two hundred thirty two and paise ninty only.
400000000000000000000000000000000000000	FINISHING WORK	The second secon	233,370	sq.m	232.90	
25 26	13.78.1	Applying one coat of cement primer of approved brand and manufacture on wall surface: Cement primer				Rs. Twenty four and paise ninty only.
		EXTERNAL WALL = 815.659 SQM	815.659	sq.m	24.90	Section of the sectio
27		Finishing walls with water proofing cement paint of approved brand and manufacture and of required shade to give an even shade		Sq.m	G ermanian.	Rs. Sixty and paise fifty only
3T 28	13.78.2	New work (three or more coats) Applying one coat of cement primer of approved brand and manufacture on wall surface: Distemper primer	1288.790	sq.m	26.10	Rs. Twenty six and paise ten only.
38	13.77A.1	and the second s	1200.170	sq.m	20,10	Rs. Thirty four and
29	11 6 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	Distempering with 1st quality washable distemper (ready made) of approved manufacturer and of required shade and colour complete. As per manufacture's specifications. Two or more coats on new work INTERNAL WALL & CEILING =	g de la companya de l			paise seventy only.
]	288.79 SQM	1288.790	sq.m	34.70	

3 mm mon

MANAGING DIRECTOR

MILAN DRILLER & DEVELOPMENT PVT. LTD.

Chief Eng neer

B.S.E.I.D.C. Ltd. Patna

242

191/2

191/2

191/2

191/2

191/2

191/2

7 :) .) ._) 1000

-			•			
390	13.81.1	Applying priming coat with ready mixed				Rs. Twenty five and
30		pink or grey primer of approved brand and manufacture on wood work (hard and softwood)				paise twenty only,
		= 72.576 SQM	72.576	sq.m	25.20	
40	13,81,3	Applying priming coat with ready mixed		59,111	23,20	Rs. Twenty one and
31		zinc chromate yellow primer of approved brand and manufacture on steel galvanized iron/steel work.			Reserved.	paise thirty only.
At	13.93.1	= 50.52 SQM	50.520	sq.m	21.30	
32		Painting with synthetic enamel paint of approved brand and manufacture to give an even shade two or more coats on new work = 123.1 SQM	102 100		**************************************	Rs. Fifty and paise ninty only.
_42-	10.1	Structural steel work in singal section fixed	123.100	sq.m	50.90	
33	/	without connecting plate including cutting hoisting, fixing in position and applying a priming coat of	Personal		Middle	Rs. Sixty and paise ten only,
		approved steel primer all complete.				
		= 180.6 KG	180,600	Kg.	60.10	1
43-	9.21.1					Rs. One thousand eight
34			MERCE			hundred twenty three and paise eithty only.
		Providing and fixing flush door shutters conforming to IS: 2202 (Part-I) non-decorative type.core of block board construction with frame of 1st class tiard wood and well mathched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters. 35 mm thick including anodized aluminum butt hinges with necessary screws = 30.24 SQM	30.240	sq.m	1823.80	
14	9,119,1	Providing and fixing oxidised M.S.tower		54,111	1025,00	Rs. Sixty six and paise
35	All the second s	bolt black finish, (barrel type) with necessary screws etc.complete 250x10mm	and the second s			fifty only.
15	9.104.1	= 24 EACH Providing and Swing M.S. handles with	24.000	each	66.50	
36	9.104.1	Providing and fixing M.S.handles with necessary screws etc.complete 125 mm	And the second second		Market .	Rs. Twenty seven and paise fifty only.
		= 12 EACH	12.000	each	27.50	
16	9.223.2	Providing and fixing alluminium hanging		V., VIA	27,30	Rs. Eighty two and
37	M. Salania	floor door stopper anodised (anodic coating not less than grade AC 10 as per IS :1868) transparent or dyed to required colour and shade with necessary serves	New Property Control of the Control			paise seventy only.
		etc.complete:Twin rubber stopper = 12 EACH	12.000		0.0.00	
		14 LACI	12,000	each	82.70	

gromar.

1)

1)

1...)

: <u>)</u>

MANAGING DIRECTOR
VILAN DRILLER & DEVELOPMENT PVT. LTD.

Chief Eng neer

B.S.E.I.D.C. Ltd. Patna

Skelenty

19/12

	, and the second
	, week of the second se
	. " " " " " " " " " " " " " " " " " " "
	, seem
	()
	a "The state of the state of th
	.)
	: \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	** · · · · · · · · · · · · · · · · · ·
	. j

47 38	9.100.1 STEEL WORK	Providing and fixing M.S. sliding door bolts bright finished or/and black enamelled, with nuts and screws etc.compelled: 300x16 mm = 12 EACH	12.000	each	177.40	Rs. One hundred seventy seven and paise forty only.
48	10.12.1+10.13B		Silver Service		and the state of the	
39	10.12.1+10.13B	Providing and fixing glazed steel doors, windows or ventilators of standard rolled				
		steel sections, joints mitered and welded with 15x3 mm M.S. lugs10cm long with steel legs embedded in cement concrete blocks 15x10x10cm.of (1:3:6) (1cement: 3coarse sand: 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. = 45.12 SQM	45.120	sq.m	3270,60	Rs. Three thousand two hundred seventy and paise sixty only.

3 mm 212

()

(1)

1)

A A

Q

MANAGING DIRECTOR
VILLAN ORILLER & DEVELOPMENT PVT LTD.

Chief Eng neer
B.S.E.I.D.C. Lid Patna
Skhowl
19/12/17

				\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
				-
				7
				of the second
)
				. 4
				. 1
				<i>)</i>
				. 3
				: }
			•	well or the
				, and a
				0
				J
				Ì
				,200

			•			
49	10.12.1+10.13C		1			
40		Providing and fixing glazed steel doors, windows or ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm M.S. lugs10cm long with steel legs embedded in cement concrete blocks 15x10x10cm.of (1:3:6) (1cement: 3coarse sand: 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complet including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units.	5.400	sq.m	3277.60	Rs. Three thousand two hundred seventy seven and paise sixty only.
50	0.00.1	= 5.4 SQM				
41	9.82.1	Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding. = 858.84 KG	858,840	Kgs.	01.50	Rs. Ninty one and paise fifty only.
42	5.22	Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.	0.00,040	Ngs.	91.50	
	5.22.7A	TMTC-500 TMTC-500 8mm dia = 5239 KG				Rs. Seventy four and paise forty only.
	5.22.7B	TOTAL QUANTITY = 5239 TMTC-500 10mm dia	5239,000	KG	74.40	Rs. Seventy three and
	5.22.7C	= 3252 KG TMTC-500 12mm dia = 2520 KG	3252.000 2520.000	KG KG	73.10	Paise ten only. Rs. Seventy one and paise eighty only.
	5.22.7D 5.22.7E	TMT-500 16mm dia = 1208 KG	1208.000	KG		Rs. Seventy two and paise eighty only.
	3.22.1E	TMT-500 20mm dia = 620 KG	620.000	KG		Rs. Seventy two and paise twenty only.

7

()

MANAGING DIRECTOR MILAN DRILLER & DEVELOPMENT PVT LTD. Chief Eng 19/12/19

18.3.E.I.D.C. Lia, Methour)
19/12/19

: 1, :) -0 _) .) .)

			Carrent Vall			
82	10.19					
43		Providing & fixing M.S. Fan hook of 16				Rs. One hundred
42		mm. dia. M.S. bar 1 Mtr. Long bent to	1	1		twenty one and pair
		required size and shape, placed in position	ĺ			eighty only.
		and fixed in Truss Frame / RCC Slab / bea		1	- 1	at and a state of the state of
		at the time of easting all complete as per	'''	-		
		building specification and direction of E/I.			-	
		(Where materials is not supplied by deptt.)	j		- [
		= 100 EACH	100 000	1		
53	10.33,1	Providing & fixing hand rail by welding etc	100,000	Each	121.80	The second secon
		to steel ladder railling & staircases railling	•	1.	and the contract of	Rs. Ninty one and
44		including applying a priming coat of			Econo.	paise ten only.
	1	approved steel primer.	1	1	1	
		MS tube (medium) 40mm nominal bore.	ĺ		1	
		= 300 KG	300.000	,		
			300,000	kg.	91,10	
MI	SCELLANEOUS V	VORK	Victoria de la companya del la companya de la compa		Edition of the second	
54-	4.17					Rs. Three hundred
45	= ~	Making plinth protection 50mm thick of				ninteen and paise thi
97		cement concrete 1:3:6 (1 cement :3 coarse	•	ł	ł	only.
		sand: 6 graded stone aggregate 20mm	İ			Offiy.
		nominal size) over 75mm bad by dry brick	1	İ		
		ballast 40mm nominal size well rammend				
ł		and consolidated and grouted with fine sand	j		İ	
l		including finishing the top smooth.			1	
		= 72.212 SQM	72.212	sq.m	319.30	
	SHUTTERING		Name of the last o		Betherin	
85	5.9.1	0				Pa One bout 1 1 1
6		Centring and shuttering including strutting,				Rs. One hundred sixt six and paise seventy
'	# 15 common	propping etc. and removal of form for	ļ			only.
1		foundation, footings, basees of columns etc.	İ			Omy.
		for mass concrete.			1	
56	5.9.5	= 54 SQM Centring and shuttering including strutting,	54.000	Sqm.	166.70	
- 1	5.7.5	propping etc. and removal of form for lintel,	and the second		Contraction .	Rs. Two hundred fifty
7	With the second second second	beams, plinth beams, griders, bressumers			<u>[</u>	one thirty only.
1		and contilevers.	į		ĺ	amen's
		= 404.524 SQM	404.504	_	l	Vicinity and the second
7	5.9.6	Centring and shuttering including strutting,	404,524	Sqm.	251.30	
- 1	5.2.0	propping etc. and removal of form for	and the state of t			Rs. Three hundred
8	Martin Commencer.	columns, pillars, piers, abutments, posts and	and the second		ester.	forty four and paise
}	West of the second	struts				forty only.
		= 463.5 SQM	160 555	~		and the same of th
8	5.9.3	Centring and shuttering including strutting,	463,500	Sqm,	344.40	- Company of the Comp
	0,7,0	propping etc. and removal of form for	Section		Mark Continue	Rs. Two hundred
49	. water the second	suspended floors, roofs, landings, balconies			North	seventy five and paise
ξ /	Carrier and our	and access platform.				sixty only.
()		and access platform.				
()		1 = 506 54 SOM	F0			
*/		= 506.54 SQM	506.540	Sqm.	275.60	
*/	200	= 506,54 SQM	506.540	Sqm.	275.60 Total	3,925,825.14
*/		= 506.54 SQM	506.540	Sqm.	The second secon	3,925,825.14

3 milor.

13

4)

0

MANAGING DIRECTOR
WILLIAM ORILLER & DEVELOPMENT PVT LTD.

Chief Eng neer
B.S.E.I.D.C. Lid, Patna
Pipe.
19/12

:--:) 1) . . J

			T	-		
	Plumbing	and sanitary Work				
59	B.S.R 12.78	Providing and fixing on wall face unplastidsed PVC (working pressure 4 kgf				
50	12,70	per sqm) rain water pipes cinforming to				,
		IS:4985 including jointing with seal ring				
		conforming to IS:5382 leaving 10 mm gap				
ļ	12.78.2	for thermal expansion.				
ļ	12.78.2	110 mm diameter.				Rs. Two hundred
,		= 30 MTS	30,000	MTS	214 200	fourteen and paise
60	SOR 12.79	Providing and fixing on wall face	30,000	INITO	214.200	twenty only.
51		unplasticised -PVC moulded fittings/	Reference of the second		edition of the control of the contro	
1		accessories for unplasticised PVC rainwater			,	
		pipes conforming to IS:4985 including			ļ	
-		jointing with seal ring conforming to IS:5382 leaving 10mm gap for thermal				
		expansion.				
	SOR 12.79.5	Bend 87.50	remondate a community of the community o	***		
•	g de l'article	= MTS		:		
	SOR 12.79.5.2		**************************************			Rs. One hundred
	and the second s	110mm bend				seventy three and paise
	<i>[</i>	= 5 EACH	5.000	Each	173,700	seventy only.
				231012	Total	7,294.50
			- Comment		Total (B)	7,295.00
					I John (19)	7,420.00
		Electrical Works (1% labour cess has				
		been added on current SOR as labour				
		cess in not included in current sor).				
101	1.80					
6T 52		Point Wiring in PVC Conduit, with piano type Switch:				
1		type Switch:-				
		Wiring for light point / fan point / exhaust	1			
1 1		fan point / call bell point with 1.5 sq.mm FR PVC insulated copper conductor single core				
		cable in surface / recessed medium class	Í			
		PVC conduit, with piano type switch,				
		phenolic laminated sheet, suitable size M.S.	[
		box and earthing the point with 1.5 sq.mm.				
		FRLS PVC insulated copper conductor				
-		single core cable etc. as required.				
	1.8.3					Rs. Six hundred eighty
						one and paise seventy
]	(photos		85	Nos.	681.75	five only.
		Group C	erman		And the state of t	Sectional
262	1.9	***************************************				
53	V ERFELLE STATE		į			
′		Twin Control Point Wiring in PVC Conduit,	1	1		
L	· · · · · · · · · · · · · · · · · · ·	with piano type Switch:-				

Juning r

0

MANAGING DIRECTOR
VIILAN DRILLER & DEVELOPMENT PVT LTD

Chief Engineer B.S.E.I.D.C. Lid, Patna Pho. Jkchow 19/12/19

Ì

		Wiring for twin control light point with 1.5 sq.mm FR PVC insulated copper conductor single core cable in surface/recessed PVC conduit, 2 way piano type switch, phenolic laminated sheet, suitable size of FRLS PVC insulated copper conductor single core cable etc. as required.	2	Nos.	685.79	Rs. Six hundred eighty five and paise seventy nine only.
	1.29	oto, us required.				Rs. One hundred ninty
		Supplying and fixing metal box of 150mm X 75mm X 60mm deep(nominal size) on surface or in recess with suitable size of phenolic laminated sheet cover in front including providing and fixing 3 pin 5/6 amps socket outlet and 5/6 amps piano type switch, connection, painting etc. as required. (For light plugs to be used in non residential buildings).	18	Each	195.94	five and paise ninty four only.
63-	1.30	22 Mon rebrached buildings).				
54						
		Supply and Fixing Light Plug Point with piano type Accessories:-				
		Supplying and fixing metal box of 180mm x 100mm x 60mm deep (nominal size) on surface or in recess with suitable size of phenolic laminated sheet cover in front including providing and fixing 6 pin 5/6 & 15/16 amps socket outlet and 15/16 amps piano type switch, connection, painting etc. as required.	14	Nos.	278.76	Rs. Two hundred seventy eight and paise seventy six only.
	1.14.2					Rs. One hundred thirty
	Barrier Commence	2x2.5 Sqmm + 1x2.5 sq mm earth wire	175	Mtrs.	132,31	two and paise thirty one only.
64	1.12			TATELO.	104,31	one only.
55		Power Plug Wiring in PVC conduit (2x4 sq. mm):-				
		Wiring for light/ power plug with 2X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed mediumclass PVC conduit alongwith 1 No 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop	105	Mtrs.	163.62	Rs. One hundred sixty three and paise sixty two only.
		earthing as required				

3 mm n

1)

0

MANAGING DIRECTOR
VIILAN ORILLER & DEVELOPMENT PVT LTD.

Chief Eng neer

S.S.E.I.D.C. Ltd. Patna

Apr.

19/12

19/12/15

.) -) ())

Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections etc.ns required 1.23.1 50 Each 33.3.3 Pistry three and paise thirty three only. 51 Each 41.41 1.23.4 1.23.4 1.23.4 1.23.4 1.23.4 1.3 pin, 5/6 amps socket outlet. Circuit / Sub-main wiring in PVC Conduit. Wiring for circuit / sub-main wiring along with earth wire with the following sizes of PVC insulated, copper conductor, single core cable in surface/recessed PVC conduit as required. 1.14.9 4x6.0 Sqmm + 2x6.0 sqmm earth wire (to be used as sub main) S/F C series SP MCB- Supplying and fixing 240 volts, 'C' series, miniature circuit threaker suitable for inductive loads of following poles in the existing MCB De complete with connections, testing and commissioning etc, as required. 2.10.1 S/F C series SP MCB- Supplying and fixing following rating, four pole, 415 volts, isolator in the existing MCB DB complete with connections, testing mad commissioning etc, as required. Rs. Six hundred sixty Rs. Six hundred sixty	ı						
switch/ socket on the existing switch box / cover including connections etc as required 1.23.1 1.23.4 5/6 amps switch. 5/6 amps switch. 1.5 Each 33.33 Rs. Thirty three and paise thirty three only. 5/6 amps switch. 1.5 Each 1.14 Circuit / Sub-main wiring in PVC Conduit- Wiring for circuit / sub-main wiring along with carth wire with the following sizes of PVC insulated, copper conductors, single core cable in surface/recessed PVC conduit as required. 1.14.9 4x6.0 Sqmm + 2x6.0 sqmm earth wire (to be used as sub main) 2.10 S/F C' series SP MCB- Supplying and fixing 240 volts, C' series, miniature circuit breaker suitable for inductive loads of following poles in the existing MCB DB complete with connections, testing and commissioning etc, as required. 2.10.1 Supplying and fixing following rating, four pole, 415 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc, as required. 2.13.1 Supplying and fixing following rating, four pole, 415 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc, as required. Rs. Six hundred sixty five and paise fifty nine complete with connections, testing and commissioning etc, as required. Rs. Six hundred sixty five and paise fifty nine complete with connections, testing and commissioning etc, as required.	ł	1.23					
5/6 amps switch. 5/6 Each 5/6 amps switch. 5/6 amps switch. 15 Each 1.14 Rs. Forty one and paise forty one only. Wiring for circuit / Sub-main wiring in PVC Conduit: Wiring for circuit / Sub-main wiring along with earth wire with the following sizes of PVC insulated, copper conductor, single core cable in surface/recessed PVC conduit as required. 1.14.9 4x6.0 Sqmm + 2x6.0 sqmm earth wire (to be used as sub main) 2.10 S/F 'C' series SP MCB-Supplying and fixing 240 volts, C' series, ministrure circuit breaker suitable for inductive loads of following poles in the existing MCB DB complete with connections, testing and commissioning etc, as required. 2.10.1 Supplying and fixing following rating, four pole, 415 volts, isolator in the existing MCB DB complete with connections (setting and commissioning etc, as required. 2.13.1 Supplying and fixing following rating, four pole, 415 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc, as required. 2.13.1 Rs. Forty one and paise fixing volts and paise sizes of PVC inductive and paise sixty five and paise sixty five and paise sixty five and paise fifty nine only.			switch/ socket on the existing switch box /				
1.23.4 1.23.4 1.23.4 1.23.4 1.23.4 1.3 pin, 5/6 amps switch. 1.5 Each 1.14 Circuit / Sub-main wiring in PVC Conduit. Wiring for circuit / sub-main wiring along with earth wire with the following sizes of PVC insulated, copper conductor, single core cable in surface/recessed PVC conduit as required. 1.14.9 4x6.0 Sqmm + 2x6.0 sqmm earth wire (to be used as sub main) 2.10 S/F 'C' series SP MCB- Supplying and fixing 240 volts, 'C' series, miniature circuit breaker suitable for inductive loads of following poles in the existing MCB DB complete with connections, testing and commissioning etc, as required. 2.10.1 Supplying and fixing following rating, four pole, 415 volts, isolator in the existing MCB DB complete with connections in the existing MCB DB complete with connections in the existing MCB DB complete with connections in the existing MCB DB complete with connections in the existing MCB DB complete with connections in the existing MCB DB complete with connections in the existing MCB DB complete with connections in the existing MCB DB complete with connections in the existing MCB DB complete with connections is esting and commissioning etc. as required. 2.13.1 Rs. Forty one and paise firty one only.		1,23,1					Rs. Thirty three and
1.23.4 3 pin, 5/6 amps socket outlet. 1.14 Circuit / Sub-main wiring in PVC Conduit: Wiring for circuit / sub-main wiring along with earth wire with the following sizes of PVC insulated, copper conductor, single core cable in surface/recessed PVC conduit as required. 1.14.9 4.6.0 Sqmm + 2x6.0 sqmm earth wire (to 50 Mtrs. 392.89 aning two and paise eighty nine only. SF C' series SP MCB-Supplying and fixing 240 volts, C' series, miniature circuit breaker suitable for inductive loads of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. 2.10.1 Supplying and fixing following rating, four pole, 415 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required. Rs. Core hundred seventy and paise sixly nine only. Rs. One hundred seventy and paise sixly nine only. Rs. One hundred seventy and paise sixly nine only. Rs. One hundred seventy and paise sixly nine only. Rs. One hundred seventy and paise sixly nine only. Rs. Six hundred sixty five and paise fifty nine only.			5/6 amps switch.	50	Each	33,33	•
1.14 Signature		1.23,4					Rs. Forty one and paise
Circuit / Sub-main wiring in PVC Conduit:- Wiring for circuit / sub-main wiring along with earth wire with the following sizes of PVC insulated, copper conductor, single core cable in surface/recessed PVC conduit as required. 1.14.9			3 nin 5/6 amns socket outlet	15	Each	41.41	
Wiring for circuit / sub-main wiring along with earth wire with the following sizes of PVC insulated, copper conductor, single core cable in surface/recessed PVC conduit as required. 1.14.9 4x6.0 Sqmm + 2x6.0 sqmm earth wire (to be used as sub main) 2.10 S/F 'C' series SP MCB: Supplying and fixing 240 volts, C' series, miniature circuit breaker suitable for inductive loads of following poles in the existing MCB DB complete with connections, testing and commissioning etc, as required. 2.10.1 Supplying and fixing following rating, four pole, 415 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc, as required. Rs. One hundred seventy and paise sixty mine only. Rs. One hundred seventy and paise sixty mine only. Rs. One hundred seventy and paise sixty mine only. Rs. One hundred seventy and paise sixty mine only. Rs. Six hundred sixty five and paise fifty nine only.	565	1.14	pin, 570 tamps socket outlet.		***************************************		
with earth wire with the following sizes of PVC insulated, copper conductor, single core cable in surface/recessed PVC conduit as required. 1.14.9 4x6.0 Sqmm + 2x6.0 sqmm earth wire (to be used as sub main) 2.10 S/F 'C' series SP MCB- Supplying and fixing 240 volts, 'C' series, miniature circuit breaker suitable for inductive loads of following poles in the existing MCB DB complete with connections, testing and commissioning ete, as required. 2.10.1 Supplying and fixing following rating, four pole, 415 volts, isolator in the existing MCB DB complete with connections, testing and commissioning ete with connections, testing and commissioning ete. as required. 2.13.1 2 Each 665.59 Rs. Six hundred sixty five and paise fifty nine only.	56		Circuit / Sub-main wiring in PVC Conduit:-				
4x6.0 Sqmm + 2x6.0 sqmm earth wire (to be used as sub main) 2.10 S/F 'C' series SP MCB:- Supplying and fixing 240 volts, 'C' series, miniature circuit breaker suitable for inductive loads of following poles in the existing MCB DB complete with connections, testing and commissioning etc, as required. 2.10.1 Each 170.69 Rs. One hundred seventy and paise sixty nine only. Supplying and fixing following rating, four pole, 415 volts, isolator in the existing MCB DB complete with commetcions, testing and commissioning etc. as required. 2.13.1 Rs. Six hundred sixty five and paise fifty nine only.			with earth wire with the following sizes of PVC insulated, copper conductor, single core cable in surface/recessed PVC conduit				
S/F 'C' series SP MCB:- Supplying and fixing 240 volts, 'C' series, miniature circuit breaker suitable for inductive loads of following poles in the existing MCB DB complete with connections, testing and commissioning etc, as required. 2.10.1 6/32A, Single Pole Supplying and fixing following rating, four pole, 415 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required. 2.13.1 Rs. One hundred seventy and paise sixty mine only. Rs. One hundred seventy and paise sixty mine only. Rs. Six hundred sixty five and paise fifty nine only.		1.14,9	4x6.0 Sqmm + 2x6.0 sqmm earth wire (to	50	Mtrs.	392.89	ninty two and paise
Supplying and fixing 240 volts, 'C' series, miniature circuit breaker suitable for inductive loads of following poles in the existing MCB DB complete with connections, testing and commissioning etc, as required. 2.10.1 6/32A, Single Pole Supplying and fixing following rating, four pole, 415 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required. 2.13.1 2.13.1 Rs. One hundred seventy and paise sixty nine only. Rs. Six hundred sixty five and paise fifty nine only.		2.10		attention of the second		Patrician	
existing MCB DB complete with connections, testing and commissioning etc, as required. 2.10.1 20 Each 170.69 Rs. One hundred seventy and paise sixty nine only. Supplying and fixing following rating, four pole, 415 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required. 2.13.1 2 Each 665.59 Rs. Six hundred sixty five and paise fifty nine only.		<i>A</i>	S/F 'C' series SP MCB:-	, and the second			
Supplying and fixing following rating, four pole, 415 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required. 2.13.1 2.13.1 2.13.1 2.13.1 Rs. Six hundred sixty five and paise fifty nine only.	57		miniature circuit breaker suitable for inductive loads of following poles in the existing MCB DB complete with connections, testing and commissioning etc,				
6/32A, Single Pole Supplying and fixing following rating, four pole, 415 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required. 2.13.1 Rs. Six hundred sixty five and paise fifty nine only.		2,10.1			**************************************		Rs. One hundred
Supplying and fixing following rating, four pole, 415 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required. 2.13.1 Rs. Six hundred sixty five and paise fifty nine only.		Market and the second		20	Fach	170.69	
Supplying and fixing following rating, four pole, 415 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required. 2.13.1 Rs. Six hundred sixty five and paise fifty nine only.			6/32 A Single Pole	· ·		170,05	
Supplying and fixing following rating, four pole, 415 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required. 2.13.1 Rs. Six hundred sixty five and paise fifty nine only.	<i>45T</i>	2.13	orazzi, bingio i dio	× ************************************			
Supplying and fixing following rating, four pole, 415 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required. 2.13.1 Rs. Six hundred sixty five and paise fifty nine only.	50				1		
2.13.1 Rs. Six hundred sixty five and paise fifty nine only. Rs. Six hundred sixty five and paise fifty nine only.			pole, 415 volts, isolator in the existing MCB DB complete with connections, testing and	i d			
2 Each 665.59 only.		2.13.1					
40 Amp.				2	Each	665,59	five and paise fifty nine
			40 Amp.	Andrew .		Freedom .	

MANAGING DIRECTOR
WILAN DRILLER & DEVELOPMENT PVT LTD.

1)

1)

1)

()

0

Chief Eng neer

B.S.E.I.D.C. Ltd. Patna

Plan

19/12/11

- 1000 , j -0 1) . ,3

68	2.8	S/F TP MCB DB:-			**************************************	
59						
		Supplying and fixing of following way, horizontal type three pole and neutral, sheet steel, MCB distribution board, 415 volts, on surface/recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, detachable gland plate, interconnections, phosphatized and powder painted including carthing etc. as required (Without MCB/RCCB/ISOLATOR). Make:- Legrand/Anchor/Havells/HPL.				
	2.8.5					Rs. Seven thousand
	All the second s		2	Set	7430.57	four hundred thirty and paise fifty seven only.
(0)	1.22	4 Ways (4+12 ways) double door	Prince Marie			
60	1.33	S/F Ceiling Rose:-	1			
		Supplying and fixing 2 pin ceiling rose on the existing junction box/ wooden block including connection etc as required.	20	Each	43.43	Rs. Forty three and paise forty three only.
20	1.34					
61	geo	S/F Batten / Angle Holder:-				
		Supplying and fixing batten / angle holder including connection etc as required.	15	Each	74.74	Rs. Seventy four and paise seventy four only
24	1.25					40000
62	Market and a second	S/F Modular type electronic fan regulator:-				
		Supplying and fixing stepped type fan regulator on the existing modular plate switch box including connections but excluding modular plate etc as required.	32	Each	286,84	Rs. Two hundred eighty six and paise eighty four only.
72						
63	7.1	Cable Laying of 1.1 KV & 11 KV :- Laying of one number PVC insulated and		MATTER CONTROL OF THE PROPERTY		
		PVC Sheathed / XLPE power cable of 1.1 KV grade of following size direct in ground including excavation, sand cushioning, protective covering and refilling the trench etc as required.			·	
	7.1.1		30	Mtrs.	196,95	Rs. One hundred ninety six and paise ninety five only.
		Above 35sq.mm and Upto 35 Sq.mm.	Freeze and a second			

MANAGING DIRECTOR

0

WILAN DRILLER & DEVELOPMENT PVT LTD

Chief Eng neer

B.S.E.I.D.C. Ltd. Patna

Pur.

19/12/11

; } 24 / (2)

- 1

+-}

-)

(_)

0

.)

23						
1 Ch		G.I. Pipe for Cable protection:-				
	14.14	Providing, laying and fixing following dia RCC pipe NP2 class(light duty) in ground complete with RCC collars, joints with cement mortar 1:2 (1 cement: 2 fine sand including trenching (75 cm) and refilling)			
1		etc.as required. (Road crossing as per site condition)		1		
1	14.14.2	(condition)				
		150 mm dia	8	Mtr.	387.84	Rs. Three hundred eighty seven and paise eighty four only.
65	2.1	The state of the s				
15					-	
	212	S/F HRC fuse type TP&N switch disconnector:- Providing and fixing following capacity TP&N disconnector fuse switch unit inside the existing panel board with ISI marked HRC fuses including drilling holes in cubicle panel, making connections, etc. as required.				
	2.1.2					Rs. Two thousand two
		63 amps, TP&N, HRC	1	Each	2260.38	hundred sixty and paise thirty eight only.
	2.1.1					Rs. One thousand four
		32 amps,TP&N, HRC	2	Each	1497.83	hundred ninety seven and paise eighty three only.
25		- maps, areas, and				
66	2.5	S/F Busbar Chamber:-				
	2.5.2B.S.R2009					Rs. Two thousand
	C.	Providing and fixing following capacity busbar chamber with 4 strips of suitable size made of capper, heavy duty, complete with all accessories including connections, earthing the body, etc as required.	1	Each	2794.00	seven hundred ninety four only.
-		100 amp, TPN	Np.			
67	2.6.2B.S.R2009	Providing and fixing following capacity four pole OFF-load changeover switch with side handle operation, in sheet enclosure in existing metal board, including drilling holes in metal panel, making connections etc. as required. 63 Amps, Two pole	I summer	Each	2368,00	Rs. Two thousand three hundred sixty eight only.

					Total (C)	179,220.35

0

 \Box

()

0

0

MANAGING DIRECTOR MILAN DRILLER & DEVELOPMENT PVT LTD. Chief Eng neer

B.S.E.I.D.C. Ltd, Patna

P. 19/12/16

	· Pro-
	Comment
	· endings
	, many
	·
	· ·
	, and the second
	:)
	Ó
	\ <u></u>
	· 1

FIRE FIGHTING				
DGS&D Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit.	2.000	Nos.	7549,750	Rs. Seven thousand five hundred forty nine and seventy five only.
complete instanation kit.	2.000	1100.	Total	15,099.50
			Total (D)	15,100.00
CARRIAGE OF MATERIALS			Rate Incl.	
Type of materials			1% Lab. Cess	
Cement	123.179	MT	289.87	Rs. Two hundred eighty nine and paise eighty seven only.
Sand	157.366	cum	559.20	Rs. Five hundred fifty nine and paise twenty only.
	174.574	cum	205.29	Rs. Two hundred five and twenty nine only.
Local Sand	161.683	cum	2585.08	Rs. Two thousand five hundred eighty five an paise eight only.
Stone Chips Brick	84.831	Thous.	601.67	Rs. Six hundred one and paise sixty seven only.
Steel	12.839	МТ	289.87	Rs. Two hundred eighty nine and paise eighty seven only.
ADD EXTRA COST OF MATERIAL FOR BHAGALPUR COMM. W.R.T GAYA AS PER SOR BCD		AND THE RESERVE OF THE PERSON		
Bricks	84.831	Thous.	333.36	Rs. Three hundred thirty three and thirty six only.
Cement	123.179	МТ	914.90	Rs. Nine hundred fourteen and paise ninty only.
			Total	773,244.40
			Total (E)	773,244.00
Grand Total (A+B+C+D+E)				4,900,684.35
				4,900,684.00
(RUPEES FORTY NINE LAC SIX HUNI	DDED ELGER	WEODD A	NI VI	

Tender approved in favour of Milan Driller And Developer Pvt. Ltd. @ 10.00% (Ten Decimal Zero Zero Percent) below BOQ rates i.e. total amount comes to Rs. 44,10,616=00 (Rupees Forty Four Lacs Ten Thousand Six Hundred Sixteen Only)

MANAGING DIRECTOR
VILLAN DRILLER & DEVELOPMENT PVT LTD

Chief Eng neer

B.S.E.I.D.C. Ltd. Patna

19/12/18

. -) -1) 1 3) ...) . . .

Performance Security

Name of Agency:- Millan Driller and Developers Pvt. Ltd,"

"Performance Security of ""ACR-203"

FDR No.

<u>DOI</u>

<u>Amounts</u>

2,21,000.00

36010310028945

03.11.2017

2,21,000.00

Total

(Rupees Two Lacs Twenty One Thousand Only)

Brymon.

MANAGING DIRECTOR
MILAN DRILLER & DEVELOPMENT PVI. LTD.

लेखा पदाधिकारी

बिहार राज्य शैक्षणिक आधारभूत संरचना

विकास ,निगम लि०, पटना

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

19/12

4 - 70 A my 0) 28

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम) :

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना–800004, दूरभाष–0612–2910314 कींपीरट पहचान राख्या U80301BR201ISGC015859, e-mail: bseidct@gmail.com, website: www.bseidc.in, Fax No.: 0612-2660256,

पत्राक - BSEIDC/FIN/2841/2016-17/- 9 5 प्

पटना, दिनांक 7/2/

प्रेषक,

व्रजेश प्रसाद

मुख्य परामर्शी (तकनीकी)

रोवा में.

Milan Driller and Developer Pvt, Ltd. Kallu Momin Lane Hanuman Ghat, Barari, Bhagalpur,

विषय:-

बिहार राज्य अंतर्गत " अतिरिक्त वर्ग कक्षा, (ग्रुप सं0-ACR-203) (निविदा निर्माण कार्य संबंधित से स्चना संख्या-22/2016-17)।

महाशय.

उपर्युक्त विषय के संबंध में कहना है कि विषयांकित कार्य की निविदा हेतू आपके द्वारा निविदित दर जो परिमाण विपन्न के दर से 10.00% (दस दशमलव शून्य शून्य प्रतिशत) कम पर है तद्नुसार निविदा की कुल राशि फ० 44,10,616 / – (चौआलिस लाख दस हजार छः सौ सौलह) मात्र आपके पक्ष में स्वीकृत की गयी है।

अत निदेश दिया जाता है कि अग्रधन की राशि रू० 2,21,000 /- (दो लाख ईक्कीस हजार) मात्र का सावधि पासबुक / राष्ट्रीय बचत प्रमाण पत्र के रूप में प्रवंध निदेशक, विहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०, पटना के नाम से प्रतिज्ञिप्त हो जमा कर अविलंब एकरारनामा कर लें।

(व्रजेश प्रसाद)

मुख्य परामशी (तकनीकी)

ज्ञापांक : BSEIDC/FIN/2841/2016-17/- 95

प्रतिलिपि : Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC

website/Senior Account Officer, BSEIDC, Patna for information & necessary action

मुख्य परामशी (तकनीकी)

पटना, दिनांक 🧷 🛂 /

मुख्य परामशी (तकनीकी)

ज्ञापांक : BSEIDC / FIN / 2841 / 2016–17 / – १५५० प्रितिलिपि : प्रबंध निदेशक महोदय, BSEIDC को सूचनार्थ समर्पित।

E.I.D.C. Ltd. Patna

WILAN DRILLER & DEVELOPMENT PVT. LTD.

1) .) ...) . .) - 1

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना—800004, दूरभाष—0612—2910314 कॉर्पोरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bscidc@gmail.com, website; www.bseide,in, Fax No.: 0612-2660256,

Letter no.: BSEIDC/NIT/2016-17/- 9771

Patna, Date: 14 10 16

Corrigendum No. 3

With reference to N.I.T. No. 22/2016-17, Dated-20.07.2016 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Different School Buildings" the State of Bihar" the following amendments have been made as mentioned below:

- (1) The Tender for Construction of School Building "High School Building at Murla" of SL.No-6, Group No-SSSM-293, Block-Ramgarhwa, Distt- East Champaran is Cancelled due to unavoidable reasons.
- (2) The Tender for Construction of School Building "Upgraded High School Building at Phulwaria" of SL.No-8, Group No-SSSM-295, Block- Dhaka, Distt- East Champaran is Cancelled due to unavoidable reasons.
- (3) The Tender for Construction of School Building "High School Building at Laxmipur" of SL.No-17, Group No-SSSM-304, Block-Adapur, Distt- East Champaran is Cancelled due to unavoidable reasons.
- (4) The Tender for Construction of School Building "High School Building at Bhawanipur Bazar" of SL.No-18, Group No-SSSM-305, Block- Adapur, Distt- East Champaran is Cancelled due to unavoidable reasons.
- (5) The Tender for Construction of School Building "Upgraded High School Building at Ajgarwa" of SL.No-13, Group No-SSSM-300, Block- Banjariya, Distt- East Champaran is Cancelled due to unavoidable reasons.

X

MANAGING DIRECTOR
VIILAN DRILLER & DEVELOPMENT PVT LTD.

Chief Engineer B.S.E.I.D.C. Ltd, Patna

Alley. 7 7 0 1) · · . July . 9 i Milita 0

- (6) The Tender for Construction of School Building "High School Building at Rampur" of SL.No-22, Group No-SSSM-309, Block-Rahika, Distt- Madhubani is Cancelled due to unavoidable reasons.
- (7) The Tender for Construction of School Building "High School Building at Malmal Dakshin" of SL.No-23, Group No-SSSM-310, Block- Kaluahi, Distt- Madhubani is Cancelled due to unavoidable reasons.
- (8) The Tender for Construction of School Building "High School Building at Telaundha" of SL.No-25, Group No-SSSM-312, Block-Sanhaula, Distt-Bhagalpur is Cancelled due to unavoidable reasons.

The other terms and conditions will be same.

Chief Consultant (Technical)

3 drandr

MANAGING DIRECTOR
WILLIAM ORILLER & DEVELOPMENT PVT. LTD

Chief Engineer
R.S.E.I.D.C. Ltd. Data

21p. 19/12

4 :) . , , , , , -1) 1) · Autor J :)

बिहार राज्य शैक्षणिक आधारभूत संरवना विकास निगम ति०

(बिहार सरकार का एक उपक्रम)

कॉर्पोरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256, शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथा, सैदपुर, पटना—800004, दूरभाष—0612—2910314

Letter no.: BSEIDC/NIT/2015-16/- 9084

Patna, Date: 28.0911

Corrigendum No.- 02

With reference to N.I.T. No. 22/2016-17, Dated-24.07.2016 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Different School Buildings" the work mentioned from serial no.- 1 to Srial no.-5 (Group Name- PRIM-1, PRIM-2, PRIM-3, PRIM-4 & PRIM-5) is hereby Cancelled due to unavoidable reasons.

en me

MIAN DRILLER & PENELOPMENT PYT LT.

1 mgm 2018/14 (Braiesh Prasad)

Chief Consultant (Technical)

Chief Engineer

31

7 J 1 0 . .) ij

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना—800004, दूरभाष—0612—2910314 कॉर्पोरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256,

Letter no.: BSEIDC/NIT/2016-17/- 8515

Patna, Date: 15.09.16

Corrigendum No.- 1

With reference to N.I.T. No. 22/2016-17, Dated-20.07.2016 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Construction of different building" in the State of Bihar the following amendments have been made as mentioned below:-

SL. no.	Existing provision	Amended provision
1	Period of Sale of Bid document (Download) from dated 01.09.2016 to 15.09.2016, 15:00Hrs.	Period of downloading of Bid document from dated: 01.10.2016 to 16.10.2016, 15:00 Hrs.
2	Date and Time of Pre bid Meeting – 07.09.2016, 16:00 Hrs.	Date and Time of Pre bid Meeting- 04.10.2016, 16:00 Hrs.
3	Last date and time for receipt (Upload) of Bids on dated 16.09.2016, 15:00 Hrs.	Last date and time for receipt (Upload) of Bids on dated:17.10.2016, 15:00 Hrs.
4	Time and date for opening of Technical Bids on dated 19. 09.2016, 16:30 Hrs.	Time and date for opening of Technical Bids on dated:19.10.2016, 16:30 Hrs.
5	Time and date for opening of Financial Bids on dated 26.09.2016 , 15:30 Hrs .	Time and date for opening of Financial Bids on dated: 26.10.2016, 15:30 Hrs.
6		e accepted up to 19.10.2016, 15:00 Hrs.

The other terms and conditions shall remain unchanged.

MANAGING DIRECTOR **MILAN DRILLER & DEVELOPMENT PVT LTD** (Brajesh Prasad)

Chief Consultant (Technical)

Chief Eng heer B.S.E.I.D.C. Ltd, Patna

		, or table.
		, or other parts of the second
		Control of the Contro
		· ** *********************************
		. The sport of long.
		Jan.
		. 3
		Ì

SPECIAL CONDITIONS

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes royalties and other

incidental charges.

4. To qualify for award of work, the Bidder must possess the following:

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of signatory bid.

b) DD for required value of B.O.O. Cost.

c) Sufficient Earnest Money Deposit.

- d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.
- e) Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed at least one Building work of value not less than 25 % of estimated value of contract) in last five years as mentioned in Technical bid.

f) Litigation History as mentioned in Technical bid.

g) Affidavit as mentioned in Technical bid.

h) Valid Registration with Central/ State Govt. / PSU.

i) Valid labour license as mentioned in Technical bid.

j) Affidavit/Certificate for not been debarred as mentioned in Technical bid.

5. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.

6. The tender without earnest money or insufficient earnest money submitted with the tender, will be outright rejected.

7. Conditional tenders shall be outright rejected.

8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.

9. Authority shall reserve the right to reject any or all the tenders or distribute the work to

more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained.

11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules prevalent in the locality.

12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the

contractor.

- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-
- a. Natural calamities

b. Act of enemies.

MANAGING DIRECTOR

(Seal & Signature of Tenderer) TPVT LTD.

Chief Eng neer
B.S.E.P.B.C. Ltd., Patna

19/12

) F) 9 1) -Q. .

- Transport and procurement difficulties.
- d. Circumstances beyond the control of the state.
- 15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- 16. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
- 17. The contractor shall make his own arrangement for water and light at the work site.
- 18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 20. The Tenderer must not quote their rate more than 10 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
- 21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 22. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.

23. The Defect liability Period shall be Three (3) Years from the date of completion of the work.

MANAGING DIRECTOR
(Seal & Signature of Tenderer) of PVT LIE.

Page 2 of 2 Eng neer B.S.E.I.D.C. Ltd, Patna

19/12

Ç. - 會 . 3 And Albaha) 1 . 0

विहार राज्य शैक्षणिक आधारमूत संरचना विकास निगम लिमिटेड (विहार सरकार का एक उपक्रम) शिक्षा भवन, विहार राष्ट्रभाषा परिषद् कैम्पस, आचार्य शिवपुजन सहाय पथ, सैदपुर, पटना-800004 (दूरभाष:-0612-2910314)

निविदा आमंत्रण सूचना संख्या-22 वर्ष 2016-17 प्रतिशत वर निविदा

(केवल ई-टेन्डिएंग पद्धति के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

1. बिहार राज्य के अन्तर्गत विभिन्न भवनों का निर्माण कार्य हेतु प्रतिशत दर निविदा आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार/सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रजिस्ट्रेशन, उक्त कार्य का लेटर ऑफ एक्सेपटेंस प्राप्त होने के बाद कराना होगा।

क्रम संव		जिला का नाम	प्रखण्ड का नाम	विद्यालय का नाम	प्राक्कलित राशि (लाख रू० में)	अग्रधन का राशि (लाख रू० भें)	परिमाण विपत्र का मृत्य (स्र०में)	Beltron Bid Processin g Fee (in	कार्य समाप्ति की अवधि
	PRIM=	किशनगंज	टेढ़ागाछ	(i) New Primary School FahidTola Ola Khajubari (ii) New Primary School Gamharia (iii) New Primary School Kharra (iv) New Primary School Hatgaon (v) New Primary School Dokarhjari Kalpir	102.50	2.05	10,000/-	5,750/-	06 माह
2	PRIM-	किशनगंज	ठाकुरगंज	(i) New Primary School Dallegaon (ii) New Primary School Bhavangaon	41.00	0.82	5,000/-	1,150/-	06 माह
3	PRIM- 3	गोपालगंज	Thawe	New Primary School, Math Gautam, Padrama Patti	13.80	0.28	5,000/-	1,150/-	06 माह
4	PRIM- 4	गोपालगंज	Manjha	(i) New Primary School, GhulamHussinTolal (ii) New Primary School, HarirayTola	27.60	0.56	5,000/-	1,150/-	06 माह
5	PRIM- 5	गोपालगंज	Uchkaga on	(i) New Primary School, Mahecha (ii) New Primary School, Itawa (iii) New Primary School, Survania (iv) New Primary School, Jhirwa	55,20	1.11	10,000/-	5,750/-	06 माह
6	SSSM -293	पूर्वी चम्पारण	Ramgarh wa	High School Building at Murla	131.50	2.63	10,000/-	5,750/-	15 माह
7	SSSM -294	पूर्वी चम्पारण	Dhaka	Upgraded High School Building at BardhharwaFatch Mohammad	131.50	2,63	10,000/-	5,750/-	15 माह
8	SSSM -295	पूर्वी चम्पारण	Dhaka	Upgraded High School Building at Phulwaria	131.50	2.63	10,000/-	5,750/-	15 माह
9	SSSM -296	पूर्वी चम्पारण	Dhaka	High School Building at KundwaChainpur	131.50	2.63	10,000/-	5,750/-	15 माह
10	SSSM -297	पूर्वी चम्पारण	Dhaka	Upgraded High School Building at Musoradha	131.50	2,63	10,000/-	5,750/-	15 माह

MANAGING DIRECTOR WILAN OFILLER & DEVELOPMENT PVT. LTD.

Chief Eng heer B.S.E.I.D.C. Littl, Patna

	-	
		, American
		· Control
)
		, week
		, entre
		publica.
		: }
)
		J.
•		
		, de

11	SSSM -298	पूर्वी चम्पारण	Dhaka	Upgraded High School at saphi	131.50	2.63	10,000/-	5,750/-	15 🐃
12	SSSM -299	पूर्वी चम्पारण	Dhaka	Upgraded High School at Chandanwada (Urdu).	131.50	2.63	10,000/-	5,750/-	15 मह
13	SSSM -300	पूर्वी चम्पारण	Banjaria	Upgraded High School Building at Ajgarwa	131.50	2.63	10,000/-	5,750/-	15 माह
14	SSSM -301	पूर्वी चम्पारण	Narkatiag anj/Choda dano	High School Building at Pakariya(Urdu)	131,50	2.63	10,000/-	5,750/-	15 माह
15	SSSM -302	पूर्वी चम्पारण	Aadapur	High School at Nakardeye	131.50	2.63	10,000/-	5,750/-	15 माह
16	SSSM -303	पूर्वी चम्पारण	Aadapur	High School at DhabiyaDakshin	131.50	2.63	10,000/-	5,750/-	15 माह
17	SSSM -304	पूर्वी चम्पारण	Aadapur	High School at Laxmipur	131.50	2,63	10,000/-	5,750/-	15 माह
18	SSSM -305	पूर्वी चम्पारण	Aadapur	High School at Bhawanipur Bazar	131.50	2.63	10,000/-	5,750/-	15 माह
19	SSSM -306	पूर्वी चम्पारण	Aadapur	High Schhol at Boldarwa	131.50	2.63	10,000/-	5,750/-	15 माह
20	SSSM -307	मधुबनी	Rahika	High School at Malangiya	131.50	2.63	10,000/-	5,750/-	15 माह
21	SSSM -308	मधुबनी	Rahika	High School at Laxmipur	131.50	2.63	10,000/-	5,750/-	15 माह
22	SSSM -309	मधुबनी	Rahika	High School at Rampur	131.50	2.63	10,000/-	5,750/-	15 माह
23	SSSM -310	मधुबनी	Kaluáhi	High School at MalmalDakshin	131.50	2.63	10,000/-	5,750/-	15 माह
24	SSSM -311	मधुबनी	Kaluahi	High School at Madhopur	131.50	2.63	10,000/-	5,750/-	15 418
25	SSSM -312	भागलपुर	Sanhaul a	High School at Telaunadha	131.50	2.63	10,000/-	5,750/-	15 मार

1.4.			CONST	TRUCTION OF ADDITI	ON	AL CLASS	ROOM ((ACRS)		
क्रम सं0	गुप का नाम	जिला का नाम	प्रखण्ड का नाम	विद्यालय का नाम	ईकाई	प्राक्कलित राशि (लाख रू० में)	अग्रधन का राशि (लाख रू० में)	परिमाण विपत्र का मूल्य (रू०में)	Beltron Bid Processing Fee (In Rs.)	कार्य समाप्ति की अवधि
26	ACR- 201	मधुबनी	Madhub ani (Town)	Suri High School at Madhubani.	6	39.06	0.79	5,000/-	1,150/-	06 माह
				(i) High School at Parsauni	5					
			AMAZI BU	(ii) High School at Nahas Khangraitha	5					
		<u> </u>		(iii) High School at Simiri	5					
ľ.				(iv) Upgraded School at Noorchak	12					
27	ACR- 202	मधुबनी	Bisfi	(v) Middle School at AunsiBhabhangawa	18	488.25	9.77	10,000/-	17,250/-	15 माह
				(vi) Upgraded School at Bhairwa	11					
				(vii) Upgraded School at Shivaul	12					
				(viii) Upgraded School at Bardha	7					

Jamman.

1)

17

0

0

MANAGING DIRECTOR

Chief Eng neer
B.S.E.I.D.C. Ltd, Patna

2/e.

				· · · · · · · · · · · · · · · · · · ·
				, or other parties of the second
				-
				7
				JOSEPH,
				Andre,
				A III
				4
				* ***
				ozina G
			,	
				Ì

			T		т		·		<u> </u>	
	7 R- 3	भागलपुर	Sanhaula	Bari Adarsh High School	8	52.08	1.05	5,000/-	1,150/-	09 माह
				(i) Upgraded middle school, Balbhadrapur	4				- the second second second second second second second second second second second second second second second	
				(ii) Middle school at Narpatpatti	6					
				(iii) Upgarded middle school at Deenbandhi	6					
				(iv) Urdu middle school at Kamalpur	4					
29	ACR-	सुपौल	Basantpur	(v) Upgarded middle school at Parmanandpur	6	040.00	6.20	I A dani		
-	204	Gard	Basa	(vi) Middle school at Parsa Urdu	6	319.00	6.38	10,000/-	17,250/-	09 माह
				(vii) Middle school at Baria Kamal	2					
				(viii) Primary School at Kataiya	3					
				(ix)Upgarded middle school at Mohanpur	6					
		lasy:		(x) Upgraded middle school at Shankarpur	6				MA.	
		and the second second second second		(i) Upgraded middle school at Jhakrahi, New muslimTola	12					
	ACR-		Supaul	(ii) Hazari Higher Secondary School at Supaul	12			1 8 -	ing a state of the	
30	205	सुपौल	Town	(iii) Babujan vishveshwar Balika High School at Supaul	6	273.42	5.47	10,000/-	5,750/-	12 माह
				(iv) Higher Secondary School at Supaul	12					
31	ACR-	सीतामढी	Parihar	Shri Gandhi High School (ACR with Stair room &	1	23,32	0.47	5,000/-	1,150/-	06 माह
PER PER PER PER PER PER PER PER PER PER	206		Block	Verandah) (i) Govt. High School at G.M.	-	20.02	V1 17	3,000/-	1,150	00 110
	-			high school, Ramgarhwa (ii) High school at	4					
l, 	ACR-	चम्पारण	rhwa	Adhkaparia (iii) S.S. High School at	4					
32	207	पूर्वी चा	Ramgarhwa	Raghunathpur (iv) High School at	4	156.24	3.13	10,000/-	5,750/-	09 माह
		15€	A	SukhiSemra (v) R.D.P. girls high school	6.					
	;			at Ramgarhwa	6					
	3	E.		(i) Govt. High School at High School Dhaka	6					
33	ACR- 208	चम्पारण	Dhaka	(ii) Sarjeet high school at Bhandar	6	156.24	3.13	10,000/-	5,750/-	09 माह
	200	पूर्वी		(iii) Shri H.M. Balika High school at Kamarwa	6		3.13			
		· · · · · · · · · · · · · · · · · · ·		(iv)High School at Jataulia	6	~~			endennes en en en en en en en en en en en en en	
34	ACR-	पूर्वी चम्पारण	Banjaria	(i) Govt, High School at High School Semra	8	78.12	1.57	10,000/-	5,750/-	09 माह
	209			(ij) Dr. ZakirHussain high school at Mohmmadpur	4	164		. 5,500		, , , , , , , , , , , , , , , , , , ,
35	ACR- 210	पूर्वी चम्पारण	Narkatlag anj/Choda dano	Govt. high school at JeetpurVishnupurwa	4	26.04	0.53	5,000/-	1,150/-	06 माह

3 mondon

(dust)

MANAGING DIRECTOR
WILAMS GRILLERS & DEVELOPMENT PVT LITE.

Chief Eng neer
B.S.E.I.D.C. Ltd, Patna

			er er
			3
			, recognition
			· · · · · · · · · · · · · · · · · · ·
			i constituent
			i medilih
			, offi
			. 600
			C)
			parties.
)
	•		
			- 🤌
			and the second

						James and the second second			per	
36	36 ACR-		Adanp	(i) Bansidhar high school	6					00
1 30	211			(ii) Project girls high 4 65.10 school			1,31	10,000/-	1,150/-	09 ₹
1-1-1-1				CONSTRUCTION	OF	LIBRARY				
			Basant	(i) High School at Ratanpur			0.00	# nont	1 1501	
37	LIB-1	सुपौल	pur	(ii) Higher Secondary School Piprahi Patti	ol at	18.60	0.38	5,000/-	1,150/-	06 माह
				(i) Hazari higher seccondary school at Supaul	′		: '			
38	LIB-2	सुपौल	रापौल सुपौल	(ii) BabujanvishveshwarBal	ika	27.90	0.56	5,000/-	1,150/-	06 माह
		3 ", "	टाऊन	High school at supaul (iii) Higher secondary school	ol at					
				supaul						

1. प्राक्कलित राशि घट या बढ़ सकती है एवं तद्नुसार अग्रधन की राशि घट या बढ़ सकती है।

:--

2. वेबसाईट-www.eproc.bihar.gov.in पर अंकित प्राक्कलित राशि, अग्रधन की राशि एवं परिमाण विपन्न की राशि अंतिम रूप से मान्य होगा।

(2) विज्ञापन निर्गत करने की तिथि

दिनांक:-20.07.2016

परिमाण विपन्न प्राप्त करने(डाउनलोड) की अवधि एवं समय :- विनांक- 01.09.2016 से 15.09.2016, 15:00 घंटा (वेबसाईट:www.eproc.bihar.gov.in पर)

(4) प्री बिंड मीटिंग का समय, स्थान एवं तिथि

विनांक:- 07.09,2016, 16:00 घंटा प्रबंध निदेशक का कार्यालय,बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम, पटना।

(5) निविदा प्राप्ति(अपलोड) की अंतिम तिथि एवं समय:-

अग्रधन जमा करने की अंतिम तिथि एवं समय

(7) टेक्निकल बिड खोलने की तिथि एवं समय

(8) वित्तीय बिड खोलने की तिथि एवं समय

(9) निविदा खोलने का स्थान (10) निविदा की वैद्यता की अवधि विनांक- 16.09.2016, समय- 15:00 घंटा

विनोक- **19.09.2016**, समय- 15:00 घंटा दिनांक- 19,09,2016, लमय- 16:30 घंटा

(वेबसाईट-www.eproc.bihar.gov.inपर)

दिनांक- 26,09,2016, समय- 15:30 घंटा वेबसाईट-www.eproc.bihar.gov.inपर

120 दिन

(11) ई-टेन्डरिंग की प्रकिया में भाग लेने हेतु संवेदकों को पंजीकृत होना होगा, जिससे कि उन्हें उपयोगकर्ता का नाम (user ID) पासवर्ड (Password) अंकीय हस्ताक्षर (Digital Signature) निर्गत की जायंगी। यह उन्हें वेबसाईट www.eproc.bihar.gov.in से डाउनलोड करने / टेन्डर की प्रक्रिया में भाग लेने की योग्यता प्रदान करेगा।

(12) ई-निविदा पत्र बेवसाईट www.eproc.bihar.gov.in से प्राप्त किया जा सकता है। संवेदक द्वारा सिर्फ उपर्युक्त वेबसाईट से ही परिमाण विपन्न प्राप्त करने के उपरांत वेबसाईट पर ही इलेक्ट्रानिक निविदा पत्र को भरकर भेजना है। अन्य सभी महत्वपूर्ण कागजात/बैंक ज्ञापट/अग्रधन की राशि/सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को स्कैन कर ई-निविदा के साथ संलग्न

(13) परिमाण विपन्न के दर से कम दर उद्धृत करने पर बीड डाक्यूमेंट की शत्तों एवं सरकारी निर्णयानुसार अतिरिक्त Performance Guarantee एकरारनामा के पूर्व जमा करना होगा।

(14) (क) प्रत्येक परिमाण विपन्न का मूल्य जो प्रत्येक निविदा के सामने उपर किण्डका (1) में अंकित है (जो लीटाया नहीं जाएगा) किसी भी राष्ट्रीयकृत बँक द्वारा निर्मत एवं BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. के नाम से एवं पटना में भुगतेय हो, स्वीकार किया जायेगा। मूल बैंक ज़ापट "विहार राज्य शैक्षणिक आधारमूत संरचना विकास निगम लिमिटेड" पटना के कार्यालय में दिनांक 19.09.2016के 15:00 घंटे तक रवयं/निबंधित डाक /स्पीड प्रोस्ट द्वारा निश्चित रूप से जमा किया जाना है। ऐसा नहीं करने पर निविदा मान्य नहीं होगा।

ৰে) Beltron Bid Processing Fee is mandatory to be paid through online mode i.e. Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS" Bids along with necessary online payments must be submitted through e-procurement portal www.eproc.bihar.gov.in before

MANAGING DIRECTOR MILAN DRILLER & DEVELOPMENT PVT. LTD

Chief Eng heer E.I.D.C. Lid. P 9.S.E.I.D.C. Ltd., Patna

		-)
		,
		1 1
		· American
		-)
		(1)
		(1)
		, posterior
)
		100
.*		
		# - 78 - 75 - 75 - 75
		9
		ij
		J
		(_)
		er en en en en en en en en en en en en en
		· Marine

- (ग) वांछित अग्रधन की राशि राष्ट्रीय बचत पत्र/डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासवुक जो विहार राज्य से क्रय जमा किया हो, प्रबंध निदेशक, BSEIDC Ltd., पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा बिहार वित्त नियमावली के बनुसार BSEIDC Ltd. के नाम से फिक्सड डिपोजिट रिसिप्ट अथवा बैंक गारन्टी जो बिड के मान्य अवधि तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत/अनुसूचित बैंक से निर्गत हो (अगर विहार प्रान्त के बाहर के बैंक से निर्गत बैंक गारन्टी दिया जाता है तो एकसरनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदेशक का कार्यालय, विहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड, पटना में 19.09.2016 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट हारा निश्चित रुप से जमा किया जाना आवश्यक है। ऐसा नहीं करने पर निविदा मान्य नहीं होगा।
- (15) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर लें। तािक अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से बच सकें।
 - (16) निविदाकार निविदा डालने से पहले अपने स्तर से भी प्रस्तावित कार्य स्थल पर भूमि उपलब्धता के संबंध में आश्वस्त हो लेगे।
- (17) Even though the bidders meet the qualifying criteria, they are subject to be disqualified if they have record of poor performance such as abandoning the works, not properly completing the contract, inordinate delays in completion, litigation history, or financial failure in the work of this Corporation.
- (18) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। विना कारण बताये निविदा या उसके अंश को अस्वीकृत करने/रद्द करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।
- (19) विशेष जानकारी हेतु अधोहरताक्षरी के कार्यालय में कार्य अवधि में सम्पर्क किया जा सकता है। ई-टेन्डरिंग की प्रक्रिया से संबंधित किसी भी प्रकार की जानकारी/सूचना हेतु सहायता कक्ष, ई-टेन्डरिंग कक्ष, प्रथत तल्ला, M/22, बैंक ऑफ इण्डिया मचन, रोड न० 25, श्री कृष्णा नगर, पटना-800001, दूरभाष संठ संठ 0612-2523006/7542028164.

Jam Jam L

र्बजेश प्रसाद मुख्य परामर्शी(तकनीकी)

MANAGING DIRECTOR
VIILAN DRILLER & DEVELOPMENT PVT. LILL

Chief Eng neer

S.S.E.I.D.C. Ltd, Patna

24e

.) :) 0 0 1.)