	Schedule XLV-Form No. 61 (1) 11 Buildings at 49al
	Schedule XLV - Form No. 61 (1)
	School Rako Under Block-Kako
	School Rake Under 1518CR - Rake
	District - Schanabad. BIHAR PUBLIC WORKS DEPARTMENT
Ò	ITEM RATE TENDER AND CONTRACT FOR WORKS
\bigcirc	Agreement No
0	General Rule and Direction for the guidance of Contractors.
'n	Date of Commencement - 04-01-2019.
	1. All works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer.
\cap	This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the
	amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be
	deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive
v en e	Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive
	Engineer during office hours.
	2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person
Ö	holding a power-authorising him to do so.
	3. Receipt for payments made on account of work when executed by a firm must also be signed
1	by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having
1	authority to give effectual receipt for the firm.
	4. The memorandum of work tendered or and the memorandum of materials to be supplied by
	the Public Works Department and their issue rates shall be filled in and completed in the Office of the Sub- divisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender
	without having been so filled in and completed, he shall request the office to have this done before he
المسا	complete and delivers his tender.
ال.	5. The amount of earnest money to be deposited will be: - Rs. If the amount of the estimate does not exceed Rs. 2,000 50
j	If the amount of the estimate exceeds Rs. 2,000 but does
	not exceed Rs. 5,000
·	If the amount of the estimate exceeds Rs. 5,000 but does
}	not exceed Rs. 10,000
ز	For each additional Rs. 5,000 or portion of Rs. 5.000
	additional earnest money
الخب.	6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate
از	he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort,
	or omit to note the time within which the work can be finished, or which are not accompanied by the treasury
	challan for the required earnest money will be liable to rejection. No single tender shall include more than one
and the second	work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the envelop. Cash deposits for earnests
أجبر	money here in before mentioned shall be made in Government Treasuries and the challan there of should be
المسيدة	enclosed with the tender. Chief Engineer
ar	Chief Engineer 4-1-2019 April 9
-sagi	4-1-2019

7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.

8. The Engineer shall have the right of rejecting all or any of the tenders.

9. In the event of a tender being selected for acceptance the Engineer who opened the tenders will, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the priscribed time. The tender with the specilication and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to the tenderer.

10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.

11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required amount of the security money has been deposited the Engineer shall scrutinise all pages of the form of item, rate, tender & contract for works to see that the form has been properly filled up and signed by the contractor & the signature witnessed He shall then if he is competent, to accept the tender, sign the acceptance of the tender, or, if he is not so competent shall send the form for signature of the acceptance of the officer competent to accept it.

TENDER FOR WORKS

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

MEMORANDUM

্ৰ) If several sub-work are	[0]	Name of work
included they should be detained in a separate list.	[a]	Name of work
Octobro Ma Separate not	[b]	Estimated cost
(b) This deposit will be 5% of the estimated cost of the Work.	[c]	Earnest money
Over the second of the second		
(c) This percentage deduction from bills will be credited to the contractors	[d]	Initial security deposits (including earnest money) to be deposited befor the commencement of the work
security deposit.	[e]	Percentage to be deducted from bills Rs. 5% (Rupees five percent)
3	[f]	Time required for the work from date of written order to commence
	•	
	[9]	Date of written other to commence
	[h]	Total number of item of work tendered for

			RATE TE	RATE TENDERED		
	Item No.	Item of work	In figures	In words	Per	
	galania and a shaka a s					
0						
0						
Q ⁱ						
0)					44	
0			,			
.()						
Ü			+ 1	(X)	on on 119	
				Chief É	ng near	
(S) [()	2100	7, au 6912		8,8.E.I.D.C. 4e	Lvo, ramo	

		(4)			
Item No.	Item of work		RATE TENDERED		
		In figures	In words	Per	
H THE STATE OF THE		Market State of State			
				WELL STATE OF THE	
				400	
Water					
				· · · · · · · · · · · · · · · · · · ·	
		•		•	
Tricking the state of the state				•	
			The state of the s	•	
			- Annual Company		
the control of the co					
				V .>	
And the state of t					
	1	*.			
	**				
				•	
The contemporation					
		Portion			
Total Control of the					
			No.		
			To the state of th		
		The state of the s	NAME OF THE PROPERTY OF THE PR		

Schedule XLV - Form No. 61

(5)

10	Item No.	Itom of work	RATE TE	NDERED	
5	item ivo.	Item of work	In figures	In words	Per
0	and the second second		· · · · · · · · · · · · · · · · · · ·		
(a)					
()					
(%)				***************************************	
: 0	A Comment of Comment o				
(J				A STATE OF THE STA	
00				Name of the Control o	
0					
. 0				Anna Paris de la Carte de la C	
.0	3				
0				operation and the state of the	
				olumente proprieta de la companya del companya de la companya del companya de la	
0			A Control of the Cont		
0			All All Property and Control of C	dental contraction of the contra	
Ó	- Commence of the Commence of		Na ser magnitude de la constanta de la constan	Andrews	
()				to the second se	
C)				No. of the Control of	
				And the second s	
3			The state of the s	Minimum Maria	
0					
				The second secon	
0				MEGOS (circumstatements)	
				and the second s	
D .			200	w we will be the second	
()			The second secon		
0_					

Item No.	Item of work	RATE TE	NDERED	
Additional Control of the Control of	ioin of work	In figures	In words	Per
				•
			The state of the s	
			70	
The state of the s				

				Ď
and the second s				
				0
			The second secon	
				5
		Political Communication of the		
		Table 1		
		THE SAME PARTY AND ADDRESS OF THE PARTY AND AD		

Schedule XLV - Form No. 61

(7)

(i) Item No.	Item of work	RATE TE		
0	item of work	In figures	In words	Per
(a)				si .
(b)				
(1)				
(1)		and the same of th		
				•
(1)				
0				
0		ELECTRICAL PROPERTY OF THE PRO		
0				

			TO STATE OF THE ST	
			Silvania Control Contr	
			gis .	
*				
			MAIN TO A COLUMN T	
		Nonach was spanious		
L				

should this tender be accepted I/we hereby agree to abide by and fulfill all the terms and provisions of the said conditions of contract annexed hereto so. for as applicable, or in ssors in office the sums of money mentioned in the said conditions.

Dated the

day of

*Signature, of contractor before comission of tender

witness:-

Address:-

Occupation:-

Signature of witness to contractor's signature

The above tender is hereby accepted by me on behalf of the Governor of Bihar. Dated the

day of

Acceptances communicated on.....

20

signature of the officer accepting the tender.

NO E HILL SO

signature of the party

taking the tender

CONDITIONS OF CONTRACT

Compensation

Clause 1:- All compensation or other sums of payable by the contractor to Government under the terms of his contract may be deducted from, paid by the sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor by Government on any account whatsoever and in the event of his security deposit being reduced by reason of any such deduction or sale as aforesaid, the contractor shall within ten days there after make good in cash or Government securities endorsed as aforesaid any sum or sums which may have been deducted from, or, arised by, sale of his security deposit of any part thereof.

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which the work is finished after necessary rectification of defects as pointed by the Executive En- gineer or his authorised agents are fully contractor to the Engineer's satisfaction.

Clause 2 :- The time allowed for carrying out the work as entered in the tender shall be strictly observed by the contractor and shall be reckoned from the date on which the wirtten order to comence work is given to the contractor. The work shall throughout the stipulated period of the contract be carried on with all due diligence (time being deemed to be the essence of the contract on the part of the contract or) and the contractor shall pay as compensation an amount equal to ½ percent on the amount of the estimated cost of the whole work as shown by the tender for every day that the work remains uncommenced or unfinished after the proper date And further to ensure good progress during the execution of the work the contractor shall be bound in all cases in which the time allowed for any work exceeds one month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before onehalf of such time elapsed and three-fourths of the work, before three fourths of such time has elapsed in the event of the contractor failing to employ with this condition, I shall be liable to pay as compensation an amount equal to ½ percent on the said estimated cost of the whole work for every day that the due quantity of work remains incomplete provided always that the entire amount of compensation to be paid under the provisions the clause shall not exceed 10 percent of the estimated cost of the work as shown in the tender.

Action when persnle security deposit foreited

Clause 3:- In any case which under any clause or clauses of or this contract the contractor shall have rendered himself laible to pay compensation amounting to the whole of his security deposit in the hands of Government (where paid in one sum or deducted by instalments) the Executive Engineer on behalf on the Bihar Government shall have been powered to adopt any of the following courses, as he may deem best suited to the enterest of Government

(a) To rescind the contract (of which rescind notice in writing to the contractor under the hand of the Executive Engineer shall be conclusive evidence) and in which case the sectitiry deposit of the contractor shall start is eited, and be absolutely at the disposal of Government.

पठदेश्वप के भार

- (b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debitting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in -charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.
- (c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by'him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original Contractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a sufficient part thereof.
- In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by whim by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4: - In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may, if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Enginee, as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

contractor remains liable to pay compensation if action not take under cause 2

Power to take posession of or require removal of or sell contractor plant

Clause 5 - If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) he shall apply in writing to the Executive Engineer within 40 days from the date of starting of the hinderance on account of which be desires such extension as aforesaid and the Executive Engineer shall, if in his opinion (which shall be final) reasonable grounds be shown thereof authorised such extension of time if any, as may in his opinion be necessary or proper. The Executive Engineer shall at the same time inform the contractor whether her Engineer claims compensation for the delay.

Extension of time

Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion, but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinctly marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-work doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurements shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus materials and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid, except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Stores supplied Government

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-in charge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not a payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away an reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the account: or in any other way vary or affect the contract.

Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Clause 9:- If the specification or estimate of the work provides for the use of any special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-in charge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums then due or there after to become due to the contractor under the contract or otherwise, or against or form the security deposit, or the proceed of sale thereof, if the same is held in Government security the same or sufficient portion thereof in this case sold for the purpose. All materials supplied to the contractor shall remain the absolute property of Government and state not on any accounts he removed from this site of the work and shall at all times be open to

THE HOLD POR

inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: The contractor shall executive the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor a)shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid.

Clause 11:- Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a disputes the decision of the superintending Engineer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period.

Clause 12:- If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out. the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsoever on account of any profit or advantage, which he might have derived from the execution of the work in full, but which he did not derive in consequence of the full amount of the work not having been carried out neither shall he have any claim for compensation by reason of any alternation having been made in the original specification, drawing, designs and instruction which shall involve any installment of the work as originally contemptated in the clause 12 (a) As contained in G O 1929 dated 11.9.56.

Work to be executed accordance with specification drawing other etc.

Alteration in specifications and designation

Do not in validate contract

Time in consequence of alteration

Rate for work no in estimate or schedule of rates of the district.

Compensation for alteration in or restriction of work to be carried out.

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such failure is due to:-

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as finally by the contractor.

Action and compensation payable in case of work

Clause 13 :- If it shall appear to the Engineer-in-charge or his subordinate incharge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall on demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-incharge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and expense in all respects of the contractcor.

Work to be taken to inspection

Clause 14: All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineer-in-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be present

Clause 15: The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which the same was effected.

Notice to be taken before work covered up

Clause 16:- If the contractor or his work-people, or servants shall break, deface injure or destroy any part of a building in which they may be working or any building, road, road curves, fence enclosure water pipes, cables, drains, electric or telephone posts or wires, trees, grass or grassland or cultivated ground contiguous on which the work or any part of it is being executed or if any damage shall bappen to the work, while in progress from any cause whatsoever or any imperfection become apparent in if within three months (six months in the case of a road-work) after a certificate final or other of its completion shall have been given by the Engineer-in-charge

THE STATE SOL

()s a fore seal, the contractor shall make the same good at his own expense, or in default, the Engineer-in-charge may cause the same to be made be good by other Ovorksmen and deduct the expense of which time thereafter may become due to the contractor, or from his security deposit, or the proceed of sale there of, or of a sufficient ortion there of the security deposit at the contractor shall not be refunded before the expiry of three months (six months in the case of a road-work) after the issue of the ertificate final or otherwise of completion of work provided that in the case of a road work if in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable fter three months of the issue of the said certificate of completion

Contractor liable for damage done and for imperfection a months and after certificate

Clause 17:- The contractor shall supply at his own cost all materials (except such special materials) if any as may in accordance with the contract be supplied from the ngineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, tackle scaffolding and temporary works requisits or proper for the proper execution of the ^{(b})ork whether original, altered or substituted and whether include in the specification or other documents forming part of the contract or referred to in these conditions or not or hich may be necessary for purpose of satisfying or complying with the requirement of the Engineer-in-charge as to any matter as to which under these conditions he is entitled o be satisfied which he is entitled to require together with carriage therefore to and form the work. The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting, weighing and assisting in the measurement or examination at any time and form time to ime of the work or materials failing his so doing the same may be Provided by the Engineer-in-charge at the expense of the contractor and the expenses may be deducted om any money due to the contractor under the contract from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide (i) II necessary fencing and lights required to protect the public from accident, and shall be bound to bear to expenses of defence of every suit action or other proceeding at law that nay be brought by any person for injury sustained owing to neglect of the above precautions and to any such person or which may with the consent of the contractor be paid to compromise any claim by any such person.

Contractor to supply to plantladder scaffolding

And is liable for damage arising for non-provision of light fencing etc.

Clause 18:- No female labour shall be employed within the limits of contonment. The contractor shall not employ for the purpose of his contract any person who is below he age of twelve years and shall pay to each labour for the work done by such labourer wages not less than the wages paid for similar work in the neighbourhood.

Work not to be subject

The executive Engineer shall have the right to enquire into the case and decide Iny complaint alleging that the wages paid by the contractor to any labourer for the work done by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer employed by contractor is below the age of twelve years and to refuse to allow any labourer whom he decided to be below the age of twelve years to be employed by the

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his contract, or attempt so to do, or become insolvent proceedings to make any composition with his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward or advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, or offered by the contractor, or any of his servant or agents to any public officer or person in the employ of Government in any way relating to his officer or employment or if any such officer or person shall become in any way directly or indirectly interested in the contract the Executive Engineer may there upon by notice in writing rescind the contract. The security deposit of the contractor shall there upon stand forfeited and be absolutely at the disposal of Government and the same consequence shall ensure as if the contract had been recinded under clause 3 here of, in addition the contractor shall not be entitled to recover or be paid to any work therefore actually performed the under the contract.

Contract may be resinded and security deposit forfelted for subletting bribes or if contractor become insolvant

such payable by way of compensation to be considered reasonable compensation without reference to actual loss Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained.

Clause 21:- In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this information.

Charges in constitution of firm

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposition of the contractor shall thereupon stand forfeited and be absolutely at the disposal of Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer Clause 22:- All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23: In case any dispute or difference shall arise between the parties or either of there upon any question relating to the meaning of the specifications, designs drawings and instructions here before mentioned or as to the quality of workmanship or materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, or any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions or otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof exast he breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

(a) Clause 24: When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items of work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-incharge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineer in-charge shall be final and conclusive against the contractor with regard to any sum payable to him under the provision of this clause.

Action where no specification.

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circus specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Definition of works

Clause 26: The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to succonstruction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altersubstituted or additional.

Clause 27:- The terms and conditions of the agreement have been read/explained to me and certify clearly understand the

Contractor.

15)

Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied

<u>9)</u> . <u>9</u>	Particulars	Rates at which the material will be charged to the contractor			Place of delivery
- (7)		Unit	Rs.	P.	
Ó					
II)					
T) .					
				The second secon	
oe;				Parties of the Partie	
()		distance of the state of the st			
				The second secon	
9.				of the state of th	
Ó ·					
<u>.)</u> ,					
).				Attionment of the second of th	
<i>i</i>) .	1	

Note:-The person or firm submitting the tender should see that the rates in the above schedules are filled up by the Engineer-in-charge on the issue of the form prior to the submission of the tender.

Signature of Contrator)

Chief Eng neer

B.S.E.I.D.C. Ltd, P

(Signature of Executive Engineer)

04/1/19

7 1) .) . 700 AW. J .) j

BIHAR STATE EDUCATION INFRASTRUCTURE DEVELOPMENT CORPORATION LTD., SHIKSHA BHAWAN, SAIDPUR, PATNA.

Bill of Quantity for Renovation Work of Existing old Buildings at High School Kako, Under Block - Kako, District - Jahanabad.

Rates are based on SOR 2016 (w.e.f. 17.10.2016) & BSR Electrical 2016 (w.e.f. 01.10.2016)

Sl.No.	Name of School		Bloc	ok D		District
1	High School, Kako		Kako		Jahanabad	
SI. No.	SOR Item No.	Item of Work	Qty.	Unit	Rate (Rs.)	Amount (Rs.)
1	2.29.1	Surface dressing of the ground including removing vegetation and inequalities not exceeding 15cm deep and disposal of rubbish, lead upto 50m and lift upto 1.5m	7.130	100 sqm	806.00	Rupees eight hundred six only.
2	2.8.1	Earthwork in excavation in areas(exceeding 30cm in depth. 1.5m in width as well es 10sqm on plan) incloding dressing of sides and ramming of bottom, lift upto 1.5 including getting out the excavated soil and disposal of surplus soil as directed within a lead of 50m. All Kind of soil	55.768	cum	230.50	Rupees two hundred thirty & paise fifty only.
3	2.26	Filling available excavated earth (excluding rock) in trenches and plinth side of foundation etc. in layers not exceeding 20cm. thick in depth consolidating each deposited layer by ramming and watering lead.	15.490	cum	74.50	Rupees seventy four & paise fifty only.
4	2.28	Suppliying and filling in plinth with local sand and under floots including watering, ramming consolidating and dressing complete.	2.420	cum	204.40	Rupees two hundred four & paise forty only.

गर्दे भेषत केसाइ

Chief Eng neer

B.S.E.I.D.C. Lid, Fring

Mihany

64 1119

04/01/19

Additor , ja À A. J

5	11.72	Providing designation 100A one brick flat soling joints filled with local sand including cost of watering texes royalty all complete as per building specification and direction of E/I.	32.220	sqm	253.80	Rupees two hundred fifty three & paise eighty only.
6	15.2.1	Demolishing cement concrete including disposal of material within 50 metre lead: 1:3:6 or richer mix	46.251	cum	578.30	Rupees five hundred seventy eight & paise thirty only.
7	11.38	Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS: 15622 of approved make in all colours, shades, except White, Ivory, Grey, Fume Red Brown laid on 20mm thick bed of Cement Mortar 1:4 (1 cement: 4 Coarse sand) including pointing the joints with white cement and matching pigments etc. complete.	3.780	sqm	812.20	Rupees eight hundred twelve & paise twenty only.
8	15.56	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.	103.11	sq.m	12.80	Rupees twelve & paise eighty only.
9	4.1.5	Providing and laying in position cement concrete of specified grade exluding the cost of centring and shuttering-all work upto plinth level. 1:3:6(1 Cement: 3 coarse sand:6 graded stone aggregate 20 mm nominal size)	44.869	cum	3174.30	Rupees three thousand one hundred seventy four & paise thirty only.
10	5.1.1	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing & reinforcement - all work upto plinth level. 1:1:2 (1cement: 1 coarse sand: graded stone aggregate 20mm nominal size)	1.440	cum	6035.20	Rupees six thousand thirty five & paise twenty only.

अन्दे भूवान कुमार

Chief Eng near
Pass.E.I.D.C. Ltd. Patna
Jichny

4/1/19

04/0/19

Name of 1) j

11	5.1.3	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centering, shuttering, finishing and reinforcement-All work upto plinth level 1:2:4(1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size)	0.930	cum	3984.50	Rupees three thousand nine hundred eighty four & paise fifty only.
12	5.2.1	Reinforced cement concrete work in wall (any thickness), including attached pilasters, buttresses, plinth and struts etc upto floor five level excluding the cost of centring, shuttering, finishing & reinforcement - all work upto plinth level. 1:1:2 (1cement: 1 coarse sand: 2 graded stone aggregate 20mm nominal size)	2.588	cum	6644.60	Rupees six thousand six hundred forty four & paise sixty only.
13	5.3 + 5.33B.1 + 5.33B.4	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15, landings, balconiec, shelves, chajjas, lintels, bands, plain window sills, staircasees and spiral staircases upto floor five level excluding the cost of centring, shuttering, finishing & reinforcement - all work upto plinth level. 1:2:4 (1cement: 2 coarse sand: 4 graded stone aggregate 20mm nominal size) Providing M-15grade R.C.C instead of M-20 grade R.C.C. Proiding M-25 grade R.C.C. instead of M-20 grade R.C.C.	1.652	cum	5319.10	Rupees five thousand three hundred nineteen & paise ten only.
14	6.1.12/1	Brick work with bricks of class designation 100A in foundations and plinth in cement mortar 1:4(1cement: 4coarse sand).	8.750	cum	4724.40	Rupees four thousand seven hundred twenty four & paise forty only.
15	6.1.14A	Brick work with bricks of class designation 100A in foundations and plinth in cement mortar 1:6 (1cement :6 coarse sand)	0.855	cum	4490.60	Rupees four thousand four hundred ninety & paise sixty only.

गण्दे भेगाते केसार

Chief Eng neer

B.S.E.I.D.C. Ltd. Patns

Jehnue

04/1/19

04/01/19

September 1 of the second

16	6.1.14A + 6.3	Brick work with bricks of class designation 100A in superstructure above plinth level upto three floor cement mortar 1:6 (1cement :6 coarse sand)	7.166	cum	5003.90	Rupees five thousand three & paise ninety only.
17	11.41.2	Providing and laying vitrifed floor tiles in different sizes {thickness to be specified by the manufactruer) with water absorption's less than 0.08 % and conforming to IS: 15622 of approved make in all colours and shades, laid on 20 mm thick cement mortar 1:4 (1 cement: 4 coarse sand) including grouting the joint with white cement and matching pigments etc., complete. Size of Tile 60 X 60 cm	809.740	Sqm	1694.30	Rupees one thousand six hundred ninety four & paise thirty only.
18	11.36	Providing and fixing 1st quality Ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the nufacturer) of approved make in all colours, shades, except burgundy, bottle green, black of any size as approved by Engineer-in-charge in skirting, risers of step and dados over 12mm thick bed of Cement Mortar 1:3 (1 cement: 3 Coarse sand)and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigments of matching shade complete.	40.583	sqm	766.30	Rupees seven hundred sixty six & paise thirty only.
19	11.26.1	Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. 25mm thick	77.100	Sqm	998.30	Rupees nine hundred ninety eight & paise thirty only.

गर्टी भेषत केसार

()

Chief Eng neer

B.S.E.I.D.C. Ltd. Patra

Skihought

04/01/19

1)

			,			
20	11.27.1	Kota stone slabs 25 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average(thick cement mortar 1:3(1 cement; 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete.	3.870	sq.m	973.00	Rupees nine hundred seventy three only.
21	15.56	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.	1158.750	sq.m	12.80	Rupees twelve & paise eighty only.
22	13.13.4	20mm thick Cement plaster of mix 1:6 (1 cement : 6 coarse sand)	36.285	sq.m	140.40	Rupees one hundred forty & paise forty only.
23	13.11.4	12 mm thick cement plaster of mix: 1:6 (1cement:6coarse sand)	531.50	sq.m	101.20	Rupees one hundred one & paise twenty only.
24	13.24.2	6 mm cement plaster to ceiling of mix: 1:3 (1 cement: 4 coarse sand)	671.31	sq.m	87.40	Rupees eighty seven & paise forty only.
25	13.17.1 +13.36.1	12 mm cement Plaster 1:3 (1 cement: 3 coarse sand) with a floating coat of neat cement & Extra for providing and mixing water proofing material in proportion recommended by the manufacturers: 12 mm cement plaster 1:3 (1 cement :3 sand)	52.82	sqm	166.30	Rupees one hundred sixty six & paise thirty only.
26	13.13.1 + 13.26	20 mm cement Plaster 1:3 (1 cement: 3 coarse sand) with a floating coat of neat cement & neat cement punning	16.65	sqm	214.60	Rupees two hundred fourteen & paise sixty only.
	5.22	Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.				
27	5.22.7A	TMTC-500 8mm dia	293.00	KG	56.00	Rupees fifty six only.
	5.22.7B	TMTC-500 10mm dia	178.00	KG	54.70	Rupees fifty four & paise seventy only.
	5.22.7C	TMTC-500 12mm dia	222.00	KG	53.40	Rupees fifty three & paise forty only.

गुरुट्टे भेगा के भाड

0

N

. 10

i Maga

i.,)

J

Chief Eng near
Skywyr of 1/19. PAIOING

1) All j

28	5.9.1	Centring and shuttering including strutting, propping etc. and removal of form for foundation, footings, basees of columns etc. for mass concrete.	5.76	sqm	169.00	Rupees one hundred sixty nine only.
29	5.9.5	Centring and shuttering including strutting, propping etc. and removal of form for lintel, beams, plinth beams, griders, bressumers and contilevers	6.18	sqm	261.70	Rupees two hundred sixty one & paise seventy only.
30	5.9.6	Centring and shuttering including strutting, propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts	41.400	sqm	357.60	Rupees three hundred fifty seven & paise sixty only.
31	5.14.3	Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform.	7.130	sqm	291.00	Rupees two hundred ninety one only.
32	12.52.2	Grading roof for water proofing treatment with Cement concrete 1:2:4(1 cement :2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	17.943	cum	3732.90	Rupees three thousand seven hundred thirty two & paise ninety only.
33	13.74	Removing white or colour wash by scrapping and sand paper in and preparing the surface smooth including necessary repair scratches etc. complete	4275.730	sq.m	4.600	Rupees four & paise sixty only.
34	13.78.1	Applying one coat of cement primer of approved brand and manufacture on wall surface: Cement Primer	2985.500	sq.m	26.90	Rupees twenty six & paise ninety only.
35	13.77A.2	Distempering with 1st quality washable distemper (ready made) of approved manufacturer and of required shade and colour complete. As per manufacture's specifications. Two or more coats on new work	2985.500	sq.m	37.20	Rupees thirty seven & paise twenty only.

नव्दे भेया केसाड

()

Chief Eng near

B.S.E.I.D.C. List, Patna

Alilla 04/0//9

1000 Ì New York - 1 ACTION .

36	13.80A.1	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	1371.315	sq.m	77.40	Rupees seventy seven & paise forty only.
36	13.46.1	Finishing walls with Acrylic Smooth exterior paint of required shade: New work (Two or more coat applied @ 1.67 ltr/ 10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/ 10 sqm)	1371.315	sq.m	71.10	Rupees seventy one & paise ten only.
37	13.93.1	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work	198.166	sq.m	54.10	Rupees fifty four & paise ten only.
38	14.2.2	Fixing chowkhats in existing opening including embedding chowkhats in floors or walls cutting masonry for holdfasts embedding holdfasts in cement concrete blocks with cement concrete 1:3:6)1 cement:3 coarse sand:6 grade stone aggregate 20 mm nominal size) painting two coats of coal tar to sides of chowkhats and making good the damages to walls and floors as required complete including disposal of rubbish to the dumping ground within 50 metres lead. Window chowkhats	20.00	each	315.50	Rupees three hundred fifteen & paise fifty only.

गट्ने भीयन केसार

Chief Eng near

B.S.E.I.D.C. Ltd. France

Along

94/1/19

94/1/19

	A Children
	1
	")
	1
	Ì
	of the second
)
)
)
	,coll/s,
	: 1
	, della .
	ACCUPA
)
	1
)
)
))
	j
	A.

39		14.2.1	Fixing chowkhats in existing opening including embedding chowkhats in floors or walls cutting masonry for holdfasts embedding holdfasts in element concrete blocks with cement concrete 1:3:6)1 cement :3 coarse sand:6 grade stone aggregate 20 mm inominal size) painting two coats of coal tar to sides of chowkhats and making good the damages to walls and floors as required complete including disposal of rubbish to the dumping ground within 50 metres lead. Door chowkhats	12.00	each	531.90	Rupees five hundred thirty one & paise ninety only.
4	.0		Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position Kiln seasoned and chemically treated hollock wood.	0.149	each	49794.40	Rupees forty nine thousand seven hundred ninety four & paise forty only.
	41	9.9.1.1	Providing and fixing glazed shutters for doors, windows and clerestory windows using 10 kg/square meter {4 mm thick) glass panes including black enamelled M.S. butt hinges with necessary screws. 35mm thick second class teak wood.	1.215	Sqm.	3064.00	Rupees three thousand sixty four only.
	42	9.101.2	Providing and fixing alluminium hanging floor door stopper anodised (anodic coating not less than grade AC 10 as per IS:1868) transparent or dyed to required colour and shade with necessary screws etc. complete: Twin rubber stopper	72.00	each	83.80	Rupees eighty three & paise eighty only.

नार्दे भेषत केसाड

.)

Chief Eng near

240,
Skehoues

04/1/19

04/1/19

				, VIII.
			•	
				-
)
				alling.
		•		A
)
			·) }
				No.
				· John State of the State of th
				ASSESS.
				X
				, residing
)
				* }
				: }
•				
)
				, Ander
				e e e e e e e e e e e e e e e e e e e
				. J
)
				·
				, Succession
				Ĵ
				.)

45	B.S.R 12.78	Providing and fixing on wall face unplastidsed PVC (working pressure 4 kgf per sqm) rain water pipes cinforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10 mm gap for thermal expansion.	100	MTS	212.40	Rupees two hundred twelve & paise forty only.
			тота	L (A)	2,5	558,344.96
44	9.21.1	Providing and fixing flush door shutters conforming to IS: 2202 (Part-I) non-decorative type.core of block board construction with frame of 1st class tiard wood and well mathched commercial 3 ply veneering wiih vertical grains or cross bands and face veneers on both faces of shutters. 35 mm thick including anodized aluminum butt hinges with necessary screws	20.16	Sqm.	1698.20	Rupees one thousand six hundred ninety eight & paise twenty only.
43	2.37.1.1	Diluting and injecting chemical emulsion for POST CONSTRUCTIONAL anti - termites' treatrnent(including the cost of chemical emulsion) Along external wall where the apron is not provided using chemical imulsion @ 7.5 liters / sqm of the vertical surface of the substructure to a depth of 300 mm including excavation channel along the wall & rodding etc. complete: With chlorpyriphos/Lindone E.C. 20% with 1% concentration	4.725	Sqm.	32.70	Rupees thirty two & paise seventy only.

NOT STAIN \$57115

1.3

1 1

1

Chief Eng neer

Spo Mehous

04/1/19

04/1/19

74(55)V .) 1) Ì ħ.

		1	, I	ļ	Г	
46	B.S.R 17.1.1	Providing and fixining water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast iron P or S tap, 10 litre low white P.V.C. Flushing cistern with munally controlled device (handle level) conforming to IS: 7231 Parryware/Hindware with all fittings and fixtures complete including cutting and making good the walls and floors wherever required. White Vitreous China Orissa pattern W C pan of size 580 x 440 mm with integral type foot rest.	3	Each	3,049.30	Rupees three thousand forty nine & paise thirty only.
47	B.S.R 17.4.3	Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I. clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required: Range of three urinal basins with 10litre white P.V.C. automatic flushing cistern.	1	Each	6,205.20	Rupees six thousand two hundred five & paise twenty only.
48	B.S.R 17.7.1	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps.	1	Each	2,093.50	Rupees two housand ninety three & paise fifty only.
49	B.S.R 17.28.2	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. Flexible pipe 32 mm dia	1	Each	78.50	Rupees seventy eight & paise fifty only.

नार्षे भेगा मे गार

1)

210, Skehay 9
04/1/19

:) A (Separate j Vena.

50	B.S.R 17.32.2	Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing: Rectangular shape 453 x 357 mm	1	Each	636.90	Rupees six hundred thirty six & paise ninety only.
51	B.S.R 17.33	Providing and fixing 600 x 120 x 5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete.	1	Each	473.70	Rupees four hundred seventy three & paise seventy only.
52	B.S.R 18.9.2	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge.	.23	metre	147.30	Rupees one hundred forty seven & paise thirty only.
5:	3 B.S.R 18.8.1	COMPAND THE STATE OF THE STATE	s at 20	metre	221.4	Rupees two hundre twenty one & pais forty only.

ग्रही भी के ग्राह

Chief Engineer

B.S.E.I.D.C. Jith France

4/1/19

04/1/19

04/0/1/19

Name of the last J. Ì

	•		•			
54	B.S.R 18.9.3	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 25 mm nominal inner dia Pipes	25	metre	193.60	Rupees one hundred ninety three & paise sixty only.
55	B.S.R 18.48	Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI:12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.	500		6.60	Rupees six & paise sixty only.
56	B.S.R 18.49.1	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 15 mm nominal bore.	4	Each	481.60	Rupees four hundred eighty one & paise sixty only.
57	B.S.R 18.52	Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS: 8931 15 mm nominal bore.	1	Each	650.10	Rupees six hundred fifty & paise ten only
58	B.S.R 19.2.1	Providing and laying cement concrete 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size) all-round S.W. pipes including bed concrete as per standard design : 100 mm diameter S.W. pipe	10	metre	352.70	Rupees three hundre fifty two & paise seventy only.
59	B.S.R 19.6.1	Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete: 100 mm dia R.C.C. pipe	5	metre	305.50	Rupees three hundrefive & paise fifty on

Jog Han STK

Chief Eng neer

B.S.E.I.D.C. Ltd. Patra

Withauly

A/1/19.

ALCOHOL: Alp J)

50	B.S.R 19.27.1	Constructing brick masonry road gully chamber 50x45x60 cm with bricks in cement mortar 1:4 (1cement : 4 coarse sand) including 500x450 mm pre-cast R.C.C. horizontal grating with frame complete as per standard design : With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	2	Each	3,384.80	Rupees three thousand three hundred eighty four & paise eighty only.
61	B.S.R 19.30.1.1	Contructing brick masonry chamber for Underground C.I. Inspection Chamber and bend with 75 class designation bricks in cement mortar 1:4 (1 cement : 4 coarse sand) C.I. Cover with frame (light duty) 455x610 mm internal dimentions, total weight of cover with frame to be not less than 38 kg. (weight of cover 23 kg. and weight of frame 15 kg.) RCC top slab with 1:1.5:3 mix (1 cement: 1.5 coarse sand :3 graded stone aggregate 20 mm nominal size) foundation concrete 1:5:10 mix (1 cement:5 coarse sand : 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm th. with cement mortar 1:3 (1 cement:3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design. Inside dimensions 466x610 mm and 45cm deep for single pipe line: With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	2	Each	4,147.30	Rupees four thousand one hundred forty seven & paise thirty only.
		Non Scheduled Items (Market Rate)				
62		UPVC Pipe Provding and fixing soil,waste and vent pipes				
		110 mm dia	30.00	mtr	347.00	Rupees three hund forty seven only
63		UPVC fittings for UPVC pipes.				
03		Door Tee 110 mm dia	8.00	Each	365.00	Rupees three hund sixty five only.
		Door Bend 110 mm dia	10.00	Each	283.00	Rupees two hund eighty three onl
	1		No.		1	Rupees one hund

Nog 3/44 \$1112

0

Chief Eng near

R.S.E.I.D.C. Lid Fatna

Richard

94101119

					. /=
	v				(Marina)
			-		
					A CONTRACTOR OF THE PARTY OF TH
					-
					- "
					, production
					· Marie
					A SERVICE
					Ì
					Assess
					1-1-2-2-2-2 ₀
)
					Account of the second
)
					adlobb,
					9
					Section 2
					· · · · · · · · · · · · · · · · · · ·
					,)
					.)
					. <i>J</i> \
					in the
					and the second

	Vent Cowel 110 mm dia	2.00	Each	65.00	Rupees sixty five onl
	Pipe Clip 110 mm dia	30.00	Each	53.00	Rupees fifty three only.
	Floor Trap 110X110 mm dia	8.00	Each	436.00	Rupees four hundre thirty six only.
64	Construction of 125 mm x 40 mm x 90 m Tube well Manual Boring				
	Part 'A' - Cost of Materials				
	125mm dia UPVC casing pipe confirming to ISS	27	Meter	315.00	Rupees three hundr fifteen only.
	40mm dia UPVC pipe confirming to ISS	48	Meter	99.38	Rupees ninety nine paise thirty eight on
- - - -	40mm dia PVC ribbed strainer of approved quality	8	Meter	182.00	Rupees one hundre eighty two only.
	Reducing socket 125mm x 40mm	1	Each	270.00	Rupees two hundre seventy only.
	Supplying all labour and materials & fitting & fixing PVC cap over the new sink T/well	1	Each	140.00	Rupees one hundre forty only.
	Providing and fixing of G.I pipes complete with G.I fittings and clamps, including, cutting and making good etc 32 mm dia (15% C.P & 1% L.Cess)	18	mtr	187.30	Rupees one hundre eighty seven & pai thirty only.
	32 mm nominal bore Bross Full valve (15% C.P & 1% L.Cess)	1	Each	426.63	Rupees four hundrestwenty six & pais sixty three only.
	Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of E/I	1	Each	26,446.00	Rupees twenty six thousand four hund forty six only.

NOY 25 AU \$ 1/12

1

0

()

1

Chief End neer

Chief End neer

Jedhour

O4/1/19

, - _}
7
")
ANTON
>
, Million
, prima-
e de la companya de
nds,
600 ₇ ,
)
)
)
)
9
· : }
)
oración de la companya de la company
a jago

T	Part 'B' - Cost of Labour				
	Boring by jet dheki by suitable cutter of reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge.				
	(i) 0 to 30.5 m				Rupees two hundred
	(a) For 125 mm dia U.PV.C pipe	27	mtr	208.77	eight & paise seventy seven only.
	(b) for 40 mm dia UPVC pipe	~			Rupees one hundred
	(i) 0 to 30.5 m	3.5	mtr	119.03	nineteen & paise three only.
	(ii) 30.5 m to 61.0 m				Rupees one hundred
	(a) For 40 mm dia UPVC pipe	30.5	mtr	136.88	thirty six & paise eighty eight only.
	(iii) 61.00 m to 75.00 m			Special	Rupees one hundred
	a) For 40mm dia UPVC pipe	14	mtr	148.79	forty eight & paise seventy nine only.
	(iv) 75.00 m to above				Rupees one hundred
	a) For 40mm dia UPVC ribbed strainer of approved quality	8	mtr	148.79	forty eight & paise seventy nine only.
	Providing all labour & tools and lowering 32 mm dia G.I pipe as per specificatin etc. all Complete	24		21.34	Rupees twenty one paise thirty four onl
	Supplying labour and developing the T/Well to have sand free discharge all complete as per direction of E/I	1	Each	280.50	Rupees two hundre eighty & paise fift only.

ग्रे भेषा क्याड

Chief Eng hear

S.S.E.I.D.C. Light Pathy

240,

04/01/19

5) . 1 4000 Selfþ A

65	B.S.R 19.32.1	Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick money comb shaft with brick and S.W. drain pipe 100 mm diameter, 1.8 m long complete as per standard design. With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	1	Each	28,775.00	Rupees twenty eight thousand seven hundred seventy five only.
66		(i) C.I. cover and frame 300 x 300 mm inside	1	Each	312.17	Rupees three hundred twelve & paise seventeen only.
67	Code no. of	(ii) S.C.I. plain bend 100 mm dia	1	Each	364.20	Rupees three hundred sixty four & paise twenty only.
68	Code no. of 7087	(iii) S.C.I. Tee 150 mm dia	1	Each	624.34	Rupees six hundred twenty four & paise thirty four only.
			Specific Co.	Total (B):	191,424.66
69	1.1	Wiring for light point /fan point / exhaust fan point / call bell point with 1.5 sq.mm FR PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit with piano type switch, phenolic laminated sheet, suitable size M.S. PVC. box etc as required.				
	1.1.3	Group C	72	Nos.	621.00	Rupees six hundred twenty one only.
		Wiring for twin control point with 1. sq.mm FR PVC insulated copper conductor single core cable in surface recessed medium class PVC conduit, way piano type switch, phenol	er / 2	Nos.	628.00	Rupees six hundred twenty eight only.
70	1.2	laminated sheet, suitable size M.S. PVC box etc as required.	1	, page series	. Marting State Control of the Contr	

NOG HAY \$7112

Chief Eng near
B.S.E.I.D.C. Lid. Fatna
210, Skelwey)
04/1/19 04/0/1/19

70229 A17420) .) Ì .) 1 J

71	1.5	Wiring for light/ power plug with 2x4 sq.mm FR PVC insulated copper conductor single core cable in surface/ recessed medium class PVC conduit along with 1 No 4 sq. mm FR PVC insulated copper conductor single core cable for loop earthing as required.	400	meter	193.00	Rupees one hundred ninety three only.
	1.7	Wiring for circuit / submain wiring alongwith earth wire with the following sizes of FR PVC insulated copper conductor, single core cable in surface / recessed medium class PVC conduit as required.				
, 72	1.7.2	2 x 2.5 sq.mm + 1 x 2.5 sq. mm earth wire	185	meter	150.00	Rupees one hundred fifty only.
	1.7.3	2 x 6 sq.mm + 1 x 6 sq.mm earth wire.	30	meter	276.00	Rupees two hundred seventy six only.
	1.7.5	2 x 10 sq.mm + 1 x 10 sq.mm earth wire.	10	meter	417.00	Rupees four hundred seventeen only.
73	1.16	Supplying and drawing following pair 0.5 sq.mm FR PVC insulated annealed copper conductor, unarmoured telephone cable in the existing surface / recesed PVC conductor as required.	, , , , , , , , , , , , , , , , , , ,			
	1.16.1	1 Pair	26	meter	13.00	Rupees thirteen only.
74	1.17	Supplying and drawing co-axial TV cable RG-6 grade, 0.7mm solid copper conductor, insiulated, shielded with fine tinned copper braid and protected with PVC sheath in the existing surface / recessed PVC conduit as required.	0	meter	24.00	Rupees twenty four only.

गर्दे भेयत केमाउ

100

Chief Eng neer

B.S.E.I.D.C. Ligh Fatna

Whitele Control

Offile Control

Offi

					e de la companya de l
			1		2 - ***********************************
					, "
					الله (المراجعة) الله (المراجعة) الله (المراجعة)
					, All 2005
)
	•)
) P
					V. Carlot
					.)
					, come
					addition.
					Ž
					Allerin

75	1.29	Supplying and fixing metal/pvc of 150mm x 75mm x 50mm deep (nominal size) on surface or in recess with suitable size of phenolic laminated sheet cover in front including providing and fixing 5 pin 5/6 amps socket outlet and 5/6 amps piano type switch, connections, painting etc. as required.	18	nos.	199.00	Rupees one hundred ninety nine only.
76	1.30	Supplying and fixing metal/pvc box of 180mm x 100mm x 50mm deep (nominal size) on surface or in recess with suitable size of phenolic laminated sheet cover in front including providing and fixing 6 pin 5/6 & 15/16 amps socket outlet and 15/16 amps piano type switch, connections, painting etc. as required.	12	nos.	313.00	Rupees three hundred thirteen only.
77	1.23	Supplying and fixing following piano type switch/ socket on the existing switch box / cover including connections etc.as required				
	1.23.1	5/6 amps switch.	35	Each	32.00	Rupees thirty two only.
	1.23.4	5 pin, 5/6 amps socket outlet.	35	Each	44.00	Rupees forty four on
78	1.23.	Supplying and fixing following piano type switch/ socket on the existing switch box / cover including connections etc.as required				
70	1.23.6	Telephone socket outlet	0	Each	62.00	Rupees sixty two on
1	1.23.7	TV antenna socket outlet	0	Each	52.00	Rupees fifty two on
79	1.25	Supplying and fixing stepped type electronic fan regulator on the existing modular plate switch box including connections but excluding modular plate etc. as required	,	Each	387.00	Rupees three hundreighty seven only

गर्दे भेर्य क्रमार

: _}j

Chief Engineer

S.S.E.I.D.C. Lid, Fatne

He

O4/1/19

94/0/19

-} :) --)

All S

100

80	1.33	suppling and fixing fixing 3/2 pin, 5 amp ceiling rose on the existing junction box/ wooden block including connection etc as required. Supplying and fixing batten / angle	30	Each	35.00	Rupees thirty five only. Rupees forty eight
	1.34	holder including connection etc as required.	30	Each	48.00	only.
81	2.12	Supplying and fixing following rating,240/415 volts "C" curve, miniature circuit breaker suitable for loads of single pole in the existing MCB DB complete with connection, and commissioning etc. as required.				,
	2.12.2	40 amp, Single pole and neutral	3	Each	819.00	Rupees eight hundred nineteen only.
82	2.8	Supplying and fixing following way, single pole & neutral, sheet steel, MCB distribution board, 240 volts, on surface / recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted, including earthing etc as required. (But without MCB/RCCB/Isolator)			p ^{ropert}	
	2.8.5	2 + 12 way,Double door,	3	Each	1,170.00	Rupees one thousand one hundred seventy only.
83	2.15	Supplying and fixing following rating double pole, 240 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required	e n			
	2.12.2	63 Amps	3	Each	254.00	Rupees two hundred fifty four only.

JET 3307 JO NIC

Chief Engineer

2 B.S.E.I.D.C. Liki, Faina

240

04119

04119

() - 100) :) J j Section Control of the Control of th

88	and the second	copper strip at 0.50 metre below ground as strip earth electrode, including connection/ terminating with nut, bolt, spring, washer etc. as required. (Jointing shall be done by overlapping and with 2 sets of brass nut bolt & spring washer spaced at 50mm)	15	meter	868.00	Rupees eight hundred sixty eight only.
87	3.6	Earthing with copper earth plate 600 mm X 600 mm X 3 mm thick including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe of 2.7 metre long etc. with charcoal/ coke and salt as required. Supplying and laying 25 mm X 5 mm	1	Each	11,703.00	Rupees eleven thousand seven hundred three only.
86	2.14	Supplying and fixing single pole blanking plate in the existing MCB DB complete etc. as required.	6	Each	16.00	Rupees sixteen only.
	2.17.2	40 Amps	2	Each	2,509.00	Rupees two thousand five hundred nine
85	2.12.1	6/32 amps, Single Pole Supplying and fixing following rating double pole, (single phase and neutral, 240 volts, residual current circuit breaker (RCCB), having a sensitivity current upto 300 milliamperes in the existing MCB DB complete with connections, testing and commissioning etc. as required.	t	Each	208.00	Rupees two hundred eight only.
84	2.12	Supplying and fixing following rating 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in existing MCB DB completed with connections testing and commissioning etc. a required.	re g			

ना<u>धर</u> भेग्न केसार

1

.)

1 }

1.00

Chief Eng hear

3.5.E.I.D.C. Ltd. Patns

Whatel

64/1/19

4/01/19

		7
		1.9
		Annua.
		0
		- 3
		¹ Meggan'
		7
		Loren to
		_}
)
		· · ·
		1 mg
		*
		}
		and the second
		. N
		The state of the s
		j
		2

89	3.14	Providing and fixing 25 mm X 5 mm copper strip on surface or in recess for connections etc. as required.	15	meter	976.00	Rupees nine hundred seventy six only.
90	1907 JSR	3.5 core, 35 sq.mm XLPE/PVC insulated PVC sheathed (Heavy duty) armoured electric cable with aluminium conductor	0	meter	-	
91	7.1	Laying of one number PVC insulated and PVC sheathed / XLPE power cable of 1.1 kv grade of following size direct in ground including excavetion and refilling the trench etc as required.				
	7.1.1	Upto 35sq mm	90	meter	206.00	Rupees two hundred six only.
	2.1	Providing and fixing following capacity TP&N disconnector fuse switch unit inside the existing panel board with ISI marked HRC fuse including drilling holes in cubical panel, making connections etc. as			and the second	
92	2.1.3	required. 100 Amps TP&N	1	Each	3233.0	Rupees three thousand two hundred thirty three only.
	2.1.1	32 Amp TP&N	1	Each	1284.0	Rupees one thousand two hundred eighty four only.
93	6.10	Providing and fixing of lighting conductor finial made of 25mm dia 300 long copper, tube having single prong at top with 85mm dia 3mm thick copper base plate including hole etc complete as required.	3	Nos.	304.00	Rupees three hundre four only.
94	6.5	Providing and fixing copper tape 20 mm X 3 mm thick on parapet of surface of wall for lightning conducto complete as required. (For horizonta run)	r r 100	meter	66.00	Rupees sixty six on

र्जिंद भूमा कुमार

1)

Chief Engreer

S.S.E.I.D.C. Lid. Faina

Alle oalolly

. i S. Color

95	6.6	surface of wall for lightning conductor complete as required. (For vertical run)	82	meter	100.00	Rupees one hundred only.
	<	tomplete as required. (1 of vertical rull)	V	*gov****	tractication to the same of th	
		Providing, laying and fixing of following dia G.I. pipe (medium class) in ground complete with G.I. fittings including trenching (75 cm deep) and refilling etc. as required.				
96	9.13.4					
	1	150 mm dia.	15	meter	1,416.00	Rupees one thousand four hundred sixteen only.
97	9.14.2	Providing, laying and fixing following dia RCC pipe NP2 class(light duty) in ground complete with RCC collars, joints with cement mortar 1:2 (1 cement: 2 fine sand) including trenching (75 cm) and refilling etc.as required. (Road crossing as per site condition)				
		150mm dia	10	meter	348.00	Rupees three hundred forty eight only.
98	2.5.	Providing & fixing following capacity busbar chamber with 4 strips of suitable size made of copper, heavy duty, complete with all accessories including connections,		1		iony digit diny.
	2.5.2	200 Amps	1	Each	3,228.00	Rupees three thousand two hundred twenty eight only.
99	2.6	Providing and fixing following capacity four pole OFF-load changeover switch with side handle operation, in sheet enclosure in existing metal board, including drilling holes in metal panel, making connections etc. as required.				
	2.6.2	100 Amps, Four pole	1	Each	2,256.00	Rupees two thousand two hundred fifty six only,
		1 / 1 / 1 / 1	F SSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS	T	Cotal Cost (C) =	316,735.00
		CARRIAGE COST OF MATERIALS				

16 9 AUG \$ HID

, riming

i ja

1)

Chief Eng near

B.S.E.I.D.C. Lid. Patna

Ohlilla 04/0/1/9

Ì

j

		Type of materials				
	A	Cement	31.00	МТ	282.30	Rupees two hundred eighty two & paise twenty nine only.
-	B Coarse Sand		85.00	cum	717.91	Rupees seven hundred seventeen & paise ninety only.
100	С	Local Sand	1.77	cum	181.48	Rupees one hundred eighty one & paise forty seven only.
100	D	Stone Chips	45.00	cum	735.63	Rupees seven hundred thirty five & paise sixty three only.
	E	Brick	5.00	Thous.	531.02	Rupees five hundred thirty one & paise one only.
	F	Steel	0.60	МТ	282.30	Rupees two hundred eighty two & paise twenty nine only.
					TOTAL(D)	106,023.06
		TOTAL (A+B+	TOTAL (A+B+C+D) :			3,172,527.68
				Say		3,172,528.00

Sl.No	Name of School	Block	District	Amount
1	High School, Kako	Kako	Jahanabad	3,172,528.00

Tender approved in favour of Chandra Bhushan Kumar @ 10.00% (Ten Decimal Zero Zero Percent) below i.e. total amount comes to Rs. 28,55,275=00 (Rupees Twenty Eight Lacs Fifty Five Thousand Two Hunred seventy Five Only)

JOG HAY \$5112

Chief Eng near

B.S.E.I.D.C. Lid. Patna

Photograph

O4/1/19

O4/1/19

		The state of the s
• •		* **
		<i>i</i>
		#
		Alloy .
		: 7
		A BOOK COLLEGE
		position
		politica in a second se
4		Alle
		÷ Assista
	•	
		- _N - No.
		: 🥻
		*
		· · · · · · · · · · · · · · · · · · ·
		<u>}</u>
		· · · · · · · · · · · · · · · · · · · ·
		- 1975 - 1975
)
		Ĵ
		<u>}</u>

Performance Security

Name of Agency:- " Chandra Bhushan Kumar."

Performance Security of Regarding regarding Reno. Work of Existing oil Building at High School Kako, SL.NO- 04 (NIT-32/18-19) "

FDR No.	<u>DOI</u>		<u>AMOUNT</u>
37873949927	13.08.18		<u>56000.00</u>
NSC/ P.book			
3457793815	23.12.16		80000.00
3445374200	09.12.16		20000.00
		Total-	1.56.000.00

(Rupees One Lac Fifty Six Thousand only)

लेखा पदाक्षिनगरी विद्यार राज्य शैक्षणिक आधारभूत संरचना विकास निमम लिंत, पटना

JFG 3504 \$ 71/2

Chief Eng neer
2119
04/119

				· ***
				F
				* 57
			•	
				11
				, men
				Viva
				}
				<i>y</i> 18
				> (maga
				, and the state of
				A Company
				· Asing
				·
				Ì
				J.
	A.			
				3



विहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड CTURE DEVELOPMENT CORPORATION LTD. BIHAR STATE EDUCATIONAL INFR

(A Govt. of Bihar Undertaking) ISO 9001:14001; OHSAS 18001

Shiksha Bhawan, Bihar Rashtrabhasha Parishad Campus, Acharya Shivpujan Sahay Path, Saidpur, Patna - 800 004 Tel. No.: 0612 - 2660850 • Fax No.: 0612 - 2660256

E-mail: bseidc@gmail.com & Website: http://www.bseidc.in & CIN: U80301BR2010SGC015859

Letter of Acceptance

पत्रांक:- BSEIDC/FIN/3424/2018-19/-सेवा में,

Chandra Bhusan Kumar

At - Ainwan, P.O - Saidabad,

P.S - Kako, Distt - Jehanabad

बिहार राज्य अंतर्गत "Renovation Work of Existing old Buildings at High School विषय:--Kako, Under Block - Kako, District - Jahanabad N.I.T. No.-32/(2018-19) Sl. No.: 04 हेतु Performance Security जमा कर एकरारनामा करने के संबंध में।

महाशय,

उपर्युक्त विषय के संबंध में कहना है कि विषयांकित कार्य की निविदा आपके द्वारा उद्धत दर BOQ से 10% कम पर कुल राशि रू० 28,55,275 / —(अठाईस लाख पचपन हजार दो सौ पचहतर रूपये) मात्र पर आपके पक्ष में स्वीकृत की गयी है।

अतः निदेश दिया जाता है कि उक्त कार्य के एकरारनामा हेतु Performance Security की राशि रू० 1,43,000/- (एक लाख तैंतालीस हजार रूपये) मात्र का पोस्ट ऑफिस सावधि जमा पासबुक / 1, 2, 3 वर्षीय पोस्ट ऑफिस टाईम डिपोजिट / राष्ट्रीय बचत प्रमाण पत्र / किसान विकास पत्र, जो प्रबंध निदेशक, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०, पटना के नाम से प्रतिज्ञिप्त (Pledged) हो अथवा फिक्सड डिपोजिंट रसीद जो बिहार राज्य में स्थित Nationalized/ Scheduled बैंक से निर्गत हो एवं प्रबंध निदेशक, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि० पटना के नाम से प्रतिज्ञिप्त (Pledged) हो, जमा कर एकरारनामा कर लें।

Performance Security की राशि के सत्यापन एवं समुचित श्रेणी में इस निगम में निबंधन के उपरांत एकरारनामा किया जाएगा।

हिंद्य अभियंता

े १२९ पटना, दिनांक.....<u>. ५...१</u> १८ ज्ञापांक : BSEIDC / FIN / 3424 / 2018-19 / -

प्रतिलिपि :Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC website/Senior Account Officer/ All Executive Engineer/ Suprintending Engineer BSEIDC for information & necessary action.

JOG 2594 957/12

मुख्य अभियंता

Chief Engineer E.I.D.C. Ltd. Patna

SPECIAL CONDITIONS

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes, royalties and other

4. To qualify for award of work, the Bidder must possess the following:-

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of signatory bid.

b) DD for required value of B.O.Q. Cost.

c) Sufficient Earnest Money Deposit.

d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.

Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed at least one (Building / Renovation) work of value not less than 25

% of estimated value of contract) in last five years as mentioned in Technical bid.

f) Certificate from EE / Concerned Authority for Work Experience of Minimum Quantities of work done as prime contractor in any one Financial year during last five years as mentioned in Technical bid.

g) Litigation History as mentioned in Technical bid.

h) Valid Registration with Central/ State Govt. / PSU. i) Affidavit/Certificate "for not been debarred and required attachments are true and correct and if found fake/ forged, the undersigned will be liable to be inflicted upon the FIR and lawful punishment as well as black listing".

5. Contractor should satisfy themselves fully about the nature, site of work before offering

their tender and place of any ignorance afterwards shall not be considered.

6. The tender without earnest money or insufficient earnest money submitted with the tender, will be outright rejected.

7. Conditional tenders shall be outright rejected.

8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.

9. Authority shall reserve the right to reject any or all the tenders or distribute the work to

more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained.

11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules prevalent in the locality.

12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the

13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.

- 14. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-
- Natural calamities
- b. Act of enemies.

med भेगत केंग्राट

(Seal & Signature of Tenderer)

0) M · j À À

- such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.

 16. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
- 17. The contractor shall make his own arrangement for water and light at the work site.
- 18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 20. The Tenderer must not quote their rate more than 10 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
- 21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 22. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.
- 23. The Defect liability Period shall be One (1) Year from the date of completion of the work.
- 24. The Contractor shall rectify at his own cost in case the work is found to be defective during checking in liability period.
- 25. It will be the responsibility of the contractor to pay royalty of mines materials .The Contractor shall submit form "M" and "N" duly Filled as per "Bihar" Mines and Mineral Act 1972.
- 26. The Contractor shall Display a Signboard at work site about the work as on the format prescribed by Engineer- in- Charge.
- 27. The Contractor shall Furnish his programme of construction for execution of the work within the stipulated time schedule together with methodology of construction of each item or work and obtain the approval of the Engineer- in- Charge prior to actual commencement of work.

____X____

্রতির পুর্বার প্রত্যা 2 (Seal & Signature of Tenderer) Page 2 of 2

٥

-)

0

1)



बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड BIHAR STATE EDUCATIONAL INFRASTRÜCTURE DEVELOPMENT CORPORATION LTD.

(A Cavt. of Bihar Undertaking) 350 9001:14001; OHSAS 18001

Shiksha Bhawan, Bihar Rashtrabhasha Parerivad Campus, Acharya Shivpujan Sahay Path, Saidpur, Patna - $800\,004$ Tel. No. 106 . 1660850 • Fax No. : 0612 - 2660256

E-mail: bseidc@gmail.com*Website:.bitp://www.bseidc.in*CIN:U80301BR2010SGC015859]

निविदा आगंका सूचना संख्या-32 वर्ष 2018-19 परिशन दर निविदा

(केवल ई टेन्सरिंग पद्धति कं अनुसार वेक्साइट www.eproc.bihar.gov.in पर)

विहार राज्य के अन्तर्गत विभिन्न विकास्त्रीं का भवन निर्माण कार्य हेतु प्रतिशत दर निविदा आमित्रत की जाती हैं। कोई भी संवेदक जो केन्द्रीय / राज्य संव्याः / सार्वजनिक क्षेत्रों में निवंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रजिस्ट्रेशन उच्छ कार्य कः 🕟 अपिक एक्समटेम मध्य होने के बाद कराना होगा।

क्रम _० स०	कात का नाम	भागभित भीरे (लाख रूज में)	अध्यत्त की स्रीध (लास्त्र रहक में)	परिमाण विपन्न का पूल्य (रूवमें)	Beltron Bid Processing Fee (In Rs.)	कार्य समाप्ति की अवि
* .	मधुबनी जिलान्तर्गत प्रखण्ड- पडांल रिथत लक्ष्मीनगर एकेडमी, सरिसद) +2 स्तरीय विद्यालय भवन का निर्माण कार्य।	(33.158	2.66	10,000/-	As appeared on the website	15 माह
2.	भोजपुर जिलान्तर्गत प्रखण्ड-संदेश रिथत रच्च विद्यालय भाटौली में +2 स्तरीय विद्यालय भवन का निर्माण कार्य।	26.85	2.54	10,000/-	As appeared on the website	15 माह
3.	जहानावाद जिलान्तर्गत प्रखण्ड काकी स्थित प्रोजेक्ट कन्मा उच्च विद्यालय काको में अतिरिक्त वर्ग कक्ष का निर्माण कार्य।	/8,657	1,57	10,000/-	As appeared on the website	12 माह
4.	जहानाबाद जिलान्तर्गत प्रखण्ड-काका स्थित उच्च विद्यालय, काको परिसर में स्थित भवनों का जीर्णोद्धार कार्य।	12.106	0.64	5,000/-	As appeared on the website	06 माह
5.	रोहतास जिलान्तर्गत प्रखण्ड-कांवस रिथत उत्क्रमित माद्यमिक विद्यालय कुर्सा में निर्माणाधीन भवन (SSS-132 A) का अवशेष कार्य।	64 6645	1.29	-/000,01	As appeared on the website	10 刊房
6.	रोहतास जिलान्तर्गत प्रखण्ड कोवर। रिश्वत उक्कमित माध्यमिक विद्यालय लहेरी में निर्माणाधीन भवन (SSS-132 B) का अवशेष कार्य।	85 74843	1.71	10.000/-	As appeared on the website	12 माइ

नोट:--(j) प्रायकलित संशि घट या वद अकती है एवं छ , हुस्तर अयदन की शशि घट या वद सकती है।

(a) वेबसाईट -www.eproc.bihar.gov.in पर किंहा पानकतित पश्चि, अञ्चल की सांग्रे एवं वरिमाण विषव की राशि अतिम रूप से मान्य होगा। (iii) निनिदाकार एक या अधिक कार्य के लिए अदान अलग निनिदा उछत सकते हैं।

(i) विज्ञापन निर्मत करने की लिए

自由序 - 24 07.2018

(2) परिभाग विषत्र प्राप्त करने(आननलोस)

िनाक - 06.08.2018 में 13.08.2018, 15700 घटा सक

की अवधि एव समय

(वेयसाईन.www.eproc.bihar.gov.in पर)

(3) श्री विंड मीटिंग का समय, रखान एवं तिवि

ित्ताक - 09.08.2018, 16:00 घंटा तक, प्रवंध निरंपक का भायांलय विहार राज्य श्रीक्षणिक आधारभूत

सरवना विवास निगम, पटना।

मार्ट भेरत केसार

Chief Engineer B.S.E.I.D.C. Ltd, Patna

, Parties Acces () All of the second Negary. Marin Marin þ 1) No. .) (4) निविदा प्राप्ति(अपलोड) की अंतिम विश्वि एवं समयः

(5) अकार जमा करने की अतिम विभि एव समय

(6) टेकिनकल विस खोलने की तिथि एव समय

(7) वित्तीय विड खोलने की तिथि एव समय

(8) निविदा खोलने का रथान

(9) निविदा की वैधला की अवधि

दिवाक - 14 ns 2018 समय - 15:00 घटा तक जिन्हरू १६ सह २०१८, सम्छ- १५:०० घंटा तक हिमुक १६०४ १०१८ सम्ब १६७० घटा तक (पंचराह्रीत www.eproc.bihar.gov.inगर) दिनाक- 21.08 2018, रागव- 15.30 घंटी वेवसाईट - www.cproc.bihar.gov.inघर

120 Ga 11) ई टेन्डरिंग की प्रक्रिया में भाग लेने हेतु मंतिदकों को पंजीकृत होना होता होता के करहें अपयोगकर्ता का नाम (user ID) पासवर्ड (Password) अंकीय हरनाक्षर (Digital Signature) निर्मत की जलांग । अन्ते नेक्साईट www.eproc.bihar.gov.in स

डाउनलोड करने / टंन्डर की प्रक्रिया में भाग लने की गाम्मता प्रदान करना (12) ई- निविदा पत्र वैवसाईट www.eproc.bihar.gov.in स प्राप्त किया का कमा है। सर्वदक द्वारा सिर्फ उपर्युक्त वेवसाईट से ही परिमाण विपन्न प्राप्त करने के उपरांत कंक्साईट पर ही इलेक्ट्रानिक निविध पत्र वा महकर मेजना है। अन्य सभी महत्वपूर्ण कामजात / वैक

डुाफ्ट ∕अयशन की राशि ∕ रामी प्रमाण पत्र जो भिविदा के लिए आवश्यक हैं को रहत कर ई-निविदा के साथ संलग्न करना अनिवार्य हैं। (13) (每) Beltron Bid Processing Fee as appeared on the e-tendering web-site: www.eproc.bihar.gov.in & BOQ cost as mentioned is mandatory to be paid through e-payment mode i.e. Internet a ment gateway, (Credit/Debit card), Net Banking,

Bids along with necessary online payments must be submitted through cornect cement portal www.eproc.hihar.gov.in before the date and time specific in the NTF Corrigendum. The department doesn't take my responsibility for the delay/Non submission of Tender' Non-Reconciliation of Online payment caused due to Non-act, ability of Internet Connection, Network Traffic Holidays or any other reason. एसा नहीं करने पर निविधा मान्य नहीं होश

(ख) वॉलिस अग्रधन की संधि यादीय वयत पत्र, लाकधर सार्वाच जमा उ 🎨 या 5 वर्षीय प्रशायुक जो बिहार राज्य से क्रय या जमा किया हो, प्रबंध निवेशक, BSEIDC Ltd. पटना के नाम पनिक्षित (Pledged) हो अथवा बिहार वित्त नियमावली के अनुसार BSEIDC Ltd. के नाम से फिल्मांड दिगोजिट सिराग्ट अध्यत वैक वारूनी हो हुए के मान्य अवधि तक के लिए विद्युर अवस्थित किसी वर्षीयकृत ∕ अनुसृथित वैंक से निर्मत हो (असर मिहार प्रान्त क वाहर के वेक न ⊜र्मत वैंक मारान्टी दिया जाता है तो एकसरनामा के पूर्व इसे विहार अवस्थित किसी थेक स निर्मात किया जाना होगा) के रूप में प्रवहा एवंश्वक का कार्यालय, विहार राज्य शैक्षणिक आधारमूत शरकता विकास निगम लिमिटेंड, पटना में जिलाक 16,08,2018 के 15:00 कि तर स्वयं/निवंधित डाक /स्पीड पोस्ट द्वारा निश्चित रूप सं जमा किया जाना आवश्यक है अथवा EMD can also be paid through a payment mode i.e. "Internet payment gateway, (Credit/Debit card), Net Banking, NEFT RTGS , एसा पढ़ी करन वर्ष करें के माला नहीं होगा।

(ta) निविद्याकारों ज्ञान अलगमाल किये जा क इन्टरनार क्षतिम में किन्दा : का व्यवधान क्रयन्त क्षेत्रे पर कोई में जाग मान्य नहीं ं ववसाइट घर अपनोड कर हो। वाकि अतिम समय म हामा। निविदाकरों को सलाह हो जाती है कि जाने निविद्ध को समय करन होनवाले किसी प्रकार क अवधान हो वर्ग सहि।

(15) निनिद्यकार निविद्या कालने से पहल अपन ७५२ में भी पहलीबत नवट 💛 । ५२ भूमि मधानकाना के सवध म आस्वरत हो लेगे। (16) Even though the budders meet the qualifying criteria that $\gamma = abject to be disqualified if they have record of$ poor performance such as abandoning the works, not properly impleting the contract, inordinate delays in completion, litigation history or financial failure in the work of this corporation.

(17) किसी भी प्रकार का जानकारी अथवा शुद्धि पद्म को वैक्याहर अकर eproc.bihar.gov.in पर प्रकाशित किया जागेगा। विचा कारण बताये निर्मित या उसके प्रश्न की अध्वीकृत करने 'रत्द करन व ः कार मधाम प्रसाधिकारी को सुरक्षित है।

(18) विशोग जानकारी हेत् अधारस्ताहरी के कार्यात्स्य में कार्य अवस्थातः । । वह विशेष जा सकता है। ईं--हेन्डरिंग की प्रक्रिया से संबाधित किसी भी प्रकार की जानकारी, सूचना हतु सहाधता कहा, है हास्त्रिक हुए प्रशत तहला, M/22, वैक ऑफ हिस्सा भवन सेड त्रक 25, श्री कृष्णा तगर, पटना-800001, दुरमाम सन 0612 2523006 / 99550/र्यक क

NOT HAY DAV

Chief Eng keer 8.S.E.I.D.C. Lid, Patna

				e de la companya de l
				, en
				· *
				, et lær.
				jenike.
				general personal pers
				- 200
				- wells
				i m
				, permission
				- 9
•				
				·
				·)
				en e
				· ***
)
)
)