Name of Work- Construction of Block, Schedule XLV-Form No. 61 Resource Centre, Rosara, Samastipur, on Ltd. Agency _ [Form No. F-2] Jeewan Kishore ITEM RATE TENDER AND CONTRACT FOR WORKS Agreement No. - 153 F2 of 2016-17 D.S.R General Rule and Direction for the guidance of Contractors. 1. All works proposed for execution by contract will be notified in a form of invitation to tender in the passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer. ionth from This notice will state the work to be carried out the items and approximate quantities thereof as ifications well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be nnexed deducted from bills, copies of the specifications, designs and any other documents required in connection espects in with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours. E 2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so. 3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm. 4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender. 5. The amount of earnest money to be deposited will be : fore the If the amount of the estimate does not exceed Rs. 2,000 If the amount of the estimate exceeds Rs. 2,000 but does not exceed Rs. 5,000 If the amount of the estimate exceeds Rs. 5,000 but does not exceed Rs. 10,000 **FIFTEEN** For each additional Rs. 5,000 or portion of Rs. 5.000 additional earnest money 6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompany the treasury challan for the required earnest money will be liable to rejection. No single tender shall include more than pope work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the envelop. Cash deposits for earnests money here in before mentioned shall be made in Government Treasuries and the challan there of should be enclosed with the tender. 67901 1321) CRIE-, Patna 13/01

7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.

8. The Engineer shall have the right of rejecting all or any of the tenders.

9. In the event of a tender being selected for acceptance the Engineer who opened the tenders ill, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the priscribed time. The tender with the specification and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to the tenderer.

10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.

11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required amount of the security money has been deposited the Engineer shall scrutinise all pages of the form of item, rate 2 ander & contract for works to see that the form has been properly filled up and signed by the contract witnessed He shall then if he is competent, to accept the tender, sign the acceptance of the tender, or, if he is not so competent shall send the form for signature of the acceptance of the officer competent to accept it.

6797 18 21×12 E

13/6/17

TENDER FOR WORKS

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

MEMORANDUM

Name of work

Estimated cost

Earnest money

RATE TENDERED

In words

(a)	If several sub-work as	re
inc	luded they should b) (
	ained in a separate list	

- (b) This deposit will be 5% the estimated cost of the
- security deposit.

Item No.

- c) This percentage [d] aduction from bills will be

[a]

[b]

- [e]

- Initial security deposits (including earnest money) to be deposited befor the commencement of the work Percentage to be deducted from bills Rs. 5% (Rupees five percent)
 - Time required for the work from date of written order to commence
 - [f] monthly

In figures

Date of written other to commence [g]

Item of work

Total number of item of work tendered for [h]

240
Chief Engineer B.S.E.I.D.C. Ltd, Patna
310

tion Ltd.

RE

& D.S.R

ed in the month from ecifications annexed r respects in

TRE

before the

e FIFTEEN

13/01

Per

Item No.	Item of work	RATE T	ENDERED	
item No.	Remot work	In figures	In words	Per
	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)			
me day in				
taus gible so	reference in a squarection of the angle	V 2019 . 10 1 Like	and the state of	1
		all the beautiful	ge ancorbing (* 2	
		1886		
ž.		The state of the s		
		1,12.35 (1,380)	23	
3			190	
				1
To the stay of	Let a Charles Agent The proposition of	Akar out -200		
	Not set to			
that is		Policy of solection	99 . 60. 13	
			4.	
				$f_{i}(x) = f_{i}$
			7	
	to be a major	and the second		
1				
A 109		77.15 7314	un in mich	
		1994		
		4		
	The second secon			
to the	and the second second second second second			
) ·
1 3				
nevelen3	1991D 0.013.8.8	100		
6-58 6 6 6	1 PK 1 PK 100 PK 100			

3

em No.	Item of work	In figures	Constitution of the Consti	Per	1. T 1
			In words		tion Ltd
		10 0+ 10 g			Charles I
4-1					RE
					& D.S.R
					ancient de
1					
			1		ed in the
					month from
					ecifications
					annexed
*					r respects in
					ΓRE
			. # 3		
			*		
			0.5		c
		1			
					before the
			40		
		1 4 2			e FIFTEEN
		1			
					0/
					M
			,	THE STATE OF THE S	gineer Ltd. Patna Kehaudhy 3001112
					Kehaudhy
				13/01	131011199

4

a - DO Paire A		RATE TE	NDERED	Dor		
n No.	Item of work	In figures	In words	Per	ation Ltd	
				vertinal in our	2.01.1111	
				notice to university of the		
	terica tingetics provide about	Treplayed not by	许何"。一团	erwork for establish	RE	
		e per anno e o e		The same of the sa	, & D.S.R	
					Imount	
	74 °C 20				USA.	
					ed in the	
					s month from	
. ho					pecifications	
	Taker in Solvion			and wanger over	e annexed er respects in	
90					er respects in	
		es of 15 to 19 min.				
93,497		In it cases intents			TRE	
10 mg 1 2 mg		ela e tora avela de	Thomas Units	entrates are seed a		
7 Koe 21 h						
	also facility well by our south.	e Bacded		to accord where the		
					· · ·	
				* Salara factor		
	Says of a rote is now a					
20024-00						
					before the	
					before the	
1 31 4 13					270 1000 100	
					ce FIFTEEN	
		The Park Street Co.	Krank hag		CC FIFTEEN	
	aleste filosoficiales de la companio del companio del la companio del companio de la companio del companio de la companio del companio del companio de la companio de la companio de la companio del comp	en espaco de		is no established to some highest	3041871811	
			100	the state of the state of		
	male some services					
10 30	1 2 m					
4001	feed head			in the second		
d, Paina	fera hudo N.O.O.A.a.e.e			430.3		
				mared Disposition Section State (Section 2016)	gineer	
				11 - 10 (10) 12 - 13 - 23 (10)	gineer Ltd, Patna Kehaudh 13/01/12	
				13/01	13/01/10	

should this tender be accepted I/we hereby agree to abide by and fulfill all t terms and provisions of the said conditions of contract annexed hereto so, for applicable, or in ssors in office the sums of money mentioned in the said condition

*Signature, of contractor before comission of tender

Dated the

day of

witness

Address Occupation

Signature of witness to contractor's signature

The above tender is hereby accepted by me on behalf of the Governor of Biha Dated the day of

20

signature of the office accepting the tende

Acceptances communicated on 05-09-16

signature of the part taking the tende

Compensation

CONDITIONS OF CONTRACT

Clause 1:- All compensation or other sums of payable by the contractor : Government under the terms of his contract may be deducted from, paid by the sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor b Government on any account whatsoever and in the event of his security deposit being reduced by reason of any such deduction or sale as aforesaid, the contractor shall within ten days there after make good in cash or Government securities endorsed as aforesaid any sum or sums which may have been deducted from, or arised by, sale of his security deposit of any part thereof.

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which the work is finished after Executive En- gineer or his

Clause 2:- The time allowed for carrying out the work as entered in the tender shall be strictly observed by the contractor and shall be reckoned from the date or which the wirtten order to comence work is given to the contractor. The work sha throughout the stipulated period of the contract be carried on with all due diligence necessary rectification of (time being deemed to be the essence of the contract on the part of the contract or) and the contractor shall pay as compensation an amount equal to 1/2 percent authorised agents are fully on the amount of the estimated cost of the whole work as shown by the tender for contractor to the Engineer's every day that the work remains uncommenced or unfinished after the proper date And further to ensure good progress during the execution of the work the contractor shall be bound in all cases in which the time allowed for any work exceeds one month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before onehalf of such time elapsed and three-fourths of the work, before three fourths of such time has elapsed in the event of the contractor failing to employ with this condition. I shall be liable to pay as compensation an amount equal to ½ percent on the said estimated cost of the whole work for every day that the due quantity of work remains incomplete provided always that the entire amount of compensation to be paid under the provisions the clause shall not exceed 10 percent of the estimated cost of the work as shown in the tender.

Action when persnle security deposit foreited

Clause 3:- In any case which under any clause or clauses of or this contract. the contractor shall have rendered himself laible to pay compensation amounting to the whole of his security deposit in the hands of Government (where paid in one sum or deducted by instalments) the Executive Engineer on behalf on the Bihar Government shall have been powered to adopt any of the g courses, as he may deem best suited to the enterest of Government

(a) To rescind the contract (of which rescind notice in under the hand of the Executive Engineer shall be conc which case the sectitiry deposit of the contractor shall absolutely at the disposal of Government.

Glan A sir shis 13-1-2014

(b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debitting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in -charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.

(c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by'him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original contractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4: - In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may, if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Engineer as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

Clause 5 :- If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in i execution or on any other ground other than those mentioned in clause 12 (a) he sha apply in writing to the Executive Engineer within 40 days from the date of starting of t hinderance on account of which be desires such extension as aforesaid and the Executive Engineer shall, if in his opinion (which shall be final) reasonable ground be the property than the companion of the property thereof authorised such extension of time, if any, as may in his opinion be necessary proper. The Executive Engineer shall at the same time inform the contractor whethere is the same time information of the contractor when the claims compensation for the delay.

जीवन मिंभी रिह 13-1-2017

ation Ltd.

RE

& D.S.R

ed in the s month from pecifications e annexed er respects in

TRE

to pay compensation i action not take under

Power to take posession of or require removal of or sell contractor plant.

before the

ce FIFTEEN

13/01

Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinct marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-work doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurements shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus materials and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid. except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible, before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-incharge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts or in any other way vary or affect the contract.

• Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Stores supplied Government

Clause 9:- If the specification or estimate of the work provides for the use of any special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-incharge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the pontract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums then due or there after to become due to the contractor under the contract or otherwise, or address or form the security deposit, or the proceed of sale thereof, if the same is held in Government security the same or sufficient portion thereof in this case sold for the birdsagine erials supplied to the contractor shall remain the absolute properts of Grecontend a Rasinal not on any accounts he removed from this site of the work and shall at all times be open to

13-1-2017

inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: - The contractor shall executive the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid

Clause 11: - Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a disputes the decision of the superintending Engineer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period.

Clause 12:- If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out. the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsoever of account of any profit or advantage, which he might have derived from the execution of the work in full, but which he did not derive in consequence of the full amount of the work not having been carried out neither shall he have any claim for compensation biefasting in the of any alternation having been made in the original specification, drawingsdesigns and ttd, Patna instruction which shall involve any installment of the work as originally contemplated clause 12 (a) As contained in G O 1929 dated 11.9.56

6 gortaenchie

ation Ltd.

Work to be executed accordance with specification drawing other etc

RE

& D.S.R

ed in the s month from pecifications le annexed er respects in

Alteration in specifications and designation

TRE

Time in consequence of

Rate for work no in estimate or schedule of rates of the district

1 before the

ice FIFTEEN

td. Patna

13/01

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as finally by the contractor.

compensble in case of work

Clause 13 :- If it shall appear to the Engineer-in-charge or his subordinate incharge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall on demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-incharge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and

Work to be taken to inspection

Clause 14: - All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineerin-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be present

Clause 15:- The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which

Notice to be taken before work covered up

Clause 16:- If the contractor or his work-people, or servants spall break, deface injure or destroy any part of a building in which they may be working or any building. road, road curves, fence enclosure water pipes, cables, drains, election telephone posts or wires, trees, grass or grassland or cultivated ground control on which the work or any part of it is being executed or if any damage shall happen to the work, while in progress from any cause whatsoever or any imperiection become apparent in if within three months (six months in the case of a cond-work) after a certificate final or other of its completion shall have been given by the Engineer-in-charge

13/01

(13)

seal, the contractor shall make the same good at his own expense, or in he Engineer-in-charge may cause the same to be made be good by other Contractor liable for he Engineer-in-charge may cause the same to be made be good by other damage done and for imperfection a months in and deduct the expense of which time thereafter may become due to the or, or from his security deposit, or the proceed of sale there of, or of a sufficient and after certificate here of the security deposit at the contractor shall not be refunded before the three months (six months in the case of a road-work) after the issue of the e final or otherwise of completion of work provided that in the case of a road work pinion of the Engineer-in-charge behalf of the security deposit will be refundable ee months of the issue of the said certificate of completion

lause 17:- The contractor shall supply at his own cost all materials (except such materials) if any as may in accordance with the contract be supplied from the er-in-charges stores). Plants, tools, application, implements, ladders, cordage, scaffolding and temporary works requisits or proper for the proper execution of the mether original, altered or substituted and whether include in the specification or ocuments forming part of the contract or referred to in these conditions or not or may be necessary for purpose of satisfying or complying with the requirement of gineer-in-charge as to any matter as to which under these conditions he is entitled satisfied which he is entitled to require together with carriage therefore to and form The contractor shall also supply without charge the requisite number of persons ne means and materials necessary for the purpose of setting out works, and counting, ring and assisting in the measurement or examination at any time and form time to of the work or materials failing his so doing the same may be Provided by the neer-in-charge at the expense of the contractor and the expenses may be deducted any money due to the contractor under the contract from his security deposit or the eeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide ecessary fencing and lights required to protect the public from accident, and shall be nd to bear to expenses of defence of every suit action or other proceeding at law that be brought by any person for injury sustained owing to neglect of the above of light fencing etc. cautions and to any such person or which may with the consent of the contractor be to compromise any claim by any such person.

Clause 18:- No female labour shall be employed within the limits of contonment. e contractor shall not employ for the purpose of his contract any person who is below age of twelve years and shall pay to each labour for the work done by such labourer iges not less than the wages paid for similar work in the neighbourhood.

The executive Engineer shall have the right to enquire into the case and decide ny complaint alleging that the wages paid by the contractor to any labourer for the work one by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer mployed by contractor is below the age of twelve years and to refuse to allow any abourer whom he decided to be below the age of twelve years to be employed by the

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his contract, or attempt so to do, or become insolvent proceedings to make any composition with his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward or advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, or offered by the contractor, or any of his servant or agents to any public officer or person in the employ of Government in any way relating to his officer or employment or if any such officer or person shall become in any way directly or indirectly interested in the contract the Executive Engineer may there upon by notice in writing rescind the contract The security deposit of the contractor shall there upon stand forfeited and be absoluted. at the disposal of Government and the same consequence shall ensure as the disposal of Government and the same consequence shall ensure as the disposal of Government and the same consequence shall ensure as the disposal of Government and the same consequence shall ensure as the disposal of Government and the same consequence shall ensure as the disposal of Government and the same consequence shall ensure as the disposal of Government and the same consequence shall ensure as the disposal of Government and the same consequence shall ensure as the disposal of Government and the same consequence shall ensure as the disposal of Government and the same consequence shall ensure as the disposal of Government and the same consequence shall ensure as the disposal of Government and the same consequence shall ensure as the disposal of Government and Gove had been recinded under clause 3 here of, in addition the contractor shall not be shitled to recover or be paid to any work therefore actually performed the under the contract. 13/01/17

6) वन मिश्रीरिंह

Contractor to supply to plantladder scaffolding

ifed in the ars month from specifications the annexed ther respects in

ration Ltd.

4, & D.S.R

TRE

ENTRE

And is liable for damage arising for non-provision

Work not to be subject

Contract may be resinded and security deposit forfelted for subletting bribes or if contractor become

13/01

ed before the ent)ence FIFTEEN such payable by way of compensation to be considered reasonable compensation without reference to actual loss

Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained.

(14.)

Clause 21:- In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this information.

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal of Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer Clause 22: All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23:- In case any dispute or difference shall arise between the parties or either of there upon any question relating to the meaning of the specifications, designs, drawings and instructions here before mentioned or as to the quality of workmanship or materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, or any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions or otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof or as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

(a) Clause 24:- When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items or work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-incharge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineer-in-charge shall be final and conclusive against the contractor with regard to any sum payable to him under the provision of this clause.

Action where specificaiton.

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Definition of works

Clause 26:- The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to such construction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered, substituted or additional.

sate 5 Mitness 3.2.8

blan Arabic Re

(15)

Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied

Particulars	Rates at which the material will be charged to the contractor			Place of delivery	
	Unit	Rs.	P.		
	1000			gornalizoraci c	TRE
		5.0 0.1		MERCHANT PROTECTION	14, & D.S.R
	Tivore				
		torus		generalists of the work	eifed in the
the second					ars month from specifications
		gier Ini		essander net Cabierti	the annexed
Fs.					ther respects in
		NE SE			
					ENTRE
	Mark Comment	4. 81.74	1		· ct
	edes Alomei .				
		SERVICE AND A			ted before the
			12 de 13	as (Details attached) -	
	ent altitude. Die en	Jednika i			ent)
	1. / sour / / 2.	the work			nence FIFTEEN
	en of writing				
				decid to a label a figure	Fhousand Fine emission
Note:-The person or firm subn	mitting the tender sh	ould see that	the ra	tes in the above schedules are	

Note:-The person or firm submitting the tender should see that the rates in the above schedules are filled up by the Engineer-in-charge on the issue of the form prior to the submission of the tender.

(Signature of Contrator)

Chief Engineer
(Signsum: NDE Coulte, Mathem)

13/01

13/01/17

Fingineer
C. Ltd. Patna
JKehaulh
13/01/12

ration Ltd.

Chief Engineer

Bihar State Educational Infrastructure Development Corporation Ltd. B.O.Q. FOR BLOCK RESOURCE CENTRE IN BIHAR S.N. District Block Name of BRC SAMASTIPUR 1 ROSARA **BLOCK RESOURCE CENTRE** THE ITEM RATE BASED ON S.O.R BCD BIHAR, DATE - 15-09-2014, & D.S.R (ELECTRICAL) 2014 **TENDER FOR WORKS** I/we heredy tender for the execution for the Governor of Bihr of the work specifed in the under written memorandum at the rates specified therein within a period of years month from the date of witten order to commence and in accodance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subjects to the annexed condation of contract and with such materaials as are provided for by and in other respects in accordance with, such conditions so far as applicable. **MEMORANDUM** (a) If several sub-(A) Name of Work :- CONSTRUCTION OF BLOCK RESOURCE CENTRE work are incuded ROSARA, SAMASTIPUR (SL.No.-24) they should be detained in the separate list (B) Estimated Cost:-Rs. 74,84,005=00 Agreement value :- Rs. 67,35,604=00 (b) This deposit will be 5% of the (C)Earnest Money:estimated cost of the work. (c)This percentage (D) Initial security deposits (including earnest money) to be deposited before the deduction from bills will be credited to Commencement of the workthe contractors Earnest Money:- Rs. 3,37,000/- (Details attached) security deposits (E) Percentage to be deducted from bill Rs. 5% (Rupees five percent) (F) Time required for the work from date of written order to commence **FIFTEEN MONTHS** (G) Date of written order to commence :-(H) Total number of item of work tendered for :- 116 BUILDING WORKS: (Quantity per BRC)

Golda Bairchie

Chief Engineer

B.S.E.I.B.C. Ltd. Patna

Kehaulh

13/0/11/1

BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. SHIKSHA BHAWAN, SAIDPUR, PATNA.

B.O.Q. FOR BLOCK RESOURCE CENTRE IN BIHAR

	THE IN BINAR
THE ITEM BATE BASED	ONCORRE
THE HEW INAIL DASED	ON S.O.R BCD BIHAR DATE - 15.00 2014 & D.C.D. (5) 505
	ON S.O.R BCD BIHAR, DATE - 15-09-2014, & D.S.R (ELECTRICAL) 2014
	1 2014

		TEM RATE BASED ON S.O.R BCD	DIHAK, [DATE - 15-	09-2014, & [D.S.R (ELECTRICAL) 2014		
აL. <u>No.</u>	DISTRIC	NAME OF INSTITUTE		BLOCK				
1	SAMAST PUR	BLOCK RESOURCE CENTRE)SARA		
			CIVIL W	ORKS		7071177		
SI.	200							
10.	SOR Item No	. Item of Work	Qty.	Unit	Rate (Rs.)	Amount		
1	2	3	4	5	6	(Rs.)		
PI	ILE WOR	KS				1		
1		Boring, providing and installing bored cast-in-situ reinforced cement concrete piles of grade M 25 of specified diameter and length below the pile cap, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring, with bentonite solution and temporary casing of appropriate length for setting out and removal of same and the length of the pile to be embedded in the pile cap etc. all complete, including removal of excavated earth with all lifts and leads (Length of pile for payment shall be measured upto bottom of pile cap).						
	20.2.1	400 mm dia Piles	0.000	meter	1309.30	Rs. One thousand three hundred nine and paise thirty only.		
	20.2.2		0.000	meter	1523.20	Rs. One thousand five hundred twenty three and paise twenty only.		
	20.2.3	450 mm dia Piles	0.000	meter	1978.80	Rs. One thousand nine hundred seventy eight and pasie eighty only.		
	20.2.4	500 mm dia Piles	0.000	meter	2306.60	Rs. Two thousand three hundred six and paise sixty only.		
		600 mm dia Piles	0.000	meter	2996 10	Rs. Two thousand nine hundred ninety six and paise ten only.		
	20.2.6 7	50 mm dia Piles	0.000	meter	4219.70	Rs. Four thousand two hundred nineteen and paise seventy only.		

6) gor Hair lie

Chief Engineer S.S.E.I.D.C. Ltd, Patna 13/01/6 13/01

2 20.	parties, reviding and in	stalling	11		
	cast in situ single under ripiles of specified diameter	eamed			
	length below pile cap in	M-25			
	cement concrete, to carry	a safe			
	working load not less	than			
	specified, excluding the costeel reinforcement but inc	ost of			
	the cost of boring with ber	ntonite			
	Solution and the length of th	e nile			
	to be embedded in pile cap e complete. (Length of pile	etc. all			
	payment shall be measured	e for			
	to the bottom of pile cap):	apto			
20.3.1	300 mm dia Piles				
		0.000	meter	1934.	Rs. One thousand nine hundr
20.3.2	400 mm dia Piles				or and paise twenty or
20.00		0.000	meter	2225.3	Rs. Two thousand two hundred twenty five and pasie thirty onl
20.3.3	450 mm dia Piles				
		0.000	meter	2397.5	Rs. Two thousand three hundred ninety seven and pais
20.3.4	550 mm dia Piles	0.000			fifty only.
20.4	Extra over item No. 23.3 for	0.000	meter	2605.1	Rs. Two thousand six hundred five and paise ten only.
	providing additional bulb in und	ler			pared terrorny.
	reamed piles, under specified of	dia			
	meter				,
	(Only the quantity of extra bulbs are to be paid).	5			
20.4.1	300 mm dia Piles				
		0.000	Each	1040.40	Rs. One thousand two hundred
20.4.2	400		Lacii	1240.10	forty and paise ten only.
20.4.2	400 mm dia Piles				
		0.000	Each	1373 80	Rs. One thousand three hundred seventy three and
20.4.3	450				paise eighty only.
20.4.3	450 mm dia Piles				
		0.000	Each	1454.80	Rs. One thousand four hundred
20.4.4	500 mm dia Piles			Mark Control	fifty four and paise eighity only.
		0.000	Each	1597.20	Rs. One thousand five hundred ninety seven and paise twenty only.
					y and palse twenty only.
	AVATION				

की वना 8 ओ तिह

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

JKehowhan

13/01

13/01

13/01

				10		
4	2.8.1	legicavation	in	12		
		including getting out the excava- soil and disposal of surplus soil directed within a lead of 50m. All Kind of soil = 286.64 CUM SEPTIC TANK = 31.89 CUM TOTAL QUANTITY = 318.53 CUM	lan) and 1.5 ated as 318.53	0 cum	205.	Rs. Two hundred five and paise twenty only.
(5)	2.29.1	Surface dressing of the grou including removing vegetation a inequalities not exceeding 15 deep and disposal of rubbish, leupto 50 m and lift upto 1.5m All kinds of soil. = 136.41 CUM	nd	100 sqr	m 718.80	Rs. Seven hundred eighteen and paise eighty only.
E	ARTH FILL	ING				
6 (((2.26	Filling available excavated ear (excluding rock) in trenches, plint sides of foundations etc. in layers nexceeding 20 cm in depti consolidating each deposited layer bramming and watering lead = 188.98 CUM	h, ot	cu.m	66.40	Rs. Sixty six and paise forty only.
	ND FILLIN	IG	`			
7		Supplying and Filling in plinth with local sand and under floors including watering, ramming consolidating and dressing complete. = 118.79 CUM SEPTIC TANK = 1.02 CUM TOTAL QUANTITY = 119.81 CUM	1	cu.m	192.50	Rs. One hundred ninety two and paise fifty only.
-LAT	BRICK SO	LING				
8	ii ri s 1	Providing designation 100 A one brick lat soling joints filled with local sand including cost of watering, taxes, oyalty all complete as per building pecification and direction of E/I, 0 + 2, BUILDING = 291.84 CUM SEPTIC TANK = 13.57 CUM OTAL QUANTITY = 305.41 CUM		sq.m	227.600	Rs. Two hundred twenty seven and paise sixty only.

कीवना में शारिसंह

Chief Engineer

B.S.E.I.D.C. Ltd, Patna
Sk.howhyy

13/0/17

				12		
	P.C.C.			13		
9		Providing and laying in positic cement concrete of specific grade excluding the cost centring and shuttering- all wo upto plinth level 1:3:6 (1cement: 3 coarse sand: graded stone aggregate 20m nominal size) = 13 CUM	ed of rk 13.000	O cu.m	2775.7	Rs. Two thousand seven hundred seventy five and paise seventy only.
	FLOORING	Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level 1:2:4 (1 Cement: 2 coarse sand : 4 graded stone aggregate 40 mm nominal size)10 + 2 BUILDING = 8.74 CUM SEPTIC TANK = 2.98 CUM TOTAL QUANTITY = 11.72 CUM	d of k	cu.m	3219.70	Rs. Three thousand two hundred nineteen and paise seventy only.
(11	11.38	Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturer) of ist quality conforming to IS: 15622 of approved make in colours such shades except white, Ivory, Grey, Fume Red, Brown, laid on 20 mm thick Cement motar 1:4 (1 cement: 4 coarse sand) including pointing the joints with white cement and matching pigment etc., complete. TOILET PORTION = 46.04 SQM	46.040	sq.m	801.800	Rs. Eight hundred one and paise eighty only.
V	ALL TILES					
and the last						

6797 ASINGE

Chief Engineer

8.S.E.I.D.C. Ltd, Patna

13/0///

	11.0	0 10		14		
	11.30	ceramic glazed wall conforming to IS: 15 (Thickness to be specified by manufacture) of approved makall colours, shades excluding size as approved by Engineer-in-charge in skirting risers of steps and dados over mm thick bed of cement Modisial cement: 3 coarse sand a jointing with grey cement slurry 3.3 kg per sqm including point	tiles 622 the e in cept of 12 188.874 than d ing	sq.m	754.20	Rs. Seven hundred fifty four and paise twenty only.
LOOF	RING & S	TOILET PORTION = 188.8 SOM KIRTING	74			
13	11.26.1	Kota stone slab flooring over mm (average) thick base laid over and jointed with grey ceme slurry mixed with pigment to match the shade of the slaincluding rubbing and polishing complete. Base with 1:1:1 (1 lim: 1 surkhi: 1 coarse sand) / 1 (20 TO 25MM THICK) = 281.852 SQM	281.852 ne	sq.m	968.00	Rs. Nine hundred sixty eight only.
		Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (averag (thick cement mortar 1:3 (cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cosfor 10 sqm	e 1 h 74.37	sq.m	927.50	Rs. Nine hundred twenty seven and paise fifty only.
15		Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge. Granite work	0.00	M	239.10	Rs. Two hundred thirty nine and paise ten only.

जीवनामि शोर बिंह

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Skehoulky

13/0/1

WOF	K BEL A	W DI INTLUE		15		
VVOR	W BELO	W PLINTH LVL.				
16	5.1.1	Providing and laying in positio				
		specified grade of reinforce cement concrete excluding the cost of centring, shuttering	d e			
		finishing & reinforcement - all worl upto plinth level. 1:1:2 (1cement: 1 coarse sand	39.103	cu.m	5110.70	Rs. Five thousand one hundre ten and paise seventy only.
		graded stone aggregate 20mm nominal size)				
OR	K ABOVE	PLINTH LVL.				
17	5.2.1	Reinforced cement concrete work				
		in wall (any thickness), including attached plasters, buttresses, plinth and struts etc upto floor five level excluding the cost of centring, shuttering, finishing &		cu.m	5666,20	Rs. Five thousand six hundred
		reinforcement 1:1:2 (1cement: 1 coarse sand : 2 graded stone aggregate 20mm nominal size) 10 + 2 BUIL DING = 20.51 SQM		<i>y</i>	3000.20	sixty six and pasie twenty only.
8	5.1.3	specified grade of reinforced cement concrete excluding the cost of				
		centring, shuttering, finishing and reinforcement-All work puto plinth level. 1:2:4 (1 cement:2 coarse sand:4 graded stone aggregate 20 mm nominal size) SEPTIC TANK = 0.93 CUM	0.930	cum	3438.90	Rs. Three thousand four hundred thirty eight and paise ninety only.

6) 401/8 2/16/fie-

Chief Engineer

9.S.E.I.D.C. Ltd, Patna

1301

13101

			16			
	5.3 + 5.33B.4 + 5.33B.1	landings,balconiec, shelve chajjas, lintels, bands, pla window sills, staircases and spir stair cases upto floor five levexcludingthe cost of centring shuttering, finishing and reinforement with 1:2:4(cement:2 coarse sand:4 grade stone aggregate 20 mm nomina size). Add or deduct for providing riche or leaner mixes respectively at a floor levels. Providing M-15grade R.C.C. Proiding M-20 grade R.C.C. Proiding M-25 grade R.C.C. instead of M-20 grade R.C.C.	ofs 5, 5, es, in eal el g, (1 100.440 al) cu.m	4581.2	Rs. Four thousand five hundred eighty one and paise twenty only.
		Brick work with bricks of class designation 100A in foundations and plinth in cement mortar 1:6 (1cement :6 coarse sand) = 39.878 CUM	39.878	cu.m	3992.90	Rs. Three thousand nine hundred ninety two and paise ninety only.
	+ 6.3A	Brick work with bricks of class designation 100A in foundations and plinth in: Cement mortar 1:6 (1 cement: 6 coarse sand) Extra for Brick work in superstructure above plinth level upto floor V cum = 160.082 CUM	160.082	cu.m	4427.50	Rs. Four thousand four hundred twenty seven and paise fifty only.
6	+ 0 .19A f r s E s	Half brick masonry with bricks of class designation 100A in oundations and plinth in : Cement nortar 1:4 (1 cement: 4 coarse and) Extra for half Brick masonry in uperstructure above pinth level pto floor V level. = 134.043 SQM	134.043	Sq.m.	538.30	Rs. Five hundred thirty eight and paise thirty only.
	p bi bi	extra for providing and placing in osition 2 Nos, 6 mm dia , MS ars at every third course of half rick masonry (with F. P. S. ricks) 134.043 SQM	134.043	Sq.m.	75.90 r	Rs. Seventy five and paise ninety only.

6) gor Baix RiE

Chief Engineer

3.S.E.I.D.C. Ltd, Patna

13/01 13/01/17

				17		
	6.1.12/	Will DILLS OF CI	ons	cum	1 4184.	Rs. Four thousand one hundred eighty four only.
	PLASTER V	VORK				
25		(1 cement : 6 coarse sand) = 836.658 SQM	836.658	8 sq.m	1 123.5	Rs. One hundred twenty three and paise fifty only.
26	+ 13.26	cement: 3 coarse sand) with floating coat of neat cement neat cement punning SEPTIC TANK = 16.65 SQM	& 16.650	sq.m	185.6	Rs. One hundred eighty five and paise sixty only.
~27		1:6 (1 cement : 6 coarse sand) = 1041.58 SQM	1041.580) sq.m	89.30	Rs. Eighty nine and paise thirty only.
29		.12 mm cement Plaster 1:3 (cement: 3 coarse sand) with a floating coat of neat cement 8 Extra for providing and mixing water proofing material in proportion recommended by the manufacturers: 12 mm cement plaster 1:3(1 cement :3 sand) SEPTIC TANK = 52.82 SQM	52.820	sq.m	145.50	Rs. One hundred forty five and paise fifty only.
		6mm thick Cement plaster of Ceiling mix 1:4 (1 cement : 4 coarse sand) = 388.53 SQM	388.530	sq.m	77.40	Rs. Seventy seven and paise forty only.
	i i e s v a E a c p	Cement concrete flooring 1:2:4(1 cement:2 coarse:sand:4 graded stone agregate) finished with a floating coat of neat cement including cement slurry, etc. but excluding the cost of nosing of steps etc. complete. 40 mm thick with 20 mm nominal size stone aggregate. Extra for making chequers of approved pattern on cement oncrete floors, steps, landing, avements etc. = 136.41 SQM		sq.m	232.90	Rs. Two hundred thirty two and paise ninety only.

Glass Battellie

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

13101 | 13101 | 12

	NISHING V	VORK		13		
31	13.46.1	Finishing walls with Acry Smooth exterior paint of required shade :New work (Two more coat applied @ 1.67 ltr/ 10 sqm over and including primir coat of exterior primer applied @ 2.20 kg/ 10 sqn EXTERNAL WALL = 836.65 SQM	or ng 836.658	3 sq.m	68.8	Rs. Sixty eight and paise eighty only.
32	13.80A.2	Providing and applying whit cement based putty of average thickness 2 mm, of approve brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	e 2266.768	3 sq.m	118.70	Rs. One hundred eighteen and paise seventy only.
		Distempering with oil bound washable distemper of approved brand and manufacture to give an ever shade. New work (two or more coats over and including priming coat with cement primer INTERNAL WALL & CEILING = 1430.11 SQM	1430.110	sq.m	64.00	Rs. Sixty four only.
34		Applying priming coat with ready mixed pink or grey primer of approved brand and manufacture on wood work (hard and softwood) = 115.68 SQM	115.680	sq.m	25.20	Rs. Twenty five and paise twenty only.
36	i i	Applying priming coat with ready mixed zinc chromate yellow primer of approved brand and manufacture on steel galvanized ron/steel work. = 105.728 SQM	105.728	sq.m	21.30	Rs. Twenty one and paise thirty only.
	r s w	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade two or more coats on new york = 221.408 SQM	221.408	sq.m	50.90 F	Rs. Fifty and paise ninety only.

Glan Barklie

Chief Engineer

3.S.E.I.D.C. Ltd, Patna

Skehoult

				19		
38		for doors. windows and ventilate of mils steel Tee-sections, journiltred and welded with 15x3 relugs 10 cm long embedded in cempon concerete blocks 15x10x10 cm 1:3:6 (1 cement: 3 coarse sand 6 graded stone aggregate 20 mominal size) or with wooden plugs and screws or well with wooden plugs and screws or well as required including = 339.675 KG	ent of d: 339.678		. 75.	Rs. Seventy five and paise ten only.
39	9.21.1	shutters conforming to IS: 220 (Part-I) non-decorative type.co of block board construction wi frame of 1st class tiard wood ar well mathched commercial 3 ply veneering with vertical grains cross bands and face veneers oboth faces of shutters. 35 mm thick including anodize aluminum butt hinges with necessary screws = 48.195 SQM	o2 re th ad or 48.195	sq.m	1823.8	Rs. One thousand eight hundred twenty three and paise eighty only.
40	9.119.1	Providing and fixing oxidised M.S.tower bolt black finish, (barrel type) with necessary screws etc.complete 250x10mm 10 + 2, BUILDING = 44 EACH	44.000	each	66.50	Rs. Sixty six and paise fifty only.
41		Providing and fixing M.S.handles with necessary screws etc.complete 125 mm 10 + 2 , BUILDING = 44 EACH	44.000	each	27.50	Rs. Twenty seven and paise fifty only.
		Providing and fixing alluminium hanging floor door stopper anodised (anodic coating not less than grade AC 10 as per IS :1868) transparent or dyed to required colour and shade with necessary screws etc.complete:Twin rubber stopper = 22 EACH	22.000	each		Rs. Eighty two and paise seventy only.

Golden Hally Rie-

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Jkhowly

13/0/

13/0/

\neg		س
/	- 1	•

12	0.400		20		
	9.100.1 Providing and fixing M.S. sliding door bolts bright finished or/and black enamelled,with nuts and screws etc.compelled: 300x16 mm = 22 EACH	22.000	each	177.40	Rs. One hundred seventy seven and paise forty only.
43	2.1+10.13 Providing and fixing glazed steel				
	doors, windows or ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm M.S. lugs10cm long with steel legs embedded in cement concrete blocks 15x10x10cm.of (1:3:6) (1cement : 3coarse sand : 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required. Doors Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty	95.715	sq.m	3270.60	Rs. Three thousand two nundred seventy and paise sixty only.

Glanisalie

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Jkhulm

13/01

15/01/17

14 2.1	1+10	13/Providing and fixing al		21		
		Providing and fixing glazed steel of windows or ventilators of standard steel sections, joints mitered and with 15x3 mm M.S. lugs10cm long steel legs embedded in cement con blocks 15x10x10cm.of (1:3:6) (1cem 3coarse sand : 6graded stone aggre 20mm nominal size) or with worplugs and screws or rawl plugs screws or with fixing clips or with and nuts as required, including proviand fixing of glass panels with glaclips and special metal-sash putty approved make complete inclusive applying a priming coat of approved sprimer excluding the cost of mediang and other fitting exception and special metal-sash putty approved shape and security of approved shape and security seading seading of approved shape and security seading seading of approved shape and security seading sea	rolled elded with crete lent: egate oden and bolts iding lizing y of ding steel letal cept as teel tion and bors,	sq.m	3277.	Rs. Three thousand two hundred seventy seven and paise sixty only.
	82.1	Providing and fixing M.S. grills requirement pattern in frames windows etc. with M.S. flasquare or round bars etc complete fixed to steel windows by welding = 1722.87 KG	of ats all 1722.870) Kgs.	91.5	Rs. Ninety one and paise fifty only.
	22	Reinforcement for RCC wo including straightening, cutting bending, placing in position and bonding all complete. TMTC-500				
5.22		Thermo-Mechanically Treate bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG	8393.000	KG	74.40	Rs. Seventy four and paise forty only.
		bars TMTC-500 10mm dia = 1300 KG	1300.000	KG	73.10	Rs. Seventy three and paise ten
5.22.		Thermo-Mechanically Treated bars TMTC-500 12mm dia = 7000 KG	7000.000	KG	71.80	Rs. Seventy one and paise eighty only.
	:	Thermo-Mechanically Treated pars TMT-500 16mm dia = 700 KG	700.000	KG	72.80	Rs. Seventy two and paise eighty only.
5.22.7	k	Thermo-Mechanically Treated pars TMT-500 20mm dia = 750 KG	750.000	KG	72 20	Rs. Seventy two and paise twenty only.

(Man 12) Air Chie-

Chief Engineer

3.S.E.I.D.C. Ltd, Patna

13/01 13/01/19

	5.22.7			22		
17	1	bars TMT-500 25mm dia	0.000	KG	72.2	Rs. Seventy two and paise twenty only.
_47	10.19	Providing & fixing M.S. Fan hoo of 16 mm. dia. M.S. bar 1 Mills Long bent to required size ar shape, placed in position and fixed in Truss Frame / RCC Slab / bear at the time of casting all complet as per building specification and direction of E/I. (Wher materials is not supplied by deptt. = 42 EACH	tr. ad ed m te 42.000	Each	121.80	Do Own I was a second
49	10.33.1	welding etc. to steel ladder railling & staircases railling including applying a priming coat of approved steel primer. MS tube (medium) 40mm nominal bore. = 550 KG	550.000	kg.	91.10	Rs. Ninety one and paise ten only.
	10.5	Providing and fixingin position collapsibble steel shutters with vertical channes 20x10x2mm and braced with flat iron diagonals 20x5mm size with top and bottom rail of T-iron 40x40x6mm with 40mm dia steel pulleys complete with bolts nuts locking arrangement stoppers handles including applying a priming coat of approved steel primer.	4.52	sq.m	4115.60	Rs. Four thousand one hundred fifteen and paise sixty only.
	LANEOUS	WORK				
50		Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth. = 75.414 SQM		sq.m	319.30 F	Rs. Three hundred nineteen and paise thirty only.
	UTTERING	3				
51	r f f	Centring and shuttering including strutting, propping etc. and removal of form for foundation, tootings, basees of columns etc. for mass concrete. = 55.781 SQM	55.781	Sqm.		s. One hundred sixty six and aise seventy only.

Glass Hather

Chief Engineer

3.S.E.I.D.C. Ltd. Patna

13/0)

13/0)

-	-
0	7.7
-)	-

		-		23		
53		strutting, propping etc. removal of form for lintel, bea plinth beams, griders, bressum and contilevers. = 349.241 SQM	and ms, ners 349.2		n. 251	Rs. Two hundred fifty one and paise thirty only.
	5.0.0	strutting, propping etc. a removal of form for colum pillars, piers, abutments, po and struts = 367.575 SQM	and ns, sts	75 Sqm.	. 344.	Rs. Three hundred forty four and paise forty only.
	5.9.3	Centring and shuttering include strutting, propping etc. a removal of form for suspend floors, roofs, landings, balconi and access platform. = 451.54 SQM	nd ed	0 Sqm.	275.	Rs. Two hundred seventy five and paise sixty only.
					Tota	5,716,706.8
		Diumalain			Total (A) 5,716,707.00
_		Plumbing and sani	tary Wo	rk		3,710,707.00
DI	R 12.79	Providing and fixing on wall fact unplastidsed PVC (working pressure 4 kgf per sqm) rain water pipes cinforming to IS:498 including jointing with seal ring conforming to IS:5382 leaving 1 mm gap for thermal expansion. 110 mm diameter. = 40 MTS Providing and fixing on wall fact unplasticised PVC moulded fittings/ accessories for unplasticised PVC rainwater pipes conforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10mm gap for thermal expansion. Coupler	40.000	MTS	214.200	Rs. Two hundrd fourteen and paise twenty only.
R DF		110mm = 10 MTS Bend 87.50°	10.000	Each	144.700	Rs. One hundred forty four and paise seventy only.
R	12.79.	110mm bend = 12 MTS	12.000	Each	173.700	Rs. One hundred seventy three
DF R	R 12.79	Shoe (Plain) 10mm Shoe				and paise seventy only.
		= 12 MTS	12.000	Each	314.730	Rs. Three hundred forteen and paise seventy three only.

Glan Battchie

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Jkhauly

13/01 | 13/0/// 13/01

				24		
- 1	B.S.R 17.1.1	Providing and fixining water closquatting pan (Indian type Wpan) with 100 mm sand cast iron or S tap, 10 litre low white P.V Flushing cistern with muna controlled device (handle lew conforming to IS: 72 Parryware/Hindware with fittings and fixtures completincluding cutting and making go the walls and floors whereverequired.	C.C. n P .C. ally rel) 31 all ete			
		White Vitreous China Oris pattern W C pan of size 580 x 44 mm with integral type foot rest. = 6 EACH	6.000	Each	3035.40	Rs. Three thousand thirty five and paise forty only.
1		Providing and fixing white vitreous china pedestal type water clos (European type W.C. pan) wiseat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manual controlled device (handle lever conforming to IS: 7231, with a fittings and fixtures complete including cutting and making goothe walls and floors wherever equired:	et th te g ly),			
D		W.C. pan with ISI marked black solid plastic seat and lid = 3 EACH	3.000	Each	2928.300	para the parae tillity
1	4.2 (I	Providing and fixing white vitreous china flat back or wall corner type ipped front urinal basin of 130x260x350 mm and 130x410x265 mm sizes espectively with automatic lushing cistern with standard flushing cistern with standard flushing and C.P. brass spreaders with brass unions and G.I. clamps omplete, including painting of the tings and brackets, cutting and making good the walls and floors wherever required:				only.
SOF	aı =	ange of two urinal basins with 5 re white P.V.C. utomatic flushing cistern	3.000	Each	4688.900	Rs. Four thousand six hundred eighty eight and paise ninety only.
17.3		ovding and fixing toilet paper older				

Glan 18217 AE

Chief Engineer

3.S.E.I.D.C. Ltd, Patna

2119

13/01

13/01/17

10	0.00	I		25		
	SOR 17.34.2	Vitreous china	3	Each	304.2	Rs. Three hundred four and
61		Providing and fixing wash basin with C.I. brackets, 15 mm C.P brass pillar taps, 32 mm C.P brass waste of standard pattern including painting of fittings and				paise twenty only.
<u> </u>		brackets, cutting and making good the walls wherever require:	I			
0		White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps. = 12 EACH	12.000	Each	2120.300	Rs. Two thousand one hundred twenty and paise thirty only.
33	18.63	Providing and fixing PTMT angle stop cock 15 mm nominal bore, weighing not less than 85 gms	15.000	Each	180.900	Rs. One hundred eighty and paise ninety only.
	B.S.R 17.28	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.				
64	17.28.2.1	Flexible pipe 32 mm dia = 12 EACH	12.000	Each	78.600	Rs. Seventy eight and paise sixty only.
		Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing: Rectangular shape 453 x 357 mm = 12 EACH	12.000	Each	643.400	Rs. Six hundred forty three and paise forty only.
65	17.33	Providing and fixing 600 x 120 x 5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete. = 12 EACH	12.000	Each	478.300	Rs. Four hundred sevnety eight and paise thirty only.

67)401/A 21/4 Rie-

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Skehowh

13/01

13/01

[_\sqrt{0}	T 5.5 =			26		
36	B.S.R 18.8.1	Polyvinyl Chloride (CPVC) pipe having thermal stability for hot cold water supply including a CPVC plain & brass threade fittings including fixing the pip with clamps at 1.00 m spacing. This includes joining of pipes fittings with one step CPV solvent cement and the cost of cutting chases and making good the same including testing of joint complete as per direction of E/I Concealed work including cuttin chases and making good the water. 15 mm nominal outer difference in the pipes in the same including control of the same including testing of joint complete as per direction of E/I Concealed work including cutting chases and making good the water. 15 mm nominal outer difference in the same including sold the water. 15 mm nominal outer difference in the same including sold the water. 15 mm nominal outer difference in the same including sold the water. 15 mm nominal outer difference in the same including sold the water. 15 mm nominal outer difference in the same including sold the water. 15 mm nominal outer difference in the same including sold the same including sold the water. 15 mm nominal outer difference in the same including sold sold the same including sold the	s, & all ed be g. & C of 50.000 d s s g	metre	241.000	Rs. Two hundred forty one only.
67	B.S.R 18.9.3	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes having thermal stability for hot 8 cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching refilling & testing of joints complete as per direction of Engineer in Charge. 25 mm nominal inner dia Pipes = 60 METER	60.000	metre	193.800	Rs. One hundred ninety three and paise eighty only.
	18.9.4	32 mm nominal outer dia Pipes	40.000	metre	251.100	Rs. Two hundred fifty one and
	18.9.2	20 mm nominal outer dia Pipes	40.000	metre	146.400	Rs. One hundred forty six and
68	B.S.R 18.48	Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI :12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. = 4000 PER LITER		per litre	6.800	Rs. Six and paise eighty only.
69	18.49	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 15 mm nominal bore.				
		= 12 EACH	12.000	Each	497.000	Rs. Four hundred ninety seven only.

Glan Barrelie

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

When the character of the charact

70	B.S.R	Providing and fixing O.B.		2	7	
	18.52	providing and lixing C.P. hrs	ass			
		1919 OCK (Collegied of Stands	ard			
		design and of approved ma conforming to IS: 8931	ke			
		30111011111111111111111111111111111111				
	18.52.1	15 mm nominal bore.				
	, , , , , , , , , , , , , , , , , , , ,	= 10 EACH	10.000) Eac	b 670 700	Rs. Six hundred seventy and
₹1	SOR	D : ::		Laci	h 670.700	paise seventy only.
	18.58	grating of approved quality	ſ. /			panes severity only.
		colour approved quality	&			
	SOR	circular type				
	18.58.1	i i i i i i i i i i i i i i i i i i i				
	SOR	100 mm nominal dia,				
	18.58.1.1	dia,	11	Each	47.90	Rs. Forty seven and paise
~72	B.S.R	Providing and laying cemer			47.50	ninety only.
	19.2.1	concrete 1:5:10 (1 cement :	III -			
		coarse sand : 10 graded ston				
		aggregate 40 mm nominal size) a				
		fround S.W. pipes including her	d 50 000			Po Three I
		concrete as per standard design.	50.000	metre	312.500	Rs. Three hundred twelve and
		100 mm diameter S.W. pipe				paise fifty only.
\bigcirc		= 50 METER	`			
~3	B.S.R	Providing and laying non-pressure				
	19.6.1	NP2 class (light duty) R.C.C. pipes				
		with collars jointed with stiff	:			
		mixture of cement mortar in the				
		proportion of 1:2 (1 cement : 2 fine	15,000			Rs. Three hundred twelve and
	;	sand) including testing of joints	13.000	metre	312.900	paise ninety only.
	16	etc. complete:				paise fillety offly.
		100 mm dia R.C.C. pipe				
7.4		= 15 METER				
74	B.S.R	Constructing brick masonry road				
	19.27.1	Jully chamber 50x45x60 cm with				
		pricks in cement mortar 1:4				
	(1cement : 4 coarse sand)				
	ir	ncluding 500x450 mm pre-cast				
		R.C.C. horizontal grating with	2 000			Rs. Three thousand one
	fr	ame complete as per standard	2.000	Each	3117.300	hundred seventeen and paise
	a	esign :	and the same of th			thirty only.
	[V	Vith common burnt clay F.P.S.				
	l(r	non modular) bricks of class				
	de	esignation 7.5				
		2 EACH				

Glass Balletie

Chief Engineer
3.S.E.I.D.C. Ltd, Patna

Lipe Jk. hauthy

13/01/19

					0	
	5 B.S.I	R Contructing brick mask	200		_8	
	19.30.	chamber for Underground Inspection Chamber and by with 75 class designation brick cement mortar 1:4 (1 cement coarse sand) C.I. Cover with frame (light duty) 455x610 rinternal dimentions, total weight cover with frame to be not letten 38 kg. (weight of cover 23 and weight of frame 15 kg.) Rotop slab with 1:1.5:3 mix cement: 1.5 coarse sand graded stone aggregate 20 m nominal size) foundation concretion:5:10 mix (1 cement:5 coarsand: 10 graded stone aggregate 40 mm nominal size), insignatering 12 mm th. with cememortar 1:3 (1cement:3 coarsand) finished smooth with floating coat of neat cement of walls and bed concrete etcomplete as per standard design. Inside dimensions 466x610 mr and 45cm deep for single pipe lines.	C.I. end s in : 4 with mm t of ess kg. CC (1 :3 nm ete se de int se a on c. m e	Each	3949.10	Rs. Three thousand nine hundred forty nine and paise ten only.
(((~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	19.32.1	Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 ch dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter, 1.8 m long complete as per standard design. With common burnt clay F.P.S (non modular) bricks of class designation 7.5 = 1 EACH	1.000	Each	25900.100	Rs. Twenty five thousand nine hundred and paise ten only.
	19.34	Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete :				
	19.34.1	100 mm dia				
70		= 2 EACH	2.000	Each	283.800	Rs. Two hundred eighty three
78	7	Detailed Estimate for construction of 125 mm x 40 mm x 90 mm rube well Manual Boring = 1 EACH	1.000	Each	60432.650	Rs. Sixty thousand four hundred thirty two and paise sixty five only.
			le le			

Color Baile RE

Chief Engineer

9.S.E.I.D.C. Ltd, Patna

13101

12011

			no		
9 ANAL	YSI NON SCHEDUL		29		
S	ITEMS(MARKET RATE)	ED			
	= EACH				
	P.V.C. PIPE				
	= EACH				
	Provding and fixing soil,waste a	nd			
	vent pipes				
	= EACH		1		
	110 mm dia				
	= 40 EACH	40.000	metre	347.000	Rs. Three hundred forty seve
	P.V.C. FITTINGS			017.000	only.
	= EACH				
	DOOR TEE 110 mm dia				
	= 4 FACH	4.000			Rs. Throo hundred at the
	= 4 EACH	4.000	each	365.000	Rs. Three hundred sixty five
	DOOR BEND 110 mm dia	2 2 2 2 2		The state of the s	only.
	= 8 EACH	8.000	each	283.000	Rs. Two hundred eighty three
	BEND 45° 110 mm dia				only.
	= 10 EACH	10.000	each	185.000	Rs. One hundred eighty five
	VENT COWEL 110 mm dia		-	.55.500	only.
	= 3 EACH	3.000	each	65.000	applica.
	PIPE CLIP 110 mm dia		Cucii	03.000	Rs. Sixty five only.
	= 100 EACH	100.000	oach	50.000	
	FLOOR TRAP 440V440	100.000	each	53.000	Rs. Fifty three only.
	FLOOR TRAP 110X110 mm dia	10.000			
Code no	= 10 EACH		each	436.000	Rs. Four hundred thirty six on
	To see and frame 300 x 300			-	and a mity of X of I
of 1352	mm inside	1.000			Rs Three hundred
	SEPTIC TANK = 1 EACH	1.000	Each	374.060	Rs. Three hundred seventy for
Code no	(ii) S.C.I. plain bend 100 mm dia			No. of Concession, Name of Street, Name of Str	and paise six only.
of 1621	SEPTIC TANK	1 000			Ps. Four house deal discour
	SEPTIC TANK = 1 EACH	1.000	Each	436.400	Rs. Four hundred thirty six and
Code no.	(iii) S.C.I. Tee 150 mm dia				paise forty only.
of 7087	SEPTIC TANK = 1 EACH	1.000	Each	748.110	Rs. Seven hundred forty eight
	1 2, 1011		Lacii	740.110	and paise eleven only.
		The state of the s		Total	
					348,404.9
	Electrical Works (1% labour			Total (B)	348,405.0
	cess has been added on current				
	DSR-2014)				
1.10					
1.10	Point Wiring in PVC Conduit, with				
	Modular type Switch:-				
	Wiring for light point/ fan point/				
	exhaust fan point/				
	exhaust fan point/ call bell point				
	with 1.5 sq.mm FRLS PVC				
	insulated copper conductor single				
	core cable in surface / recessed				
	medium class PVC conduit,				
	with modular switch, modular				
	plate, suitable GI box and earthing				
	he point with 15				
	he point with 1.5 sq.mm. FRLS	7.			
	PVC insulated copper conductor				
5	single core cable etc as required.				

(5) an Baix GE

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

13 01 (3/01/1)

	1.10.3	Group C		30		
1	1.11	Twin Control Dei (Min	119.000	Nos.	725.180	Rs. Seven hundred twenty five and paise eighteen only.
		Twin Control Point Wiring in PV Conduit, with Modular type Switch	1:-			same pales digitized only.
		Wiring for twin control light poin with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, 2 was modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc as required	e y 3.000	Nos.	777.700	rs. Seven hundred seventy seven and paise seventy only.
1		Supply and Fixing Light Plug Point with Modular Type Accessories:-				
	r f s n s re u	Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in eccess, including providing and ixing 3 pin 5/6 amps modular socket outlet and 5/6 amps nodular witch, connection etc. as equired. (For light plugs to be sed in on residential buildings).		Nos.	306.030	Rs. Three hundred six and paise three only.
1.3	32 S P A	upply and Fixing Power Plug oint with Modular Type ccessories:-				
2.47	or pr an 15 co	upply and Fixing GI box with odular plate and cover in front a surface or in recess including oviding and fixing 6 pin, 15/16 apps modular socket outlet and 6/16 amps modular type switch, nnection, painting etc as quired.	12.000	Nos.	590.000	Rs. Five hundred ninety only.
2.18	- 0.	pply & fixing 20A SPN MCB dustrial Socket Outlet:-				

Glan Hall CHE

Chief Engineer

8.S.E.I.D.C. Ltd. Patna

13/0/
13/0/

10				31		
		connections, testing a commissioning etc. as required	ith et ith nd	,	. 963.540	Rs. Nine hundred sixty three and paise fifty four only.
38	1.12	Power Plug Wiring in PVC condu (2x4 sq. mm):-	uit			
		Wiring for light/ power plug wir 2X4 sq. mm FRLS PVC insulated copper conductor single corcable in surface/ recesse mediumclass PVC conduction alongwith 1 No 4 sq. mm FRLS PVC insulated copper conductor single corcable for loop earthing as required	re d d it S 420.000	Mtrs.	163.620	Rs. One hundred sixty three and paise sixty two only.
39	1.24	Supplying and fixing following modular type switch/ socket or the existing modular plate switch box / cover including connections etc.as required				
	1.24.1	5/6 amps switch.	25.000	Each	81.810	Rs. Eighty one and paise eighty
	1.24.4	5 pin, 5/6 amps socket outlet.	25.000	Each	79.790	Rs. Seventy nine and paise
30	1.14	Circuit / Sub-main wiring in PVC Conduit:- Wiring for circuit / sub-main wiring along with earth wire with the following sizes of PVC insulated,				seventy nine only.
		copper conductor, single core cable in surface/recessed PVC conduit as required.				
1	1.14.1	2x1.5 Sqmm + 1x1.5 sqmm earth wire	40.000	Mtrs.		Rs. One hundred seven and
	1.14.2	2x2.5 Sqmm + 1x2.5 sq mm earth wire	350.000	Mtrs.	132 310	paise six only. Rs. One hundred thirty two and
	1.14.9	4x6.0 Sqmm + 2x6.0 sqmm earth wire (to be used as sub main)	54.000	Mtrs.	392 890	Rs. Three hundred ninety two
		4 X 10 sq. mm + 2 X 10 sq. mm earth wire	10.000	Mtrs.	602 970	Rs. Six hundred two and paise ninety seven only.
		S/F 'C' series SP MCB:-	/			1 1 1

Golder 18 2TIC Fie

Chief Engineer

8.S.E.I.D.C. Ltd. Patna

13/01

13/01

13/01/1

				0.5		
\bigcirc 1		Supplying and fixing 240 volts series, miniature circuit brea	kor	32		
		following poles in the exis MCB DB complete connections, testing	of ting with			
	2.10.1	commissioning etc, as required 6/32A, Single Pole				
	2.10.3	- Ingle Fole	36.00	0 Eacl	h 170.69	Rs. One hundred seventy and paise sixty nine only.
2	2.12	,	3.000) Each	463.590	D =
-	2.13	S/F TPN MCB:-				and palse my fille only.
		Supplying and fixing following rating, four pole, 240 volts, isolar in the existing MCB DB complewith connections, testing accommissioning etc. as required	tor			
	2.13.2	63 A,TPN	3.000	Each	676.700	Rs. Six hundred sevnety six an
		S/F TPN RCCB:-Supplying ar fixing of following rating thre phase and neutral, 415 voltoresidual current circuit breake (RCCB) having a sensitivity current upto 300 miliamperes in the existing MCB DB complet with connections, testing and commissioning etc. as required.	ee s, er			paise seventy only.
	2.15.2	40 Amp.	3.000	Each	2144.230	Rs. Two thousand one hundred forty four and paise twenty three
_	2.8	S/F TP MCB DB:-				only.
	l e	Supplying and fixing of following way, horizontal type three pole and neutral, sheet steel, MCB distribution board, 415 volts, on surface/recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, detachable gland plate, interconnections, phosphatized and powder painted including earthing etc. as required (Without MCB/RCCB/ISOLATOR). Make :- egrand/Anchor/Havells/HPL.				
		Ways (4+12 ways) double door	3.000	Set	7430.570	Rs. Seven thousand four hundred thirty and paise fifty seven only.
		/F Celling Rose:				seven only

Glassischie-

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

13/01

	,					33		
		Supplying and fixing 2 pin o	eiling					
		rose on the existing junction wooden block incl	box/					
			uding	80.00	00	Each	43.430	Rs. Forty three and paise for
		connection etc as required.						three only.
96	1.3	4 S/F Batten / Angle Holder:-						
		3.5 1.61461.		27.00	0 E	Each	74.740	Rs. Seventy four and paise
		Supplying and fixing batten / a	anale				1	seventy four only.
		riolder including connection e	tc as					
97	1.2	required.						
	1.2	S/F Modular type electronic regulator:-	fan	0.4.00				D 7
				24.000) E	ach	286.840	Rs. Two hundred eighty six a
		Supplying and fixing stepped	type					paise eighty four only.
		regulator on the exist	tina				September 1	
		modular plate switch box inclu	ding					
		connections but excluding mod	ular					
		plate etc as required.						
8	1.21	S/F PVC Conduit:-			-			
		Supplying and fixing of follow	/ina					
		sizes of medium class PVC						
		conduit along with accessories	in					
		Surface/recess including cutting						
		the wall and making good	the					
		same in case of recessed condu	uit					
		do required.						
	1.21.1	20 mm						
+			1	110.000	Mti	rs.	53.530	Rs. Fifty three and paise fifty
		Telephone Wiring in Existi	ng		-	_		three only.
\vdash	1.18	Conduit:-		Separate Comments	-		Market Control	
	1.10	Supplying and drawing following	ng					
		pair 0.5 mm dia FRLS PVC insulated annealed conn						
		insulated annealed copp conductor, unarmored telephore	er					
		cable	те					
		in the existing surface/ recessed	h					
-	4 :=	steel/ PVC conduit as required			7			
	1.18.2	2 pair	1.	0.0=		-		D. E
-	1.04	0.5		0.000	Mtrs	5.	18.180	Rs. Eighteen and paise
	1.24	S/F Modular type Switch / Socket:	-				_	eighteen only.
		Supplying and fixing following	g					
		modular type switch / socket or	n					
		the existing modular plate and	b					
		switch box including connections	5					
		but excluding modular plate etc as required.						
	1.24.6							
		Telephone socket outlet	2	000	Each		95.950 F	Rs. Ninety five and paise ninety
		EARTHING	-		Lacii	,	53.950 f	ive only.
_			-					A D
								N and X

Glan Balle Aie-

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

13 01 13/0///2

			3/		
01 5	.6 COPPER EARTH PI ELECTRODE:-	LATE	74		
	Earthing with copper earth 600mmx 600mmx 3mm including acessories and proving masonary enclosure with coplate having locking arranger and watering pipe of 2.7 m long etc with charcoal/cock salt as required.	thick iding cover ment 2.000) Each	9384.92	Rs. Nine thousand three hundred eighty four and paise ninety two only.
5.1	pipe :-				
	Providing and fixing 25 mm mm copper strip in 40 mm dia 0 pipe from earth electrode included connection with brass nut, bolt, spring, was excavation and re-filling etc. required.	G.I. ding	Mtrs.	1092.820	Rs. One thousand ninety two and paise eighty two only.
03 5.14	P/F 25 x 5 mm copper earth sin surface/ recess :-	trip			
	Providing and fixing 25 mm X mm copper strip on surface or in recess for connections etc. required.	as 24.000	Mtrs.	864.560	Rs. Eight hundred sixty four and paise fifty six only.
)4	Cable Laying of 1.1 KV & 11 KV				
7.1.2	Laying of one number PV insulated and PVC Sheathed XLPE power cable of 1.1 k grade of following size direct ground including excavation, sar cushioning, protective covering and refilling the trench etc a required.	/ in nd ng			
7.1.2	Above 35sq.mm and Upto 9 Sq.mm.	80.000	Mtrs.	204.020	Rs. Two hundred four and paise
14.14	G.I. Pipe for Cable protection:- Providing, laying and fixing following dia RCC pipe NP2 class(light duty) in ground complete with RCC collars, joints with cement mortar 1:2 (1 cement 2 fine sand) including trenching (75 cm) and refilling etc.as required. (Road crossing as per site condition)	2 d s t			two only.
14.14.2	150 mm dia	10.000	Mtr.	387.840 F	Rs. Three hundred eighty seven and paise eighty four only.

GlanHanthie

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

13/01

13/01/15

000				3	5	
	9.1	1.1 KV Cable End Termination Supplying and making indecable end termination with branch double compression gland all aluminium lugs for following signs of PVC insulated XLPE AL ACABLE of 1.1 KV grade as require	oor ss nd ze		2	
^	9.1.22	3.5 3.6 3.6 3q.mm.	2.000) Each	272.700	Rs. Two hundred seventy two
107	1908 JS 2014	R 3.5 core 50 sq mm xlpe/pv insulated sheathed (Heavy duty)armoured electricable aluminium conducter.				and paise seventy only.
<u></u>		3.5C x 50 Sq.mm 1.1kV	100.00	0 Mtrs.	391.000	Rs. Three hundred ninety one only.
	2.1	S/F HRC fuse type TP&N switch disconnector:- Providing and fixing following capacity TP&N disconnector fuse switch unit inside the existing panel board with ISI marked HRC fuses including drilling holes in cubicle panel, making connections, etc. as required.	0.000	0.000	0.000	Zero
	2.1.2	63 amps,TP&N, HRC	3.000	Each	2260.380	Rs. Two thousand two hundred sixty and paies thirty eight only.
109	2.5	S/F Busbar Chamber:-	Market Comments			and paids thirty eight only.
110	2009	Providing and fixing following capacity busbar chamber with 4 strips of suitable size made of capper,heavy duty,complete with all accessories including connections,earthing the body,etc as required. 200 amp.TPN	1.000	Each	6222.610	Rs. Six thousand two hundred twenty two and paise sixty one only.
	B.S.R 0 2009 0 	Providing and fixing following capacity four pole OFF-load changeover switch with side nandle operation, in sheet enclosure in existing metal board, noluding drilling holes in metal ranel, making connections etc. as equired. 25 Amps, Four pole	1.000	Each		Rs. Seven thousand nine hundred seven only.

Glassialité

Chief Engineer

S.S.E.I.D.C. Lid, Patna

13/01

13/01/15

-	_
-)	
,)	1

Total (C) Providing and fixing copper tape or surface of wall for lightning conductor complete as required. (For horizontal run) Providing and fixing copper tape 20 mm X 3 mm thick on parapet or surface of wall for lightning conductor complete as required. (For vertical run) 30.000 meter 410.060 Rs. Three hundred seventy is and paise seventy six only. Rs. Four hundred ten and paise seventy six only. Rs. Four hundred ten and paise seventy six only. Rs. Four hundred ten and paise seventy six only. Rs. Four hundred ten and paise seventy six only. Rs. Four hundred ten and paise seventy six only. Rs. Four hundred ten and paise seventy six only. Rs. Four hundred ten and paise seventy six only. Rs. Four hundred ten and paise seventy six only. Rs. Four hundred ten and paise seventy six only. Rs. Four hundred ten and paise seventy six only. Rs. Four hundred ten and paise seventy six only. Rs. Four hundred ten and paise seventy six only. Rs. Four hundred ten and paise seventy six only. Rs. Four hundred ten and paise seventy six only. Rs. Four hundred ten and paise seventy six only. Rs. Four hundred ten and paise seventy six only. Rs. Four hundred ten and paise seventy six only. Rs. Four hundred ten and paise seventy five and paise twenty only. Rs. Four thousand five hundred six five and paise seventy five only. Rs. Four hundred ten and paise seventy five only.	~11	6.5	Dwaridi				36		
20 mm X 3 mm thick on parapet or surface of wall for lightning conductor complete as required. (For vertical run) 30 000 meter 410.060 Rs. Four hundred ten and pais ix only. 31 2.2 Providing and fixing follwing rteing and breaking capacity MCCB in existing cubicale panel bord including drilling hole cubicale panel making connection etc as required. 2.2.3 160 amp. 16KA 1.000 EACH 4565.200 Rs. Four thousand five hundred sixty five and paise twenty only. FIRE FIGHTING 14 DGS&D Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity. fitted with pressure guage complete in all respects, ready to use, complete installation kit. 10 CARRIAGE OF MATERIALS Type of materials Cement 139.566 MT 289.87 Sand 188.457 cum 1097.32 Rs. Two hundred eighty nine and paise thirty two only. Rs. Total (D) Rs. Four thousand five hundred forty nine and paise eighty seven only. Rs. Seven thousand five hundred forty nine and paise seventy five only. Rs. Total (D) 75,497.5 Total (D) 75,498.0 Cess Cement 139.566 MT 289.87 Rs. Two hundred eighty nine and paise thirty two only. Rs. One thousand Ninety seven and paise thirty two only. Stone Chips 176.279 cum 1694.31 Rs. Two hundred five and paise with thirty one only. Rs. One thousand six hundred ninety fore only. Rs. Six hundred on and paise thirty one only. Rs. Six hundred on and paise thirty one only.			or surface of wall for lightnir conductor complete as required. (For horizontal run)		80.0			r 379.76	Rs. Three hundred seventy ni and paise seventy six only.
and breaking capacity MCCB in existing cubicale panel bord including drilling hole cubicale panel making connection etc as required 2.2.3 160 amp. 16KA 1.000 EACH 4565.200 Rs. Four thousand five hundred sixty five and paise twenty only FIRE FIGHTING 4 DGS&D Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit. Total 75,49.750 CARRIAGE OF MATERIALS Type of materials Cement 139.566 MT 289.87 Rs. Two hundred eighty nine and paise eighty seven only. Sand 188.457 cum 1097.32 Rs. Two hundred eighty nine and paise eighty seven only. Local Sand 125.918 cum 205.29 Rs. Two hundred five and paise thirty two only. Stone Chips 176.279 cum 1694.31 Injury four and paise thirty two only. Steel 18.050 MT 288.87 Rs. Two hundred one and paise thirty two only. Rs. One thousand Six hundred only. Rs. Six hundred one hard paise sixty seven only. Rs. Six hundred one hard paise sixty seven only. Rs. Six hundred one hard paise sixty seven only. Rs. Two hundred eighty nine and paise thirty two only. Rs. Six hundred one hard paise sixty seven only. Rs. Two hundred eighty nine and paise thirty two only. Rs. Six hundred one hard paise sixty seven only. Rs. Two hundred eighty nine only. Rs. Six hundred one hard paise sixty seven only.			or surface of wall for light conductor complete as require (For vertical run)	pet ntning ed.	30.00	00	meter	410.06	Rs. Four hundred ten and pais six only.
1.000 EACH 4565.200 Rs. Four thousand five hundred sixty five and paise twenty only Total (C) 503,812.1			existing cubicale panel including drilling hole cub panel making connection etcoreguired	B in bord					
Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit. Total 75,497.5 CARRIAGE OF MATERIALS Type of materials Cement 139.566 MT 289.87 Rs. Two hundred eighty nine and paise eighty seven only. Rs. One thousand five hundred forty nine and paise twenty five only. Rate Incl. 1% Lab. Cess Cement 139.566 MT 289.87 Rs. Two hundred eighty nine and paise eighty seven only. Sand 188.457 cum 1097.32 Rs. One thousand Ninety seven and paise thirty two only. Stone Chips 176.279 cum 1694.31 Rs. Six hundred one and paise sixty seven only. Rs. One thousand six hundred only. Rs. One thousand six hundred only. Rs. One thousand six hundred ninety four and paise thirty one only. Rs. One thousand six hundred ninety four and paise thirty one only. Rs. Six hundred one and paise sixty seven only. Rs. Six hundred one and paise sixty seven only. Rs. Two hundred eighty nine only. Rs. Six hundred one and paise sixty seven only. Rs. Two hundred eighty nine only. Rs. Six hundred one and paise sixty seven only. Rs. Two hundred eighty nine only.					1.000	E	ACH	4565.20	Rs. Four thousand five hundred sixty five and paise twenty only.
Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit. Total 75,497.50 CARRIAGE OF MATERIALS Type of materials Cement 139.566 MT 289.87 Sand 188.457 cum 1097.32 Rs. Two hundred eighty nine and paise eighty seven only. Sand 125.918 cum 205.29 Rs. Two hundred five and paise twenty five only. Rs. Two hundred eighty nine and paise eighty seven only. Rs. Two hundred eighty nine and paise eighty seven only. Rs. One thousand Ninetý seven and paise thirty two only. Rs. One thousand six hundred ninety four and paise thirty one only. Rs. One thousand six hundred ninety four and paise thirty one only. Rs. One thousand six hundred ninety four and paise thirty one only. Rs. One thousand six hundred ninety four and paise thirty one only. Rs. One thousand six hundred ninety four and paise thirty one only. Rs. Six hundred one and paise sixty seven only. Rs. Six hundred one and paise sixty seven only. Rs. Six hundred eighty nine ninety four and eighty nine ninety four			FIRE FIGHTING					Total (C) 503,812.7
CARRIAGE OF MATERIALS Type of materials Cement 139.566 MT 289.87 Rs. Two hundred eighty nine and paise eighty seven only. Sand 188.457 Cum 1097.32 Rs. One thousand Ninety seven and paise thirty two only. Local Sand 125.918 Cum 205.29 Rs. Two hundred five and paise twenty nine only. Rs. One thousand Ninety seven and paise twenty nine only. Rs. One thousand Six hundred ninety four and paise thirty one only. Rs. One thousand six hundred ninety four and paise thirty one only. Rs. One thousand Six hundred ninety four and paise thirty one only. Steel 18.050 MT 289.87 Rs. Two hundred eighty nine only. Rs. One thousand six hundred ninety four and paise thirty one only. Rs. Six hundred one and paise sixty seven only.			Extinguishers 4 Kgs. Capacifitted with pressure gual complete in all respects ready	Fire city,	10.000	N	os.	7549.750	hundred forty nine and paise
Type of materials Cement 139.566 MT 289.87 Rs. Two hundred eighty nine and paise eighty seven only. Sand 188.457 Cum 1097.32 Rs. One thousand Ninety seven and paise thirty two only. Local Sand 125.918 Cum 205.29 Rs. Two hundred five and paise twenty nine only. Rs. One thousand Ninety seven and paise twenty nine only. Rs. One thousand six hundred ninety four and paise thirty one only. Rs. One thousand six hundred ninety four and paise thirty one only. Rs. Six hundred one and paise sixty seven only. Steel 18.050 MT 289.87 Rs. Two hundred eighty nine and paise sixty seven only. Rs. Six hundred one and paise sixty seven only.								Tota	75,497.50
Type of materials Rate Incl. 1% Lab. Cess Cement 139.566 MT 289.87 Rs. Two hundred eighty nine and paise eighty seven only. Sand 188.457 cum 1097.32 Rs. One thousand Ninety seven and paise thirty two only. Local Sand 125.918 cum 205.29 Rs. Two hundred five and paise twenty nine only. Stone Chips 176.279 cum 1694.31 Rs. One thousand six hundred ninety four and paise thirty one only. Rs. One thousand six hundred ninety four and paise thirty one only. Rs. Six hundred one and paise sixty seven only. Steel 18.050 MT 289.87 Rs. Two hundred eighty nine			CARRIAGE OF MATERIALS					Total (D	75,498.00
Cement 139.566 MT 289.87 Rs. Two hundred eighty nine and paise eighty seven only. Sand 188.457 cum 1097.32 Rs. One thousand Ninety seven and paise thirty two only. Local Sand 125.918 cum 205.29 Rs. Two hundred five and paise twenty nine only. Stone Chips 176.279 cum 1694.31 Rs. One thousand six hundred ninety four and paise thirty one only. Brick 120.253 Thous. 601.67 Rs. Six hundred one and paise sixty seven only. Steel 18.050 MT 289.87 Rs. Two hundred eighty nine	5							1% Lab.	
Sand 188.457 cum 1097.32 Rs. One thousand Ninety seven and paise thirty two only. Local Sand 125.918 cum 205.29 Rs. Two hundred five and paise twenty nine only. Stone Chips 176.279 cum 1694.31 Rs. One thousand Ninety seven and paise twenty nine only. Rs. One thousand six hundred ninety four and paise thirty one only. Rs. Six hundred one and paise sixty seven only. Rs. Six hundred one and paise sixty seven only. Rs. Six hundred one and paise sixty seven only. Rs. Six hundred one and paise sixty seven only. Rs. Six hundred one and paise sixty seven only.			Cement	13	9.566	M.	Т	289.87	Rs. Two hundred eighty nine and paise eighty seven only.
Local Sand 125.918 cum 205.29 Rs. Two hundred five and paise twenty nine only. Stone Chips 176.279 cum 1694.31 Rs. One thousand six hundred ninety four and paise thirty one only. Brick 120.253 Thous. 601.67 Rs. Six hundred one and paise sixty seven only. Steel 18.050 MT 289.87 Rs. Two hundred five and paise twenty nine only. Rs. Two hundred five and paise twenty nine only. Rs. Two hundred eighty nine			Sand	18	8.457	cur	n	1097.32	Rs. One thousand Ninety seven
Stone Chips 176.279 cum 1694.31 Rs. One thousand six hundred ninety four and paise thirty one only. Brick 120.253 Thous. 601.67 Rs. Six hundred one and paise sixty seven only. Steel 18.050 MT 289.87 Rs. Two hundred eighty nine			Local Sand	12:	5.918	cun	n	205.29	Rs. Two hundred five and paise
Brick 120.253 Thous. 601.67 Rs. Six hundred one and paise sixty seven only. Steel 18.050 MT 289.87 Rs. Two hundred eighty nine			Stone Chips	176	5.279	cum	ר	1694.31	Rs. One thousand six hundred ninety four and paise thirty one
Steel 18.050 MT 289.87 Rs. Two hundred eighty nine			Brick	120).253	Thou	S.	601 67	Rs. Six hundred one and paise
			Steel	18.	050	МТ		289 87	Rs. Two hundred eighty nine

जीवन कि श्रीरिष्ट

Chief Engineer

3.S.E.I.D.C. Ltd, Patna

Skehow hosy 13/01

					27			
1		XTRA COST OF MATERIAL FOR			51			
0	Bricks		120.2	253	Thou	s. 333	3.36	Rs. Three hundred Thirty three and paise thirty six only.
	Cemer	ıt	139.5	666	MT	1075	5.73	Rs. One thousand seventy five and paise seventy three only.
						То	tal	839,582.30
						Total		839,582.00
			Gı	rand	Total	(A+B+C+D+	+E)	7,484,004.73
1	DISTRI		ITLITE					
~	SAMAS	BLOCK RESOURCE						Amount
_	PUR							7,484,004.73
		(Rupees Seventy Four L	Total Co	ost i	n 'Rs	3'		7,484,005.00
	"Detail	(Rupees Seventy Four lass of Sl. No. 78 (Construction of	acs Eig	hty	Fou	r thousa	nd l	Five Only)
Grt	'A' - Co	s of SI. No. 78 (Construction of St. Materials	125mr	n x 4	10mm	ı x 90m Tı	ube	well) is given below
O 1		125mm dia UPVC casing pipe						
^		confirming to ISS	2	27 1	Meter	315.0	00 Rs	s. Three hundred fifteen only.
2		40mm dia UPVC pipe confirming to ISS	4	18 N	Meter	99.3	R	s. Ninety nine and paise thirty
3		40mm dia PVC ribbed strainer of approved quality		8 N	/leter	182.0	Rs	ght only. 3. One hundred eigihty two
4		Reducing socket 125mm x 40mm		1 E	Each	270.0	on	. Two hundred seventy only.
5		Supplying all labour and materials & fitting & fixing PVC cap over the new sink T/well		1 E	ach			One hundred forty only.
6	B.S.R 1548	Providing and fixing of G.I pipes complete with G.I fittings and clamps, including, cutting and making good etc 32 mm dia (15% C.P & 1% L.Cess)	18	3 r	ntr	224.44	Rs.	Two hundred twenty four paise forty four only.
7	B.S.R 1928	32 mm nominal bore Bross Full valve (15% C.P & 1% L.Cess)	1	Ea	ach	511.21	Rs.	Five hundred eleven and e twenty one only.
8		Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary iser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I lipple etc. all complete as per irection of E/I	1	Ead	ch	26,446.00	Rs. T	wenty six thousand four red forty six only.

67/97/821/c GE-

Chief Engineer

3.S.E.I.D.C. Ltd. Patna

13/01 13/01/12

	Sub - Total "A"		38		
Part	'B' - Cost of Labour				46138.
	Boring by jet dheki by suitable cutter of reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge.				
	(i) 0 to 30.5 m				
9	(a) For 125 mm dia U.PV.C pipe	27	mtr	208.7	Rs. Two hundred eight and
10	(b) for 40 mm dia UPVC pipe				paise seventy seven only.
	(i) 0 to 30.5 m	3.5	mtr	119.0	Rs. One hundred nineteen and
	(ii) 30.5 m to 61.0 m			110.0	paise three only.
11	(a) For 40 mm dia UPVC pipe	30.5	mtr	136.88	Rs. One hundred thirty six and
10	(iii) 61.00 m to 75.00 m				paise eighty eight only.
12	a) For 40mm dia UPVC pipe (iv) 75.00 m to above	14	mtr	148.79	Rs. One hundred forty eight and paise seventy nine only.
10	a) For 40mm dia UPVC ribbed				paled seventy fille only.
13	strainer of approved quality	8	mtr	148.79	Rs. One hundred forty eight and paise seventy nine only.
14	Providing all labour & tools and lowering 32 mm dia G.I pipe as per specificatin etc. all Complete	24	mtr	21.34	Rs. Twenty one and paise thirty four only.
15	Supplying labour and developing the T/Well to have sand free discharge all complete as per direction of E/I	1	Each	280.50	Rs. Two hundred eighty and paise fifty only.
				ub - Total	14,294.28
nder a	pproved in favour of Jeewan Kishore Singh @?		Total	C="A+B"	60,432.65

ender approved in favour of Jeewan Kishore Singh @10% (Ten Percent) below BOQ rates i.e. total amount comes to Rs. 67,35,604=00 (Rupees Sixty Seven Lacs Thirty Five Thousand Six Hundred Four Only)

Glan Hallekie

Chief Engineer B.S.E.I.D.C. Ltd, Patna

Performance Security

Name of Agency – "Jeewan Kishore Singh"

Performance Security of "Jeewan Kishore Singh" of "BRC- Rosara(SL. No.-24)"

Passbook No. 3281874407 3378950823 3378921952 3378951905 3378948356 NSC No.	DOI 26.05.16 21.09.16 21.09.16 21.09.16 21.09.16	Reg No.			Amount 50000.00 50000.00 100000.00 10000.00 10000.00
95EE 809834-36 46EF 674942 46EF 874545-51 94CC 374529-35	01.12.11 06.05.15 29.07.15 06.05.15	438-40 4337 4403-04 4337	10000*3 10000*1 10000*7 1000*7	Total	30000.00 10000.00 70000.00 7000.00 337000.00

(Rupees Three Lacs Thirty Seven Thousands Only)

Amit u Som 30/12/16

बिहार राज्य शेक्षणिक आधारभूत संरचना विकास निगम लि०, पूटन

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

13/01

5) 97/18 21/18E

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना-800004, दूरभाष-0612-2910314 कॉर्पोरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256,

पत्रांक:- BSEIDC/FIN/2513/2016-17/- Ø>88

पटना, दिनांक 03-10-(6

प्रेषक.

ब्रजेश प्रसाद मुख्य परामर्शी (तकनीकी)

सेवा में

Jeewan Kishore Singh, Sahiyar Dih, P.O.-Rosera, Distt.-Samastipur.

बिहार राज्य अंतर्गत "Construction of Block Resource Centre at Rosara, Samastipur (SL. No.-24)" के कार्य हेतु जमानत की राशि जमा कर एकरारनामा करने के संबंध में।

महाशय.

उपर्युक्त विषय के संबंध में कहना है कि विषयांकित कार्य की निविदा हेतु आपके द्वारा निविदित दर जो परिमाण विपत्र के दर से 10.00% (दस दशमलव शून्य शून्य प्रतिशत) कम है तद्नुसार निविदा की कुल राशि रू० 67,35,604 / - (सड़सठ लाख पैंतीस हजार छः सौ चार रूपये) मात्र आपके पक्ष में स्वीकृत की गयी है।

अतः निदेश दिया जाता है कि अग्रधन की राशि रू० 3,37,000/- (तीन लाख सैंतीस हजार रूपये) मात्र का सावधि पासबुक / राष्ट्रीय बचत प्रमाण पत्र के रूप में प्रबंध निदेशक, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०, पटना के नाम से प्रतिज्ञिप्त हो जमा कर अविलंब एकरारनामा कर लें।

Fro 9.2016 मुख्य परामर्शी (तकनीकी)

ज्ञापांक : BSEIDC/FIN/2513/2016-17/-9388

पटना, दिनांक 02-10-16

प्रतिलिपि : वरीय लेखा पदाधिकारी, BSEIDC को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित।

मुख्य परामर्शी (तकनीकी)

Chief Engineer B.S.E.I.D.C. Ltd, Patna

Letter no.: BSEIDC/NIT/2015-16/- 3 950

Patna, Date: 30.04.16

Corrigendum No.- 3

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "हिन्दुस्तान" on dated 10.02.2016 vide P.R.-12943 (नि०नि०)15—16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below:-

Period of Sale of Bid document (Download) from dated 16.04.2016 to 10.05.2016, 15:00 Hrs. Date and Time of Pre bid Meeting – 25.04.2016, 14:30 Hrs. Last date and time for receipt (Upload) of Bids on dated 11.05.2016, 15:00 Hrs. Time and date for opening of Technical Bids on dated 13. 05.2016, 16:30 Hrs. Time and date for opening of Financial Bids on dated 27.05.2016, 15:30 Hrs.
Download) 2016, g - 25.04.2016, sload) of Bids hnical Bids on ancial Bids on
e of Bid document (Download) 6.04.2016 to 10.05.2016, 6.04.2016 to 10.05.2016, 6.04.2016 to 10.05.2016, 6.04.2016 to 10.05.2016 6.04.2016 to 10.05.2016, 6.04.2016 to 10.05.2016, 15:00 Hrs. 15:00 Hrs. 16:00 Hrs.

जीवन मिर्बोरिह-

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

13 0 1

Letter no.: BSEIDC/NIT/2015-16/- 2937

Patna, Date: 28 ~ 3-2016

Corrigendum No.- 2

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "हिन्दुस्तान" on dated 10.02.2016 vide P.R.-12943 (निoनिo)15—16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below:-

		Amended provision	Period of Sale of Bid document (Download) from dated 16.04.2016 to 10.05.2016.		16:00 Hrs.						dated 27.05.2016, 15:30 Hrs.	and EMD will be accepted up to 13.05.2016, 15:00 Hrs
	Existing provision	Period of Sale of Bid do	from dated 03.03.2016 to 28.03.2016, 15:00 Hrs.	Date and Time of Pre bid Meeting – 15.03.2016.	14:50 Hrs.	on dated 29.03.2016 15:00 Hrs	Time and date for opening of Time	dated 31. 03.2016 . 16:30 Hrs	Time and date for opening of E.	dated 11.04.2016, 15:30 Hrs.		The Cost of BOQ and EMD will l
SL.	no.		huntel	2		3		7		Su	200	(P)
					2	8.S.E	hie .l.[-	of Er	Ltc	neer I, Pa	itna	

Glass A DIXAGE

ाशक्षा नवन, विरुद्ध राष्ट्रिनावा नीरेपद् परिसर, स्थिषूचीन नीहाची पद्ध, सत्तेपुर, पट्मा-300034, दूरमाय-1612-29 ति. १ कॉर्पोरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256,

Letter no.: BSEIDC/NIT/2015-16/- 2638

Patna, Date: 17.0 3.16

Corrigendum No.- 1

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below:-

		Amended provision	Period of Sale of Bid document (Download) from dated 03.03.2016 to 30.04.2016.	Last date and time for receipt (Unload) of Bids and	dated 01.05.2016, 15:00 Hrs.	Time and date for opening of Technical Bids on	dated 04. 05.2016, 16:30 Hrs.	Time and date for opening of Financial Bids on	maca 1, 25, 2010, 15; 30 Hrs.	up to 04.05.2016, 15:00 Hrs	TO THE OF THE OF
	Existing provision	Period of Sale of Bid dogger		nd time for receipt (Upload) of Bids			1.010:00:01	-	The Cont. And and	The Cost of BOQ and EMD will be accepted up to 04.05.2016, 15:00 Hrs	
2	no.			7	,	2	_	1	75		1
				1	3/0	Ch S.E.I	ief I.D.	Eng C. L	ine ld, l	er Pati	na

The other terms and conditions shall remain unchanged.

6 an Hallie

SI. No.: 24

SPECIAL CONDITIONS

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes royalties and other

4. To qualify for award of work, the Bidder must possess the following:-

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of

b) DD for required value of B.O.Q. Cost.

- c) Sufficient Earnest Money Deposit.
- d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.
- e) Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed at least one Building work of value not less than 25 % of estimated value of contract) in last five years as mentioned in Technical bid.

f) Litigation History as mentioned in Technical bid.

- g) Affidavit as mentioned in Technical bid.
- h) Valid Registration with Central/ State Govt. / PSU.
- i) Valid labour license as mentioned in Technical bid.
- j) Affidavit/Certificate for not been debarred as mentioned in Technical bid.
- 5. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.
- 6. The tender without earnest money or insufficient earnest money submitted with the
- 7. Conditional tenders shall be outright rejected.
- 8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.
- 9. Authority shall reserve the right to reject any or all the tenders or distribute the work to more than one contractor without assigning any reason.
- 10. Any claim for idle labours on any account shall not be entertained.
- 11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules
- 12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the
- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss
- a. Natural calamities
- b. Act of enemies.

(Seal & Signature of Tenderer)

Chief tugineer

Page 1 of

Chief Engineer 3.S.E.I.D.C. Ltd. Patna

बिहार राज्य शैक्षणिक आधारमूत संरचना विकास निगम लिमिटेड

(बिहार सरकार का एक उपक्रम) 45 शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् कैम्पस, आचार्य शिवपुजन सहाय पथ, सैदपुर, पटना—800004 (दूरभाष:—0612—2910314)

निविदा आमंत्रण सूचना संख्या- 40 वर्ष 2015-16 (केवल ई-टेन्डरिंग पद्धति के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

बिहार राज्य के भवन निर्माण कार्य हेतु निम्नांकित निविदायें आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार/सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रजिस्ट्रेशन, उक्त कार्य का लेटर ऑफ

क्रम	कीय का नाम	प्राक्किर राशि (लाख १	Г	अग्रधन की राशि (रू० में)	ा विपत्र व	Processin	g	कार्य समाप्ति
1	Bree Ekilla, Salali			,	(रू० में	Fee (In Rs	.)	की अव
2	BRC Baniyapur,Saran	85.2		1,70,400		5750		15 मा
3	BRC Masrak, Saran	85.2		1,70,400	10,000	5750		15 · 刊
4	BRC Marhowrah, Saran	85.2		1,70,400	10,000		-	15 · III
5	BRC Amnour,Saran	85.2		1,70,400	10,000			
6	BRC,Dariyapur,Saran	85.2		1,70,400		5750		
7	BRC,Garkha,Saran	85.2		1,70,400		5750		
8	BRC, Manigachhi, Darbhanga	85.2		1,70,400		5750		5 माह
9	BRC, Keoti, Darbhanga	85.2		1,70,400	10,000		-	5 माह
10	BRC kushashwarata Barti	85.2		1,70,400	10,000	5750	-	5 माह
11	BRC, kusheshwarsthan, Darbhanga	85.2		1,70,400		5750	1	
12	BRC,Ghanshyampur,Darbhanga	85.2	_	1,70,400	10,000	5750	1:	
	BRC,Kiratpur,Darbhanga	85.2		1,70,400	10,000	5750	1:	5 माह
13	BRC,Baheri,Darbhanga	85.2			10,000	5750	1:	5 माह
14	BRC,Hanumannagar,Darbhanga	85.2		1,70,400	10,000	5750	15	माह
15	BRC, Lakhnaur, Madhubani			1,70,400	10,000	5750	15	माह
16	BRC,Jhanjharpur,Madhubani	85.2		1,70,400	10,000	5750	15	
17	BRC,Phulparas,Madhubani	85.2		1,70,400	10,000	5750	15	
18	BRC,Khutauna,Madhubani	85.2		1,70,400	10,000	5750	15	
19	BRC, Khajouli, Madhubani	85.2		1,70,400	10,000	5750	15	
20	BRC,Bisfi,Madhubani	85.2		1,70,400	10,000	5750	15	
21	BRC,Rahika,Madhubani	85.2	1	1,70,400	10,000	5750	15	
22	BRC, Harlakhi, Madhubani	85.2	1	1,70,400	10,000	5750	15	
23	BRC,Babubarhi,Madhubani	85.2	1	,70,400	10,000	5750	-	
24	BRC Rosada, Samastipur	85.2	1	,70,400	10,000	5750	15	माह
25	BRC Samastipur	85.2		,70,400	10,000	5750	15	माह
26	BRC Khannur Same C	85.2		,70,400	10,000		15	माह
27	BRC, Khanpur, Samastipur	85.2		,70,400	10,000	5750	15	माह
28	BRC, Hasanpur, Samastipur	85.2		,70,400	10,000	5750	15	माह
29	BRC, Mohanpur, Samastipur	85.2		70,400		5750	15	माह
30	BRC, Patori, Samastipur	85.2		70,400	10,000	5750		माह
	BRC, Shivajinagar, Samastipur	85.2		70,400	10,000	5750	15	माह
31	BRC,Sangrampur,E.Champaran	85.2		70,400	10,000	5750	15	माह
32	BRC,Kalyanpur,E.Champaran	85.2			10,000	5750	15	माह
33	BRC Chakia, E. Champaran	85.2		70,400	10,000	5750	15	माह
34	BRC Sugauli, E. Champaran	85.2		70,400	10,000	5750	15	माह
35	BRC Madhuban,E.Champaran			70,400	10,000	5750	15	माह
36	BRC Patahi, E. Champaran	85.2		70,400	10,000	5750	15	माह
37	BRC Raxaul, E. Champaran	85.2		70,400	10,000		15	
38	BRC Adapur,E.Champaran	85.2		70,400	10,000		15 I	-
89 I	BRC Bankatwa,E.Champaran	85.2	1,7	0,400	10,000		15 F	
0 I	BRC Dhaka,E.Champaran	85.2	1,7	0,400	10,000			
1 I	BRC Bairia, W.Champaran	85.2	1,7	0,400	10,000)	ाह
2 E	BRC Narkatiaganj, W.Champaran	85.2	1,7		10,000			ाह
3 E	BRC Sikta, W.Champaran	85.2		0 10 -	10,000	5750	1	मह
4 E	BRC Bhithan, W. Champaran	85.2		0,400	10.000	5250		हि
	Champaran . Champaran	85.2	, .	,	10,000	5750 1 5750 ineer	5 #	ाह

MyoriARIX Rie

	103	Tishargani, Wunger	0	<i>5.</i> 2					
_	102	2 BRC Naugachhia,Bhagalpur	/ 1 /	5.2	1,70,4	,-	000 575	50	15 F
	103	BRC Pirpainti, Bhagalpur	_	5.2	1,70,4	,0	000 575		15 म
_	104	BRC Shahkund, Bhagalpur		5.2	1,70,4	- , 0		0	15 म
	105	BRC Puraini, Madhenura		5.2	1,70,4	10,0			15 म
	106	BRC Gwalpada, Madhenura		5.2	1,70,40	- 0 9 0			15 म
	107	BRC Kumarkhand, Madhenura		5.2	1,70,40	00 10,00			15 म
	108	BRC Gailarh, Madhepura		5.2	1,70,40	- , - ,	00 5750		15 中
	109	BRC Saurbazar, Saharsa		5.2	1,70,40	00 10,00			15 मा
	110	BRC,Navhatta,Saharsa	85		1,70,40	00 10,00			15 刊
	111	BRC Mahensi, Saharsa	85		1,70,40				15 मा
	112	BRC Sonbarsa, Saharsa	85		1,70,40				15 中i
	113	BRC Simri, Bakhtiyarpur Saharsa	85.		1,70,40				15 中is
	114	BRC Supaul	85.	.2	1,70,40				
\bigcirc	115	BRC Pipra, Supaul	85.	2	1,70,40				
	116	BRC Pratapganj, Supaul	85.	2	1,70,400		0		
	117	BRC Nirmali, Supaul	85.	2	1,70,400	,			15 माह
	118	BRC Raghopur, Supaul	85.2	2	1,70,400				15 माह
	119	BRC, Atari, Gaya	85.2	2	1,70,400	,	2,20		15 माह
	120	BRC, Neemchak, Gaya	85.2	2	1,70,400	-,			15 माह
	121	BRC, Wazirganj, Gaya	85.2	2	1,70,400	-,			15 माह
	122	BRC, Mohanpur, Gaya	85.2		1,70,400		0,00		15 माह
	123	BRC Imamagni C	85.2		1,70,400		0.50		15 माह
	124	BRC, Imamganj, Gaya	85.2		1,70,400				15 माह
-	125	BRC Kash G	85.2		1,70,400	,			15 माह
	126	BRC, Koch, Gaya	85.2		1,70,400	,			15 माह
	127	BRC,Jehanabad	85.2	-	1,70,400	,	0.00		15 माह
	128	BRC,Kako,Jehanabad	85.2		1,70,400	10,000	2,20		15 माह
	128	BRC,Ghosi,Jehanabad	85.2			10,000			15 माह
-		BRC Arwal	85.2		$\frac{1,70,400}{1,70,400}$	10,000	5750	1	15 माह
	130	BRC Karpi,Arwal	85.2		,	10,000	5750	1	15 माह
	131	BRC,Obra,Aurangabad	85.2		1,70,400	10,000	5750	1	15 माह
	132	BRC,Dev,Aurangabad	85.2		1,70,400	10,000	5750	1	5 माह
	133	BRC Madanpur, Aurangabad	85.2		1,70,400	10,000	5750	1	5 माह
	134	BRC Kutumba, Aurangabad	85.2		1,70,400	10,000	5750		5 माह
	135	BRC, Rega,Sitamarhi			1,70,400	10,000	5750		5 माह
1	136	BRC,Merajgang,Sitamarhi	85.2		1,70,400	10,000	5750		5 माह
	137 I	BRC,Pupri,Sitamarhi	85.2		,70,400	10,000	5750	1:	
	138 I	BRC,Barthnaha,Sitamarhi	85.2		,70,400	10,000	5750	-	5 माह
	139 E	BRC,Runisaidpur,Sitamarhi	85.2		,70,400	10,000	5750	15	
	.40 E	BRC,Suppi,Sitamarhi	85.2		,70,400	10,000	5750	15	
	.41 E	BRC, Pakribarawan, Nawada	85.2		,70,400	10,000	5750	15	
1	.42 B	BRC, Warisaligani, Nawada	85.2		,70,400	10,000	5750	15	
1	43 B	BRC, Akabarpur,Nawada	85.2		70,400	10,000	5750	15	
1	44 B	BRC, Narhat, Nawada	85.2		70,400	10,000	5750	15	
1	45 B	RC, Chandi, Nalanda	85.2		70,400	10,000	5750	15	
1	46 B	RC, Austhawan ,Nalanda	85.2		70,400	10,000	5750	15	
14	47 B	RC, Rahui, Nalanda	85.2	1,7	70,400	10,000	5750	15	
14		RC, Ekangarsarai, Nalanda	85.2	1,7	70,400	10,000	5750	15	
14	19 B	RC,Silaw,Nalanda	85.2	1,7	70,400	10,000	5750	15	माह
15	0 BI	RC, Katrisarai,Nalanda	85.2	1,7	70,400	10,000	5750	15	माह
15	1 BI	RC, Karaiparsurai, Nalanda	85.2	1,7	70,400	10,000	5750		
15	2 BF	RC,Motipur,Muzaffarpur	85.2		70,400	10,000	5750	-	माह
		RC Gaighat, Muzaffarpur	85.2		0,400	10,000	5750	-	माह
15	. 51	RC, Aurai, Muzaffarpur	85.2		0,400	10,000	5750	1	
15	4 RE	A CALIFAL IVILLY OTTO PROTEIN		1		- 0,000	113/30	15	माह 🖊
15		C Randro Muss CC	85.2	1,70	0,400	10,000	5750	1.5	
	5 BR	RC, Minapur, Muzaffarpur RC, Minapur, Muzaffarpur	85.2 85.2			10,000 10,000	5750 5750	-	माह माह

6907 1201)clie

Chief Engineer B.S.E.I.D.C. Ltd, Patna

24gn. 13/01

(14) (क) प्रत्येक परिमाण विपत्र का मूल्य जो प्रत्येक निविदा के सामने उपर किण्डका (1) में अंकित है (जो लौटाया नहीं जाएगा) किसी भी राष्ट्रीयकृत बैंक द्वारा निर्गत एवं BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. के नाम से एवं पटना में भुगतेय हो, स्वीकार किया जायेगा। मूल बैंक ड्राफ्ट ''बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड'' पटना के कार्यालय में दिनांक 31.03.2016 के 15:00 घंटे तक स्वयं / निबंधित डाक / स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना है। ऐसा नहीं करने पर निविदा मान्य नहीं

(ख) Beltron Bid Processing Fee is mandatory to be paid through online mode i.e. Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS" Bids along with necessary online payments must be submitted through e-procurement portal www.eproc.bihar.gov.in before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffic/ Holidays or

any other reason.

(ग) वांछित अग्रधन की राशि राष्ट्रीय बचत पत्र / डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक जो बिहार राज्य से क्रय या जमा किया हो, प्रबंध निदेशक, BSEIDC Ltd., पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा बिहार वित्त नियमावली के अनुसार BSEIDC Ltd. के नाम से फिक्सड डिपोजिट रिसिप्ट अथवा बैंक गारन्टी जो बिड के मान्य अवधि तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत / अनुसूचित बैंक से निर्गत हो (अगर बिहार प्रान्त के बाहर के बैंक से निर्गत बैंक गारन्टी दिया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड, पटना में दिनांक 31.03.2016 के 15:00 घंटे तक स्वयं / निबंधित डाक / स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना आवश्यक है। ऐसा नहीं करने पर निविदा

(15) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर लें।

ताकि अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से बच सकें।

(16) निविदाकार निविदा डालने से पहले अपने स्तर से भी प्रस्तावित कार्य स्थल पर भूमि उपलब्धता के संबंध में आश्वस्त हो

. (17) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा।

बिना कारण बताये निविदा या उसके अंश को अस्वीकृत करने / रदद करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।

(18) विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्य अविध में सम्पर्क किया जा सकता है। ई—टेन्डिरंग की प्रकिया से संबंधित किसी भी प्रकार की जानकारी / सूचना हेतु सहायता कक्ष, ई-टेन्डरिंग कक्ष, प्रथत तल्ला, M / 22, बैंक ऑफ इण्डिया भवन, रोड न० 25, श्री कृष्णा नगर, पटना—800001, दूरभाष सं० 0612—2523006/9939035696.

> ब्रजेश प्रसाद मुख्य अभियंता

Manifestelie

Chief Engineer 3.S.E.I.D.C. Ltd, Patna