

- 1 -  
Name of Work - Construction of Balance  
work of Proposed Upgraded.

Secondary School in Bihar.

Group No. - USS - 40 A (M.S. Serphavaden).

## BIHAR PUBLIC WORKS DEPARTMENT

Agency - [Form No. F-2] Abhishek Singh.

### ITEM RATE TENDER AND CONTRACT FOR WORKS

Agreement No. \_\_\_\_\_ 16 F<sub>2</sub> of 2019-20.

#### General Rule and Direction for the guidance of Contractors.

Date of Commencement - 05-03-2019.

1. All works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer.

This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderer and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours.

2. In the event of the tender being submitted by a firm, it must be signed separately by each member thereof or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so.

3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm.

4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Sub-divisional Officer/Executive Engineer before the tender form is issued. If a form is issued to an intending tender without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender.

5. The amount of earnest money to be deposited will be :-	Rs.
If the amount of the estimate does not exceed Rs. 2,000	... .. 50
If the amount of the estimate exceeds Rs. 2,000 but does not exceed Rs. 5,000	... .. 100
If the amount of the estimate exceeds Rs. 5,000 but does not exceed Rs. 10,000	... .. 200
For each additional Rs. 5,000 or portion of Rs. 5,000 additional earnest money	... .. 100

6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompanied by the treasury challan for the required earnest money will be liable to rejection. No single tender shall include more than one work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the envelop. Cash deposits for earnest money here in before mentioned shall be made in Government Treasuries and the challan thereof should be enclosed with the tender.

B.S.E.I.D.C. Ltd, Patna

21-6-19

21/06/2019



7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.

8. The Engineer shall have the right of rejecting all or any of the tenders.

9. In the event of a tender being selected for acceptance the Engineer who opened the tenders will, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the prescribed time. The tender with the specification and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to the tenderer.

10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.

11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required amount of the security money has been deposited the Engineer shall scrutinise all pages of the form of item, rate, tender & contract for works to see that the form has been properly filled up and signed by the contractor & the signature witnessed He shall then if he is competent, to accept the tender, sign the acceptance of the tender, or, if he is not so competent shall send the form for signature of the acceptance of the officer competent to accept it.

21-6-13

21/6



## TENDER FOR WORKS

I/We: hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

# MEMORANDUM

(a) If several sub-work are included they should be detained in a separate list.

[a] Name of work .....

[b] Estimated cost .....

(b) This deposit will be 5% of the estimated cost of the Work.

[c] Earnest money .....

c) This percentage deduction from bills will be credited to the contractors security deposit.

[d] Initial security deposits (including earnest money) to be deposited before the commencement of the work .....

[e] Percentage to be deducted from bills Rs. 5% (Rupees five percent)

[f] Time required for the work from date of written order to commence .....  
 ..... monthly

[g] Date of written other to commence

[h] Total number of item of work tendered for

Item No.	Item of work	RATE TENDERED		Per
		In figures	In words	

21/06/13

Chief Eng near

B.S.E.I.D.C. Ltd, Patna

Chief Engineer  
B.S.E.I.D.C. Ltd, Patna

ओम नमो भगवते वासुदेवाय

$$\begin{array}{r} 240 \\ 216 \end{array}$$







[illegible]







Schedule XLV - Form No. 61

(7)

[illegible]



should this tender be accepted I/we hereby agree to abide by and fulfill all the terms and provisions of the said conditions of contract annexed hereto so. for as applicable, or in ssors in office the sums of money mentioned in the said conditions.

*अभिषेक सिंह*  
\*Signature, of contractor before comission of tender

Dated the                      day of                      20

witness :-

Address :-

Occupation :-

Signature of witness to contractor's signature

The above tender is hereby accepted by me on behalf of the Governor of Bihar

Dated the                      day of                      20

signature of the officer  
accepting the tender.

Acceptances communicated on.....

*अभिषेक सिंह*  
signature of the party  
taking the tender

### CONDITIONS OF CONTRACT

#### Compensation

Clause 1:- All compensation or other sums of payable by the contractor to Government under the terms of his contract may be deducted from, paid by the sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor by Government on any account whatsoever and in the event of his security deposit being reduced by reason of any such deduction or sale as aforesaid, the contractor shall within ten days there after make good in cash or Government securities endorsed as aforesaid any sum or sums which may have been deducted from, or arised by, sale of his security deposit of any part thereof.

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which the work is finished after necessary rectification of defects as pointed by the Executive En- gineer or his authorised agents are fully contractor to the Engineer's satisfaction.

Clause 2 :- The time allowed for carrying out the work as entered in the tender shall be strictly observed by the contractor and shall be reckoned from the date on which the wirtten order to comence work is given to the contractor. The work shall throughout the stipulated period of the contract be carried on with all due diligence (time being deemed to be the essence of the contract on the part of the contract or) and the contractor shall pay as compensation an amount equal to ½ percent on the amount of the estimated cost of the whole work as shown by the tender for every day that the work remains uncommenced or unfinished after the proper date. And further to ensure good progress during the execution of the work the contractor shall be bound in all cases in which the time allowed for any work exceeds one month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before one-half of such time elapsed and three-fourths of the work, before three fourths of such time has elapsed in the event of the contractor failing to employ with this condition, I shall be liable to pay as compensation an amount equal to ½ percent on the said estimated cost of the whole work for every day that the due quantity of work remains incomplete provided always that the entire amount of compensation to be paid under the provisions the clause shall not exceed 10 percent of the estimated cost of the work as shown in the tender.

Action when persnle security deposit foreited

Clause 3 :- In any case which under any clause or clauses of or this contract the contractor shall have rendered himself laible to pay compensation amounting to the whole of his security deposit in the hands of Government (where paid in one sum or deducted by instalments) the Executive Engineer on behalf on the Bihar Government shall have been powered to adopt any of the following courses, as he may deem best suited to the enterest of Government -

(a) To rescind the contract (of which rescind noticen writing to the contractor under the hand of the Executive Engineer shall be conclusive evidence) and in which case the sectitry deposit of the contractor shall start forfeited and be absolutely at the disposal of Government.

*अभिषेक सिंह*

210  
216



(b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debiting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in-charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.

(c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original contractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4 :- In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise thereof shall not constitute waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceding clause he may, if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part thereof paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Engineer, as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

contractor remains liable to pay compensation if action not take under clause 2.

Power to take possession of or require removal of or sell contractor plant.

Clause 5 :- If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) he shall apply in writing to the Executive Engineer within 40 days from the date of starting of the hindrance on account of which he desires such extension as aforesaid and the Executive Engineer shall, if in his opinion (which shall be final) reasonable grounds be shown thereof authorised such extension of time if any, as may in his opinion be necessary or proper. The Executive Engineer shall at the same time inform the contractor whether he claims compensation for the delay.

Extension of time

21/6/19  
Chief Eng near  
B.S.E.I.D.C. Ltd, Patna  
21/6

21/6/19



Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion, but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinctly marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-work doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurement shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus material and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as he thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid, except for any sum actually realised by the sale thereof.

Payment of in terms date  
certificate to be regarded  
as advance and Bill to be  
submitted monthly.

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as far as admissible, adjusted, if possible before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-in-charge or his subordinate shall prepare a bill from such list which shall be binding to the contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not preclude the repainting of bad, unsound and imperfect or unskilful work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the account or in any other way vary or affect the contract.

Stores supplied  
Government

Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Clause 9:- If the specification or estimate of the work provides for the use of a special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided by the Engineer-in-charge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only as the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums then due or there after become due to the contractor under the contract or otherwise, or against or from the security deposit, or the proceeds of sale thereof, if the same is held in Government security the same or sufficient portion thereof in this case sold for the purpose. All materials supplied to the contractor shall remain the absolute property of Government and shall not on any accounts be removed from this site of the work and shall at all times be open to



Inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the Contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10 :- The contractor shall execute the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work signed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitled to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid.

Work to be executed accordance with specification drawing other etc.

Clause 11 :- Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rates is specified in this contract then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge of the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determined as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a dispute the decision of the superintending Engineer of the circle will be final.

Alteration in specifications and designation.

Do not invalidate contract

Time in consequence of alteration

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-in-charge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days of the following month accompanied by a copy of the order in writing of the Engineer-in-charge for the additional work and that contractor shall not be entitled to any payment in respect of such additional work if he does not submit his claim within the date aforesaid period.

Rate for work, no in estimate or schedule of rates of the district.

Clause 12 :- If at any time after the commencement of the work the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out, the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsoever on account of any profit or advantage, which he might have derived from the execution of the work in full, but which he did not derive in consequence of the full amount of the work not having been carried out neither shall he have any claim for compensation by reason of any alteration having been made in the original specification, drawing, designs and instruction which shall involve any installment of the work as originally contemplated in clause 12 (a) As contained in G O 1929 dated 11.9.56.

Compensation for alteration in or restriction of work to be carried out.

Chief Engineer  
M. E. C. Ltd, Patna

21/6

उम्मेदवार



Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such failure is due to :-

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days from the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appear to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as finally by the contractor.

Action and compensation payable in case of work.

Clause 13 :- If it shall appear to the Engineer-in-charge or his subordinate in-charge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall on demand in writing from the Engineer-in-charge specifying the inadvertently passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-in-charge in his demand aforesaid the contractor shall be liable to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and expense in all respects of the contractor.

Work to be taken to inspection

Clause 14 :- All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineer-in-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be present.

Clause 15 :- The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions thereof be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default thereof payment or allowance shall be made for such work on materials with which the same was effected.

Notice to be taken before work covered up

Clause 16 :- If the contractor or his work-people, or servants shall break, deface injure or destroy any part of a building in which they may be working or any building, road, road curves, fence enclosure water pipes, cables, drains, electric or telephone posts or wires, trees, grass or grassland or cultivated ground contiguous on which the work or any part of it is being executed or if any damage shall happen to the work, while in progress from any cause whatsoever or any imperfection become apparent in it within three months (six months in the case of a road-work) after a certificate final or other of its completion shall have been given by the Engineer-in-charge,

अभिषेक सिंह

21/6



as a fore seal, the contractor shall make the same good at his own expense, or in default, the Engineer-in-charge may cause the same to be made be good by other workmen and deduct the expense of which time thereafter may become due to the contractor, or from his security deposit, or the proceed of sale there of, or of a sufficient portion there of the security deposit at the contractor shall not be refunded before the expiry of three months (six months in the case of a road-work) after the issue of the certificate final or otherwise of completion of work provided that in the case of a road work in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable after three months of the issue of the said certificate of completion

Contractor liable for damage done and for imperfection a months and after certificate

Clause 17:- The contractor shall supply at his own cost all materials (except such special materials) if any as may in accordance with the contract be supplied from the Engineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, tackle scaffolding and temporary works requisits or proper for the proper execution of the work whether original, altered or substituted and whether include in the specification or other documents forming part of the contract or referred to in these conditions or not or which may be necessary for purpose of satisfying or complying with the requirement of the Engineer-in-charge as to any matter as to which under these conditions he is entitled to be satisfied which he is entitled to require together with carriage therefore to and from the work. The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting, weighing and assisting in the measurement or examination at any time and from time to time of the work or materials failing his so doing the same may be Provided by the Engineer-in-charge at the expense of the contractor and the expenses may be deducted from any money due to the contractor under the contract from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide all necessary fencing and lights required to protect the public from accident, and shall be bound to bear to expenses of defence of every suit action or other proceeding at law that may be brought by any person for injury sustained owing to neglect of the above precautions and to any such person or which may with the consent of the contractor be paid to compromise any claim by any such person.

Contractor to supply to plantladder scaffolding etc.

And is liable for damage arising for non-provision of light fencing etc.

Clause 18 :- No female labour shall be employed within the limits of contonment. The contractor shall not employ for the purpose of his contract any person who is below the age of twelve years and shall pay to each labour for the work done by such labourer wages not less than the wages paid for similar work in the neighbourhood.

Work not to be subject

The executive Engineer shall have the right to enquire into the case and decide any complaint alleging that the wages paid by the contractor to any labourer for the work done by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer employed by contractor is below the age of twelve years and to refuse to allow any labourer whom he decided to be below the age of twelve years to be employed by the contractor.

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his contract, or attempt so to do, or become insolvent proceedings to make any composition with his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward or advantage pecunary of otherwise, shall either directly or indirectly be given promised, or offered by the contractor, or any of his servant or agents to any public officer or person in the employ of Government in any way relating to his officer or employment or if any such officer or person shall become in any way directly or indirectly interested in the contract the Executive Engineer may there upon by notice in writing rescind the contract. The security deposit of the contractor shall there upon stand forfeited and be absolutely at the disposal of Government and the same consequence shall ensure as if the contract had been recinded under clause 3 here of, in addition the contractor shall not be entitled to recover or be paid to any work therefore actually performed the under the contract.

Contract may be resinded and security deposit forfeited for subletting bribes or if contractor become insolvent

अभिषेक सिंह

21/06/19  
Chief Engineer  
B & F.D.C. Ltd, Patna  
21/6



such payable by way of compensation to be considered reasonable compensation without reference to actual loss

Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained.

Clause 21 :- In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this information.

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal of Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer

Clause 22 :- All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23 :- In case any dispute or difference shall arise between the parties or either of there upon any question relating to the meaning of the specifications, designs drawings and instructions here before mentioned or as to the quality of workmanship or materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, or any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions or otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof or as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

(a) Clause 24 :- When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items or work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-in-charge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineer in-charge shall be final and conclusive against the contractor with regard to any sum payable to him under the provision of this clause.

Action where no specification.


Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Definition of works

Clause 26 :- The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to such construction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered substituted or additional.

Clause 27:- The terms and conditions of the agreement have been read/explained to me and.....certify.....clearly understand them

Witness.

  
Contractor.







AGREEMENT FOR UPGRADED SECONDARY SCHOOLS IN BIHAR

TENDER FOR WORKS

The hereby tender for the execution for the Government of Bihar of the work specified in the tender written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance with all responses with the specifications design, drawing, and other documents referred to in this paper and subject to the annexed condition of contract and with such materials as are provided for by and in other respects in accordance with such conditions so far as applicable.

MEMORANDUM

(A) Name of Work :- CONSTRUCTION OF BALANCE WORK OF

UPGRADED SECONDARY SCHOOLS BUILDING IN BIHAR (G.N. 122-

40 A), M.S. Sathiyagon, Block-Ramnagar, Dist-West Champaran.

(B) Estimated Cost :- Rs. 50,19,800-00

Agreement value :- Rs. 53,17,100-00

(C) Earnest Money :-

(a) This deposit will be 2% of the estimated cost of the work.

(D) Initial security deposit (including earnest money) to be deposited before the commencement of the work-

Earnest Money :- Rs. 2,70,000/-

(a) This percentage deduction from bills will be credited to the contractor's security deposit.

(E) Percentage to be deducted from bill Rs. 2% (Rupees five percent)

(F) Time required for the work from date of written order to commence- EIGHT MONTHS

(G) Date of written order to commence :-

(H) Total number of item of work tendered for :- 73



Bihar State Educational Infrastructure Development Corporation Ltd.							
BOQ FOR UPGRADED SECONDARY SCHOOLS IN BIHAR							
Group No. : USS-40 (A)							
Division		District		Block		Name of School	
Tirhut (W)		West Champaran		Ramnagar		M.S.Serhava Don	
THE ITEM RATES ARE BASED ON BIHAR SCHEDULE OF RATES, BCD, effective from dated : 17.10.16							
CIVIL WORKS							
S.N	Sub N.	SOR Ref.N.	DESCRIPTION	Unit	Quantity	Rate	Amount
1			<b>2.0 Earth Work</b>				
		2.8	<b>EARTH WORK IN EXCAVATION</b> over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including dressing of sides and ramming of bottom, lift upto 1.5m including getting out the excavated soil and disposal of surplus soil as directed, within a lead of 50m.				
		2.8.1	ALL KINDS OF SOIL	CUM	16.060	230.50	Rupees two hundred thirty & paise fifty only.
2		2.26	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth: consolidating each deposited layer by ramming and watering lead of 50 m.	CUM	0.00	74.50	Rupees seventy four & paise fifty only.
3		2.28	<b>SUPPLY AND FILLING</b> in plinth & Foundation with local sand and under floors including watering, ramming, consolidating and dressing and dressing complete.	CUM	36.76	204.40	Rupees two hundred four & paise forty only.
4		2.29.1	<b>SURFACE DRESSING</b> of the ground including removing vegetation and in-equalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5 m	100 SQ.M	0.00	806.00	Rupees eight hundred six only.
5			<b>4.0 Concrete Work</b>				
		4.1	Providing and laying in position cement concrete of specified grade exluding the cost of centring and shuttering-all work upto plinth level.				
		4.1.5	<b>1:3:6</b> (1 Cement : 3 Coarse sand : 6 graded stone aggregate 40mm nominal size)	CUM	18.90	2775.70	Rupees two thousand seven hundred seventy five & paise seventy only.

अभिषेक मिश्र

21/6  
21/6  
Chief Engineer  
B.S.E.I.D.C. Ltd. Patna  
21/06/19



**Bihar State Educational Infrastructure Development Corporation Ltd.**  
**BOO FOR UPGRADED SECONDARY SCHOOLS IN BIHAR**

Group No : 122-10 (A)

Division	District	Block	Name of School
Patna (B)	West Champaran	Kannagar	M.S. Chandra Dan

THE NEW RATES ARE BASED ON BIHAR SCHEDULE OF RATES, BCD, effective from dated : 17.10.16

ITEM WORKS							
S.N.	Sub	Item	DESCRIPTION	Unit	Quantity	Rate	Amount
1		2 & 1	ALL KINDS OF SOIL	CUM	16000	230.50	Rupees two hundred thirty & paise fifty only
		2 B	EARTH WORK IN EXCAVATION over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm in plan) including dressing of sides and ramming of bottom till upto 1.50 m including getting out the excavated soil and disposal of surplus soil as directed within a lead of 50m				
		2.20	consolidating each-deposited layer by ramming and watering lead of 50 m				
		2.28	including watering, ramming, consolidating and dressing and dressing complete				
2		2.20	including removing vegetation and in-situities not exceeding 1.5 cm deep and disposal of rubbish lead upto 50 m and fill upto 1.5 m	100 SQ.M	0.00	800.00	Rupees eight hundred & paise only
3		4.1	level				
		4.1.2	1:3:6 (1 Cement : 3 Coarse sand : 6 graded stone aggregate 40mm nominal size)	CUM	12.90	3732.10	Rupees two thousand seven hundred seventy two & paise seventy only
		4.1.3	Providing and laying in position cement concrete of specified grade excluding the cost of cement and rendering all work upto plinth level				
4		2.20	including removing vegetation and in-situities not exceeding 1.5 cm deep and disposal of rubbish lead upto 50 m and fill upto 1.5 m	100 SQ.M	0.00	800.00	Rupees eight hundred & paise only
		2.28	including watering, ramming, consolidating and dressing and dressing complete				
5		2.28	Foundation with local sand and under floors including watering, ramming, consolidating and dressing and dressing complete	CUM	30.70	205.40	Rupees two hundred four & paise forty only
6		2.20	consolidating each-deposited layer by ramming and watering lead of 50 m				
7		2.20	etc in layers not exceeding 20 cm in depth				
8		2.20	etc in layers not exceeding 20 cm in depth				
9		2.20	etc in layers not exceeding 20 cm in depth				
10		2.20	etc in layers not exceeding 20 cm in depth				
11		2.20	etc in layers not exceeding 20 cm in depth				
12		2.20	etc in layers not exceeding 20 cm in depth				
13		2.20	etc in layers not exceeding 20 cm in depth				
14		2.20	etc in layers not exceeding 20 cm in depth				
15		2.20	etc in layers not exceeding 20 cm in depth				
16		2.20	etc in layers not exceeding 20 cm in depth				
17		2.20	etc in layers not exceeding 20 cm in depth				
18		2.20	etc in layers not exceeding 20 cm in depth				
19		2.20	etc in layers not exceeding 20 cm in depth				
20		2.20	etc in layers not exceeding 20 cm in depth				
21		2.20	etc in layers not exceeding 20 cm in depth				
22		2.20	etc in layers not exceeding 20 cm in depth				
23		2.20	etc in layers not exceeding 20 cm in depth				
24		2.20	etc in layers not exceeding 20 cm in depth				
25		2.20	etc in layers not exceeding 20 cm in depth				
26		2.20	etc in layers not exceeding 20 cm in depth				
27		2.20	etc in layers not exceeding 20 cm in depth				
28		2.20	etc in layers not exceeding 20 cm in depth				
29		2.20	etc in layers not exceeding 20 cm in depth				
30		2.20	etc in layers not exceeding 20 cm in depth				
31		2.20	etc in layers not exceeding 20 cm in depth				
32		2.20	etc in layers not exceeding 20 cm in depth				
33		2.20	etc in layers not exceeding 20 cm in depth				
34		2.20	etc in layers not exceeding 20 cm in depth				
35		2.20	etc in layers not exceeding 20 cm in depth				
36		2.20	etc in layers not exceeding 20 cm in depth				
37		2.20	etc in layers not exceeding 20 cm in depth				
38		2.20	etc in layers not exceeding 20 cm in depth				
39		2.20	etc in layers not exceeding 20 cm in depth				
40		2.20	etc in layers not exceeding 20 cm in depth				
41		2.20	etc in layers not exceeding 20 cm in depth				
42		2.20	etc in layers not exceeding 20 cm in depth				
43		2.20	etc in layers not exceeding 20 cm in depth				
44		2.20	etc in layers not exceeding 20 cm in depth				
45		2.20	etc in layers not exceeding 20 cm in depth				
46		2.20	etc in layers not exceeding 20 cm in depth				
47		2.20	etc in layers not exceeding 20 cm in depth				
48		2.20	etc in layers not exceeding 20 cm in depth				
49		2.20	etc in layers not exceeding 20 cm in depth				
50		2.20	etc in layers not exceeding 20 cm in depth				

Chief Engineer  
 S.E.D.C. Ltd. Patna  
 11/11/17



6			<b>5.0 Reinforced Cement Concrete</b>				
	5.1	✓	Providing and laying of in position, of specified mix of reinforced cement concrete, excluding the cost of centering and shuttering, finishing and reinforcement - all work upto plinth level.				
	5.1.2	✓	1:1½:3 (1 Cement : 1½ Coarse sand : 3 graded stone aggregate 20 mm nominal size) IN FOUNDATION.	CU.M	0.68	4530.30	Rupees four thousand five hundred thirty & paise thirty only.
7	5.2	✓	<b>Reinforced cement concrete work in wall</b> (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts, etc. upto floor v level, excluding costs of centering, shuttering, finishing and reinforcement.				
			<b>Col. In plinth &amp; superstructure</b>				
	5.2.2	✓	1:1½:3 (1 Cement : 1½ Coarse sand : 3 graded stone aggregate 20 mm nominal size).	CU.M	18.97	5139.70	Rupees five thousand one hundred thirty nine & paise seventy only.
8	5.3+ 5.33B.4	✓	<b>Reinforced cement concrete work in LINTEL BAND</b> upto five level excluding cost of centring, shuttering and finishing and reinforcement with 1:1½:3(1cement: 1½ coarse sand :3 graded stone agreagate 20 mm niminal size)	CU.M	29.37		
9	5.3+ 5.33B.4	✓	<b>Reinforced cement concrete work in beams</b> , upto five level excluding cost of centring, shuttering and finishing and reinforcement with 1:1½:3(1cement: 1½ coarse sand :3 graded stone agreagate 20 mm niminal size)	CU.M	7.03		
10	5.3+ 5.33B.4	✓	<b>Reinforced cement concrete work in suspended floors &amp; roofs</b> upto five level excluding cost of centring, shuttering and finishing and reinforcement with 1:1½:3(1cement: 1½ coarse sand :3 graded stone agreagate 20 mm niminal size)	CU.M	63.30		
11	5.3+ 5.33B.4	✓	<b>Reinforced cement concrete work in STAIRCASE</b> upto five level excluding cost of centring, shuttering and finishing and reinforcement with 1:1½:3(1cement: 1½ coarse sand :3 graded stone agreagate 20 mm niminal size)	CU.M	8.23		
				Total=	107.933	5124.90	Rupees five thousand one hundred twenty four & paise ninety only.

अभिषेक सिंह

240  
21/6  
Chief Engineer  
B.S.E.I.D.C. Ltd, Patna  
21/06/18  
21/06/18







12		5.9	Centering and shuttering including struting, propping etc. and removal of form for -				
	12.1	5.9.1	Foundations, footings, bases of columns etc. for mass concrete.	SQ.M.	0.00	169.00	Rupees one hundred sixty nine only.
	12.2	5.9.6	Columns	SQ.M.	300.73	357.60	Rupees three hundred fifty seven & paise sixty only.
	12.3	5.9.3	ROOF SLAB	SQ.M.	506.39	291.00	Rupees two hundred ninety one only.
	12.4	5.9.5	Lintels, beams, plinth beams,-	SQ.M.	359.04	261.70	Rupees two hundred sixty one & paise seventy only.
	12.5	5.9.7	Stairs (excluding landings).	SQ.M.	47.72	328.90	Rupees three hundred twenty eight & paise ninety only.
13		5.22	Reinforcement for RCC work including straightening, cutting bending, placing in position and binding all complete.				
	13.1	5.22.1	Mild steel 6.00 mm dia	kg	1369.72	54.30	Rupees fifty four & paise thirty only.
	13.2	5.22.7A	Thermo- Mechanically Treated bars TMTC-500- 8mm dia.	Kg	7485.30	56.00	Rupees fifty six only.
	13.3	5.22.7B	Thermo- Mechanically Treated bars TMTC-500- 10mm dia.	Kg	3008.30	54.70	Rupees fifty four & paise seventy only.
	13.4	5.22.7C	Thermo- Mechanically Treated bars TMTC-500- 12mm dia.	Kg	923.01	53.40	Rupees fifty three & paise forty only.
	13.5	5.22.7D	Thermo- Mechanically Treated bars TMTC-500- 16mm dia.	Kg	432.11	54.40	Rupees fifty four & paise forty only.
	13.6	5.22.7E	Thermo- Mechanically Treated bars TMTC-500- 20mm dia.	Kg	720.33	53.60	Rupees fifty three & paise sixty only.
14			6.0 Brick Work (A)				
		6.1 A	Brick work with bricks of class of class designation 100 A in foundations and plinth in :				
	14.1	6.1.14A	Cement mortar 1: 6 (1 cement : 6 coarse sand )	CUM	5.03	4490.60	Rupees four thousand four hundred ninety & paise sixty only.
	14.2	6.1.12/1	Cement mortar 1: 4 (1 cement : 4 coarse sand )	CUM	7.03	4724.40	Rupees four thousand seven hundred twenty four & paise forty only.

अभिषेक दाह

21/06/19  
Chief Engineer  
B.S.E.I.D.C. Ltd, Patna  
21/06/19



12	12.1	2.01	20 M	0.09	160.00	Repet one hundred start nine only	Centering and shoring including striking propping etc. and removal of form for foundations, footings, bases of columns etc.
	12.2	2.96	80 M	300.73	151.00	Repet three hundred fifty seven & nine only	Columns
	12.3	2.93	20 M	508.39	231.00	Repet two hundred twenty one only	ROOF SLAB
	12.4	2.92	20 M	320.04	231.70	Repet two hundred twenty one & nine only	Lintel beams, girth beams,
	12.5	2.97	20 M	47.72	328.90	Repet three hundred twenty eight & nine only	Stairs (excluding landings)
	12.6	2.22		A			Reinforcement for RCC work including straightening, cutting, bending, placing in position and binding all complete
13	13.1	2.22.1	kg	1364.72	24.30	Repet five four & nine only	Mild steel 6.00 mm dia
	13.2	2.22.7A	Kg	7482.20	20.00	Repet fifty six only	Thermo-Mechanically Treated bars TMTC- 200-8mm dia
	13.3	2.22.7B	Kg	3008.30	24.70	Repet fifty four & nine seven only	Thermo-Mechanically Treated bars TMTC- 200-10mm dia
	13.4	2.22.7C	Kg	923.01	27.40	Repet fifty three & nine four only	Thermo-Mechanically Treated bars TMTC- 200-12mm dia
	13.5	2.22.7D	Kg	437.11	24.40	Repet fifty four & nine four only	Thermo-Mechanically Treated bars TMTC- 200-16mm dia
	13.6	2.22.7E	Kg	720.33	23.00	Repet fifty three & nine six only	Thermo-Mechanically Treated bars TMTC- 200-20mm dia
14	14.1	6.1.14A	CUM	2.03	490.60	Repet four thousand four hundred ninety & nine six only	Brickwork with bricks of class of class designation 100 / in foundations and plinth in Cement mortar 1:6 (1 cement : 6 coarse sand)
	14.2	6.1.12.1	CUM	7.03	4734.40	Repet four thousand seven hundred twenty four & nine four only	Cement mortar 1:4 (1 cement : 4 coarse sand)



15	15.1	6.1 A	Brick work with bricks of class of class designation 100 A in superstructure upto floor V level in :				
		6.1.14 A+6.3A	Cement mortar 1: 6 (1 cement : 6 coarse sand )	CU. M	187.80	5003.90	Rupees five thousand three & paise ninety only.
	15.2	6.18.4A +6.19A	Cement mortar 1: 4 (1 cement : 4 coarse sand )	SQ.M.	15.28	608.40	Rupees six hundred eight & paise forty only.
16			<b>9.0 Wood Work</b>				
		9.48.1	Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete.	Kg	1431.17	86.00	Rupees eighty six only.
17			<b>10.0 Steel Work</b>				
		10.5	Providing and fixing in position collapsable steel shutters with vertical channels 20X10X2 mm and braced with flat iron ds 20X5 mm size with top and bottom rail of T-iron 40X40X6 mm with 40 mm dia steel pulleys completes with bolts-nuts locking arrangement stoppers handles including applying a priming coat of approved steel primer.	SQ.M	9.76	4248.20	Rupees four thousand two hundred forty eight & paise twenty only.
18		10.7	Providing and fixing 1 mm thick M.S. sheet door & window with frame of 40X40X6 mm angle iron and 3 mm gusset plates at the junction and corners all necessary fittings complete including applying a priming coat of approved steel primer.	SQ.M.	36.43	2617.00	Rupees two thousand six hundred seventeen only.
19		10.12.1 + 10.13B	Providing and fixing steel glazed doors, windows and ventilatr of standard rolled steel sections, joints mitered and welded with 15x3 mm lugs 10 cm long with steel lugs embedded in cement concrete blocks 15x10x10 Cm of 1:3:6 (1 Cement:3 coarse sand : 6 graded stone aggregate 22 mm nominal size) or with woodenplugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panes with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer; excluding the cost of metal beading and other fitting except necessary hinges or pivots as required.	SQ.M.	66.50	2843.00	Rupees two thousand eight hundred forty three only.

अभिषेक सिंह

21/06/19  
Chief Engineer  
B.S.E.I.D.C. Ltd, Patna  
21/6  
21/06/19







20	10.17	Providing and fixing M.S. fan clamp type I or II of 16 mm dia. M.S. bar bent to shape with hooked ends in R.C.C slabs during laying including painting the exposed portion of loop, all as per standard design complete.	EACH	40.00	97.00	Rupees ninety seven only.
21	10.32.2	Steel work welded in built up sections as per drawing including cutting hoisting, fixing in position and applying a priming coat of approved steel primer using steel in <b>Stairs / Balcony railing.</b>	K.G.	539.67	76.70	Rupees seventy six & paise seventy only.
22	10.33	Providing and fixing hand rail by welding etc. to steel ladder railings & staircases railing including applying a priming coat of approved steel primer				
	10.33.1	MS tube (medium) 40 mm nominal bore	K.G.	108.00	90.70	Rupees ninety & paise seventy only.
		<b>11.0 Flooring</b>				
23	11.4	52 mm thick cement concrete flooring with metallic concrete hardener topping under layer 40 mm thick cement concrete 1:2:4 (1 cement: 2 coarse sand : 4 graded stone aggregate 20 mm nominal Size) and top layer 12 mm thick metallic cement hardener consisting of mix 1:2 (1 cement hardener : 2 stone aggregate 6 mm nominal size) by volume hardening compound is mixed @ 2 litre per 50 kg of cement or as per manufacture specification. This includes cost of cement slurry, etc, but excluding the cost of nosing of steps etc. complete.	SQ.M	664.42	383.50	Rupees three hundred eighty three & paise fifty only.
24	11.8	Extra for making chequers of approved pattern on cement concrete floors, steps, landing, pavements etc.	SQ.M	228.28	22.00	Rupees twenty two only.
25	11.72	Providing designation 100 - A, <b>BRICK FLAT SOLING</b> joints filled with local sand including cost of watering, taxes and royalty all complete as per building specification and direction of Engineer Incharge.	SQ.M	249.55	253.80	Rupees two hundred fifty three & paise eighty only.

मोहोर

21/06/19  
Chief Engineer  
B.S.E.I.D.C. Ltd, Patna  
21/06/19



20	10.17	design complete including painting the exposed portion of beam to steps with hooked ends in R.C.C. slabs of 10 mm dia M.S. bar providing and fixing M.S. bar clamp type I or II	EACH	40.00	91.00	Ropes twenty seven only
21	10.22	theory railing approved steel girder using steel in stairs drawing including cutting hooking, fitting in steel work welded in built up sections as per specification	R.G.	239.57	16.70	Ropes twenty six & paint seventy only
22	10.23	Providing and fixing hand rail by welding etc to steel ladder rungs & staircases railing including applying a priming coat of approved steel primer				
	10.23.1	M.S. tube (medium) 40 mm nominal bore	R.G.	108.00	90.70	Ropes twenty five paint seventy only
23	11.4	cost of mixing of steps etc complete per manufacture specification. This includes as mixed @ 2 hrs per 30 bag of cement or as per actual size by volume binding compound (1 cement harden mix 2 stone aggregate 6 metallic cement hardener consisting of mix 1:2 nominal size) and top layer 12 mm thick 2 coarse sand : 4 graded stone aggregate 20 mm 40 mm thick cement concrete 1:2:4 (1 cement metallic cement hardener topping with layer 22 mm thick cement concrete flooring with 11.8 flooring	SQ.M	604.45	183.50	Ropes three hundred thirty three & paint fifty only
24	11.8	on cement concrete floors, steps, landing, Extra for making choppers of approved pattern	SQ.M	228.28	22.00	Ropes twenty two only
25	11.22	cost of watering and roasting all complete as per building specification and direction of Engineer incharge. SOLING joints filled with local sand including providing designation 100 - A BRICK FLAT	SQ.M	210.25	223.20	Ropes two hundred fifty three & paint eighty only

25.16  
25.16



26	11.76	Providing average 150 mm thick dry remmed Khoa beaten to 112 mm (Compacted with water) made of well burnt or Jhama bricks including ramming properly till compacted thickness is achieved. Curing and carriage of water with all leads, making proper slope and blinding the top with cement mortar, (1: 10) all complete as per building specification and direction of E/1	SQ.M	214.53	329.90	Rupees three hundred twenty nine & paise ninety only.
27		<b>12.0 Roofing</b>				
	12.78	Providing & fixing on wall face unplasticised - Rigid P.V.C. rain water pipes conforming to IS: 13592 Type A including jointing with seal ring conforming to IS: 5382 leaving 10mm gap for thermal expansion . Single socket ed pipes. 110 mm dia				
	12.78.2	<b>110 MM RAIN WATER PIPE</b>	Metre	82.31	212.40	Rupees two hundred twelve & paise forty only.
28	12.79.2.2	<b>BEND</b>				
		110 MM	EACH	10.00	175.60	Rupees one hundred seventy five & paise sixty only.
29	12.79.6.2	<b>SHOE - 110MM</b>	EACH	10.00	305.02	Rupees three hundred five & paise
30		<b>13.0 Finishing</b>				
	30.1	<b>Cement Plaster</b> in coarse sand with 12 mm cement plaster 1:4 (1 Cement : 4 Coarse Sand)	SQ.M.	229.32	114.70	Rupees one hundred fourteen & paise seventy only.
	30.2	<b>Cement Plaster</b> in coarse sand with 12 mm cement plaster 1:6 (1 Cement : 4 Coarse Sand)	SQ.M.	1288.59	101.20	Rupees one hundred one & paise twenty only.
31	13.13.13.13.2	<b>20 mm thick plaster of mix :</b>				
	13.13.2	1 : 4 ( 1 Cement ; 4 Coarse Sand )	SQ.M	41.62	161.30	Rupees one hundred sixty one & paise thirty only.
32		<b>20 mm thick plaster of mix :</b>				
	13.13.4	1 : 6 ( 1 Cement : 6 Coarse Sand )	SQ.M.	702.79	140.40	Rupees one hundred forty & paise forty only.
33	13.17.1	12 mm cement Plaster 1:3 (1 Cement : 3 Coarse Sand) finished with a floating coat of neat Cement	SQ.M.	48.53	159.00	Rupees one hundred fifty nine only.

अभिषेक मिश्रा

240  
21/6  
Chief Engineer  
B.S.E.I.D.C. Ltd, Patna  
21/06/19  
21/06/19







34	13.24.2	6 mm Cement Plaster to Ceiling of mix - cement plaster 1:4 (1 Cement : 4 Coarse Sand)	SQ.M.	448.01	87.40	Rupees eighty seven & paise forty only.
35	13.26	Neat Cement Punning	SQ.M	330.08	32.30	Rupees thirty two & paise twenty nine only.
36	13.70. 13.70.1	White washing with lime to give an even shade New work (three or more coats)	SQ.M	1560.61	12.50	Rupees twelve & paise fifty only.
37	13.78 13.78.1	Applying one coat of cement primer of approved brand and manufacturer on wall surface. cement primer on outer wall surface	SQ.M	730.49	26.90	Rupees twenty six & paise ninety only.
38	13.79 13.79.1	Finishing walls with water proofing cement paint of approved brand and manufacture and of required shade to give an even shade New work (three or more coats )	SQ.M	730.49	63.20	Rupees sixty three & paise twenty only.
39	13.93 13.93.1	Painting with Synthetic enamel paints of approved brand and manufacture of required color to give an even shade. Two or more coats on new work				
		Painting over Steel surface	SQ.M	283.83	54.10	Rupees fifty four & paise ten only.
40		<b>23.0 Pile Work</b>				
	40.1 23.2.5	Making 25 cm (10") dia bore up to 4 Mtr Depth below ground with hand auger of approved quality in ordinary soil (Vide classification of soil item A) true to plumb and without eccentricity in any stage of operation and disposal of the excavated earth up to 50 mtr. lead in eluding all lifts. all complete as per approved design and directions of E/I	Metre	0.00	59.80	Rupees fifty nine & paise eighty only.
	40.2 23.2.6	63 cm (25) UNDER REAM making 63 cm (25) dia under ream at required with hand auger of approved quality in ordinary soil (Vide classification of soil item-A) true to plumb and without iccentric city in may stage of operation and disposal of the excavated earth up to 50 mts. lead in eluding all lifts. All complete as per approved design and direction of (E/I)	EACH	0.00	63.80	Rupees sixty three & paise eighty only.

अभिषेक सिंह

21/06/19  
Chief Engineer  
B.S.E.I.D.C. Ltd, Patna  
21/06/19



34	13.34.2	5 mm Cement Plaster to ceiling of m/s - cement plaster 1:4 (1 Cement : 4 Coarse Sand)	20 M	418.01	87.40	Repairs thirty seven % paint only only
35	13.35	Neat Cement Painting	20 M	130.08	13.30	Repairs thirty five % paint twenty nine only
36	13.36.1	White washing with lime to give an even shade	20 M	1260.01	12.30	Repairs twelve % paint fifty only
37	13.37.1	Applying one coat of cement primer of approved brand and manufacturer on wall surface cement primer on outer wall surface	20 M	130.49	26.90	Repairs twenty six % paint ninety only
38	13.38.1	Finishing walls with water proofing cement paint of approved brand and manufacturer and of required shade to give an even shade	20 M	130.49	63.20	Repairs sixty three % paint seventy only
39	13.39.1	Painting with Synthetic enamel paint of approved brand and manufacturer of required color to give an even shade Two or more coats on new work	20 M	283.83	34.10	Repairs fifty four % paint ten only
40	23.2.2	23.0 Pile Work Making 15 cm (10") dia bore up to 4 Mtr Depth below ground with hand auger of approved quality in ordinary soil (Vide classification of soil item A) use to pump and without eccentricity in any stage of operation and disposal of the excavated earth up to 50 mts. lead in shoring all lifts. All complete as per approved design and direction of (E.O)	Mtr	0.00	89.80	Repairs fifty nine % paint eighty only
40	23.2.8	65 cm (25) UNDER REAM making 65 cm (25) dia under ream as required with hand auger of approved quality in ordinary soil (Vide classification of soil item-A) use to pump and without eccentricity in any stage of operation and disposal of the excavated earth up to 50 mts lead in shoring all lifts. All complete as per approved design and direction of (E.O)	EACH	0.00	63.80	Repairs twenty three % paint eighty only

2/11/21  
23.0 Pile Work  
23.2.2  
23.2.8



41		17.1.1	<b>Sanitary Works</b> Providing and fixing water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast iron P or S tap, 10 litre low white P.V.C. Flushing cistern with manually controlled device (handle level) conforming to IS:7231 Parryware/ Hindware with all fittings and fixtures complete including cutting and making good the walls and floors wherever required.				
			White Vitreous China Orissa pattern W C pan of size 580 X 440 mm with integral type foot rest.	Each	8.00	3049.30	Rupees three thousand forty nine & paise thirty only.
42		18.49	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931				
			15 mm nominal bore.	Each	8.00	481.60	Rupees four hundred eighty one & paise sixty only.
43		17.7.1	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever required :				
			White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps.	EACH	4.00	2093.50	Rupees two thousand ninety three & paise fifty only.
44	44.1	17.28	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.				
		17.28.2	Flexible pipe				
		17.28.2.1	32 mm dia	EACH	4.00	76.10	Rupees seventy six & paise ten only.
	44.2	17.28.2.2	40 mm dia	EACH	1.00	78.50	Rupees seventy eight & paise fifty only.
45		17.11	Providing and fixing white vitreous china laboratory sink with C.I. brackets, C.P. brass chain with rubber plug 40mm C.P brass waste and including painting of fittings and brackets, cutting and making good the wall wherever required :				
		17.11.2	Size 600x450x200mm	EACH	1.00	2986.20	Rupees two thousand nine hundred eighty six & paise twenty only.

अभिषेक मिश्र

Chief Engineer  
B.S.E.I.D.C. Ltd, Patna  
21/6  
21/6  
21/06/19  
21/06/19



41	17.1.1	Providing and fitting water closet spouting pan (Indian type W.C. pan) with 100 mm sand cast iron P or S tap, 10 litre low white P.V.C. flushing cistern with manually controlled device (handle level) conforming to IS: 7331 Partwork/ Hardware with all fittings and fixtures complete including cutting and making good the walls and floors wherever required			Each	8.00	3049.30	Request three thousand four hundred & four only
		Providing and fitting C.P. brass bib cock of approved quality conforming to IS: 8931 White Vitreous China Oval pattern W.C. pan of size 380 X 440 mm with integral type foot rest.			Each	8.00	3049.30	Request three thousand four hundred & four only
42	17.1.2	Providing and fitting C.P. brass bib cock of approved quality conforming to IS: 8931 15 mm nominal bore.			Each	8.00	481.60	Request four hundred eighty one & four only
		Providing and fitting wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever required.			Each	4.00	3603.50	Request three thousand six hundred three & five only
43	17.1.3	Providing and fitting wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever required.			Each	4.00	3603.50	Request three thousand six hundred three & five only
		Providing and fitting P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.			Each	4.00	3603.50	Request three thousand six hundred three & five only
		Providing and fitting P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.			Each	4.00	3603.50	Request three thousand six hundred three & five only
		Providing and fitting P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.			Each	4.00	3603.50	Request three thousand six hundred three & five only
44	17.1.4	Providing and fitting P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.			Each	4.00	3603.50	Request three thousand six hundred three & five only
		Providing and fitting P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.			Each	4.00	3603.50	Request three thousand six hundred three & five only
45	17.1.5	Providing and fitting white vitreous china laboratory sink with C.I. brackets, C.P. brass chain with rubber plug 40mm C.P. brass waste and including painting of fittings and brackets, cutting and making good the wall wherever required.			Each	1.00	2088.30	Request two thousand eight hundred and eight only
		Providing and fitting white vitreous china laboratory sink with C.I. brackets, C.P. brass chain with rubber plug 40mm C.P. brass waste and including painting of fittings and brackets, cutting and making good the wall wherever required.			Each	1.00	2088.30	Request two thousand eight hundred and eight only

Handwritten notes and signatures at the bottom left of the page.

Handwritten notes and signatures at the bottom right of the page.



46		18.52	Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS:8931.				
		18.52.1	15 mm nominal bore.	EACH	5.00	650.10	Rupees six hundred fifty & paise ten only.
47		18.58.1.1	Providing and fixing PTMT grating of approved quality and colour.				
			100 mm nominal dia	EACH	2.00	46.40	Rupees forty six & paise forty only.
48		12.78.2	Providing and fixing on wall face unplasticised-PVC (working pressure 4 kgf per sqm) rain water pipes conforming to IS :4985 including jointing with seal ring conforming to IS: 5382 leaving 10 mm gap for thermal expansion. 110 mm diameter	MTS	76.21	212.40	Rupees two hundred twelve & paise forty only.
49		12.79	Providing and fixing on wall face unplasticised - PVC molded fittings/accessories for unplasticised-PVC rain water pipes conforming to (S:4985 including jointing with seal ring conforming to IS: 5382 leaving 10 mm gap for thermal expansion.				
	49.1	12.79.5.2	1) 110mm Plain bend PVC	EACH	16.00	168.30	Rupees one hundred sixty eight & paise thirty only.
	49.3	12.79.3.2	3) 110mm door tee PVC	EACH	8.00	306.10	Rupees three hundred six & paise ten only.
			Constructing brick masonry chamber for				

अभिषेक सिंह

21/6  
21/6  
Chief Engineer  
B.S.E.I.D.C. Ltd, Patna  
21/06/19







50	19.30.1.1	Underground C.I. Inspection Chamber and bend with 75 class designation bricks in cement mortar 1:4(1 cement : 4 coarse sand)C.I Cover with frame (light duty) 455x610 mm internal dimentions, total weight of cover with frame to be not less than 38 kg.(weight of cover 23 kg. and weight of frame 15 kg) RCC top slab with 1:1.5:3 mix (1 cement:1.5 coarse sand :3 graded stone aggregate 20 mm mm nominal size) foundation concrete 1:5:10 mix (1 cement:5 coarse sand :10 graded stone aggregate 40 mmnominal size), inside plastering 12 mm th. with cenment mortar 1:3 (1 cement :3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design inside dimensions 455x610mm and 45 mm deep for single pipe with F.P.S. bricks	EACH	6.00	4147.30	Rupees four thousand one hundred forty seven & paise thirty only.
51	18.8	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including allCPVC plain & brass threaded fittings including fixing				
		Conceaed work including cutting chases and making good the wall etc.				
	51.1	a)18.8.1 15mm dia	MTS	35.00	221.40	Rupees two hundred twenty one & paise forty only.
	51.2	Exposed on wall				
	c) 18.9.5	40mm dia	MTS	75.00	339.70	Rupees three hundred thirty nine & paise seventy only.
52	MR	Labour cost for preparation of BIHAR MAP on wall incuding painting all complete.	Each	1.00	15150.00	Rupees fifteen thousand one hundred fifty only.
53	18.48/	Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI : 12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank	LTS	1000.00	6.60	Rupees six & paise sixty only.

अभिषेक सिंह

Chief Engineer  
B.S.E.I.D.C. Ltd, Patna  
24/06/19  
21/6  
21/06/19







		<b>Providing and fixing of Borewell, Handpump with Submersible pump all complete.</b>				
		<b>Construction of 125 mm x 40mm dia x 61.00 mtr. Deep I.M III hand Tube Well</b>				
		Part 'A' Cost of Materials				
54.1		India mark III hand pump with 8 nos. Connection Rod and one cylinder ( With provision of force and uplift)	Each	1.00	8550.00	Rupees eight thousand five hundred fifty only.
54.2		65 mm dia G.I. pipe medium quality (3mtrs length each).	Each	8.00	1062.00	Rupees one thousand sixty two only.
54.3		125 mm dia UPVC casing pipe conforming to ISS	mtr	27.00	315.00	Rupees three hundred fifteen only.
54.4		40 mm dia length quantity G.I pipe conforming to ISS	mtr	44.00	186.00	Rupees one hundred eighty six only.
54.5		40 mm dia x 2 long PVC RIBBED strainer of approved quality	nos.	2.00	182.00	Rupees one hundred eighty two only.
54.6		125 mm x 40 mm UPVC reducing socket (Heavy quality)	Each	1.00	165.00	Rupees one hundred sixty five only.
		<b>Part - 'B' Labour Cost (Classification of soil item 'A')</b>				
		Boring by jet dhecki by suitable cutter of reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge.				
		(i) 0 to 30.5 m				
54.7		(a) For 125 mm dia U.P.V.C pipe	mtr	27.00	208.77	Rupees two hundred eight & paise seventy seven only.
54.8		(b) for 40 mm dia G.I pipe	mtr	3.50	104.42	Rupees one hundred four & paise forty two only.
		(ii) 30.5 m to 61.0 m				
54.9		(a) For 40 mm dia G.I Pipe	mtr	30.50	120.08	Rupees one hundred twenty & paise eight only.
		(iii) 61.00 m to 75.00 m				

समिति

Chief Eng near  
B.S.E.I.D.C. Ltd, Patna  
21/6/19  
21/6

					Providing and fixing of Borewell Handpump with Submersible pump all complete				
					Construction of 125 mm x 40mm dia x 61.00 mtr. Deep IM Hand Tube Well				
					Part 'A' Cost of Materials				
24.1			Each	1.00	India mark IM hand pump with 8 nos. Connection Rod and one cylinder ( With provision of force and split)	825.00		Rupers eight thousand five hundred fifty only	
24.2			Each	8.00	65 mm dia G.I. pipe medium quality (3mtr. length each)	1087.00		Rupers one thousand sixty two only	
24.3			mtr	27.00	125 mm dia UPVC casing pipe conforming to IS	315.00		Rupers three hundred fifteen only	
24.4			mtr	44.00	40 mm dia length quantity G.I pipe conforming to IS	188.00		Rupers one hundred eighty two only	
24.5			nos.	2.00	40 mm dia x 2 long PVC RIBBED strainer of approved quality	182.00		Rupers one hundred eighty two only	
24.6			Each	1.00	125 mm x 40 mm UPVC reducing socket (Heavy quality)	165.00		Rupers one hundred sixty five only	
					Part - 'B' Labour Cost (Classification of soil item 'A')				
					Boring by jet (shel) by suitable cutter of reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge				
					(i) 0 to 30.5 m				
24.7			mtr	27.00	(a) For 125 mm dia U.P.V.C pipe	208.77		Rupers two hundred eight & price seventy seven only	
24.8			mtr	3.50	(b) for 40 mm dia G.I pipe	104.12		Rupers one hundred four & price forty two only	
					(ii) 30.5 m to 61.0 m				
24.9			mtr	70.50	(a) For 40 mm dia G.I pipe	120.98		Rupers one hundred twenty & price eight only	
					(iii) 61.00 m to 75.00 m				

RECEIVED  
21/12/2017  
21/12/2017

21/12/2017



54

54.10	a) For 40mm dia G.I pipe	mtr	14.00	130.53	Rupees one hundred thirty & paise fifty three only.
54.11	Providing all labour & tools and fitting & fixing India mark III hand pump over newly sunk for T/Well etc. all Complete	Each	1.00	66.71	Rupees sixty six & paise seventy one only.
54.12	Supplying all labour and material and fitting and fixing G.I Cap over the new sink T/well	Each	1.00	65.00	Rupees sixty five only.
54.13	Providing all labour & tools and fitting & fixing Cylinder with requisite suspension pipe and connection rod of India mark III hand pump etc. all complete.	Each	1.00	128.64	Rupees one hundred twenty eight & paise sixty three only.
54.14	Providing all labour & tools and lowering 65 mm dia G.I pipe as per specificatin etc. all Complete	p/m	24.00	21.34	Rupees twenty one & paise thirty four only.
54.15	Supplying labour and developing the T/Well to have sand free discharge all complete as per direction of E/I	Each	1.00	280.50	Rupees two hundred eighty & paise fifty only.
54.16	Providing all materials and labour and construction 1.85 dia circular P.C.C (1:2:4) UNICEF design platform with foot rest etc. all complete	Each	1.00	3643.00	Rupees three thousand six hundred forty three only.
54.17	Providing all material and labour & constructing 1 P.C.C (1:2:4) UNICEF design drain for disposal of waste water etc. all complete.	P/M	3.00	308.00	Rupees three hundred eight only.
54.18	Transportation of T/W materials, tools & plant from Store to work site and back to store if materials are surplus.	Each	1.00	357.70	Rupees three hundred fifty seven & paise seventy only.
	<b>Part 'C' Cost for Additional Motorised system for filling overhead water-tank</b>				
54.19	Providing and fixing of G.I pipes complete with G.I fittings and clamps, including, cutting and making good the walls etc. (internal work) 25mm dia	P/M	12.00	182.53	Rupees one hundred eighty two & paise fifty three only.
54.20	Providing and fixing brass valve 25 mm nominal bore Fullway valve	Each	2.00	210.95	Rupees two hundred ten & paise ninety five only.
54.21	25 mm nominal bore Non-Return valve	Each	1.00	234.55	Rupees two hundred thirty four & paise fifty five only.

अभिषेक सिंह

21/06/19  
Chief Engineer  
B.S.E.I.D.C. Ltd, Patna  
21/06/19  
21/06/19

11/20/75



54.22		Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of E/I	Each	1.00	26200.00	Rupees twenty six thousand two hundred only.
55		<b>Internal Electrification Work</b>				
	1.1	Wiring for light point/fan point/exhaust fan point/ call bell point with 1.5 sq. mm FR PVC insulated copper conductor single core cable in surface/recessed PVC conduit, with piano type switch, phenolic laminated sheet, suitable size PVC/ G.I box etc. as required.				
	1.1.3	<b>Group C</b>	Each	153.00	721.14	Rupees seven hundred twenty one & paise fourteen only.
56	1.2	Wiring for twin control light point with 1.5 sq. mm FR PVC insulated copper conductor single core cable in surface/ recessed PVC conduit, with 2way piano type switch, phenolic laminated sheet, suitable size PVC/GI box etc. as required.	Each	2.00	726.19	Rupees seven hundred twenty six & paise nineteen only.
57	1.5	Wiring for light/ power plug with 2x4 sq. mm. FR PVC insulated, copper conductor, single core, cable in and surface, recessed PVC conduit along with 1 no. 4 sq. mm FR PVC insulated copper conductor single core cable for loop earthing as required.	Rmt	440.00	241.39	Rupees two hundred forty one & paise thirty nine only.
58	1.7	Wiring for circuit/ sub main wiring along with earth wire with the following size of PVC insulated, copper conductor, single core cable in surface/ recessed PVC conduit as required.				
	(b) 1.7.2	2x2.5 sq. mm + 1x2.5 sq. mm earth wire.	Rmt	335.00	208.06	Rupees two hundred eight & paise six only.
59	(c) 1.7.9	4x6 sq. mm + 1x6 sq. mm earth wire.	Rmt	25.00	523.18	Rupees five hundred twenty three & paise seventeen only.
60	1.33	Supplying and fixing 2 pin 5 amp. Ceiling rose on the existing junction box/ PVC box including connection etc as required.	Each	40.00	46.46	Rupees forty six & paise forty six only.

अभिषेक सिंह

Chief Eng near  
B.S.E.I.D.C. Ltd, Patna  
21/6  
21/6  
21/6/19  
21/6/19

24.32			Each	1.00	38307.00	Rubber pump and discharge two hundred only
25						
1.1						supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of 1.5 HP 1.51 m/s 1000 rpm capable of discharge 2000 LPH in 45 min head with all necessary two paper starter control panel, 1.25" ball valve, 1.25" M.S. clamp, 1.25" G.I. Pipe, 1.25" check valve, 1.25" x 9" long G.I. nipple etc. all complete as per direction of E.M.I.
1.1.1	Group C		Each	1.23.00	721.19	Wiring for light point in point/box/switch etc. as required
1.2			Each	2.00	756.19	insulated copper conductor single core cable in surface/recessed PVC conduit with piano type switch, phenolic laminated sheet, suitable size PVC/G.I. box etc. as required
1.3			Rmt	440.00	141.39	Wiring for twin control light point with 1.5 sq. mm FR PVC insulated copper conductor single core cable in surface/recessed PVC conduit with 2 way piano type switch, phenolic laminated sheet, suitable size PVC/G.I. box etc. as required
1.4			Rmt	440.00	141.39	Wiring for high power plug with 1.5 sq. mm FR PVC insulated copper conductor single core cable in and surface/recessed PVC conduit along with 1 no. 4 sq. mm FR PVC insulated copper conductor single core cable for loop earthing as required
1.7						Wiring for circuit and main wiring along with earth wire with the following size of PVC insulated, copper conductor, single core cable in surface/recessed PVC conduit as required.
1.7.2	(b)		Rmt	333.00	108.00	2x1.5 sq. mm + 1x2.5 sq. mm earth wire.
1.7.3	(c)		Rmt	22.00	22.18	4x0.5 sq. mm + 1x0.5 sq. mm earth wire.
1.7.3			Each	40.00	40.76	Supplying and fixing 2 pin 2 amp Ceiling rose on the existing junction box PVC box including connection etc as required.
26						
27						
28						
29						
30						
31						
32						
33						
34						
35						
36						
37						
38						
39						
40						
41						
42						
43						
44						
45						
46						
47						
48						
49						
50						
51						
52						
53						
54						
55						
56						
57						
58						
59						
60						
61						
62						
63						
64						
65						
66						
67						
68						
69						
70						
71						
72						
73						
74						
75						
76						
77						
78						
79						
80						
81						
82						
83						
84						
85						
86						
87						
88						
89						
90						
91						
92						
93						
94						
95						
96						
97						
98						
99						
100						

Handwritten notes and stamps at the bottom left of the page, including a date stamp "21/11/11" and other illegible markings.

Handwritten text at the bottom right of the page, possibly a signature or initials.



61	1.34	Supplying and fixing battan/ angle holder including connection as required.	Each	92.00	75.75	Rupees seventy five & paise seventy five only.
62	1.23	Supplying and fixing following piano typed switch/ socket on existing switch box/ cover including connection etc. as required.				
	1.23.7	Telephone socket on shutter outlet	Each	153.00	48.48	Rupees forty eight & paise forty eight only.
63	1.22	Supplying and fixing metal box of following size (normal size) on surface or in recess with suitable size or phenolic laminated sheet cover in front of including painting etc. as required.				
	1.22.1	75mm X 75mm X 60mm deep (4" x 4" )	Each	6.00	95.95	Rupees ninety five & paise ninety five only.
64	1.3	Supplying and fixing metal box of 180mm X 100mm X 60mm deep (normal size) on surface or in recess with suitable size phenolic laminated sheet cover in front of including providing and fixing 3 pin 5/6 amp. Socket outlet and 15/16 amp. Tumbler/ piano type switch, connection, painting etc. as required.	Each	26.00	209.87	Rupees two hundred nine & paise eighty seven only.
65		<b>DISTRIBUTION BOARD</b>				
	2.9	Supplying and fixing of following way of three pole and neutral sheet steel, MCB distribution board 415 Volts, on surface/ recess, tinned, copper bus bar, neutral link, earth bar, din bar, detachable gland plate, interconnections, phosphatized and power painted including earthing etc. as required (but without MCB/ RCCB/ isolator)				
	(b) 2.9.6	6 way (4+18) double door	Each	2.00	2685.59	Rupees two thousand six hundred eighty five & paise fifty nine only.
66	2.12	Supplying and fixing 5 amps. to 32 amps, rating, 240 volts, 'C' series, MCB of following poles in the existing MCB DB with connections, testing and commissioning etc. as required.				
	(a) 2.12.1	6/32 single pole	Each	35.00	174.73	Rupees one hundred seventy four & paise seventy three only.

ओमप्रकाश मेह

21/06/18  
Chief Engineer  
B.S.E.I.D.C. Ltd, Patna  
21/06/18





67	(b) 2.12.5	6/32 TPN	Each	1.00	899.91	Rupees eight hundred ninety nine & paise ninety one only.
68	9.4	LT Panel & Cable Supplying and laying following size and core PVC/ XLPE insulated PVC sheathed heavy duty armoured electrical cable with alluminium conductor for working voltage upto & including 1100 Volts. (Conforms to IS: 1554 part-1)				
	(a) 9.4.29	16 sq.mm X 4 core alluminium armoured cable	Rmt	100.00	1232.20	Rupees one thousand two hundred thirty two & paise twenty only.
69		Trench cutting in soil of suitable size 1.5 feet wide and 2 feet depth including refilling the trench with same etc. as required. ( For laying the cable)	Rmt	100.00	38.06	Rupees thirty eight & paise six only.
70	1.3	S/F suitable size GI PVC box on surface or in recess with phenolic laminated sheet cover in front of including P/F 6 pin. 15/16 amp socket outlet and 15/16amp. Piano type switch connection painting etc. as required.	Each	0.00	215.00	Rupees two hundred fifteen only.
71	12.6	P/F/F 200amp. 415 volt porcelain fuse link complete rewirable type 415V including drilling holes in board making connection as required. P/F/F sheet metal main switch disconnector fuse unit in existing metal board, including drilling holes in metal board making connection				
	2.1.3	100 amps. TP & N HRC	Each	1.00	7001.32	Rupees seven thousand one & paise thirty two only.
72		<b>EARTHING</b>				
	5.12	Providing and laying earth conection from earth electroed with 6 SWG dia GI wire in 15 mm dia GI pipe from earth electroed , as required.	Each	3.00	135.34	Rupees one hundred thirty five & paise thirty four only.
73	5.6	E arthing with copper earth plate 600mmx600mmx3mm thick including accesssoies, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc as required	Set	1.00	7921.46	Rupees seven thousand nine hundred twenty one & paise forty six only.

अभिषेक सिंह

Chief Eng neer  
B.S.E.I.D.C. Ltd, Patna  
24/2/16  
21/06/17  
21/08/19

67	2.12.2	602 TPN	Each	1.00	200.00	Painted metal frame & glass pane only
68	0.4	Supplying and laying following size and core PVC XLPE insulated PVC sheathed heavy duty armoured electrical cable with aluminium conductor for working voltage upto & including 1100 Volts (Conform to IS 1554 part-I)				
	0.4.20	16 sq mm X 4 core aluminium armoured cable	Run	100.00	1332.30	Run one thousand two hundred thirty feet & glass pane only
69		Trench cutting in soil of suitable size 1.5 feet wide and 2 feet depth including refilling the trench with same etc. as required (for laying the cable)	Run	100.00	78.00	Run one thousand three hundred feet & glass pane only
70	1.3	2.5" suitable size GI PVC box on surface or in recess with pinhole laminated sheet cover in front of including PTF 6 pin 15A amp socket outlet and 15A amp fuses type switch connection painting etc. as required	Each	0.00	212.00	Run one thousand fifteen feet
71	12.6	drilling holes in metal board making connection PTF sheet metal main switch disconnector holes in board making connection as required complete rewirable type 415V including drilling PTF 200 amp 415 volt porcelain fuse link				
	2.1.3	100 amp TP & N HRC	Each	1.00	3001.32	Run one thousand three hundred two feet
72	2.12	Providing and laying earth connection from earth electrode with 6 SWG dia GI wire in 15 mm dia GI pipe from earth electrode, as required	Each	3.00	132.34	Run one hundred thirty five feet & glass pane only
		EARTHING				
73	2.0	Accessories and providing masonry enclosure with cover plate having locking arrangement and retaining pipe etc as required	Set	1.00	7021.40	Run one thousand two hundred twenty feet & glass pane only

Handwritten notes and stamps at the bottom left corner of the page.



MISCELLANEOUS WORK							
CARRAIGE OF MATERIALS							
74	74.1		A) LOCAL SAND	CU.M	52.30	181.48	Rupees one hundred eighty one & paise forty seven only.
	74.2		B) COARSE SAND ,	CU.M	187.10	2141.20	Rupees two thousand one hundred forty one & paise twenty only.
	74.3		C) STONE CHIPS	CU.M	175.11	2464.71	Rupees two thousand four hundred sixty four & paise seventy only.
	74.4		D) BRICKS	THOUSAND	108.56	531.02	Rupees five hundred thirty one & paise one only.
	74.5		E) Cement	Bags	2497.00	14.11	Rupees fourteen & paise eleven only.
	74.6		F) Steel	M.T.	15.26	282.30	Rupees two hundred eighty two & paise twenty nine only.
75			Add extra cost of material as per SOR, BCD				
	75.1	(A)	Bricks	THOUSAND	108.56	370.75	Rupees three hundred seventy & paise seventy five only.
	75.2	(B)	Cement	Bags	2497.00	15.95	Rupees fifteen & paise ninety five only.
						<b>Total=</b>	<b>5918871.04</b>
						<b>Say=</b>	<b>5919000.00</b>
(Rupees Fifty Nine Lacs Nineteen Thousand Only).							
Tender approved in favour of Abhisek Singh @ 10.00% (Ten Decimal Zero Zero Percent) below i.e. total amount comes to Rs. 53,27,100=00 (Rupees Fifty Three Lacs Twenty Seven Thousand One Hundred Only)							

अभिषेक सिंह

Chief Eng near  
B.S.E.I.D.C. Ltd, Patna  
21/06/19  
21/06/19





## Performance Security

**Name of Agency:- "Abhisekh Singh"**

Performance Security of Regarding "USS-40 A ( NIT No- 21/17-18)"

<u>FDR A/C No.</u>	<u>DOI</u>	<u>AMOUNT</u>
37923758054	05.09.18	2,35,000.00
3816045937	07.11.17	<u>35000.00</u>
	Total-	<u>2,70,000.00</u>

(Rupees Two Lac Seventy Thousand Only)

Amit k. Son 7/3/19  
 बिलासपुर प्रशासिक  
 बिहार राज्य विद्युत निगम संरचना  
 विकास विभाग, पटना

07/03/19

अभिषेक सिंह

21/06/18  
 Chief Engineer  
 B.S.E.I.D.C. Ltd, Patna  
 21/6

# THE UNIVERSITY OF CHICAGO

OFFICE OF THE DEAN OF STUDENTS

1100 EAST 58TH STREET, CHICAGO, ILLINOIS 60637

Dear Mr. [Name]:  
I am writing to you regarding the [Subject] of your letter dated [Date].  
The [Subject] is a matter of [Subject] and [Subject].  
I am sure that you will find this information helpful.

Sincerely,  
[Signature]

Yours truly,  
[Signature]

2/15/78

2/15/78

2/15/78

2/15/78





27

# बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

(A Govt. of Bihar Undertaking)  
ISO 9001:14001; OHSAS 18001

Shiksha Bhawan, Bihar Rashtrabhasha Parishad Campus, Acharya Shivpujan Sahay Path, Saidpur, Patna - 800 004  
Tel. No. : 0612 - 2660850 • Fax No. : 0612 - 2660256

E-mail : bseidc@gmail.com • Website : <http://www.bseidc.in> • CIN : U80301BR2010SGC015859

Letter no: - BSEIDC/FIN/3042/2017- 1406

Patna, Date..... 05.03.2018

From,

Chief Engineer  
BSEIDC, Patna

TO,

Abhishek Singh  
Vill-Jagiraha, P.O.-Thakaraha  
West Champaran, Bihar

Sub: - Provisional work order for the Construction of Balance Work of Proposed Upgraded Secondary Schools (USS-40 (A)) in the State of Bihar under NIT No-21/2017-18.

Sir,

In continuation to this office Letter of Acceptance No. BSEIDC/FIN/3042/2017-8468, dated-22.12.2017, you are hereby instructed to proceed with the execution of the said works in consultation with the Engineer-in-Charge. The date of commencement of work shall be reckoned from the date of issue of this letter. Payment will be done after execution of Agreement.

Yours Faithfully

Chief Engineer

Memo no: BSEIDC/FIN/3042/2017-18- 1406 Date: 05.03.2018

Copy forwarded to- Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC website/CCT/S.E./All Ex. Er./Senior Account Officer, BSEIDC, Patna for information & necessary action.

Chief Engineer

अभिषेक सिंह

Chief Engineer  
B.S.E.I.D.C. Ltd, Patna  
21/6





# बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना-800004, दूरभाष-0612-2910314  
कॉर्पोरेट पहचान संख्या: U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website: www.bseidc.in, Fax No.: 0612-2660256,

पत्रांक:- BSEIDC/FIN/3042/2017/- 8468

पटना, दिनांक 22.12.17

प्रेषक,

ब्रजेश प्रसाद

मुख्य परामर्शी (तकनीकी)

सेवा में,

Abhishek Singh,  
Vill-Jagiraha, P.O.-Thakaraha,  
West Champaran.

विषय:- बिहार राज्य अंतर्गत "Construction of Balance Work of Proposed Upgraded Secondary Schools in Bihar (ग्रुप सं०-USS-40 A) (निविदा आमंत्रण सूचना सं०-21/2017-18 के कार्य हेतु Performance Security जमा कर एकरारनामा करने के संबंध में।

महाशय,

उपर्युक्त विषय के संबंध में कहना है कि विषयांकित कार्य की निविदा हेतु आपके द्वारा निविदित दर जो परिमाण विपत्र के दर से 10.00% (दश दशमलव शून्य शून्य प्रतिशत) कम है तदनुसार निविदा की कुल राशि रु० 53,27,100/- (तीरपन लाख सताईस हजार एक सौ रुपये) मात्र आपके पक्ष में स्वीकृत की गयी है।

अतः निदेश दिया जाता है कि उक्त कार्य के एकरारनामा हेतु Performance Security की राशि रु० 2,67,000/- (दो लाख सड़सठ हजार रुपये) मात्र का सावधि पासबुक/राष्ट्रीय बचत प्रमाण पत्र के रूप में प्रबंध निदेशक, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०, पटना के नाम से प्रतिज्ञिप्त (Pledge) अथवा एकाउंट पेयी डिमाण्ड ड्रफ्ट/फिक्सड डिपोजिट रसीद/बैंक गारंटी, जो राष्ट्रीय बैंक/अनुसूचित बिहार राज्य स्थित बैंक द्वारा निर्गत एवं बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि० के पक्ष में पटना में भुगतये हो, जमा कर एकरारनामा कर लें।

22-12-2017  
(ब्रजेश प्रसाद)

मुख्य परामर्शी (तकनीकी)

ज्ञापांक : BSEIDC/FIN/3042/2017- 8468

पटना, दिनांक 22.12.17

प्रतिलिपि : Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC website/Senior Account Officer, BSEIDC, Patna for information & necessary action

ज्ञापांक : BSEIDC/FIN/3042/2017- 8468

पटना, दिनांक 22.12.17

प्रतिलिपि : मुख्य अभियंता, BSEIDC को सूचनार्थ एवं आवश्यक कार्रवाई हेतु समर्पित।

मुख्य परामर्शी (तकनीकी)

मुख्य परामर्शी (तकनीकी)

B.S.E.I.D.C. Ltd, Patna





29

**SPECIAL CONDITIONS**

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.
2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.
3. The rates quoted by the contractor should be inclusive of all taxes royalties and other incidental charges.
4. **To qualify for award of work, the Bidder must possess the following :-**
  - a) Legal Status, Place of Registration, Principal place of business & Power of attorney of signatory bid.
  - b) DD for required value of B.O.Q. Cost.
  - c) Sufficient Earnest Money Deposit.
  - d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.
  - e) Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed at least one Building work of value not less than 25 % of estimated value of contract) in last five years as mentioned in Technical bid.
  - f) Certificate from EE / Concerned Authority for Work Experience of Minimum Quantities of work done as prime contractor in any one year during last five years as mentioned in Technical bid.
  - g) Litigation History as mentioned in Technical bid.
  - h) Valid Registration with Central/ State Govt. / PSU.
  - i) Valid labour license as mentioned in Technical bid.
  - j) Affidavit/Certificate "for not been debarred and required attachments are true and correct and if found fake/ forged, the undersigned will be liable to be inflicted upon the FIR and lawful punishment as well as black listing".
5. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.
6. The tender without earnest money or insufficient earnest money submitted with the tender, will be outright rejected.
7. Conditional tenders shall be outright rejected.
8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.
9. Authority shall reserve the right to reject any or all the tenders or distribute the work to more than one contractor without assigning any reason.
10. Any claim for idle labours on any account shall not be entertained.
11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules prevalent in the locality.
12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the contractor.
13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
14. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-
  - a. Natural calamities
  - b. Act of enemies.

(Seal &amp; Signature of Tenderer)

Page 1 of 2

Chief Engineer  
 B.S.E.I.D.C. Ltd, Patna  
 24/6  
 21/6

SPECIAL CONDITIONS

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.
2. Every page should be signed by the tenderer, in the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.
3. The rates quoted by the contractor should be inclusive of all taxes, royalties and other incidental charges.
4. To qualify for award of work, the Bidder must possess the following :-
  - a) Legal Status, Place of Registration, Principal place of business & Power of attorney of signatory bid.
  - b) DD for required value of B.O.Q. Cost.
  - c) Sufficient Earnest Money Deposit.
  - d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 20% of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.
  - e) Certificate from EE \ Concerned Authority for Work Experience of similar nature (Satisfactory completed at least one Building work of value not less than 25% of estimated value of contract) in last five years as mentioned in Technical bid.
  - f) Certificate from EE \ Concerned Authority for Work Experience of Minimum Qualities of work done as prime contractor in any one year during last five years as mentioned in Technical bid.
  - g) Litigation History as mentioned in Technical bid.
  - h) Valid Registration with Central/State Govt. \ PSU.
  - i) Valid labour license as mentioned in Technical bid.
  - j) Affidavit/Certificate "for not been debarred and required attachments are true and correct and it found false/forged, the undersigned will be liable to be inficted upon the FIR and lawful punishment as well as black listing".
5. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.
6. The tender without earnest money or insufficient earnest money submitted with the tender, will be outright rejected.
7. Conditional tenders shall be outright rejected.
8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.
9. Authority shall reserve the right to reject any or all the tenders or distribute the work to more than one contractor without assigning any reason.
10. Any claim for idle labours on any account shall not be entertained.
11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules prevalent in the locality.
12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the contractor.
13. It will be obligatory on the part of the tenderer to keep his tender open for 150 days from the date of opening of tender.
14. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-
  - a. Natural calamities
  - b. Act of enemies.

(Seal &amp; Signature of Tenderer)

Page 1 of 2




30

- c. Transport and procurement difficulties.
- d. Circumstances beyond the control of the state.
15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer -in- charge in writing on " SITE ORDER BOOK" . The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
16. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
17. The contractor shall make his own arrangement for water and light at the work site.
18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
20. The Tenderer must not quote their rate more than 10 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
22. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27 , and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.
23. The Defect liability Period shall be Three (3) Years from the date of completion of the work.
24. The Contractor shall rectify at his own cost in case the work is found to be defective during checking in liability period.
25. It will be the responsibility of the contractor to pay royalty of mines materials .The Contractor shall submit form "M" and "N" duly Filled as per "Bihar" Mines and Mineral Act 1972.
26. The Contractor shall Display a Signboard at work site about the work as on the format prescribed by Engineer- in- Charge.
27. The Contractor shall Furnish his programme of construction for execution of the work within the stipulated time schedule together with methodology of construction of each item or work and obtain the approval of the Engineer- in- Charge prior to actual commencement of work .

-----X-----

  
(Seal & Signature of Tenderer)

Page 2 of 2

  
Chief Engineer  
B.S.E.I.D.C. Ltd, Patna  
24/6  
21/6

30

- c. Transport and procurement difficulties.
- d. Circumstances beyond the control of the state.
15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer-in-charge in writing on "SITE ORDER BOOK". The claim for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
16. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
17. The contractor shall make his own arrangement for water and light at the work site.
18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
20. The Tenderer must not quote their rate more than 10% below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
21. The Electrical work must comply with Indian Electricity rules 1957 as well as the general specifications for electrical works 1973 for up-to-date specification etc.
22. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.
23. The Defect liability Period shall be Three (3) Years from the date of completion of the work.
24. The Contractor shall rectify at his own cost in case the work is found to be defective during checking in liability period.
25. It will be the responsibility of the contractor to pay royalty of mines materials. The Contractor shall submit form "M" and "N" duly filled as per "Bihar" Mines and Mineral Act 1973.
26. The Contractor shall Display a signboard at work site about the work as on the format prescribed by Engineer-in-Charge.
27. The Contractor shall furnish his programme of construction for execution of the work within the stipulated time schedule together with methodology of construction of each item or work and obtain the approval of the Engineer-in-Charge prior to actual commencement of work.

X



# बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड

(बिहार सरकार का एक उपक्रम)

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् कैम्पस, आचार्य शिवपुजन सहाय पथ, सैदपुर, पटना-800004 (दूरभाष:-0612-2910314)

निविदा आमंत्रण सूचना संख्या-21 वर्ष 2017-18

प्रतिशत दर निविदा

(केवल ई-टेन्डरिंग पद्धति के अनुसार वेबसाइट [www.eproc.bihar.gov.in](http://www.eproc.bihar.gov.in) पर)

1. बिहार राज्य के अन्तर्गत निम्न भवनों के शेष निर्माण कार्य हेतु प्रतिशत दर निविदा आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार/सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रजिस्ट्रेशन कार्य आवंटन के बाद कराना होगा।

क्रम क्र	ग्रुप सो	जिला का नाम	प्रखंड का नाम	कार्य का नाम	प्राक्कलित राशि (लाख रु० में)	अग्रधन का राशि (लाख रु० में)	परिमाण विपत्र का मूल्य (रु० में)	Beltron Bid Processing Fee (In Rs.)	कार्य समाप्ति की अवधि
1	USS-06(A)	Bhojpur	Piro	Balance Work of M.S Tar	40.78	0.82	5,000/-	1,150/-	8 माह
2	USS-06(B)	Bhojpur	Piro	Balance Work of M.S Devchanda	47.28	0.95	5,000/-	1,150/-	8 माह
3	USS-07(A)	Bhojpur	Jagdishpur	Balance Work of M.S Jangaldawan	36.16	0.72	5,000/-	1,150/-	8 माह
4	USS-07(B)	Bhojpur	Shahpur	Balance Work of M.S Laludera	48.03	0.96	5,000/-	1,150/-	8 माह
5	USS-07(C)	Bhojpur	Jagdishpur	Balance Work of M.S Rudranagar	20.15	0.40	5,000/-	1,150/-	4 माह
6	USS-40(A)	West Champaran	Ramnagar	Balance Work of M.S Serhavadon	59.19	1.18	10,000/-	1,150/-	8 माह
7	USS-40(B)	West Champaran	Jogapatti	Balance Work of M.S Kohra	50.46	1.01	10,000/-	1,150/-	8 माह
8	USS-40(C)	West Champaran	Narkatiyaganj	Balance Work of M.S Somgarh	51.05	1.00	10,000/-	1,150/-	8 माह
9	USS-43(A)	East Champaran	Raxaul	Balance Work of M.S Gonaha	42.00	0.84	5,000/-	1,150/-	8 माह
10	USS-43(B)	East Champaran	Sugauli	Balance Work of M.S Muswa	26.83	0.54	5,000/-	1,150/-	6 माह
11	USS-43(C)	East Champaran	Adapur	Balance Work of M.S Belderwa	41.11	0.82	5,000/-	1,150/-	8 माह
12	USS-45(A)	East Champaran	Dhaka	Balance Work of M.S Chandanbara Urdu	40.99	0.82	5,000/-	1,150/-	8 माह
13	USS-45(B)	East Champaran	Ghorasahan	Balance Work of M.S Laxmipur Laukhan	49.97	1.00	5,000/-	1,150/-	6 माह
14	USS-45(C)	East Champaran	Madhuban	Balance Work of M.S Betauna	47.54	0.95	5,000/-	1,150/-	8 माह
15	USS-45(D)	East Champaran	Madhuban	Balance Work of M.S Gurumia	53.08	1.06	10,000/-	1,150/-	8 माह

(1) नोट:- (i) निविदाकार एक या अधिक कार्य के लिए अलग-अलग निविदा डाल सकते हैं।

(ii) प्राक्कलित राशि घट या बढ़ सकती है एवं तदनुसार अग्रधन की राशि घट या बढ़ सकती है।

(ii) वेबसाइट-[www.eproc.bihar.gov.in](http://www.eproc.bihar.gov.in) पर अंकित प्राक्कलित राशि, अग्रधन की राशि एवं परिमाण विपत्र की राशि अंतिम रूप से मान्य होगा।

(2) विज्ञापन निर्गत करने की तिथि

:- दिनांक:-23.08.2017

(3) परिमाण विपत्र प्राप्त करने(डाउनलोड) की अवधि एवं समय:- दिनांक- 08.09.2017 से 19.09.2017, 15:00 घंटा (वेबसाइट:[www.eproc.bihar.gov.in](http://www.eproc.bihar.gov.in) पर)

(4) प्री बिड मीटिंग का समय, स्थान एवं तिथि

:- दिनांक:- 13.09.2017, 16:00 घंटा प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम, पटना।

(5) निविदा प्राप्ति(अपलोड) की अंतिम तिथि एवं समय:-

दिनांक- 20.09.2017, समय- 15:00 घंटा

(6) अग्रधन जमा करने की अंतिम तिथि एवं समय

दिनांक- 22.09.2017, समय- 15:00 घंटा

(7) टेक्निकल बिड खोलने की तिथि एवं समय

दिनांक- 22.09.2017, समय- 16:30 घंटा

अभिषेक

Chief Engineer  
B.S.E.I.D.C. Ltd, Patna

21/9







- (8) वित्तीय बिड खोलने की तिथि एवं समय :- दिनांक- 04.10.2017, समय- 15:30 घंटा  
 (9) निविदा खोलने का स्थान :- वेबसाइट-[www.eproc.bihar.gov.in](http://www.eproc.bihar.gov.in) पर  
 (10) निविदा की वैधता की अवधि :- 120 दिन  
 (11) ई-टेंडरिंग की प्रक्रिया में भाग लेने हेतु संवेदकों को पंजीकृत होना होगा, जिससे कि उन्हें उपयोगकर्ता का नाम

(user ID) पासवर्ड (Password) अंकीय हस्ताक्षर (Digital Signature) निर्गत की जायेगी। यह उन्हें वेबसाइट [www.eproc.bihar.gov.in](http://www.eproc.bihar.gov.in) से डाउनलोड करने/टेंडर की प्रक्रिया में भाग लेने की योग्यता प्रदान करेगा।

(12) ई-निविदा पत्र वेबसाइट [www.eproc.bihar.gov.in](http://www.eproc.bihar.gov.in) से प्राप्त किया जा सकता है। संवेदक द्वारा सिर्फ उपर्युक्त वेबसाइट से ही परिमाण विपत्र प्राप्त करने के उपरान्त वेबसाइट पर ही इलेक्ट्रॉनिक निविदा पत्र को भरकर भेजना है। अन्य सभी महत्वपूर्ण कागजात/बैंक ड्राफ्ट/अग्रधन की राशि/सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को स्कैन कर ई-निविदा के साथ संलग्न करना अनिवार्य है।

(13) (क) **Beltron Bid Processing Fee & BOQ cost** is mandatory to be paid through e-payment mode i.e. Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS"

Bids along with necessary online payments must be submitted through e-procurement portal [www.eproc.bihar.gov.in](http://www.eproc.bihar.gov.in) before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffic/ Holidays or any other reason. ऐसा नहीं करने पर निविदा मान्य नहीं होगा।

(ख) वांछित अग्रधन की राशि राष्ट्रीय बचत पत्र/डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक जो बिहार राज्य से क्रय या जमा किया हो, प्रबंध निदेशक, BSEIDC Ltd., पटना के नाम प्रतिज्ञित (Pledged) हो अथवा बिहार वित्त नियमावली के अनुसार BSEIDC Ltd. के नाम से फिक्सड डिपोजिट रिसिप्ट अथवा बैंक गारंटी जो बिड के मान्य अवधि तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत/अनुसूचित बैंक से निर्गत हो (अगर बिहार प्रान्त के बाहर के बैंक से निर्गत बैंक गारंटी दिया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड, पटना में दिनांक 22.09.2017 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रूप से जमा किया जाना आवश्यक है अथवा EMD can also be paid through e-payment mode i.e. "Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS". ऐसा नहीं करने पर निविदा मान्य नहीं होगा।

(14) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर ले। ताकि अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से बच सकें।

(15) Even though the bidders meet the qualifying criteria, they are subject to be disqualified if they have record of poor performance such as abandoning the works not properly completing the contract. Inordinate delays in completion, litigation history, or financial failure in the work of this corporation.

(16) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाइट [www.eproc.bihar.gov.in](http://www.eproc.bihar.gov.in) पर प्रकाशित किया जायेगा। बिना कारण बताये निविदा या उसके अंश को अस्वीकृत करने/रद्द करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।

(17) विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्य अवधि में सम्पर्क किया जा सकता है। ई-टेंडरिंग की प्रक्रिया से संबंधित किसी भी प्रकार की जानकारी/सूचना हेतु सहायता कक्ष, ई-टेंडरिंग कक्ष, प्रथम तल्ला, M/22, बैंक ऑफ इण्डिया भवन, रोड नं० 25, श्री कृष्णा नगर, पटना-800001, दूरभाष सं० 0612-2523006/9939035696.

ब्रजेश प्रसाद  
मुख्य परामर्शी (तकनीकी)

अभिषेक सिंह

24/6  
21/6  
Chief Engineer  
B.S.E.I.D.C. Ltd, Patna

