No of Work: Cons. action of Upgraded Secondary School
Bldgs. gr. No. USS-221 in Bihar.
Name of Agency: D.P. Maheshwari Construction India Pvt. Ltd.,
Schedule XLV-Form No. 61

(1)

Agreement No: 164 F2 of 2013-14

BIHAR PUBLIC WORKS DEPARTMENT

[Form No. F-2]
ITEM RATE TENDER AND CONTRACT FOR WORKS

General Rule and Direction for the guidance of Contractors.

1. All works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer.

This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours.

- 2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so.
- 3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm.
- 4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender.

5. The	e amount of earnest money to be deposited will be : -	Rs	. '\	
	If the amount of the estimate does not exceed Rs. 2,000	•••	•••	50
	If the amount of the estimate exceeds Rs. 2,000 but does	* Z.		
	not exceed Rs. 5,000	•••		100
	If the amount of the estimate exceeds Rs. 5,000 but does			1
	not exceed Rs. 10,000			200
	For each additional Rs. 5,000 or portion of Rs. 5,000		7	
	additional earnest money		•••	100

6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate be is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompanied by the treasury challan for the required earnest money will be liable to rejection. No single tender shall include more than one work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the envelop. Cash deposits for earnests money here in before mentioned shall be made in Government Treasuries and the challan there of should be enclosed with the tender.

D. P. MANESHWARI CONSTRUCTIO

(INDIA) PVT. LTD.

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

- 7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.
 - 8. The Engineer shall have the right of rejecting all or any of the tenders.
- 9. In the event of a tender being selected for acceptance the Engineer who opened the tenders will, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the priscribed time. The tender with the specification and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to the tenderer.

- 10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.
- 11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credite. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required amount of the security money has been deposited the Engineer shall scrutinise all pages of the form of item, rate, tender & contract for works to see that the form has been properly filled up and signed by the contractor & the signature witnessed. He shall then if he is competent, to accept the tender, sign the acceptance of the tender, or, if he is not so competent shall send the form for signature of the acceptance of the officer competent to accept it.

ATT TO ATT

"Ghief Consultant (Technical) Bihar State Educational Infrastructure

TENDER FOR WORKS

I/We heredy tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

	other respects in accordance with	h, such condition	s so far as applic	cable.
		MEMORA	ANDUM	
a) If several sub-work are ncluded they should be letained in a separate list.	[A] Name of work		······································	
	[b] Estimated cost			
b) This deposit will be 5% of he estimated cost of the Vork.	[c] Earnest money	• • • • • • • • • • • • • • • • • • • •		
c) This percentage deduc- ion from bills will be credited to the contractors security deposit.	[d] Initial security deposits (commencement of the v	_		
	[e] Precentage to be deduc	ted from bills Rs.	5% (Rupees five	e percent)
	[f] Time required for th		ate of written	order to commence
$\frac{1}{2} \frac{1}{2} \frac{1}$	[g] Date of written other to	commence		
	[h] Total number of item of	work tendered fo	r	
Item No.	Item of work	RATE TE	NDERED	D
item No.	item of work	In figures	In words	Per

Item No.	Item of work	RATE TE	ENDERED	Do		
item ivo.	V Rem of Work	In figures	In words	Per		
y I						
		Total designation of the second of the secon				
,						

शिवक किंगिह

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patns

Item No.	Item of work	RATE TE	NDERED	Per
ILCIII INU.	, item of work	In figures	In words	
÷				
				3
e e e e e e e e e e e e e e e e e e e				
· · · · · · · · · · · · · · · · · · ·				

State Character Constitution of Constitution o

Item No.	Item of work	RATE TE	NDERED	Per	
iteiii IVO.	ILEITI OF WORK	In figures	In words	rei	
				#	
to de la companya de					

Item No	Item of work	RATE TI	ENDERED	Daz	
item ivo	Rem orwork	In figures		Per	
, **				**************************************	
		No. of the second			
		+ Y			
**************************************) } }			
				44	

Item No.	Item of work	RATE TE	ENDERED	Per	
, Mem No.	Hem of Work	In figures	In words	Per	

should this tender be accepted I/we hereby agree to abide by and fulful all the terms and provisions of the said conditions of contract annexed hereto so for as applicable, or in ssors in office the sums of money mentioned in the said conditions.

Dated the

day of

"Signature of contractor before comission of tender

witness :-

Address:

Occupation -

Signature of witness to contractor's signature

The above tender is hereby accepted by me on behalf of the Governor of Bihar. Dated the day of

19

signature of the officer. accepting the tender.

Acceptances communicated on.....

signature of the party taking the tender

CONDITIONS OF CONTRACT.

Compensation

Clause 1.- All compensation or other sums of payable by the contractor to Government under the terms of his contract may be deducted from, paid by the sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor by Government on any account whatsoever and in the event of his security deposit being reduced by reason of any such deduction or sale as aforesaid, the contractor shall within ten days there after make good in cash or Government securities endorsed as aforesaid any sum or sums which may have been deducted from, or arised by, sale of his security deposit of any part thereof

The work should not be considered untill such date as the Executive Engineer shall certity as the date on which the work is finished after necessary rectification of defects as pointed by the Executive Engineer or his authorised agents are fully contractor to the Engineer's satisfaction.

Clause 2: The time allowed for carrying out the work as entered in the tender shall be strictly observed by the contractor and shall be reckoned from the date on which the wirtten order to comence work is given to the contractor. The work shall throughout the stipulater period of the contract be carried on with all due diligence (time being deemed to be the essence of the contract on the part of the contract or) and the contractor shall pay as compensation an amount equal to ½ percent on the amount of the estimated cost of the whole work as shown by the tender for every day that the work remains uncommenced or unfinished after the proper date. And further to ensure good progress during the execution of the work the contractor shall be bound in all cases in which the time allowed for any work exceeds one month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before one-half of such time elapsed and three-fourths of the work, before three fourths of such time has elapsed in the event of the contractor failing to employ with this condition, I shall be liable to pay as compensation an amount equal to ½ percent on the said estimated cost of the whole work for every day that the due quantity of work remains incomplete provided always that the entire amount of compensation to be paid under the provisions the clause shall not exceed 10 percent of the estimated cost of the work as shown in the tender.

Action when persole security deposit foreited

Clause 3: In any case which under any clause or clauses of or this contract the contractor shall have rendered himself laible to pay compensation amounting to the whole of his security deposit in the hands of Government (where paid in one sum or deducted by instalments) the Executive Engineer on behalf on the Bihar Government shall have been powered to adopt any of the following courses, as he may deem best suited to the enterest of Government -

To rescind the contract (of which rescind notice in writing to the contractor under the hand of the Executive Engineer shall be conclusive evidence) and in which case the secutivy deposit of the contractor shall start forfeited, and be absolutely at the disposal of Government.

D. P. MAYESHWARI CONSTRUCTIONS

- (b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debitting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineerin -charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.
- (c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original contractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4:- In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may, if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying r allowing for the same in the contract at the account rates, or in case of these not being plicable at current market rates to be certified by the Executive Engineer whose certificate ereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Engineer as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

liable to pay compensa-


tion if action not take under cause 2.

contractor

Power to take posession of or require removal of or sell contractor plant.

Clause 5 :- If the contractor shall desire any extension of the time for completion of the work, on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) he shall apply in writing to the Executive Engineer within 40 days from the date of starting of the hinderance on account of which be desires such extension as aforesaid and the Executive Engineer shall, if in his opinion (which shall be final) reasonable grounds be shown thereof authorised such extension of time, if any, as may in his opinion be necessary or proper. The Executive Engineer shall at the same time inform the contractor whether he claims compensation for the delay.

Extension of time



Binar Stree Educational infrastructur Development Corporation Ltd., Patnal Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion, but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinctly marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials. and rubbish, and cleaned of the dirt from all wood-work, doors, windows, walls, floorrs or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Departmen' whose measurements shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus materials and rubbish and cleaning off dirt on or before the date fixed for completion the work, the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid, except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-incharge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible, before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-in-charge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way-of advance against the final payments only and not as payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work-to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts or in any other way vary or affect the contract.

Clause 8:- The final bill shall be prepared by the officer of the Public Work Department accordance with the rules of the department in the presence of the contractor within the morn of the date fixed for completion of the work.

Stores supplied Government Clause 9:- If the specification or estimate of the work provides for the use of any special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-in-charge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums then due or there after to become due to the contractor under the contract or otherwise, or against or form the security deposit, or the proceed of sale thereof, if the same is held in Government security the same or sufficient portion thereof in this case sold for the purpose. All materials supplied to the contractor shall remain the absolute property of Government and shall not on any accounts he removed from this site of the work and shall at all times be open to

श्यक के १ दिन्ह

Chief Constitute (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patnan Y.V.

inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so regire, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesid being unused by him, or for any wastage to or any such materials.

*Clause 10: The contractor shall executive the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entille to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid.

Clause 11 :- Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineerin-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rates is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be Aat liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-incharge in the event of a disputes the decision of the superintending Engineer of the circle will be

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-in-charge for he additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period.

Clause 12:- If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out, the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsoever on account of any profit or advantage, which he might have derived from the execution of the work in full, but which he did not derive in conquence of the full amount of the work not having been carried out neither shall he have any claim for compensation by reason of any alternation having been made in the original specification, drawing, designs and instruction which shall involve any installment of the work as originally contemplated clause 12 (a) As contained in G O 1929 dated 11.9.56.

Work to be executed accordance with specification drawing other etc.

Alteration in specifications and degination.

Do not in validate contract

Time in consequence of

Rate for work no in estimate or schedule of rates of the district.

Compensation for alteration in or restriction of work to be carried out.

BANKSHWARI CONSTRUCTION OF THE STATE OF THE

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Comporation Ltd., Patna No. 17

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such failure is due to :-

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement dificulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as finally by the contractor.

Action and compensation payable in case of work.

Clause 13 :- If it shall appear to the Engineer-in-charge or his subordinate in-charge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall on demand in writing form the Engineer-incharge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineerin-charge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and expense in all respects of the contractor.

Work to be taken to inspection

Clause 14: All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineer-in-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be present.

Clause 15 :- The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which the same was effected.

Notice to be taken

Clause 16: If the contractor or his work-people, or servants shall break, deface injure before work covered up. or destroy any part of a building in which they may be working or any building, road, road curves, fence enclosure waterpipes, cables, drains, electric or telephone posts or wires, trees, grass or grassland or cultivated ground contiguous on which the work or any part of it is being executed or if any damage shall happen to the work, while in progress from any cause whatsoever or any imperfection become apparent in if within three months (six months in the case of a road-work) after a certificate final or other of its completion shall have been given by the Engineer in-charge

O. P. MARESHWARE CORSTRUCTIO

MOVALEYT, LTD

Chief Consiliant (Technical) Bihar State Educational Infrastrucker Development Corporation Ltd., Pag. as a fore seal, the contractor shall make the same good at his own expense, or in default, the Contractor liable for Engineer-in-charge may cause the same to be made be good by other worksmen and deduct the demage done and for expense of which time thereafter may become due to the contractor, or from his security deposit, imperfection a months or the proceed of sale there of, or of a sufficient portion there of the security deposit at the and after certificate contractor shall not be refunded before the expiry of three months (six months in the case of a roadwork) after the issue of the certificate final or otherwise of completion of work provided that in the case of a road work if in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable after three months of the issue of the said certificate of completion

• Clause 17:- The contractor shall supply at his own cost all materials (except such special Contractor to supply to materials) if any as may in accordance with the contract be supplied from the Engineer-in-charge's plantadder scaffolding stores). Plants, tools, application, implements, ladders, cordage, tackle scaffolding and tempo- etc. rary works requisits or proper for the proper execution of the work whether original, altered or substituted and whether include in the specification or other documents forming part of the contract or referred to in these conditions or not or which may be necessary for purpose of satisfying or complying with the requirement of the Engineer-in-charge as to any matter as to which under these conditions he is entitled to be satisfied which he is entitled to require together with carriage therefore to and form the work. The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting, weighing and assisting in the measurement or examination at any time and form time to time of the work or materials failing his so doing the same may be Provided by the Engineer-in-charge at the expense of the contractor and the expenses may be deducted from any money due to the contractor under the contract from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide all necessary fencing and lights required to protect the public from accident, and shall be bound to bear to And is liable for damage expenses of defence of every suit action or other proceeding at law that may be brought by any arising for non-provision person for injury sustained owing to neglect of the above precautions and to any such person or which may with the consent of the contractor be paid to compromise any claim by any such person.

Clause 18:- No female labour shall be employed within the limits of contonment. The cuntractor shall not employ for the purpose of his contract any person who is below the age of twelve years and shall pay to each labour for the work done by such labourer wages not less than the wages paid for similar work in the neighbourhood.

Work not to be subject

The executive Engineer shall have the right to enquire into the case and decide any complaint alleging that the wages paid by the contractor to any labourer for the work done by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer employed by contractor is below the age of twelve years and to refuse to allow any labourer whom he decided to be below the age of twelve years to be employed by the contractor.

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his contract, or attempt so feited for subletting bribes to do, or become insolvent proceedings to make any composition with his creditors or attempt so or if contractor become to do, or if any bribe, gratuity, gift loan, requisite, reward or advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, or offered by the contractor, or any of his servant or agents to any public officer or person in the employ of Government in any way relating to his officer or employment or if any such officer or person shall become in any way directly or indirectly interested in the contract the Executive Engineer may there upon by notice in writing rescind the contract. The security deposit of the contractor shall there upon stand forfeited and be absolutely at the disposal of Government and the same consequence shall ensure as if the contract had been recinded under clause 3 here of, in addition the contractor shall not be entitled to recover or be paid to any work therefore actually performed the under the contract.

Contract may be resinded and security deposit for-

Consultant (Technical) Bihar State Educational Infrastructure Development Corporation Ltd., Patna Such payable by way of sidered reasnable compensation without reference to actual loss

Clause 20: - All sums payable by way of compensation under any of these conditions shall compensation to be con- be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained

> Clause 21: In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this information.

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days the Engineerin-charge may be notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal of Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending En-

Clause 22: All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending. Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23: In case any dispute or difference shall arise between the parties or either of there upon any question relating to the meaning of the specifications, designs, drawings and instructions here before mentioned or as to the quality of workmanship or materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, or any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions or otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof or as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

(a) Clause 24 :- When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items or work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-in-charge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineer-in-charge shall be final and conclusive against the contractor with regard to any sum payable to him under the provision of this clause.

Action where specificaiton.

Definition of works

Clause 25: - In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Clause 26 :- The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to such construction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered, substituted or additional,

Clause 27: The terms and conditions of the agreement have been read/explained to me and certify clearly understand them.

Witness.

Chief Consultant (Technical)

Contractor.

Bihar State Educational Infrastructure Development Corporation Ltd., Patne (15)

Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied

Particulars	will be	which the materi charged to the contractor	al	Place of delivery	∍ry	
	Unit	Rs.	Р.			
*						
	ř					
			·			
					*	

Note - The person or firm submitting the tender should see that the rates in the above schedules are filled up by the Engineer-in-charge on the issue of the form prior to the submission of the tender.

D. P. INDRESTINANI CONSTRUCTION

(NDA) PYT. LTD.

(Signature of Contractor) Mesclor

(Signature of Executive Engineer)

Chief Consultani (Tethnical)

Bihar State Educational Infrastructure
Development Corporation Ltd.. Patna

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड

(बिहार सरकार का एक उपक्रम)

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् कैम्पस, आचार्य शिवपूजन सनाय पथ, सैदपुर, पटना—800004 (दूरभाष-0612—2910314)

पत्रांक:- BSEIDC/FIN/208/2012- 🤈 🖔 💍

पटना, दिनांक 30.4.2019

प्रेषक,

बी० के० वर्मा मुख्य परामशी (तकनीकी)

रोवा में,

D.P. Maheshwari Construction India Pvt. Ltd., AT+P.O.- Maheswari, P.S.-Sono, DIST-Jamui.

उत्क्रमित माध्यमिक विद्यालयों का भवन निर्माण कार्य (ग्रूप संo uss-221) हेत् विषय:--अग्रधन की राशि जमा कर एकराएनामा करने के संबंध में।

महाशय,

उपर्युक्त विषय के राबंध में कहना है कि उपर्युक्त निविदा हेतु आपके द्वारा निविदित दर जो परिमाण विपन्न के दर से 134% (एक दशमहाव तीन चार प्रतिशत) कम है तद्नुसार निविदा की कुल राशि रू० 45,19,662/-- (पंतानीस लाख उन्नीस हजार छः सौ बासट रूपये) मात्र आपके पक्ष में स्वीकृत की गयी है।

अतः निदेश दिया जाता है कि अग्रधन की राशि रू० 2,26,000 /-- (दो लाख छब्बीस हजार रूपये) मात्र का सावधि पासबुक / राष्ट्रीय बचत प्रमाण पत्र के रूप में प्रबंध निदेशक, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०, पटना के नाम से प्रतिज्ञिप्त हो जमा कर अविलंब एकरारनामा कर हो।

मुख्य परामर्शी (तकनीकी)

M. MANUSHIMARI CONSTRUCTION

Bihar State Educational Infrastructure Development Corporation Ltd., Pa

1801. B



Bihar State Educational Infrastructure Development Corporation Ltd. AGREEMENT FOR UPGRADED SECONDARY SCHOOLS IN BIHAR Group No.: USS-221 S.N. District Block Name of School 1 BANKA Chakmunia M.S. Chakmunia

THE ITEM RATES ARE BASED ON BIHAR SCHEDULE OF RATES, BCD, effective from dated: 15.06.2011 & DSR 2012.

TENDER FOR WORKS

I/we heredy tender for the execution for the Governor of Bihr of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of witten order to commence and in accodance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subjects to the annexed condation of contract and with such materaials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

MEMORANDUM

(a) If several sub-work are incuded they should be detained in the separate list (A) Name of Work :- CONSTRUCTION OF UPGRADED SCHOOLS IN BIHAR Group No. : USS- 221

(B) Estimated Cost :- Rs. 45,81,048=00 Agreement value :- Rs. 45,19,662=00

(b) This deposit will be 5% of the estimated cost of the work.

(C)Earnest Money:-

(c)This percentage deduction from bills will be credited to the contractors security deposits

- (D) Initial security deposits (including earnest money) to be deposited before the Commencement of the work-Earnest Money:- Rs. 2,30,000/-
- (E) Percentage to be deducted from bill Rs. 5% (Rupees five percent)
- (F) Time required for the work from date of written order to commence NINE MONTHS
- (G) Date of written order to commence :-
- (H) Total number of item of work tendered for :- 74

BUILDI	UILDING WORKS : (Quantity per School)								
CIVIL	WORKS								
S.N	Sub	SOR	DESCRIPTION	Quantity	Unit	Rate	Amount		
8.14	N.	Ref.N.	DESCRIPTION	Quantity	Ont	Nate	Amount		
			2.0 Earth Work						
			EARTH WORK IN						
			EXCAVATION over areas						
			(exceeding 30 cm in depth, 1.5 m in						
		SOR	width as well as 10 sqm on plan)						
1		Ref.N.	including dressing of sides and						
		Kei.N.	ramming of bottom, lift upto 1.5m						
			including getting out the excavated						
			soil and disposal of surplus soil as						
			directed, within a lead of 50m.			di di	Rs. One hundred thirty two		
		2.8.1	ALL KINDS OF SOIL	24.06 。	CU.M	132.90	and paise ninety only.		

U. P. BAHESHWARI CONSTRUCTIO

CHOLA PUT. LTD.

Bihar State Educational Infrastructure
Development Corporation Ltd., Patnawk

y4

Г				Filling available excavated earth				
	İ			(excluding rock) in trenches, plinth,				
ı			0.06	sides of foundations etc. in layers not	0.00	CIIM	42.90	Rs. Forty two & paise
	2		2.26	exceeding 20 cm in depth:	0.00	CU.M	42.90	ninety only.
l				consolidating each deposited layer by				software
ı				ramming and watering lead of 50 m.				•
-				SUPPLY AND FILLING in plinth				
				& Foundation with local sand and				
1	3		2.28	under floors inluding watering,	173.23	CU.M	135.34	Rs. One hunndred thirty
	,		2,20	ramming, consolidating and dressing	173.23		150.5	five paise thirty four only.
				and dressing complete.				· · · · · · · · · · · · · · · · · · ·
-				SURFACE DRESSING of the			/	
l								
l	, 1		2.20.1	ground including removing	2.50	100	478.00	Rs. Four hundred seventy
	4		2.29.1	vegetation and in-equalities not	3.50	SQ.M	4/8.00	eight only.
İ				exceeding 15 cm deep and disposal				
L				of rubbish, lead upto 50 m and lift		<u> </u>		
١				4.0 Concrete Work				
		•		Providing and laying of in position				
			4.5	cement concrete of specified grade,				
ı	5		""	excluding the cost of centering and				
ı				shuttering all work upto plinth level.				
ı				1:3:6 (1 Cement : 3 Coarse sand : 6				Rs. Two thousand one
			4.5.6	graded stone aggregate 40mm	19.18	CU.M	2164.50	hundread sixty four and
L				nominal size)				paise fifty only.
				5.0 Reinforced Cement Concrete				
ı				Providing and laying of in position,				
				of specified mix of reinforced cement				
			5.1	concrete, excluding the cost of				
ı			5.1	centering and shuttering, finishing				
	6			and reinforcement - all work upto				
١				plinth level.				
ı				1:11/2:3 (1 Cement : 11/2 Coarse sand :				Rs. Three thousand three
ı			5.1.2	3 graded stone aggregate 20 mm	33.68	CU.M	3352.60	hundred fifty two and paise
١				nominal size) IN FOUNDATION.			100 m	sixty only.
r				Reinforced cement concrete work				
1				in wall (any thickness), including				
				attached pilasters, butteresses, plinth				
				and string courses, fillets, columns,				
ı			5.2	pillars, piers, abutments, posts and				
١				struts, etc. upto floor v level,				
١	7			excluding costs of centering,				
ı				shuttering, finishing and				
				Col. In plinth & superstructure				Rs. Three thousand three
			522	1:1½:3 (1 Cement : 1½ Coarse sand :	24.02	CU.M	3387.90	1
1			5.2.2	3 graded stone aggregate 20 mm	24.83	CU.IVI	3307.90	hundred eighty seven &
·L		<u> </u>		nominal size).	<u> </u>	1		paise ninety only.

D. P. MAHESHWARI CONSTRUCTION.

MADIA) PVT. LTD.

F144 Jo RIE

Director

Chief Consument (Technical)
That State Educational Infrastructure
Development Corporation Ltd., Partition

·m

			D.i. f				
8		5.3+	Reinforced cement concrete work in beams, upto five level excluding cost of centring, shuttering and finishing and reinforcement with 1:1½:3(1cement: 1½ coarse sand :3 graded stone agreagate 20 mm niminal size)	7.04	CU.M	3562.40	Rs. Three thousand five hundred sixty two & paise forty only.
9		5.3+ 5.44.4	Reinforced cement concrete work in LINTEL BAND upto five level excluding cost of centring, shuttering and finishing and reinforcement with 1:1½:3(1cement: 1½ coarse sand :3 graded stone agreagate 20 mm niminal size)	32.48	CU.M	3562.40	Rs. Three thousand five hundred sixty two & paise forty only.
10		1	Reinforced cement concrete work in suspended floors & roofs upto five level excluding cost of centring, shuttering and finishing and reinforcement with 1:1½:3(1cement: 1½ coarse sand :3 graded stone agreagate 20 mm	63.27	CU.M	3562.40	Rs. Three thousand five hundred sixty two & paise forty only.
11		5.3+ 5.44.4	Reinforced cement concrete work in STAIRCASE upto five level excluding cost of centring, shuttering and finishing and reinforcement with 1:1½:3(1cement: 1½ coarse sand :3 graded stone agreagate 20 mm niminal size)	8.06	CU.M	3562.40	Rs. Three thousand five hundred sixty two & paise forty only.
		5.14	Centering and shuttering including struting, propping etc. and removal of form for -				Rs. One hundred twenty
	12.1	5.14.1	Foundations, footings,bases of columns etc. for mass concrete.	0.00	SQ.M.	122.85	two & paise eighty five only.
12	12.2	5.14.6	Columns	393.96	SQ.M.	237.70	Rs.Two Hundred thirty seven & paise seventy only
12	12.3	5.14.3	ROOF SLAB	506.44	SQ.M.	179.20	Rs. One hundred seventy nine & paise twenty only.
	12.4	5.14.5	Lintels, beams, plinth beams,-	438.63	SQ.M.	153.70	Rs. One hundred fifty three & paise seventy only.
	12.5	5.14.7	Stairs (excluding landings).	47.75	SQ.M.	231.70	Rs.Two hundred thirty one & paise seventy only.
,		5.29	Reinforcement for RCC work including straightening, cutting bending, placing in position and binding all complete.		kg	57.90	Rs. Fifty seven & paise ninety only.
	13.1	5.29.1	Mild steel 6.00 mm dia Thermo- Mechanically Treated bars	9460 24	V~	61.60	Rs. Sixty one & paise
	13.2	5.29.7A	TMTC-500- 8mm dia.	8462.34	Kg	61.60	sixty only.

U. P. MANESHWARI CONSTRUCTIO

GHOW PYT. LTD.

GHOW OF THE

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna
35.11

1 40		1			Т		
13	13.3	5.29.7B	Thermo- Mechanically Treated bars TMTC-500- 10mm dia.	2702.44	Kg	61.00	Rs. Sixty one only.
	13.4	5.29.7C	Thermo- Mechanically Treated bars TMTC-500- 12mm dia.	944.47	Kg	60.30	Rs. Sixty & paise thirty only.
	13.5	5.29.7D	Thermo- Mechanically Treated bars TMTC-500- 16mm dia.	432.11	Kg	60.30	Rs. Sixty & paise thirty only.
	13.6	5.29.7E	Thermo- Mechanically Treated bars TMTC-500- 20mm dia.	720.33	Kg	60.30	Rs. Sixty & paise thirty only.
			6.0 Brick Work (A)				
	14.1		Brick work with bricks of class of class designation 100 A in foundations and plinth in:				Rs. Two thousand nine
14		6.1.14A	Cement mortar 1: 6 (1 cement : 6 coarse sand)	25.29	CU.M	2920.7	hundred twenty & paise seventy only.
	14.2	6.1.12/1	Cement mortar 1: 4 (1 cement : 4 coarse sand)	7.03	CU.M	3107.70	Rs. Three thousand one hundred seven & paise seventy only.
	15.1	6.1 A	Brick work with bricks of class of class designation 100 A in superstucture upto floor V level in:				Rs. Three thousand Two
15		6.1.14 A+6.3A	Cement mortar 1: 6 (1 cement : 6 coarse sand)	173.48	CU. M	3201.10	hundred one & paise ten only.
	15.2	6.18.4A+ 6.19A	Cement mortar 1: 4 (1 cement : 4 coarse sand)	15.28	SQ.M.	393.70	Rs. Three hundred ninety three & paise seventy only
			9.0 Wood Work				
16		9.82.1	Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc. all complete		Kg	72.20	Rs. Seventy two & paise twenty only
			10.0 Steel Work				
17		10.5	Providing and fixing in position collapsable steel shutters with vertical channels 20X10X2 mm and braced with flat iron ds 20X5 mm size with top and bottom rail of Tiron 40X40X6 mm with 40 mm dia steel pulleys completes with boltsnuts locking arrangement stoppers handles including applying a priming coat of approved steel primer.	9.75	SQ.M	2918.7	Rs. Two thousand nine hundred eighteen & paise seventy only.
18		10.7	Providing and fixing 1 mm thick M.S. sheet door & window with frame of 40X40X6 mm angle iron and 3 mm gusset plates at the junction and corners all necessary fittings complete including applying a primming coat of approved steel	49.44	SQ.M.	1904.30	Rs. One thousand nine hundred four & paise thirty only



Chief Consultant Pickhnists
What State Educational Intrastructure
Pavelopment Corporation Ltd., Patrage


19			10.12	Providing and fixing steel glazed doors, windows and ventilatrs of standard rolled steel sections, joints mitered and welded with 15x3 mm lugs 10 cm long with steel lugs embedded in cement concrete blocks 15x10x10 Cm of 1:3:6 (1 Cement:3 coarse sand : 6 graded stone aggregate 22 mm nominal size) or with woodenplugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panes with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer; excluding the cost of metal beading and other fitting except necessary hinges or pivots as	66.54	SQ.M.	2475.00	Rs.Two thousand four hundred seventy five only
20)		10.19	required. Providing and fixing M.S. Fan clamp type 1 of 16 mm	22.00	EACH	98.20	Rs. Ninety eight & paise twenty only.
21		`	10.32.2	Steel work welded in built up sections as per drawing including cutting hoisting, fixing in position and applying a priming coat of approved steel primer using steel in Stairs / Balcony railing.	540.00	K.G.	62.50	Rs. Sixty two & paise fifty only.
22	2		10.33	Providing and fixing hand rail by welding etc. to steel ladder railings & staircases railing including applying a priming coat of approved steel primer				
			10.33.1	MS tube (medium) 40 mm nominal bore	108.00	K.G.	70.30	Rs. Seventy & paise thirty only.



Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna W. V.

7 *4 1 .

		11 A Flooring		П		
		11.0 Flooring		-		
23	11.8	flooring with metallic concrete flooring with metallic concrete hardener topping undr layer 40 mm thick cement concrete 1:2:4(1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal Size) and top layer 12 mm thick metallic cement hardener consisting of mix 1:2 (1 cement hardenr miz: 2 stone aggregate 6 Mrr. ominal size) by volume hardning compund is mixed @ 2 litre per 50 kag of cement or as per manufacture specification. This includes cost of cement slurry, etc, but excluding the cost of nosing of steps etc. complete.	663.85	SQ.M	265.80	Rs. Two hundred sixty five & paise eighty only.
24	11.14	Extra for making chequers of approved pattern on cement concrete floors, steps, landing, pavements etc.	228.28	SQ.M	12.30	Rs. Twelve & paise thirty only.
25	11.72	Providing designation 100 - A, BRICK FLAT SOLING joints filled with local sand including cost of watering,taxes and royalty all complete as per building specification and direction of	278.11	SQ.M	164.40	Rs. One hundred sixty four & paise forty only
26	11.76	Providing average 150 mm thick dry remmed Khoa beaten to 112 mm (Compacted with water) made of well burnt or Jhama bricks including ramming properly till compacted thickness is achieved. Curing and carriage of water with all leads, making proper slope and blinding the top with cement mortar, (1: 10) all complete as per building specification and direction of E/1	214.55	SQ.M	226.90	Rs. Two hundred twenty six & paise ninety only
		12.0 Roofing				
27	12.78	Providing & fixing on wall face unplasticised - Rigid P.V.C. rain water pipes conforming to IS: 13592 Type A including jointing with seal ring conforming to IS: 5382 leaving 10mm gap for thermal expansion . Single socket ed pipes. 110 mm dia			٠	Rs. One hundred eighty
	12.78.2	110 MM RAIN WATER PIPE	82.31	Metre	188.40	eight & paise forty only
28	12.79.5.2	BEND		EACH		Rs. One hundred fifty one
20		110 MM	10.00	Litton	151.25 [°]	& paise twenty five only
29	12.79.6.2	SHOE - 110MM	10.00	EACH	309.20	Rs.Three hundred nine & paise twenty only



Chief Counting of Reducation Bihar State Educational Infrastructure
Development Corporation Ltd., Patna 13,111

A Company of the state of the s

and of

		1	13.0 Finishing				
			Cement Plaster in coarse sand with				
	30.1	13.11.2	12 mm cement plaster 1:4 (1 Cement	229.60	SQ.M.	72.70	Rs. Seventy two & paise seventy only.
30	30.1	13.11.2	: 6 Coarse Sand)	227.00	34	72.70	
30			Cement Plaster in coarse sand with				se i existy exists.
	20.2	12 11 4		1290.96	SQ.M.	61.90	Rs. Sixty one & paise
	30.2	13.11.4	12 mm cement plaster 1:6 (1 Cement	1290.90	5Q.W.	01.50	ninety only
		10.10	: 4 Coarse Sand)		-	φ-	Rs. One hundred three &
31		13.13.	20 mm thick plaster of mix:	41.62	SOM	103.80	paise eighty only
			1:4(1 Cement; 4 Coarse Sand)	41.02	SQ.M	103.80	paise eighty only
32		13.13.4	20 mm thick plaster of mix:	662 16	SOM	87.00	Rs. Eighty seven only
			1:6(1 Cement:6 Coarse Sand)	663.16	SQ.M.	87.00	Ks. Eighty seven only
			12 mm cement Plaster 1:3 (1 Cement	40.52	COM	104.10	De One hundred four fr
33		13.17	: 3 Coarse Sand) finished with a	48.53	SQ.M.	104.10	Rs. One hundred four &
			floating coat of neat Cement			V	paise ten only
			6 mm Cement Plaster to Ceiling of				
34		13.24.2	mix -				
		10.2	cement plaster 1:4 (1 Cement : 4	448.06	SQ.M.	52.80	Rs. Fifty two & paise
			Coarse Sand)				eighty only
35		13.26	Neat Cement Punning	315.08	SQ.M	21.8	Rs. Twenty one & paise
33		13.20					eighty only
		13.70.	White washing with lime to give an				
36		13.70.1	even shade			1	Rs. Six & paise eighty
		13.70.1	New work (three or more coats)	1562.77	SQ.M	6.80	only.
			Applying one coat of cement primer				
		13.78	of approved brand and manufacturer				
37			on wall surface.		=		
		13.78.1	cement primer on outer wall	730.25	SQ.M	18.10	Rs. Eighteen & paise ten
		13.78.1	surface	730.23	3Q.W	10.10	only
			Finishing walls with water proofing				
		12.70	cement paint of approved brand and				
38		13.79	manufacture and of required shade to				
			give an even shade			o de la companya de la companya de la companya de la companya de la companya de la companya de la companya de	Rs. Fifty nine & paise
		13.79.1	New work (three or more coats)	730.25	SQ.M	59.80	eighty only
			Painting with Synthetic enamel				
	13	12.00	paints of approved brand and				
1 20		13.93	manufacture of required color to give				
39			an even shade.			,	
		13.93.1	Two or more coats on new work			and the same	Rs. Forty one & paise fifty
			Paiting over Steel surface	283.92	SQ.M	41.50	only
		•	23.0 Pile Work				
			Making 25 cm (10") dia bore up to				
	40.1	0.1 23.2.5	4 Mtr Depth below ground with hand				
			auger of approved quality in ordinary				
			soil (Vide classification of soil item	1			
			A) true to plumb and without eccentri	346.50	Metre	re 59.80	Rs. Fifty nine & paise
			city in any stage of operation and				eighty only
			disposal of gthe excavated earth up to				and the state of t
1			50 mtr. lead in eluiding all lifts. all			.dlf	
			complete as per approved disign and	1			
40			directions of E/I				
. ' `	L			1		1	

U. Y. MANESHWAN CONSTITUTION

The FORE

Chief Christian (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna N., V.

The second of th

 $\chi^{M} = \chi \cdot \mathbf{v}_{i}^{T} + i$

, ,					Т		
			63 cm (25) UNDER REAM making				
			63 cm (25) dia under ream at				
1			required with hand auger of approved				
			quality in ordinary soil (Vide				
	40.0	00.06	classification of soil item-A) true to	172.00	Each	63.80	Rs. Sixty three & paise
Ì	40.2	23.2.6	plumb and without iccentric city in	172.00	Each	03.60	eighty only,
			may stage of operation and disposal			\$L'ANDERS	, and the second
			of the excavated earth up to 50 mts.				
			lead in eluding all lifts. All complete				
			as per approved design and direction				
			Sanitary Works				
			Providing and fixining water closet				
			squatting pan (Indian type W.C. pan)				
			with 100 mm sand cast iron P or S				
			tap, 10 litre low white P.V.C.				
		Dan	* ·				
			Flushing cistern with munally controlled device (handle level)				
41		17.1.1	` '				
ļ · .			conforming to IS:7231 Parryware/				
			Hindware with all fittings and				
			fixtures complete including cutting				
			and making good the walls and floors				
			White Vitreous China Orissa				Rs. Two thousand nine
	'		pattern W C pan of size 580 X 440	8.00	Each	2964.10	hundred sixty four & paise
			mm with integral type foot rest.			*1780 MARIN	ten only.
			Providing and fixing C.P. brass bib				
42		DSR	cock of approved				S
'-		18.49.1	qualityconforming to IS:8931				Rs. Three hundred ninety
			15 mm nominal bore.	8.00	Each	397.50	seven and paise fifty only.
			Providing and fixing wash basin with				
			C.I. brackets, 15 mm C.P. brass pillar				
		DSR	taps,32 mm C.P. brass waste of				
		17.7.1	standard pattern, including painting				
43		17.7.1	of fittings and brackets, cutting and				
43			making good the walls wherever				
			require:				
			White Vitreous China Wash basin				Rs. One thousand eight
			size 630x450 mm with a pair of 15	4.00	EACH	1848.35	hundred forty eight and
			mm C.P. brass pillar taps.			all finds	paise thity five only.
		Dan	Providing and fixing P.V.C. waste				
		DSR	pipe for sink or wash basin including				
	1 44.1	17.28	P.V.C. waste fittings complete.				
	44.1	17.28.2	Flexible pipe	1			AND STATE OF THE S
44				1 400	EAGII	65.20	Rs. Sixty five and paise
		17.28.2.1	32 mm dia	4.00	EACH	65.30	thirty only.
	44.2	17.00.00	40 1'	1.00	EACH	67.60	Rs. Sixty seven and paise
_	44.2	17.28.2.2	40 mm dia	1.00	EACH	67.60	sixty only.
1	<u> </u>	1			<u> </u>	•	

D. P. MAHESHWAKI COMSTALLS III.
(INDIA) PVT: LTD.
(TTO OF O REPEDITIONS)
Director

Chief Consultan (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patria W.T.

and the second of the second

in the state of the

45		DSR 17.11	Providing and fixing white vitreous china laboratory sink with C.I. brackets, C.P. brass chain with rubber plug 40mm C.P brass waste and including painting of fittings and brackets, cutting and making good the wall wherever required: Size 600x450x200mm	1.00	EACH	2758.65	Rs. Two thousand seven hundred fifty eight and paise sixty five only.
. 46			Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS:8931.	5.00	EACH	426.55 [«]	Rs. Four hundred twenty six and paise fifty five only.
47		2.38A.2	Providing & fixing stailess steel jali (grating) with or without hole for waste pipe for floor / nahani trap. 100 mm dia. Weight not less than 100 gms.	2.00	EACH	23.14	Rs. Twenty three and paise fourteen only.
48		12.78	Providing and fixing on wall face unplastidsed PVC (working pressure 4 kgf per sqm) rain water pipes conforming to IS: 4985 including jointing with seal ring conforming to IS: 5382 leaving 10 mm gap for thermal expansion.	76.21	MTS	188.40	Rs. One hundred eighty eight and paise forty only.
		12.79	Provinding and fixing PVC pipe fittings with all accessories				
49	49.1	12.79.5.2	1) 110mm Plain bend PVC	16.00	Each	151.25	Rs. One hundred fifty one and paise twenty five only
	49.2	12.79.3.2	3) 110mm door tee PVC	12.00	EACH	293.50	Rs. Two hundred ninety three and paise fifty only.

D. P. WAHESHVARI CONSTRUCTION

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

51.1 51.2	a)18.8.1	cold water supply including allCPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one stepCPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I Concealed work including cutting chases and making good the wall etc. 15mm dia Exposed on wall 40mm dia	35.00 75.00	MTS	218.65	Rs. Two hundred eighteen and paise sixty five only. Rs. Three hundred nine and paise sixty only.
51.1	DSR	plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one stepCPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I Concealed work including cutting chases and making good the wall etc. 15mm dia	35.00	мтѕ	218.65	
51.1	DSR	plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one stepCPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I Concealed work including cutting chases and making good the wall etc.	35.00	MTS	218.65	
	DSR	plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one stepCPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I Concealed work including cutting				Rs. Two hundred eighteen⊯
	DSR	plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one stepCPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I				
	DSR	plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one stepCPVC solvent cement and the cost of cutting chases and making good the same including testing of				
	DSR	plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one stepCPVC solvent cement and the cost of cutting chases and making			/	
	DSR	plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one stepCPVC solvent cement and the			/	
	DSR	plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one			/	·
		plain & brass threaded fittings including fixing the pipe with clamps				
	18.8/	plain & brass threaded fittings			/	·
				//	/	·
		cold water supply including allCPVC			1	
				1		
		, , ,). }	
		Providing and fixing Chlorinated				
		F.P.S. bricks				paise sixty five only.
		45 mm deep for single pipe with	6.00	EACH	3917.65	hundred seventeen and
		inside dimensions 455x610mm and				Rs. Three thousand nine
		and bed concrete etc. complete as per				
		floating coat of neat cement on walls		.		
		`				
		stone aggregate 20 mm mm nominal				
	/DSR	cement:1.5 coarse sand :3 graded				
	19.30.1.1	<u> </u>				
		- , -				
		-				
		, ,				
		_			٠	
		Chamber and bend with 75 class				
		for Underground C.I. Inspection		-		
		10.20.1.1	designation bricks in cement mortar 1:4(1 cement : 4 coarse sand)C.I Cover with frame (light duty) 455x610 mm internal dimentions, total weight of cover with frame to be not less than 38 kg.(weight of cover 23 kg. and weight of frame 15 kg) RCC top slab with 1:1.5:3 mix (1 cement:1.5 coarse sand :3 graded stone aggregate 20 mm mm nominal size) foundation concrete 1:5:10 mix (1 cement:5 coarse sand :10 graded stone aggregate 40 mmnominal size), inside plastering 12 mm th. with cenment mortar 1:3 (1 cement :3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per inside dimensions 455x610mm and 45 mm deep for single pipe with F.P.S. bricks Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes,	for Underground C.I. Inspection Chamber and bend with 75 class designation bricks in cement mortar 1:4(1 cement : 4 coarse sand)C.I Cover with frame (light duty) 455x610 mm internal dimentions, total weight of cover with frame to be not less than 38 kg.(weight of cover 23 kg. and weight of frame 15 kg) RCC top slab with 1:1.5:3 mix (1 cement:1.5 coarse sand :3 graded stone aggregate 20 mm mm nominal size) foundation concrete 1:5:10 mix (1 cement:5 coarse sand :10 graded stone aggregate 40 mmnominal size), inside plastering 12 mm th. with cenment mortar 1:3 (1 cement :3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per inside dimensions 455x610mm and 45 mm deep for single pipe with F.P.S. bricks Providing and fixing Chlorinated	for Underground C.I. Inspection Chamber and bend with 75 class designation bricks in cement mortar 1:4(1 cement : 4 coarse sand)C.I Cover with frame (light duty) 455x610 mm internal dimentions, total weight of cover with frame to be not less than 38 kg.(weight of cover 23 kg. and weight of frame 15 kg) RCC top slab with 1:1.5:3 mix (1 cement:1.5 coarse sand :3 graded stone aggregate 20 mm mm nominal size) foundation concrete 1:5:10 mix (1 cement:5 coarse sand :10 graded stone aggregate 40 mmnominal size), inside plastering 12 mm th. with cenment mortar 1:3 (1 cement :3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per inside dimensions 455x610mm and 45 mm deep for single pipe with F.P.S. bricks Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot &	for Underground C.I. Inspection Chamber and bend with 75 class designation bricks in cement mortar 1:4(1 cement : 4 coarse sand)C.I Cover with frame (light duty) 455x610 mm internal dimentions, total weight of cover with frame to be not less than 38 kg.(weight of cover 23 kg. and weight of frame 15 kg) RCC top slab with 1:1.5:3 mix (1 cement:1.5 coarse sand :3 graded stone aggregate 20 mm mm nominal size) foundation concrete 1:5:10 mix (1 cement:5 coarse sand :10 graded stone aggregate 40 mmnominal size), inside plastering 12 mm th. with cenment mortar 1:3 (1 cement :3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per inside dimensions 455x610mm and 45 mm deep for single pipe with F.P.S. bricks Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot &

D. P. WATESHWARL CONGTRUCT

194 Director

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Oevelopment Corporation Ltd., Patna W. V.

.

in the second of

53		18.48/ DSR	Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI: 12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank	1000.00	LTS	6.10	Rs. Six and paise ten only.
			Providing and fixing of Borewell, Handpump with Submerssible pump all complete. Construction of 125 mm x 40mm dia x 75.00 mtr. Deep I.M III hand Tube Well	1.00	Each	8550.00	Rs.Eight thousand five
	54.1		Part 'A' Cost of Materials India mark III hand pump with 8 nos. Connection Rod and one cylender (With provision of force and uplift)			,,,	hundred fifty only.
	54.2		65 mm dia G.I. pipe medium quality (3mtrs length each).	8.00	Each	1062.00	Rs. One thousand sixty two only
	54.3		125 mm dia UPVC casing pipe conforming to ISS	27.00	mtr	315.00	Rs. Three hundred fifteen only
	54.4		40 mm dia length quantity G.I pipe conforming to ISS	44.00	mtr	186.00	Rs.One hundred eighty six only
	54.5		40 mm dia x 2 long PVC RIBEED strainer of approved quality	2.00	nos.	182.00	Rs.One hundred eighty two only
1	54.6		125 mm x 40 mm UPVC reducing socket (Heavy quality)	1	Each	165.00	Rs.One hundred sixty five only
	54.7		Part - 'B' Labour Cost (Classification of soil item 'A') Boring by jet dheki by suitable cutter of reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per (i) 0 to 30.5 m (a) For 125 mm dia U.PV.C pipe	27	mtr	208.77	Rs. Two hundred eight & paise seventy seven only
	54.8		(b) for 40 mm dia G.I pipe	3.5	mtr	104.42	Rs. One hundred four & paise forty two only
	, , , , , , , , , , , , , , , , , , ,		(ii) 30.5 m to 61.0 m	30.5	mtr	120.08	Rs.One hundred twenty &
	54.9		(a) For 40 mm dia G.I Pipe (iii) 61.00 m to 75.00 m	14	mtr	130.53	Paise eight only Rs.One hundred thirty & paise fifty three only
I	54.10	<u> </u>	a) For 40mm dia G.I pipe			<u>l</u>	Ipaise my unce omy

D. P. MANESHVARE CORSTADO...

NOIA) PVT. LTD.

The For RTZ

Birector

Chief Consultant (Technical)
Rihar State Educational Infrastructure
Development Corporation Ltd., Patria 15.11.17

54	
	1

	D 11 11 1 0 4 1 1					
54.11	Providing all labour & tools and fitting & fixing India mark III hand pump over newely sunk for T/Well etc. all Complete	1	Each	66.71	Rs. Sixty six & paise seventy one only	
54.12	Supplying all labour and material and fitting and fixing G.I Cap over the new sink T/well	1	Each	65.00	Rs. Sixty five only	
54.13	Providing all labour & tools and fitting & fixing Cylender with requisite suspension pipe and connection rod of India mark III hand pump etc. all complete.	1	Each	128.64	Rs.One hundred twenty eight & paise sixty four only	
54.14	Providing all labour & tools and lowering 65 mm dia G.I pipe as per specificatin etc. all Complete	24	p/m	21.34	Rs. Twenty one & paise thirty four only	
54.15	Supplying labour and developing the T/Well to have sand free discharge all complete as per direction of E/I	1	Each	280.50	Rs.Two hundred eighty & paise fifty only	
54.16	Providing all materials and labour and construction 1.85 dia circular P.C.C (1:2:4) UNICEF design platform with foot rest etc. all	1	Each	3643.00	Rs. Three thousand six hundred forty three only	
54.17	Providing all material and labour & constructing 1 P.C.C (1:2:4) UNICEF design drain for disposal of waste water etc. all complete.	3	P/M	308.00	Rs. Three hundred eight only	
54.18	Transportation of T/W materials, tools & plant from Store to work site and back to store if materials are surplus.	1	Each	357.70	Rs. Three hundred fifty seven & paise seventy only	
	Part 'C' Cost for Additional Motorised system for filling overhead water-tank Providing and fixing of G.I pipes	12	P/M	182.53	Rs. One hundred eighty two & paise fifty three	
54.19	complete with G.I fittings and clamps, including, cutting and making good the walls etc. (internal work)		-	del est	only	
54.20	Providing and fixing brass valve 25 mm nominal bore Fullway valve,	2	Each	210.95	paise innety live only	
54.21	25 mm nominal bore Non-Return valve	1	Each	234.55	Rs.Two hundred thirty four & paise fifty five only	

D. P. MANESHYNAKI CUNSTRUCTURE (MEDIA) PVT. LTD.

EM So PAS

Chief Gensultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna Wy. V.

A STATE OF THE STA

	54.22		Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve,	1	Each	26200.00		
14			1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of E/I				Rs.Twenty six thousand two hundred only	
			In case of rocky soil, necessary items from 54.1 to 54.18 will be replaced by necessary items from 54A.1 to 54A.11					
	54A.1		Transportation of Rig machine with necessary tools and equipment and materials to work site and back to store if any materials surplus etc. all complete as per standard specification & direction of E/I		Each	4000.00	Rs. Four thousand only.	
	54A.2	54A.2.1	Supplying all materials, labors & equipments & drilling in all kinds of soil (soft and hard) and sand stone layer by reverse circulation method 300 mm dia bore hole for insertion of 125 mm dia UPVC Blue casing pipes & strainer or slotted pipes including the cost of required tools etc. all complete job. From 0 mtr. To 30.50m below G.L.	l	mtr	330.00	Rs. Three hundred thirty only.	
		54A.2.2	Beyond 30.50 m to 75 mtr.		mtr	360.00	Rs. Three hundred sixty only.	
	54A.3	54A.3.1	Providing fitting & fixing the following M.S. fitting of approved make including making thread of required pitch of M.S. well plug as suitable in 125mm dia UPVC pipes etc. as per specification and direction a) 125mm dia Centre guide.		Each	150.00	Rs. One hundred fifty only.	
		54A.3.2	b) 125mm dia well plug		Each	75.00	Rs. Seventy five only.	
		54A.3.3	c) M.S. clamp for 125mm dia UPVC Pipes top hold fast M.S. nuts & bolts etc.	1	Each	155.00	Rs. One hundred fifty five only.	

D. P. MANKESHIVARI LUNGING

Chief Consultand Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

A Company (A Company A C

e i fafi teja

. •

54A	54A.4	54A.4.1	Providing all materials, labours & equipments & lowering of 125mm dia UPVC Blue casing Pipes/Strainer/Slotted pipes (pipes in perfect vertical plumb and confirming to available strata (Slotted pipes are to be lowered in water bearing strata or aquifer) all complete job confirming to relevant ISI and BIS specification with latest amendment and as per direction of a) 125mm dia UPVC Blue Casing Pipes	mtr	315.00	Rs. Three hundred fifteen only.
		54A.4.2	b) 125mm dia ribbed screen pipe	mtr	397.66	Rs. Three hundred ninety seven and paise sixty six only.
	54A.5		Supplying 3 to 6mm well washed pea gravel & pouring around the circular space between bore hole and 125mm dia pipe uniformly all the work complete as per standard specification and direction of E/I	Cum	3830.00	Rs. Three thousand eight hundred thirty only.
	54A.6		Supplying all materials and equipment to seal the tube well up to depth of 12 mtr below G.L. by sticky clay to prevent contamination from surface in flow all complete job with standard specification & direction of	Each	70.00	Rs. Seventy only.
	54A.7		Supplying all tools equipments labour and materials for developing the tube well with suitable device like air compressor to give sand free discharge (Developing up to 4 hous/till sand free up to discharge which ever is earlier with arrangement to measure the discharge) etc. all complete job as per standard specification & direction of E/I.	P/H	1071.60	Rs. One thousand seventy one and paise sixty only.
	54A.8		Supplying all material, labour, equipment, including 125mm dia G.I. cap & fitting the same over Tubewell properly and taking out as per standard specification and direction of E/I.	Each	65.00	Rs. Sixty five only.
	54A.9		Cost of one no India mark III hand Pump with all accessories (including of 65mm medium quality G.I. Pipes & 8 Nos of connecting Rod)	Each	17046.00	Rs. Seventeen thousand forty six only.

U. P. MAHESHWARI CONSTRUCT...
(INDIA) PVT. LTDg...
(Th 30 12) C.
Mrector

Chief Convoltant Technical)
Bihar State Educational Infrastructure
Dovelopment Corporation Ltd., Patna
15.11.

en general (1905) Proposition (1905) Proposition (1905)

ı					I		T	
	54A.10		Providing all materials labours & constructing 1.85m dia circular PCC (1:2:4) UNICEF design with foot rest		Each	3643.00	Rs. Three thousand six hundred forty three only	
	54A.11		etc. all complete. Providing all materials labours & constructing PCC (1:2:4) UNICEF design drain for disposal of waste water etc. all complete.	17. 17. 17. 17. 17. 17. 17. 17. 17. 17.	mtr	308.00	Rs. Three hundred eight only	
55		1.1.3	Internal Electrification Work Wiring for light point/fan point/exhaust fan point/ call bell poiont with 1.5 sq. mm FR PVC insulated copper conductor single core cable in surface/recessed PVC conduit, with piano type switch, phenolic laminated sheet, suitbale size PVC/ G.I box etc. as required. Group C	153	Each	469.00	Rs. Four hundred sixty nine only.	
56		1.2	Wiring for twin control light point with 1.5 sq. mm FR PVC insulatd copper condctor single core cable in surface/ recessed PVC conduit, with 2way piano type switch, phinollic laminated sheet, suitable size	n. mm FR PVC insulatd ndctor single core cable in cessed PVC conduit, with 2 Each otype switch, phinollic	Each	471.00	Rs. Four hundred seventy one only	
57		1.5	Wiring for light/ power plug with 2x4 sq. mm. FR PVC insulated, copper conductor, signle core, cable in and surface, recessed PVC conduit along with 1 no. 4 sq. mm FR PVC insulated copper conductor single core cable for loop earthing as required.	440	mtr	170.00	Rs. One hundred seventy only	
58		1.7 (b)	Wiring for circuit/ sub main wiring along with earth wire with the following size of PVC insulated, coppper conductor, signle core cable in surface/ recessed PVC conduit as required. 2x2.5 sq. mm + 1x2.5 sq. mm earth	335	Rmt	125.00	Rs. One hundred twenty five only	
59		1.7.2 (c) 1.7.11	wire. 4x6 sq. mm + 1x6 sq. mm earth wire.	25	Rmt	387.00	Rs. Three hundred eighty seven only.	
60		1.33	Supplying and fixing 2 pin 5 amp. Ceiling rose on the existing junction box/ PVC box including connection etc as required.	40	Each	23.00	Rs. Twenty three only	
61		1.34	Supplying and fixing battan/ angle holder including connection as required.	92	Each	28.00	Rs. Twenty eight only	

J. P. BAHESHWARI CONSTRUCTION

19th BORTE

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patnas

			Supplying and fixing following piano					
		1 74 1	typed switch/ socket on existing	152	Fooh	49.00	Rs. Forty nine only	
62		1	switch box/ cover including connection etc. as required.	153	Each	49.00	Rs. Forty fine only	
	,		Telephone socket on shutter outlet			(Market State of the State of		
			Supplying and fixing metal box of					
		1	following size (normal size) on					
		1 22 1	surface or in recess with suitable size					
63			or phinollic laminated sheet cover in	6	Each	59.00	Rs. Fifty nine only	
			front of including painting etc. as required.				Epilopolius	
	-		75mm X 75mm X 50mm deep (4" x			Representation of the second		
		1.22.1	4")					
			Supplying and fixing suitable					
			G.I/PVC box on surface or in recess					
64		1.30.	with phenolic laminated sheet cover in front including provided and fixing	46	Each	215.00		
04		1.50.	6 pin, 15/16 amps socket outlet and					
			15/16 amps piano type switch			g de de de de de de de de de de de de de	Rs. Two hundred fifteen	
			connection, painting etc, as required.				only	
			DISTRIBUTION BOARD					
			Supplying and fixing of following way of three pole and neutral sheet					
			steel, MCB distribution board 415					
			Volts, on surface/ recess, tinned,					
65		2.9	copper bus bar, neutral link, earth	2	Each	2529.00	Rs. Two thousand five	
03		2.9	bar, din bar, detachable gland plate,	2	Buon	2323.00	hundred twenty nine only	
			interconnections, phosphatized and power painted including earthing etc.			\$ ⁵	*	
			as required (but without MCB/					
		(1)005	RCCB/ isolator)					
		(b)2.9.5	6 way (4+18) double door					
			Supplying and fixing 5 amps. to 32					
		0.10	amps, rating, 240 volts, 'C' series,			Each 156.00	D. O. I. de de de Go	
66		2.12	MCB of following poles in the existing MCB DB with connections,	35	Each		Rs. One hundred fifty six only	
			testing and commissioning etc. as			G# ^A	only	
1		(a)2.12.1	6/32 single pole					
67		(b)	6/32 TPN	1	Each	927.00	Rs.Nine hundred Twenty	
		2.12.5	LT Panel & Cable			<i></i>	seven only	
			Supplying and laying following size					
			and core PVC/ XLPE insulated PVC			i i	,	
		6.14	sheathed heavy duty armoured					
. 68		0.14	electrical cable with alluminium	100	mtr	235.00	Rs. Two hundred thirty	
			conductor for working voltage upto				five only	
			& including 1100 Volts. (Conforms to IS: 1554 part-1)					
1			16 sq.mm X 4 core alluminium					
		6.14.4	armoured cable					
L	<u></u>	L		•			1.	


D. P. WANESHWARI CONSTRUCTIO.

ETTE BORTE

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

			94.
			^
			u
			ya.
			ف

	69			Trench cutting in soil of suitable size 1.5 feet wide and 2 feet depth including refilling the trench with same etc. as required. (For laying the cable)	100	Rmt	22.00	Rs. Twenty two only
70	70		2.2.2	Providing and fixing following capacity double pole/ TP & N sheet metal switch disconnector fuse unit in existing metal board, with ISI marked HRC fuses, including drilling holes in metal board, making connections, etc. as required. 100 amps. TP & N, HRC	1	Each	5975.00	Rs. Five thousand nine hundred seventy five only
-			4.4.4	EARTHING				
	71	3.15		Providing and laying earth conection from earth electrod with 6 SWG dia GI wire in 15 mm dia GI pipe from earth electrod, as required.	3	Each	122.00	Rs. One hundred twenty two only
	72			E arthing with copper earth plate 600mmx600mmx3mm thick including accessoies, and providing masonary enclosure with cover plate having locking arrangement and watering pipe etc as required	1	Set	5578.00	Rs. Five thousand five hundred seventy eight only.
			MISCEL	LLANEOUS WORK				
			CARRAIGE OF MATERIALS		177.47	CU.M		Rs. One hundred sixty two and pise seventy six only.
		73.1		A) LOCAL SAND ,Avg. LEAD - 3 KM.			162.76	Married Company of the Company of th
		73.2		B) COARSE SAND ,Avg. LEAD - 45KM.	214.48	CU.M	545.80	Rs. Five hundred forty five and paise eighty only.
	73	73.3		C) STONE CHIPS ,Avg. LEAD - 133K M.by Rd	194.85	CU.M	1376.52	Rs. One thousand three hundred seventy six and paise fifty two only.
		73.4		D) BRICKS ,Avg. LEAD- = 8 KM.	93.33	THOU SAND	476.5	Rs. Four hundred seventy six and paise fifty only.
e		73.5		E) Cement ,Avg. Lead =5 KM.	2409.00	Bags	9.33	Rs. Nine and paise thirty three only.
		73.6		F) Steel ,Avg. Lead =5 KM.	14.85	M.T.	186.5	Rs. One hundred eighty six and paise fifty only.
L		L					•	Bei



Chief Sovement (Teconical)
Bihar State Educational Infrastructure
Dovelopment Corporation Ltd., Patna

AND THE RESERVE AND THE SECOND SECOND SECOND SECOND SECOND SECOND SECOND SECOND SECOND SECOND SECOND SECOND SE

-					T		
	74	74.1	Add extra cost of material for Bhagalpur Commissionary w.r.t Gaya as per SOR, BCD 74.1 Bricks		THOUS AND		Rs. Two hundred ten only.
ı		/4.1	Bricks				
		74.2	Cement	2409.00	Bags	1 1146	Rs. Eleven and paise forty six only.
t		<u> </u>		TOTA	AL Cos	t = Rs.	4,535,690.98
1			Add @ 1 °	% Labour Cess			45,356.91
J					L Cos	t = Rs.	4,581,047.89
Ì			GROUP	NO.USS-221			
ł	S.N.	Distri	et Block	Nai	Name of School		Amount 'RS'
•	1	BANK		M.S	M.S. Chakmunia		4,581,047.89
ŀ		<u> L </u>	Apparent .	Tota	l Cost i	in 'Rs'	4,581,047.89
ł					Say 'R		4,581,048.00
L							10/ 1 1 DOOtoo ! a

Tender approved in favour of D.P. Maheshwari Construction India Pvt. Ltd. @ 1.34% below BOQ rates i.e. total amount comes to Rs. 45,19,662=00 (Rupees Forty Five Lacs Nineteen Thousand Six Hundred Sixty Two Only)

Chief Consulting Technical Chief Consulture (recommend)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna
15,11,12

•

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड

(बिहार सरकार का एक उपक्रम)

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् कैम्पस, आचार्य शिवपुजन सहाय पथ, सैदपुर, पटना-800004 (दूरभाष:-0612-2910314)

निविदा आमंत्रण सूचना संख्या—05 वर्ष 2012—13 प्रतिशत मद दर निविदा

(केवल ई-टेन्डरिंग पद्धति के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

1. बिहार राज्य अन्तर्गत उत्क्रमित माध्यमिक विद्यालयों के भवन निर्माण कार्य हेतु निम्नांकित निविदायें आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार/सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रिजस्ट्रेशन कराना, उक्त कार्य का लेटर ऑफ एक्सेपटेंस प्राप्त होने के बाद अनिवार्य होगा :—

क्र	ग्रुप	जिला का नाम	<u> </u>	प्रखण्ड का नाम	विद्यालय का नाम	प्राक्कलित राशि	अग्रधन की	परिमाण	कार्य
म	संख्या					(लाख रू०)	राशि	विपत्र की	समाप्ति
<u> </u>						,	(लाख रू०)	राशि(रू०)	की अवधि
	USS-	पूर्वी चम्पारण	1	बारा चकिया	म० वि०, घनश्याम पकरी	04.40	4.00	45.050.00	40 7117
1	208		2	सुगौली	म० वि०, चैनपुर	94.46	1.89	15,650.00	12 माह
2	USS-	पश्चिम	4	वगहा—II	म० वि०, रतनपुरवा	47,79	0.96	0450.00	40 1112
	209	चम्पारण	1	4461-11	नव १५०, ररानपुरवा	47.79	0.96	6150.00	12 माह
3	USS-	सारण		सिताब दियारा	बालिका म० वि०, सिताब	45.30	0.04	6450.00	40 THZ
3	210	(111.4)	'	।ताताव ।दवारा	दियारा	45.30	0.91	6150.00	12 माह
4	USS-	गोपालगंज	1	उचकागाँव	मध्य विद्यालय, कपरपुरा	46.69	0.93	6150.00	12 माह
	211	गामारागज	-	उपयमगाप	निच्य विद्यालय, क्रेयरपुरा	40.09	0.93	6 150,00	וב חופ
	USS-								
5	212	सीवान	1	नवतन	म० वि०, नवतन	47.10	0.94	6150.00	12 माह
								0,00.00	
6	USS-	शेखपुरा	1	हथीयावाँ	उत्० म० वि०, राम रायपुर	43.08	0.86	6150.00	12 माह
	213			• 1, 1, 1					
7	USS-	वेगूसराय	1	बलिया	कलावती महादेव म० वि०,	45.50	0.91	6150.00	
	214				बरवीधी	10,00	0,0,	0,00,00	12 माह
8	USS-	मुंगेर	1	मासुमगज,	। उदाडीह म० वि०	45.64	0.91	6150.00	12 माह
×4	215	3.,		भागलपुर		10.01	0.01	0 100.00	12 110
9	USS-	दरभंगा	1	लोआम	म० वि०, लोआम	48.05	0.96	6150.00	12 माह
	216	,,,,,,		*******	, , , , , , , , , , , , , , , , , , , ,	10,00	0.00	0.100.00	
10	USS-	मधुबनी	1	खुटौना	। म० वि० एकथ्था	49.94	1.00	6150.00	12 माह
	217	.3		301 11	1- 77- 3111	70,01	1.00	0100.00	12 110
11	USS-	रोहतास	1	दिनारा	। म० वि० दिनारा	43.98	0.88	6150.00	12 माह
	218	NEMIN	,	13 1131	1-17-17-1111	40.00	0.00	0 100,00	12 110
12	USS-	भोजपुर	1	बरहारा	 कुदरिया परशुराम म० वि०,	45.03	0.90	6150.00	12 माह
	219	37	,	410111	3,41,41 1,31,11 10 140,	40.00	0.30	0130.00	12 110
13	USS-	वैशाली	1	गोरौल	म० वि० इस्लामपुर	45.87	0.92	6150.00	12 माह
	220	9311011	ı	TININI	नव । सव श्रेरता । नुर	45.07	0.52	0 150,00	וב יוופ
14	USS-	बांका	1	चकमुनिया	म० वि०, चकमुनिया	45.81	0.92	6150,00	10 HE
	221	भाषम	1	पपरगुरापा	न्य १४०, ४४७गुर्गाम	40,01	0.82	0 150,00	12 माह

(नोट :- निविदाकार एक या अधिक ग्रूप में अलग-अलग निविदा डाल सकते हैं।)

() a series of the series of			
(2)	विज्ञापन निर्गत करने की तिथि	:	दिनांक: 12.0 <mark>6.2012</mark>
(3)	परिमाण विपत्र प्राप्त करने(डाउनलोड) की अवधि एवं समय	;	दिनांक— 15.06.2012 से 27.06.2012, 15:00 घंटा
			(वेबसाईट:www.eproc.bihar.gov.in पर)
(4)	प्री बिड मीटिंग का समय, स्थान एंव तिथि	:	दिनांक:-22.06.2012, 14:00 घंटा प्रबंध निदेशक का
			कार्यालय,बिहार राज्य शैक्षणिक आधारभूत
A			संरचना विकास निगम, पटना।
(5)	निविदा प्राप्ति(अपलोड) की अंतिम तिथि एवं समय	:	दिनांक— 28.06.2012, समय— 15:00 घंटा
(6)	टेक्निकल बिड खोलने की तिथि एवं समय	:	दिनांक— 29.06.2012, समय— 15:30 घंटा
			(वेबसाईट—www.eproc.bihar.gov.inपर)
(7)	वित्तीय बिड खोलने की तिथि एवं समय	;	दिनांक— 04.07.2012, समय— 16:00 घंटा
(8)	निविदा खोलने का स्थान	:	वेबसाईट—www.eproc.bihar.gov.inपर
(9)	निविदा की वैधता की अवधि	:	120 दिन

(10) ई—टेन्डरिंग की प्रक्रिया में भाग लेने हेतु संवेदकों को पंजीकृत होना होगा, जिससे कि उन्हें उपयोगकर्ता का नाम (user ID) पासवर्ड (Password) अविधानसम्बद्ध (Digital Signature) निर्गत की जायेगी। यह उन्हें वेबसाईट www.eproc.bihar.gov.in से डाउनलोड करने / टेन्डर की किया में भाग लेने की योग्यता प्रदान करेगा।

114990

Director

Chief Consentant (Technidal)
Bihar State Educational Infrastructure (
Development Corporation Ltd., Patna

(11) ई—निविदा पत्र बेवसाईट www.eproc.bihar.gov.in से प्राप्त किया जा सकता है। संवेदक द्वारा सिर्फ उपर्युक्त वेबसाईट से ही परिमाण विपत्र प्राप्त करने के उपरांत वेबसाईट पर ही इलेक्ट्रानिक निविदा पत्र को भरकर भेजना है। अन्य सभी महत्वपूर्ण कागजात / बैंक द्वापट / अग्रधन की राशि / सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को स्कैन कर ई—निविदा के साथ संलग्न करना अनिवार्य है। साथ ही संलग्न दस्तावेज का एक Hard copy, जो प्रत्येक पृष्ठ पर स्वहस्ताक्षरित हो मिलान हेतु BSEIDC Ltd. पटना के कार्यालय में निविदा प्राप्ति की अंतिम तिथि के एक दिन बाद तक यानी दिनांक—29.06.2012 के अपराहन 3:00 बजे तक एक अलग लिफाफे में जमा करना भी आवश्यक होगा।

(12) परिमाण विपत्र के दर से कम दर उद्धृत करने पर बीड डाक्यूमेंट की शत्तों एवं सरकारी निर्णयानुसार अतिरिक्त Performance

Guarantee एकरारनामा के पूर्व जमा करना होगा।

(13) (क) प्रत्येक परिमाण विपन्न का मूल्य जो प्रत्येक निविदा के सामने उपर किण्डका (1) में अंकित है (जो लौटाया नहीं जाएगा) किसी भी राष्ट्रीयकृत बैंक द्वारा निर्गत एवं BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. के नाम से एवं पटना में भुगतेय हो, स्वीकार किया जायेगा। मूल बैंक ड्राफ्ट "बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड" पटना के कार्यालय में दिनांक 29.06.2012 के 15:00 घंटे तक जमा किया जाना है। ऐसा नहीं करने पर निविदा मान्य नहीं होगा।

(ख) वांछित अग्रधन की राशि राष्ट्रीय बचत पत्र/डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक बिहार वित्त नियमावली के अनुसार जो बिहार राज्य से क्रय या जमा किया हो, प्रबंध निदेशक, BSEIDC Ltd., पटना के नाम प्रतिज्ञिप्त (Pledged) अथवा एक करोड़ से अधिक की कार्य के लिए बैंक गारन्टी जो बिड के मान्य अवधि तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत/अनुसूचित बैंक से निर्गत हो (अगर बिहार प्रान्त के बाहर के बैंक से निर्गत बैंक गारन्टी दिया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड, पटना में दिनांक 29.06.2012 के 15:00 घंटे तक जमा किया जाना है। ऐसा नहीं करने पर निविदा मान्य नहीं होगा।

(14) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर लें। ताकि अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से बच सकें।

(15) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। बिना कारण बताये निविदा या उसके अंश को अस्वीकृत करने/रद्द करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।

(16) विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्य अवधि में सम्पर्क किया जा सकता है। ई—टेन्डरिंग की प्रक्रिया से संबंधित किसी भी प्रकार की जानकारी/सूचना हेतु सहायता कक्ष, 22 टेलीग्राफ कॉलोनी, किदवईपुरी, इनकम टैक्स गोलम्बर के पास, पटना से सम्पर्क किया जा सकता है। दूरभाष सं0— 0612—2523006/9939035696.

प्रबंध निदेशक

U. P. MAHESHWARI CONSTRUCTION

CHOTAL FORE

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Par

SPECIAL CONDITIONS

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes royalties and other

incidental charges.

4. The contractor should submit with the tender :-

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of signatory bid.

b) DD for required value of B.O.Q. Cost.

c) Sufficient Earnest Money Deposit.

d) Certificate of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.

e) Certificate from EE for Work Experience of Similar nature (Satisfactory completed atleast one similar work of value not less than 25 % of estimated value of contract) in last five years as mentioned in Technical bid.

Minimum Quantities of work done as prime contractor in any one year during last five

years as mentioned in Technical bid.

g) Litigation History as mentioned in Technical bid.

h) Affidavit as mentioned in Technical bid.

- i) Valid Registration with Central/ State Govt. / PSU.
- i) Up-to-date clearance certificate of I.T. and S.T.
- k) Valid labour license as mentioned in Technical bid.
- l) Valid Character Certificate as mentioned in Technical bid.

m) NOC for Debar as mentioned in Technical bid.

n) Technical staff they possess as mentioned in Technical bid.

o) PAN Card.

- p) Proposed methodology and programme of construction as mentioned in Technical bid.
- q) Availability of key items of Contractor's Equipment as mentioned in Technical bid.

r) Evidence of accesses to Financial Resources as mentioned in Technical bid.

s) Undertaking of able to invest a minimum of cost upto 25% of contract value of work during implementation of contract as mentioned in Technical bid.

5. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.

6. The tender without earnest money or insufficient earnest money submitted with the tender, will be outright rejected.

7. Conditional tenders shall be outright rejected.

8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.

9. Authority shall reserve the right to reject any or all the tenders or distribute the work to more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained.

11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules prevalent in the locality.

U.M. BRIDGE CARD CONSTRUCTION

Page 1 of 2

(Seal & Signature of Tenderer)

Bihar State Educational Infrastructure VIII.

Development Corporation Ltd., Patna 15

BSEIDC, Patna Tender: Up-Graded Secondary Schools in Bihar (Special Conditions) USS-221

- 12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the contractor.
- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-
- a. Natural calamities
- b. Act of enemies.
- c. Transport and procurement difficulties.
- d. Circumstances beyond the control of the state.
- 15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- 16. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
- 17. The contractor shall make his own arrangement for water and light at the work site.
- 18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 20. The Tenderer must not quote their rate more than 15 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
- 21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 22. If any departmental materials will be supplied to the contractor the cost for carriage etc. will be borne by the contractor.
- 23. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.
- 24. The Defect liability Period shall be from the date of completion of the work.

U. P. MANESHWARI CONSTRUCTION

----X-----

Page 2 of 2

(Seal & Signature of Tenderer)

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patno