Schedule XLV-Form No. 61 Nork-Renovation Work of Rajkiya Kanya High School, Selar Kala, Block-Phulwaniya.

Ltd.

SCHOOL,

BIHAR PUBLIC WORKS DEPARTMENT

gency - [Form No. F-2] Varun Kuman ITEM RATE TENDER AND CONTRACT FOR WORKS

Agreement No. 165 F2 of 2017-18.

♦ General Rule and Direction for the guidance of Contractors.

Date of Commencement - 08-11-2017

1. All works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer.

This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours.

2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so.

3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm.

4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender. Rs.

5. The amount of earnest money to be deposited will be : -If the amount of the estimate does not exceed Rs. 2,000 If the amount of the estimate exceeds Rs. 2,000 but does not exceed Rs. 5,000 If the amount of the estimate exceeds Rs. 5,000 but does .. 200 not exceed Rs. 10,000 For each additional Rs. 5,000 or portion of Rs. 5.000 additional earnest money

6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete ender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompanied by the treasury challan for the required earnest money will be liable to rejection. No single tender shall include more than one work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the envelop Cast deposits for earnests shall bear the name of the work to which they refer written outside the envelop (ast) deposits for earnests money here in before mentioned shall be made in Government Treasuries and the challap there of should be enclosed with the tender

memorandum at I in accodance in bjects to the ccordance with,

hool, Selar

Commencement of

HTNC

Name of Work-Renovation Work of Form No. 61 Rajkiya Kanya High School, Selar Kala, Block-Phulwaniya.

Ltd.

SCHOOL,

PUBLIC WORKS DEPARTMENT

Agency - [Form No. F-2] Varun Kuman ITEM RATE TENDER AND CONTRACT FOR WORKS

_____165F20f2017-18. Agreement No.

General Rule and Direction for the guidance of Contractors.

Date of Commencement - 08-11-2017 1. All works proposed for execution by contract will be notified in a form of invitation to tender

passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer.

This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours.

2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so.

3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm.

4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender.

5. The amount of earnest money to be deposited will be: -Rs. 50 If the amount of the estimate does not exceed Rs. 2,000 If the amount of the estimate exceeds Rs. 2,000 but does not exceed Rs. 5,000 · If the amount of the estimate exceeds Rs. 5,000 but does .. 200 not exceed Rs. 10,000 ... For each additional Rs. 5,000 or portion of Rs. 5.000 additional earnest money

6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete lender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompanied by the treasury challan for the required earnest money will be liable to rejection. No single tender shall include more than one work, but contractors who will to tender for two or more works shall submit a separate lender for each Tender shall bear the name of the work to which they refer written outside the envelope dash deposits for earnests money here in before mentioned shall be made in Government Treasuries and the 7(113017 enclosed with the tender

08 IIII 30

memorandum at d in accodance in bjects to the ccordance with,

hool, Selar

Commencement of

)NTH

7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.

8. The Engineer shall have the right of rejecting all or any of the tenders.

9. In the event of a tender being selected for acceptance the Engineer who opened the tenders will, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the priscribed time. The tender with the specification and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to the tenderer.

bangs. Britsass Drived hos

10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.

.23

11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection.

200

Rs. 5.000

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

cation tenders, or which contain any other conditions of any sort, work can be finished, or which are not accompanied by the treasury will be liable to rejection. No single tender shall include more than one

money has been deposited the Engineer shall scrutinise all pages of the form of ilerCrated at a contract for works to see that the form has been properly filled up and signed by the contractor & the signature witnessed He shall then if he is competent, to accept the tender, sign the acceptance of the tender, or, if he is not so competent shall send the form for signature of the acceptance of the officer competent to accept it.

J. Xxx

TENDER FOR WORKS

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

MEMORANDUN	ı

(a) If several	sub-work are
cluded the	sub-work are sy should be
detained in a	separate list.

- [a] Name of work
- [b] Estimated cost
- (b) This deposit will be 5% of the estimated cost of the Work.
- [c] Earnest money
- c) This percentage deduction from bills will be credited to the contractors ecurity deposit.
- [d] Initial security deposits (including earnest money) to be deposited befor the commencement of the work
- [e] Percentage to be deducted from bills Rs. 5% (Rupees five percent)
- [g] Date of written other to commence
- [h] Total number of item of work tendered for

Item No.	Item of work	RATE TE	NDERED	_
itemino.	item of work	In figures	In words	Per
	Jan Marie Jan Z	8	Chief Engi S.E.I.D.C. Li	g 11 19 neer d, Patna
	06	211		

on Ltd.

I SCHOOL,

n memorandum at and in accodance in Subjects to the naccordance with,

School, Selar

he Commencement of

MONTH

Ineer id Patna

Item No. In figures In words	T		RATE TEI	Per	
	Item No.	Item of work			
				1. /	
				1. /	
	· · · · · · · · · · · · · · · · · · ·			Y	
			/		•
			1		
		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\			
					:
					•
	and the second				
					+
	r 				
	ก				
	9 Vi				
			<u> </u>		

n the second was

3

Schedule XLV - Form No. 61

(5)

1	• . •		PATE TEMPERED		RATE TENDERED		PATE TEMPERED		DATE TEMPERATE		<u>n Lta.</u>
4	Item No.	Item of work	In figures	In words	Per	SCHOOL,					
כ			gui Co	mwords							
9											
4						n memorandum at					
						nd in accodance in					
						Subjects to the accordance with,					
<u>.</u>						,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					
<u></u>											
₹'											
						School, Selar					
9											
			V			1 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -					
Ŋ			<i>}</i>			· · · · · · · · · · · · · · · · · · ·					
)											
)											
						e Commencement of					
						o commencement of					
	ĺ		•								
: .											
						MONTH					
*,											
				•							
						:					
						 - -					
				ľ							
			•			4					
						:					
					`	:					
٠.						· !					
					mental from	150/1/18					
					Ž	ineer td. Patna					
						meer I d Patna					
				<u> </u>	[5]	Lehauth)					

n Ltd.

08/11/12

(6)

		RATE TE		
Item No.	Item of work	In figures	In words	Per
•				
			* * .	
				*
,				
	/			
				No control of the con
			·	*
				-
				:
				_
		\$		

Schedule XLV - Form No. 61 (7

ltem No.	Item of work	RATE T	ENDERED	
		In figures	In words	Per

on Ltd.
I SCHOOL,

and in accodance in Subjects to the n accordance with,

School, Selar

the Commencement of

MONTH

Engineer
C. Ltd. Patna
OS/11/1

should this tender be accepted I/we hereby agree to abide by and fulfill all the terms and provisions of the said conditions of contract annexed hereto so. for as applicable, or in ssors in office the sums of money mentioned in the said conditions

Dated the

day of

*Signature, of contractor before comission of tender

witness :-

Address:-

Occupation:

Signature of witness to contractor's signature

The above tender is hereby accepted by me on behalf of the Governor of Bihar day of Dated the

20

signature of the officer accepting the tender

Acceptances communicated on...

signature of the party taking the tender

CONDITIONS OF CONTRACT

Compensation

Clause 1:- All compensation or other sums of payable by the contractor to Government under the terms of his contract may be deducted from, paid by the sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor by Government on any account whatsoever and in the event of his security deposit being reduced by reason of any such deduction or sale as aforesaid, the contractor shall within ten days there after make good in cash or Government securities endorsed as aforesaid any sum or sums which may have been deducted from, of arised by, sale of his security deposit of any part thereof.

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which the work is finished after necessary rectification of defects as pointed by the Executive En- gineer or his authorised agents are fully contractor to the Engineer's satisfaction.

Clause 2:- The time allowed for carrying out the work as entered in the tender shall be strictly observed by the contractor and shall be reckoned from the date of which the wirtten order to comence work is given to the contractor. The work sha throughout the stipulated period of the contract be carried on with all due diligence (time being deemed to be the essence of the contract on the part of the contract or) and the contractor shall pay as compensation an amount equal to 1/2 percent on the amount of the estimated cost of the whole work as shown by the tender of every day that the work remains uncommenced or unfinished after the proper date And further to ensure good progress during the execution of the work the contractor shall be bound in all cases in which the time allowed for any work exceeds on month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before one half of such time elapsed and three-fourths of the work, before three fourths of such time has elapsed in the event of the contractor failing to employ with this condition I shall be liable to pay as compensation an amount equal to ½ percent on the sal estimated cost of the whole work for every day that the due quantity of woll remains incomplete provided always that the entire amount of compensation to paid under the provisions the clause shall not exceed 10 percent of the estimate cost of the work as shown in the tender.

Action when persnle security deposit foreited

Clause 3:- In any case which under any clause or clauses of or this control the contractor shall have rendered himself laible to pay compensation amounti to the whole of his security deposit in the hands of Government (where paid in of sum or deducted by instalments) the Executive Engineer on behalf on the Bill Government shall have been powered to adopt any of the following courses, as may deem best suited to the enterest of Government

(a) To rescind the contract (of which rescind notice in writing to the contract under the hand of the Executive Engineer shall be conclusive excence) and which case the sectitiry deposit of the cortiants. shall start for extendand absolutely at the disposal of Government lea

nedule XLV - Form No. 61

(9)

- (b) To employ labour paid by the Public Works Department and to supply lerials to carry out the work, or any part of the work, debitting the construction with cost of the labour and the price of the materials (of the amount of which cost and e certificate of the Engineer-in -charge shall be final and conclusive against the tractor), and crediting him with the value of the work done, in all respects in the ne manner and at the same rates as if it had been carried out by the contractor under terms of his contract, the certificate of the Executive Engineer as to the value of the k done shall be final and conclusive against the contractor.
- (c) To measure up the work of the contractor and to take such part of the work ne contractor as shall be unexecuted out of his hands, and to give it to another ractor to complete in which case any expenses which may be incurred in excess of sum which would have been paid to the original contractor if the whole work had nexecuted by him (of the amount of which excess the certificate in writing of the cutive Engineer shall be final and conclusive) shall be born and paid by the original ractor and made be deducted from any money due to him by Government under the ract or otherwise, or from his security deposit or the proceeds of sale thereof, or a cient part thereof.

In the event of any of the above courses being adopted by the Executive neer, the contractor shall have no claim to compensation for any loss sustained by by reason of his having purchased or procured any materials or entered into any gement, or made advances on account of or with a view to execution of the work or erformance of the contract. And in case the contract shall be rescinded under the sion aforesaid, contractor shall not be entitled to recover or be paid any sum for any there-to-fore actually performed under this contract unless and until the Executive neer shall have certified in writing the performance of such work and the value ble in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4:- In any case in which any of the powers, conferred upon the Executive neer by clause 3 thereof shall have become exercisable and the same shall not be ised the non-exercise there of shall not contitury waiver of the conditions here and power shall not with standing be exercisable in the event of any future case of It by the contractor for which by any clause or clauses hereof he is declared liable compensation amounting to the whole of his security deposit and the liability of intractor for past and future compensation shall remain unaffected in the event of cecutive Engineer putting in force the powers vested in him under the preceeding e he may, if so desires, take possession of all or any tools, plants, materials and in or upon the works of the site thereof or belonging to the contractor or procured and intended to be for the execution of the work or any part there of paying or ng for the same in the contract at the account rates, or in case of these not being able at current market rates to be certified by the Executive Engineer whose ate thereof shall be final, otherwise the Executive Engineer may notice in writing contractor or his clerk of the work, foreman or other authorised agent require him ove such tools, plants, materials or stores from the premises (within a time to be ied in such notice) and in the event to the contractor failing to comply with any equisition the Executive Engineer may remove them at the contractor expense or em by auction or private sale on account of the contractor and at his risk in all t, and the certificate of the Executive Enginee, as to the expense of any such al and the amount of the proceeds and expense of any such sale be final and sive against the contractor.

Clause 5: - If the contractor shall desire any extension of the time for etion of the work on the ground of his having been unavoidably hindered in its ion or on any other ground other than those mentioned in clause 12 (a) he shall a writing to the Executive Engineer within 40 days from the date of starting of the ince on account of which be desires such extension as aforesaid and the Executive er shall, if in his opinion (which shall be final) reasonable grounds be authorised such extension of time if any, as may in his opinion be necessary or The Executive Engineer shall at the same time inform the contractor whether the compensation for the delay.

210

on Ltd.

H SCHOOL,

ten memorandum at and in accodance in d Subjects to the in accordance with,

n School, Selar

the Commencement of

MONTH

Power to take posession of or require removal of or sell contractor plant.

contractor remains liable

to pay compensation if

action not take under

cause 2.

Extension of time

Engineer
C. Ltd. Patna
Official

Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion, but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete. until the contractor shall have removed from the area of the premises (to be distinctly marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-work. doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurements shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus materials and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-incharge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts or in any other way vary or affect the contract.

Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Stores supplied Government

Clause 9.- If the specification or estimate of the work provides for the use of an special description of material to be supplied from the Engineer in-charge's stores or if is required that the contractor shall use certain stores to be provided be the Engineer-in charge under the conditions of this contract or (such materials and stores, and the price to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effective of this contract are specified in schedule or memorandum here to annexed) the contract shall be supplied with such materials and stores noted in the annexed such schedul required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified the said schedule may be set off or deducted from any sums then due or there after become due to the contractor under the contract or otherwise, or against or form t security deposit, or the proceed of sale thereof, if the same is held wernment security the same or sufficient portion thereof in this case sold for the purpose. All materia supplied to the contractor shall remain the absolute property of Government and sl not on any accounts he removed from this site of the work and shall at all times be open B.S.E.I.D.C. Ltd, Patner

spections by the Engineer-in-charge. Any such materials unused and in correctly in ood condition at the time of the completion or determination of the contract shall be turned to the Engineer-in-charge's store, at the prevailing market rate or at the issue te whichever is less if by a notice in writing under his hand he shall so require, but the intractor shall not be entitled to return any such materials unless with such consent d shall have no claim for compensation on account of any such materials so supplied him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: The contractor shall executive the whole and every part of the work the most substantial and workman like manner, and both as regards materials and erwise in every respect in strict accordance with the specifications. The contractor all also confirm exactly, fully and faithfully to designs, drawings, and instructions in ting relating to the work singed by the Engineer-in-charge and lodged in his office and which the contractor shall be entitle to access at such office, for the purpose of pection during office hours, and the contractor shall, if he so require be entitled at his nexpenses to make or cause to be made copies of the specification, and of all such igns, drawings and instructions as aforesaid.

Clause 11:- Engineer-in-charge shall have power to make any alteration in additions ne original specifications, drawings and instructions that may appear to him to be essary or advisable during the progress of the work. The contractor shall be bound arry out the work in accordance with any instructions which may be given to him in ng signed by the Engineer-in-charge, and such alteration shall not invalidate the ract and any additional work which the contractor may be directed to do in the ner above specified as part of the work shall be carried out by the contractor on the e conditions in all respects on which he agreed to do the main work, and at the erates as are specified in the tender of the main work. The time for completion of ork shall be extended in the proportion that the additional work bears to the original act work and the certificate of the Engineer-in-charge shall be conclusive as to proportion and to the additional work includes any class of work, for which no rales ecified in this contractor then such class of work shall be carried out at the rates ed in the sanctioned schedule or rates of the locality during the period when the is being carried on and if such last mentioned class of work is not entered in the lule of rates of the district then the contractor shall within seven days of the date receipt of the order to carry out the work inform the Engineer-in-charge does the hich in his intention to charge for such class of work and if the Engineer-in-charge not agree to this rate he shall be noticed in writing be at liberty to cancel his order y out such class of work and arrange to carry it out in such manner as he may er advisable provided always that if the contract shall commence work or in our penditure in regard thereof before the rate shall have been determine as lastly before mentioned then and in such case he shall only be entitled to be paid in t of the work carried out or expenditure incurred by him prior to the date of the ination of the rates as aforesaid according to such rate or rates as shall be fixed Engineer-in-charge in the event of a disputes the decision of the superintending

rovided always that the contractor shall not be entitled to any payment for any al work done unless he has received an order in writing from the Engineer-infor the additional work the contractor shall be bound to submit his claim for any al work done during any month on or before the 15th days other following month anied by a copy of the order in witting of the Engineer-in-charge for the additional d that contractor or shall not be entitled to any payment in respect of such al work if be other submit his claim within date afore said period.

ause 12:- If at any time after the commencement of the wok the Government of all for any reason whatsoever not require the whole thereof as specified in the be carried out. the Engineer-in-charge shall give notice in writing of the fact to actor who shall have no claim to any payment of compensation whatsoever on of any profit or advantage, which he might have derived from the execution of n full, but which he did not derive in consequence of the full amount of the ஜன் g been carried out neither shall he have any claim for compensation ernation having been made in the original specification, drawing de n which shall involve any installment of the work as originally contemplated

(a) As contained in GO 1929 dated 11.9.56.

tion Ltd.

3H SCHOOL,

Work to be executed accordance with specification drawing other etc.

itten memorandum at ce and in accodance in nd Subjects to the s in accordance with.

gh School, Selar

Alteration in specifications and designation.

re the Commencement of

Do not in validate contract

IX MONTH

Time in consequence of

Rate for work no in estimate or schedule of rates of the district.

ompensation for alter-

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such failure is due to:

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as finally by the contractor.

Action and compensation payable in case of work.

Clause 13 :- If it shall appear to the Engineer-in-charge or his subordinate incharge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall on demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-incharge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and expense in all respects of the contractcor.

Work to be taken to inspection

Clause 14: All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineer-in-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be present.

Clause 15: The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which the same was effected.

Notice to be taken before work covered up Clause 16:- If the contractor or his work-people, or servants shall break, deface injure or destroy any part of a building in which they may be working or any building, road, road curves, fence enclosure water pipes cables, trains electric or telephone posts or wires, trees, grass or grassland or cultivated grains electric or telephone the work or any part of it is being excluded or if any damage shall happen to the work, while in progress from any cause whatsoever or any imperfection become apparent in it within three months (six months in the case of a road-work) after a certificate final or other of its completion shall have been given by the Engineer-in-charge

Seria S

a fore seal, the contractor shall make the same good at his own expense, or in fault, the Engineer-in-charge may cause the same to be made be good by other orksmen and deduct the expense of which time thereafter may become due to the ntractor, or from his security deposit, or the proceed of sale there of, or of a sufficient rtion there of the security deposit at the contractor shall not be refunded before the piry of three months (six months in the case of a road-work) after the issue of the tificate final or otherwise of completion of work provided that in the case of a road work the opinion of the Engineer-in-charge behalf of the security deposit will be refundable er three months of the issue of the said certificate of completion

Clause 17:- The contractor shall supply at his own cost all materials (except such cial materials) if any as may in accordance with the contract be supplied from the ineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, le scaffolding and temporary works requisits or proper for the proper execution of the whether original, altered or substituted and whether include in the specification or r documents forming part of the contract or referred to in these conditions or not or h may be necessary for purpose of satisfying or complying with the requirement of ngineer-in-charge as to any matter as to which under these conditions he is entitled satisfied which he is entitled to require together with carriage therefore to and form ork. The contractor shall also supply without charge the requisite number of persons ne means and materials necessary for the purpose of setting out works, and counting, ing and assisting in the measurement or examination at any time and form time to of the work or materials failing his so doing the same may be Provided by the eer-in-charge at the expense of the contractor and the expenses may be deducted iny money due to the contractor under the contract from his security deposit or the eds of sale thereof or of a sufficient portion thereof. The contractor shall also provide essary fencing and lights required to protect the public from accident, and shall be to bear to expenses of defence of every suit action or other proceeding at law that e brought by any person for injury sustained owing to neglect of the above tions and to any such person or which may with the consent of the contractor be compromise any claim by any such person.

lause 18:- No female labour shall be employed within the limits of contonment. ntractor shall not employ for the purpose of his contract any person who is below of twelve years and shall pay to each labour for the work done by such labourer ot less than the wages paid for similar work in the neighbourhood.

ne executive Engineer shall have the right to enquire into the case and decide plaint alleging that the wages paid by the contractor to any labourer for the work such labour is less than the wages paid for similar work in the neighbourhood.

e officer in-charge of the work shall have the right to decide whether any labourer by contractor is below the age of twelve years and to refuse to allow any whom he decided to be below the age of twelve years to be employed by the

use 19:- The Contractor shall not be assigned or subject without the written of the Executive Engineer. And if the contractor shall assign or subject his r attempt so to do, or become insolvent proceedings to make any composition editors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward ge pecunairy of otherwise, shall either directly or indirectly be given promissed, by the contractor, or any of his servant or agents to any public officer or person loy of Government in any way relating to his officer or employment or if any r or person shall become in any way directly or indirectly interested in the Executive Engineer may there upon by notice in writing rescind the contract. y deposit of the contractor shall there upon stand forfeited and be absolutely sal of Government and the same consequence shall ensure as if the contract cinded under clause 3 here of, in addition the contractor shall not be entitled in each r be paid to any work therefore actually performed the under the confract. Ltd. Patna

Contract may be resinded and security deposit forfelted for subletting bribes or if contractor become

Work not to be subject

Contractor liable for imperfection a months

Contractor to supply to

plantladder scaffolding

damage done and for and after certificate

> ritten memorandum at nce and in accodance in and Subjects to the its in accordance with,

tion Ltd.

GH SCHOOL,

igh School, Selar

And is liable for damage arising for non-provision of light fencing etc.

fore the Commencement of

SIX MONTH

.rec-

⊿ng En-

los of Contractor of the Contractor of Contr

sums payable by way of compensation under any of these dered as reasonable compensation to be applied to the use of prence to the actual loss or damages sustained and there of the en sustained.

a sender by partners, any change in the constitution stifled by the contractor to the Engineer-in-charge or this.

...ure to notify the change in the constitution within fifteen days the ...ge may be notice in writing rescind the contract and the security deposit ...tor shall thereupon stand forfeited and be absolutely at the disposal of ...ent and the same consequences shall ensure as if the contract has been ...ded under clause 3 hereof, and in addition the contractor shall not be entitled to ...over or be paid for any work therefore actually performed under the contractor.

Clause 22: All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23:- In case any dispute or difference shall arise between the parties of either of there upon any question relating to the meaning of the specifications, designs, drawings and instructions here before mentioned or as to the quality of workmanship of materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, or any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions or otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof or as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

Action and

ation pay of work

(a) Clause 24: When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items or work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-incharge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineer-in-charge shall be final and conclusive against the contractor with regard to any sum payable to him under the provision of this clause.

Action where specificalton.

no

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Definition of works

Clause 26: The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to such construction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered, substituted or additional.

Clause 27:- The terms and conditions of the agreement have been read/explained to me and certify clearly understand them.

Witness.

Contractor

e XLV - Form No. 61

(15)

edule showing (Approximately) materials to be supplied, it available the rates of nich they are to be charged for and the places at which they are to be supplied

Particulars	Rates at will be	which the material charged to the contractor	which the material charged to the Place of delontractor	
	Unit	Rs.	P.	

oration Ltd.

HIGH SCHOOL, J)

r written memorandum at mence and in accodance in of and Subjects to the pects in accordance with,

High School, Selar

refore the Commencement of

e SIX MONTH

-The person or firm submitting the tender should see that the rates in the above schedules are ne Engineer-in-charge on the issue of the form prior to the submission of the tender.

Contrator)

Chief Engineer

(Signature of Excellive Engineer)

ief Engineer
I.D.C. Ltd. Patna

Bihar State Educational Infrastructure Development Corporation Ltd.

AGREEMENT FOR RENOVATION WORK OF RAJKIYA KANYA HIGH SCHOOL, SELAR KALA, BLOCK-PHULWARIA (GOPALGANJ)

TENDER FOR WORKS

I/we heredy tender for the execution for the Governor of Bihr of the work specifed in the under written memorandum at the rates specified therein within a period of years month from the date of witten order to commence and in accodance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subjects to the annexed condation of contract and with such materaials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

MEMORANDUM

(a) If several sub-work are incuded they should be

- (A) Name of Work :- Renovation Work of Rajkiya Kanya High School, Selar detained in the separate list Kala, Block-Phulwaria (GOPALGANJ)
 - (B) Estimated Cost :- Rs. 76,61,138=00 Agreement value :- Rs. 68,95,024=00
- (b) This deposit will be 5% of the estimated cost of the work.
- (C)Earnest Money:-

(c)This percentage deduction from bills will be credited to the contractors security deposits

(D) Initial security deposits (including earnest money) to be deposited before the Commencement of the work-

Earnest Money: - 3,46,000/- (Details attached)

- (E) Percentage to be deducted from bill Rs. 5% (Rupees five percent)
- (F) Time required for the work from date of written order to commence SIX MONTH
- (G) Date of written order to commence :-
- (H) Total number of item of work tendered for :- 90

Chief Engineer

BIHAR STATE CDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. SHIKSHA BHAWAN, SAIDPUR, PATNA

AGREEMENT for Renovation Work of Rajkiya Kanya High School, Selar Kala, Block- Phulwaria (GOPALGANJ)

	(GUPALGANJ)							
Sl. No.	SOR Item No	Item of Work	Qty.	Unit	Rate (Rs.)	Amount (Rs.)		
1	2	3	4	5	6	7		
		CIVIL WORKS (1% la	bour cess in	cluded	in SOR)			
	15.2.1	Demolishing cement concrete including disposal of material within 50 metre lead: 1:3:6 or richer mix .(MAIN BUILDING = 12.36 m^3)	12.360	cum	511.00	Rs. Five hundred eleven only.		
2	4.1.3	p.c.c.1:2:4(1 Cement: 2 coarse sand:4 graded stone aggregate 20 mm nominal size) (MAIN BUILDING = 13.638 m^3)	13.638	cum	3,323.10	Rs. Three thousand three hundred twenty three and paise ten only.		
3		Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS: 15622 of approved make in all colours, shades, except White, Ivory, Grey, Fume Red Brown laid on 20mm thick bed of Cement Mortar 1:4 (1 cement: 4 Coarse sand) including pointing the joints with white cement and matching pigments etc. toilet(16.430m^2)	16.430	sqm	801.80	Rs. Eight hundred		
		Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. 25mm thick (MAIN BUILDING = 247.22 m^2)	247.220	sqm	968.00	Rs. Nine hundred sixty eight only.		

Orinar!

Chief Engineer

S. S. E.I.D.C. Ltd, Patna

Skehaulh

8/11/12

5	11.36	Providing and fixing 1st quality Ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the nufacturer) of approved make in all colours, shades, except burgundy, bottle green, black of any size as approved by Engineer-in-charge in skirting, risers of step and dados over 12mm thick bed of Cement Mortar 1:3 (1 cement: 3 Coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigments of matching shade complete. (toilet = 76.807 m^2)	76.807	sqm	754.20	Rs. Seven hundred fifty four and paise twenty only.
6	13.11.4		1 707 213	sqm	89.30	Rs. Eighty nine and paise thirty only.
7	13.13.1+ 13.26	20 mm cement plaster of mix; 1:3 (1 cement: 3 coarse sand) (MAIN BUILDING =14.400m^2)	14.400	sqm	172.00	Rs. One hundred seventy two only.
8		precast terazzo tiles 22mm thick with marble chips of sizes up to 6mm laid floors and landings jointed with neat cement slurry mixed with pigement to	248.076	sqm	566.10	Rs. Five hundred sixty six and paise ten only.

Wistrow !!

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Ukehoud

Solida

			12			
9	9.20.2	Providing and fixing flush door shutters decorative type core of block board construction with frame of 1st class hard wood and well matched teak ply veneering with vertical grains or cross bands and face venears on both faces of shutters. 30 mm thick including stainless steel butt hinges wirh necessary screws.(toilet =10.448 SQM) (MAIN BUILDING (13.574 SQM)	24.022	2 sqm	2,330.20	Rs. Two thousand three hundred thirty and paise twenty only.
10	13.74	Removing white or colour wash by scrapping and sand paper in and preparing the surface smooth including necessary repair scratches etc. complete . (MAIN BUILDING = 1288.466 m^2)	1,288.466	sqm	4.20	Rs. Four and paise twenty only.
11	13.80 A.2 B.C. D.	Providing and applying white cement based putty of average thickness 2 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete as per Building Specification and Direction of E/I. Two coats .(Main Building =885.235 m^2)	885,235	sqm	118.70	Rs. One hundred eighteen and paise seventy only.
12		Distempering with 1st quality washable distemper (ready made) of approved manufacture and of requierd shade in colour complete. As per manufacture's specifications. One or more coats on old Work. Main Buielding (835.0515 M^2).	835.052	sqm	/ / / / / / / / / / / / / / / / / / /	Rs. Twenty one and paise seventy only.

D. Junan

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

2111

			13			
13	13.77A.	Distempering with 1st quality washable distemper (ready made) of approved manufacturer and of required shade and colour complete. As per manufacture's specifications. Two or more coats on new work. TOILET (77.321 SQM)	77,32	1 sqm	34.70	Rs. Thirty four and paise seventy only.
14	13.79.2	cement paint of approved brand and manufacture and of required shade to give an even shade. Old work (one or more coats) . MAIN BUILDING (453.41 M^2) .	453.410) sqm	39.90	Rs. Thirty nine and paise ninety only.
15	13.82.3	Painting with ready mixed paint of approved brand and manufacture in all shades to give an even shade: Old steel work (one or more coats). MAIN BUILDING (57.3684 M^2)		3 sqm	38.70	Rs. Thirty eight and paise seventy only.
16	14.5.2	Renewing glass panel, with putty and nails wherever necessary: Float glass panes weighing 10 kg/m2 (4mm thick glass) . MAIN BUILDING (33.48 SQM) TOILET(2.16 SQM)	35.640	sqm	621.60	Rs. Six hundred twenty one and paise sixty only.
17		Painting with black anti-corrosive bitumastic paint of approved brand and manufacture to give an even shade: One or more coats on old work. Main Buielding (14.400 M^2).	14.400	sqm		Rs. Twenty five and paise eighty only.
18		finishing Wall with water proofing cement paint of approved brand and manufacture and of required shade to give an even shade. New work (one or more coats). BOUNDARY WALL = 1512.00M^2). TOILET (55.941 SQM)	1,567.941	sqm	เกมานเ	Rs. Sixty and paise fifty only.

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Property Street

	- 1
1	4

			14			
19		p.c.c.1:2:4 (1 cement :2 coarse san :4 stone chips complete. Main Buielding (16.683 cum)	16.683	3 cum	321.60	Rs. Three hundred twenty one and paise sixty only.
20	15.13.1	Taking out doors, windows and clerestory window shutters (steel owood) including stacking within 50 meters lead. Of area 3 sqm and below. Main Buielding (28.0 each)	28.000) each	30.80	Rs. Thirty and paise eighty only.
21	10.1	Structural steel work in singal section fixed without connecting plate including cuttingal complete. Boundary wall(946.650 kgs) Main Buielding (146.565 kg)	1,093.215	kgs.	60.10	Rs. Sixty and paise ten only.
22		Providing and fixing glazed steel doors, window or ventilators of standard rolled steel section, joints mitered and welded with 15x3 mm M.S lugs 10cm long with steel legs embedded in cement concrete blocks 15x10x10cm. Of (1:3:6) (1 cement: 3 coarse sand: 6 stone aggregate 20 mm nominal size) or with wooden plugs and screws of with fixing clips or with wooden plugs and screws or rawl plugs and screws or wih fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal -sash putty of approved make complete including applying a priming coat of approved steel primer coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required Extra for and fixing steel beading of approved shape and section with screws instread of glaxing clips and net. sash putty in steel doors,	26.460	sqm	3,270.60	Rs. Three thousand two hundred seventy and paise sixty only.

N xoman

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Pho Ophilly

8 | 11

			15			
23	2.8.1	Earthwork in excavation in areas(exceeding 30cm in depth. 1.5m in width as well es 10sqm on plan) incloding dressing of sides and ramming of bottom, lift upto 1.5 including getting out the excavated soil and disposal of surplus soil as directed within a lead of 50m. All Kind of soil. BOUNDARY WALL(202.464 CUM) TOILET (= 30.960 = 30.960 SQM)	233.424	cum	205.20	Rs. Two hundred five and pasie twenty only.
24	2.26	Filling available excavated earth (excluding rock) in trenches and plinth side of foundation etc. in layers not exceeding 20cm. thick in depth consolidating each deposited layer by ramming and watering lead. BOUNDARY WALL(202.464CUM). TOILET (17.270=17.270 CUM)	219.734	cum	66.40	Rs. Sixty six and paise forty only.
25	2.28	Suppliying and filling in plinth with local sand and under floots including watering, ramming consolidating and dressing complete. BOUNDARY WALL (17.406 CUM) . TOILET (4.130 CUM) Campus (3600 CUM)	3,621.536	cum		Rs. One hundred ninety two and paise fifty only.
26	11.72	Providing designation 100A one brick flat soling joints filled with local sand including cost of watering texes royalty all complete as per building specification and direction of E/I., TOILET = (38.210 SQM), BOUNDARY WALL (232.080 SQM)	270.290	cum	227.60	Rs. Two hundred twenty seven and paise sixty only.
27	E .	Providing designation 100A one brick on edge soling joints filled with local sand including cost of watering texes royalty all complete as per building specification and direction of E/I. (Road)	135.000	sqm	365.10	Rs. Three hundred sixty five and paise ten only.

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

School

Solving

		·	16			
28	4.1.8	Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level. 1:4:8 (1cement: 4 coarse sand: 8 graded stone aggregate 40mm nominal size), BOUNDARY WALL (10.660CUM) TOILET (2.140 CUM=2.140 CUM)	12.800	0 cum	2,346.90	Rs. Two thousand three hundred forty six and paise ninety only.
29	4.1.5	Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level. 1:3:6 (1 Cement: 3 coarse sand: 6 graded stone aggregate 20 mm nominal size). Boundary wall (11.340 CUM)	11.340) cum	2,775.70	Rs. Two thousand seven hundred seventy five and paise seventy only.
30	5.1.1	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing & reinforcement - all work upto plinth level. 1:1:2 (1cement: 1 coarse sand : graded stone aggregate 20mm nominal size). BOUNDARY WALL (58.941 CUM) Toilet (2.920 CUM)	61.861	cum	5,110.70	Rs. Five thousand one hundred ten and paise seventy only.
31		Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing & reinforcement - all work upto plinth level. 1:1:2 (1cement: 1 coarse sand : graded stone aggregate 20mm nominal size) .BOUNDARY WALL(48.680 CUM) Toilet (3.444 CUM)	52.124	cum	5,666.20	Rs. Five thousand six hundred sixty six and paise twenty only.

Chief Engineer
B.S.E.I.D.C. Ltd., Patna

Lun

9/11/17

			17			
32	1 -	providing and laying in position specified grade of reinforced cement concrete work in beams, suspended floors, roofs, ,,,,,,,,,,,,,,complete.at all floors level Toilet (4.640 CUM)	4.640	CUM	4,581.20	Rs. Four thousand five hundred eighty one and paise twenty only.
33	6.1.14A + 6.3A	Brick work with bricks of class designation 100A in superstructure above plinth level upto three floor cement mortar 1:6 (1cement :6 coarse sand) . BOUNDARY WALL(184.500CUM)	184.500	cum	4,427.50	Rs. Four thousand four hundred twenty seven and paise fifty only.
34	6.1.14A	Brick work with bricks of class designation 100A above plinth in cement mortar 1:6 (1cement : 6corase sand) Extra for brick in superstructure above plinth level up to floor V cum	56.521	cu.m	3,992.90	Rs. Three thousand nine hundred ninety two and paise ninety only.
35	13.13.4	20 mm cement plaster of mix; 1:6 (1 cement: 6 coarse sand) Main Building = (181.366 SQM), TOILET (55.941 SQM) Boundary wall (1512 Sqm)	1,749.307	sqm	123.50	Rs. One hundred twenty three and paise fifty only.
36	13.24.2	6mm thick Cement plaster of Ceiling mix 1:4 (1 cement : 4 coarse sand), Main Building (49.444 SQM), TOILET (21.380 SQM = 21.380 SQM)	70.824	sqm	//40/	Rs. Seventy seven and paise forty only.
37	5.9.1	Centring and shuttering including strutting, propping etc. and removal of form for foundation, footings, basees of columns etc. for mass concrete. Boundary wall (118.400 sqm), toilet (19.44 sqm)	137.840	sqm	į.	Rs. One hundred sixty six and paise seventy only.
38		Centring and shuttering including strutting, propping etc. and removal of form for lintel, beams, plinth beams, griders, bressumers and contilevers. Boundary wall (234.00 sqm), toilet (33.278 sqm)	267.278	sqm	251.30	Rs. Two hundred fifty one and paise thirty only.

A Lomas

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

1121

Spling

			18			
39	5.9.6	Centring and shuttering including strutting, propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts. Boundary wall (458.800 sqm)		sqm	344.40	Rs. Three hundred forty four and paise forty only.
40		Centring and shuttering including strutting, propping etc. and removal of form for chhaja roof slab, abutments, posts and struts. Toilet (21.380 sqm)	21.380	sqm	275.60	Rs. Two hundred seventy five and paise sixty only.
41	11.27	Kota stone slabs 25 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average(thick cement mortar 1:3(1 cement; 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Main Building (29.583 sqm)		sqm	927.50	Rs. Nine hundred twenty seven and paise fifty only.
42	9.82.1	Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flatsm square or round bars etc all complete fixed to steel windows by welding. Main Building (283.273 kg)	283.273	kgs.	1 91 701	Rs. Ninety one and paise fifty only.
43	5.22.7A	Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete. TMTC-500 8mm dia. Boundary wall (2341 kg), toilet(1039 kg)	3,380.000	kg	74 40 1	Rs. Seventy and paise forty only.
44	5.22.7B	Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete. TMTC-500 10mm dia . Boundary wall(505 kg), toilet (226 kg)	731.000	kg	73 101	Rs. Seventy three and paise ten only.

(Ximan).

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Physical Street

81 (11) [1]

	,
- 1	€ '
	·
- 1	•

			19			
45		including straightening, cutting bending, placing in position and bonding all complete. TMTC-500 12mm dia. BOUNDARY WALL (5717 KG), TOILET (24 KG)	g, d 5,966.00 Y	0 kg	71.80	Rs. Seventy one and paise eighty only.
46	5.29.70	including straightening, cutting bending, placing in position and bonding all complete. TMTC-500 16mm dia. TOILET (339 kg)	339.000	0 kg	72.80	Rs. Seventy two and paise eighty only.
47	5.29.7D	Reinforcement for RCC work including straightening, cutting bending, placing in position and bonding all complete. TMTC-500 20mm dia. Toilet (407 kg)	407.000	kg	72.20	Rs. Seventy two and paise twenty only.
48	4.17 D.S.R	Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth. (toilet 21.380 sqm)		sqm	419.30	Rs. Four hundred nineteen and paise thirty only.
49		painting with synthetic enamel paint of approved brand manufacture,,,,,,,,,,,,,, boundary wall (18.933sqm), toilet (33.720 sqm)	52.653	sqm	.)(),9() [Rs. Fifty and paise ninety only.
50		With redimix zinc chromat yellow primer of approved brand and manufacture on steel galvanised iron/steel works. Boundary wall = (45.439 sqm), Main Building= (118.9536 sqm)	164.393	sqm	Z.I. 30.I.	Twenty one and paise hirty only.
51	8	Painting with ready mixed paint of approved brand and manufacture in all shades to give an even shade: Old steel work (one or more coats)	38.700	sqm	30.797	Rs. Thirty eight and aise seventy only.

Q y man ?

Chief Engineer

B.S.E.I.D.C. Ltd, Patpa

Philip

8 11

			20			
52		Providing and laying M-40 grade 80				
	SOR BCD	mm thick paver blockall complite job as per direction of E/I		sqm	731.77	Rs. Seven hundred thirty one and paise
	15.09.20	(Road work)			· · · · · · · · · · · · · · · · · · ·	seventy seven only.
53	1007-C	Steel angle . Boundary wall = 10.06 quintel	10.060	quintel	5,180.15	Rs. Five thousand one hundred eighty and
<u> </u>					(4)	paise fifteen only.
					(A)	5,043,549.34
						and the second s
		ELECTRICAL WORKS (1%	ó labour cess	EXclud	led in SOR)	
			- AND GALL CORP.	27210741	ica m bok j	
54	1.8.3	Wiring for light point /fan point /				
		exhaust fan point / call bell point with				
		1.5 sq.mm FR PVC insulated copper				
	ļ	conductor single core cable in surface				
		/ recessed medium class PVC conduit,				
F	· · · · · · · · · · · · · · · · · · ·	1		i i	i i	i i

54	1.8.3	Wiring for light point /fan point exhaust fan point / call bell point with 1.5 sq.mm FR PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit with piano type switch, phenolic laminated sheet, suitable size M.S. box and earthing the point with 1.5 sq.mm. FR PVC insulated copper conductor single core cable etc. as required. Group C. (Main Building=102 nos). (toilet=10 Nos.)		Nos.	675.00	Rs. Six hundred seventy five only.
55	1.14.3	Wiring for circuit / submain wiring alongwith earth wire with the following sizes of FR PVC insulated copper conductor,(Main Building = 600 mtr)	600,000	mtr	162.00	Rs. One hundred sixty two only.
56	1.24.3	supplying and fixing modular switch/socket on the existing	13	Nos.	111.00	Rs. One hundred eleven only.

X x smar /

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Standards

8111

			21			
57	1.12	Wiring for light/ power plug with 2x4 sq.mm FR PVC insulated copper conductor single core cable in surface/ recessed medium class PVC conduit along with 1 No 4 sq. mm FR PVC insulated copper conductor single core cable for loop earthing as required. (Main Building (400.00 mtr)	400.000	mtr	162.00	Rs. One hundred sixty two only.
58	1.24.4	supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. (Main Building (20 Each)	20.000	Each	79.00	Rs. Seventy nine only.
59	7.1.1	Laying of one number pvc insulated and pvc sheathedrequired. (Main Building = 200.00 mtr) (toilet 30.00 mtr)	230.000	mtr	195.00	Rs. One hundred ninety five only.
60	1708	6 amps to 32 amps rating, DP MCB, '`c'` cueve, 10 KA breaking capacity (main Building = 12 Each.)	12.000	Each	366.00	Rs. Three hundred sixty six only.
61	2121	Brass compression glad for (32mm) 3.5* 25sq mm 1.1 kv grade cable, (main Building = 2 Set)	2.000	set	130.62	Rs. One hundred thirty and paise sixty two only.
62	2349	straight through cable jointing kitcable, (main Building = 2 Set)	2.000	set	1,016.49	Rs. one thousand sixteen and paise Forty nine only.
63	1.29	Supplying and fixing metal box of 150mm x 75mm x 60mm deep (nominal size) on surface on in recess with suitable size of phenolic laminated sheet cover in front including providing and fixing 3 pin 5/6 amps socket outlet and 5/6 amps piano type switch, connection, painting etc. as required. (For light plugs to be used in non residential buildings). (main Building = 30 Nos.)	30.000	Nos.	194 00	Rs. One hundred ninety four only.

Original.

Chief Engineer

B.S.E.I.D.C. Ltd. Paina

Plan

8/11

	22			
Supplying and fixing metal box 180mm x 100mm x 60mm d (nominal size) on surface or in receivith suitable size of phen laminated sheet cover in fincluding providing and fixing 6 5/6 & 15/16 amps socket outlet 15/16 amps piano type switconnection, painting etc. as require (main Building = 30 Nos.)	teep cess colic cont pin and tch,	0 Nos.	276.00	Rs. Two hundred seventy six only.
Supplying and fixing following was prewired vertical type TP&N M distribution board of steel sheet 415 volts on surface / recess comple with loose wire box, terming connectors for all incoming a outgoing circuits, duly prewired was uitable size of FR PVC insular copper conductor for upto terminal blocks, tinned copper boar, neutral link, earth bar, din board detachable gland plate interconnections, powder paint including earthing etc. as require (But without MCB/RCCB/Isolator) 6 way (4 + 18), doubld door. (Ma Building = 01 nos) (toilet = 01 not)	CB for ete nal und rith ted the ous ar, te, ed ed. uin	Each		Rs. Nine thousand four hundred ninety six only.
Earthing with copper earth plate 600mm x 600mm x 3mm this including accessories, and providing masonary enclosure with cover plate having locking arrangement as watering pipe of 2.7 metre long et with charcoal / coke and salt required. (Main Building = 1.00 no , (toilet = 1.00 nos)	ck ng tte nd 2.000 cc. as s)	Nos.	9,292.00	Rs. Nine thousand two hundred ninety two only.
67 1710 6 amps. To 32 amps. Ratings, TP MCB, "C" curve, 10 KA breaking capacity (Main Building = 20 Each)		Each	735 001	Rs. Seven hundred thirty five only.

Q Kimon

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Strain	Strain			
Strain	Strain	Strain	Strain	
Strain	Strain	Strain	Strain	
Strain	Strain	Strain	Strain	
Strain	Strain	Strain	Strain	Strain
Strain	Strain	Strain	Strain	Strain
Strain				

			23			
6	8 3.2.2	commissioning of following capacity TPN tap off box made of 1.6mr thick sheet steel enclosure dult painted with powder coating of exinsing rising mains complete with PPN disconnector FSU AND HRC fuses, connections, earthing etc a required. 32 amps TPN (Main Building =0.1 Each)	y n h 1.000		a de la companya de	Rs. Six thousand two hundred twenty eight only.
			ECTRICAL '			364,763.22
-	l B C B	PLUMBING & SANITARY WOR	KS (1% lab	our cess	included in	SOR)
69	17.1.1	squatting pan (Indian type W.C. pan) with 100 mm sand cast iron P or S tap, 10 litre low white P.V.C. Flushing cistern with munally controlled device (handle level) conforming to IS: 7231 Parryware/Hindware with all fittings and fixtures complete including cutting and making good the walls and floors wherever required. White Vitreous China Orissa pattern W C pan of size 580 x 440 mm with integral type foot rest.	5	Each	3,297.90	Rs. Three thousand two hundred ninety seven only.
70		Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I. clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required: Range of three urinal basins with 10litre white P.V.C. automatic flushing cistern.	3	Each	6,956.02	Rs.Six thousand nine nundred fifty six and paise zero two only.

Wysmar ...

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Pla

8/11/2

~	1
~	/ a
4	-

			24			
7	1 D.S.F 17.7.	C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps.		2 Each	2,196.40	Rs. Two thousand one hundred ninety six and paise forty only.
72	D.S.R 17.28	pipe for sink or wash basin including P.V.C. waste fittings complete.	· Comment	9 Each	73.28	Rs. Seventy three and paise twenty eight only.
73	D.S.R 17.32.2		v.	6 Each	707.30	Rs. Seven hundred seven and paise thirty only.
74	D.S.R 17.33	Providing and fixing 600 x 120 x 5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete.	6	Each	527.42	Rs. Five hundred twenty seven and paise forty two only.
75	D.S.R 18.48	Providing and placing on tarrace (at all floor levels) polyeethylene water storage tank ISI: 12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fitting and base support for tank.	2000	per litre	6.36	Rs. Six and paise thirty six only.
76	D.S.R 17.35.1.2	Providing & fixing soil, waste and vent pipes: Centrifugally cast (spun) iron socket & spigot (S & S) pipe as per IS: 3989	12	metre	962.03	Rs. Nine hundred sixty two and paise zero three only.

Q xomar

Chief Engineer


B.S.E.I.D.C. Ltd. Patna

Sys.

S

			25			
77	D.S.R 17.36.2	mortar 1:2 (1 cement : 2 fine sand) in S.C.I / C.I. Pipes: 100mm dia pipe	1	2 Eacl	70.80	Rs. Seventy and paise eighty only.
78	D.S.R 17.43.1.2	Providing and fixing single equal plain junction of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete. Sand cast iron S&S as per IS - 1729		2 Each	628.78	Rs. Six hundred twenty eight and paise seventy eight only.
79	D.S.R 17.60.1.1	Providing and fixing trap of self cleansing design with screwed down or hinged grating with or without vent arm complete, including cost of cutting and making good the walls and floors: Sand cast iron S & S as per IS: 1729	. 12	P Each	947.43	Rs. Nine hundred forty seven and paise forty three only.
80	18.3.2	Providing and fixing Polyethelene-Aluminium-Polyethelene (PE-AL-PE) Composite Pressure Pipes conforming to IS - 15450, U.V. stabilized with carbon black having thermal stability for hot & cold water supply, capable to withstand temperature up to 80°C, including all special fittings of composite material (engineering plastic blend and brass inserts wherever required) e.g. elbows, tees, reducers, couplers & connectors etc., with trenching, refilling and testing of oints complete as per direction of the engineer in charge. 1620 (20mm OD) pipe		metre	245.88	Rs. Two hundred forty five and paise eighty eight only.

Q Finon //



			26			
81	D.S.R 18.8.1	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I Concealed work including cutting chases and making good the wall etc. 15 mm nominal outer dia Pipes	5	0 metre	257.50	Rs. Two hundred fifty seven and paise fifty only.
82	D.S.R 18.9.3	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 25 mm nominal inner dia Pipes		metre	205.13	Rs. Two hundred five and pasie thirteen only.
83	D.S.R 18.49.1	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 15 mm nominal bore.	14	Each	I .	Rs. Four hundred sixty two and paise ninety eight only.

(Youan ?.

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

112.

8 4

-	Sump
~)	-

			27			
84	,	BBB				
	18.52	cock (concealed of standard design				Rs. Six hundred
		and of approved make conforming to	1	1 Eacl	624.89	twenty four and paise
	10.50.1	IS: 8931			and the second	eighty nine only.
	18.52.1			<u> </u>		
85	D.S.R	Providing and laying cement concrete				A STATE OF THE STA
	19.2.1	1:5:10 (1 cement : 5 coarse sand : 10				
		graded stone aggregate 40 mm				Rs. Five hundred forty
		nominal size) all-round S.W. pipes	25	metre	548.99	eight and paise ninety
		including bed concrete as per standard				nine only.
		design:	N. Marie and Co.		September 1	
		100 mm diameter S.W. pipe				Section of the second of the s
86	D.S.R	Providing and laying non-pressure				
	19.6.1	NP2 class (light duty) R.C.C. pipes				
		with collars jointed with stiff mixture				-
		of cement mortar in the proportion of	4.0			Rs. Three hundred
		1:2 (1 cement : 2 fine sand) including	40	metre	315.02	fifteen and paise zero
		testing of joints etc. complete:				two only.
		100 mm dia R.C.C. pipe	Record			Sent to be a sent of
	J					, Ville
87	D.S.R	Constructing brick masonry road				·
	19.27.1	gully chamber 50x45x60 cm with				
		bricks in cement mortar 1:4 (1cement				
		: 4 coarse sand) including 500x450				Do Thomas
		mm pre-cast R.C.C. horizontal			1	Rs. Three thousand
		grating with frame complete as per	2	Each	1 1 1 1 1 1 1 1 1 1	eight hundred twelve
		standard design:	and the second			and paise seventy
		With common burnt clay F.P.S. (non	M. Constant		Name of the Control o	only.
						e de la companya de
		modular) bricks of class designation 7.5				
		1.3				j

(Koral ?

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Skehoushad

9/11/1/2

			28			
88	B D.S.1 19.30.		t 4 ht b	6 Each	4,550.0	Rs. Four thousand five hundred fifty and paise zero five only.
89	,	Constructing brick masonary septic tank As per Detail Estimate.	1	Each	77177.00	Rs. Seventy seven thousand one hundred seventy seven only.
90	D.S.R 19.32.1	Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter, 1.8 m long complete as per standard design. With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	1	Each	16,872.50	Rs. Sixteen thousand eight hundred seventy two and paise fifty only.
		T7	T4.		(C)	293,010.84
	:	Bench & Desk (In Pair)	ure Items 150	No.	- 3000 I	Rs. Three thousand only.
		Total Amount(D) =	eganera.		The state of the s	450,000.00

Cr. Youral

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

When had a control of the control of the

		Total A	mount	(A+B+C+)	
	CARRI			<u> </u>	6,151,323.4
	Lead	AGE OF MAT	ERIALS		
	Lead			Rate incl	l e
		Quantity	Unit	1% in lab	Total
				cess	
	Cement				
		100.5			Rs. One hundred
	·	120.5	MT	199.48	ninety nine and paise
	Local Sand	Surran.			forty eight only.
,	Local Band	3626.33	Cum	192.00	Rs. One hundred
	Coarse Sand			1,72.00	ninety two only.
	Coarse Band			* Company of the Comp	Rs. One thousand
		204.543	Cum	1391.86	three hundred ninety
			0 0.111	1571.00	one and paise eighty
	Stone Chips	March 1		,	six only.
	Stone Chips				Rs. Two thousand
		160.59	Cum	2038.42	thirty eight and paise
	D.:-1	internal and a second			forty two only.
	Brick				Rs. Five hundred sixty
		131.363	Nos.	562.93	two and paise ninety
	G. I	and the second s			three only.
	Steel				Rs. One hundred
		10.92	MT	199.48	ninety nine and paise
	100				forty eight only.
	ADD Extra cost of Material			q"	
					Rs. Eight hundred
		120.5	MT	841.08	forty one and paise
		and the second s			zero eight only.
		e de la companya de l	Tota	l Carraige	1,509,814.42
				Total =	7,661,137.82
				a	7,001,157.02

Tender approved in favour of Varun Kumar @ 10.00% (Ten Decimal Zero Zero Percent) below BOQ rates i.e. total amount comes to Rs. 68,95,024=00 (Rupees Sixty Eight Lacs Ninety Five Thousand Twenty Four Only)

Arrall.

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Phys.

9/1/11

Performance Security

Name of Agency:- M/S Varun Kumar

"Performance Security of Renovation work of Rajkiye HS Selarkala Phulwaria"

NSC No.	DOI	Amount
53EF 117588-606	05.04.16	1,90,000.00
53EF 117615-29	06.04.16	1,50,000.00
Pass Book		
3289665212	16.03.16	6000.00
		TOTAL- <u>3,46,000.00</u>

(Rupees Three lacs Forty Six Thousand only)

्र कारत दे**। Danes Danes Basa** के कार कार कार कारत कारत का का का का अवस्था अवस्था के सिंहार हो अपने शैक्षणिक आधार भूत वारचना के सहकार

विकास निगुम लि०, पटना

B.S.E.I.D.C. Ltd, Patna

विहार यात्म श्रीव्यक्तिक आधारणूत संरवना विकास निगम लि० (विहार सरकार का एक उपक्रम)

रिका भवन विहार राष्ट्रभाषा परिवाद परिका, शिवपूजन सहाय पथ, सैदपुर, पटना-800004, दूरभाप-0812-2910314 क्षितिरः भहभाग राख्या ।।863019R2011SCC0) 5E59, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256,

平泊が、BSEIDC/FIN/2865/2017-18/- **リ3**55

पटना, दिनांक 30-06-11

प्रेषक.

वजेश प्रसाद

मुख्य परामशी (तकनीकी)

रोवा थे

Varun Kumar,

Raghunathpur, Motibari

बिहार राज्य अंतर्गत "Renovation Work of Rajkiya Kanya H.S Selar Kala, विषय: -Phulwaria in Bihar " के कार्य हेतु जमानत की राशि जमा कर एकरारनामा करने के संबंध में।

महाशय,

उपर्युक्त विषय के संबंध में कहना है कि विषयांकित कार्य की निविदा हेतु आपके हारा निविदित दर जो परिमाण विपन्न के दर से 10.00% (दस दशमलव शून्य शून्य प्रतिशत) कम हे तद्नुसार निविदा की कुल एशि रू० 68,95,024/-(अड्सठ लाख प्नवानवे चौबीस रूपये) मात्र आपके पक्ष में स्वीकृत की गयी है।

अतः निदेश दिया जाता है कि अग्रधन की राशि रू० 3,45,000/ (तीन लाख पैतालिस हजार रूपये) मात्र का सावधि पासबुक / राष्ट्रीय बचत प्रमाण पत्र के रूप में प्रवंध निवंशक, विहार राज्य शैक्षाणिक आधारभूत संरचना विकास निगम लिं०, पटना क्रे नाम सं प्रतिज्ञिप्त हो जमा कर अविलंब एकरारनामा कर लें।

मुख्य परामशीं (तकनीकी)

जापांक : BSEIDC/FIN/2865/2017-18/- 4355

पटना, दिनांक २०००६-१०

प्रतिलिपि : Sri Pankaj Kumar Singh. Computer Programmer for uploading on BSEIDC website/Senior Account Officer, BSEIDC, Patna for information & necessary action

मुख्य परामशीं (तकनीकी)

ऑगिक BSEIDC/FIN/2865/2017-18/- 4355

पटना, दिनांक 30-06-17

प्रतिलिपि : संवंधित कार्यपालक अभियंता, BSEIDC को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित।

ज्ञापांक : BSEIDC/FIN/2865/2017-18/- ५३८८

मुख्यं परांमशी (तकनीकी) पटना, दिनांक 30-06 (री

प्रतिलिपि : मुख्य अभियंता, BSEIDC को सूचनार्थ एवं आवश्यक कार्रवाई हेतु समुर्पित्।

司中市 BSEIDC/FIN/2865/2017-18/-4355

मुर्ख्य परांमशी (तकनीकी) पटना, दिनांक 30-06-18

प्रतिलिपि : प्रवंध निदेशक महोदय, BSEIDC को सूचनार्थ समर्पित।

Chief Engineer B.S.E.I.D.C. Ltd, Patna

1 your and

SPECIAL CONDITIONS

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes royalties and other

incidental charges.

4. To qualify for award of work, the Bidder must possess the following:-

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of signatory bid.

b) DD for required value of B.O.O. Cost.

c) Sufficient Earnest Money Deposit.

- d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.
- Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed at least one work Related to Building of value not less than 25 % of estimated value of contract) in last five years as mentioned in Technical bid.

f) Litigation History as mentioned in Technical bid.

g) Affidavit as mentioned in Technical bid.

h) Valid Registration with Central/State Govt. / PSU.

i) Valid labour license as mentioned in Technical bid.

j) Affidavit/Certificate for not been debarred as mentioned in Technical bid.

- 5. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.
- 6. The tender without earnest money or insufficient earnest money submitted with the tender, will be outright rejected.

7. Conditional tenders shall be outright rejected.

8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.

9. Authority shall reserve the right to reject any or all the tenders or distribute the work to

more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained.

- 11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules prevalent in the locality.
- 12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the contractor.
- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-
- Natural calamities
- b. Act of enemies.

(Seal & Signature of Tenderer)

Page 1 of 2

Chief Engineer B.S.E.I.D.C. Ltd. Patna

- c. Transport and procurement difficulties.
- d. Circumstances beyond the control of the state.
- 15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- 16. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
- 17. The contractor shall make his own arrangement for water and light at the work site.
- 18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 20. The Tenderer must not quote their rate more than 10 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
- 21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 22. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.

----X----X

23. The Defect liability Period shall be One (1) Year from the date of completion of the work.

(Seal & Signature of Tenderer)

Page 2 of 2

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

(Kornan)

बिहार राज्य शैक्षणिक आधारमूत संरचना विकास निगम लिमिटेड

(बिहार सरकार का एक उपक्रम)

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् कैम्पस, आँचार्य शिवपुजन सहाय पथ, सैर्वपुर, पटना-800004 (दूरभाष:-0612-2910314)

निविदा आमंत्रण सूचना संख्या-30 वर्ष 2016-17

(केवल ई-टेन्डरिंग पद्धति के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

1. बिहार राज्य के अन्तर्गत ''राजकीय कन्या उच्च विद्यालय, सेलारकला, ब्लॉक-फुलवरिया, जिला-गोपालगंज के भवन के जीर्णोद्धार कार्य" हेतु निविदा आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार/सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रजिस्ट्रेशन, उक्त कार्य का लेटर ऑफ एक्सेपटेंस प्राप्त होने के बाद कराना होगा।

क्र० सं०	कार्य का नाम	प्राक्कलित राशि (लाख में)	अग्रधन की राशि (लाख रू० में)	परिमाण विपन्न का मूल्य(रू०में)	Beltron Bid Processing Fee (In Rs.)	कार्य समाप्ति की अवधि
1.	राजकीय कन्या उच्च विद्यालय, सेलारकला, ब्लॉक—फुलवरिया, जिला—गोपालगंज के भवन का जीर्णोद्धार कार्य।	80.00	1.60	10,000/-	5,750/-	06 (छः माह)

1. प्राक्कलित राशि घट या बढ़ सकती है एवं तद्नुसार अग्रधन की राशि घट या बढ़ सकती है।

2. वेबसाईट-www.eproc.bihar.gov.in पर अंकित प्राक्कलित राशि, अग्रधन की राशि एवं परिमाण विपन्न की राशि अंतिम रुप से मान्य होगा।

(2) विज्ञापन निर्गत करने की तिथि

दिनांक:-07.10.2016

(3) परिमाण विपन्न प्राप्त करने(डाउनलोड) की अवधि एवं समय :— दिनांक— 23.10.2016 से 07.11.2016, 15:00 घंटा

(वेबसाईट:www.eproc.bihar.gov.in पर)

(4) प्री बिंड मीटिंग का समय, स्थान एंव तिथि

दिनांक:- 03.11.2016, 16:00 घंटा प्रबंध निदेशक का कार्यालय,बिहार राज्य शैक्षणिक आधारभत

संरचना विकास निगम, पटना।

(5) निविदा प्राप्ति(अपलोड) की अंतिम तिथि एवं समय:--

दिनांक- 08.11.2016, समय- 15:00 घंटा

(6) अग्रधन जमा करने की अंतिम तिथि एवं समय

दिनांक- 10.11.2016, समय- 15:00 घंटा

टेविनकल बिड खोलने की तिथि एवं समय

दिनांक- 10.11.2016, समय- 16:30 घंटा (वेबसाईट–www.eproc.bihar.gov.inपर)

(8) वित्तीय बिड खोलने की तिथि एवं समय

दिनांक- 16.11.2016, समय- 15:30 घंटा

(9) निविदा खोलने का स्थान

वेबसाईट-www.eproc.bihar.gov.inपर

(10) निविदा की वैधता की अवधि

120 दिन

(11) ई-टेन्डरिंग की प्रकिया में भाग लेने हेतु संवेदकों को पंजीकृत होना होगा, जिससे कि उन्हें उपयोगकर्ता का नाम (user ID) पासवर्ड (Password) अंकीय हस्ताक्षर (Digital Signature) निर्गत की जायेगी। यह उन्हें वेबसाईट www.eproc.bihar.gov.in से डाउनलोड करने/टेन्डर की प्रक्रिया में भाग लेने की योग्यता प्रदान करेगा।

(12) ई-निविदा पत्र बेवसाईट www.eproc.bihar.gov.in से प्राप्त किया जा सकता है। संवेदक द्वारा सिर्फ उपर्युक्त वेबसाईट से ही परिमाण विपन्न प्राप्त करने के उपरांत वेबसाईट पर ही इलेक्ट्रानिक निविदा पन्न को भरकर भेजना है। अन्य सभी महत्वपूर्ण कागजात / बैंक ड्राफ्ट / अग्रधन की राशि / सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को स्कैन कर ई—निविदा के साथ संलग्न करना अनिवार्य है।

परिमाण विपत्र के दर से कम दर उद्धृत करने पर बीड डाक्यूमेंट की शर्त्तों एवं सरकारी निर्णयानुसार अतिरिक्त Performance Guarantee एकरारनामा के पूर्व जमा करना होगा।

(14) (क) प्रत्येक परिमाण विपन्न का मूल्य जो प्रत्येक निविदा के सामने उपर कण्डिका (1) में अंकित है (जो लौटाया नहीं जाएगा) किसी भी राष्ट्रीयकृत बैंक द्वारा निर्मत एवं BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. के नाम से एवं पटना में भुगतेय हो, स्वीकार किया जायेगा। मूल बैंक ड्रापट ''बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड'' पटना के कार्यालय में दिनांक 10.11.2016 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रूप से जमा किया जाना है। ऐसा नहीं करने पर निविदा मान्य नहीं होगा।

(ख) Beltron Bid Processing Fee is mandatory to be paid through online mode i.e. Internet payment gateway, (Credit/Debit card), Nct Banking, NEFT/RTGS"

Bids along with necessary online payments must be submitted through e-procurement portal www.eproc.bihar.gov.in before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffic/ Holidays or any other reason.

Chief Engineer B.S.E.I.D.C. Ltd, Patna

- (ग) वांछित अग्रधन की राशि राष्ट्रीय बचत पत्र/डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक जो बिहार राज्य से क्रय या जमा किया हो, प्रबंध निदेशक, BSEIDC Ltd., पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा बिहार वित्त नियमावली के अनुसार BSEIDC Ltd. के नाम से फिवसड डिपोजिट रिसिप्ट अथवा बैंक गारन्टी जो बिड के मान्य अवधि तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत/अनुसूचित बैंक से निर्गत हो (अगर बिहार प्रान्त के बाहर के बैंक से निर्गत बैंक गारन्टी दिया जाता है तो एकसरनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड, पटना में 10.11.2016 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना आवश्यक है। ऐसा नहीं करने पर निविदा मान्य नहीं होगा।
- (15) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर लें। ताकि अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से बच सकें।
- (16) निविदाकार निविदा डालने से पहले अपने स्तर से भी प्रस्तावित कार्य स्थल पर भूमि उपलब्धता के संबंध में आश्वस्त हो लेगे।
- (17) Even though the bidders meet the qualifying criteria, they are subject to be disqualified if they have record of poor performance such as abandoning the works, not properly completing the contract, inordinate delays in completion, litigation history, or financial failure in the work of this Corporation.
- (18) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। बिना कारण बताये निविदा या उसके अंश को अस्वीकृत करने/रद्द करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।
- (19) विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्य अविध में सम्पर्क किया जा सकता है। ई—टेन्डरिंग की प्रकिया से संबंधित किसी भी प्रकार की जानकारी/सूचना हेतु सहायता कक्ष, ई—टेन्डरिंग कक्ष, प्रथत तल्ला, M/22, बैंक ऑफ इण्डिया भवन, रोड न० 25, श्री कृष्णा नगर, पटना—800001, दूरभाष सं० सं० 0612—2523006/7542028164.

ब्रजेश प्रसाद मुख्य परामर्शी(तकनीकी)

O runal!

Chief Engineer
B.S.E.I.D.C. Ltd, Patna