Schedule XLV-Form No. 61 Block Centr. Resource Centre n Ltd. at Garhani, Bhojpur. hojpur [Form No. F-2] Triveni Prasad memorandum at ITEM RATE TENDER AND CONTRACT FOR WORKS Singh nd in accodance in ubjects to the -170 F2 of 2016-17 accordance with, Date of Commencement - 24-01-17 1. All works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer. This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours. 2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so. 3. Receipt for payments made on account of work when executed by a firm must also be signed Commencement of by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm. 4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he **EN MONTHS** complete and delivers his tender. 5. The amount of earnest money to be deposited will be : -If the amount of the estimate does not exceed Rs. 2,000 If the amount of the estimate exceeds Rs. 2,000 but does not exceed Rs. 5,000 If the amount of the estimate exceeds Rs. 5,000 but does not exceed Rs. 10,000 For each additional Rs. 5,000 or portion of Rs. 5.000 additional earnest money 6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other coad then of any cort, or omit to note the time within which the work can be finished, or which are not accompanied by the freasury challan for the required earnest money will be liable to rejection. No single tender shall include more than one work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the envelop Cast reposits for earnests money here in before mentioned shall be made in Government Treasuries and the challan there of should be enclosed with the tender. Kepon 2411117

7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.

8. The Engineer shall have the right of rejecting all or any of the tenders.

9. In the event of a tender being selected for acceptance the Engineer who opened the tenders ill, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the priscribed time. The tender with the specification and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to

10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.

11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required amount of the security money has been deposited the Engineer shall scrutinise all pages of the form of item trate, tender & contract for works to see that the form has been properly filled up and signed by the contractor in the signature witnessed He shall then if he is competent, to accept the tender, sign the acceptance of the tender, or, if he is not so competent shall send the form for signature of the acceptance of the efficer competent to accept it.

Triberi Ported 22

24/01

## (3) 2

## TENDER FOR WORKS

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

## MEMORANDUM Name of work

Estimated cost .....

Earnest money .....

(a) If several sub-work are [a] luded they should be

detained in a separate list.

(b) This deposit will be 5% the estimated cost of the [C]

Item No.

Pershiring

This percentage credited to the contractors

duction from bills will be curity deposit.

[b]

Initial security deposits (including earnest money) to be deposited befor the commencement of the work ..... Percentage to be deducted from bills Rs. 5% (Rupees five percent) [e]

Time required for the work from date of written order to commence ...... [f]monthly

In figures

RATE TENDERED

In words

Date of written other to commence [9]

Item of work

Total number of item of work tendered for [h]

n Ltd.

Shojpur

n memorandum at and in accodance in Subjects to the 1 accordance with,

ie Commencement of

EEN MONTHS

td. Patna

Chief Engineer B.S.E.I.D.C. Ltd, Patna

Per

24/11/17

Item No.	Harris of words	RATE TE	ENDERED	
item No.	Item of work	In figures	Inwords	Per
Annual to		2.44.47.22.10.10.10		
7		-14.1		
true la la	destruction of closures, regard their and		÷	
			e supranta (F	
	Nerodistrications			
.7		Although the	144	
		terrania en		aa ye i
			3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	
		a. sugar		thou select
		To the street contains		
	THE SHIP SHIP SHIPS	9		
			. 多古·第	er i de rent est.
	designation of the second decision	es ed au aguingo		
	The second secon			
gar store				
	and the second of the second	alto reith without		
	*	进 "		
	party shripting than to	net fortweepering	na inf	
<b>^</b>				
1	CONTRACTOR STATE			
	State Committee		With the Property of	15 1649
		1 2		
		* /		
		1		
Region .			the symmetry	
		Augustine List		es l'agre
		, 3		
()				
Hay E.	Professional Contraction of the			
113				
459 Mars 8	Chief Engl			
d, Patna	Chief Engl			

Schedule XLV - Form No. 61

ווים על נפון

9411117

3 (5)

chedule XLV - For	m No. 61	(5)	13 cM pro-		- T ( )
He - M	lk-m-st.	RATE TEL	NDERED	Por	on Ltd.
Item No.	Item of work	In figures	In words	Per	<b>3hojpur</b>
					en memorandum at
		• (1)			and in accodance
					Subjects to the
					n accordance with
				A THE	
			1		
					the Commencemen
			A. A. C.		
					TEEN MONTHS
	*				
					0
					109/10/
					>/hull
			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		gineer
				***	Ltd. Patna

Schedule XLV - Form No. 61

4 (7)

		RATE TE	RATE TENDERED		
0.	Item of work	In figures	In words	Per	
			The same		
		gersell regist, haddresself.	Non-control of the		
			Larted .		
		to the will be			
	3/02-11-20		12.22		
				• 6 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
		100			
			1900 S. C.		
		ALCO ALCO TO THE	17 18 18 18 18 18 18 18 18 18 18 18 18 18		
		in a property of			
		randa Alexan I Alexan			
		96-1-124-067-17			
		CONTRACTOR OF			
				con bleam and bus	
			er en	The State of the	
		Maria Caracter		Live tage 12 day 200	
7.00			polarista de la	The school of the	
			The state of the s	La Contractiva	
			and the second		
Yes		e of all all the state	participation in		
atas sa Pig		Section 6. Section 7.			
				OF THE RESERVE AND ADDRESS OF THE PERSON NAMED IN COLUMN TO THE PE	
		gradu radional a d	92 (25.0)		
	he distributed his to be			. Premission and a	
ame a					
		OTHER DESIGNATION OF			
230		Per He - School Find			
	M. Waller and the second				
Tebr	Chief Engli 8.8.E.I.D.C. Lin				
- P 1	MINOTER			A CONTRACTOR OF THE PARTY OF TH	

24/1/17

on Ltd.

**3hojpur** 

en memorandum at and in accodance in Subjects to the n accordance with,

he Commencement of

**TEEN MONTHS** 

gineer Ltd, Patna Jkehou

should this tender be accepted I/we hereby agree to abide by and fulfill all the terms and provisions of the said conditions of contract annexed hereto so, for as applicable, or in ssors in office the sums of money mentioned in the said conditions

Dated the

witness

Address Occupation

Signature of witness to contractor's signature

\*Signature, of contractor before comission of tender

> The above tender is hereby accepted by me on behalf of the Governor of Bihar Dated the day of

20

signature of the office

accepting the tender

Acceptances communicated on 05-10-2016

arised by, sale of his security deposit of any part thereof.

signature of the party taking the tende

CONDITIONS OF CONTRACT

#### Compensation

Clause 1:- All compensation or other sums of payable by the contractor to Government under the terms of his contract may be deducted from, paid by the sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor by Government on any account whatsoever and in the event of his security deposit being reduced by reason of any such deduction or sale as aforesaid, the contractor shall within ten days there after make good in cash or Government securities endorsed as aforesaid any sum or sums which may have been deducted from, or

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which the work is finished after necessary rectification of defects as pointed by the Executive En- gineer or his satisfaction.

Clause 2:- The time allowed for carrying out the work as entered in the tender shall be strictly observed by the contractor and shall be reckoned from the date of which the wirtten order to comence work is given to the contractor. The work shall throughout the stipulated period of the contract be carried on with all due diligence (time being deemed to be the essence of the contract on the part of the contract or) and the contractor shall pay as compensation an amount equal to 1/2 percert authorised agents are fully On the amount of the estimated cost of the whole work as shown by the tender for contractor to the Engineer's every day that the work remains uncommenced or unfinished after the proper date And further to ensure good progress during the execution of the work the contractor shall be bound in all cases in which the time allowed for any work exceeds on month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before one half of such time elapsed and three-fourths of the work, before three fourths of such time has elapsed in the event of the contractor failing to employ with this condition I shall be liable to pay as compensation an amount equal to ½ percent on the said estimated cost of the whole work for every day that the due quantity of work remains incomplete provided always that the entire amount of compensation to be paid under the provisions the clause shall not exceed 10 percent of the estimated cost of the work as shown in the tender.

Action when persnle security deposit foreited

Clause 3:- In any case which under any clause or clauses of or this contract the contractor shall have rendered himself laible to pay compensation amounting to the whole of his security deposit in the hands of Government (where paid in only sum or deducted by instalments) the Executive Engineer on behalf on the Bihar. Government shall have been powered to adopt any of the may deem best suited to the enterest of Government

(a) To rescind the contract (of which rescind notice in w under the hand of the Executive Engineer shall which case the sectitiry deposit of the contra absolutely at the disposal of Government.

(9) 5

(b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debitting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in -charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.

(c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original contractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4: - In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may, if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Engineer as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

Clause 5:- If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) he shall apply in writing to the Executive Engineer within 40 days from the date of starting of the hinderance on account of which be desires such extension as aforesaid and the Executive Engineer shall, if in his opinion (which shall be final) reasonable grounds be incompeted authorised such extension of time, if any, as may in his opinion be necessary or proper. The Executive Engineer shall at the same time inform the soft actor whether he claims compensation for the delay.

Toban Ro- Ital

120 Deni 94/11/17

ion Ltd.

Bhojpur

ten memorandum at and in accodance in d Subjects to the in accordance with.

contractor remains liable to pay compensation if action not take under cause 2.

the Commencement of

TEEN MONTHS

Power to take posession

of or require removal of

or sell contractor plant.

Extension of time

gineer Ltd, Patna Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion, but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinctly marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-work, doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurements shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus materials and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid, except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible, before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-in-charge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts or in any other way vary or affect the contract.

\*Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Stores supplied Government

Clause 9:- If the specification or estimate of the work provides for the use of any special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-incharge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums then due to the refer to become due to the contractor under the contract or otherwise, or supplied in the same or sufficient portion thereof in this case sold for the purpose Air materials supplied to the contractor shall remain the absolute property of comment and shall not on any accounts he removed from this site of the work and shall at all times be open to

Too beni Roch of Siz

24/01/17

inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: - The contractor shall executive the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid.

Clause 11 - Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a disputes the decision of the superintending Engineer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month Rate for work no in accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period.

Clause 12:- If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out, the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsomer on the contractor who shall have no claim to any payment of compensation whatsold of any profit or advantage, which he might have derived from the execution of compensation for alterthe work in full, but which he did not derive in consequence of the full amount of the work eation in or restriction of not having been earried out neither shall he have any claim for compensation by reason work to be carried out. of any alternation having been made in the original specification grawing, designs and instruction which shall involve any installment of the work as originally contemplated clause 12 (a) As contained in G O 1929 dated 11.9.56.

94/11/7

### ion Ltd.

### Bhojpur

Work to be executed accordance with specification drawing other etc.

ten memorandum at e and in accodance in id Subjects to the in accordance with,

Alteration in specifications and designation

Do not in validate contract

the Commencement of

FTEEN MONTHS

Time in consequence of

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such failure is due to :-

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as finally by the contractor.

Action and compensation payable in case

Clause 13: - If it shall appear to the Engineer-in-charge or his subordinate incharge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall on demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-incharge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and expense in all respects of the contractcor.

Work to be taken to

Clause 14:-All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineerin-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be

Clause 15:- The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which

Notice to be taken before work covered up

Clause 16:- If the contractor or his work-people, or servants shall break, deface injure or destroy any part of a building in which they may be working or any building, road, road curves, fence enclosure water pipes, cables, drains, electric or telephone posts or wires, trees, grass or grassland or cultivated ground continueds by which the work or any part of it is being executed or if any damage the frequency the work, while in progress from any cause whatsoever on any enter color portra apparent in if within three months (six months in the pase of a road-work) after a certificate final or other of its completion shall have been given by the Engineer-in-charge sibesi trosed Sonz

(13) 7

as a fore seal, the contractor shall make the same good at his own expense, or in default, the Engineer-in-charge may cause the same to be made be good by other Contractor liable for worksmen and deduct the expense of which time thereafter may become due to the contractor, or from his security deposit, or the proceed of sale there of, or of a sufficient portion there of the security deposit at the contractor shall not be refunded before the expiry of three months (six months in the case of a road-work) after the issue of the certificate final or otherwise of completion of work provided that in the case of a road work if in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable after three months of the issue of the said certificate of completion

Clause 17:- The contractor shall supply at his own cost all materials (except such special materials) if any as may in accordance with the contract be supplied from the Engineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, tackle scaffolding and temporary works requisits or proper for the proper execution of the work whether original, altered or substituted and whether include in the specification or other documents forming part of the contract or referred to in these conditions or not or which may be necessary for purpose of satisfying or complying with the requirement of the Engineer-in-charge as to any matter as to which under these conditions he is entitled to be satisfied which he is entitled to require together with carriage therefore to and form the work. The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting, weighing and assisting in the measurement or examination at any time and form time to time of the work or materials failing his so doing the same may be Provided by the Engineer-in-charge at the expense of the contractor and the expenses may be deducted from any money due to the contractor under the contract from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide all necessary fencing and lights required to protect the public from accident, and shall be bound to bear to expenses of defence of every suit action or other proceeding at law that may be brought by any person for injury sustained owing to neglect of the above of light fencing etc. precautions and to any such person or which may with the consent of the contractor be paid to compromise any claim by any such person.

Clause 18:- No female labour shall be employed within the limits of contonment. The contractor shall not employ for the purpose of his contract any person who is below the age of twelve years and shall pay to each labour for the work done by such labourer wages not less than the wages paid for similar work in the neighbourhood

The executive Engineer shall have the right to enquire into the case and decide any complaint alleging that the wages paid by the contractor to any labourer for the work done by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer employed by contractor is below the age of twelve years and to refuse to allow any labourer whom he decided to be below the age of twelve years to be employed by the

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his contract, or attempt so to do, or become insolvent proceedings to make any composition with his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward or advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, or offered by the contractor, or any of his servant or agents to any public officer or person in the employ of Government in any way relating to his officer or employment or if any such officer or person shall become in any way directly or indirectly interested in the contract the Executive Engineer may there upon by notice in writing rescind the contract. The security deposit of the contractor shall there upon stand forfeited and be absolutely at the disposal of Government and the same consequence shall ensure as if the contract had been recinded under clause 3 here of, in addition the contractor shall not be contractor. to recover or be paid to any work therefore actually performed the under the Soft D.C. Ltd, Patna

Contractor to supply to plantladder scaffolding on Ltd.

Bhojpur

en memorandum at and in accodance in 1 Subjects to the in accordance with,

arising for non-provision

the Commencement of

Work not to be subject

TEEN MONTHS

Contract may be resinded and security deposit forfelted for subletting bribes or if contractor become

such payable by way of compensation to be considered reasonable compensation without reference to actual loss Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained.

Clause 21:- In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this information.

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal of Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer

Clause 22:-All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23:- In case any dispute or difference shall arise between the parties or either of there upon any question relating to the meaning of the specifications, designs, drawings and instructions here before mentioned or as to the quality of workmanship or materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, or any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions or otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof or as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

(a) Clause 24:- When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items or work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-incharge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineer-in-charge shall be final and conclusive against the contractor with regard to any sum payable to him under the provision of this clause.

Action where specification.

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Definition of works

Clause 26: The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to such construction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered, substituted or additional.

Witness a

Triboni Preded Son

(15)

Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied

Particulars	Rates at which the material will be charged to the contractor			Place of delivery	hojpur	
	Unit	Rs.	P.		n memorandum at and in accodance i Subjects to the accordance with,	
	ente di Nos			Mark Resource Com Mark Second		
6.	erinkaja (	180 72 78				
					the Commencement	
	a request.	e de sant es		(flori's pare to have parage	TEEN MONTHS	
AR DA						

Note:-The person or firm submitting the tender should see that the rates in the above schedules are filled up by the Engineer-in-charge on the issue of the form prior to the submission of the tender.

(Signature of Contrator)

Chief Engineer (Signature lotte Engineer)

24/01/12

In wear

24/1/17

ngineer
Ltd, Patna

n Ltd.

Chief Lagitteen! B.S.E.I.D.C. Lie Pains

# Bihar State Educational Infrastructure Development Corporation Ltd.

# AGREEMENT for Construction of Block Resource Centre at Garhani, Bhojpur

## **TENDER FOR WORKS**

I/we heredy tender for the execution for the Governor of Bihr of the work specifed in the under written memorandum at the rates specified therein within a period of years month from the date of witten order to commence and in accodance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subjects to the annexed condation of contract and with such materaials as are provided for by and in other respects in accordance with,

### MEMORANDUM

(a) If several sub-work are incuded they should be detained in the separate list

(A) Name of Work :- Construction of Block Resource Centre at Garhani Bhojpur(Sl. No-161)

(B) Estimated Cost :- Rs. 72,72,001=00 Agreement value :- Rs. 65,44,801=00

(b) This deposit will be 5% of the estimated cost of the work.

(C)Earnest Money:-

(c)This percentage deduction from bills will be credited to the contractors security deposits

(D) Initial security deposits (including earnest money) to be deposited before the Commencement of the work-

Earnest Money:- Rs. 3,80,000/- (Details attached) -

- (E) Percentage to be deducted from bill Rs. 5% (Rupees five percent)
- (F) Time required for the work from date of written order to commence **FIFTEEN MONTHS**
- (G) Date of written order to commence :-
- (H) Total number of item of work tendered for :- 116

Chief Engineer B.S.E.I.D.C. Ltd. Patna

#### BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. SHIKSHA BHAWAN, SAIDPUR, PATNA. B.O.Q. FOR BLOCK RESOURCE CENTRE IN BIHAR THE ITEM RATE BASED ON S.O.R BCD BIHAR, DATE - 15-09-2014, & D.S.R (ELECTRICAL) 2014 SL. DISTRICT No. NAME OF INSTITUTE **BLOCK** Bhojpur BLOCK RESOURCE CENTRE 1 Garahni CIVIL WORKS SI. SOR No. Item of Work Item No. Rate Qty. Unit Amount (Rs.) 3 (Rs.)PILE WORKS 5 6 7 20.2 Boring, providing and installing bored castin-situ reinforced cement concrete piles of grade M-25 of specified diameter and length below the pile cap, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring, with bentonite solution and temporary casing of appropriate length for setting out and removal of same and the length of the pile to be embedded in the pile cap etc. all complete, including removal of excavated earth with all lifts and leads (Length of pile for payment shall be measured upto bottom of pile cap). 300 mm dia Piles 20.2.1 Rs. One thousand three hundred nine and paise 0.000 400 mm dia Piles meter 1309.30 thirty only. 20.2.2 Rs. One thousand five hundred twenty three and 0.000 450 mm dia Piles 1523.20 paise twenty only. meter 20.2.3 Rs. One thousand nine hundred seventy eight 0.000 500 mm dia Piles meter 1978.80 and paise eighty only. 20.2.4 Rs. Two thousand three hundred six and paise 20.2.5 0.000 600 mm dia Piles meter 2306.60 sixty only. Rs. Two thousand nine hundred ninety six and 20.2.6 0.000 750 mm dia Piles meter 2996.10 paise ten only. Rs. Four thousand two hundred nineteen and 0.000meter 4219.70 paise seventy only.

Toiberi Prosed & 1)

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

	2 20.	3 Boring Providing and 1	1	1	
		Boring, Providing and installing cast in single under reamed piles of specidiameter and length below pile cap in N	cified		
		cement concrete, to carry a safe wor load not less than specified, excluding			
		least of steel remiorcement but in al. 1.			
		cost of boring with bentonite solution the length of the pile to be embedded in			
		cap etc. all complete. (Length of pile payment shall be measured upto to bottom of pile cap):	0		
	20.3.1	300 mm dia Piles			D. O
	20.3.2	400 mm dia Piles	0.000	meter	Rs. One thousand nine hundred thirty four and paise twenty only.
	20.3.3		0.000		Rs. Two thousand two hundred twenty five and
	20.3.3	450 mm dia Piles	0.000	meter	Rs. Two thousand three
	20.3.4	550 mm dia Piles	0.000	meter	hundred ninety seven and paise fifty only.
			0.000	meter	Rs. Two thousand six hundred five and paise
3	20.4	Extra over item No. 23.3 for providing			2605.10 ten only.
		specified dia meter	er		
		(Only the quantity of extra bulbs are to be paid).			
	20.4.1	300 mm dia Piles			Rs. One thousand two
	20.4.2	400 mm dia Piles	0.000	Each	hundred forty and paise ten only.
			0.000		Rs. One thousand three hundred seventy three
	20.4.3	450 mm dia Piles	0.000	Each	13/3.80 and paise eighty only.
	20.4.4	500 mm dia Piles	0.000	Each	Rs. One thousand four hundred fifty four and paise eighty only.
					Rs. One thousand five
		EXCAVATION	0.000	Each	hundred ninety seven and paise twenty only.

Triboni Presed 22 24.1.17 Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Wilder Hunguly

24|01

	6	
- 1	-,	

4	4 2.8.1	Earthwork in evenue:	J.	2		
5	2.29.1	Earthwork in excavation in as(exceed 30cm in depth. 1.5m in width as well 10sqm on plan) incloding dressing of side and ramming of bottom, lift upto including getting out the excavated soil a disposal of surplus soil as directed within lead of 50m.  All Kind of soil = 286.64 CUM  SEPTIC TANK = 31.89 CUM  TOTAL QUANTITY = 318.53 CUM	es des 1.5 and n a	cum	205.5	Rs. Two hundred five and paise twenty only.
		Surface dressing of the ground including removing vegetation and inequalities not exceeding 15 cm deep and disposal or rubbish, lead upto 50 m and lift upto 1.5m. All kinds of soil.  = 136.41 CUM	g	cum	205.2	Rs. Seven hundred eighteen and paise eight only.
EA	ARTH FILL	ING	136.410	100 sqm	718.800	
6	2.26	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth: consolidating each deposited				Rs. Sixty six and paise forty only.
	ND FILLIN	VG	188.980	cu.m	66.40	
7	2.28	Supplying and Filling in plinth with local sand and under floors including, watering, ramming consolidating and dressing complete.  = 118.79 CUM	119.810	cu.m	192.50	Rs. One hundred ninety wo and paise fifty only.
	BRICK SOI				192.30	
8		Providing designation 100 A one brick flat soling joints filled with local sand including cost of watering, taxes, royalty all complete as per building specification and direction of E/I,  0 + 2, BUILDING = 291.84 CUM EPTIC TANK = 13.57 CUM COTAL QUANTITY = 305.41 CUM			se	s. Two hundred twenty ven and paise sixty ally.

Triberia Proced Son

Chief Engineer
S.S.E.I.D.C. Ltd, Patna 24/01

12	
12	

			1.	3		
	P.C.C.					
9	4.1.5	Providing and laying in position ceme concrete of specified grade excluding to cost of centring and shuttering- all wo upto plinth level  1:3:6 (1cement: 3 coarse sand : 6 grade stone aggregate 20mm nominal size)  = 13 CUM	he rk			Rs. Two thousand seven hundred seventy five an paise seventy only.
10	4.1.4	Providing and laying in position cemer concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level 1:2:4 (1 Cement: 2 coarse sand : 4 graded stone aggregate 40 mm nominal size)10 + 2 , BUILDING = 8.74 CUM SEPTIC TANK = 2.98 CUM	e k	cu.m	2775.70	Rs. Three thousand two hundred nineteen and paise seventy only.
F	FLOORING	TOTAL QUANTITY = 11.72 CUM	11.720	cu.m	3219.70	
]	11.38	Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturer) of ist quality conforming to IS: 15622 of approved make in colours such shades except white, Ivory, Grey, Fume Red, Brown, laid on 20 mm thick Cement motar 1:4 (1 cement: 4 coarse sand) including pointing the joints with white cement and matching pigment etc., complete.			F	Rs. Eight hundred one nd paise eighty only.
		FOILET PORTION = 46.04 SQM	46.040	sq.m	801.800	

Inbeni fred Sen

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Kehauly

24/01

	2	١
- 1		L
J		Г

-		TILES		14		
1	2 11.	Troviding and Tixing let au-1:				
		glazed wall tiles conforming to IS: 1562	nic			
		(Thickness to be specified by the manufacture) of	22			
		manufacture) of approved make in a	he			
		colours, shades except le make in a	all			
		colours, shades except burgundy, bott	le			
		green, black of any size as approved by				
		Engineer-in-charge in skirting, risers of	of			
		The did dadies over 1 have 41 1 1	200			Rs. Seven hundred fi
		cement Motar 1:3(1 cement: 3 coarse sand	)			four and paise twenty
		and jointing with grey cement slurry @ 3	3			only.
		1 6 Per Squii iliciliding pointing	1			
		cement mixed with pigment of matching shade complete.	g		1	
		pridate complete.				
		TOILET PORTION = 188.874 SQM				
00	PRING &	SKIRTING	188.874	1		
13	11.26.	SKIRTING		4 sq.1	n 754.2	200
-	11.20.	Stolle Slab Hooring over 20		-		
		(average) tillek pase laid	870		The state of the s	
		over and jointed with grey cement slurry				
		The with Digitient to				
		match the shade of the slab including				
		1 de onig and Donshing				D. All
		complete . Base with 1:1:1 (1 lime : 1				Rs. Nine hundred sixty
		1 coarse sand ) / 1.4 (20 TO 25) ()				eight only.
		( incl.)				
		= 281.852 SQM				`
+	11.0=		201.0			
4	11.27	stone stabs 20 mm thick in min	281.852	sq.m	968.0	0
		Jaco &				
		pillars laid on 12 mm (average (thick				
		inortal 1.3 (1 cement:			1	
		3 coarse sand) and jointed with great				
		I I I I I I I I I I I I I I I I I I I				Rs Nine hundred
İ		pigment to match the shade of the				Rs. Nine hundred twenty
		Therading rupping and				seven and paise fifty only.
		polishing complete. Details of cost for 10				only.
		sqm				
-						
	8.3.2	Extra for providing edge moulding to 18	74.37	sq.m	927.50	
		mm thick marble stone counters, Vanities			27.50	
		etc. over item no. 8.2 including machine			And the second	
1		polishing to edge to cive list				
		polishing to edge to give high gloss finish				
		etc. complete as per design approved by Engineer -in -charge.			/	Two Hundred Thirty
		Granite work			1	Nine and paise ten only
		WOLK				omy
			0.00	M	239.10	

toibesi Po-dl-12

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

16	5 1	OW PLINTH LVL.			5		
10	5.1.	ally laving in positi-	spacific 1				
		TO THE TOTAL COMMON A		1			
		le cost of centrine	1	I			
		finishing & reinforcement - all w	nuttering,				
		plinth level.	ork upto				Rs. Five thousand o
		1:1:2 (1cement: 1					hundred ton
		1:1:2 (1cement: 1 coarse sand :	graded				hundred ten and pais
		stone aggregate 20mm nominal size	)				seventy only.
		- 39.183 CUM		<b>5</b> 0			
				59.183	cu.r	n 5110	).70
WORK	AROV	E PLINTH LVL.		-			
	TIDOV	E PLINTH LVL.				to the same of the	
17	5.2.1	Painfa					
		Reinforced cement concrete work	in wall		-		
		(and thickness), including offer-1					
		and etwite					
		The level excluding the cost of					
		1.1.2 (Icement:   coarse sand . 2	oradad				Rs. Five thousand six
		assived timm nominal -:	graded				hundred sixty six and
2		10 + 2, BUILDING = $20.51$ SQM					paise twenty only.
		20.51 SQM					parise twenty only.
10							
8	5.1.3	Providing and laying in position spe	2	20.510	cu.m	5666.2	
		grade of reinforced	cified			1 300.2	0
		cement concrete excluding the cost of		-			
		centring, shuttering, finishing					
		reinforcement-All work puto	and				
		plinth level 1.2.4 (1					Rs. Three thousand four
		plinth level. 1:2:4 (1 cement:2 coarse sagraded stone	and:4				hundred thirt id
		20gragota 20					hundred thirty eight and
		aggregate 20 mm nominal size)					paise ninety only.
		SEPTIC TANK = 0.93 CUM					
	5.3	Reinforced cement conrete work		930	cum	3438.90	
	+	beams, suspended floors roofs be	in				
5.3		idililings balaania 1				and the same of th	
1	+	chajjas, lintels bands plaints, shel	ves,				
5.3.	3B.1	chajjas, lintels, bands, plain window s	ills,				
	- 1	and shiral stair again	.				
	- 1	level excludingthe cost of	ing,				
	1	Title ing, Illishing and					
		reinforement with 1:2:4(1 cement:2 coa	ırse				
	1	Staded Slone aggregate 20	nm				
		SIZC).	1			R	s. Four thousand five
	P	Add or deduct for providing richer or lear	ner			h	undred eight
	1	The stable of th	1			ln.	undred eighty one and
	1	Toviding M-15grade R C C instant C.	1			l P	aise twenty only.
		Sidde It.C.	1				
	P	roiding M-25 grade R C C instant C.					
		5. ado 1.C.C.	VI-				
	=	100.44 CUM					
			1	1	- 1		
			100.44				

Triboni Prod Pe,2

Chief Engineer

S.S.E.I.D.C. Ltd., Patna

24 | 0 |

BRICK WORK  20 6.1.14A Brick work with bricks of class designation 100A in foundations and plinth in cement mortar 1:6 (1cement :6 coarse sand)  21 6.1.14A Brick work with bricks of class designation 100A in foundations and plinth in : Cement mortar 1:6 (1 cement: 6 coarse sand)  Extra for Brick work in superstructure above plinth level upto floor V cum  22 6.18.4A Half brick masonry with bricks of class designation 100A in foundations and plinth in : Cement mortar 1:4 (1 cement: 4 coarse sand)  Extra for half Brick masonry in superstructure above pinth level upto floor V level.  = 134.043 SQM  23 6.21A Extra for providing and placing in position 2 Nos, 6 mm dia , MS bars at every third course of half brick masonry (with F. P. S. bricks)  = 134.043 SQM	cu.m	4427.50	Rs. Four thousand fo hundred twenty sever and paise fifty only.
21 6.1.14A    Brick work with bricks of class designation 100A in foundations and plinth in cement mortar 1:6 (1cement :6 coarse sand)  39.878 CUM  39.878 CUM  39.878 CUM  39.878 CUM  39.878  Brick work with bricks of class designation 100A in foundations and plinth in : Cement mortar 1:6 (1 cement: 6 coarse sand)  Extra for Brick work in superstructure above plinth level upto floor V cum  = 160.082 CUM  160.082  6.18.4A    Half brick masonry with bricks of class designation 100A in foundations and plinth in : Cement mortar 1:4 (1 cement: 4 coarse sand)  Extra for half Brick masonry in superstructure above pinth level upto floor V level.  = 134.043 SQM  134.043  6.21A   Extra for providing and placing in position 2 Nos, 6 mm dia , MS bars at every third course of half brick masonry (with F. P. S. bricks)  = 134.043 SQM	cu.m	4427.50	Rs. Four thousand fo hundred twenty sever and paise fifty only.  Rs. Five hundred thirty eight and paise thirty
100A in foundations and plinth in: Cement mortar 1:6 (1 cement: 6 coarse sand)  Extra for Brick work in superstructure above plinth level upto floor V cum  = 160.082 CUM  160.082  6.18.4A  Half brick masonry with bricks of class designation 100A in foundations and plinth in: Cement mortar 1:4 (1 cement: 4 coarse sand)  Extra for half Brick masonry in superstructure above pinth level upto floor V level.  = 134.043 SQM  134.043  6.21A  Extra for providing and placing in position 2 Nos, 6 mm dia, MS bars at every third course of half brick masonry (with F. P. S. bricks)  = 134.043 SQM	cu.m	4427.50	Rs. Four thousand fo hundred twenty sever and paise fifty only.  Rs. Five hundred thirty eight and paise thirty
100A in foundations and plinth in: Cement mortar 1:6 (1 cement: 6 coarse sand)  Extra for Brick work in superstructure above plinth level upto floor V cum  = 160.082 CUM  160.082  6.18.4A Half brick masonry with bricks of class designation 100A in foundations and plinth in: Cement mortar 1:4 (1 cement: 4 coarse sand)  Extra for half Brick masonry in superstructure above pinth level upto floor V level.  = 134.043 SQM  134.043  6.21A Extra for providing and placing in position 2 Nos, 6 mm dia, MS bars at every third course of half brick masonry (with F. P. S. bricks)  = 134.043 SQM	cu.m	4427.50	Rs. Four thousand fo hundred twenty sever and paise fifty only.  Rs. Five hundred thirty eight and paise thirty
+ 6.19A  designation 100A in foundations and plinth in: Cement mortar 1:4 (1 cement: 4 coarse sand)  Extra for half Brick masonry in superstructure above pinth level upto floor V level.  = 134.043 SQM  23  6.21A  Extra for providing and placing in position 2 Nos. 6 mm dia, MS bars at every third course of half brick masonry (with F. P. S. bricks)  = 134.043 SQM			Rs. Five hundred thirty
6.19A  in: Cement mortar 1:4 (1 cement: 4 coarse sand)  Extra for half Brick masonry in superstructure above pinth level upto floor V level.  = 134.043 SQM  134.043  6.21A  Extra for providing and placing in position 2 Nos, 6 mm dia, MS bars at every third course of half brick masonry (with F. P. S. bricks)  = 134.043 SQM	Sq.m.		Rs. Five hundred thirty
superstructure above pinth level upto floor V level. = 134.043 SQM  Extra for providing and placing in position 2 Nos, 6 mm dia, MS bars at every third course of half brick masonry (with F. P. S. bricks) = 134.043 SQM	Sq.m.		eight and paise thirty
Extra for providing and placing in position 2 Nos, 6 mm dia, MS bars at every third course of half brick masonry (with F. P. S. bricks) = 134.043 SQM	Sq.m.	538,30	
course of half brick masonry (with F. P. S. bricks) = 134.043 SQM			
124.042		F	Rs. Seventy five and paise ninety only.
4 6.1A + Brick work with his 1 2 4	Sq.m.	75.90	
Brick work with bricks of class designation 100A in foundations and plinth in : Cement mortar 1 .:4 (1 cement: 4 coarse sand ) = 8.75 CUM	941111	R	s. Four thousand one undred eighty four only
PLASTER WORK 8.750	cum	4184.00	
13.13.4 20 mm cement plaster of mix; 1:6 (1 cement: 6 coarse sand) = 836.658 SQM		Rs	. One hundred twenty
13.13.1 20 mm cement Plaster 1:3 (1 cement: 3 coarse sand) with a floating coat of neat cement & neat cement punning SEPTIC TANK = 16.65 SQM	sq.m	Rs.	One hundred eighty and paise sixty only.
13.11.4   12mm thick Cement plaster of mix 1:6 (1 cement : 6 coarse sand)   = 1041.58 SQM	sq.m	185.60	Eighty nine and paise

Tribeni P. d 812

Chief Engineer

B.S.E.I.D.C. Ltd. Patna 24/01

	28	12	17.			17		
	20		17.1 12 mm cement Plaster 1:3 (1 ce	mont. 2		17		
		+13.	Jedise Saily Will a floating	0				
		1	LAHA IOF providing 1	or neat				
			water proofing material in	mixing				
			proportion recommend				1	
			manufacturers: 12 manufacturers:	the				Rs. One hundred forty
			manufacturers: 12 mm cement plaste cement :3 sand)	er 1:3(1				five and paise fifty only.
			Saild)					and palse fifty only.
			SEPTIC TANK = 52.82 SQM					
	29	13.24	12 6		52.820			
		13.2	The Cellent plaster of C-11	19 miy	32.020	sq.m	145	.50
			( Content . 4 Coarse sand)	S IIII			de la constitución de la constit	
			= 388.53 SQM		*			Rs. Seventy seven and
~	30	11.3.	1 Cement consumt a	3	88.530	sq.m	7.7	paise forty only
		+	Cement concrete flooring 1:2:4(1 cer coarse:sand:4 graded stone coarse	ment:2		34.111	77.	40
		11.8	oraced stan-	- 1				
			Timisticu With a floating aget of	- /				
			The state of the s	535				
			oost of mostlip of stens ata					
			and with 20 mm nominal size	stono!				
			aggregate.	- 1				Rs. Two hundred thirty
			Extra for making chequers of appr					two and paise ninety
.			Concrete flagge	oved				only.
			landing, pavemerts etc.	teps,				
. 1			= 136.41 SQM					
			4					
-				120	410			
I	INICH	INC		130	5.410	sq.m	232.90	
1	пизп	ING W	ORK				-	
-	21							
	31	13.46.1	Finishing walls with Acrylic Smo					
-			exterior paint of					
			required shade :New work (Two or m					
			coat applied @ 1.67 ltr/10	ore				
			Som over and in the					
1			sqm over and including priming coat	of				Do Cint
								Rs. Sixty eight and paise
-			primer applied @ 2.20 kg/10 sqm)					eighty only.
			EXTERNAL WALL = 836.658 SQM					
-	-							
3	2   13	.80A.2	Providing and applying white cement base	836.6	58 s	sq.m	68.80	- 1
			putty of average thickness 2 mm,	ed		•	00.00	
			approved brand and man approved brand approved brand and man approved brand approve	of			The state of the s	
			approved brand and manufacturer, over the	ne			r	
			plastered wall surface to prepare the surface	ce			1	Rs. One hundred
			and and				e	ighteen and paise
			smooth complete.				S	eventy only.
33	13	.77.2	Distempering with all I	2266.7	68 sc	J.m	118.70	
			Distempering with oil bound washa bl distemper of approved brand and	e			110./0	
			manufacture to a significant approved brand and	1			and the same of th	
		-	manufacture to give an even shade.					
		1	New Work (two or more coats )	1				
		1.	- reading					
		I	priming coat with cement primer				Rs	. Sixty four only.
		1	INTERNAL WALL & CELLING					Jour only.
		1	430.11 SQM				4	
	1			1	1			

1430.110

sq.m

64.00

Tribuni Roberd Park

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

2/101

34	13.8	81.1 Applying priming		18			
		pink or grey primer of approx					
		Wood work (1-	and and				
		[	rd and				Rs. Twenty five and
		= 115.68  SQM					paise twenty only.
35	13.8	1.3 Applying priming coat with ready	115	5.680	sq.m	25.2	
		zinc chromate yellow primer of ap	mixed			23.2	
		brand and manufacture on steel galv	proved				
		iron/steel work.	anized				Rs. Twenty one and pa
		= 105.728  SQM					thirty only.
36	13.93		105	728	00		
	10.75	Synthetic angus 1		720	sq.m	21.30	
		Tappio ved bidlid and manufactures				Name and Address of the Owner, when the Owner, which the Owner,	
		even shade two or more coats on new seconds and manufacture to g	work				Rs Fifty and main
		221.408 SQM					Rs. Fifty and paise nine only.
37	10.14.	1 Providing and G:	221.4	408	sq.m	50.00	/
		I loviding and fiving Time c			.q.111	50.90	
		and ventilators of "					
		Tee-sections, joints miltred and welded 15x3 mm lugs 10	with				
		cm long embedded in com-					
		blocks 15x10x10 cm of 1:3:6 (1 cemer	erete				
		coarse sand : 6 graded stone aggregat	nt:3				
		The month of the state of the s	- 1			ŀ	Rs. Seventy five and
		or with wooden plugs and save				F	paise ten only.
		Pross and sciews or with fiving 1:	rawl				
		least and nuts as required including	With				
		= 339.675 KG					
38	9.21.1	Providing and fair	339.67	5   1	ζg.	75.10	
		Providing and fixing flush door shut			-8.	73.10	
		conforming to IS: 2202 (Part-I) in decorative type core	on-				
		decorative type.core of block be construction with frame of 1st class ti	ard				
		wood and well mathched commercial 3 pl	ard				
		I directiff will vertical grains	- 1				
		Tace velicels on both tages of -1					
		in thick including anodized -1.				Rs	. One thousand eight
		Thinges	ım			hu	ndred twenty three and
		with necessary screws				pai	se eighty only.
		= 48.195 SQM					
9 9	119.1	Duo.: J.	48.195	0.0			
1	. 1 7.1	Providing and fixing oxidised M.S.tower	10.173	Sq.1	11 18	323.80	
		oon black fillish.(barre)	Separate Control of the Control of t				
		type) with necessary screws etc.complete 250x10mm					
		250%1011111				Rs.	Sixty six and paise
		10 + 2, BUILDING = 44 EACH				fifty	only.
9.1	04.1	Providing and factors	44.000	each		66.50	
		Providing and fixing M.S.handles with		caci		66.50	×
		necessary screws etc.complete			-		
1		0+2, BUILDING = 44 EACH				Rs. T	wenty seven and
		-, DUILDING = $44  EACH$			1		seven and
		THE LACH				paise	fifty only.

Triboni Prisid 212

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Skehoudh

24 | 0 |

Providing and fixing alluminium hanging floor door stopper anodised (anodic coat not less than grade AC 10 as per IS:1868 transparent or dyed to required colour anshade with necessary screws etc.complete:Twin rubber stopper = 22 EACH  Providing and fixing M.S. sliding door bo bright finished or/and black enamelled, with nuts and screws etc.compelled: 300x16 mm = 22 EACH	22.000	0 each	82.70	Rs. One hundred seventy
nuts and screws etc.compelled: 300x16 mm = 22 EACH	1.	0 each	82.70	Rs. One hundred seventy
nuts and screws etc.compelled: 300x16 mm = 22 EACH	th			Rs. One hundred seventy
WORK	1			seven and paise forty only.
	22.000	each	177.40	
with 15x3 mm M.S. lugs10cm long wit steel legs embedded in cement concret blocks 15x10x10cm.of (1:3:6) (1cement 3coarse sand : 6graded stone aggregat 20mm nominal size) or with wooden plug and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the	ed ed hh ee : ee s h s f		h	s. Three thousand two undred seventy and aise sixty only.
	steel sections, joints mitered and welde with 15x3 mm M.S. lugs10cm long wit steel legs embedded in cement concret blocks 15x10x10cm.of (1:3:6) (1cement 3coarse sand : 6graded stone aggregat 20mm nominal size) or with wooden plugand screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required. Doors  Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel Windows	steel sections, joints mitered and welded with 15x3 mm M.S. lugs10cm long with steel legs embedded in cement concrete blocks 15x10x10cm.of (1:3:6) (1cement: 3coarse sand: 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required. Doors  Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel Windows	steel sections, joints mitered and welded with 15x3 mm M.S. lugs10cm long with steel legs embedded in cement concrete blocks 15x10x10cm.of (1:3:6) (1cement: 3coarse sand: 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required. Doors  Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel Windows.  = 95.715 SQM	withdows of Ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm M.S. lugs10cm long with steel legs embedded in cement concrete blocks 15x10x10cm.of (1:3:6) (1cement : 3coarse sand : 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required.  Doors  Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel Windows.  95.715 SQM

Tribini Predsol

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Skehouth

24/01

8393.000

1300.000

7000.000

700.000

KG

KG

KG

KG

Torbeni Pros. Aly

SEPTIC TANK = 93 CUM

500 10mm dia

500 12mm dia = 7000 KG

500 16mm dia

700 KG

= 1300 KG

5.22.7B

5.22.7C

5.22.7D

TOTAL QUANTITY = 8393 KG

Thermo-Mechanically Treated bars TMTC-

Thermo-Mechanically Treated bars TMTC-

Thermo-Mechanically Treated bars TMT-

Chief Engineer B.S.E.I.D.C. Ltd, Patna

Rs. Seventy four and

Rs. Seventy three and

Rs. Seventy one and paise eighty only.

Rs. Seventy two and

paise eighty only.

paise forty only.

paise ten only.

74.40

73.10

71.80

72.80

	5.22.7E	Thermo-Mechanically Treated bars 500 20mm dia = 750 KG	7.00	000 1	ΚG		Rs. Seventy two and paise twenty only.
	3.22.75	Thermo-Mechanically Treated bars 500 25mm dia = 0 KG	TMT-	100	20	72.20	Rs. Seventy two and
47	10.19	Providing & fixing M.S. Fan hook	0.00 of 16	0 k	KG	72.20	paise twenty only.
		mm. dia. M.S. bar 1 Mtr. Long be required size and shape, placed in posand fixed in Truss Frame / RCC Slab / at the time of casting all complete as building specification and direction of (Where materials is not supplied by dep = 42 EACH	sition beam s per				Rs. One hundred twent one and paise eighty only.
48	10.33.1	Providing & fixing hand rail by welding	42.000	) Ea	ch 12	1.80	
		to steel ladder railling & staircases railincluding applying a priming coat approved steel primer.  MS tube (medium) 40mm nominal bore.  = 550 KG	of of			t	Rs. Ninety one and paise ten only.
49	1	Providing and fixingin position collapsits steel shutters with vertical chan 20x10x2mm and braced with flat is diagonals 20x5mm size with top and bott rail of T-iron 40x40x6mm with 40mm steel pulleys complete with bolts nocking arrangement stoppers hand neluding applying a priming coat approved steel primer.	nes ron om dia uts	) kg	. 9	h	es. Four thousand one undred fifteen and paise exty only.
CEL			4.52	sq.m	4115.	60	
50	4.17 N	Taking plinth protection 50mm thick	of				
	sa no ba an in-	ement concrete 1:3:6 (1 cement :3 coar and : 6 graded stone aggregate 20m pminal size ) over 75mm bad by dry bricallast 40mm nominal size well ramment of consolidated and grouted with fine san cluding finishing the top smooth.	se m ek d d			Rs. nin onl	. Three hundred leteen and paise thirty y.
SHU	TTERING		75.414	sq.m	319.3	0	
	fou	ntring and shuttering including strutting opping etc. and removal of form foundation, footings, basees of columns etc. mass concrete.				Rs.	One hundred sixty six paise seventy only.

Triberi Prosed RVL

Chief Engineer

3.S.E.I.D.C. Ltd, Patna

24|0|

	52 5.9	and Siluttering including	or etm.		22			
		propping etc. and removal of form	C 1'					
		plinth beams oriders b	ressure	1,				
		and contilevers.	nessumei	*S				Rs. Two hundred fifty
		= 349.241  SQM						one and paise thirty or
5	53 5.9			349.2	041 6			
	3 3.9	Contains and Shuffering including	strutting		.41 8	qm.	251.30	
		propping etc. and removal of	fam c	1		/		
		plers, piers, abutments	posts and	1				
		struts = 367.575 SQM						Rs. Three hundred for
		307.373 SQM						four and paise forty on
54	4 5.9.	Centring on L. I.		367.57	75   80	ım. 3	11.10	· ·
		and Shullering including	strutting,			3	44.40	
		propping etc. and removal of f	form for				4	
		suspended floors, roofs, landings, band access platform.	palconies					De Tweet
		= 451.54 SQM						Rs. Two hundred seven
								five and paise sixty only
				451.54	0 Sq	m. 27	5.60	
							Carrie Carrie	,
						Т	otal	5,716,706.8
'lu	mbing a	nd sanitary Work				Total	(A)	5,716,707.0
		- VVOIR						5,710,707.0
55	B.S.R	Providing and fixing on wall	1 0					
	12.78	unplastidsed PVC (working pressure	l face					
		per squil rain water nines ainfa						
		119.7703 IllCluding lointing with	1 .					
		comorning to 18:5382 leaving 10 m	an ming					
		for thermal expansion.	iii gap					
	12.78.2	110 mm diameter.						
		= 40 MTS					-	
							Rs	s. Two hundred
6	0.0=			10.000			fo	urteen and paise twenty
0	SOR	Providing and fixing on wall	face	40.000	MTS	214.20	on on	ly.
	12.79	unplasticised -PVC moulded G						/
		accessories for unplasticised PVC roin						
		prices comforming to IS:4085 in at	. 1.					
		Joining with seal ring conforming	~ 4					
		IS:5382 leaving 10mm gap for the expansion.	ermal					
- 1		expansion.						
	SOR	Coupler						
-	SUK	Couple			v		+	
	12.79.1	1	- 1					
						1		
		110mm					1	1
	12.79.1	110mm = 10 MTS						
	12.79.1 SOR	1100000					Rs.	One hundred forty
	12.79.1 SOR	1100000					four	One hundred forty and paise seventy
	12.79.1 SOR	= 10 MTS	10	0.000	Each	144.700	Rs. four only	and paise seventy
	12.79.1 SOR 12.79.1.2	1100000	10	0.000	Each	144.700	four	and paise seventy
	SOR 12.79.1.2 SOR 12.79.5	= 10 MTS	10	0.000	Each	144.700	four	and paise seventy
	SOR 12.79.1.2 SOR 12.79.5 SOR	= 10 MTS  Bend 87.50 <sup>0</sup> 110mm bend	10	0.000	Each	144.700	four	and paise seventy
	SOR 12.79.1.2 SOR 12.79.5	= 10 MTS Bend 87.50°	10	0.000	Each	144.700	four	and paise seventy
	SOR 12.79.1.2 SOR 12.79.5 SOR	= 10 MTS  Bend 87.50 <sup>0</sup> 110mm bend		0.000	Each	173.700	four only	and paise seventy

Toibcoir Pr. S. of S.D

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Skehoudher

	SOR	Shoe (Plain)		23		
	12.79.	(Tidili)				
	SOR	110mm Shoe				
	12.79.6	.2 = 12 MTS				Rs. Three hundred
57	B.S.R	Providing and fixining water class	12.00	00 Ea	ch 314.7	fourteen and paise seventy three only.
	17.1.1	squatting pan (Indian type W.C. pan) wi 100 mm sand cast iron P or S tap, 10 lit low white P.V.C. Flushing cistern wi munally controlled device (handle leve conforming to IS: 723 Parryware/Hindware with all fittings an fixtures complete including outline.	th re th l) l d		311.7	50 my mee only.
		White Vitreous China Orissa pattern W C pan of size 580 x 440 mm with integral to	er			
58	B.S.R 17.2.2	Providing and fixing white vitrous 1	6.000	Each	3035.400	Rs. Three thousand thir five and paise forty only
		W.C. pan with ISI marked black calid.	100000			
59	B.S.R	= 3 EACH  Providing and fixing white vitrous al.	3.000	Each	2928.300	Rs. Two thousand nine hundred twenty eight and paise thirty only.
	a file bi	the back of wall corner type lipped front prinal basin of 430x260x350 mm and 40x410x265 mm sizes respectively with utomatic flushing cistern with standard tush pipe and C.P. brass spreaders with grass unions and G.I. clamps complete, accluding painting of fittings and brackets, atting and making good the walls and poors wherever required:				
	au	ange of two urinal basins with 5 litre white V.C. tomatic flushing cistern 3 EACH	5.000	Each	h	s. Four thousand six undred eighty eight and aise ninety only.

Torbeni Rossed & D

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Kehoudhy

	1
2	4

			2	4		
60	SOR 17.34	Provding and fixing toilet paper holder		7		
	SOR					
	17.34.2	Vitreous china	3	Each	304.2	Do The data
61	B.S.R				304.2	Rs. Three hundred for
OI	17.7.1	Providing and fixing wash basin with C	.I.			and paise twenty only
	17.7.1	brackets, 15 mm C.P. brass pillar taps 3	22			
		Imm C.P. brass waste of standard natter	n			
		including painting of fittings and bracket				
	1	cutting and making good the walls wherever	er			
		require:				
	-	White Vie				,
		White Vitreous China Wash basin siz	e			
		630x450 mm with a pair of 15 mm C.F	P			Rs. Two thousand one
		brass pillar taps. = 12 EACH				hundred twenty and pa
		- 12 EACH				thirty only.
62	18.63	Providing and fixing PTMT angle stop cocl	12.000	Each	2120.30	0 mily omy.
		15 mm nominal				
- 1		bore, weighing not less than 85 gms			parameter	Rs. One hundred eight
		gaming not less than 85 gins				and paise ninety only.
53	B.S.R	Providing and fiving D.V.C.	15.000	Each	180.900	
	17.28	Providing and fixing P.V.C. waste pipe for sink or wash begin in L.V.				
		sink or wash basin including P.V.C. waste fittings complete.			-	
		menigs complete.				
-	17.28.2.1	Florible 22				
	17.20.2.1	Flexible pipe 32 mm dia = 12 EACH				
		- 12 EACH				Rs. Seventy eight and
						paise sixty only.
4	B.S.R	Providing and Sain	12.000	Each	78.600	parse sixty only.
	17.32.2	Providing and fixing mirror of superior				
		glass (of approved quality) and of required	Parameter .			
		shape and size with plastic moulded frame				
		of approved make and shade with 6 mm thick hard board backing:				Rs. Six hundred forty
		Rectangular share 452				three and paise forty
		Rectangular shape 453 x 357 mm = 12 EACH				only.
		12 EACH				
	B.S.R	Providing and fixing 600 x 120 x 5 mm	12.000	Each	643.400	
	17.33	glass shelf with edges round off, supported	-			
		on anodised aluminium angle frame with				
		C.P. brass brackets and guard rail complete				
		fixed with 40 mm long screws, rawl plugs				Rs. Four hundred seventy
		etc., complete.				eight and paise thirty
		= 12 EACH				only.
			10.00			
			12.000	Each	478.300	

Pribini Pors 2/102

Chief Engineer

S.S.E.I.D.C. Ltd. Patna

Skehoudt

0	05	•
/	-	
and the owner, where	_	

18.8.1 Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I  Concealed work including cutting chases and making good the wall etc. 15 mm nominal outer dia Pipes  = 50 METER  50.000 metre 241.000  B.S.R Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge.  25 mm nominal inner dia Pipes  = 60 METER  60.000 metre 193.800  Rs. Two hundred fithere and paise eigonly.  Rs. One hundred fithere and paise eigonly.  Rs. Six and paise eigonly the event and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.  4000 PER LITER  Providing and fixing C.P. brass bib cock of approved quality conforming to 18:8931  15 mm nominal bore.	66	6 De	D D III		25		
18.9.3 Chlorinated Polyvinyl Stability for hot & cold water supply including all CPVC plain & brass threaded fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge.  25 mm nominal inner dia Pipes  18.9.4 32 mm nominal outer dia Pipes  18.9.2 20 mm nominal outer dia Pipes  40.000 metre  18.9.8 Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI 12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.  4000 PER LITER  15 mm nominal bore.  15 mm nominal bore.  15 mm nominal bore.  12 EACH  17 B.S.R Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931  15 mm nominal bore.  12 EACH  12.000 Each 497.000 seven only.	66	0.0.	Chloride (CPVC) pipes, having the stability for hot & cold water su including all CPVC plain & brass threa fittings including fixing the pipe velamps at 1.00 m spacing. This including of pipes & fittings with one of CPVC solvent cement and the cost cutting chases and making good the satincluding testing of joints complete as direction of E/I  Concealed work including cutting chased and making good the wall etc. 15 mominal outer dia Pipes	vinyl rmal pply aded with ades step of ame per	45		Rs. Two hundred for one only.
18.9.3 Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge.  25 mm nominal inner dia Pipes  18.9.4 32 mm nominal outer dia Pipes  18.9.2 20 mm nominal outer dia Pipes  40.000 metre  25.1.100 one only.  Rs. Two hundred fit one only.  Rs. One hundred fit one only.  Rs. One hundred fit one only.  Rs. One hundred fit only.  Rs. Two hundred fit one only.  Rs. One hundred fit only.  Rs. Two hundred fit one only.  Rs. One hundred fit one only.  Rs. One hundred fit one only.  Rs. One hundred fit one only.  Rs. Six and paise of one only.  Rs. Six and paise of one only.  Rs. Six and paise of only.  Rs. Four hundred nir seven only.	67	BSR	Droviding 1 G	50.00	0 metro	e 241.00	10
18.9.2 20 mm nominal outer dia Pipes  18.9.2 20 mm nominal outer dia Pipes  40.000 metre 251.100 one only.  Rs. Two hundred for one only.  Rs. One hundred for six and paise forty of six and paise forty of six and paise eigenvalue.  18.9.2 20 mm nominal outer dia Pipes  40.000 metre 251.100 one only.  Rs. One hundred for six and paise forty of six and paise forty of six and paise eigenvalue.  Rs. Four hundred nir seven only.		1	stability for hot & cold water supplincluding all CPVC plain & brass thread fittings This includes jointing of pipes fittings with one step CPVC solvent cemer trenching, refilling & testing of join complete as per direction of Engineer Charge.  25 mm nominal inner dia Pipes	nal bly ed & nt,			Rs. One hundred ninet three and paise eighty
18.9.2 20 mm nominal outer dia Pipes  40.000 metre 251.100 one only.  Rs. Two hundred from one only.  Rs. One hundred from one only.  Rs. Two hundred from one only.		18.9.4	32 mm nominal outer die Di	60.000	metre	193.800	
B.S.R 18.48 Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI :12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. = 4000 PER LITER  B.S.R Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931  I.5 mm nominal bore. = 12 EACH  B.S.R Providing and fixing C.P. brass stop cock (concealed of standard design and of the standard design and the standard desi	-			10,000		Management A. a	Rs. Two hundred fifty
B.S.R 18.48 Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI:12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. = 4000 PER LITER  Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931  15 mm nominal bore. = 12 EACH  Providing and fixing C.P. brass stop cock (concealed of standard design and of concealed of standard design and concealed of standard design an		18.9.2	20 mm nominal outer dia Pipes	40.000	metre	251.100	one only.
B.S.R  18.49  B.S.R  18.49  B.S.R  18.49  B.S.R  Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931  B.S.R  18.49  B.S.R  Providing and fixing C.P. brass stop cock (concealed of standard design and of text)  B.S.R  18.52  B.S.R  Providing and fixing C.P. brass stop cock (concealed of standard design and of text)  B.S.R  18.50  Rs. Six and paise eigonals  Rs. Six and paise eigonals  Rs. Four hundred nimes approved quality conforming to IS:8931  B.S.R  12.000  B.S.R  12.000  B.S.R  Providing and fixing C.P. brass stop cock (concealed of standard design and of text)	8	B.S.R	Providing and placing on terrace (et all fl	40.000	metre	146.400	six and paise forty only
B.S.R 18.49 Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931  15 mm nominal bore. = 12 EACH  B.S.R Providing and fixing C.P. brass stop cock (concealed of standard design and of the content of the		18.48	12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.				Rs. Six and paise eighty
18.49 Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931  15 mm nominal bore. = 12 EACH  12.000 Each 497.000 Rs. Four hundred nir seven only.  Rs. Four hundred nir seven only.	0	DCD		4000.000	1 -	6 900	
B.S.R Providing and fixing C.P. brass stop cock (concealed of standard design and of			approved quality conforming to 1S:8931		IIII	0.800	
18.52 (concealed of standard design and of		D.C.=	= 12 EACH	12 000	Eq. al.	107 000	Rs. Four hundred ninety
			(concealed of standard design and of	12.000	Each	497.000	seven only.
18.52.1 15 mm nominal bore.		18.52.1	15 mm nominal bore.				
= 10 EACH  10.000 Each 670.700  Rs. Six hundred sever and paise seventy only			= 10 EACH	10.000	Each		Rs. Six hundred seventy and paise seventy only.

Triboni ford addan

Chief Engineer

R.S.E.I.D.C. Ltd. Patna

Kehoudh

2	1
1	0

				26			
	71	SOR 18.58	Providing and fixing P.T.M.T. grating o approved quality & colour	f			
		SOR 18.58.1	circular type				
		SOR	100 mm nominal dia,				
		18.58.1.1	non min nominai dia,	11	Each		Rs. Forty seven and paise
-	72	B.S.R	D. C.			47.90	ninety only.
	2	19.2.1	Providing and laying cement concrete 1:5:10 (1 cement : 5 coarse sand : 10 graded				
			stone aggregate 40 mm nominal size) all-round S.W. pipes including bed concrete as per standard design:  100 mm diameter S.W. pipe				Rs. Three hundred twelve and paise fifty only.
			= 50 METER	50.000			
7.	3	B.S.R 19.6.1	Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars	30.000	metre	312.500	
			jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete:  100 mm dia R.C.C. pipe  = 15 METER				Rs. Three hundred twelve and paise ninety only.
74	+	B.S.R	Constructing brick masonry road gully	15.000	metre	312.900	
		19.27.1	chamber 50x45x60 cm with bricks in cement mortar 1:4 (1cement : 4 coarse sand)				
			including 500x450 mm pre-cast R.C.C. horizontal grating with frame complete as per standard design: With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 2 EACH				Rs. Three thousand one hundred seventeen and paise thirty only.
				2.000	Each	3117 300	

Tribesi Prosidhe

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Kehaudh

		75 B.S.F			27		
		19.30.1	The state of the s	for			
		17.50.	1 Stould C.I. Hispeciion (hamber	and			
			bend with 75 class designation bricks	in			
			cement mortar 1:4 (1 cement : 4 coa	arse			
			sand) C.I. Cover with frame (light du 455x610 mm internal dimentions, to	ity)			
			weight of cover with frame to be not 1	otal			
			than 38 kg. (weight of cover 23 kg. a	ess			
			weight of frame 15 kg.) RCC top slab w	and			
			1:1.5:3 mix (1 cement: 1.5 coarse sand	ith			
			graded stone aggregate 20 mm nomin	nal			
			size) foundation concrete 1:5:10 mix	(1)			
			cement:5 coarse sand : 10 graded sto	nel			Rs. Three thousand nine
			aggregate 40 mm nominal size) insi	de			hundred forty nine and
			plastering 12 mm th. with cement mortar 1	.3			paise ten only.
			(Icement:3 coarse sand) finished smoo	th			
			with a floating coat of neat cement on wal	lls			
			and bed concrete etc. complete as p standard design.	er			
			Inside dimensions 466x610 mm and 45c				
			deep for single pipe line:	m			
			With common burnt clay F.P.S. (no				
			modular) bricks of class designation 7.5	on			
			= 6 EACH				
				6,000			
	76	D.O.10	Making soak pit 2.5 m diameter 3.0 metr	6.000	Each	3949.10	)
		19.32.1	deep with 45 x 45 cm dry brick honey com	h			
			shall with brick and S.W. drain pine 100				
			inm diameter, 1.8 m long complete as ne	r			
-			standard design.				
			With common burnt clay F.P.S. (nor	1			Rs. Twenty five thousand
			modular) bricks of class designation 7.5				nine hundred and paise
			I Literi			7	ten only.
L				1 000			
	77	B.S.R	Providing and fixing S.W. intercepting trap	1.000	Each	25900.100	
		19.34	in manholes with stiff mixture of cement				
			mortar 1:1 (1 cement : 1 fine sand)				
			including testing of joints etc. complete:				
		19.34.1	100 mm dia				D. T.
			= 2 EACH				Rs. Two hundred eighty
-	78		Dat 11 1 E	2.000	Each	283.800	three and paise eighty
	70		Detailed Estimate for construction of 125			200.000	only.
			mm x 40 mm x 90 mm Tube well Manual Boring	Service Control of the Control of th		The state of the s	Rs. Sixty thousand four
			= 1 EACH				hundred thirty two and
	79	ANALYSIS	11021	1.000	Each	60432.650	paise sixty five only
		1	NON SCHEDULED ITEMS(MARKET RATE)	/		and the same of th	
			= EACH				
			P.V.C. PIPE				
			= EACH				
		L		1	- 1	1	

Triboni Prosidsol

Chief Engineer

B.S.E.I.D.C. Ltd. Paina

24|0|

					- 1	
	1	Providing and C.	2	-8		
		Provding and fixing soil, waste and ve	nt			
		= EACH				
		110 mm dia				
		= 40 EACH	40.000			Rs. Three hundred forty
		P.V.C. FITTINGS	40.000	metre	347.000	seven and only.
		= EACH				
		DOOR TEE 110 mm dia				
		= 4 EACH	1,000			Rs. Three hundred sixty
		DOOR BEND 110 mm dia	4.000	each	365.000	five only.
		= 8 EACH	8.000		200	Rs. Two hundred eighty three only.
		BEND 45 <sup>o</sup> 110 mm dia	8.000	each	283.000	
		= 10 EACH	10.000	each	195,000	Rs. One hundred eighty
		VENT COWEL 110 mm dia	10.000	Cacii	185.000	five only.
		= 3 EACH	3.000	each	65.000	Rs. Sixty five only.
		PIPE CLIP 110 mm dia	Berry		03.000	
		= 100 EACH	100.000	each	53.000	Rs. Fifty three only.
		FLOOR TRAP 110X110 mm dia = 10 EACH	Mark Committee of the C		and the same of th	Do Farm 1 1 1 1 1
	0.1		10.000	each	436,000	Rs. Four hundred thirty six only.
	Code no. o	f (i) C.I. cover and frame 300 x 300 mm	10.000	Cacii	430.000	
	1352	inside	-			Rs. Three hundred
		SEPTIC TANK = 1 EACH				seventy four and paise
	Code no. of	f (ii) S.C.I. plain bend 100 mm dia	1.000	Each	374.060	six only.
	1621	SEPTIC TANK = 1 EACH	1.000	Б		Rs. Four hundred thirty
	Code no. of	(iii) S.C.I. Tee 150 mm dia	1.000	Each	436.400	six and paise forty only.
	7087	SEPTIC TANK = 1 EACH	The state of the s		Marganiture	Rs. Seven hundred forty
-			1.000	Each	740 110	eight and paise eleven
+			1.000	Lacii	748.110	only.
+			William Carray		Total	348,404.98
H					Total (B)	249 405 00
1					Total (D)	348,405.00
		Florida 1 AV				
		Electrical Works (1% labour cess has				
_	1.10	been added on current DSR-2014)				
	1.10	Point Wiring in PVC Conduit, with Modular type Switch:-				
		type Switch				
		Wiring for light point/ fan point/ exhaust fan				
		point/ call bell point				
		with 1.5 sq.mm FRLS PVC insulated copper				74
	1	conductor single				
		core cable in surface / recessed medium				
		class PVC conduit,				
		with modular switch, modular plate, suitable				
	1	GI box and earthing				
		the point with 1.5 sq.mm. FRLS PVC insulated copper conductor				
	1,1		1	1		

119.000

Nos.

725.180

Tobeni Pard 1-2

Group C

insulated copper conductor single core cable etc as required.

1.10.3

Chief Engineer
B.S.E.I.D.C. Ltd. Patna

Rs. Seven hundred twenty five and paise

eighteen only.

84	1.11	Twin Control Point Wining Page 9	2	9		
		Twin Control Point Wiring in PVC Condwith Modular type Switch:-	uit,			
		Wiring for twin control light point with sq.mm FRLS PVC insulated copper conductor single core cal in surface / recessed medium class PVC conduit, 2 way modul switch, modular plate, suitable GI box and earthing the point will.5 sq.mm. FRLS PVC insulated copper conductor single co-cable etc as required	ble lar			Rs. Seven hundred seventy seven and pais seventy only.
85	1.31	Supply and Fixing Light Plug Point wi	3.000	Nos	777.700	)
		Modular Type Accessories:-				
86	1.32	Supplying and fixing suitable size GI bowith modular plate and cover in front on surface or in recessincluding providing and fixing 3 pin 5/6 amps modular socket outleand 5/6 amps modular switch, connection etc. as required. (Folight plugs to be used in non residential buildings).  Supply and Fixing Power Plug Point with	s, et 25,000	Nos.	306.030	Rs. Three hundred six and paise three only.
		Modular Type Accessories:-				
37	2.18	Supply and Fixing GI box with modular plate and cover in front on surface or in recess including providing and fixing 6 pin, 15/16 amps modular socket outlet and 15/16 amps modular type switch, connection, painting etc as required.		Nos.	590.000	Rs. Five hundred ninety only.
	2.10	Supply & fixing 20A SPN MCB Industrial Socket Outlet:-			/	
	2	Supplying and fixing 20 amps, 240 volts, SPN industrial type, socket outlet, with 2 pole and earth, metal enclosed plug top alongwith 20 amps "C" curve, SP, MCB, in sheet steel enclosure, on surface or in recess, with chained metal cover for the socket out let and complete with connections, testing and commissioning etc. as required				Rs. Nine hundred sixty three and paise fifty four only.
			12.000	Nos.	963.540	

Triboni Pr. d Su)

88	1.12	Power Plug Wiring in PVC conduit (2x4 s	31	0		
		mm):-	q.			, , ,
		Wiring for light/ power plug with 2X4 somm FRLS PVC insulated copper conductor single core cable is surface/ recessed mediumclass PVC conductional alongwith 1 No 4 sq. mm FRLS PVG insulated copper conductor single core cable for loo earthing as required	in it C			Rs. One hundred sixty three and paise sixty twonly.
89	1.24	Supplying and fixing following modula	420.000	Mtrs.	163.620	
		type switch/ socket on the existing modula plate switch box / cover including connections etc.as required	r			
	1.24.1	5/6 amps switch.	-			
	1.24.4	5 min 510	25.000	Each	81.810	Rs. Eighty one and pais eighty one only.
	1.24.4	5 pin, 5/6 amps socket outlet.	25.000	Б. 1	September 1	Rs. Seventy nine and
90	1.14	Circuit / Sub-main wiring in PVC Conduit:-	25.000	Each	79.790	paise seventy nine only.
					-	
		Wiring for circuit / sub-main wiring along with earth wire with the following sizes of PVC insulated, copper conductor, single core cable in surface/recessed PVC conduit as required.				
	1.14.1	2x1.5 Sqmm + 1x1.5 sqmm earth wire				Rs. One hundred seven
-	1.14.2	2x2.5 Sqmm + 1x2.5 sq mm earth wire	40.000	Mtrs.	107.060	and paise six only.
		1 AZ.5 3q IIIII Cartii Wife			Section 1	Rs. One hundred thirty
_	1.14.9	4,605	350.000	Mtrs.	132.310	two and paise thirty one only.
	1.14.9	4x6.0  Sqmm + 2x6.0  sqmm earth wire (to be used as sub main)			Marie Contract of the Contract	Rs. Three hundred ninety
	1.14.10	17.10	54.000	Mtrs.	392.890	two and paise eighty nine only.
	1.14.10	4 X 10 sq. mm + 2 X 10 sq. mm earth wire	10,000	) (	September 1	Rs. Six hundred two and
		S/F 'C' series SP MCB:-	10.000	Mtrs.	602.970	paise ninety seven only.
91		Supplying and fixing 240 volts, 'C' series, miniature circuit breaker suitable for inductive loads of following poles in the existing MCB DB complete with connections, testing and commissioning etc, as required.				
	2.10.1	6/32A, Single Pole	36.000	Each		Rs. One hundred seventy and paise sixty nine only.

Toboni BidleiL

Chief Engineer

3.S.E.I.D.C. Ltd, Patna

An Skehoushor

24/9

0	A
1	1
	- 1

	2.10	0.3	6/22A DD		-	31			
	2.11	0.5	6/32A ,DP						Rs. Four hundred s
92	2.1	3	S/F TPN MCB:-		3.00	0	Each	463.5	three and paise fifty only.
					/		9		omj.
			Supplying and fixing following r pole, 240 volts, isolator in the exi DB complete with connections, t commissioning etc. as required	otion - Moor	.				
	2.13.	.2	63 A,TPN						
93	2.15		S/F TPN RCCB:-Supplying and	fiving	3.000	I	Each	676.70	Rs. Six hundred sev six and paise sevent only.
		- 1	415 volts, residual current circui (RCCB) having a sensitivity cur	d neutral, t breaker					
			300 miliamperes in the existing N complete with connections, test commissioning etc. as required.	MCB DB ting and					
	2.15.2	4	40 Amp.						D- T
94	2.8	S	/F TP MCB DB:-		3.000	Ea	ach	2144.23(	Rs. Two thousand on hundred forty four an paise twenty three onl
		sl ve tii ba in pa (V	upplying and fixing of for ay, horizontal type three pole and neet steel, MCB distribution boaselts, on surface/recess, complete and copper bus bar, neutral bus bar, din bar, detachable gland terconnections, phosphatized and inted including earthing etc. as revithout MCB/RCCB/ISOLATOR).	neutral, ard, 415 te with ar, earth plate, powder					
	2.8.5	4 \	Ways (4+12 ways) double door						
			7 / 2 / 3 / 6 / 6 / 6 / 6 / 6 / 6 / 6 / 6 / 6						Rs. Seven thousand four hundred thirty and paise fifty seven only.
	1.33	S/F	Ceiling Rose:-	3	.000	Set	74	30.570	
					The state of the s		-	The second secon	
		LIIC	plying and fixing 2 pin ceiling ro existing junction box/ wooden a ading connection etc as required.	block				I	Rs. Forty three and paise orty three only.
	1.34	S/F I	Batten / Angle Holder:-	80	.000	Each	43	.430	
				27.	.000	Each	74	.740 p	Rs. Seventy four and aise seventy four only.

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

Toilori Prod 812

- 1				32	2		
		Supplying and fixing batten / angle ho	older	0			
		including connection etc as required.					
	)7						
	97 1.2	5 S/F Modular type electronic fan regulato	r:-		-		
		2					Rs. Two hundred eighty
							six and paise eighty four
		Supplying	24.	000	Each	286.84	
		Supplying and fixing stepped type	fan				
		regulator on the existing modular p	late				
		switch box including connections	but				
		excluding modular plate etc as required.					
9	0 10						
9	8 1.2	S/F PVC Conduit:-					
		Supplying and fiving of C. II.					
		Supplying and fixing of following sizes medium class PVC	of				
		conduit along with accessories surface/recess including cutting	in				
		the wall and making a state					
		the wall and making good the same in ca	ase				
		as required.					
		as required.					
	1.21.	20					
	1.21.	20 mm					
							D- Fig. d
							Rs. Fifty three and paise
99			110.0	00	Mtrs.	53.530	fifty three only.
1 99		Telephone Wiring in Existing Conduit:-		+	TVIUS.	33.330	
	1.18					The state of the s	
	1.10	Supplying and drawing following pair 0	.5				
		inim dia FRLS PVC					
		insulated annealed copper conducto	r,				
		unarmored telephone cable					
		in the existing surface/ recessed steel/ PV	C				
		conduit as required					
	1.18.2	2 pair					
		- 1					Rs. Eighteen and paise
100	1.24	S/F Modular type Switch / Socket:-	50.000	)	Mtrs.	18.180	eighteen only.
		Supplying and fixing following modula					
		type switch / socket on the	r			September 1	
		type switch / socket on the existing modula	r				
		plate and switch box including connection	S				
		but excluding modular plate etc as required					
	1.24.6	Telephone socket outlet					
		receptione socket outlet					Rs. Ninety five and paise
		EARTHING	2.000		Each	95.950	ninety five only.
101	5.6						July only.
		COPPER EARTH PLATE ELECTRODE:-	September 1			and the same of th	
		Farthing with govern					
		Earthing with copper earth plate 600mmx					
		600mmx 3mm thick including acessories	X				
		and providing masonary enclosure with					Rs. Nine thousand three
		cover plate having locking arrangement and					hundred eighty four and
		watering pipe of 2.7 meter long etc with					paise ninety two only.
		charcoal/cock and salt as required.					paise innery two only.
102	5.10	D/E 25 v 5 ···	2.000	Е	Each	9384.920	
	J.10	P/F 25 x 5mm copper earth strip in pipe :-				-	
			and the same of th		- 1	-	

Toboni Portadful

Chief Engineer
R.S.E.I.D.C. Ltd, Patna

24/01

33

. 1		D		33		
		Providing and fixing 25 mm X 5 mm copstrip in 40 mm dia G.I. pipe from earth electrode includ connection with brass nut, bolt, spring, washer excavation and filling etc. as required.	ing re-			Rs. One thousand ninety two and paise eighty two only.
- 1	103 5.1	P/F 25 x 5 mm copper earth strip in surface	12.00	00 N	ltrs. 1092	.820
		recess:-	ce/			
10	04	Providing and fixing 25 mm X 5 mm coppostrip on surface or in recess for connections etc. as required.  Cable Laying of 1.1 KV & 11 KV:-	24.000	Mt	rs. 864.5	Rs. Eight hundred sixty four and paise fifty six only:
	7.1	Laying of one number PVC insulated and PVC Sheathed / XLPE power cable of 1. KV grade of following size direct in ground including excavation, sand cushioning protective covering and refilling the trenchet as required.	l d			
105	7.1.2	Above 35sq.mm and Upto 95 Sq.mm.	80.000	Mtrs	5. 204.02	Rs. Two hundred four
	14.14	G.I. Pipe for Cable protection:-  Providing, laying and fixing following dia RCC pipe NP2 class(light duty) in ground complete with RCC collars, joints with cement mortar 1:2 (1 cement : 2 fine sand) including trenching (75 cm) and refilling etc.as required. (Road crossing as per site condition)				0 and paise two only.
	14.14.2	150 mm dia				Rs. Three hundred eighty
106	9.1	1.1 KV Cable End Termination:-Supplying and making indoor cable end termination with brass double compression gland and aluminium lugs for following size of PVC insulated XLPE Al. Ar. Cable of 1.1 KV grade as required.	10,000	Mtr.	387.840	seven and paise eighty four only.
107	9.1.22	3.5 Core 50 Sq.mm.	2,000	Б.,		Rs. Two hundred seventy two and paise seventy
107	1908 JSR 2014	3.5 core 50 sq mm xlpe/pvc insulated sheathed (Heavy duty)armoured electric cable aluminium conducter.	2.000	Each	272.700	only.

Triboni Prosid 21

		3.50 v.50 S		34		
10	· R	3.5C x 50 Sq.mm 1.1kV	100.	000 N	1trs. 391.0	Rs. Three hundred ninet
	2.1	S/F HRC fuse type TP&N swit disconnector:- Providing and fixi following capacity TP&N disconnector fus switch unit inside the existing panel boa with ISI marked HRC fuses including drilling holes in cubic panel, making connections, etc. as required.	ch ng se rd	10	1trs. 391.0	one only.
	2.1.2	63 amps,TP&N, HRC				
109		S/F Busbar Chamber:-	3.000	0 Eac	ch 2260.3	Rs. Two thousand two hundred sixty and paise thirty eight only.
	2.5	Providing and fixing following capacity				
	B.S.R 2009	made of capper,heavy duty,complete with all accessories including connections,earthing the body,etc as required.  200 amp.TPN				Rs. Six thousand two hundred twenty two and paise sixty one only.
110	2.7.4 B.S.R 2009	Providing and fixing following capacity four pole OFF-load changeover switch with side handle operation, in sheet enclosure in existing metal board, including drilling holes in metal panel, making connections etc. as required.  125 Amps, Four pole		Eacl	h 6222.61	Rs. Seven thousand nine hundred seven only.
111	6.5	Providing and fiving correct	1.000	Each	7907.000	
		Providing and fixing copper tape 20 mm X 3 mm thick on parapet or surface of wall for lightning conductor complete as required.  (For horizontal run)				Rs. Three hundred seventy nine and paise seventy six only.
12	6.6	Providing and fixing copper tape 20 mm X 3 mm thick on parapet or surface of wall for lightning conductor complete as required.	80,000	meter	379.760	Rs. Four hundred ten and paise six only.
3		Providing and fixing follwing rteing and breaking capacity MCCB in existing cubicale panel bord including drilling hole cubicale panel making connection etc as required	30.000	meter	410.060	parise six only.
	2.2.3	160 amp. 16KA				Rs. Four thousand five
			1.000	EACH	4565.200 Total (C)	hundred sixty five and paise twenty only.  503,812.73

Tribesii Pordlan

1	Bhojpur	BLOCK RESOURCE CEN	ΓRE			7,272,000.73
No.	DISTRICT	NAME OF INSTITUTE				Amount (Rs.)
SL.			Grand T	Total (A+)	B+C+D+E)	7,272,000.73
					Total (E)	627,578.00
					Total	627,577.86
	Cement		139.566	МТ	798.89	Rs. Seven hundred ninety eight and paise eighty iine only.
	Bricks		120.253	Thous.	250.34	Rs. Two Hundred fifty and paise Thirty four only.
110	TOD EATT	RA COST OF MATERIAL FOR I) COMM. W.R.T TO GAYA AS PER				seven only.
116		Steel	18.050	MT	289.87	paise sixty seven only. Rs. Two hundred eighty nine and paise eighty
		Brick	120.253	Thous.	601.67	Rs. Six hundred one and
		Stone Chips	176.279	cum	1329.98	Rs. One Thousand three Hundred twenty nine and paise ninety eight
		Local Sand	125.918	cum	205.29	Rs. Two Hundred Five and paise Twenty Nine
		Sand	188.457	cum	571.16	Rs. Five hundred sevent One and paise sixteen Only.
		Cement	139.566	MT	289.87	Rs. Two hundred eighty nine and paise eighty seven only.
11		Type of materials			Rate Incl. 1% Lab. Cess	
		CARRIAGE OF MATERIALS			Total (D	75,498.6
			10.000	Nos.	7549.750 <b>Tota</b>	
		type multipurpose Fire Extinguishers 4 Kg Capacity, fitted with pressure guage complete in all respects, ready to us complete installation kit.	S.	Nos	7540 550	Rs. Seven thousand five hundred forty nine and paise seventy five only
1	14 DGS&I	D Brand new ISI marked Life Guard AB	35	>		

Total Cost in 'Rs'

Pribani Prasad 2,2

Chief Engineer

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

7,272,001.00

24/01

40mm dia UPVC pipe confirming to ISS 48 Meter 99.38 Rs. Ninety nine and path dum dia PVC ribbed strainer of approved quality 4 Reducing socket 125mm x 40mm 1 Each 270.00 Rs. One hundred eight two only.  Supplying all labour and materials & fitting fixing PVC cap over the new sink T/well  B.S.R Supplying and fixing of G.I pipes complete with G.I fittings and clamps, including, cutting and making good etc 32 mm dia (15% C.P. & 1% L.Cess)  1 Each 140.00 Rs. One hundred sever only.  Rs. Two hundred forty only.  Rs. Two hundred twent four and paise forty fou only.  Rs. Two hundred deleven and paise forty fou only.  Rs. Two hundred deleven four and paise forty fou only.  Rs. Two hundred twent four and paise forty four and paise twenty one only.  Rs. Two hundred twent four and paise forty four only.  Rs. Two hundred eleven and paise twenty one only.  Rs. Five hundred eleven and paise twenty one only.  Rs. Five hundred eleven and paise twenty one only.  Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of E/I  Sub - Total "A"	(Rupe	es Seventy One lacs Fighty Four	36 Thorse		***	
1   125mm dia UPVC casing pipe confirming to ISS   48   Meter   315.00   New Providing and fixing of G.I pipes complet with G.I fittings and clamps, including, cutting and making good etc 32 mm dia (15% C.P & 1% L.Cess)   1   Each   511.21   Rs. Two hundred dievent and installation of 1 HP single phase submersible motor pump set of KSB/ISI make 2900 rpm capable of discharge 5000 L.PH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" G.I Elbow, 1.25" check valve, 1.25" d.S. clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" d.S. clamp, 1.25" G.I Elbow, 1.25; check valve, 1.25" Sub - Total "A"   Sub - Total "A"   Sub - Total "A"   Single phase submersible motor pumplet as per direction of E/I   Sub - Total "A"   Single phase submersible motor pumplet as per direction of E/I   Sub - Total "A"   Single phase submersible motor pump set of KSB/ISI make 2900 rpm capable of discharge 5000 L.PH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" G.I Elbow, 1.25; check valve, 1.25" G.I Elbow, 1.25; check valve, 1.25" S. g.I Elbow, 1.25; check valve, 1.25" S. g.I Elbow, 1.25; check valve, 1.25; v. g.I Elbow, 1.25; v. g.I Elbow, 1.25; check valve, 1.25; v. g.I Elbow, 1.25; check valve, 1.25; v. g.I Elbow, 1.25; v. g.I Elb			I HOUSE	and Se	ven Hun	dred Sixty Eight
2 40mm dia UPVC pipe confirming to ISS 48 Meter 99.38 Rs. Ninety nine and pa thirty eight only.  40mm dia PVC ribbed strainer of approved quality Reducing socket 125mm x 40mm 1 Each 182.00 Rs. One hundred eight two only.  Supplying all labour and materials & fitting & fixing PVC cap over the new sink T/well 1 Each 140.00 Rs. One hundred eight two only.  Providing and fixing of G.I pipes complete with G.I fittings and clamps, including, cutting and making good etc 32 mm dia (15% C.P & 1% L.Cess) 1 Each 151.21 Rs. Two hundred twent four and paise forty fou only.  B.S.R 1928 32 mm nominal bore Bross Full valve (15% C.P & 1% L.Cess) 1 Each 511.21 Rs. Five hundred elever and paise twenty one only.  Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of E/I  Sub - Total "A"	Part 'A'	Cost of Materials	illi x 40IIII	11 X 90m	Tube well	) is given below
40mm dia UPVC pipe confirming to ISS 48 Meter 99.38 Rs. Ninety nine and pa thirty eight only.  40mm dia PVC ribbed strainer of approved quality  Reducing socket 125mm x 40mm 1 Each 182.00 Rs. One hundred eight two only.  Supplying all labour and materials & fitting & fixing PVC cap over the new sink T/well 1 Each 140.00 Rs. Two hundred sever only.  Providing and fixing of G.I pipes complete with G.I fittings and clamps, including, cutting and making good etc 32 mm dia (15% C.P & 1% L.Cess) 1 Each 511.21 Rs. Five hundred elever and paise forty fou only.  B.S.R 1928 32 mm nominal bore Bross Full valve (15% C.P & 1% L.Cess) 1 Each 511.21 Rs. Five hundred elever and paise twenty one only.  Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of E/I  Sub - Total "A"	1	125mm dia UPVC casing pipe confirming to ISS		Meter	315.00	Rs. Three hundred fifteen
quality  Reducing socket 125mm x 40mm  Reducing socket 140.00  Reducing socket 125mm x 40mm  Reducing socket 140.00  Reducing socket	2			Meter	99.38	Rs. Ninety nine and paise
Reducing socket 125mm x 40mm  I Each 270.00  Rs. Two hundred sever only.  Supplying all labour and materials & fitting & fixing PVC cap over the new sink T/well  B.S.R 1548  Providing and fixing of G.I pipes complete with G.J fittings and clamps, including, cutting and making good etc 32 mm dia (15% C.P & 1% L.Cess)  B.S.R 1928  32 mm nominal bore Bross Full valve (15% C.P & 1% L.Cess)  1 Each 511.21  Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" S. Pill G.I Elbow,	3	40mm dia PVC ribbed strainer of approved quality	8 /	Meter	182.00	Rs. One hundred eighty
B.S.R 1548  Providing and fixing of G.I pipes complete with G.I fittings and clamps, including, cutting and making good etc 32 mm dia (15% C.P & 1% L.Cess)  B.S.R 1928  B.S.R 1928  32 mm nominal bore Bross Full valve (15% C.P & 1% L.Cess)  I Each 511.21  Rs. Two hundred twent four and paise forty fou only.  Rs. Five hundred elever and paise twenty one only.  Rs. Five hundred elever and paise twenty one only.  Rs. Twenty six thousand four hundred forty six only.  Rs. Twenty six thousand four hundred forty six only.  Rs. Twenty six thousand four hundred forty six only.  Rs. Twenty six thousand four hundred forty six only.  Rs. Twenty six thousand four hundred forty six only.	4	Reducing socket 125mm x 40mm	1	Each	270.00	Rs. Two hundred seventy
B.S.R 1548 with G.I fittings and clamps, including, cutting and making good etc 32 mm dia (15% C.P & 1% L.Cess)  B.S.R 1928 32 mm nominal bore Bross Full valve (15% C.P & 1% L.Cess)  I Each 511.21 Rs. Two hundred twent four and paise forty fou only.  Rs. Five hundred elever and paise twenty one only.  Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/1SI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of E/I  Sub - Total "A"	5	Supplying all labour and materials & fitting & fixing PVC cap over the new sink T/well	1	Each	140.00	Rs. One hundred forty only.
Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of E/I  Sub - Total "A"	0	48 With G.I fittings and clamps, including, cutting and making good etc	18	mtr	224.44	Rs. Two hundred twenty four and paise forty four only.
Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of E/I  Sub - Total "A"	/	32 mm nominal bore Bross Full valve (15% C.P & 1% L.Cess)	1	Each	511.21	
Sub - Total "A"	8	installation of 1 HP single phase submersible motor pump set of KSB/ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of	I /	Each	26,446.00	Rs. Twenty six thousand four hundred forty six
		Sub - Total "A"				46138.37

Tribeni PordSVL

B.S.E.I.D.C. Ltd, Patna

-	7	_	
STREET, STREET,	-	-	۰

Par	rt 'B' - Cost of Labour		3	7		
	Boring by jet dheki by suitable cutter reduce as the case may be lowering 12 x U.P.V.C x 40 mm dia G.I pipe & strong standard quality iron, shoe, plug & etc. all complete including providing a tools and plants required for the job as specification and direction of the engine in charge.	25 mm rainer socket all				
	(i) 0 to 30.5 m					
9	(a) For 125 mm dia U.PV.C pipe		27	mtr	208.7	Rs. Two hundred eig and paise seventy sev only.
10	(b) for 40 mm dia UPVC pipe					omy.
	(i) 0 to 30.5 m	3	.5	mtr	119.03	Rs. One hundred nineteen and paise thr
	(ii) 30.5 m to 61.0 m	-				only.
11	(a) For 40 mm dia UPVC pipe	30.	.5	mtr	136.88	Rs. One hundred third six and paise eighty eighty
+	(iii) 61.00 m to 75.00 m	/				only.
12	a) For 40mm dia UPVC pipe	1-	4	mtr	148.79	Rs. One hundred forty
$\top$	(iv) 75.00 m to above					nine only.
13	a) For 40mm dia UPVC ribbed strainer approved quality	of 8	3	mtr	148.79	Rs. One hundred forty eight and paise seventy nine only.
4	Providing all labour & tools and lowering 32 mm dia G.I pipe as per specificatin et all Complete	g c. 24		mtr	21.34	Rs. Twenty one and paise thirty four only.
5	Supplying labour and developing the T/W to have sand free discharge all complete a per direction of E/I	/ell is 1		Each	280.50	Rs. Two hundred eight
					o - Total	14,294.2
ende	er approved in favour of Triveni Prasad S			Total C=	="A+B"	60,432.6

Tender approved in favour of Triveni Prasad Singh @ 10.00% (Ten Decimal Zero Zero Percent) below i.e. total amount comes to Rs. 65,44,801=00 (Rupees Sixty Five Lacs Forty Four Thousand Eight Hundred One Only)

Spenifors of 20

## **Performance Security**

Name of Agency – "Triveni Prasad Singh"

Performance Security of "Triveni Prasad Singh" of "BRC-Garhani(SL. No.-161)"

NSC No. 85DD 628654-63 85DD 628624-31 Passbook No.	<u>DOI</u> 09.07.13 09.07.13	Reg. No. 92270 92266	5000*10 5000*8	Amount 50000.00 40000.00
1051327818 1051451071 1051400252 1051480544	11.10.12 08.02.14 13.09.11 10.11.14			40000.00 100000.00 100000.00 50000.00
				Total 380000.00

(Rupees Three Lacs Eighty Thousands Only)

लेखा पदाधिकारी बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०, पटना

Toibisi R- & Sorz

## BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

(A Govt. Of Bihar Undertaking) Shiksha Bhawan, Bihar Rastrabhasa Parishad Campus ,Acharya Shiv Pujan Sahay Path, Saidpur, PATNA-800004. (Tel. No: 0612-2910314)

Cor. ID. No.: U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256

### Letter of Acceptance

Letter no :- BSEIDC/FIN/2607/2016-17/- 1049 3 To.

Date. 29 1016

Triveni Prasad Singh, K.G. Road, Ara, Distt.-Bhojpur.

Dear Sir.

This is to notify you that your Bid dt. 11.06.2016 for execution of "Construction of Block Resource Centre at Garhani, Bhojpur (SL. No.-161 of NIT No.-40/ 2015-16) in the State of Bihar" has been accepted by the Corporation at your quoted rate of 10.00% (Ten Decimal Zero Zero Percent) below BOQ rates amounting to total contract price of Rs. 65,44,801=00 (Rs. Sixty Five Lacs Forty Four Thousand Eight Hundred One Only)

You are hereby requested to furnish performance security including additional security in the form detailed in I.T.B. para 31.1, 27.4 and clarification issued thereon by RCD, Govt. of Bihar, vide letter no. 3376 (E) dt. 17.08.2010, for an amount equivalent to Rs. 3,77,000=00 (Rs. Three Lacs Seventy Seven Thousand Only) within ten days of receipt of this letter of acceptance valid upto 28 days from the date of expiry of defects liability period and sign the contract, failing which action as stated in Para 31.3 of ITB will be taken.

(Brajesh Prasad)

Memo no: BSEIDC/FIN/2607/2016-17/-10499

Chief Consultant (Technical)

Copy forwarded to : Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC website/Senior Account Officer, BSEIDC, Patna for information & necessary action

Memo no: BSEIDC/FIN/2607/2016-17/-10493

Chief Consultant (Technical)

Date: 29:10:16

Copy forwarded to: Chief Engineer, BSEIDC, Patna for information Please.

Memo no: BSEIDC/FIN/2607/2016-17/-10492

9-10-2016 Chief Consultant (Technical)

Date: .. 2.9 1. 10.16

Copy forwarded to :Managing Director, BSEIDC, Patna for information Please.

Chief Consultant (Technical)

mbeni Pod 8,1

B.S.E.I.D.C. Ltd, Patna

## बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना—800004, दूरभाष—0612—2910314 कॉर्पोरेट पहचान संख्याः U80301BR2011SGC01S859, e-mail bseide@gmail.com, website; www.bseidc.in, Fax No.:0612-2660256,

Letter no.: BSEIDC/NIT/2015-16/- 3950

Patna, Date: 30.04 16

## Corrigendum No.- 3

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper 'हिन्दुस्तान' on dated 10.02.2016 vide P.R.-12943 (नि०नि०)15—16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below :-

	Existing provision	
10.	10121011	Amended provision
Security	Period of Sale of Bid document (Download) from dated 16.04.2016 to 10.05.2016, 15:00 Hrs.	Period of Sale of Bid document (Download) from dated 16.05.2016 to 05.06.2016,
2	Date and Time of Pre bid Meeting – 25.04,2016, 14:30 Hrs.	Date and Time of Pre bid Meeting – 25.04.2016. Date and Time of Pre bid Meeting – 25.05.2016, 16:30 Hrs.
	Last date and time for receipt (Upload) of Bids on dated 11.05.2016,15:00 Hrs.	Last date and time for receipt (Upload) of Bids on dated 06,06,2016, 15,00 H.:e
4	Time and date for opening of Technical Bids on dated 13. 05.2016, 16:30 Hrs.	Time and date for opening of Technical Bids on dated 08. 06.2016 16:30 Hz.
40	Time and date for opening of Financial Bids on dated 27.05.2016, 15:30 Hrs.	Time and date for opening of Financial Bids on dated 24,06,2016, 15:30 Hrs
9	The Cost of BOO and EMAD will have	

The other terms and conditions shall remain unchanged.

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

24 01

(Brajesh Prasad)

Chief Consultant (Technical)

Poboni Porsid912

# बिहार राज्य शैक्षणिक आधारभूत संरवना विकास नेगम लि०

(बिहार सरकार का एक उपक्रम)

कॉप्रेंट पहचान संख्याः U80301BR2011SGC013859, e-mail: bseide@gmail.com, website, www.bseide.in, Fax No.: 0612-2660256, शिक्षा भवन, विहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैंदपुर. पटना–४००००४, दूरभाष--०६12—2910314

Letter no.: BSEIDC/NIT/2015-16/- 2937

Patna, Date: 28-03-2016

## Corrigendum No.- 2

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "हिन्दुस्तान" on dated 10.02.2016 vide P.R.-12943 (नि०नि०)15—16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below :-

10.	Existing provision	Amondad
	DATION OF COLUMN TO THE TOTAL THE TOTAL TO T	Amenaea provision
-	from dated 03.03.2016 to 28.03.2016, 15:00 Hrs.	Period of Sale of Bid document (Download) from dated 16.04.2016 to 10.05.2016,
0	Date and Time of Pre bid Meeting – 15.03.2016, 14:30 Hrs.	
(	Last date and time for war, and the formal management of the same	10.00 TFS.
9	on dated 29.03.2016 .15:00 Hrs	Last date and time for receipt (Upload) of Bids on
-	Time and date for opening of Tachnical Dist.	dated 11.05,2016,15:00 Hrs.
+	dated 31. 03.2016, 16:30 Hrs.	I Ime and date for opening of Technical Bids on
ř	Time and date for opening of Eigen in 1971	dated 13, 05,2016, 16:30 Hrs.
0	dated 11.04.2016, 15:30 Hrs.	I me and date for opening of Financial Bids on
		dated 27.05.2016, 15:30 Hrs.
9	The Cost of BOO and EMD will be	The Cost of BOO and EMD will be agreemed use in the case of the cost of the co

The other terms and conditions shall remain unchanged.

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

Chief Consultant (Technical) (Brajesh Prasad)

sibesi Prot of 2,12

## बिहार राज्य शैक्षणिक आधारभूत संरवना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

कॉपरिट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseide@gmail.com, website, www.bseidc.in, Fax No.: 0612-2660256, शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथा, सैदपुर, पटना—800004, दूरभाष—0612—2910314

Letter no.: BSEIDC/NIT/2015-16/- 2638

Patma, Date: 1年らら16

## Corrigendum No.- 1

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below:-

SL.	Existing provision	Amended provision
Typestermone)	Period of Sale of Bid document (Download) from dated 03.03.2016 to 28.03.2016, 15:00 Hrs.	Period of Sale of Bid document (Download) from dated 03.03.2016 to 30.04.2016, 15:00 Hrs.
CI	Last date and time for receipt (Upload) of Bids on dated 29.03.2016,15:00 Hrs.	Last date and time for receipt (Upload) of Bids on dated 01.05.2016,15:00 Hrs.
5	Time and date for opening of Technical Bids on dated 31. 03.2016, 16:30 Hrs.	Time and date for opening of Technical Bids on dated 04, 05.2016, 16:30 Hrs.
7	Time and date for opening of Financial Bids on dated 11.04.2016, 15:30 Hrs.	Time and date for opening of Financial Bids on dated 17.05.2016, 15:30 Hrs.
50	The Cost of BOQ and EMD will be	The Cost of BOQ and EMD will be accepted up to 04.05.2016, 15:00 Hrs.

The other terms and conditions shall remain unchanged.

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

24 | 01

(Brajesh Prasad)

Chief Consultant (Technical)

Isibeni, Rosed In

43

### **SPECIAL CONDITIONS**

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes royalties and other incidental charges.

4. To qualify for award of work, the Bidder must possess the following:-

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of signatory bid.

b) DD for required value of B.O.Q. Cost.

c) Sufficient Earnest Money Deposit.

- d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.
- e) Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed at least one Building work of value not less than 25 % of estimated value of contract) in last five years as mentioned in Technical bid.

f) Litigation History as mentioned in Technical bid.

g) Affidavit as mentioned in Technical bid.

h) Valid Registration with Central/ State Govt. / PSU.i) Valid labour license as mentioned in Technical bid.

j) Affidavit/Certificate for not been debarred as mentioned in Technical bid.

5. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.

6. The tender without earnest money or insufficient earnest money submitted with the tender, will be outright rejected.

7. Conditional tenders shall be outright rejected.

8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.

9. Authority shall reserve the right to reject any or all the tenders or distribute the work to more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained.

11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules

12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the contractor.

- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-
- a. Natural calamities

b. Act of enemies.

(Seal & Signature of Tenderer)

Page 1 of 2

Chief Engineer/ B.S.E.I.D.C. Ltd, Patna

24101

44

- c. Transport and procurement difficulties.
- d. Circumstances beyond the control of the state.
- 15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- 16. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
- 17. The contractor shall make his own arrangement for water and light at the work site.
- 18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 20. The Tenderer must not quote their rate more than 10 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
- 21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 22. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.

-----X------X

23. The Defect liability Period shall be Three (3) Years from the date of completion of the work.

(Seal & Signature of Tenderer)

Page 2 of 2

Chief Engineer
3.S.E.I.D.C. Ltd, Patna

24/01

## बिहार राज्य शैक्षणिक आधारमूत संरचना विकास निगम लिमिटेड

(बिहार सरकार का एक उपक्रम) 45 शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् कैम्पस, आचार्य शिवपुजन सहाय पथ, सैदपुर, पटना–800004 (दूरभाष:–0612–2910314)

### निविदा आमंत्रण सूचना संख्या- 40 वर्ष 2015-16 (केवल ई-टेन्डरिंग पद्धित के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

बिहार राज्य के भवन निर्माण कार्य हेतु निम्नांकित निविदायें आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार/सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रजिस्ट्रेशन, उक्त कार्य का लेटर ऑफ

क्रम 1	काय का नाम	प्राक्कलि राशि (लाख में	की राशि	राशि	Beltron Bio Processing	समा
2	BRC Ekma, Saran	85.2	1,70,400	(死0 书)	Fee (In Rs.)	
3	BRC Baniyapur,Saran	85.2	1,70,400	-,000	5750	15
	BRC Masrak,Saran	85.2	1,70,400	,000	5750	15
5	BRC Marhowrah, Saran	85.2	1,70,400	,	5750	15 7
6	BRC Amnour, Saran	85.2	1,70,400	,000	5750	15 F
7	BRC,Dariyapur,Saran	85.2	1,70,400	10,000	5750	15 F
8	BRC,Garkha,Saran	85.2	1,70,400	10,000	5750	15 F
9	BRC, Manigachhi, Darbhanga	85.2	1,70,400	10,000	5750	15 म
10	BRC, Keoti, Darbhanga	85.2	1,70,400	10,000	5750	15 म
	BRC,kusheshwarsthan,Darbhanga	85.2		10,000	5750	15 म
11	BRC,Ghanshyampur,Darbhanga	85.2	1,70,400 1,70,400	10,000	5750	15 म
12	BRC,Kiratpur,Darbhanga	85.2		10,000	5750	15 म
13	BRC,Baheri,Darbhanga	85.2	1,70,400	10,000	5750	15 म
14	BRC,Hanumannagar,Darbhanga	85.2	1,70,400	10,000	5750	15 मा
15	BRC, Lakhnaur, Madhubani	85.2	1,70,400	10,000	5750	15 मा
16	BRC,Jhanjharpur,Madhubani	85.2	1,70,400	10,000	5750	15 मा
17	BRC,Phulparas,Madhubani	85.2	1,70,400	10,000	5750	15 मा
18	BRC,Khutauna,Madhubani	85.2	1,70,400	10,000	5750	15 मा
19	BRC, Khajouli, Madhubani	85.2	1,70,400	10,000	5750	15 मा
20	BRC,Bisfi,Madhubani	85.2	1,70,400	10,000	5750	15 मा
21	BRC,Rahika,Madhubani	85.2	1,70,400	10,000	5750	15 मा
22	BRC, Harlakhi, Madhubani	85.2	1,70,400	10,000	5750	15 माह
23	BRC,Babubarhi,Madhubani	85.2	1,70,400	10,000	5750	15 माह
24	BRC Rosada,Samastipur	85.2	1,70,400	10,000	5750	15 माह
25	BRC Samastipur	85.2	1,70,400	10,000	5750	15 माह
26	BRC, Khanpur,Samastipur	85.2	1,70,400	10,000	5750	15 माह
2.7	BRC, Hasanpur, Samastipur	85.2	1,70,400	10,000	5750	15 माह
8.8	BRC, Mohanpur, Samastipur	85.2	1,70,400	10,000	5750	15 माह
.9	BRC, Patori, Samastipur	85.2	1,70,400	10,000	5750	15 माह
0	BRC, Shivajinagar,Samastipur	85.2	1,70,400	10,000	5750	15 माह
1	BRC, Sangrampur, E. Champaran	85.2	1,70,400	10,000	5750	15 माह
2	BRC,Kalyanpur,E.Champaran	85.2	1,70,400	10,000	5750	15 माह
3	BRC Chakia, E. Champaran	85.2	1,70,400	10,000	5750	15 माह
4 I	BRC Sugauli,E.Champaran	85.2	1,70,400	10,000	5750	15 माह
5 E	BRC Madhuban, E. Champaran	85.2	1,70,400	10,000	5750	15 माह
o E	BRC Patahi, E. Champaran	85.2	1,70,400	10,000	5750	15 माह
/ E	BRC Raxaul, E. Champaran	85.2	1,70,400	10,000	5750	15 माह
3 E	BRC Adapur,E.Champaran		1,70,400	10,000	5750	15 माह
B	BRC Bankatwa, E. Champaran	85.2	1,70,400	10,000	The second secon	15 माह
) B	BRC Dhaka,E.Champaran	85.2	1,70,400	10,000		5 माह
В	BRC Bairia, W. Champaran	85.2	1,70,400	10,000	5750 1	5 माह
В	RC Narkatiaganj, W.Champaran	85.2	1,70,400	10,000		5 माह
В	RC Sikta, W.Champaran			10,000		5 माह
В	RC Bhithan, W.Champaran			10,000		5 माह
	parun	85.2	1,70,400	10,000	1	5 माह

Toiber, R. S of An

	45	BRC Lauriya, W.Champaran						
	46	BRC, Piprasi, W. Champaran	1.	85.2	-,, 0,	, - 0	0 5750	15
	47	BRC, Majhaulia, W. Champaran	46_	85.2	-,,.	,00		15
_	48	BRC Darauli, Siwan		85.2			5750	15
1	49	BRC Hussainganj, Siwan		85.2	7.09.			15 #
	50	BRC Mairwa, Siwan		85.2 85.2	-,.0,.	- 5,000	0,00	15 F
	51	BRC Basantpur, Siwan		85.2	-,. 0, 1	,		15 F
	52 53	BRC Maharajganj,Siwan		85.2	-,, 0, 1.	-,000	-,00	15 म
-	54	BRC,Bhagwanpur,Siwan		85.2			2,20	15 म
1	55	BRC,Hasanpur,Siwan		85.2	1,70,40	-,000		15 म
	56	BRC Uchkagaon,Gopalganj		85.2	1,70,40		0,00	15 म
	57	BRC Sidhwalia, Gopalganj		85.2	1,70,40	,	0,00	15 म
	58	BRC Bhorey,Gopalganj		85.2	1,70,40	- ,000	0,00	15 म
-	59	BRC,Bijaipur,Gopalganj		85.2	1,70,40	- 0,000	5750	15 मा
	50	BRC Pachdeuri, Gopalganj		85.2	1,70,40	, , , ,	5750	15 मा
	51	BRC Ruchaikot, Gopalganj		85.2	1,70,40	-,000	5750	15 मा
	52	BRC, Ramgarh, Kaimur		85.2	1,70,40	-0,000	5750	15 मा
	3	BRC Chainpur, Kaimur		85.2	1,70,40		5750	15 मा
		BRC Bhagwanpur,Kaimur		85.2	1,70,400		5750	15 मार
6	5	BRC Chakki,Buxar BRC Buxar		85.2	1,70,400	-,000	5750	15 मार
6				85.2	1,70,400	-,000	5750	15 माह
6	7	BRC,Chausa,Buxar		85.2	1,70,400	-,000	5750	15 माह
68	2	BRC Dinara, Rohtas		85.2	1,70,400	,000	5750	15 माह
69	2	BRC Karahgar,Rohtas		85.2	1,70,400	7,000	5750	15 माह
70		BRC Kochas, Rohtas		85.2	1,70,400	-,000	5750	15 माह
71		BRC Tilauthu,Rohtas		85.2	1,70,400	,	5750	15 माह
72	) ]	BRC Karakat, Rohtas		85.2	1,70,400	-	5750	15 माह
73	- I	BRC Dawat,Rohtas		85.2	1,70,400	,	5750	15 माह
74	-	BRC,Mansahi,Katihar	20	85.2	1,70,400	/	5750	15 माह
75	I	BRC,Manihar,Katihar		85.2	1,70,400	10,000	5750	15 माह
76		BRC,Pranpur,Katihar		85.2	1,70,400	10,000	5750	15 माह
77		BRC, Kadwa,Katihar		85.2	1,70,400	10,000	5750	15 माह
78	_	BRC,Barsoi,Katihar		85.2	1,70,400	10,000	5750	15 माह
79	P	BRC,Azamnagar,Katihar		85.2	1,70,400	10,000	5750	15 माह
80	P	BRC,Narpatganj,Araria BRC, Araria		85.2	1,70,400		5750	15 माह
81				85.2	1,70,400	10,000	5750	15 माह
82	B	RC, Jokihat, Araria		85.2	1,70,400	10,000	5750	15 माह
83	B	RC, Bhargama, Araria		85.2	1,70,400	10,000	5750	15 माह
84	B	RC,Kursakata,Araria RC,Purnea East,		85.2	1,70,400	10,000	5750	15 माह
85	B	RC, Baisi, Purnea		85.2	1,70,400	10,000	5750	15 माह
86	B	RC, Amour, Purnea		85.2	1,70,400	10,000	5750	15 माह
87	RI	RC, Dhamdaha,Purnea		85.2	1,70,400	10,000	5750	15 माह
88	RI	RC, Bhamankhi, Purnea		85.2	1,70,400	10,000	5750	15 माह
89	RI	RC,Tarhagach,Kishanganj		85.2	1,70,400	10,000	5750	15 माह
90	RI	RC, Farnagach, Kishanganj RC, Thakurganj, Kishanganj		85.2	1,70,400	10,000	5750	15 माह
91	RI	RC, Pothia, Kishanganj		85.2	1,70,400	10,000	5750	15 माह
92				85.2	1,70,400		5750	15 माह
93	DL	RC Katoria, Banka		85.2	1,70,400	10,000	5750	15 माह
93	DE	RC Rajaun,Banka		85.2	1,70,400	10,000	5750	15 माह
95	DD	RC,Barhat,Banka		85.2	1,70,400	10,000	5750	15 माह
96	DD	C Belhar,Banka		85.2		10,000	5750	15 माह
96		C Jamui		85.2	1,70,400	10,000	5750	15 माह
98	BK	C Barhat, Jamui		85.2	1,70,400	10,000	5750	15 माह
70	BK	C Chakai,Jamui			1,70,400 1,70,400	10,000	5750	15 माह
		I I redle - I :		- W. W	1,70,400	10,000	5750	15
99 100	BK	C Gidhour,Jamui C Sikandra,Jamui			1,70,400	10,000	5750	15 माह

Toibosi P- 19,12

	101	BRC Asharganj, Munger					
	102	BRC Naugachhia,Bhagalpur	85.2	-,. 0, .0.		5750	15 मा
	103	BRC Pirpainti, Bhagalpur	85.2	-,,		5750	15 मा
	104	BRC Shahkund,Bhagalpur	85.2	-,. 0,.00	,	5750	15 मा
	105	BRC Puraini, Madhepura	85.2	-,. 0, .00	10,000	5750	15 मा
	106	BRC Gwalpada, Madhepura	85.2	1,70,400	10,000	5750	15 मा
	107	BRC Kumarkhand, Madhepura	85.2	1,70,400	10,000	5750	15 मा
	108	BRC Gailarh, Madhepura	85.2	1,70,400	10,000	5750	15 मा
	109	BRC Saurbazar, Saharsa	85.2	1,70,400	10,000	5750	15 मा
	110	BRC,Navhatta,Saharsa	85.2	1,70,400	10,000	5750	15 मार
	111	BRC Mahensi, Saharsa	85.2	1,70,400		5750	15 माह
$\overline{}$	112	BRC Sonbarsa, Saharsa	85.2	1,70,400		5750	15 माह
	113	BRC Simri, Bakhtiyarpur Saharsa	85.2	1,70,400		5750	
	114	BRC Supaul	85.2	1,70,400		5750	
	115	BRC Pipra, Supaul	85.2	1,70,400	10,000	5750	15 माह
	116	BRC Proton and C	85.2	1,70,400	10,000	5750	15 माह
	117	BRC Pratapganj, Supaul	85.2	1,70,400	10,000	5750	15 माह
	118	BRC Nirmali, Supaul	85.2	1,70,400	10,000		15 माह
	119	BRC Raghopur, Supaul	85.2	1,70,400	10,000	5750	15 माह
1	120	BRC, Atari, Gaya	85.2	1,70,400	10,000	5750	15 माह
-		BRC, Neemchak, Gaya	85.2	1,70,400	10,000	5750	15 माह
-	121	BRC, Wazirganj, Gaya	85.2	1,70,400		5750	15 माह
· -	122	BRC, Mohanpur, Gaya	85.2	1,70,400	10,000	5750	15 माह
-	123	BRC, Imamganj,Gaya	85.2	1,70,400	10,000	5750	15 माह
-	124	BRC Amas,Gaya	85.2		10,000	5750	15 माह
-	125	BRC, Koch, Gaya	85.2	1,70,400	10,000	5750	15 माह
	126	BRC, Jehanabad	85.2	1,70,400	10,000	5750	15 माह
	127	BRC,Kako,Jehanabad	85.2	1,70,400	10,000	5750	15 माह
	128	BRC,Ghosi,Jehanabad		1,70,400	10,000	5750	15 माह
	129	BRC Arwal	85.2	1,70,400	10,000	5750	15 माह
	130	BRC Karpi, Arwal	85.2	1,70,400	10,000	5750	15 माह
	131	BRC,Obra,Aurangabad	85.2	1,70,400	10,000	5750	15 माह
	132	BRC,Dev,Aurangabad	85.2	1,70,400	10,000	5750	15 माह
	133	BRC Madanpur, Aurangabad	85.2	1,70,400	10,000	5750	15 माह
	134	BRC Kutumba, Aurangabad	85.2	1,70,400	10,000	5750	15 माह
	135	BRC, Rega, Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
	136	BRC,Merajgang,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
	137	BRC, Pupri, Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
-		BRC,Barthnaha,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
	139	BRC,Runisaidpur,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
-	140	BRC,Suppi,Sitamarhi	85.2	1,70,400	10,000	5750	
		BRC, Pakribarawan, Nawada	85.2	1,70,400	10,000	5750	
-	142	BRC, Warisaliganj, Nawada	85.2	1,70,400	10,000	5750	15 <b>माह</b>
	143	BRC Akabaman N	85.2	1,70,400	10,000	5750	15 माह
	144	BRC, Akabarpur, Nawada	85.2	1,70,400	10,000		15 माह
		BRC, Chandi Nala	85.2	1,70,400	10,000	5750	15 माह
	46 I	BRC, Chandi, Nalanda	85.2	1,70,400	10,000	5750	15 माह
		BRC, Austhawan ,Nalanda	85.2	1,70,400	10,000	5750	15 माह
		BRC, Rahui,Nalanda	85.2	1,70,400	10,000	5750	15 माह
	.48 I	BRC, Ekangarsarai, Nalanda	85.2	1,70,400		5750	15 माह
	49 E	BRC,Silaw,Nalanda	85.2	1,70,400	10,000	5750	15 माह
-	50 E	BRC, Katrisarai, Nalanda	85.2	1,70,400	10,000	5750	15 माह
-	51 E	BRC, Karaiparsurai, Nalanda	85.2		10,000	5750	15 माह
-	52 E	BRC, Motipur, Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह
-	53 E	BRC Gaighat, Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह
-	54 B	BRC, Aurai, Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह
15	55 B	BRC,Bandra,Muzaffarpur		1,70,400	10,000	5750	15 माह
15	56 B	BRC,Minapur,Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह
			85.2	1,70,400	10,000	<i>5</i> ₹50	15 माह

Tobesi Roded 812

157	BRC,Bhagwanpur,Muzaffarpur	85.2	1,70,400	10.000		1
158	BRC, Jagdishpur, Bhojpur 1.0	85.2	-	10,000	5750	15 माह
159	BRC ,Charpokhri,Bhojpur	85.2	1,70,400	10,000	5750	15 माह
160	BRC, Udwantnagar, Bhojpur	85.2	1,70,400	10,000	5750	15 माह
161	BRC,Garhani,Bhojpur	85.2	1,70,400	10,000	5750	15 माह
162	BRC ,Koilwar,Bhojpur	85.2	1,70,400	10,000	5750	15 माह
163	BRC, Fatuhan, Patna	85.2	1,70,400	10,000	5750	15 माह
164	BRC, Bakhtiyarpur, Patna	85.2	1,70,400	10,000	5750	15 माह
165	BRC,Naubatpur,Patna		1,70,400	10,000	5750	15 माह
166	BRC,Maner,Patna	85.2	1,70,400	10,000	5750	15 माह
167	BRC,Begusarai	85.2	1,70,400	10,000	5750	15 माह
168	BRC,Matihani,Begusarai	85.2	1,70,400	10,000	5750	15 माह
169	BRC, Bhagwanpur,Begusarai	85.2	1,70,400	10,000	5750	15 माह
170	BRC, Bakhri, Begusarai	85.2	1,70,400	10,000	5750	15 माह
171	BRC, Mansoorchak, Begusarai	85.2	1,70,400	10,000	5750	15 माह
172	BRC, Cheria Bariyarpur,Begusarai	85.2	1,70,400	10,000	5750	15 माह
173	BRC ,Chuatham,Khagaria	85.2	1,70,400	10,000	5750	15 माह
174	BRC ,Gogari,Khagaria	85.2	1,70,400	10,000	5750	15 माह
175	DRC Doldow KI	85.2	1,70,400	10,000	5750	15 माह
176	BRC, Beldour, Khagaria	85.2	1,70,400	10,000	5750	15 माह
177	BRC,Parbatta,Khagaria	85.2	1,70,400	10,000	5750	15 माह
178	BRC,Raghopur,Vaishali	85.2	1,70,400	10,000	5750	15 माह
	BRC ,Desari,Vaishali	85.2	1,70,400	10,000	5750	15 माह
179	BRC, Bidupur, Vaishali	85.2	1,70,400	10,000	5750	15 माह
180	BRC, Jandaha, Vaishali	85.2	1,70,400	10,000	5750	15 गाह
181	BRC ,Mahua,Vaishali	85.2	1,70,400	10,000	5750	
182	BRC, Garoul, Vaishali	85.2	1,70,400	10,000	5750	
183	BRC,Chewada,Shekhpura	85.2	1,70,400	10,000	5750	+
184	BRC,Barhiya,Lakhisarai	85.2	1,70,400	10,000		15 माह
185	BRC ,Alinagar, Suryagarha,Lakhisarai	85.2	1,70,400	10,000	5750	15 माह
		00.2	1,70,700	10,000	5750	15 माह

नोटः (i). निविदाकार एक या अधिक कार्य के लिए अलग-अलग निविदा डाल सकते हैं।

(ii). प्राक्कलित राशि घट या बढ़ सकती है एवं तद्नुसार अग्रधन की राशि घट या बढ़ सकती है।

(iii) वेबसाईट-www.eproc.bihar.gov.in पर अंकित प्राक्किलित राशि, अग्रधन की राशि एवं परिमाण विपन्न की राशि अंतिम रुप से मान्य होगा।

(2) विज्ञापन निर्गत करने की तिथि

दिनांक:-03.02 .2016

(3) परिमाण विपत्र प्राप्त करने(डाउनलोड) की अवधि एवं समय :— दिनांक— 03.03.2016 से 28.03.2016, 15:00 घंटा

(वेबसाईट:www.eproc.bihar.gov.in पर)

(4) प्री बिड मीटिंग का समय, स्थान एंव तिथि दिनांक:- 15.03.2016, 14:30 घंटा प्रबंध निदेशक का कार्यालय,बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम, पटना। दिनांक— 29.03.2016, समय— 15:00 घंटा

(5) निविदा प्राप्ति(अपलोड) की अंतिम तिथि एवं समय:—

(6) अग्रधन जमा करने की अंतिम तिथि एवं समय

टेक्निकल बिड खोलने की तिथि एवं समय

(8) वित्तीय बिड खोलने की तिथि एवं समय

(9) निविदा खोलने का स्थान

(10) निविदा की वैधता की अवधि

दिनांक— 31.03.2016, समय— 15:00 घंटा दिनांक- 31.03.2016, समय- 16:30 घंटा

(वेबसाईट-www.eproc.bihar.gov.inपर) दिनांक— 11.04.2016, समय— 15:30 घंटा

वेबसाईट-www.eproc.bihar.gov.inपर

(11) ई—टेन्डरिंग की प्रक्रिया में भाग लेने हेतु संवेदकों को पंजीकृत होना होगा, जिससे कि उन्हें उपयोगकर्ता का नाम (user ID) पासवर्ड (Password) अंकीय हस्ताक्षर (Digital Signature) निर्गत की जायेगी। यह उन्हें वेबसाईट www.eproc.bihar.gov.in से डाउनलोड करने / टेन्डर की प्रक्रिया में भाग लेने की योग्यता प्रदान करेगा।

120 दिन

(12) ई—निविदा पत्र बेवसाईट www.eproc.bihar.gov.in से प्राप्त किया जा सकता है। संवेदक द्वारा सिर्फ उपर्युक्त वेबसाईट से ही परिमाण विपत्र प्राप्त करने के उपरांत वेबसाईट पर ही इलेक्ट्रानिक निविदा पत्र को भरकर भेजना है। अन्य सभी महत्वपूर्ण कागजात / बैंक ड्राफ्ट / अग्रधन की राशि / सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को स्कैन कर ई—निविदा के साथ संलग्न करना अनिवार्य है।

(13) परिमाण विपन्न के दर से कम दर उद्धृत करने पर बीड डाक्यूमेंट की शत्तों एवं सरकारी निर्शयानुसार अतिरिक्त Performance Guarantee एकरारनामा के पूर्व जमा करना होगा।

Tomberi Forded 82

- (14) (क) प्रत्येक परिमाण विपन्न का मूल्य जो प्रत्येक निविदा के सामने उपर किण्डका (1) में अंकित है (जो लौटाया नहीं जाएगा) किसी भी राष्ट्रीयकृत बैंक द्वारा निर्गत एवं BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. के नाम से एवं प्रदूक्त में भुगतेय हो, स्वीकार किया जायेगा। मूल बैंक ड्राफ्ट "बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड" पटमा के कार्यालय में दिनांक 31.03.2016 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना है। ऐसा नहीं करने पर निविदा मान्य नहीं होगा।
- (望) Beltron Bid **Processing Fee** is mandatory to be paid through online mode i.e. Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS"
  Bids along with necessary online payments must be submitted through e-procurement portal <a href="https://www.eproc.bihar.gov.in">www.eproc.bihar.gov.in</a> before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffic/ Holidays or any other reason.
- (ग) वांछित अग्रधन की राशि राष्ट्रीय बचत पत्र/डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक जो बिहार राज्य से क्रय या जमा किया हो, प्रबंध निदेशक, BSEIDC Ltd., पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा बिहार वित्त नियमावली के अनुसार BSEIDC Ltd. के नाम से फिक्सड डिपोजिट रिसिप्ट अथवा बैंक गारन्टी जो बिड के मान्य अवधि तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत/अनुसूचित बैंक से निर्गत हो (अगर बिहार प्रान्त के बाहर के बैंक से निर्गत बैंक गारन्टी दिया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड, पटना में दिनांक 31.03.2016 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना आवश्यक है। ऐसा नहीं करने पर निविदा मान्य नहीं होगा।
- (15) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर लें। तािक अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से बच सकें।

(16) निविदाकार निविदा डालने से पहले अपने स्तर से भी प्रस्तावित कार्य स्थल पर भूमि उपलब्धता के संबंध में आश्वस्त हो

(17) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। बिना कारण बताये निविदा या उसके अंश को अस्वीकृत करने / रदद करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।

(18) विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्य अविध में सम्पर्क किया जा सकता है। ई-टेन्डरिंग की प्रक्रिया से संबंधित किसी भी प्रकार की जानकारी/सूचना हेतु सहायता कक्ष, ई-टेन्डरिंग कक्ष, प्रथत तल्ला, M/22, बैंक ऑफ इण्डिया भवन, रोड न० 25, श्री कृष्णा नगर, पटना-800001, दूरभाष सं० 0612-2523006/9939035696.

Tobesi Pros- 2901

ब्रजेश प्रसाद मुख्य अभियंता

Chief Engineer B.S.E.I.D.C. Ltd, Patna

24/01