Chedule XLV-Form No. 61

Block Resource Centre at

Khajauli, Madhubani, (SL No.-19) ition Ltd. BIHAR PUBLIC WORKS DEPARTMENT [Form No. F-2] Bhawani Shankar TEM RATE TENDER AND CONTRACT FOR WORKS & D.S.R greement No. — 177 F2 of 2016-17 General Rule and Direction for the guidance of Contractors. d in the Date of Commencement - 25-01-2017 month from 1. All works proposed for execution by contract will be notified in a form of invitation to tender ecifications assed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer. annexed This notice will state the work to be carried out the items and approximate quantities thereof as Jell as the date for submitting and opening tenders also, amount of earnest money to be deposited and the r respects in amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive TRE / Engineer during office hours. 2. In the event of the tender being submitted by a firm, it must be signed separately by each hember there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so. 3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm. 4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he before the complete and delivers his tender. 5. The amount of earnest money to be deposited will be : -If the amount of the estimate does not exceed Rs. 2,000 If the amount of the estimate exceeds Rs. 2,000 but does not exceed Rs. 5,000 If the amount of the estimate exceeds Rs. 5,000 but does e FIFTEEN not exceed Rs. 10,000 For each additional Rs. 5,000 or portion of Rs. 5.000 additional earnest money 6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration or omit to note the time within which the work can be finished, or which are not accompanied by the measury challan for the required earnest money will be liable to rejection. No single tender shall include more than one work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender the work to which the work to which the wrefer written outside the envelop. Cashed special recearnests enclosed with the tender Managing Director oney here in before mentioned shall be made in Government Treasuries and Sachalla the telefors monable

7. The Engineer or his duly authorised assistant will open the tender in the presence of an intending contractors who may be present at the time and will enter the amounts of the several tenders comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnes money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the

- 8. The Engineer shall have the right of rejecting all or any of the tenders.
- 9. In the event of a tender being selected for acceptance the Engineer who opened the tender ill, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereup sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the require amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copie of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount the security money within the priscribed time. The tender with the specilication and other documents signe by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded by

- .10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been
- 11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tendered may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the requirement of the money has been deposited the Engineer shall scrutinise all pages of the form of tender. witnessed He shall then if he is competent, to accept the tender, sign the 305ch accept the leater aor, if he is not so competent shall send the form for signature of the acceptance of the officer competent to accept it

(3)

TENDER FOR WORKS

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

MEMORANDUM

(a) Ti several sub-work	are
included they should	be
hed in a separate li	st.

This deposit will be 5% the estimated cost of the [c]

This percentage ction from bills will be ited to the contractors curity deposit.

Name of work [a]

[b]

[e]

Estimated cost Earnest money

Initial security deposits (including earnest money) to be deposited befor the commencement of the work

RATE TENDERED

Percentage to be deducted from bills Rs. 5% (Rupees five percent)

Time required for the work from date of written order to commence [f] monthly

Date of written other to commence [g]

Total number of item of work tendered for [h]

Item of work Item No. In words In figures

For Bhawani Shankar Construction Pvt. Ltd

I Managing Director

Per

ation Ltd.

RE

. & D.S.R

fed in the 's month from pecifications ie annexed er respects in

VTRE /

d before the

nce FIFTEEN

Item No.	Item of wo	mla managaran	RATE T		
Remino.	ntem of wo	DIK	In figures	Inwords	Per
El This or	•			Barrier State	
the residence					
		grifo or bac yo	of Operation of the		
			and any army		7
	H.		and the second		
					Contribute & B
			relate feature		1000
					178
THE STATE OF					, in
				-1	Charles And
)					Tables to a
1 70 6					
179					
. 0			artistic personal stell from the		
		magalika dan 12			200 miles (1940) 100 miles (1940)
109				with most 3000	
	ALAGO DE	7 00	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
		,			
			*		
4 c 4 c		•	sa d		
		Tank Tale			•
. / •	A Comment				
		ik -			
CONT.					
	Chief		Salar Commence		
Ld, Patr	Chief I			1.85 19 194	·
A CONTRACT OF STREET			Control of the Contro	THE RESERVE OF THE PARTY OF THE	

	CONTRACTOR OF THE	RATE TE	NDERED	Per	ation Lt
Item No.	Item of work	In figures	In words	FEI	
					RE
					, & D.S.R
					fed in the
		h-			s month from specification
					ne annexed
					ier respects
					NTRE
			Se Se		
					d before the
					nt)
					nce FIFTE
	The state of the s				
					2 ESTABLISHED A
			0	الما الما	Just 1
THE PARTITION OF THE PARTIES AND ADDRESS OF THE	hankar Construction Pvt. Ltd.		X	250,11,	A 737
	K-13-19 Bynk Managing Director		Chief E	ngineer Ltd, Patna	Ltd, Patra

Itama Na	and in a special part and	RATE T			
Item No.	Item of work		In figures	In words	Per
17921	RWD .				
	Chief Engl 9.3 E 1 D.C LI		n Pir. Lee.	ankar Constructio	Bhawani St
entso b	11.5.0.13.8.8		And the second s	onigenell	

(7) hedule XLV - Form No. 61 RATE TENDERED Per Item of work tem No. In words In figures TRE ent) Clast Engineer 6.S.E.(J.C. Lid, Paras For Bhawani Shansai Managing Director

ration Ltd. 4, & D.S.R ifed in the irs month from specifications the annexed her respects in NTRE / ed before the ence FIFTEEN

should this tender be accepted I/we hereby agree to abide by and fulfill all the terms and provisions of the said conditions of contract annexed hereto so. for a applicable, or in ssors in office the sums of money mentioned in the said conditions

*Signature, of contractor before comission of tender

day of

witness Address

Signature of witness to contractor's signature

Occupation : The above tender is hereby accepted by me on behalf of the Governor of Bihar Dated the

20

signature of the office accepting the tender

Acceptances communicated on 30-08-16

signature of the part taking the tende

Compensation

CONDITIONS OF CONTRACT

Clause 1:- All compensation or other sums of payable by the contractor to Government under the terms of his contract may be deducted from, paid by the sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor by Government on any account whatsoever and in the event of his security deposit being reduced by reason of any such deduction or sale as aforesaid, the contractor shall within ten days there after make good in cash or Government securities endorsed as aforesaid any sum or sums which may have been deducted from, or arised by, sale of his security deposit of any part thereof.

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which the work is finished after necessary rectification of defects as pointed by the Executive En- gineer or his

Clause 2 :- The time allowed for carrying out the work as entered in the tender shall be strictly observed by the contractor and shall be reckoned from the date of which the wirtten order to comence work is given to the contractor. The work sha throughout the stipulated period of the contract be carried on with all due diligence (time being deemed to be the essence of the contract on the part of the contract or) and the contractor shall pay as compensation an amount equal to ½ percent authorised agents are fully on the amount of the estimated cost of the whole work as shown by the tender for contractor to the Engineer's every day that the work remains uncommenced or unfinished after the proper date And further to ensure good progress during the execution of the work the contractor shall be bound in all cases in which the time allowed for any work exceeds one month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before onehalf of such time elapsed and three-fourths of the work, before three fourths of such time has elapsed in the event of the contractor failing to employ with this condition. I shall be liable to pay as compensation an amount equal to ½ percent on the said estimated cost of the whole work for every day that the due quantity of work remains incomplete provided always that the entire amount of compensation to be paid under the provisions the clause shall not exceed 10 percent of the estimated cost of the work as shown in the tender.

Action when persnle security deposit foreited

Clause 3:- In any case which under any clause or clauses of or this contract the contractor shall have rendered himself laible to pay compensation amounting to the whole of his security deposit in the hands of Government (where paid in one sum or deducted by instalments) the Executive Engineer on behalf on the Biha Government shall have been powered to adopt any of the may deem best suited to the enterest of Government.

(a) To rescind the contract (of which rescind notice in writing to the contractor, under the hand of the Executive Engineer shall be conclusive which case the sectitiry deposit of the contra evidence) and in For Bhawani Shankar Construction of the disposal of Government B.S.E.I.D.

Managing Direc

(b) To employ labour paid by the Public Works Department and to supply naterials to carry out the work, or any part of the work, debitting the construction with the cost of the labour and the price of the materials (of the amount of which cost and rice certificate of the Engineer-in -charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.

(c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original contractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4: - In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of he Executive Engineer putting in force the powers vested in him under the preceeding clause he may. if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Engineer as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

Clause 5:- If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) he shall apply in writing to the Executive Engineer within 40 days from the date of starting of the hinderance on account of which be desires such extension as aforesaid and the Executive Engineer shall, if in his opinion (which shall be final) reasonable grounds be shown the received and the Executive Engineer shall, if any, as may in his opinion be received by the head of the contractor whether he to proper. The Executive Engineer shall apply the first of time inform the contractor whether he to proper the delay.

ging Director Consequence of the control of the con

ation Ltd.

TRE

1, & D.S.R

fed in the rs month from specifications he annexed her respects in

VTRE /

contractor remains liable to pay compensation if action not take under cause 2.

Power to take posession of or require removal of or sell contractor plant.

d before the

it)

nce FIFTEEN

ugineer
Ltd, Patno

Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinctly marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-work doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurements shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus materials and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid. except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible, before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-incharge or his subordinate shall prepare at bill from such list which shall be binding to the

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts or in any other way vary or affect the contract.

◆Clause 8:- The final bill shall be prepared by the officer of the Public Work Department ■ in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Stores supplied Government

Clause 9:- If the specification or estimate of the work provides for the use of any special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-incharge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums then due of there after to become due to the contractor under the contract or otherwise of realist or form the security deposit, or the proceed of sale thereof, if the same is held in covering security the same or sufficient portion thereof in this case sold for the purpose All materials supplied to the contractor shall remain the absolute properties Engineerst and shall

For Bhawani Shankaot Construction Parte Lethoved from this site of the Work and Shall at at different appen to

Managing Directo

inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: - The contractor shall executive the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid

Clause 11: - Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the Do not in validate contract work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the Time in consequence of determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a disputes the decision of the superintending Engineer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period.

Clause 12:- If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out. the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsoever on account of any profit or advantage, which he might have derived from the execution of the work in full, but which he did not derive in consequence of the full amount of the work not having been carried out neither shall he have any claim for compensation by reason of any alternation having been made in the original specification, drawing, designs and negineer instruction which shall involve any installment of the work as originally contemplated. Ltd, Patna

clause 12 (a) As contained in G O 1929 dated 11.9.56

ration Ltd.

Work to be executed accordance with specification drawing other etc.

Alteration in specifications

and designation

TRE 4, & D.S.R

ifed in the rs month from specifications he annexed her respects in

NTRE

Rate for work no in estimate or schedule of rates of the district.

int)

ence FIFTEEN

ed before the

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such failure is due to:

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficultied or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as finally by the contractor.

Action and compensation payable in case of work.

Clause 13 :- If it shall appear to the Engineer-in-charge or his subordinate in charge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or article provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall of demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-incharge in his demand aforesaid the contractor shall be laible to pay compensation a the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be, at the risk and expense in all respects of the contractcor.

Work to be taken to inspection

Clause 14:-All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineer in-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be present.

Clause 15:- The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which the same was effected.

Notice to be taken before work covered up Clause 16:- If the contractor or his work-people, or servants shall break, deface injure or destroy any part of a building in which they may be working or any building, road, road curves, fence enclosure water pipes, cables, drains, electric or telephone posts or wires, trees, grass or grassland or cultivated ground downtiques, in which the work or any part of it is being executed or if any damage shall happen to the work, while in progress from any cause whatsoever or any damage cities become apparent tiens with the draw months (six months in the case of a road work) after a certificate final or other of its completion shall have been given by the Engineer-in-charge

For Bhawani Shankar C

Managing Director

25101

as a fore seal, the contractor shall make the same good at his own expense, or in default, the Engineer-in-charge may cause the same to be made be good by other Contractor liable for worksmen and deduct the expense of which time thereafter may become due to the contractor, or from his security deposit, or the proceed of sale there of, or of a sufficient and after certificate portion there of the security deposit at the contractor shall not be refunded before the expiry of three months (six months in the case of a road-work) after the issue of the certificate final or otherwise of completion of work provided that in the case of a road work if in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable after three months of the issue of the said certificate of completion

Clause 17:- The contractor shall supply at his own cost all materials (except such special materials) if any as may in accordance with the contract be supplied from the plantladder scaffolding Engineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, etc. tackle scaffolding and temporary works requisits or proper for the proper execution of the work whether original, altered or substituted and whether include in the specification or other documents forming part of the contract or referred to in these conditions or not or which may be necessary for purpose of satisfying or complying with the requirement of the Engineer-in-charge as to any matter as to which under these conditions he is entitled to be satisfied which he is entitled to require together with carriage therefore to and form the work. The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting, weighing and assisting in the measurement or examination at any time and form time to time of the work or materials failing his so doing the same may be Provided by the Engineer-in-charge at the expense of the contractor and the expenses may be deducted from any money due to the contractor under the contract from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide all necessary fencing and lights required to protect the public from accident, and shall be bound to bear to expenses of defence of every suit action or other proceeding at law that And is liable for damage may be brought by any person for injury sustained owing to neglect of the above of light fencing etc. precautions and to any such person or which may with the consent of the contractor be paid to compromise any claim by any such person.

Clause 18:- No female labour shall be employed within the limits of contonment. The contractor shall not employ for the purpose of his contract any person who is below the age of twelve years and shall pay to each labour for the work done by such labourer wages not less than the wages paid for similar work in the neighbourhood

The executive Engineer shall have the right to enquire into the case and decide any complaint alleging that the wages paid by the contractor to any labourer for the work done by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer employed by contractor is below the age of twelve years and to refuse to allow any labourer whom he decided to be below the age of twelve years to be employed by the contractor.

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his contract, or attempt so to do, or become insolvent proceedings to make any composition with his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward or advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, or offered by the contractor, or any of his servant or agents to any public officer or person in the employ of Government in any way relating to his officer or employment or if any such officer or person shall become in any way directly or indirectly interested in the contract the Executive Engineer may there upon by notice in writing rescind the contrac The security deposit of the contractor shall there upon stand forfeited and be absolutely at the disposal of Government and the same consequence shall ensure as if the contract Chief Engineer had been recinded under clause 3 here of, in addition the contractor shall not to recover or be paid to any work the receiver actually performed the under the

damage done and for imperfection a months

Contractor to supply to

fed in the rs month from specifications he annexed ner respects in

4, & D.S.R

ration Ltd.

TRE

NTRE

arising for non-provision

Work not to be subject

Contract may be resinded and security deposit forfelted for subletting bribes or if contractor become

d before the

nce FIFTEEN

such payable by way of compensation to be considered reasonable compensation without reference to actual loss

Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained.

Clause 21: In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this information.

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal of Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending En-

Clause 22 :- All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23: - In case any dispute or difference shall arise between the parties or either of there upon any question relating to the meaning of the specifications, designs, drawings and instructions here before mentioned or as to the quality of workmanship or materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, or any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions or otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof or as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

(a) Clause 24 :- When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items or work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-incharge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineerin-charge shall be final and conclusive against the contractor with regard to any sum payable to him under the provision of this clause.

where Action specificaiton.

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Definition of works

Clause 26 :- The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to such construction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered, substituted or additional.

Clause 27:- The terms and conditions of the agreement have been read/explained to me andclearly understand them.

thief Engineer onto hij Witness 3.4 For Bhawani Shankar Construction Pvt. Ltd Directo

Wanaging Director

(15)

8

Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied

Particulars	will be cl	nich the materia narged to the ntractor		Place of delivery	
	Unit	Rs.	P.		_
		errerier			
	TIMEE				
e e mézer, fer ro	The chief				
	risup stabil	die Edge Spacit	ed it e		
		st and in t	1000		
	belegation in	onts et fein.	d to lu		
A.		r muchanus			
	en allon				
The second beautiful to	TAL MADE				
		1.0			
disease of the second second	almeral Con-	4.77		00 - 2	
	Asstrant valu	15 Pag 1887		9	
	and Legisland				
		territor (less bill			
The second of th		. Work-			
	Exposit Mark	3 - 10 3.4	1:40		
Hon	45				
	i contra de la				

Note:-The person or firm submitting the tender should see that the rates in the apove schedules are fillied up by the Engineer-in-charge on the issue of the form prior to the submission of the lender.

For Bhawani Shankar Construction Pvt. Ltd.

(Signature of Contrator)

ATTIG STIK

Managing Director

Chief Engineer (Signature of Discoulted Francia)

ration Ltd.

TRE

4, & D.S.R

fed in the rs month from specifications ne annexed er respects in

VTRE /

before the

e FIFTEEN

Bihar State Educational Infrastructure Development Corporation Ltd. B.O.Q. FOR BLOCK RESOURCE CENTRE IN BIHAR S.N. District Block Name of BRC 1 **MADHUBANI** KHAJAULI BLOCK RESOURCE CENTRE

THE ITEM RATE BASED ON S.O.R BCD BIHAR, DATE - 15-09-2014, & D.S.R (ELECTRICAL) 2014 **TENDER FOR WORKS**

I/we heredy tender for the execution for the Governor of Bihr of the work specifed in the under written memorandum at the rates specified therein within a period of years month from the date of witten order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subjects to the annexed condation of contract and with such materaials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

	Tritadic.	in other respects in
(a) If several sub	MEMOR	
work are incude	(1) Name of Work :- CONSTRUCTS	
they should be	KHAJAULI, MADHUBANI (SL.No19)	RCE CENTRE
detained in the		
separate list		
	(B) Estimated Cost 2	
	Rs. 77.48 610-00	
(b) This deposit	Agreement value :- Rs. 69,73,757=00	
will be 5% of the		
estimated cost of	(C)Earnest Money :-	
the work.		
(c)This percentage		
deduction from bills will be credited to	(D) Initial security deposits (including some st	Comments of Marie Comments of
the contractors	(D) Initial security deposits (including earnest money) to be deposits.	posited before the
security deposits	Earnest Money:- Rs. 3,50,400/- (Details attached)	
	(E) Percentage to be deducted from bill Rs. 5% (Rupees five po	
	(F) Time required for the	ercent)
	(F) Time required for the work from date of written order to con MONTHS	mmence FIFTEEN
	G) Date of written order to commence:-	
	H) Total number of item of work tonday 1.6	
UILDING WOR	KS: (Quantity per BRC)	·

Bhawani Shankar Construction Pvt. Ltd. व्यापि क्मार

25.1.17 Managing Director

Chief Eugineer B.S.E.I.D.C. Ltd, Pat

BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. SHIKSHA BHAWAN, SAIDPUR, PATNA. B.O.Q. FOR BLOCK RESOURCE CENTRE IN BIHAR

THE ITEM RATE BASED ON S.O.R BCD BIHAR, DATE - 15-09-2014, & D.S.R (ELECTRICAL) 2014 SL. DISTRI

1	SL.	DISTR					201	4, & D.S.R (ELECTRICAL) 2014			
	No.	CT	NAME OF INSTITUTE								
1	1	MADHU BANI	BLOCK RESOURCE CENTE	DE	BLOCK						
L		/	T STOL GENTE					KHAJAULI			
	SI.	SOR		CIVI	L WO	RKS					
- 1	No.	Item	Item of Work								
-	1	No.	MOIN OF WORK	C	lty.	Unit	Rat	Amount			
		PILE	3		4		(Rs	(Rs.)			
_		VORK			+	5	6	7			
1		20.2	Boring, providing and insta								
		11	oored cast-in-situ reinforced	alling							
		1 -	of aroda Mas	_							
		1	resulted didilities and language	.							
			Pilo Cap. III Carry 2 cof-								
1		1	voluding the specific	fied.							
		-	Coct - C								
		01	einforcement but including the of boring with bontonic	cost							
		te	boring, with bentonite solution amporary casing of appropri	and							
1											
1	3.00		and the length of the								
1											
			The state of the s								
			and Calli With all life	- 1							
		1.00	TO LETICITY OF DILO FOR	1 .							
			all be measured upto bottom cap).	of							
		Pile	cap).								
	0.0	300	mm dia Piles								
	20.2	.1	min dia Piles	0.00							
		400	mm dia Piles	0.000	me	ter	1309.30	Rs. One thousand three hundred			
	20.2.	2	min dia Piles					nine and paise thirty only.			
				0.000	met	er	1522.00	Rs. One thousand five hundred			
		450	mm dia Piles				1523.20	twenty three and paise twenty only.			
	20.2.3	3	100								
				0.000	mete	er	1070 00	Rs. One thousand nine hundred			
	00 -	500 r	nm dia Piles				13/8.80	seventy eight and pasie eighty			
	20.2.4		and Files	0.65		-		orny.			
	20.2.5	600 ~	nm dia Piles	0.000	mete	r 2	2306.60	Rs. Two thousand three hundred			
		500 11	iii ula Piles	0.000				on and paise sixty only			
2	20.2.6	750 m	ım dia Piles	0.000	mete	r 2	2996.10	Rs. Two thousand nine bundred			
	_	1		0.000				micty six and paise ten only			
or Bh	awani	Signk	31-Ganotini	0.000	meter	4	219 701	15. Four thousand two hundred			
	<-1	01/9	Sepsituction Pvt. Ltd.				r	nineteen and paise seventy only.			
	9	-5.1	. 12					,,.			
	0	-7./	50-								

Managing Director

Chief Engineer
B.S.E.I.D.C. Ltd. Patna

	2					
	2 2	0.3 Boring, Providing and installin	la cast	11		
		I TO WIGHT AND IS TO U				
		Ja Sale Working load				
		The state of the s	- 1			
		The state of the s				
1		J DOILL WILL DOD'S				
		The title to the the				
1		I DIE CON -1	. all			
		The city of the ci				
		payment shall be measured up	to to			
		the bottom of pile cap):				
	20.3	.1 300 mm dia Piles				
1		ood film dia Piles	0.00			
	20.3.	2 400 mm dia Piles	0.00	0 mete	r 193	Rs. One thousand nine hundred
1		roo min dia Piles	0.00			— Juli ty lour and naise twent
	20.3.	3 450 mm dia Piles	0.00	0 meter	r 222	2 311 - WO HIGHSAND TWO burnels I
1			0.000)		— TWEINLY HIVE AND Dagio think
	20.3.4	550 mm dia Piles	0.000	meter	2397	/ 501
3	20.4		0.000	meter	-	Tilllely seven and paige sign.
1	20.4	Extra over item No. 23.3 for		meter	2605	0.1()
		providing additional bulb is				and paise ten only.
1		under specified dia				
		1.1.0101				
1		(Only the quantity of extra bulbs are	۹ ا			
	20.4.1	to be paid). 300 mm dia Piles	<u> </u>			
		ooo min dia Piles	0.00			
	20.4.2	400 mm dia Piles	0.000	Each	1240.	Rs. One thousand two hundred
		la Files			-	Tion to and naise ton and
			0.000	Each	1272 6	III O III III III III III III III III I
	20.4.3	450 mm dia Piles			13/3.8	overity timee and paise eighty
1			0.000	[Cast		only.
$\overline{}$	20.4.4	500 mm dia Piles	0.000	Each	1454.8	Rs. One thousand four hundred
			0.000			my four and paise eighity only.
	EARTH		0.000	Each	1597.2	olRs. One thousand five house
4						seven and paise twenty only.
	-	arthwork in excavation in				
	li	olexceeding 30cm in de u				
1						
		mining of politom lift				
	so	cluding getting out the excavated	1			
	di	oil and disposal of surplus soil as rected within a lead of 50m.	318.530	cum	205.20	Rs. Two hundred five and paise
	AI	Kind of soil			205.20	twenty only.
	=	286.64 CUM	Parameter			,,
	SE	PTIC TANK = 31 80 CUM				
	TC	TAL QUANTITY = 318.53 CUM				
E						
FORE	S hipspering	hanka: Porstruction Pyt 180				

For Bhawari Shankas Forstruction Pvt. Lite

25.1.17

Managing Director

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

Surface dressing of the ground including removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5m All kinds of soil. = 136.41 CUM Surface dressing of the ground including removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5m All kinds of soil. = 136.41 CUM	
FARTH	and
FILLIN	
G 6 2.26 Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth: consolidating each deposited layer by ramming and watering lead = 188.98 CUM 188.980 cu.m 66.40 Rs. Sixty six and paise forty on	ly.
SAND FILLIN	
G	
Supplying and Filling in plinth with local sand and under floors including, watering, ramming consolidating and dressing complete. = 118.79 CUM SEPTIC TANK = 1.02 CUM TOTAL QUANTITY = 119.81 CUM FLAT BRICK Supplying and Filling in plinth with local sand under floors including, watering, ramming consolidating and dressing to the constant of the c	
SOLIN 8 11.72 Providing designation 100 A one brick flat soling joints filled with local sand including cost of watering, taxes, royalty all complete as per building specification and direction of E/I, 10 + 2 , BUILDING = 291.84 CUM SEPTIC TANK = 13.57 CUM TOTAL QUANTITY = 305.41 CUM	ıd
P.C.C. 9 4 1 5 Providing	-
Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level 1:3:6 (1cement: 3 coarse sand : 6 graded stone aggregate 20mm nominal size) = 13 CUM For Bhawani Shankar construction Pvt. Ltg.	
Managing Disease	

William Sandy

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

$\widehat{}$	10 4.1	.4 Providing and loving		13	3			
(FLOO	Providing and laying in post cement concrete of specified grexcluding the cost of centring shuttering- all work upto plinth level 1:2:4 (1 Cement: 2 coarse sand graded stone aggregate 40 mm nominal size)10 + 2, BUILDI = 8.74 CUM SEPTIC TANK = 2.98 CUM TOTAL QUANTITY = 11.72 CUM	rade and vel I: 4 ING			Rs. Three nineteen a	thousand two hundred nd paise seventy only.	
<u> </u> 11	1 11.38	floor tiles 300x300 mm (thickness						
$(\neg \neg \neg \neg \neg \neg \bot$		be specified by the manufacturer) ist quality conforming to IS: 156. of approved make in colours such shades except white, Ivory, Grey, Furn Red, Brown, laid on 20 mm thic Cement motar 1:4 (1 cement: coarse sand) including pointing the joints with white cement and matching pigment etc., complete. TOILET PORTION = 46.04 SQM	of 22 ch ne ck 46.040	sq.m	801.80	Rs. Eight hur eighty only.	ndred one and paise	
	WALL							
For Bha	E CO the control of t	ement mixed with pigment of atching shade complete. DILET PORTION = 188.874 SQM		sq.m	754.200 R	Rs. Seven hund aise twenty only	red fifty four and	
	(101	7911		•		A	100111	

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

June Skenaulny

_					. 1		
1 1 -	FLOOING ING SKIR NG	& RTI			14		
13	11.26	(average) thick base laid over and jointed with grey cem slurry mixed with pigment to match the shade of the s including rubbing and polishing complete. Base with 1:1:1 (1 lim 1 surkhi: 1 coarse sand) / 1:4 TO 25MM THICK) = 281.852 SQM Kota stone slabs 20 mm thick	281.8 ne :	52 sq	ı.m	968.00	Rs. Nine hundred sixty eight only.
(8.3.2	pillars laid on 12 mm (average (this cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with gracement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm	ey 74.37	sq.r	m 92	27.50 R	es. Nine hundred twenty seven nd paise fifty only.
		Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge. Granite work		М	239.1	0 Rs	. Two hundred thirty nine and ise ten only.
W BE PL L	C.C.C. ORK ELOW INTH						
16 5	re lev 1:	roviding and laying in position pecified grade of reinforced cement oncrete excluding the cost of entring, shuttering, finishing & inforcement - all work upto plinthivel. 1:2 (1cement: 1 coarse sand : aded stone aggregate 20mm minal size) 59.183 CUM	59.183	cu.m	5110.7	Rs. F	Five thousand one hundred ten paise seventy only.

For Bhawan Shankar Gonstruction Pvt. Ltd.

Managing Director

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

25/01

1		R.C.C.			15		
		WORK ABOVE PLINTH LVL.					
	17						
	18 5	wall (any thickness), includated plasters, buttresses, and struts etc upto floor five excluding the cost of censhuttering, finishing & reinforcer 1:1:2 (1cement: 1 coarse sand graded stone aggregate 2 nominal size) 10 + 2 , BUILDING = 20.51 SQN	luding plinth level atring, ment 20.5 d : 2 0mm	510 ci	u.m 56	666.20	Rs. Five thousand six hundred sixty six and pasie twenty only.
	19 5.	cement concrete excluding the of centring, shuttering, finishing reinforcement-All work puto plinth level. 1:2:4 (1 cemer coarse sand:4 graded stone aggregate 20 mm nominal size) SEPTIC TANK = 0.93 CUM Reinforced cement conrete work	and 0.930) cui	m 343	8.90 R:	s. Three thousand four hundred irty eight and paise ninety only.
	5.33 ₁ + 5.33 ₁	B.4 having slope upto 1 landings,balconiec, shelves, chajja lintels, bands, plain window sil staircases and spiral stair case upto floor five level excludingth cost of centring, shuttering, finishin and reinforement with 1:2:4(1 cement: coarse sand:4 graded ston aggregate 20 mm nominal size). Add or deduct for providing richer o leaner mixes respectively at all floo levels. Providing M-15grade R.C.C instead of M-20 grade R.C.C. Proiding M-25 grade R.C.C. instead of M-20 grade R.C.C. = 100.44 CUM	ofs 15, as, ls, es ne ng 2 e 100.440	cu.m	4581.2	Rs. leigh	Four thousand five hundred ty one and paise twenty only.
	BRICK WORK						
20	6.1.14A	Brick work with bricks of class designation 100A in foundations and plinth in cement mortar 1:6 (1cement :6 coarse sand)	39.878	cu.m	3992.90	Rs. Th	ree thousand nine hundred two and paise ninety only.
	2-10	Shankar Construction Pyt. Ltd.					Aur 201

Anna Contra

Chief Engineer

S.S.E.I.D.C. Ltd, Patna

Skipulh

					,	
12	21 6.1.	14A Brick work with bricks of decignation	lace	14	6	
	6.3	A plinth in : Cement mortar 1:6 cement: 6 coarse sand) Extra for Brick work	and 5 (1 in 160.0	082 cu.	.m 442	Rs. Four thousand four hundred
22	2 6.18.	superstructure above plinth lupto floor V cum = 160.082 CUM 4A Half brick masonry with bricks				twenty seven and paise fifty only.
23	6.19	A foundations and plinth in : Cem mortar 1:4 (1 cement: 4 coa sand) Extra for half Brick masonry superstructure above pinth leupto floor V level.	in ent rse 134.04 in vel	43 Sq.n	n. 538	Rs. Five hundred thirty eight and paise thirty only.
1 24	6.1A +	position 2 Nos, 6 mm dia , MS ba at every third course of half bri masonry (with F. P. S. bricks) = 134.043 SQM	134.04	3 Sq.m	. 75.	Rs. Seventy five and paise ninety only.
((6.1.12/	Brick work with bricks of class designation 100A in foundations an plinth in : Cement mortar 1 .:4 (cement: 4 coarse sand) = 8.75 CUM	۵ ا	cum	4184.0	Rs. Four thousand one hundred eighty four only.
25	PLAST ER WORK	20 mm comparts to				
		20 mm cement plaster of mix; 1:6 (1 cement : 6 coarse sand) = 836.658 SQM	836.658	sq.m	123.5	Rs. One hundred twenty three and paise fifty only.
	7 13.20	20 mm cement Plaster 1:3 (1 cement: 3 coarse sand) with a floating coat of neat cement & neat cement punning SEPTIC TANK = 16.65 SQM		sq.m	185.60	Rs. One hundred eighty five and paise sixty only.
		12mm thick Cement plaster of mix 1:6 (1 cement : 6 coarse sand) = 1041.58 SQM	1041.580	sq.m	89.30	Rs. Eighty nine and paise thirty only.
+	1 fl fc p p m pl s	mm cement Plaster 1:3 (1) ement: 3 coarse sand) with a coating coat of neat cement & Extra or providing and mixing water roofing material in roportion recommended by the anufacturers: 12 mm cement aster 1:3(1 cement :3 sand) EPTIC TANK = 52.82 SQM Thankar Construction Pvt. Ltd.	52.820	sq.m	145.50	Rs. One hundred forty five and paise fifty only.
	X-1	Syl) Ction Fyl. Ltd.				

Chief Engineer

8.S.E.I.D.C. Ltd. Patna

29	13.24.2	6mm thick Cement plaster of Ceiling		17		
		mix 1:4 (1 cement : 4 coarse sand) = 388.53 SQM	388.530	sq.m	77.40	Rs. Seventy seven and paise forty
30	11.3.1	Cement concrete flooring 1:2:4(1				only.
		cement:2 coarse:sand:4 graded	1			
		stone agregate) finished with a floating coat of neat cement				
		including cement slurry, etc. but		,		

11.8 stone agregate) finished with a floating coat of neat cement including cement stury, etc. but excluding the cost of nosing of steps etc. complete, 40 mm thick with 20 mm nominal size stone aggregate. Extra for making chequers of approved pattern on cement concrete floors, steps, landing, pavements etc. = 136.41 SQM FINISHI NG WORK 31 13.46.1 Finishing walls with Acrylic Smooth exterior paint of required shade: New work (Two or more coat applied @ 1.67 ltr/ 10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/ 10 sqm) EXTERNAL WALL = 836.658 SQM 32 13.80A. Providing and applying white cement based putty of average thickness 2 mm, of aproved brand and manufacturer, over the plastered wall surface to prepare the surface even and suspensive the plastered wall surface to prepare the surface even and smooth complete. 33 13.77.2 Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade. New work (two or more coats) over and including		+ cement:2 coarse sand:4	:4(1)			
NG WORK 31 13.46.1 Finishing walls with Acrylic Smooth exterior paint of required shade :New work (Two or more coat applied @ 1.67 ltr/ 10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/ 10 sqm) EXTERNAL WALL = 836.658 SQM 32 13.80A. Providing and applying white cement based putty of average thickness 2 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. 33 13.77.2 Distempering with oil bound washa ble distemper of approved brand and manufacture to give an even shade. New work (two or more coats) over 1430.110 sq.m 64.00 Rs. Sixty four set.		stone agregate) finished with floating coat of neat cerrincluding cement slurry, etc. excluding the cost of nosing of stetc. complete. 40 mm thick with mm nominal size stone aggregate Extra for making chequers approved pattern on ceme concrete floors, steps, landing pavements etc. = 136.41 SQM	n a nent but eps 20 e. of 136.4	10 sq.m	232	.90 Rs. Two hundred thirty two and paise ninety only.
WORK Similar of the sterior paint of the sterior primer applied @ 2.20 kg/ 10 sqm) (EXTERNAL WALL = 836.658 SQM) Signature Signatu						
scheme paint of required shade: New work (Two or more coat applied @ 1.67 ltr/ 10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/ 10 sqm) EXTERNAL WALL = 836.658 SQM 32 13.80A. Providing and applying white cement based putty of average thickness 2 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. 33 13.77.2 Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade. New work (two or more coats) over and including 836.658 sq.m 68.80 Rs. Sixty eight and paise eighty only. Rs. One hundred eighteen and paise seventy only.	Wo	DRK				
required shade: New work (Two or more coat applied @ 1.67 ltr/ 10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/ 10 sqm) EXTERNAL WALL = 836.658 SQM 32 13.80A. Providing and applying white cement based putty of average thickness 2 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. 33 13.77.2 Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade. New work (two or more coats) over and including Rs. Sixty eight and paise eighty only. Rs. One hundred eighteen and paise seventy only.	31 13.4	46.1 Finishing walls with Acrylic Smoot	h			
mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. 33 13.77.2 Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade. New work (two or more coats) over and including. New work (two or more coats) over and including.	32 13.80	required shade :New work (Two of more coat applied @ 1.67 ltr/ 10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/ 10 sqm) EXTERNAL WALL = 836.658 SQM	t 836.658	sq.m	68.80	Rs. Sixty eight and paise eighty only.
and manufacture to give an even shade. New work (two or more coats) over and including		mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and		sq.m	118.70	Rs. One hundred eighteen and paise seventy only.
INTERNAL WALL & CEILING = 1430.11 SQM For Bhawan Shankar Construction Pvt. Ltd.		and manufacture to give an even shade. New work (two or more coats) over and including priming coat with cement primer INTERNAL WALL & CEILING = 1430.11 SOM	1430.110	sq.m	64.00 F	Rs. Sixty four only.

S.S.E.I.D.C. Ltd, Patna

	34 13	81.1 Applying priming cost with				18		
		mixed pink or grey prim approved brand and manufact wood work (hard and softwood = 115.68 SQM	er of ure on)	115.6	80 s	q.m	25.2	Rs. Twenty five and paise twenty only.
36		1.3 Applying priming coat with mixed zinc chromate yellow p of approved brand and manufa on steel galvanized iron/steel we = 105.728 SQM	orimer acture ork.	105.72	28 so	ą.m	21.30	Rs. Twenty one and paise thirty only.
37		Painting with synthetic enamel of approved brand and manufacto give an even shade two or recoats on new work = 221.408 SQM	more	221.408	8 sq	.m	50.90	Rs. Fifty and paise ninety only.
1 1 1 1 1 1 38	9.21.1	for doors. windows and ventilator mils steel Tee-sections, jo miltred and welded with 15x3 lugs 10 cm long embedded in cem concerete blocks 15x10x10 cm 1:3:6 (1 cement: 3 coarse sand graded stone aggregate 20 r nominal size) or with wooden plugs and screws rawl plugs and screws or with fixiclips or with bolts and nuts required including = 339.675 KG	rs of pints mm nent of : 6 mm or ing as	339.675	Kg.		75.10	Rs. Seventy five and paise ten only.
39 8	,	(Part-I) non-decorative type.core block board construction with fram of 1st class tiard wood and we mathched commercial 3 ply veneering wiih vertical grains or cross bands and face veneers or both faces of shutters. 35 mm thick including anodized aluminum butt hinges with necessary screws = 48.195 SOM	of ne ell or 48	3.195	sq.m	182	3.80 Rs	s. One thousand eight hundred venty three and paise eighty only.
	t e 2 1 8hawan	Providing and fixing oxidised M.S.tower bolt black finish, (barrel ype) with necessary screws tc.complete 50x10mm 0 + 2 , BUILDING = 44 EACH Shankar Construction Pvt. Ltd.	44.	000	each	66	.50 Rs.	Sixty six and paise fifty only.

Chief Engineer
B.S.E.I.D.C. Ltd, Patna
119

25/01

40	9.104.1	Providing and fixing M.S.handles		19		
41		125 mm 10 + 2 , BUILDING = 44 EACH	44.000	each	27.50	Rs. Twenty seven and paise fifty only.
_ +1	9.223.2	Providing and fixing alluminium hanging floor door stopper anodised				
42	9.100.1 F	AC 10 as per IS :1868) transparent or dyed to required colour and shade with necessary screws etc.complete:Twin rubber stopper = 22 EACH	22.000	each	82.70	Rs. Eighty two and paise seventy only.
	s 3	door bolts bright finished or/and plack enamelled, with nuts and crews etc.compelled: 00x16 mm = 22 EACH	22.000	each	177.40 R	Rs. One hundred seventy seven nd paise forty only.

For Bhawani Shankar Construction Pvt. Ltd.

Managing Director

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

	STEEL WORK		20		
43	10.12.1 Providing and fixing glazed steel doors, windows or ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm M.S. lugs10cm long with steel legs embedded in cement concrete blocks 15x10x10cm.of (1:3:6) (1cement: 3coarse sand: 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required. Doors Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel Windows.	95.715	sq.m	3270.60	Rs. Three thousand two hundred seventy and paise sixty only.

For Bhawani Shankar Construction Pvt. Ltd.

Managing Director

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

_		7				
14	14 1	0.12.1 Providing and fixing glaze	d steal		21	
	9.82	standard rolled steel sections mitered and welded with 15 M.S. lugs10cm long with steembedded in cement or blocks 15x10x10cm.of (1cement: 3coarse sand: 6g stone aggregate 20mm nisize) or with wooden plugs screws or rawl plugs and screwith fixing clips or with bolt nuts as required, including proand fixing of glass panels glazing clips and special metal putty of approved make comincluding applying a priming coapproved steel primer excludin cost of metal beading and fitting except necessary hinge pivots as required. Doors Extra for providing and fixing beading of approved shape section with screws instread glaxing clips and met. Sash put steel doors, windows, ventilators composite units Steel ventilators.	tors of s, joints x3 mm rel legs oncrete (1:3:6) graded ominal s and rews or s and viding with 3.2. Instantial s and respect to the respect of g the other respect of g the other respect of g the other respect to the	40 sq.	m 327	Rs. Three thousand two hundred seventy seven and paise sixty of
46	5.22	windows etc. with M.S. flats squ or round bars etc all complete fixed to steel windows by welding. = 1722.87 KG	of lare	70 Kgs.	91.	.50 Rs. Ninety one and paise fifty only.
5		including straightening, cutting bending, placing in position a bonding all complete. TMTC-500	nd			
		Thermo-Mechanically Treated bat TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG Thermo-Mechanically Treated bat TMTC 500 10mm is seen as a second	8393.000	KG	74.4	Rs. Seventy four and paise forty only.
		= 1300 KG Thermo-Mechanically Treated have	1300.000	KG	73.10	Rs. Seventy three and paise ten only.
	2.7D	= 7000 KG Thermo-Mechanically Treated by	7000.000	KG	71.80	Rs. Seventy one and paise eighty only.
5.22		TMT-500 16mm dia = 700 KG Thermo-Mechanically Treated bars	700.000	KG	72.80	Rs. Seventy two and paise eighty only.
		TMT-500 20mm dia = 750 KG	750.000	KG	72.20	Rs. Seventy two and paise twenty only.

hawani Shankar Construction Pvt. Ltd.

Managing Director

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

	-							
	5.2	22.7F Thermo-Mechanically Treated	bars		25	2		
		TMT-500 25mm dia = 0 KG		0.000	K	G	72 20	Rs. Seventy two and paise twenty
	47 10	.19 Providing & fixing M.S. Fan hoo	k of					only.
		10 mm. dia. W.S. har 1 Mtr. I	0001					
1		bell to required size and cha	no					
_		placed in position and fixed in Tr	1100					
		Frame / RCC Slab / beam at time of casting all complete as	the					X all
		building specification and direct	per 42	2.000	Eacl	h 12	21.80	Rs. One hundred twenty one and
		O E/I. (Where materials is	not					paise eighty only.
		supplied by deptt.) = 42 EACH						
4	8 10.3	3.1 Providing & fixing hand rail	by					
1		welding etc. to steel ladder railling	0					
		Stair cases railling including applying	n ~					
		a priming coat of approved ste	el 550	.000	kg.			
	(MS tube (medium) 40mm nomin			ĸy.	9	1.10 F	Rs. Ninety one and paise ten only.
		bore.	ai					
49	10.5	= 550 KG Providing and fixingin position						
		collapsible at all mingin position					_	
		vertical channes 20x10x2mm an	۵					
		braced with flat iron diagonal						
		20x5mm size with top and botton rail of T-iron 40x40x6mm with 40mm	_					
		dia steel pulleys complete with bolts	n 4.5	2	sq.m	4115.	.60 Rs	s. Four thousand one hundred
		lifuto locking arrangement stopper					Titt	een and paise sixty only.
1		manues including applying a priming						
		coat of approved steel primer.						
	MISCE							
	LLANE							
G .	OUS WORK							
50	TOTAL	Making plinth protection 50mm thick						
	4.17	or cerrient concrete 1:3:6 (1 camont						
		.5 coarse sand : 6 graded stone						
-		laggregate 20mm nominal size \ over						
		75mm bad by dry brick ballast 40mm nominal size well rammend	75.414	1 0		0.10	Rs	Three hundred at a control
i		and consolidated and grouted with	, 0.11	50	q.m	319.3	pais	Three hundred nineteen and e thirty only.
1		inte sand including finishing the top						, o,
		smooth. = 75.414 SQM						
	SHUTT	, 5.714 SQIVI						
	ERING							
51		Contri						
		Centring and shuttering including						
	1	strutting, propping etc. and removal of form for foundation, footings,						
		dasees of columns etc. for mace	55.781	Sqr	m.	166.70	Rs. C	ne hundred sixty six and
	10	concrete.	The state of the s			3,,,0	paise	seventy only.
For Bha	Wani st	= 55.781 SQM						Marsol
	own on	ankar Construction Pvt. Ltd.						29/2)
		- 0					C	Chief Engineer

Know a Shirt Managing Director

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

Mehow ho

52	5.9.5	1 and Shuttering including		23		
53	5.9.6	strutting, propping etc. and remove of form for lintel, beams, plint beams, griders, bressumers and contilevers. = 349.241 SQM Centring and shuttering including strutting and shuttering including strutting and shuttering including strutting.	al th 349.24	1 Sqm.	251.3	Rs. Two hundred fifty one and paise thirty only.
54	5.9.3	of form for columns, pillars, piers abutments, posts and struts = 367.575 SQM Centring and shuttering including	367.575	Sqm.	344.40	Rs. Three hundred forty four and paise forty only.
	1	strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 451.54 SQM		Sqm.	275.60	Rs. Two hundred seventy five and paise sixty only.
					Total	5,716,706.85

Total (A)

or Bhawani Shankar Construction V. Eller

For Bhawani Shankar Construction Fv.

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

5,716,707.00

1			1		24	
		Plumbing and s	2 anitom			
55		" I loviding and fixing on wall	£ 2	vvork		
	12.7	PVI (Working are				
-00		4 kgf per sqm) rain water	ssure			
		cinforming to IS:4985 incli	pipes			
		jointing with seal ring conformi	uding		1	
		IS:5382 leaving 10 mm gap	ng to			
		thermal expansion.	for			
	12.78	2 110 mm diameter.				
		= 40 MTS	40.0	100	0	Pc Two hard 16
56	SOR	Providing and fiving	40.0	000 MT	S 214.2	Rs. Two hundrd fourteen and pa
	12.79	Providing and fixing on wall	face			twenty only.
		Jan Placticised - PVC Moulded fifti	ngs/			
		accessories for unplasticised rainwater pipes conforming	PVC			
		IS:4985 including	to			
		IS:4985 including jointing with	seal			
		ring conforming to IS:5382 leav	/ing			
		10mm gap for thermal expansion				
}	200					
	SOR 12.79.1	Coupler				
-						
	SOR	110mm				
-	12.79.1.	1011110	10.00	0 Each	144.70	Rs. One hundred forty four and
	SOR	Bend 87.50°			-	paise seventy only.
-	12.79.5				Control of the Contro	
	SOR	110mm bend				
-	12.79.5.	= 12 MTS	12.000	Each	173.70	Rs. One hundred seventy three
	SOR	Shoe (Plain)				and paise seventy only.
	12.79.6				-	7 3 7
	SOR	110mm Shoe		-		
_	2.79.6.		12.000	Each	314.730	Rs. Three hundred forteen and
- 1	B.S.R	Providing and fixining water close	ot		017.700	paise seventy three only.
1		squalling pan (Indian type W/C no.	21/			y wild dilly.
	1	will 100 mm sand cast iron P or	9			
	1	ap, 10 litre low white py				
		riusning cistern with muncil				
		controlled device (handle love				
	10	onforming to IS . 722	1			
	F	'arryware/Hindware with all fitting				
	a	III lixtures complete including	.			
	10	utility and making good the walls				
	а	nd floors wherever required.				
-						
	M	hite Vitreous China Orissa pattern				
	100	C part of size 580 x 440 mm with				
	1111	tegral type foot rest. 6 EACH	6.000	Each	3035.400	Rs. Three thousand thirty five and
1						paise forty only.

For Bhawani Shankar Construction Pvt. Ltd.

Managing Directority

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

25/01

17.2.2 Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required: W.C. pan with ISI marked black solid plastic seat and lid = 3 EACH Seath of the seath	
Solid plastic seat and lid = 3 EACH Solid plastic seat and lid = 3 EACH Solid plastic seat and lid = 3 EACH 3.000 Each 2928.300 Rs. Two thousand nine hund twenty eight and paise thirty 2928.300 Rs. Two thousand nine hund twenty eight and paise thirty Rs. Two thousand nine hund twenty eight and paise thirty 2928.300 Rs. Two thousand nine hund twenty eight and paise thirty Rs. Two thousand nine hund twenty eight and paise thirty Rs. Two thousand nine hund twenty eight and paise thirty Rs. Two thousand nine hund twenty eight and paise thirty Rs. Two thousand nine hund twenty eight and paise thirty Rs. Two thousand nine hund twenty eight and paise thirty Rs. Two thousand nine hund twenty eight and paise thirty Rs. Two thousand nine hund twenty eight and paise thirty Rs. Two thousand nine hund twenty eight and paise thirty	
china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I. clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required: Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern = 3 EACH SOR Provding and fixing toilet paper.	dred only.
automatic flushing cistern = 3 EACH SOR Provding and fixing toilet paper 3.000 Each 4688.900 Rs. Four thousand six hundred eighty eight and paise ninety of the solution of	
17.34 holder	d nly.
SOR Vitreous china	
17.34.2 Rs. Three hundred four and pa	ise
17.7.1 C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:	
White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps. = 12 EACH Rs. Two thousand one hundred twenty and paise thirty only.	
stop cock 15 mm nominal bore, weighing not less than 85 gms 15.000 Each 180.900 Rs. One hundred eighty and pais ninety only	se
B.S.R Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.	

For Bhawani Shankar Construction Pvt. Ltd.

Managing Director

Chief Engineer
B.S.E.I.D.C. Ltd. Patna

25/01

1	7.28.2. Flexible pipe 32 mm dia			26	5		
	= 12 EACH	1	2.000	Each	78.	600 F	Rs. Seventy eight and paise sixty
1 .	Providing and fixing mirrors 3.S.R Providing and fixing mirrors 5.32.2 superior glass (of approved quand of required shape and size plastic moulded frame of approved and shade with 6 mm hard board backing: Rectangular shape 453 x 357 m = 12 EACH	e with roved thick 1;	2.000	Each		400 R:	s. Six hundred forty three and aise forty only.
66 B.S		l off, nium rass lete 12.	000	Each	478.30	00 Rs.	. Four hundred sevnety eight d paise thirty only.
67 B.S.F.	having thermal stability for hot & content water supply including all CPVC plain brass threaded fittings including fix the pipe with clamps at 1.00 m space. This includes joining of pipes & fitting with one step CPVC solvent ceme and the cost of cutting chases a making good the same including testing joints complete as per direction of E Concealed work including cutting chases and making good the wall et 15 mm nominal outer dia Pipes = 50 METER	pes, cold in & cold ing ing. legs ent ind ing fig.	00 m	netre	241.000	Rs. T	Two hundred forty one only.
18.9.4		60.000	mei	tre 1	93.800	Rs. On paise e	ne hundred ninety three and eighty only.
18.9.2	20 mm nominal outer dia Pipes	40.000	metr	e 25	-	paise te	hundred fifty one and
	.,,	40.000	metr	e 14	6.400	Rs. One	hundred forty six and rty only.

r Bhawani Shankar Construction Pvt. Ltd.

マーショラリス Managing Director Chief Engineer

B.S.E.I.D.C. Ltd, Patna

25/01

1117

	8 B.S	The state of the s	e (at	2	7	
	18.4	storage tank ISI :12701 marked cover and suitable loc arrangement and making neces holes for inlet, outlet and over pipes but without fittings and base support for tank. = 4000 PER LITER	vater with kking sary flow the	000 pe	600	0 Rs. Six and paise eighty only.
L 69	B.S.F 18.49	to IS:8931	bib			
70	B.S.R	15 mm nominal bore. = 12 EACH	12.000	D Each	1 497.00	Rs. Four hundred ninety seven
	18.52	cock (concealed of standard desi and of approved make conformi to IS: 8931				only.
71	18.52.1 SOR 18.58	= 10 EACH Providing and fixing P.T.M.T. grating	10.000	Each	670.700	Rs. Six hundred seventy and paise seventy only.
	SOR	of approved quality & colour				
	18.58.1 SOR 18.58.1.	100 mm nominal dia,	11	_		
72	B.S.R 19.2.1	Providing and laying cement concrete 1:5:10 (1 cement : 5 coarse	t	Each	47.90	Rs. Forty seven and paise ninety only.
73		stand : 10 graded stone aggregate 40 mm nominal size) all-round S.W pipes including bed concrete as per standard design : 100 mm diameter S.W. pipe = 50 METER	50.000	metre	312.500	Rs. Three hundred twelve and paise fifty only.
	19.6.1 N w o	Providing and laying non-pressure IP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture from the proportion of 12 (1 cement 2 fine sand) cluding testing of joints etc.		metre	312.900	Rs. Three hundred twelve and

For Bhawani Shankar Construction Pvt. Ltd.

complete:

= 15 METER

100 mm dia R.C.C. pipe

マーナー 「タッカカイス Managing Director

including testing of joints etc.

Chief Engineer
B.S.E.I.D.C. Ltd. Patna

paise ninety only.

	74 B.S.R Constructing brick masonry road			28			
	bricks in cement mortar 1:2 (1cement : 4 coarse sand) including 500x450 mm pre-cast R.C.C. horizontal grating with frame complete as per standard design : With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 2 EACH	2.000) Ea	ach 3117	2.300	Rs. Three thousand one hundred seventeen and paise thirty only.	
	19.30.1. 19.30.1. 19.30.1. 10	6.000	Each	3949.10	00 Rs for	s. Three thousand nine hundred rty nine and paise ten only.	
77 B	brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter, 1.8 m long complete as per standard design. With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH B.S.R Providing and fixing S.W.	000	Each	25900.100	Rs. 1 hund	Twenty five thousand nine dred and paise ten only.	
1	9.34 intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete :						

r Bhawani Shankar Construction Pvt. Ltd.

Managing Director

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Lehoud

	19	34.1 100 mm dia		29					
		78 Detailed Estimate for construction 125 mm x 40 mm x 90 mm Towell Manual Boring = 1 EACH		2.000					
_	70					ch 283	8.800	Rs. Two hundred eighty three and paise eighty only.	
7				1.000	Ead	ch 6043	2.650	Rs. Sixty thousand four hundred thirty two and paise sixty five only.	
	SI	SULLEN	JLED						
1 1		Provding and fixing soil,waste vent pipes = EACH	and						
1		110 mm dia = 40 EACH P.V.C. FITTINGS = EACH	40	.000	metre	347.0	00 R	s. Three hundred forty seven nly.	
1 1		DOOR TEE 110 mm dia = 4 EACH DOOR BEND 110 mm dia	4.0	000	each	365.00	00 Rs	s. Three hundred sixty five only.	
1		= 8 EACH	8.0	00	each	283.00	0 Rs	. Two hundred eighty three only.	
T		BEND 45° 110 mm dia = 10 EACH VENT COWEL 110 mm dia	10.0	000	each	185.000		. One hundred eighty five only.	
Ţ		= 3 EACH PIPE CLIP 110 mm dia	3.00	00	each	65.000		Sixty five only.	
		= 100 EACH FLOOR TRAP 110X110 mm dia	100.0	000	each	53.000	Rs.	Fifty three only.	
80	Code	= 10 EACH (i) C.I. cover and frame 300 x 300	10.00	00	each	436.000	Rs.	Four hundred thirty six only.	
81	Code no.	mm inside SEPTIC TANK = 1 EACH (ii) S.C.I. plain bend 100 mm dia	1.00	0 [Each	374.060	Rs.	Three hundred seventy four paise six only.	
82		SEPTIC TANK = 1 EACH (iii) S.C.I. Tee 150 mm dia	1.000) E	Each	436.400	Rs. F	Four hundred thirty six and e forty only.	
	no. of 7087	SEPTIC TANK = 1 EACH	1.000	E	ach	748.110	Rs. S	Seven hundred forty eight and eleven only.	
				-		Total		348,404.98	
						Total (B)		348,405.00	

For Bhawani Shankar Construction Pvt. Ltd.

Managing Director

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

				3	0	
		Electrical Works (1% labour contact has been added on current DS 2014)	SR-			
L 83	3 1.	Point Wiring in PVC Conduit, Modular type Switch:-	with			
	1.10.	Wiring for light point/ fan p exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insula copper conductor single core cable in surface / reces medium class PVC conduit, with modular switch, modular plasuitable GI box and earthing the point with 1.5 sq.mm. FRLS P insulated copper conductor single core cable etc as required.	ated sed ate,			
84	1.11		119.00	0 Nos.	725.18	Rs. Seven hundred twenty five a
		Conduit, with Modular type Switch:	-			paise eighteen only.
5	1.04	Wiring for twin control light point wind 1.5 sq.mm FRLS PVC insulated copper conductor sing core cable in surface / recessed medium class PVC conduit, 2 was modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc as required	ay 3.000 e	Nos.	777.700	rs. Seven hundred seventy seven and paise seventy only.
5	1.31	Supply and Fixing Light Plug Poin with Modular Type Accessories:-				
		Supplying and fixing suitable size Gl box with modular plate and cover in front on surface or in recess, including providing and fixing 3 pin 5/6 amps modular socket outlet and 5/6 amps modular switch, connection etc. as required. For light plugs to be used in non residential buildings).		Nos.	306.030	Rs. Three hundred six and paise three only.
1	.32 S	supply and Fixing Power Plug Point with Modular Type Accessories:-				

Managing Director

Chief Engineer
B.S.E.I.D.C. Ltd, Patna
Ya,

Jehouth

$\widehat{}$		Supply and Fili			3	1		
17778	7 2	amps modular socket out 15/16 amps modular type connection, painting etc as re	front on ncluding , 15/16 let and switch, quired.	12.000			0.000	Rs. Five hundred ninety only.
L	. 2.	Industrial Socket Outlet:-	1					
88	1.12	Supplying and fixing 20 amp volts, SPN industrial type, socket outlet, with 2 pole and metal enclosed plug top alongwith 20 amps "C" curve MCB, in sheet steel enclosure, on surface or in recess, with character of the socket out let and complete connections, testing commissioning etc. as required	earth, e, SP, nained with and	2.000	Nos.	963.	540 F	Rs. Nine hundred sixty three and paise fifty four only.
9	1.24	Wiring for light/ power plug with sq. mm FRLS PVC insulated copper conductor single core of in surface/ recessed medium PVC conduit alongwith 1 No 4 mm FRLS PVC insulated copper conductor single core cafor loop earthing as required	2X4 able class sq. 420 able	.000	Mtrs.	163.62	Rs pai	s. One hundred sixty three and ise sixty two only.
	1.24.1	modular type switch/ socket on existing modular plate switch bo cover including connections etc required 5/6 amps switch.	the					
L		5 pin, 5/6 amps socket outlet.	25.00	00 E	Each	81.810	Rs.	Eighty one and paise eighty only.
	1.14	Circuit / Sub-main wiring in PV Conduit:-	1	00 E	ach	79.790	Rs. S	Seventy nine and paise enty nine only.
	i r	Wiring for circuit / sub-main wiring along with earth wire with the following sizes of PVC insulated copper conductor, single core cable in surface/recessed PVC conduit a equired.	e d, e s					
		x1.5 Sqmm + 1x1.5 sqmm earth vire x2.5 Sqmm + 1x2.5 sq mm earth		Mt	rs. 1	07.060	Rs. O	ne hundred seven and paise
	W	rire	350.000) Mt		32.310	SIX OII	ly. ne hundred thirty two and

Managing Director 7) <

B.S.E.I.D.C. Ltd, Patna

L	1.14	The order of the common	arth	32	2	
L	1.14.	wire (to be used as sub main) 10 4 X 10 sq. mm + 2 X 10 sq. n	54.00	00 Mtr	s. 392.8	Rs. Three hundred ninety two ar paise eighty nine only.
_		earth wife	10.00	0 Mtr	s. 602.9	D 01
91		S/F 'C' series SP MCB:- Supplying and fixing 240 volts,	'C'			initiaty seven only.
	2.10.1	series, miniature circuit break suitable for inductive loads following poles in the existing MC DB complete with connection testing and commissioning etc, a required.	er of CB			
	2.10.3		36.000	Each	170.69	paise sixty nine only.
92	2.13	S/F TPN MCB:-	3.000	Each	463.59	D- E .
	2.13.2	Supplying and fixing following rating four pole, 240 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required 63 A,TPN				
03	2.15	S/F TPN DCCD 0	3.000	Each	676.700	Rs. Six hundred sevnety six and paise seventy only.
		and neutral, 415 volts, residual current circuit breaker (RCCB) having a sensitivity current upto 300 miliamperes in the existing MCB DB complete with connections, testing and commissioning etc. as required.				
	2.15.2	O Amp.	3.000	Each	2144.230	Rs. Two thousand one hundred forty four and paise twenty three only.

Managing Director

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Jk. hould

	94 2	.8 S/F TP MCB DB:-		3:	3	
	2.8.5	Supplying and fixing of follow way, horizontal type three pole a neutral, sheet steel, MCB distribution board, 415 volts, on surface/rececomplete with tinned copper abar, neutral bus bar, earth bar, bar, detachable gland plainterconnections, phosphatized a powder painted including earthietc. as required (Without MCB/RCCB/ISOLATOR). Make Legrand/Anchor/Havells/HPL.	de and bution ecess, r bus ar, din plate, d and rthing ithout se :-			
1 9	05 1.33	(4.12 ways) double door	3.000) Se	t 7430.5	Rs. Seven thousand four hundred thirty and paise fifty seven only.
((Supplying and fixing 2 pin ceilin rose on the existing junction box wooden block including connection etc as required.	. /) Each	43.430	
1 96	1.34	S/F Batten / Angle Holder:- Supplying and fixing batten / angle holder including connection etc as	27.000	Each	74.740	Rs. Seventy four and paise seventy four only.
97	1.25	S/F Modular type electronic fan regulator:-	24.000	Each	286.840	Rs. Two hundred eighty six and
	1 1	Supplying and fixing stepped type fan regulator on the existing modular plate switch box including connections but excluding modular plate etc as required.				paise eighty four only.
98	1.21	S/F PVC Conduit:- Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting he wall and making good the same in case of recessed conduit its required.				
			10.000	Mtrs.	53.530	Rs. Fifty three and paise fifty three only.

Managing Director

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

99		ļ			21		
99	'	Telephone Wiring in Exist	ting		24		
1	1.	Conduit:- 8 Supplying and drawing 6.11					
_		8 Supplying and drawing following p0.5 mm dia FRLS PVC	pair				
		inculated					
		conductor, unarmored telepho					
		cable					
1		in the existing surface/ recess	he				
			eu				
1	1.18	2 2 pair					
			50.	000 N	/Itrs.	18.18	Rs. Eighteen and paise eightee
100	1.24	Modulal type Switch / Socket	-			10.10	only.
		Supplying and fixing following					
		modular type switch / socket on the					
		Colour modular plate and swite	h				
		look including connections by	.4				
		excluding modular plate etc. a	s				
1	1.01	required.					
	1.24.6	Telephone socket outlet	_				
-		E A Deliver	2.00	00 Ea	ich	95.950	Rs. Ninety five and paise ninety
		EARTHING					five only.
101	5.6	COPPER EARTH PLATE	-			Mark Control	
		ELECTRODE:-					
		Farthing with					
		Earthing with copper earth plate 600mmx 600mmx 3mm thick					
		including acessories and providing					
		masonary enclosure with cover plate					
		liavilly locking arrangement and	0 000				Rs. Nine thousand three hundred
		watering pipe of 27 meter long ota	2.000) Eac	h	9384.920	eighty four and paise ninety two
		with charcoal/cock and salt as	and the same of th				only.
		required.	-			4	
02	F 10	D (5					
02	5.10	P/F 25 x 5mm copper earth strip in			_		
		pipe					
		Providing and fixing 25 mm X 5 mm					
		copper strip in 40 mm dia G.I.					
	-	pipe from earth electrode including connection with brass					
		nut, bolt, spring, washer excavation	12.000	Mtrs.	1	092.820	Rs. One thousand ninety two and
		and re-filling etc. as required.		, vicio.	'	032.820	paise eighty two only.
		o as roquiled.	Wat State of the S			Andrewson's	o sy and only.
3 5	.14	0/5 05					
5 5	1.	P/F 25 x 5 mm copper earth strip in			+		
		uriace/ recess -					
		roviding and fixing 25 mm X 5 mm			+		
	r	opper strip on surface or in	24.000	N A 4			Re Fight house
	re	ecess for connections etc. as	24.000	Mtrs.	8	64.560	Rs. Eight hundred sixty four and paise fifty six only.
			- Allerton				

Managing Directory

Chief Engineer

3.S.E.I.D.C. Ltd. Patna

ye.

Kuhoulk

10	4	Cable Laying of 1.1 KV & 11 KV		35		
	7.1	Laying of one number I insulated and PVC Sheathed / X power cable of 1.1 KV grade	PVC			
		including size direct in gro	und and			
105	7.1.2	Above 35sq.mm and Upto Sq.mm.	95 80.000) Mtrs.	204.020	Rs. Two hundred four and paise
	14.14	i solutioni i di la compania della c	na			two only.
		dia RCC pipe NP2 class(light du in ground complete with RC collars, joints with cement mortar 1 (1 cement : 2 fine sand) includir trenching (75 cm) and refilling etc. required. (Road crossing as per si condition)	ty) CC :2			
	14.14.2	150 mm dia				
6	9.1	1.1 KV Cable End Termination	10.000	Mtr.	387.840	Rs. Three hundred eighty seven and paise eighty four only.
		Supplying and making indoor cable end termination with brass double compression gland and aluminium lugs for following size of PVC insulated XLPE AI. Ar. Cable of 1.1 KV grade as required.	e e n			e e e e e e e e e e e e e e e e e e e
(9.1.22	3.5 Core 50 Sq.mm.				
+		3.5	2.000	Each	272.700	Rs. Two hundred seventy two and paise seventy only.
	2014 (nsulated sheathed Heavy duty)armoured electric cable aluminium conducter. B.5C x 50 Sq.mm 1.1kV		*		palse seventy only.
1	1	1.1KV	100.000			

Managing Director

S.S.E.I.D.C. Ltd. Patna

36	

	08		S/F HRC fuse type TP&N				36			
		2.1	following and	fixing TP&N panel	0.00	00 0	.000	0.00	00	Zero
		1.2	63 amps,TP&N, HRC		3.00	0 5	ach	2222		Rs. Two thousands
109	2.		S/F Busbar Chamber:-		0.00		acn	2260.3	880	Rs. Two thousand two hundred sixty and paies thirty eight only.
110	2.5 B.S 200	5.R 09	Providing and fixing following cap busbar chamber with 4 strips of suit size made of capper, he duty, complete with all accessed including connections, earthing body, etc as required. 200 amp. TPN Providing and fixing follow	table eavy ories the	1.000) Ea	ich	6222.67	10 It	Rs. Six thousand two hundred wenty two and paise sixty one only.
111	B.S. 200	R 9	capacity four pole OFF-lochangeover switch with side han operation, in sheet enclosure existing metal board, includdrilling holes in metal panel, make connections etc. as required. 25 Amps, Four pole	oad idle in ing ing	1.000	Eac	ch	7907.000	0 R:	s. Seven thousand nine hundred even only.
112	6.6	O C (F	Providing and fixing copper tape of the X 3 mm thick on parapet or surface of wall for lightning onductor complete as required.	ng 8	80.000	mete	er	379.760	Rs	. Three hundred seventy nine d paise seventy six only.
13	2.2	or co	roviding and fixing copper tape 20 m 3 mm thick on parapet surface of wall for lightning conductor mplete as required. or vertical run) oviding and fixing follwing rteing and	or 30	0.000	meter	r .	410.060	Rs.	Four hundred ten and paise six
	2.2.3	cul hol etc	eaking capacity MCCB in existing objected panel bord including drilling e cubicale panel making connection as required as required as a required as re	g						
				1.	000	EACH	4	565.200	Rs. I	Four thousand five hundred
		FIR	E FIGHTING		1			Total (C)	JIALY	five and paise twenty only.
4 D0		Kgs gua	nd new ISI marked Life Guard ABC multipurpose Fire Extinguishers 4 Capacity, fitted with pressure ge complete in all respects, ready to complete installation kit.		000	Nos.	75	73.730	Rs. S forty i	Seven thousand five hundred nine and paise seventy five
								Total		75,497.50
	For BI						To	otal (D)		75,498.00

Anaging Director

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Illunary

_			2	7		
1	15	CARRIAGE OF MATERIALS				
1	15	Type of materials			Rate In 1% La Cess	b.
Î		Cement	139.5	66 M		Rs. Two hundred eighty nine and
		Sand	188.4	57 cur		paise eighty seven only.
1		Local Sand	125.91	8 cun	n 205	D. T.
		Stone Chips	176.27	9 cum	1558.9	D- 0
		Brick	120.25	3 Thous	s. 601.6	D. O.
116	ADD F	Steel	18.050	МТ	289.8	D
	ADD EXTRA COST OF MATERIAL FOR DHARBHANGA COMM. W.R.T TO GAYA AS PER SOR		8			James Signty Seven only.
	Bricks Cemen		120.253	Thous	333.36	Rs. Three hundred thirty three and paise thirty six only,
			139.566	MT	1075.73	D -
					Total	4.404.15
SL.	ISTRIC	-	Grand	Total /A	Total (E)	1,104,194.72 1,104,195.00
1	MADH	NAIVIE OF INSTITU		i Total (A	(E) (+B+C+D+E)	7,748,617.73 Amount
	LIRANI					7,748,618.73
	(F	The sevently Seven lace For	otal Cost			7,748,619.00
		'Details of SI. No. 78 (Construction of Materials	of 125	nousar	ia Six Hund	dred Ninteen Only)
Part 'A	4 Co	st of Materials	125mm	(40mm)	c 90m Tube v	vell) is given below
1		125mm dia UPVC casing pipe confirming to ISS	27	Meter		
2		40mm dia UPVC pipe confirming to SS	48	Meter	COLUMN TO SERVICE SERV	Rs. Ninety pine and pain this
			10	METEL	99.38 e	Rs. Ninety nine and paise thirty ight only.

Managing Director

B.S.E.I.D.C. Ltd, Patna

Kehouly

40mm dia PVC ribbed strainer of approved quality 4 Reducing socket 125mm x 40mm 5 Supplying all labour and materials & fitting & Knig PVC cap over the new sisk Twell 6 RS.R 1548 6 RS.R 1549 7 Providing and fixing of G.I pipes complete with C.I fittings and clamps. including, cutting and making good etc 32 mm dia (15% C.P & 1% L.Cess) 7 RS. R 32 mm nominal bore Bross Full valve (15% C.P & 1% L.Cess) 8 Supplying all equipments, tools and installation of 1 Hp single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mb rhoad with all necessary riser pipe, starter control panel, 1.25° Cale Abd with 2.12° Cs table valve 1.25° Sy long G.I Nipple etc. all complete as per direction of EJI Sub - Total "A" Part 'B' - Cost of Labour Bonng by jet dheki by suitable cutter of reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge. (i) 0 to 30.5 m	. (10			38		
Supplying all labour and materials & fitting & Kinng PVC cap over the new sink T/well Providing and fixing of G.I pipes complete with G.I fittings and clamps, including, cutting and making good etc 32 mm dia (15% C.P. & 1% L.Cess) B.S.R. 1928 A.S. B.S.R. 1928 Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control penel, 1.25° Full way valve, 1.25° M.S. clamp, 1.25° G.I Elbow, 1.25° M.S. clamp, 1.25° G.I Elbow, 1.25° M.S. clamp, 1.25° S. or penel direction of E/I Sub - Total "A" Part 'B' - Cost of Labour Boring by jet dheki by suitable cutter of reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge. (i) 0 to 30.5 m 3.5 mtr 19,03 Rs. One hundred seventy only. 126. A. Cost of Labour 1 Each 140,00 Rs. Two hundred seventy only. 224.44 Rs. Two hundred eleven and paise forty four only. 244. B. Two hundred eleven and paise forty four only. 25. Check valve, 1.25° Full may alave, 1.25° G.I Elbow, 1.25° M.S. Clamp, 1.25° G.I Elbow, 1.25° M.S. Two hundred elight and paise seventy seven only.	1			approved quality				. 182	00 Rs One but I
Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25° Hs Calmp,	F			Reducing socket 125mm x 40mn	n		1 Fach	070	Ns. One nundred eigihty two only.
Sink Twell Providing and fixing of G.I pipes complete with G.I fittings and clamps, including, cutting and making good etc 32 mm nominal bore Bross Full valve Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full lull way valve, 1.25" M.S. clamp, 1.25" G.I Elbow, 1.25" Supplying etc. all complete as per direction of E/I Sub - Total "A" Part "B" - Cost of Labour Boring by jet dheki by suitable cutter of reduce as the case may be lowering 15 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge. (i) 0 to 30.5 m 3.5 mtr 119.03 Rs. One hundred firty only.	1	5		oupplying all labour and material	- 0		Lacii	270	.00 Rs. Two hundred seventy only.
Complete with G.I fittings and laborate including cutting and making good etc 32 mm dia (15% C.P.& 1% L.Cess) 7 B.S.R 1928 32 mm nominal bore Bross Full valve (15% C.P.& 1% L.Cess) 1 Each 511.21 Rs. Five hundred eleven and paise twenty one only. Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elibow, 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of E/I Sub - Total "A" Part 'B' - Cost of Labour Boring by jet dheki by suitable cutter of reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge. (i) 0 to 30.5 m 3.5 mtr 119 n3 Rs. One hundred nineteen and		1		sink T/well	new		1 Each	1	
yeave (15% C.P. & 1% L.Cess) Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" G.J. Elbow, 1.25" M.S. clamp, 1.25" G.J. Elbow, 1.25" check valve, 1.25" x 9" long G.J. Nipple etc. all complete as per direction of E/I Sub - Total "A" Part 'B' - Cost of Labour Boring by jet dheki by suitable cutter of reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.J pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge. (i) 0 to 30.5 m (ii) 0 to 30.5 m 3.5 mtr 119.03 Rs. Five hundred eleven and paise twenty one only.		6	1548	complete with G.I fittings and clamps, including, cutting and making good etc 32 mm dia (15% C.P & 1% L.Ces	s)	18	mtr	224.	Rs. Two hundred twenty four and paise forty four only.
Installation of 1 HP single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" y 9" long G.I Nipple etc. all complete as per direction of E/I Sub - Total "A"	<u> </u>	7		(15% C.P & 1% L.Cess)		1	Each	511.2	Rs. Five hundred eleven and paise twenty one only.
Part 'B' - Cost of Labour Boring by jet dheki by suitable cutter of reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge. (i) 0 to 30.5 m (a) For 125 mm dia U.PV.C pipe 27 mtr 208.77 Rs. Two hundred eight and paise seventy seven only.		8	(submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of E/I	of	1	Each	26,446.00	Rs. Twenty six thousand four hundred forty six only.
Boring by jet dheki by suitable cutter of reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge. (i) 0 to 30.5 m (a) For 125 mm dia U.PV.C pipe 27 mtr 208.77 Rs. Two hundred eight and paise seventy seven only. (b) for 40 mm dia UPVC pipe (i) 0 to 30.5 m 3.5 mtr 119.03 Rs. One hundred nineteen and	Par	+ 'D		Sub - Total "A"					
lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge. (i) 0 to 30.5 m (a) For 125 mm dia U.PV.C pipe 27 mtr 208.77 Rs. Two hundred eight and paise seventy seven only. (b) for 40 mm dia UPVC pipe (i) 0 to 30.5 m 3.5 mtr 119.03 Rs. One hundred nineteen and	1 ai		- 1						46138.37
9 (a) For 125 mm dia U.PV.C pipe 27 mtr 208.77 Rs. Two hundred eight and paise seventy seven only. (b) for 40 mm dia UPVC pipe 3.5 mtr 119.03 Rs. One hundred nineteen and			st sc pr re sp en	owering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of andard quality iron, shoe, plug & ocket etc. all complete including adviced for the job as per pecification and direction of the agineer in charge.					
(a) For 125 mm dia U.PV.C pipe 27 mtr 208.77 Rs. Two hundred eight and paise seventy seven only. (b) for 40 mm dia UPVC pipe (i) 0 to 30.5 m 3.5 mtr 119.03 Rs. One hundred nineteen and			(i)	0 to 30.5 m		-			
(i) 0 to 30.5 m (b) for 40 mm dia UPVC pipe (i) 0 to 30.5 m (ii) 0 to 30.5 m (iii) 0 to 30.5 m (iv) Rs. One hundred nineteen and	9		(a)	For 125 mm dia U.PV.C pipe	27	r	ntr	208.77 R	Rs. Two hundred eight and paise
3.5 mtr 119.03 Rs. One hundred nineteen and	10			(b) for 40 mm dia UPVC pipe				S	eventy seven only.
palse tillee only.					3.5	m	ntr	119.03 R	s. One hundred nineteen and
			[(11)	50.5 m to 61.0 m				þe	alse tillee only.

Managing Director

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Kehwulh

			Total	C="A+R"	14,294.28
			Su	ıb - Total	14 204 0
15	Supplying labour and developing the T/Well to have sand free discharge all complete as per direction of E/I	1	Each	280.50	Rs. Two hundred eighty and paise fifty only.
14	specificatin etc. all Complete	24	mtr	21.34	Rs. Twenty one and paise thirty four only.
	Providing all labour & tools and			. 10.70	Rs. One hundred forty eight and paise seventy nine only.
13	a) For 40mm dia UPVC ribbed strainer of approved quality	8	mtr	148 79	Rs. One hundred forty eight and
					paise seventy nine only.
	a) For 40mm dia UPVC pipe (iv) 75.00 m to above	14	mtr	148.7	Rs. One hundred forty eight and
12					
	(iii) 61.00 m to 75.00 m				paise eighty eight only.
	(a) For 40 mm dia UPVC pipe	30.5	5 mtr	136.8	Rs. One hundred thirty six and
11			39		

Tender approved in favour of Bhawani Shankar Construction Pvt. Ltd. @10% (Ten Percent) below BOQ rates i.e. total amount comes to Rs. 69,73,757=00 (Rupees Sixty Nine Lacs Seventy Three Thousand Seven Hundred Fifty Seven Only)

For Bhawani Shankar Construction Pvt. Ltg.

व्यान समार

S.S.E.I.D.C. Ltd, Patna

Performance Security

Name of Agency – "Bhawani Shankar Construction Pvt. Ltd."

Performance Security of "Bhawani Shankar Construction Pvt. Ltd." of "BRC- Khajouli(SL. No.-19)"

Passbook No. 3405332967 37462 37463 NSC No. 48CC 357406-07 46EF 702035 Passbook No. 3397165840	DOI 21.10.16 31.05.16 31.05.16 04.08.15 04.08.15 DOI 13.10.16	Reg No. 562 562 Reg No.	1000*2	Total	Amount 3000.00 170400.00 160000.00 2000.00 10000.00 Amount 5000.00 350400.00
(D					

(Rupees Three Lacs Fifty Thousands Only)

मेला पदाधिकारी
बिहार राज्य शैक्षणिक आधारभूत संरचना

विहार राज्य शक्षाणक जाना है विकास निगम लिं०, पटना

30/1246

For Bhawani Shankar Construction Pvt. Ltd.

Managing Director

Chief Engineer B.S.E.I.D.C. Ltd, Patna

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना—800004, दूरभाष—0612—2910314 कॉर्पोरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256,

पत्रांक:- BSEIDC/FIN/2539/2016-17/- **%61**6

पटना, दिनांक 16.0916

प्रेषक.

ब्रजेश प्रसाद मुख्य परामर्शी (तकनीकी)

सेवा में

Bhawani Shankar Construction Pvt. Ltd., AT-Rahi South, P.O.-Belha, P.S.-Rajnagar, Distt.-Madhubani.

बिहार राज्य अंतर्गत "Construction of Block Resource Centre at Khajouli, Madhubani (SL. No.-19)" के कार्य हेतु जमानत की राशि जमा कर

महाशय.

उपर्युक्त विषय के संबंध में कहना है कि उपर्युक्त निविदा हेतु आपके द्वारा निविदित दर जो परिमाण विपन्न के दर से 10.00% (दस दशमलव शून्य शून्य प्रतिशत) कम है तद्नुसार निविदा की कुल राशि रू० 69,73,757 / - (उनहत्तर लाख तेहत्तर हजार सात सौ सन्तावन रूपये) मात्र आपके पक्ष में स्वीकृत की गयी है।

अतः निदेश दिया जाता है कि अग्रधन की राशि रू० 3,49,000/- (तीन लाख उनचास हजार रूपये) मात्र का साविध पासबुक / राष्ट्रीय बचत प्रमाण पत्र के रूप में प्रबंध निदेशक, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०, पटना के नाम से प्रतिज्ञिप्त हो जमा कर अविलंब एकरारनामा कर लें।

916-9-2016 मुख्य परामर्शी (तकनीकी)

ज्ञापांक : BSEIDC/FIN/2539/2016-17/- 861% प्रतिलिपि : वरीय लेखा पदाधिकारी, BSEIDC को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित।

पटना, दिनांक 16.09.16

मुख्य परामशी (तकनीकी)

For Bhawani Shankar Construction Pvt. Ltd.

Chief Engineer B.S.E.I.D.C. Ltd, Patna

Letter no.: BSEIDC/NIT/2015-16/- 3950

Patna, Date: 30.04.16

Corrigendum No.- 3

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News

Paper "हिन्दुरतान" on dated 10.02.2016 vide P.R.-12943 (नि०नि०)15—16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in

the State of Bihar" the following amendments have been made as mentioned below:-

	_												
		Amended provision	Period of Sale of Bid document (Download) from	dated 16.05.2016 to 05.06.2016,		Date and Time of Pre bid Meeting – 25.05.2016, 16:00 Hrs.		Last date and time for receipt (Upload) of Bids on	dated 06.06.2016,15:00 Hrs.	Time and date for opening of Technical Bids on	dated 08. 06.2016, 16:30 Hrs.	Time and date for opening of Financial Bids and	dated 24.06.2016 15.20 rr
	Existing provision	Period of Sala of D: 1 1	from dated 16.04.2016 to 10.05.2016	15:00 Hrs.	Date and Time of Pre bid Meeting _ 25 04 2015	14:30 Hrs.	Last date and time for receive (TILL)	on dated 11.05.2016 .15:00 Hrs	Time and date for opening of Tachnical Dia	dated 13. 05.2016, 16:30 Hrs.	Time and date for onening etc.	dated 27.05.2016. 15:30 Hrs.	(1113,
SL.	no.				2		•	2	-	t		5V	9
								C	Chie	ef E	ng	he	er

The Cost of BOQ and EMD will be accepted up to 08.06.2016, 15:00 Hrs.

dated 24.06.2016, 15:30 Hrs.

For Bhawani Shankar Construction Pvt. Ltd.

Managing Director

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Letter no.: BSEIDC/NIT/2015-16/- 2937

Patna, Date: 28 03-2016

Patna, Date: 28~3.

Corrigendum No.-2

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News

Samples and No.-2

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News

Note: 28~3.

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News

Note: 28~3.

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News

Note: 28~3.

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News

Note: 28~3.

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News

Note: 28~3.

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News

Note: 28~3.

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News

Note: 28~3.

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News

Note: 28~3.

Note: 28~3.

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News

Note: 28~3.

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News

Note: 28~3.

Note: 28 Ethe State of Bihar" the following amendments have been made as mentioned below:-

		Period of Sale of Bid document (D.)	dated 16.04.2016 to 10.05.2016	15:00 Hrs.	Date and Time of Pre bid Meeting – 25.04.2016, 16:00 Hrs.	Last date and time for receipt (Halasa)	dated 11.05.2016,15:00 Hrs.	Time and date for opening of Technical Bide	dated 13. 05.2016, 16:30 Hrs.	Time and date for opening of Financial Bids on
T. vioti	Existing provision	from dated 03.03.2016 to 28.02.2016	15:00 Hrs.	Date and Time of Pre bid Meeting – 15.03.2016	last date and time	on dated 29.03.2016 15:00 Hr.	Time and date for opening of Technical Deal	dated 31. 03.2016, 16:30 Hrs.	Time and date for opening of Financial Bard	dated 11.04.2016, 15:30 Hrs.
SL.	110.	-		2		2	4		Lig.	25
					B.S	Chi .E.I.	ef E D.C:	Lto	neer	atna

Time and date for opening of Financial Bids on

dated 27.05.2016, 15:30 Hrs.

The Cost of BOQ and EMD will be accepted up to 13.05.2016, 15:00 Hrs.

।शक्षा भवन, बिहार राष्ट्रभाषा परिषद् पारेसर, शिर्वपूजन संहाय पथ, सैद्पुर, पटनी-४००००४, दूरमान-६०८१२-291,८३१५) कॉप्रिट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256,

Letter no.: BSEIDC/NIT/2015-16/- 2638

Patna, Date: 17.03.16

Corrigendum No.- 1

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in

the State of Bihar" the following amendments have been made as mentioned below:-U

	Γ				<u> </u>						
The second secon		Amended provision	dated 03.03.2016 to 30.04.2016	15:00 Hrs.	Last date and time for receipt (Upload) of Bids on	Time and data for the second data for the seco	dated 04. 05.2016, 16:30 Hrs	Time and date for opening of Financial Ride on	dated 17.05.2016, 15:30 Hrs.	The Cost of BOQ and EMD will be accepted up to 04 05 2016, 15 00 10	. The contraction of the contrac
	Existing provision	Period of Sale of Bid documents	from dated 03.03.2016 to 28.03.2016,	Last date and time for receipt (Unload) of Bids	on dated 29.03.2016 ,15:00 Hrs.	Time and date for opening of Technical Bids on	Time and date for once:	dated 11.04.2016, 15:30 Hrs.		The Cost of BOQ and EMD will be	
S.	no.		_	2		3			V.	2	7,
					2/19	SE	hief .I.D.	Eng C. L		er Pati	na

The other terms and conditions shall remain unchanged.

For Bhawani Shankar Construction Pvt. Ltd.

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् कैम्पस, आचार्य शिवपुजन सहाय पथ, सैदपुर, पटना—800004 (दूरभाष:—0612—2910314)

(बिहार सरकार का एक उपक्रम)

निविदा आमंत्रण सूचना संख्या— 40 वर्ष 2015—16

(केवल ई-टेन्डरिंग पद्धित के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

बिहार राज्य के भवन निर्माण कार्य हेतु निम्नांकित निविदायें आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार/सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रजिस्ट्रेशन, उक्त कार्य का लेटर ऑफ

	क्रम	कार्य का नाम		क्लित	अग्रध		माण Poltus	D'		
$\overline{}$				राशि ख में)	की रा	शि विपः	त्र की Beltro Proce	n Bid		कार्य
	1	BRC Ekma,Saran			(€0 1	(至0		i Rs)	व	समाप्ति गी अव
	2	BRC Baniyapur,Saran		5.2	1,70,40	00 10,0			-	
	3	BRC Masrak, Saran		5.2	1,70,40	00 10,0				5 मा -
	4	BRC Marhowrah Saran		5.2	1,70,40	00 10,0	010		1.	
	5	BRC Amnour, Saran		5.2	1,70,40		010		1:	
-	6	BRC, Dariyapur, Saran		5.2	1,70,40	0 10,0	010		1:	
-	7	BRC,Garkha,Saran		5.2	1,70,40		010		15	
-	8	BRC, Manigachhi Darbhanga	85		1,70,400		0/5		15	
	9	DKC, Keoti, Darhhanga	85		1,70,400				15	
	10	BRC, kusheshwarsthan Darbhana	85		1,70,400		0750		15	
	11	DRC, Gnanshyampur Darbhanga	85	.2	1,70,400	10,00	5750		15	_
_	12	DKC, Kiratpur, Darbhanga	85.	.2	1,70,400		0,00		15	माह
	13	BRC, Baheri, Darbhanga	85.	2	1,70,400		0		15	माह
	14	BRC, Hanumannagar Darbhanga	85.	2	1,70,400		0 750		15	माह
	13	DRC, Lakhnaur, Madhuhani	85.	_	1,70,400	10,00	5750	-	15	माह
-	16	BRC, Jhanjharpur, Madhubani	85.2		1,70,400	10,000	5750		15	माह
	1/	DRC, Phulparas, Madhubani	85.2		1,70,400	10,000	0750			माह
\	10	BRC, Khutauna, Madhuhani	85.2		1,70,400	10,000	3730			माह
	19	BRC, Khajouli,Madhubani	85.2		1,70,400	10,000	5750		-	माह
1	20	BRC,Bisfi,Madhubani	85.2		,70,400	10,000	0750		15	माह
2	21 1	BRC,Rahika,Madhubani	85.2		,70,400	10,000	2750		15	माह
2	22	BRC, Harlakhi Madhubani	85.2		,70,400	10,000	5750	-	The same of the sa	माह
2	23 E	BRC,Babubarhi,Madhubani	85.2		,70,400		5750	1	5	नाह
2	4	OKC Rosada Samactinum	85.2		70,400	10,000	5750	1	5 I	गह
2	5 B	BRC Samastipur	85.2		70,400	10,000	5750	1	5 F	गह
2	6 B	RC, Khanpur,Samastipur	85.2		70,400	10,000	5750	1	5 म	ाह
2	7 B	RC, Hasanpur, Samastipur	85.2		70,400	10,000	5750	1:	5 म	ाह
28	8 B	RC, Mohanpur,Samastipur	85.2		70,400	10,000	5750	1:	5 म	ाह
29	9 B	RC, Patori, Samastipur	85.2		70,400	10,000	5750	15	5 मा	ह
30	B	RC, Shivajinagar, Samastipur	85.2		70,400	10,000	5750	15	मा	ह
31	BI	RC,Sangrampur,E.Champaran	85.2		70,400	10,000	5750	15	मा	ह
32	BI	RC,Kalyanpur,E.Champaran	85.2		0,400	10,000	5750	15	मा	ह
33	BF	RC Chakia, E. Champaran	85.2		0,400	10,000	5750	15	मार	ह
34	BR	RC Sugauli, E. Champaran	85.2			10,000	5750	15	माह	
35	BR	C Madhuhan E Cl	85.2		0,400	10,000	5750	15	माह	-
36	BR	RC Madhuban, E. Champaran RC Patahi, E. Champaran	85.2		0,400	10,000	5750	15	माह	-
37	BR	C Raxaul, E. Champaran	85.2		0,400	10,000	5750	15	माह	-
38	BR	C Adapur,E.Champaran	85.2		100	10,000	5750	15	माह	-
39	BR	C Bankston F. Gl	85.2			10,000	5750	15	माह	-
40	BR	C Bankatwa, E. Champaran	85.2		10-	10,000	5750		माह	-
41	RR	C Dhaka,E.Champaran	85.2		400	10,000	5750	15		
42	RDO	C Bairia, W. Champaran		1,70		10,000	5750		माह	1
43	DIV	C Narkatiaganj, W.Champaran	85.2	1,70		10,000	5750	4-	गाह माह	1
44	DK	Sikta, W. Champaran	85.2	1,70,	_	0,000	5050	13	गाह माह	
44	BKC	Bhithan, W. Champaran	85.2 85.2	1,70,		0,000	25750	-	माह माह	
		ani Shankar Construction Pvt. Elec.	X 5 7	1,70,		The state of the s	Engisoeer	LJ	118	1

Mallo

B.S.E.I.D.C. Ltd, Patna

	101 BRC Asharganj, Munger 102 BRC Naugoobbi- Di			05.3						
	Traugaciinia Rhagalnum	47		85.2 85.2		70,400	10,0	000 5	750	15
	The Inpallity Bhagalaur					70,400	10,0	200	750	15
	Shankullu Bhagalaur			35.2		70,400	10,0		750	15
	Turalli, Wadhenura			5.2		0,400	10,0	0.0	50	
	- Walbada Wadhenura			5.2		0,400	10,0			
	Tuillalkijand Madhamuss			5.2		0,400	10,0	00 57		
	BRC Gallarh, Madhenura			5.2	1,7	0,400	10,00	00 57:		
	Saul Dazar, Saharea			5.2		0,400	10,00			15 н
-	BRC, Navhatta, Saharsa			5.2	1,70	0,400	10,00			15 म
	111 BRC Mahensi, Saharsa			5.2	1,70	,400	10,00			15 म
_	BRC Sonbarsa Saharsa		85		1,70	,400	10,00			15 मा
1	113 BRC Simri, Bakhtiyarpur Saharsa		85		1,70	,400	10,00	010		15 मा
<u> </u>	BRC Supaul		85.		1,70	,400	10,00	075		15 मा
	115 BRC Pipra, Supaul		85.	.2	1,70		10,000	010		15 मा
	116 BRC Pratapgani Supaul		85.		1,70,		10,000	575		15 माह
	117 BRC Nirmali, Supaul		85.	2	1,70,		10,000	0150		15 माह
	118 BRC Raghopur Supaul		85.2	2	1,70,		10,000	5750		15 माह
	119 BRC, Atari, Gava		85.2	2	1,70,		10,000	5750		15 माह
	120 BRC, Neemchak Gava		85.2	2	1,70,4		10,000	5750		15 माह
	121 BRC, Wazirgani Gaya		85.2	2	1,70,4		10,000	5750		15 माह
	BRC, Mohanpur Gava		85.2		1,70,4			5750		15 माह
	123 BRC, Imamgani, Gaya		85.2		1,70,4		$\frac{10,000}{10,000}$	5750		15 माह
1	124 BRC Amas. Gava		85.2		1,70,4			5750		15 माह
1	125 BRC, Koch, Gaya		85.2	_	1,70,4		10,000	5750		15 माह
1	126 BRC,Jehanabad		85.2		1,70,4		10,000	5750		15 माह
1	127 BRC,Kako,Jehanabad		85.2		1,70,40		10,000	5750		15 माह
12	128 BRC,Ghosi,Jehanabad		85.2		1,70,40		10,000	5750		15 माह
12	129 BRC Arwal		85.2		1,70,40		0,000	5750	1	5 माह
13	130 BRC Karpi,Arwal		85.2		1,70,40	-	0,000	5750	1	5 माह
13	BRC,Obra,Aurangabad		85.2		,70,40		0,000	5750	1	5 माह
13	32 BRC,Dev,Aurangabad		85.2				0,000	5750	1	
13	33 BRC Madannur A		85.2		,70,40 70,40	_	0,000	5750	1	5 माह
134	BRC Madanpur, Aurangabad BRC Kutumba Aurangabad		85.2		70,400		0,000	5750	1:	
135	BRC Kutumba, Aurangabad BRC, Rega, Sitamarhi		85.2		70,400		0,000	5750	15	
136	- Tega, Sitamarni		85.2		70,400	-	0,000	5750	15	
137			85.2		70,400	-	,000	5750	15	
138	- C,1 upii, Silamarni		85.2		70,400		,000	5750	15	
139	- Januarda, Sifamarhi		85.2		70,400		,000	5750	15	
140	- Tellisalupur Sitamarhi		85.2		70,400		,000	5750	15	
141	- Suppl.Sllamarhi		85.2		70,400		000	5750	15	माह
142	, i akiibarawan Nawada		85.2 85.2		70,400		000	5750	15	
143	- To, waitsallyani Nawada				0,400	10,	000	5750	15	माह
144	Tikabai pur. Nawada		85.2		0,400	10,	000	5750	15	माह
145	orte, Ivaliat, Ivawada		35.2		0,400	10,	000	5750		माह
146	Tre, Chandi, Nalanda		35.2		0,400	10,0	000	5750		माह
147	, Austriawan Nalanda		5.2		0,400	10,0	000	5750		
148	Tariui, Najanda		5.2),400	10,0	000	5750		माह
149	- To, Ekaligai Safai, Najanda		5.2		,400	10,0	00	5750		माह
150	BRC, Silaw, Nalanda		5.2		,400	10,0		5750		माह
	BRC, Katrisarai, Nalanda		5.2		,400	10,0		5750	4-	माह
151	BRC, Karaiparsurai Nalanda		5.2	1,70	,400	10,0		5750		नाह
152	BRC, Motipur, Muzaffarpur	85		1,70,	400	10,00		5750		गह
153	BRC Gaighat, Muzaffarnur	85		1,70,	400	10,00		5750		गह
.54	BRC, Aurai, Muzaffarnur	85		1,70,	400	10,00				ाह
155	BRC,Bandra,Muzaffarpur	85.	.2	1,70,		10,00				ाह
	DDG	0=	-			-0,00	4 111	5750	15 甲	ाह
.56	BRC, Minapur, Muzaffarpur	85.	.2	1,70,4	400	10,00	0 4	10	15 _円	

Add an 12
Managing Director

B.S.E.I.D.C. Ltd, Patna

- (14) (क) प्रत्येक परिमाण विपत्र का मूल्य जो प्रत्येक निविदा के सामने उपर कण्डिका (1) में अंकित है (जो लौटाया नहीं जाएगा) किसी भी राष्ट्रीयकृत बैंक द्वारा निर्गत एवं BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. के नाम से एवं पटना में भुगतेय हो, स्वीकार किया जायेगा। मूल बैंक ड्राफ्ट ''बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड'' पटना के कार्यालय में दिनांक 31.03.2016 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना है। ऐसा नहीं करने पर निविदा मान्य नहीं
- (ঘ্ৰ) Beltron Bid Processing Fee is mandatory to be paid through online mode i.e. Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS" Bids along with necessary online payments must be submitted through e-procurement portal www.eproc.bihar.gov.in before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffic/ Holidays or
- (ग) वांछित अग्रधन की राशि राष्ट्रीय बचत पत्र/डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक जो बिहार राज्य से क्रय या जमा किया हो, **प्रबंध निदेशक**, BSEIDC Ltd., पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा बिहार वित्त नियमावली के अनुसार BSEIDC Ltd. के नाम से फिक्सड डिपोजिट रिसिप्ट अथवा बैंक गारन्टी जो बिड के मान्य अविध तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत/अनुसूचित बैंक से निर्गत हो (अगर बिहार प्रान्त के बाहर के बैंक से निर्गत बैंक गारन्टी दिया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड, पटना में दिनांक 31.03.2016 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना आवश्यक है। ऐसा नहीं करने पर निविदा
- (15) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर लें। ताकि अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से बच सकें।
- (16) निविदाकार निविदा डालने से पहले अपने स्तर से भी प्रस्तावित कार्य स्थल पर भूमि उपलब्धता के संबंध में आश्वस्त हो लेगे।
- । (17) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। बिना कारण बताये निविदा या उसके अंश को अस्वीकृत करने / रद्द करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।
- (18) विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्य अविध में सम्पर्क किया जा सकता है। ई—टेन्डरिंग की प्रकिया से संबंधित किसी भी प्रकार की जानकारी/सूचना हेतु सहायता कक्ष, ई-टेन्डरिंग कक्ष, प्रथत तल्ला, M/22, बैंक ऑफ इण्डिया भवन, रोड न० २५, श्री कृष्णा नगर, पटना—800001, दूरभाष सं० 0612—2523006/9939035696.

ब्रजेश प्रसाद मुख्य अभियंता

For Bhawani Shankar Construction Pvt. Ltd.

Managing Director

Chief Engineer B.S.E.I.D.C. Ltd, Patna 2119