Name of Work-Renovation of Store Schedule XLV-Form No. 61 Section at BSEB Office, Paina (SL No. - 01)

## BIHAR PUBLIC WORKS DEPARTMENT

Agency - [Form No. F-2] Puja Engicon Company
ITEM RATE PENDER AND CONTRACT FOR WORKS. Ltd.

Date of Commencement - 28.02.2019.

1. All works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer.

This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours.

2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so.

3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm.

4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender.

6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompanied by the treasury challan for the required earnest money will be liable to rejection. No single tender shall include more than one work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the envelop. Cash deposits for earnests money here in before mentioned shall be made in Government Treasuries and the challan there of should be enclosed with the tender.

langeet Kurs 24/06/12 Director B.S.E.I.D.C. Ltd, Patna

24/6/19

- 7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.
  - 8. The Engineer shall have the right of rejecting all or any of the tenders.
- 9. In the event of a tender being selected for acceptance the Engineer who opened the tenders will, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the priscribed time. The tender with the specilication and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to the tenderer.

- 10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.
- 11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required amount of the security money has been deposited the Engineer shall scrutinise all pages of the form of item, ate, tender & contract for works to see that the form has been properly filled up and signed by the contractor & the signature witnessed He shall then if he is competent, to accept the tender, sign the acceptance of the tender, or, if he is not so competent shall send the form for signature of the acceptance of the form to accept it.

Man Jeer Ku Director

### TENDER FOR WORKS

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

0	materia conditio	Is as are provided for by and in other respects in accordance with, sucr ins so far as applicable.
		MEMORANDUM
(a) If several sub-work are included they should be detained in a separate list.	[a]	Name of work
water 5 mg C	[b]	Estimated cost
(b) This deposit will be 5% of the estimated cost of the Work.	[c]	Earnest money
(c) This percentage	[d]	Initial security deposits (including earnest money) to be deposited befor the commencement of the work
deduction from bills will be credited to the contractors security deposit.	[e]	Percentage to be deducted from bills Rs. 5% (Rupees five percent)
0	[f]	Time required for the work from date of written order to commence
0		
0	[g]	Date of written other to commence
0	[h]	Total number of item of work tendered for
0		

)		RATE TENDEREP
Item N	No. Item of work	In figures
)		
0		
0		
0		
0		
0		10
D	For Puja Engicon Company Pyt 14d	Chief Eng neer B.S.E.I.D.C Ltd, Pate
0	For Puja Engicon Company Pvt. Ltd.	Chief Engineer
0	Director Director	B.3.E.I.D.C Ltd., 1 Co.
0		5416

Schedule XLV - Form No. 61

RATE TENDERED Item No. Item of work Per intend In figures In words compa mone earne will, if sign c and f amou of the tende of the thes by th the to thes secu secu depo acc alre dep faili ma the mo for wit isr

(4)

Sched



Schedule XLV - Form No. 61

(5)

	lta	RAILIL	NDERED	Per
Item No.	Item of work	In figures	In words	101
0				
0				
0				
ě				
0				
)		61		
)				
)				
)				
)				
)				
)				
)				
)				
	d d			
)				
)				
)				

Schedule XLV - Form No. 61 (6) Sch RATE TENDERED Item No. Item of work inte Per In figures In words com mor earr will, sign and amo of th tend of th the by tl the the sec sec dep acc alre dep faili may the moi for witr is n

Item No.	Item of work		TENDERFD		
Tom To.	TOTAL VICTOR	In figures	In words	Per	
0			H Hyl Mely D.		
~ 40a					
	and all the least of an artist of a second				
				Striketijs Preser	
	moder on				
18318/014					
) with	1.01	Selfuri meru			
	C 361096				
)					
	SATINGS TO BURNING				
)	EXTENSION NAMES OF THE PARTY.				
			and a subject of		
) - White - 10	CONTROL TO MET OF BOOK OF THE PARTY				
	In action of the second		te suotas in		
			As I rest to		
E-unit by a	Off the National Steams of the Visional Co.				
				selje frantspill s Skrivate spille	
mile transfer			# 1 P 2 S 2		
	THE REPORT OF THE PARTY OF THE				
	and the contract of the contra				
		ADDITION THE			
	of Ward Artist Landbell Const.				
na forsa.		31 73 - 1 2 2 M	ALIGNA DE LA CONTRACTOR D		
#44 (CA)	Constant Constant Constant and a	region e unit	er aer basg er ar er		
Salara Area			int to less than		
	or tension was a suite to encountry the	Lovner berei Stade aber bij	SUILCON'S		
42 4 10 1	No. 1 Sept Major and August 1991	Most Chite	Le stophe un		
las segra		arrago nella b Levar la basa	707		
A. C.	Market	ebelik me	0.9 No. 0.5 NO. 1		
THE STATE OF	AND CAME OF THE PARTY OF THE PARTY OF				
	City Speciments has	Cognition ( )	1	Fort minish	

5 (8) Schedule XLV - Form No. 61 should this tender be accepted I/we hereby agree to abide by and fulfill all the terms and provisions of the said conditions of contract annexed hereto so. for as ir applicable, or in ssors in office the sums of money mentioned in the said conditions C n day of е Dated the witness :-\*Signature, of contractor be-Address: fore comission of tender Occupation: The above tender is hereby accepted by me on behalf of the Governor of Bihar. Signature of witness to 20 day of contractor's signature signature of the officer Dated the or Puja Engicon Copping the tender. Acceptances communicated on..... W signature of the party si taking the tender ar ar of CONDITIONS OF CONTRACT Clause 1:- All compensation or other sums of payable by the contractor to Government under the terms of his contract may be deducted from, paid by the Compensation sale of a sufficient part of his security deposit or from the Interest arising therefore ter or from any sums which may be due or may become due to the contractor by of Government on any account whatsoever and in the event of his security deposit the being reduced by reason of any such deduction or sale as aforesaid, the contractor by shall within ten days there after make good in cash or Government securities the endorsed as aforesaid any sum or sums which may have been deducted from, or arised by, sale of his security deposit of any part thereof. Clause 2: - The time allowed for carrying out the work as entered in the tender shall be strictly observed by the contractor and shall be reckoned from the date or The work should not be which the wirtten order to comence work is given to the contractor. The work shall considered untill such date as the throughout the stipulated period of the contract be carried on with all due diligenc the Executive Engineer shall se (time being deemed to be the essence of the contract on the part of the contract certify as the date on which se the work is finished after or) and the contractor shall pay as compensation an amount equal to ½ percen necessary rectification of de on the amount of the estimated cost of the whole work as shown by the tender for defects as pointed by the every day that the work remains uncommenced or unfinished after the proper date Executive En- gineer or his authorised agents are fully And further to ensure good progress during the execution of the work the contractor contractor to the Engineer's shall be bound in all cases in which the time allowed for any work exceeds on satisfaction. month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before one acc half of such time elapsed and three-fourths of the work, before three fourths of such alre time has elapsed in the event of the contractor failing to employ with this condition der I shall be liable to pay as compensation an amount equal to ½ percent on the said faili estimated cost of the whole work for every day that the due quantity of wor' remains incomplete provided always that the entire emount of compensation to be paid under the provisions the clause shall not exceed 10 percent of the estimate cost of the work as shown in the tender. Clause 3:- In any case which under any clause or clauses of or this contract ma the contractor shall have rendered himself laible to pay compensation amounting the Action when persnle security to the whole of his security deposit in the hands of Government (where paid in onsum or deducted by instalments) the Executive Engineer on behalf on the Bihar deposit foreited Government shall have been powered to adopt any of the following courses, as hu may deem best suited to the enterest of Government (a) To rescind the contract (of which rescind notice if 27) mo For Puja Engicon Compander the hand of the Executive Engineer shall be conclusive evidence) and in for which case the sectitiry deposit of the contractor shall start for piech and be witr isn absolutely at the disposal of Government.

(b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debitting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in -charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.

(c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by'him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original contractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4: - In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Enginee, as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

contractor remains liable to pay compensation if action not take under

Power to take posession of or require removal of or sell contractor plant.

Clause 5 :- If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) he shall apply in writing to the Executive Engineer within 40 days from the date of starting of the hinderance on account of which be desires such extension as aforesaid and the Executive Engineer shall, if in his opinion (which shall be final) reasonable grounds be shown thereof authorised such extension of time if any, as may in his opinion be necessary or proper. Phe Executive Engineer shall at the same time inform the contractor whether heng in 3.E.I.D.C. Ltd, Patna claims compensation for the delay. Ltd

Kanjeetk Director Extension of time

Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion, but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinctly marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-work, doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurements shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus materials and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid, except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible, before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-in-charge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts or in any other way vary or affect the contract.

Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Stores supplied Government

Clause 9:- If the specification or estimate of the work provides for the use of any special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-in-charge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums then due or there after to become due to the contractor under the contract or otherwise, or against or form the security deposit, or the proceed of sale thereof, if the same is held in the same or sufficient portion thereof in this case sold for the aurpose. All materials not on any accounts he removed from this site of the work and shall at all times be open to

anject kure Directo

inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: The contractor shall executive the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid.

Clause 11:- Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a disputes the decision of the superintending Engineer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period.

Clause 12:- If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out, the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsoever on account of any profit or advantage, which he might have derived from the execution of the work in full, but which he did not derive in consequence of the full amount of the work, not having been carried out neither shall he have any claim for compensation by reason of any alternation having been made in the original specification, drawing, designs and graves instruction which shall involve any installment of the work as originally contemplated Ltd. Patrial clause 12 (a) As contained in 6 0 1029 dated 11.9.56.

Work to be executed accordance with specification drawing other etc.

Alteration in specifications and designation

Do not in validate contract

Time in consequence of alteration

Rate for work no in estimate or schedule of rates of the district.

to be carried out.

Director

Sche

Final

Pay

cert

as

sub

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such failure is due to:-

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as finally by the contractor.

Action and compensation payable in case of work

Clause 13 :- If it shall appear to the Engineer-in-charge or his subordinate incharge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall on demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-incharge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and expense in all respects of the contractcor.

Work to be taken to inspection

Clause 14: All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineer-in-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be present.

Clause 15: The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which the same was effected.

Notice to be taken before work covered up Clause 16:- If the contractor or his work-people, or servants shall break, deface injure or destroy any part of a building in which they may be working or any building, road, road curves, fence enclosure water pipes, cables, drains, electric of telephone posts or wires, trees, grass or grassland or cultivated groups contiguous on which the work after any open of pairs being texecuted or if any damage shall happen to the work, while in progress from any cause whatsoever of any in perfection become apparent in it within three months (six monts) in the case of a road work) after a certificate final or other of its completion shall have been given by the Engineer-in-charge

112

24/6

as a fore seal, the contractor shall make the same good at his own expense, or in efault, the Engineer-in-charge may cause the same to be made be good by other worksmen and deduct the expense of which time thereafter may become due to the ontractor, or from his security deposit, or the proceed of sale there of, or of a sufficient portion there of the security deposit at the contractor shall not be refunded before the expiry of three months (six months in the case of a road-work) after the issue of the certificate final or otherwise of completion of work provided that in the case of a road work in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable after three months of the issue of the said certificate of completion

damage done and for imperfection a months and after certificate

Contractor to supply to plantladder scaffolding

Clause 17:-The contractor shall supply at his own cost all materials (except such pecial materials) if any as may in accordance with the contract be supplied from the Engineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, ackle scaffolding and temporary works requisits or proper for the proper execution of the work whether original, altered or substituted and whether include in the specification or on their documents forming part of the contract or referred to in these conditions or not or which may be necessary for purpose of satisfying or complying with the requirement of the Engineer-in-charge as to any matter as to which under these conditions he is entitled to be satisfied which he is entitled to require together with carriage therefore to and form he work. The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting, veighing and assisting in the measurement or examination at any time and form time to time of the work or materials failing his so doing the same may be Provided by the Engineer-in-charge at the expense of the contractor and the expenses may be deducted from any money due to the contractor under the contract from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide all necessary fencing and lights required to protect the public from accident, and shall be bound to bear to expenses of defence of every suit action or other proceeding at law that may be brought by any person for injury sustained owing to neglect of the above precautions and to any such person or which may with the consent of the contractor be paid to compromise any claim by any such person.

And is liable for damage

arising for non-provision

of light fencing etc.

Clause 18:- No female labour shall be employed within the limits of contonment. he contractor shall not employ for the purpose of his contract any person who is below the age of twelve years and shall pay to each labour for the work done by such labourer rages not less than the wages paid for similar work in the neighbourhood.

Work not to be subject

The executive Engineer shall have the right to enquire into the case and decide any complaint alleging that the wages paid by the contractor to any labourer for the work One by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer employed by contractor is below the age of twelve years and to refuse to allow any bourer whom he decided to be below the age of twelve years to be employed by the contractor.

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his contract, or attempt so to do, or become insolvent proceedings to make any composition with his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward or advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, offered by the contractor, or any of his servant or agents to any public officer or person in the employ of Government in any way relating to his officer or employment or if any ouch officer or person shall become in any way directly or indirectly interested in the contract the Executive Engineer may there upon by notice in writing rescind the contract. ne security deposit of the contractor shall there upon stand forfeited and be absolutely at the disposal of Government and the same consequence shall ensure as if the contract no ad been recinded under clause 3)here of, in addition the contractor shall not be entitled ited. Parma to recover or be paid to any work therefore actually performed the under the contract.

Contract may be resinded and security deposit forfelted for subletting bribes or if contractor become insolvant

such payable by way of compensation to be considered reasonable compensation without reference to actual loss Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained.

Clause 21:- In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this information.

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal of Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer

Clause 22:- All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23: In case any dispute or difference shall arise between the parties or either of there upon any question relating to the meaning of the specifications, designs, drawings and instructions here before mentioned or as to the quality of workmanship or materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, or any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions or otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof or as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

(a) Clause 24: When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items or work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-incharge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineer-in-charge shall be final and conclusive against the contractor with regard to any surpayable to him under the provision of this clause.

Action where no specification.

Clause 25:- In the case of any class of work for which there is no such specificatio. as is mentioned in rule 1, such work shall be carried out in accordance with the circle specification and in the event of there being no circle specification, then in such cas the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Definition of works

Clause 26: The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to such construction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered, substituted or additional.

Witness

Contractor

chedule XLV - Form No. 61

(15)

Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied

7	Particulars	will be ch	ch the materia arged to the tractor	Place of delivery	
7		Unit	Rs.	P.	
3					
1					
Oh.					
0)					
6				9.4	
9					
<b>a</b>					
5					
Ob.					
TO THE				Sec. 1	
1					
1					
0					
10					
1					
1					
P.					
5					
7					
D.					
50					
1.					
1					
2					
1					
1					
2					

Note:-The person or firm submitting the tender should see that the rates in the above schedules are liled up by the Engineer-in-charge on the issue of the form prior to the submission of the tender

r Puja Engicon Company Pvt. Ltd.

Signature of Contrator)

Director

Chief Eng neor (Signature of Executive Engineer)

# Bibar State Educational Infrastructure Development Corporation Ltd

AGREEMENT FOR Renovation of Store Section at BSEB Office, Patna. IN BIHAR

### TENDER FOR WORKS

I/we heredy tender for the execution for the Governor of Bilm of the work specified in the under written memors adomn at the rates specified therein within a period of years month from the date of witten order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subjects to the annexed condition of contract and with such materials as are provided for by and in other respects in accordance with such conditions so far as applicable.

#### MEMORANDUM

(a) if second sub-wark are
incaded they should be
despined in the separate

(Sl. Na-01)

iss

(Sl. Na-01)

B) Esumated Cost: Rs. 57.68.294=00 (Part-A) + Quoted Item Raie Basis B)
 Tenderer (Part-B)

Agreement value :- Rs. 56,89,989=00 (Part-A @ 16,06% below BOQ rates & Part-B @ Hem rate Basis)

- This deposit will be Western Money.
  - 5% of the estimated cost (C) Earnest Money :
    of the work.

(c) This percentage deduction from bills will (D) Initial security of be credited to the control of the work-

DOWN VIZ communica of solve matrices 2 and accordance in the con-

(H) Total number of item of work tendered for :- 115 + 3 = 118

Pair Engleon Company Pal . .

### BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

BOQ for Renovation of Store Section at BSEB Office, Patna.

# It is mandatory to fill and upload Percentage rate (PART-A) and Item rate (PART-B) of the financial bid as per Format given

# PART A (Items on Schedule Rate, for which tenderer have to quote rates on % above/below basis)

CAL	Item	above below t	ı ´	T	r	T					
S.No.	Code	DESCRIPTION	Quantity	Unit	Rate	Amount					
-	Part-A (Percentage Rate)										
1	15.56	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.	2,531.60	Sqm	17.90	Rupees seventeen & paise ninety only.					
2	13.11.2	12 mm cement plaster of mix: 1:4(1 cement :4 coarse sand)	1,113.30	Sqm	139.90	Rupees one hundred thirty nine & paise ninety only.					
3	13.13.2	20 mm cement plaster of mix; 1:4(1 cement :4 coarse sand)	528.29	Sqm	194.30	Rupees one hundred ninety four & paise thirty only.					
4	13.24.1	6 mm cement plaster to ceiling of mix: 1:3(1 cement: 3 coarse sand)	890.01	Sqm	117.80	Rupees one hundred seventeen & paise eighty only.					
5	13.80 A.2	Providing and applying white cement based putty of average thickness 2 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	2,531.60	Sqm	117.60	Rupees one hundred seventeen & paise sixty only.					
6	13.77.2	Distempering with oil bound washa ble distemper of approved brand and manufacture to give an even shade.  New work (two or more coats) over and including priming coat with cement primer	1,641.59	Sqm	83.10	Rupees eighty three & paise ten only.					
7	13.46.1	Finishing walls with Acrylic Smooth exterior paint of required shade:  New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/ 10 sqm)	890.01	Sqm	89.40	Rupees eighty nine & paise forty only.					

0

0

0

0

0

0

0

0

0

For Puja Engicon Company Pvt. Ltd.
Ranjeet Run
Director

Chief Eng neer

### DIBAR STATE EDUCATIONAL INFRASERUCTIRE DEVELOPMENT CORPORATION LTD

BOO for Recovation of Store Section at BSEB Office, Patna.

It is mandatory to fill and upload Percentage rate (PART-A) and Item rate (PART-B) of the financial bid as per Format given

PART A (items on Schedule Rate, for which tenderer have to quote rates on % above/helow basis)

		Sqm				
	130.90	Sqm	1,113.30	12 mm coment plaster of mix: 1:4(1 cement :4 coarse sand)	13.11.2	
	194.30		528.29			3
Rupees one hundred seventeen & paise eighty only	08.711	Sqm		6 mm cement plaster to ceiling of mix : 1:3(1 cement: 3 coarse sand)		
		Sqm	2,531.60	Providing and applying white cement based putty of average thickness 2 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	13,80 A.2	2
		Squr		Distempering with oil bound washa ble distemper of approved brand and manufacture to give an even shade.  New work (two or more coals ) over and including primage coals.		
				Finishing walls with Acrylic Smooth exterior paint of required shade.  New work (Two or more cost applied @ 1.67 lim?) 6 sum over and including priming cost of exterior primer applied @ 2.20 kg/ 10 sqm)		

with the friends.

 $\Theta$ 

Ò

8	11.26.1	Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime: 1 surkhi: 1 coarse sand) / 1:4 (1 cement: 4 coarse sand) 20 to 25 mm thick	922,64	Sqm	1,119.60	Rupees one thousand one hundred nineteen & paise sixty only.
9	11.27	Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand ) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm	69.39	Sqm	1,133.90	Rupees one thousand one hundred thirty three & paise ninety only.
10	8.60	Mirror polishing on marble work/stone work where ever required to give high gloss finish complete.	992.03	Sqm	203.00	Rupees two hundred three only.
11	4.1.3	Providing and laying in position cement concrete of specified grade exluding the cost of centring and shuttering-all work upto plinth level.  1:2:4(1 Cement: 2 coarse sand:4 graded stone aggregate20 mm nominal size)	27.83	Cum	4,151.40	Rupees four thousand one hundred fifty one & paise thirty nine only.
12		Stone tile work for wall lining upto 10.0m height with special adhesive like araldite or equivalent over 12 mm thick bed of cement mortar 1:3 (1 cement: 3 coarse sand ) including pointing in-white cement with an admixture of pigment to match the stone shade .  8 mm thick (mirror polished and machine cut edge ) Granite black stone	81.00	Sqm	1,712.20	Rupees one thousand seven hundred twelve & paise twenty only.

For Puja Engicon Company Pvt. Ltd.

 $\bigcirc$ 

Ö

Ranjeethure Director

Chief Engliseer

B.S.E.I.D.C. Ltd. Patro

Skenoully

24/6

24/06/19

	Kota stone slab flooring over 20 mm (average ) thick base laid over and jointed with grey coment slurry mixed with pigment to match the shade of the slab including robbing and polishing complete. Base with 1.1.1 (1 lime: 1 surkhi: 1 coarse sand ) / 1:4 (1 cement: 4 coarse sand ) 20 to 25 mm thick			1,139.60	
	Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1;3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm	69.39	Sqm		Rupees one thousand one handred thirty three & paise utility with the control of
	Mircor polishing on marble work/stone work, where ever required to give high gloss finish complete.		Sqm		
	Providing and laying in position coment concrete of specified grade extuding the cost of centring and shuttering-all work upto plinth level.  1:2:4(1 Cement: 2 coarse sand:4 graded stone aggregate20 non-nominal size)	27.83	Cum		Rupers four thousand one hundred fifty one & paise thirty nine only
7.38.1.1	Stone tile work for wall lining upto 10.0m height with special adhesive like araldite or equivalent over 12 mm thick hed of cement mortar 1:3 (1 cement: 3 coarse sand ) including pointing in-white cement with an admixture of pigment to match the stone shade.  8 mm thick (mirror polished and machine cut edge.)	81.00	Sqm	1,712.20	Rupees ond thousand seven hundred twelve & paise twenty only.

Tuga Englant Compety Pin La

Remperson

 $\bigcirc$ 

 $\Theta$ 

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

 $\Theta$ 

 $\bigcirc$ 

 $\bigcirc$ 

13	11.36	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (Thickness to be specified by the manufacture) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-charge in skirting, risers of steps and dados over 12 mm thick bed of cement Motar 1:3(1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching shade complete.	81.00	Sqm	739.80	Rupees seven hundred thirty nine & paise eighty only.
13	8.12	Providing and laying flamed finish Granite stone flooring in required design and patterns, in linear as well as curvilinear portions of the building all complete as per the architectural drawings with 18 mm thick stone slab over 40mm(avearage) thick base of cement mortar 1:4(1 cement: 4 coarse sand) laid and jointed with cement slurry and pointing with white cement slurry admixed with pigment of matching shade including rubbing, curing and polishing etc. all complete as specified and as directed by the Engineer-in-Charge Flamed finish granite stone slab Jet Black, Cherry Red, Elite Brown, Cat Eye or equivalent.	51.84	Sqm	2,979.20	Rupees two thousand nine hundred seventy nine & paise twenty only.
14	9.1.1	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position Second class teak wood	1.00	Cum	95,749.10	Rupees ninety five thousand seven hundred forty nine & paise ten only
15		Providing and fixing flush door shutters conforming to IS: 2202 (Part-I) non-decorative type.core of block board construction with frame of 1st class tiard wood and well mathched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters  35 mm thick including stainless steel butt hinges with necessary screws-	22.05	Sqm	1,602.70	Rupees one thousand six hundred two & paise seventy only.

For Puja Engicon Company Pvt. Ltd.

O

 $\bigcirc$ 

. ()

Director

Chief Eng near

283.E.I.D.C. Lid, Patria

24/6

24/06//9

			11.36	21
		Providing and laying flamed finish Grande stone flooring in required design and patterns, in building all complete as per the architectural drawings with 18 mm thick stone slab over 40mm(avearage) thick base of cement mortar 1:4(1 cement : 4 coarse sand) laid and jointed with cement stury and pointing with white cement slury admixed with pigment of matching shade including rubbing, curing and polishing etc. all complete as specified and as directed by the Engineer-in-Charge Flamed finish granite stone slab Jet Black, Cherry Red,		
		Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position Second class teak wood		
Rupees one thousand six linuidred (v.o. & paise sevent) only		Providing and fixing flush door shutters conforming to 18: 2202 (Part-I) non-decorative type core of block board construction with frame of 1st class hard wood and well mathched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters  35 mm thick including standess steel butt hinges with necessary screws-		

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

Ō

 $\bigcirc$ 

		Providing and fixing wooden moulded beading				Rupees one
1.		to door and window frames with iron screws,			1	hundred forty
16	9.40.1.2	plugs and priming coat on unexposed surface	22.80	Mtr.	149.70	nine & paise
		etc. complete				seventy only,
		2nd class teak wood 50x20mm				seventy only,
1		Providing and fixing aluminium sliding door				_
		bolts, ISI marked, anodised (anodic coating not				Rupees two
17	9.96.1	less than grade AC 10 as per IS: 1868),	10.00	Each	220.40	hundred twenty
		transparent or dyed to required colour or shade,	- /			& paise forty
		with nuts and screws etc. complete:	and the same of th			only.
	<del>                                     </del>	300x16 mm Providing and fixing aluminium tower bolts, ISI				
		marked, anodised (anodic coating not less than				
10	0.05	grade AC 10 as per IS: 1868), transparent or				
18	9.97	dyed to required colour or shade, with necessary				
		screws etc. complete:				
		sala via dia dampiata.			1	
						Rupees one
	9.97.1	300x10 mm	10.00	Each	105.20	hundred five &
			10.00	Liuon	103.20	paise twenty
				-	-	only.
	0 07 4	150x10 mm	10.00	Each	67.00	Rupees sixty
	9.91.4		10.00	Each	67.80	seven & paise
-		Providing and fixing aluminium handles, ISI		-/-		eighty only.
		marked, anodised (anodic coating not less than		2	*	
10	0 100 1	grade AC 10 as per IS: 1868) transparent or				Rupees fifty
19	9.100.1	dyed to required colour or shade, with necessary	10.00	Each	54.00	four only.
		screws etc. complete:				
-		125 mm				•
		Providing and fixing aluminium hanging floor				
		door stopper, ISI marked, anodised (anodic				
20	0.101.0	coating not less than grade AC 10 as per IS:	40.00			Rupees forty
20	9.101.2	1868) transparent or dyed to required colour and	10.00	Each	40.40	& paise forty
		shade, with necessary screws etc. complete.				only.
	. *	Twin rubber stopper				
		Treatment at points of contact ot wood work by				
		chemical				
		emulsion chlordane. (in oil or kerosene based				Rupees two
21		solution)®	22.80	N/4	221.50	hundred thirty
41	2.31.31	0.5 litres per hole by drilling 6 mm dia holes at	22.80	Mtr.	231.50	one & paise
		downward		/		fifty only.
		angle of 45 degree at 150 mm centre to centre				
		and sealing the same				4

For Puja Engicon Company Pvt. Ltd.

Ranject Mue Director

Chief Eng heer

B.S.E.I.D.C. Ltd. Patrice

Lucy 100

2416

2410

2410

2410

2410

2410

2410

2410

2410

2410

2410

2410

2410

2410

2410

2410

2410

2410

2410

	Providing and fixing wooden moulded beading to door and woudow frames with from screws, plugs and priming coat on unexposed surface etc. complete				
	Providing and fixing aluminium sliding door bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete: 300x16 mm.		Hach		
	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868), transparent or dyed to required colour or shade, with necessary screws etc. complete:				
		10,00			Rupecs one hundred five & paice twenty only.
	150x10 mm				
	Providing and fixing aluminium handles, 181 marked, anodised (anodic coating not less than grade AC 10 as per 18: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete:				
	Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS; 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete. Twin rubber stopper	10.00	Each		
10	Treatment at points of contact of wood work by chemical emulsion chlordane. (in oil or kerosene based solution) © 0.5 litres per hole by drilling 6 mm dia holes at downword angle of 45 degree at 150 mm centre to centre			7 185	Rupees two hidrated thing one & paise hily sary.

re i pudava Dinoprasis i u i .

Remijort men

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

						<u> </u>
22	10.12+ 10.13B	Providing and fixing steel glazed doors, windows and ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm lugs 10 cm long with steel lugs embedded in cement concrete blocks 15x10x10 cm of 1:3:6(1 cement: 3 coarse sand: 6 graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panes with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer; excluding the cost of metal beading and other fitting except necessary hinges or pivots as required.  Steel windows	64.26	Sqm	3,340.30	Rupees three thousand three hundred forty & paise thirty only.
22	10.12.1	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / aneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately)				
	21.1.1.2	Powder coated aluminium (minimum thickness of powder coating 50 micron	75.00	Kg	400.50	Rupees four hundred & paise fifty only.

For Puja Engicon Company Pvt. Ltd.
Ranject Kur
Director

 $\bigcirc$ 

O

Chief Eng near

B.S.E.I.D.C. Ltd, Patria

Kehowhy

6

24/0,

ixupees three thousand three hundred forty & paise thirty only.		64.26	Providing and fixing steel glazed doors, windows and ventilators of standard rolled steel sections, joints matered and welded with 15x3 and lags 10 cm long with steel lugs embedded in cement concrete blocks 15x10x10 cm of 1:3·6(1 cement; 3 coarse sand; 6 graded stone aggreyate 20 mm nominal size) or with wooden plugs and screws or rawl plugs and screws or rawl plugs and screws or required, including providing and fixing of glass paths of approved make complete including putty of approved make complete including applying a priming coat of approved steel printer, excluding the cost of metal beading and other fitting except necessary hinges or pivots as required.		
			Providing and fixing alumnium work for doors, windows, ventilators and partitions with extruded built up standard (ubuiar sections) appropriate Z sections and other sections of approved make conforming to 1S: 733 and 1S: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, boftom and sides with required EPIDM rubber/ neoprene gasket etc.  Aluminium sections shalt be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle.  Aluminium snap beading for glazing/ aneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately)	10.12.1	22
Rupees four hundred & paise fifty only.	400.50	75.00	Powder coated aluminium (minimum thickness of powder coating 50 micron	21.1.12	

The Experience Company Park Co.

Harter Shi

21.3.1 With glass panes of 4.0 mm thickness (weight not less than 10.0kg/sqm)  21.3.1 With glass panes of 4.0 mm thickness (weight not less than 10.0kg/sqm)  21.3.2 Providing and fixing 12 mm thick prelaminated three layer medium density (exterior grade) particle board Grade I, Type II conforming to IS: 12823 bonded with phenol formatidhyde synthetic resin, of approved brand and manufacture in panelling fixed in aluminium doors, window shutters and partition frames, with C.P. brass/stainless steel screws etc. complete as per archiectural drawings and directions oa engineer-in-charge.  21.2.2 Prelaminated particle board with decorative finish on both side  21.2.3 Providing and fixing double action hydraulic floor spring of approved brand and manufacture (conforming to IS: 6315) for aluminium doors including cost of cutting floors as required, embedding in floors and cover plates etc. complete as per the direction of coninectain charge.  21.2.1 Demolishing cement concrete including disposal of material within 50 metre lead: 1:3:6 or richer mix  22.2 Demolishing R.C.C. work including stacking of steel bars anddisposal of unserviceable material within 50 metres lead:  23. The state of the provision of the paint		T	Providing and fixing glazing in aluminium		T		
21.3.1 neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminium snap hading shall be naid in basic item)  21.3.1 With glass panes of 4.0 mm thickness (weight not less than 10.0kg/sqm)  22.3.2 Providing and fixing 12 mm thick prelaminated three layer medium density (exterior grade) particle board Grade I, Type II conforming to IS: 12823 bonded with phenol formaidhyde synthetic resin, of approved brand and manufacture in panelling fixed in aluminium doors, window shutters and partition frames, with C.P. brass/stainless steel screws etc. complete as per archicetural drawings and directions oa engineer-in-charge.  21.2.2 Prelaminated particle board with decorative finish on both side  Providing and fixing double action hydraulic floor spring of approved brand and manufacture (conforming to IS: 6315) for aluminium doors including cost of cutting floors as required, embedding in floors and cover plates etc. complete as per the direction of engineer-in charge.  25. 21.4.1 aluminium doors including cost of cutting floors as required, embedding in floors and cover plates etc. complete as per the direction of engineer-in charge.  26. 15.2.1 Demolishing cement concrete including disposal of material within 50 metre lead:1:3:6 or richer mix  27. 15.3 Demolishing R.C.C. work including stacking of steel bars anddisposal of unserviceable material withing 50 metres lead:  28. 10.00 Cum 1,172.70 Rupees seventy two & paise seventy two & paises seventy			door, window,				
architectural drawings and the directions ofengineer-in-charge. (Cost of aluminium snap hadine shall be naid in basic item )  21.3.1 With glass panes of 4.0 mm thickness (weight not less than 10.0kg/sqm)  Providing and fixing 12 mm thick prelaminated three layer medium density (exterior grade) particle board Grade 1, Type II conforming to IS: 12823 bonded with phenol formaidhyde synthetic resin, of approved brand and manufacture in panelling fixed in aluminium doors, window shutters and partition frames, with C.P. brass/stainless steel screws etc. complete as per archiectural drawings and directions oa engineer-in-charge.  21.2.2 Prelaminated particle board with decorative finish on both side  Providing and fixing double action hydraulic floor spring of approved brand and manufacture (conforming to IS: 6315) for aluminium doors including cost of cutting floors as required, embedding in floors and cover plates etc. complete as per the direction of engineer-in charge.  25 21.4.1 aluminium doors including cost of cutting floors as required, embedding in floors and cover plates etc. complete as per the direction of engineer-in charge.  Demolishing cement concrete including disposal of material within 50 metre lead:1:3:6 or richer mix  Demolishing R.C.C. work including stacking of steel bars anddisposal of unserviceable material within 50 metres lead:  10.00 Cum 1,172.70  Rupees even hundred seven & paise twenty only.  Rupees one thousand one hundred sevently two & paise seventy two & paise seventy	23	21.3					
ofengineer-in-charge. (Cost of aluminium snap hading shall he naid in basic item.)  21.3.1 With glass panes of 4.0 mm thickness (weight not less than 10.0kg/sqm)  Providing and fixing 12 mm thick prelaminated three layer medium density (exterior grade) particle board Grade 1, Type II conforming to IS: 12823 bonded with phenol formaidhyde synthetic resin, of approved brand and manufacture in panelling fixed in aluminium doors, window shutters and partition frames, with C.P. brass/stainless steel screws etc. complete as per archiectural drawings and directions on engineer-in-charge.  Prelaminated particle board with decorative finish on both side  Providing and fixing double action hydraulic floor spring of approved brand and manufacture (conforming to IS: 6315) for aluminium doors including cost of cutting floors as required, embedding in floors and cover plates etc. complete as per the direction of engineer-in charge.  Demolishing cement concrete including disposal of material within 50 metre lead:1:3:6 or richer mix  Demolishing R.C.C. work including stacking of steel bars anddisposal of unserviceable material within 50 metres lead:  10.00 Cum  1,172.70  Rupees seven hundred seven & paise twenty only.  Cum lundred seven & paise twenty only.							
21.3.1 With glass panes of 4.0 mm thickness (weight not less than 10.0kg/sqm)  Providing and fixing 12 mm thick prelaminated three layer medium density (exterior grade) particle board Grade I, Type II conforming to IS: 12823 bonded with phenol formaidhyde synthetic resin, of approved brand and manufacture in panelling fixed in aluminium doors, window shutters and partition frames, with C.P. brass/stainless steel screws etc. complete as per archiectural drawings and directions oa engineer-in-charge.  21.2.2 Prelaminated particle board with decorative finish on both side  Providing and fixing double action hydraulic floor spring of approved brand and manufacture (conforming to IS: 6315) for aluminium doors including cost of cutting floors as required, embedding in floors and cover plates etc. complete as per the direction of engineer-in charge.  21.4.1 aluminium doors including cost of cutting floors as required, embedding in floors and cover plates etc. complete as per the direction of engineer-in charge.  Demolishing cement concrete including disposal of material within 50 metre lead: 1:3:6 or richer mix  Demolishing R.C.C. work including stacking of steel bars anddisposal of unserviceable material within 50 metres lead:  10.00 Cum 1,172.70  Rupees event hundred sevent we paise seventy two & paise seventy		/					
21.3.1 With glass panes of 4.0 mm thickness (weight not less than 10.0kg/sqm)  Providing and fixing 12 mm thick prelaminated three layer medium density (exterior grade) particle board Grade I, Type II conforming to IS: 12823 bonded with phenol formaidhyde synthetic resin, of approved brand and manufacture in panelling fixed in aluminium doors, window shutters and partition frames, with C.P. brass/stainless steel screws etc. complete as per archiectural drawings and directions oa engineer-in-charge.  Prelaminated particle board with decorative finish on both side  Providing and fixing double action hydraulic floor spring of approved brand and manufacture (conforming to IS: 6315) for aluminium doors including cost of cutting floors as required, embedding in floors and cover plates etc. complete as per the direction of engineer-in charge.  Demolishing cement concrete including disposal of material within 50 metre lead:1:3:6 or richer mix  Demolishing R.C.C. work including stacking of steel bars anddisposal of unserviceable material within 50 metres lead:  10.00 Cum  1,172.70  hundred thirty five & paise sixty only.  Rupees eight hundred sven & paise twenty only.  Rupees one thousand one hundred seven & paise seventy two & paise s		<b>_</b>					
providing and fixing 12 mm thick prelaminated three layer medium density (exterior grade) particle board Grade I, Type II conforming to IS: 12823 bonded with phenol formaidhyde synthetic resin, of approved brand and manufacture in panelling fixed in aluminium doors, window shutters and partition frames, with C.P. brass/stainless steel screws etc. complete as per archiectural drawings and directions oa engineer-in-charge.  21.2.2 Prelaminated particle board with decorative finish on both side  Providing and fixing double action hydraulic floor spring of approved brand and manufacture (conforming to IS: 6315) for aluminium doors including cost of cutting floors as required, embedding in floors and cover plates etc. complete as per the direction of enabineer-in charge.  Demolishing cement concrete including disposal of material within 50 metre lead:1:3:6 or richer mix  Demolishing R.C.C. work including stacking of steel bars and disposal of unserviceable material within 50 metres lead:  10.00 Cum  1,172.70  Sqm  Rupees eight hundred ninety four & paise forty only.  Rupees two thousand one hundred sixty three & paise fifty only.  Rupees eight hundred seven & paise twenty only.  Rupees one thousand one hundred seven & paise twenty only.  Rupees one thousand one hundred seven & paise seventy two & paise seventy			With glass pages of 4.0 mm thickness (weight				_
Providing and fixing 12 mm thick prelaminated three layer medium density (exterior grade) particle board Grade I, Type II conforming to IS: 12823 bonded with phenol formaidhyde synthetic resin, of approved brand and manufacture in panelling fixed in aluminium doors, window shutters and partition frames, with C.P. brass/stainless steel screws etc. complete as per archiectural drawings and directions oa engineer-in-charge.  21.2.2 Prelaminated particle board with decorative finish on both side  Providing and fixing double action hydraulic floor spring of approved brand and manufacture (conforming to IS: 6315) for aluminium doors including cost of cutting floors as required, embedding in floors and cover plates etc. complete as per the direction of enoincer-in charge.  Demolishing cement concrete including disposal of material within 50 metre lead:1:3:6 or richer mix  Demolishing R.C.C. work including stacking of steel bars and disposal of unserviceable material within 50 metres lead:  10.00 Cum  1,172.70  Rupees eight hundred sixty three & paise fifty only.  Rupees one thousand one hundred seven & paise twenty only.  Rupees one thousand one hundred seven & paise seventy two & paise seventy		21.3.1		20.00	Sqm	735.60	
Providing and fixing 12 mm thick prelaminated three layer medium density (exterior grade) particle board Grade I, Type II conforming to IS: 12823 bonded with phenol formaidhyde synthetic resin, of approved brand and manufacture in panelling fixed in aluminium doors, window shutters and partition frames, with C.P. brass/stainless steel screws etc. complete as per archiectural drawings and directions oa engineer-in-charge.  21.2.2 Prelaminated particle board with decorative finish on both side  Providing and fixing double action hydraulic floor spring of approved brand and manufacture (conforming to IS: 6315) for aluminium doors including cost of cutting floors as required, embedding in floors and cover plates etc. complete as per the direction of engineer-in charge.  25 21.4.1 Demolishing cement concrete including disposal of material within 50 metre lead:1:3:6 or richer mix  Demolishing R.C.C. work including stacking of steel bars anddisposal of unserviceable material withing 50 metres lead:  10.00 Cum 1,172.70  Rupees eight hundred seven between thousand one hundred seven thousand one hundred seven thousand one hundred seven withing 50 metres lead:  10.00 Cum 1,172.70  Rupees one thousand one hundred seventy two & paise seventy two & paise seventy			5 1 7				
three layer medium density (exterior grade) particle board Grade I, Type II conforming to IS: 12823 bonded with phenol formaidhyde synthetic resin, of approved brand and manufacture in panelling fixed in aluminium doors, window shutters and partition frames, with C.P. brass/stainless steel screws etc. complete as per archiectural drawings and directions oa engineer-in-charge.  21.2.2 Prelaminated particle board with decorative finish on both side  Providing and fixing double action hydraulic floor spring of approved brand and manufacture (conforming to IS: 6315) for aluminium doors including cost of cutting floors as required, embedding in floors and cover plates etc. complete as per the direction of enoincer-in charce  Demolishing cement concrete including disposal of material within 50 metre lead: 1:3:6 or richer mix  Demolishing R.C.C. work including stacking of steel bars anddisposal of unserviceable material withing 50 metres lead:  10.00 Cum  Rupees eight hundred sixty three & paise fifty only.  Rupees eight hundred seven & paise twenty only.  Rupees one thousand one hundred seventy two & paise seventy by a paise seventy by a paise seventy by a paise seventy			Providing and fixing 12 mm thick prelaminated				June V
IS: 12823 bonded with phenol formaidhyde synthetic resin, of approved brand and manufacture in panelling fixed in aluminium doors, window shutters and partition frames, with C.P. brass/stainless steel screws etc. complete as per archiectural drawings and directions oa engineer-in-charge.  21.2.2 Prelaminated particle board with decorative finish on both side  Providing and fixing double action hydraulic floor spring of approved brand and manufacture (conforming to IS: 6315) for aluminium doors including cost of cutting floors as required, embedding in floors and cover plates etc. complete as per the direction of engineer-in charge  Demolishing cement concrete including disposal of material within 50 metre lead:1:3:6 or richer mix  Demolishing R.C.C. work including stacking of steel bars and disposal of unserviceable material within 50 metres lead:  10.00 Cum  Rupees eight hundred ninety four & paise forty only.  Rupees two thousand one hundred sixty three & paise fifty only.  Rupees eight hundred seven & paise twenty only.  Rupees eight hundred seven & paise twenty only.  Rupees one thousand one thousand one hundred seven & paise twenty only.			three layer medium density (exterior grade)				
synthetic resin, of approved brand and manufacture in panelling fixed in aluminium doors, window shutters and partition frames, with C.P. brass/stainless steel screws etc. complete as per archiectural drawings and directions oa engineer-in-charge.  21.2.2 Prelaminated particle board with decorative finish on both side  Providing and fixing double action hydraulic floor spring of approved brand and manufacture (conforming to IS: 6315) for aluminium doors including cost of cutting floors as required, embedding in floors and cover plates etc. complete as per the direction of engineer-in charge.  25   15.2.1   Demolishing cement concrete including disposal of material within 50 metre lead:1:3:6 or richer mix   5.00 Cum   807.20   Rupees eight hundred seven & paise twenty only.   Rupees one thousand one hundred seven & paise twenty only.   Rupees one thousand one hundred seven & paise twenty only.   Rupees one thousand one hundred seven & paise twenty only.   Rupees one thousand one hundred seven & paise twenty only.   Rupees one thousand one hundred seven & paise seventy two & paise seventy							
manufacture in panelling fixed in aluminium doors, window shutters and partition frames, with C.P. brass/stainless steel screws etc. complete as per archiectural drawings and directions oa engineer-in-charge.  21.2.2 Prelaminated particle board with decorative finish on both side  Providing and fixing double action hydraulic floor spring of approved brand and manufacture (conforming to IS: 6315) for aluminium doors including cost of cutting floors as required, embedding in floors and cover plates etc. complete as per the direction of engineer-in charge.  Demolishing cement concrete including disposal of material within 50 metre lead:1:3:6 or richer mix  Demolishing R.C.C. work including stacking of steel bars and disposal of unserviceable material within 50 metres lead:  10.00 Cum 1,172.70  Rupees eight hundred sixty three & paise fifty only. Rupees one thousand one hundred seventy two & paise seventy							
doors, window shutters and partition frames, with C.P. brass/stainless steel screws etc. complete as per archiectural drawings and directions oa engineer-in-charge.  21.2.2 Prelaminated particle board with decorative finish on both side  Providing and fixing double action hydraulic floor spring of approved brand and manufacture (conforming to IS: 6315) for aluminium doors including cost of cutting floors as required, embedding in floors and cover plates etc. complete as per the direction of engineer-in charge.  Demolishing cement concrete including disposal of material within 50 metre lead:1:3:6 or richer mix  Demolishing R.C.C. work including stacking of steel bars and disposal of unserviceable material within 50 metres lead:  10.00 Cum  Rupees eight hundred sixty three & paise fifty only.  Rupees eight hundred seven & paise twenty only.  Rupees one thousand one hundred seventy two & paise seventy	24	21.2					1
with C.P. brass/stainless steel screws etc. complete as per archiectural drawings and directions oa engineer-in-charge.  21.2.2 Prelaminated particle board with decorative finish on both side  Providing and fixing double action hydraulic floor spring of approved brand and manufacture (conforming to IS: 6315) for aluminium doors including cost of cutting floors as required, embedding in floors and cover plates etc. complete as per the direction of engineer-in charge  25   15.2.1   Demolishing cement concrete including disposal of material within 50 metre lead:1:3:6 or richer mix   5.00 Cum   807.20 Rupees one thousand one hundred seventy two & paise seventy	1						
complete as per archiectural drawings and directions oa engineer-in-charge.  21.2.2 Prelaminated particle board with decorative finish on both side  20.00 Sqm 894.40 Rupees eight hundred ninety four & paise forty only.  Providing and fixing double action hydraulic floor spring of approved brand and manufacture (conforming to IS: 6315) for aluminium doors including cost of cutting floors as required, embedding in floors and cover plates etc. complete as per the direction of engineer-in charge.  26 15.2.1 Demolishing cement concrete including disposal of material within 50 metre lead:1:3:6 or richer mix  Demolishing R.C.C. work including stacking of steel bars anddisposal of unserviceable material within 50 metres lead:  10.00 Cum 1,172.70 Rupees eight hundred seven thousand one hundred seven withing 50 metres lead:	1						
directions oa engineer-in-charge.  21.2.2 Prelaminated particle board with decorative finish on both side  20.00 Sqm 894.40 Rupees eight hundred ninety four & paise forty only.  Providing and fixing double action hydraulic floor spring of approved brand and manufacture (conforming to IS: 6315) for aluminium doors including cost of cutting floors as required, embedding in floors and cover plates etc. complete as per the direction of engineer-in charge Demolishing cement concrete including disposal of material within 50 metre lead:1:3:6 or richer mix  Demolishing R.C.C. work including stacking of steel bars anddisposal of unserviceable material within 50 metres lead:  15.3 Demolishing R.C.C. work including stacking of steel bars anddisposal of unserviceable material within 50 metres lead:  10.00 Cum 1,172.70  Rupees eight hundred sixty three & paise fifty only.  Rupees one thousand one hundred seven withing 50 metres lead:  10.00 Cum 1,172.70							
21.2.2 Prelaminated particle board with decorative finish on both side  20.00 Sqm 894.40 hundred ninety four & paise forty only.  Providing and fixing double action hydraulic floor spring of approved brand and manufacture (conforming to IS: 6315) for aluminium doors including cost of cutting floors as required, embedding in floors and cover plates etc. complete as per the direction of engineer-in charge.  Demolishing cement concrete including disposal of material within 50 metre lead:1:3:6 or richer mix  Demolishing R.C.C. work including stacking of steel bars anddisposal of unserviceable material within 50 metres lead:  15.3 Withing 50 metres lead:  10.00 Cum 1,172.70 Rupees eight hundred seven thousand one hundred seventy two & paise seventy two & paise seventy							
finish on both side  Providing and fixing double action hydraulic floor spring of approved brand and manufacture (conforming to IS: 6315) for aluminium doors including cost of cutting floors as required, embedding in floors and cover plates etc. complete as per the direction of engineer-in charge  Demolishing cement concrete including disposal of material within 50 metre lead:1:3:6 or richer mix  Demolishing R.C.C. work including stacking of steel bars anddisposal of unserviceable material within 50 metres lead:  15.3    15.3							Rupees eight
Providing and fixing double action hydraulic floor spring of approved brand and manufacture (conforming to IS: 6315) for aluminium doors including cost of cutting floors as required, embedding in floors and cover plates etc. complete as per the direction of engineer-in charge Demolishing cement concrete including disposal of material within 50 metre lead:1:3:6 or richer mix  Demolishing R.C.C. work including stacking of steel bars anddisposal of unserviceable material within 50 metres lead:  15.3  Demolishing So metres lead:  10.00  Cum  Rupees two thousand one hundred sixty three & paise fifty only.  Cum  807.20  Rupees eight hundred seven & paise twenty only.  Rupees one thousand one hundred seventy two & paise seventy two & paise seventy		21.2.2		20.00	Sam	894.40	
Providing and fixing double action hydraulic floor spring of approved brand and manufacture (conforming to IS: 6315) for aluminium doors including cost of cutting floors as required, embedding in floors and cover plates etc. complete as per the direction of engineer-in charge  Demolishing cement concrete including disposal of material within 50 metre lead:1:3:6 or richer mix  Demolishing R.C.C. work including stacking of steel bars and disposal of unserviceable material within 50 metres lead:  15.3  Providing and fixing double action hydraulic floors approved brand and manufacture (conforming to IS: 6315) for 2.00  Each 2,163.50 hundred sixty three & paise fifty only.  Cum 807.20  Rupees eight hundred seven & paise twenty only.  Rupees one thousand one hundred seventy two & paise seventy two & paise seventy			linish on both side	Company of the Compan			_
floor spring of approved brand and manufacture (conforming to IS: 6315) for aluminium doors including cost of cutting floors as required, embedding in floors and cover plates etc. complete as per the direction of engineer-in charge.  Demolishing cement concrete including disposal of material within 50 metre lead:1:3:6 or richer mix  Demolishing R.C.C. work including stacking of steel bars anddisposal of unserviceable material within 50 metres lead:  15.3  Rupees two thousand one hundred sixty three & paise fifty only.  Cum  807.20  Rupees eight hundred seven & paise twenty only.  Rupees one thousand one hundred seventy two & paise seventy two & paise seventy			Providing and fixing double action hydraulic				forty only.
manufacture (conforming to IS: 6315) for aluminium doors including cost of cutting floors as required, embedding in floors and cover plates etc. complete as per the direction of engineer-in charge  Demolishing cement concrete including disposal of material within 50 metre lead:1:3:6 or richer mix  Demolishing R.C.C. work including stacking of steel bars anddisposal of unserviceable material within 50 metres lead:  15.21  Demolishing R.C.C. work including stacking of steel bars anddisposal of unserviceable material within 50 metres lead:  10.00  Cum  1,172.70  thousand one hundred sixty three & paise fifty only.  Rupees eight hundred seven & paise twenty only.  Rupees one thousand one hundred seventy two & paise seventy two & paise seventy							Rupees two
as required, embedding in floors and cover plates etc. complete as per the direction of engineer-in charge.  Demolishing cement concrete including disposal of material within 50 metre lead:1:3:6 or richer mix  Demolishing R.C.C. work including stacking of steel bars and disposal of unserviceable material within 50 metres lead:  15.3  Demolishing R.C.C. work including stacking of steel bars and disposal of unserviceable material within 50 metres lead:  10.00  Cum  1,172.70  Rupees eight hundred seven & paise twenty only.  Rupees one thousand one hundred seventy two & paise seventy two & paise seventy							-
plates etc. complete as per the direction of engineer-in charge.  Demolishing cement concrete including disposal of material within 50 metre lead:1:3:6 or richer mix  Demolishing R.C.C. work including stacking of steel bars and disposal of unserviceable material within 50 metres lead:  15.3  Demolishing R.C.C. work including stacking of steel bars and disposal of unserviceable material withing 50 metres lead:  10.00  Cum  1,172.70  fifty only.  Rupees eight hundred seven & paise twenty only.  Rupees one thousand one hundred seventy two & paise seventy	25	21.4.1		2.00	Each	2,163.50	hundred sixty
26 15.2.1 Demolishing cement concrete including disposal of material within 50 metre lead:1:3:6 or richer mix  Demolishing R.C.C. work including stacking of steel bars and disposal of unserviceable material withing 50 metres lead:  15.3 Demolishing R.C.C. work including stacking of steel bars and disposal of unserviceable material withing 50 metres lead:  10.00 Cum  1,172.70  Rupees eight hundred seven & paise twenty only.  Rupees one thousand one hundred seventy two & paise seventy two & paise seventy							
Demolishing cement concrete including disposal of material within 50 metre lead:1:3:6 or richer mix  Demolishing R.C.C. work including stacking of steel bars and disposal of unserviceable material withing 50 metres lead:  15.21  Demolishing R.C.C. work including stacking of steel bars and disposal of unserviceable material withing 50 metres lead:  15.20  Cum  807.20  Rupees eight hundred seven & paise twenty only.  Rupees one thousand one hundred seventy two & paise seventy two & paise seventy							fifty only.
of material within 50 metre lead:1:3:6 or richer mix  Demolishing R.C.C. work including stacking of steel bars and disposal of unserviceable material withing 50 metres lead:  15.2.1  Of material within 50 metre lead:1:3:6 or richer							Rupees eight
Demolishing R.C.C. work including stacking of steel bars and disposal of unserviceable material withing 50 metres lead:  15.3  Demolishing R.C.C. work including stacking of steel bars and disposal of unserviceable material withing 50 metres lead:  10.00  Cum  1,172.70  & paise twenty only.  Rupees one thousand one hundred seventy two & paise seventy	26	1521		5.00	Cum	207 20	
Demolishing R.C.C. work including stacking of steel bars and disposal of unserviceable material withing 50 metres lead:  15.3  Demolishing R.C.C. work including stacking of steel bars and disposal of unserviceable material withing 50 metres lead:  10.00  Cum  1,172.70  Rupees one thousand one hundred seventy two & paise seventy	-		mix	3.00	Cuili	607.20	& paise twenty
steel bars and disposal of unserviceable material withing 50 metres lead:  10.00 Cum  1,172.70 thousand one hundred seventy two & paise seventy	$\vdash$		Demolishing P.C.C. would including attaching	4			
27 15.3 withing 50 metres lead: 10.00 Cum 1,172.70 hundred seventy two & paise seventy							-
10.00 Cum 1,172.70 seventy two & paise seventy	27	15.2		40.00			
paise seventy	21	15.3	3	10.00	Cum	1,172.70	
			*				

 $\bigcirc$ 

For Puja Engicon Company Pvt. Ltd.
Ranject Kun Director

Chief Eng hear

246

77

				neoprane gasket etc. complete as per the		
				hading dull be said in basic item )		
Rupces sever						
midt berband	735.60			With glass panes of 4.0 mm thickness (weight		
		Sqm				
				three layer medium density (exterior grade)		
				IS: 12823 bonded with phenol formaidhyde		
				synthetic resin, of approved brand and		
				manufacture in panelling fixed in aluminium		
				doors, window shutters and partition frames,		
				complete as per architectural drawings and		
				directions on engineer-in-charge.		
hundred oinet	894,40-			Prelaminated particle board with decorative		
				finish on both side		
				Providing and fixing double action hydraulic		
Kupees two				floor spring of approved brand and		
			4			
lumdred sixty	2,163.50	Each	2,00	aluminium doors including cost of cutting floors		
three & paise				as required, embedding in floors and cover		
				places etc. complete as per the direction of		
	1			envineer in charve		
					15,2,1	
	172.70					23
sevenily two k			-4.0.V)			

 $\bigcirc$ 

 $\bigcirc$ 

Ó

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

Ò

	<u> </u>	Description 1 in the second		<del></del>		_
28	15.7.4	Demolishing brick work including stacking of serviceable material and disposal of unserviceable material within 50 meters lead:	1	Cum	685.10	Rupees six hundred eighty five & paise ter only
29	8.3.1	Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer - in -charge.  Marble work	108.00	Mtr.	136.90	Rupees one hundred thirty six & paise ninety only.
30	8.2.2.2	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations, of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels.  Granite of any colour and shade  Area of slab over 0.50 sqm	20.00	Sqm	3,699.10	Rupees three thousand six hundred ninety nine & paise ten only.
31	13.94.1	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade Two or more coats on new work over an under coat of suitable shade with ordinary pain + of approved brand and manufacture	113.87	Sqm	3,699.10	Rupees three thousand six hundred ninety nine & paise ten only.
32	/	Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete.  Fixed to openings/ wooden frames with rawl plugs screws etc.	963.90	Kg	122.90	Rupees one hundred twenty two & paise ninety only.
33	2.37	Diluting and injecting chemical emulsion for POSTCONSTRUCTIONAL anti-termites' treatment(including the cost of chemical emulsion).				

For Puja Engicon Company Pvt. Ltd.
Ranject Kure
Director

 $\bigcirc$ 

Chief Engineer

B.S.E.I.D.C. Ltd, Patre

Kehowlh 24/06/19

Rupees six hundred eighty five & paise ten only					15.7.4	
	136,90	Mit.		Extra for providing edge moulding to 18 mm thick marble stone counters. Vannies etc. over item no. 8.2 meluding machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer - m -charge.  Marble work		
Rupees three thousand six hundred minety paise & paise ten only.	3,699.10	Sqm	20,00	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations, of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement: 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including tubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete ar all levels.  Granite of any colour and shade		
Rupces three thousand six hundred ninety nine & paise ten only.	3,699.10	Sqm	113.87	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade.  Two or more coats on new work over an under coat of suitable shade with ordinary pain + of approved brand and manufacture.		31
Rupees one hundred twenty two & paise minety only.	122.90			Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coar with approved steel primer all complete.  Fixed to openings/ wooden frames with rawl plugs screws		22

Record of March

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

with the same

	2.37.2	Along the external wall below concrete or masonry apron using chemical emulsion @ 2.55 litres per linear metre including drilling and plugging holes etc.				Dumana fastu
	2.37.2.1	With chlorpyriphos E.C. 20% with 1% concentration	80.00	Mtr.	44.60	Rupees forty four & paise sixty only.
34	22.3	Providing and laying water proofing treatment to vertical and horizontal surfaces of depressed portions of W.C. kitchen and the like consisting of: (i) 1st course of applying cement slurry @ 4.4 kg/sqm mixed with water proofing compound conforming to IS 2645 in recommended proportions.(ii) 11 nd course of 20 mm cement plaster 1:3 (1 cement:3 coarse sand)mixed with water proofing compound in recommended proportion, (iii) Illrd course of applying blown or/residual bitumen aplied hot at 1.7 kg. per sqm of area, (iv) Ivth course of 400 micron thick PVC sheet.(Overlaps at joints of PVC shet should be 100 mm wide and pasted to each other with bitumen @ 1.7 kg/sqm).	77.76	Sqm	444.30	Rupees four hundred forty four & paise thirty only.
35	15.23.1	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead.  For thickness of tiles 10 mm to 25 mm	132.84	Sqm	25.50	Rupees twenty five & paise fifty only.
36	RA	Removal old tarfelt and disposal of debries with all lead, complete job as per direction of E/I	232.50	Sqm	35.10	Rupees thirty five & paise ter only.
37		Add Carriage of Material				
		Cement	38.35	MT	328.25	Rupees three hundred twenty eight & paise twenty five only.
		Sand	104.31	CUM	893.59	Rupees eight hundred ninety three & paise fifty eight only

For Puja Engicon Company Pvt. Ltd.

 $\bigcirc$ 

Director

2416 24/06/19

				Along the external wall below concrete or masonry aproprusing chemical emulsion @ 2.55 lines per linear metre including drilling and plugging holes etc.		
Rupees forry four & paise sixty only.		Mtr.		With chlorpyriphos E.C. 20% with 1% concentration		
Rupees four lumired forty four & paise thirty only.	, td4 30	cmp2	77,76	Providing and laying water proofing treatment to vertical and horizontal surfaces of depressed portions of W.C. kitchen and the like consisting of. (i) 1st course of applying cement stury @ 4.4 kg/sqm mixed with water proofing compound conforming to 1S 2645 in recommended proportions.(ii) 11 nd course of 20 mm cement plaster 1:3 (1 cement:3 course of sand)mixed with water proofing compound in recommended proportion. (iii) Illind course of applying blown or/residual bitumen aplied hot at applying blown or/residual bitumen aplied hot at micron thick PVC sheet.(Overlaps at joints of PVC shet should be 100 mm wide and pasted to each other with bitumen @ 1.7 kg/sqm).  Dismantling tile work in floors and roofs laid in	22.5	
Rupees twenty five & paise fifty only.				Value takes a minimum to the first	-15.2	35
Rapees thirty five & paise ten only.			232.50	Removal old tarfelt and disposal of debries with	RA	
				Add Carriage of Material		
Rupees three hundred fwenty gight & paise to enty five.			38.35	Cement		
Rupees eight headred ninety fluec & paise fully eight only.				Sand		

	·					
		Chips	24.77	CUM	1,761.34	Rupees one thousand seven hundred sixty one & paise thirty three
		Bricks	0.00	TH	767.08	nonly.  Rupees seven hundred sixty seven & paise eight only.
		Steel	0.00	MT	328.25	Rupees three hundred twenty eight & paise twenty five only.
-		L.Sand	0.00	CUM	262.05	Rupees two hundred sixty two & paise five only.
38		Add Difference of Cost				
		Bricks	0.00	ТН	1470.46	Rupees one thousand four hundred seventy & paise forty five only
		Cement	38.35	MT	362.76	Rupees three hundred sixty two & paise seventy five only.
		Discorded a WY and a			(I)	3,994,258.31
39	17.1.1	Plumbing Works  Providing and fixing water closet squatting pan (Indian type W.C.pan ) with 100 mm sand cast Iron P or S trap, 10 litre low fixtures complete, including cutting and making good the walls andlevel white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS: 7231, with all fittings and floors wherever required: White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests	3.00	Each	3,390.90	Rupees three thousand three hundred ninety & paise ninety only.

For Puja Engicon Company Pvt. Ltd.
Ranj cetlene
Director

Ò

 $\bigcirc$ 

Chief Engineer

B.S.E.I.D.C. Ltd, Paina

Pulo 14/06/19

Rupecs one thousand seven hundred suny oue & passe therty three only						
Rupers three hundred twenty eight & pause twenty five onls.			00,0	Steel		
Rapees two hundred stray two & paise five enty.	262.05	CUM		L.Sand		
				Add Difference of Cost		38
Rupees one thousand four hundred seventy & paise torty five only.						
Rupees three hundred sixty two & paise set anty five only.	362.76	TM	38,35	Cernent		
3,224,258.31	(1)				- 6-1-1	
Rupees thee shousand three hundred ninety & paise ninety only.	3,390 90		3.00	Plambing Works Providing and fixing water closet squatting pan (Indian type W.C. pan.) with 100 mm sand cast from P or S trap, 10 litre low fixtures complete, including cutting and making good the walls andlevel white P.V.C. flushing cistem, including thish pipe, with manually controlled device (handle lever) conforming to IS: 7231, with all fittings and floors wherever required:  White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type floot rests		

market and the second

Tic.

40	17.25.1	Providing and fixing white vitreous china wash basin including making all connections but excluding the cost of fittings: Flat back wash basin of size 630x450 mm	6.00	Each	1,055.30	Rupees one thousand fifty five & paise thirty only.			
41	17.10.1.3	brackets, cutting and making good the walls wherever required.  Kitchen sink with drain board  510X1040mm bowl depth 200mm	1.00	Each	3,844.10	Rupees three thousand eight			
42	17.28.2.2	Providing & fixing PVC waste pipe for sink oncluding PVC waste fitting Complete Flexible Pipe 40 mm dia	1.00	Each	86.20	six & paise			
43	17.32.2	Providing and fixing mirror of superior glass (of approved quality) and of required shape and size	6.00	Each	683.80	Rupees six hundred eighty three & paise eighty only.			
44	17.70.1	Providing and fixing PTMT Bottle Trap for Wash basin and sink.  Bottle trap 31 mm single piece moulded with height of 270 mm, effective length of tail pipe 260 mm from the centre of the waste coupling 77 mm breadth with 25 mm minimum water seal, weighing not less than 260 gms.	15.00	Each	332.80	Rupees three hundred thirty two & paise eighty only.			
45	17.71	Providing and fixing PTMT liquid soap container 109 mm wide, 125 mm high and 112 mm distance from wall of standard shape with bracket of the same materials with snap fittings of approved quality and colour weighing not less than 105 gms.	6.00	Each	149.50	Rupees one hundred forty nine & paise fifty only.			
46	17.72	Providing & fixing PTMT towel ring trapezoidal shape 215 mm long 200 mm wide with minimum distance of 37 mm from wall face with concealed fittings arrangement of approved quality and colour weighing not less than 88 gms	6.00	Each	216.90	Rupees two hundred sixteen & paise ninety only.			
47	18.49	Providing and fixing C.P. brass bib cock of approved quality confirming to IS:8931 15mm nominal bore	5.00	Each	401.40	Rupees eighty six & paise twenty only.  Rupees six hundred eighty three & paise eighty only.  Rupees three hundred thirty two & paise eighty only.  Rupees one hundred forty nine & paise fifty only.  Rupees two hundred sixteen & paise			

For Puja Engicon Company Pvt. Ltd.
Ranjeet leure
Director Director

Chief Eng near
3.E.I.D.C. Ltd. Patra

14/0/1/1

				Providing and fixing white vitreous china wash		
				basin including making all connections but		
				excitating the cost of fittings :Flat back wash		
				basin of size 630x450 mm		
				(18/8) kitchen sink as per 18: 13983 with CI		
Kupees three				brackets and stainless steel waste with plug		
	3,844.10	Each	00,1	40mm including painting of fittings and	in ri	
				brackets, cutting and making good the walls		
				wherever required.		
				Kitchen sink with drain board		
				510X1040pum bowl death 2000up		
				Providing & fixing PVC waste pipe for sink		
	00.88	Bach		oncluding PVC waste fitting Complete		
				Providing and fixing mirror of superior glass (of		
				approved quality) and of required shape and size		
			6.00	with plastic moulded frame of approved make		
				and shade with 6 mm thick hard board backing :		
				Rectangular shape 453x357 mm		
				Providing and fixing PTMT Bonle Trap for		
				Wash basin and sink.		
	332.80	Each	15.00	Bottle trap 31 mm single piece moulded with		
hundred thirty						
				260 mm from the centre of the waste coupling		
direction.				77 mm breadth with 25 mm minimum water		
				seal, weighing not less than 260 gms.		
				Providing and fixing PTMT liquid soap		
				container 109 mm wide, 125 mm high and 112		
hundred forty				rum distance from wall of standard shape with	17.71	
nine & paise				bracket of the same materials with snap fittings	11,11	
iffly only.				of approved quality and colour weighing not less		
				ithan 105 ems		
				Providing & fixing PTMT towel ring		
Rupees two				trapezoidal shape 215 min long 200 mm wide		
handred	216.90	Each	6.00	with minimum distance of 37 mm from wall		
sixteen & pais				face with concealed fittings arrangement of		
				approved quality and colour weighing not less		
				than 88 cms		
				Providing and fixing C.P. brass bib cock of		
		Each		approved quality confirming to 15:8931		(ce
				15mm cominal bore	18.49	1
				the state of the s		

 $\ominus$ 

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

Ó

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

O

	Т	In the same	,	_		
		Providing and fixing C.P. brass long body bib				Rupees five
48	18.50.1	cock of approved quality conforming to IS				hundred ninety
40	16.50.1	standards and weighing not less than 690 gms.	6.00	Each	599.50	nine & paise
		15mm nominal bore				fifty only.
		Providing and fixing toilet paper holder:	, , ,			Rupees three
49	17.34.1	C.P. brass	6.00	Each	363.00	hundred sixty
						three only.
	A. C.	Providing and fixing white vitreous china	Control of the Contro			
		battery based infrared sensor operated urinal of				
		approx. size 610 x 390 x 370 mm having pre &				Rupees five
50	17.8	post flushing with water (250 ml & 500 ml	9.00	Each	5 407 20	thousand four
	17,0	consumption), having water inlet from back	9.00	Each	5,407.30	hundred seven
	/	side, including fixing to wall with suitable brackets all as per manufacturers specification	and the same of th	1	- Alleria	& paise thirty only.
		and direction of Engineer-in-charge				Olly.
		and an oction of Engineer-III-charge		,		
		Providing and fixing Chlorinated Polyvinyl				
		Chloride (CPVC) pipes, having thermal stability				
1		for hot & cold water supply including allCPVC		*		
51	10.7	plain & brass threaded fittings This includes				**:
31		jointing of pipes & fittings with one step CPVC				
		solvent cement ,trenching ,refilling & testing of				
		joints complete as per direction of Engineer in				
		Charge.				
-		25 mm dia, nominal bore				Rupees two
	18.7.3		70.00	Mtr.	204.70	hundred four &
				1,111	201.70	paise seventy
		32 mm dia, nominal bore				only.
						Rupees two
	18.7.4		70.00	Mtr.	279.10	hundred
						seventy nine &
				/		paise ten only.
		Providing and fixing Chlorinated Polyvinyl				
		Chloride (CPVC) pipes, having thermal stability	1			,
		for hot & cold water supply including allCPVC				
52	100	plain & brass threaded fittings This includes				1
		jointing of pipes & fittings with one step CPVC solvent cement ,trenching ,refilling & testing of				
		joints complete as per direction of Engineer in				
		Charge.				
				-	The state of the s	

For Puja Engicon Company Pvt. Ltd.

Director

Chief Eng neer

28.5.E.I.D.C. Lid Patro

246 2466/79

				6,00			Rupees five hundred ninet nine & paise filty only.
			Providing and fixing toilet paper holder: C.P. hrass	6.00			
50			Providing and fixing white vitreous chinal battery based infrared sensor operated trinal of approx. size 610 x 390 x 370 mm having pre & post flushing with water ( 250 ml & 500 ml consumption), having water inlet from back side, including fixing to walt with suitable brackets all as per manufacturers specification and direction of Engineer-in-charge	9.00		5,407.30	Rupees five thousand four nundred seven & paise thirty only
51	to the second se		Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including allCPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge.				
			25 mm dia, nominal bore	70.00	Mir,		Rupees two hundred four & parse seventy only.
		18,7.4	3.2 mm dia, nominal bore				Ruppes two hundred seventy nine & paire ten only.
52			Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including alfCPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge.	*			

Ü

 $\bigcirc$ 

Rupees three hundred twenty three & paise fifty only.  Rupees four hundred ninety eight & paise thirty only.  Rupees one thousand one hundred thirty three & paise eighty only.
hundred twenty three & paise fifty only.  Rupees four hundred ninety eight & paise thirty only.  Rupees one thousand one hundred thirty three & paise
Rupees four hundred ninety eight & paise thirty only. Rupees one thousand one hundred thirty three & paise
Rupees four hundred ninety eight & paise thirty only. Rupees one thousand one hundred thirty three & paise
hundred ninety eight & paise thirty only. Rupees one thousand one hundred thirty three & paise
eight & paise thirty only.  Rupees one thousand one hundred thirty three & paise
thirty only. Rupees one thousand one hundred thirty three & paise
Rupees one thousand one hundred thirty three & paise
thousand one hundred thirty three & paise
hundred thirty three & paise
three & paise
eighty only.
Rupees two
hundred
fourteen & paise thirty
only.
Rupees two
hundred fifty
five & paise
seventy only.
Rupees four
hundred sixty
one & paise
eighty only. Rupees five
Kubees five
hundred forty
h f h

For Puja Engicon Company Pvt. Ltd.

()

 $\bigcirc$ 

Director

Chief Eng neer

S.E.I.D.C. Ltd, Patra

24/6

24/06//9

			40 mm nominal outer dia pipes		
			sadid wa town memery min na-		
Rupass foor			50 mm nominal outer dia pipes		
			62.50 mm nominal outer dia pipes		
			Providing and fixing Chlorinated Polyvinyl		
			Chloride (CPVC) pipes, having thermal stability		
			for hot & cold water supply, including allCPVC		
			plain & brass threaded fittings, including fixing		
			the pipe withclamps at 1.00 m spacing. This		
			includes jointing of pipes & fittings with one		
			step CPVC solvent cement and testing of joints		
			complete as per direction of Engineer in Charge.		
			Concealed work, including cutting chases and		
			making good the		
			maxing good me walls etc		
			15 mm dia, nominal bore		
humbred					
		80,00	·	1.8.81	
			20 mm dia, nominal bore		
hundred lifty		00.08			
			Providing and fixing of gun metal gate valvel with CI wheel of approved quality (screwed		
			ends) 25mm dia, nominal bore		
			communication out		
			32 mm dra, nominal bore		

()

 $\bigcirc$ 

Ō

	T	40 mm dia, nominal bore		T	T	Rupees six
57	18.17.3		5.00	Each	630.30	January June 3 41, 504
58	18.17.4	50 mm dia, nominal bore	5.00	Each	926.20	Rupees nine hundred twenty six & paise twenty only.
59	18.16.1	Providing and fixing brass stop cock of approved quality 15 mm nominal bore	25.00	Each	280.90	Rupees two hundred eighty & paise ninety only.
60	18.33.1	Constructing masonry chamber 60x60x75 cm, inside with 75 class designation brick work in cement mortar 1:4 (1 cement:4 fine sand) for sluice valve, with C.I. surface box 100mm, to diameter, 160mm bottom diameter and 180mm deep (inside) with chained lid and RCC top slab 1:2:4 mix (1 cement : 2 corase sand: 4 graded stonr aggregate 20mm nominal size) necessary excavation foundation concret 1:5:10 (1 cement:5 fine sand : 10 graded stone aggregate 40 mm nominal size) and inside plastering with cement mortor 1:3 (1 cement : 3 coarse sand) 12 mm thick finished with a floating coat of neat cement complete as per standard design.	4.00	Each	6,703.80	Rupees six thousand seven hundred three & paise eighty only.
61	18.37.1	Constructing masonry Chamber 60x45x50 cm inside, in brick work in cement mortar 1:4 (1 cement : 4 coarse sand) for water meter complete with C.I. double flap surface box 400x200x200 mm (inside)with locking arrangement and RCC top slab 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), i/c necessary excavation, foundation concrete 1:5:10 (1 cement: 5 fine sand:10 graded stone aggregate 40 mm nominal size) and inside plastering with cement mortar 1:3 (1 cement: 3 coarse sand) 12 mm thick, finished with a floating coat of neat cement complete as per standard design:	4.00	Each	6,211.70	Rupees six thousand two hundred eleven & paise seventy only.

For Puja Engicon Company Pvt. Ltd.

Director

Chief Engineer

B.S.E.I.D.C. Ltd, Patra

Kihoul

24 6 24/06/19

Rupees si handred thi & paise thi only	08.065	Each		40 mm dia, nominal bore	18.17.3	
Rapees ni Enadred two six & pals twent, onl	926,20	Each	5.00	SO mm dia, nominal bore	1817.4	
& paise nin		Each		Providing and fixing brass stop cock of approved quality  15 mm nominal bore		
Only.  Rupees si thousand ser hundred the As paise sign only.	6,703.80	Each	4.00	Constructing masomy chamber 60x60x75 cm, inside with 75 class designation brick work in cement mortar 1:4 (1 cement:4 fine sand) for sluice valve, with C.I. surface box 100mm, to diameter, 160mm bottom diameter and 180mm deep (inside) with chained lid and RCC top slab 1:2:4 mix (1 cement: 2 corase sand: 4 graded storn aggregate 20mm nominal size) necessary exervation foundation concret 1:5:10 (1 cement:5 fine sand: 10 graded stone aggregate cement:5 fine sand: 10 graded stone aggregate cement mortor 1:3 (1 cement: 3 coarse sand) 12 mm thick finished with a floating coat of neat cement complete as per standard design.	8.33.1	
Rupers si theusand tv hundred ele- & paise seve ontv	6,211.70		4.00	Constructing masomy Chamber 60x45x50 cm inside, in brick work in cement mortar 1:4 (1 cement; 4 coarse sand) for water meter complete with C.I. double flap surface box 400x200x200 mm (inside)with locking arrangement and RCC top slab 1:2:4 mix (1 cement; 2 coarse sand; 4 graded stone aggregate 20 mm nominal size), i/c necessary excavation, foundation concrete 1:5:10 (1 cement; 5 fine sand:10 graded stone aggregate to mm nominal size) and inside plastering with thick, finished with a floating coat of neat complete as per sandard design;	18.37.1	

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

 $\overline{)}$ 

 $\bigcirc$ 

	T	In				
61	18.48	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, ISI: 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank	2,000.00	per litre	7.90	Rupees seven & paise ninety only.
62	19.6	Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete :				·
	19.6.2	150 mm dia RCC pipe	20.00	Mtr.	359.30	Rupees three hundred fifty nine & paise thirty only.
	19.6.4	300 mm dia RCC pipe	20.00	Mtr.	522.20	Rupees five hundred twenty two & paise twenty only.
63	12.78	Providing and fixing on wall face unplastidsed-PVC(working pressure 4 kgf per sqm) rain water pipes conforming to IS:4985 including jointing with seal ring conforming to IS: 5382 leaving 10 mm gap for thermal expansion.				
	12.78.1	75 mm diameter	30.00	Mtr.	147.40	Rupees one hundred forty seven & paise forty only.
	12.78.2	110 mm diameter	250.00	Mtr.	238.30	Rupees two hundred thirty eight & paise thirty only.
64	12.79	Providing and fixing on wall face unplasticised - PVC molded fittings/accessories for unplasticised-PVC rain water pipes conforming to (S:4985 including jointing with seal ring conforming to IS: 5382 leaving 10 mm gap for thermal expansion.				, unity viny.
	12.79.1.2	Coupler 110 mm	10.00	Each	113.50	Rupees one hundred thirteen & paise fifty only.

For Puja Engicon Company Pvt. Ltd.

Director

Chief English
B.S.E.I.D.C. Lid, Patrice

Rupacs seven & paise ninery only.	7.90		Providing and placing on terrace (at all floor levels) polyethylens water storage tank, ISL: 12701 marked, with cover and suitable locking arrangement and making necessary holes for most, outlet and overflow pipes but without fiftings and the base support for tank	18.48	10
			Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sund) including testing of joints etc. complete:	5.91	6.2
Rupees live basdred swenty two & paise twenty only.	. 522.20		.300 nim.dia RCC pipe		
			Providing and fixing on wall face unplastidsed-PVC(working pressure 4 kgf per sqm) rain water pipes conforming to IS: 4985 including jointing with seal ring conforming to IS: 5382 leaving 10 mm gap for thermal expansion.		63
Rupoes one hendred forty seven & paiso forty only	147,40	Nite.	75 mm diameter	12.78.1	
		Mt.	l 10 rim diameter		
			Providing and fixing on wall face unplasticised - PVC molded firtings/accessories for unplasticised-PVC rain water pipes conforming to (S:4985 including jointing with seal ring conforming to IS: 5382 leaving 10 mm gap for thermal expansion.		
Rupees one hundred thirteen & paise fifty only.	113.50		Coupler 110 mm	[2.79.1.2	

1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 1907 | 19

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

Ō

Ü

 $\bigcirc$ 

		Single pushfit coupler 110 mm				Rupees three
	12.79.2.2		10.00	Each	354.90	hundred fifty
						four & paise
		Single tee with door 110 mm				ninety only.  Rupees one
	10.70.2.2	ongo to wan door the tank	10.00	Fast	102.10	hundred eighty
	12.79.3.2		10.00	Each	183,10	three & paise
				de la constantina della consta		ten only.
		Single tee without door 110 mm				Rupees one
	12.79.4.2		10.00	Each	183.10	hundred eighty three & paise
				processor.	September 1	ten only.
		110 mm bend	ate and the second seco			Rupees one
						hundred twenty
	12.79.5.2		10.00	Each	124.70	four & paise
	-/		-	Colonia	The state of the s	seventy only.
		Shoe plain 110 mm			destroy, parameter de grande parameter de la redicionada del redicionada de la redicionada del redicionada de la redicionada de la redicionada de la redicionada de la redicionada del redicionada de la redicionada de la redicionada del rediciona	Rupees one
	12.79.6.2		10.00	Each	108.50	hundred eight
	/		and the same of th	and the co	THE STREET	& paise fifty
						only.
		Providing, fitting & fixing of 25 mm UPVC full				Rupees four
65	QR	Way valve do do all complete job as per	2.00	Each	421.26	hundred twenty one & paise
		direction of E/I.	Water Control	September 1	The state of the s	twenty six only,
						Rupees six
	0.70	Providing, fitting & fixing of 32 mm UPVC	2.00		601.00	hundred one &
65	QR	valve do do all complete job as per direction of	2.00	Each	601.80	paise eighty
		Е/І.		The state of the s		only.
		Description Cation & Color of AC many LIDVIC				Rupees seven
66	QR	Providing, fitting & fixing of 40 mm UPVC valve do do all complete job as per direction of	2.00	Each	798.86	hundred ninety
00	QIC	E/I.	2.00	Lacii	190.00	eight & paise
		271.	· · ·	The state of the s		eighty six only.
						Rupees one
	0.5	Providing, fitting & fixing of 25 mm UPVC	0.00	T 1	100 74	hundred nine &
66	QR	Union do do all complete job as per direction of	2.00	Each	109.74	paise seventy
		E/I.	Market Control of the	American		four only. /
		Providing, fitting & fixing of 32 mm UPVC				Rupees one
67	QR	Union do do all complete job as per direction of	2.00	Each	135.70	hundred thirty
07	Arc	E/I.	2.00	- COLL	100.10	five & paise
						seventy only.

For Puja Engicon Company Pvt. Ltd.

Director

Chief Englises

28.3.E.I.D.C. Ltd, Patro

He Skinowl

		Single pushiit coupler 110 mm		Each		
	12,79.6.2	Single ree with door 110 mm		Rach		
		Single feë without door 110 mm		Each		Rapes one Eardred eight three & parse ten only
		110 mm bend	00.01	Each		Rupees one bundred twent four & paise seventy only.
		Shoe plain 110 mm	10.00	Each	108.50	Rappes one hundred eight & paise fifty outy
		Providing, fitting & fixing of 25 mm UPVC full Way valve do do all complete job as per direction of E/I.				Rupees four inside twenty one & pairs to have to have the towns to have the towns and the towns to have the have the towns to have the hav
65		Providing, fitting & fixing of 32 mm UPVC valve do do all complete job as per direction of E/L	2.00	Each	601.80	
00		Providing, fitting & fixing of 40 mm UPVC valve do do all complete job as per direction of E/L.	2.00	Each		
òò	,QR	Providing, fitting & fixing of 25 mm UPVC Union do do all complete job as per direction of E/L.	2,00	Each		Rupees one tundred ones a paise seventy amise seventy time only.
107		Providing, fitting & fixing of 32 mm UPVC Union to do all complete job as per direction of E/L.				Rupees one humaned thirty five & paise seventy only

()

		,				
67	QR	Providing, fitting & fixing of 40 mm UPVC Union do do all complete job as per direction of E/I.	2.00	Each	250.16	Rupees two hundred fifty & paise sixteen only.
68	QR	Providing, fitting & fixing of 50 mm UPVC Non Return Valve do do all complete job as per direction of E/I.	2.00	Each	3,674.52	Rupees three thousand six hundred seventy four & paise fifty two only.
68	QR	Providing, fitting & fixing of 110 mm UPVC Cowl do do all complete job as per direction of E/I.	6.00	Each	60.18	Rupees sixty & paise eighteen only.
69	QR	Providing, fitting & fixing of PVC 110 mm SWR P- Trap Valve do do all complete job as per direction of E/I.	10.00	Each	484.98	Rupees four hundred eighty four & paise ninety eight only.
69	QR	Providing, fitting & fixing of PVC 75 mm SWR P- Trap Valve do do all complete job as per direction of E/I.	10.00	Each	322.14	Rupees three hundred twenty two & paise fourteen only.
70	QR	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) of Make Jaquar with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS: 7231, with all fittings and fixtures do do all complete job as per direction of E/L.	3.00	Each	7,378.54	Rupees seven thousand three hundred seventy eight & paise fifty four only.
70	QR	Providing and fixing of hindware counter wash basin of size 430 x 530 mm with all fitting and fixtures do do all complete job as per direction of E/I.	6.00	Each	3,314.62	Rupees three thousand three hundred fourteen & paise sixty two only
71	QR	Providing, fitting & fixing of CP Bib Cock two in one do do all complete job as per direction of E/I.	6.00	Each	1,110.38	Rupees one thousand one hundred ten & paise thirty eight only.

For Puja Engicon Company Pvt. Ltd.

Ranjcetlue Director

Chief Engineer

28.E.I.D.C. J.td. Patra

246 24/06/19

			Providing, litting & fixing of 40 mm UPVC Union do do all complete job as per direction of E/I.		
Ruppes three thousand six hundred seventy four & paise tilly (wo apir)			Providing, fitting & fixing of 50 mm UPVC Non-Return Valve do do all complete job as per direction of EA		83
			Providing, fitting & fixing of 110 mm UPVC Cowl do do all complete job as per direction of Ed.		88
		00.01			
Rupees three hundred twenty pwo & paise fourfeen only.	Each		Providing, fitting & fixing of PVC 75 mm SWR P- Trap Valve do do all complete job as per direction of E/I.	QR	
Rupees seven thousand three hundred seventy eight & pause fifty four only.			Providing and fixing white vitreous china pedestal type water closer (European type W.C. pan) of Make Jaquar with seat and lid, 10 litre low level white P. V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS: 7231, with all fittings and fixtures do do all complete job as per direction of the conforming to all complete job as per direction.		70
Rupees three thousand three handred fourteen & paise sixty (wo only			Providing and fixing of hindware counter wash basin of size 430 x 530 mm with all litting and fixtures do do all complete job as per direction of E/L.		
				ЭĶ	73

Ō

 $\bigcirc$ 

Ō

 $\Theta$ 

		Providing and fixing unplasticised -PVC pipe clip of approved design to unplasticised PVC rain water pipe by means of 50x50x50mm hard				Rupees one hundred fifty
71	12.80.2	wood plugs, screwed with M.S. screws of required length including cutting brick work and	20.00	Each	157.37	seven & paise
		fixing on cement mortar(1:4) 1 cement: 4corsa				thirty seven
		sand and making good the wall etc complete	•			only.
					(II)	471,142.78
		Electrical Works				
72	1.3	Wiring for light point/fan point/exhaust fan point/call bell point with 1.5 Sq.Mm FR PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with modular switch, modular plate, suitable GI box etc. as required.				
	1.3.3	Group C	300.00	Point	724.00	Rupees seven hundred twenty four only.
73	1.4	Wiring for twin control light point with 1.5 Sq.Mm FRLS PVC insulated copper conductor single core cable in surface/recessed medium class PVC conduit, 2 way modular switch, modular plate, suitable GI box etc. as required.	2.00	Point	755.00	Rupees seven hundred fifty five only.
73	1.5	Wiring for power plug with 2 x 4 Sq.Mm. FRLS PVC insulated, copper conductor single core cable in surface / recessed medium class PVC conduit along with 1 no 4 Sq.Mm FRLS PVC insulated copper conductor single core cable for loop earthing as required.	450.00	Mtr.	200.00	Rupees two hundred only.
74	1.6	Wiring for light/power plug with 4 x 4 Sq.Mm. FRLS PVC insulated, copper conductor single core cable in surface / recessed medium class PVC conduit along with 2 nos. 4 Sq.Mm FRLS PVC insulated copper conductor single core cable for loop earthing as required	35.00	Mtr.	335.00	Rupees three hundred thirty five only.
75	1.7	Wiring for circuit / submain wiring alongwith earth wire with the following sizes of PVC insulated, copper conductor single core cable in surface/ recessed medium class PVC conduit as required.				

For Puja Engicon Company Pvt. Ltd.
Ranjeet xue
Director

Director

Chief Eng heer

B.S.E.I.D.C. Ltd, Patro

Rupees one hundred fifty seven & paise thirty seven only		Euch	30.00	Providing and fixing unplasticised -PVC pipe clip of approved design to unplasticised PVC rain water pipe by means of 50x50x50mm hard wood plugs, screwed with M.S. screws of required length including cutting brick work and fixing on cement mortar(1:4) 1 cement: 4corsa sand and making good the wall etc complete		
471,142.78	(11)			Electrical Works  Wiring for light point/fan point/exhaust fan point/call bell point with 1.5 Sq.Mm ER PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with modular switch, modular plate, suitable GI box etc. as required.		72
		Point	300.00	Group C		
		Point	2.00	Wiring for twin control light point with 1.5 Sq.Mm FRLS PVC insulated copper conductor single core cable in surface/recessed medium class PVC conduit, 2 way modular switch, modular plate, suitable GI box etc. as required.	17,1	73
Rupees two hundred only.	200.00	MIT.	450.00	Wiring for power plug with 2 x 4 Sq.Mm. FRLS PVC insulated, copper conductor single core cable in surface / recessed medium class PVC conduit along with 1 no 4 Sq.Mm FRLS PVC insulated copper conductor single core cable for loop earthing as required.		73
		Mic	35.00	Wiring for light/power plug with 4 x 4 Sq.Mm. FRLS PVC insulated, copper conductor single core cable in surface / recessed medium class PVC conduit along with 2 nos. 4 Sq.Mm FRLS PVC insulated copper conductor single core cable for loop carthing as required		74
				eathens statuted Wiring for circuit / submain wiring alongwith earth wire with the following sizes of PVC insulated, copper conductor single core cable in surface/ recessed medium class PVC conduit as required.	4.1	

med enterprised designed with the

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

Ó

 $\Theta$ 

 $\bigcirc$ 

Ō

 $\Theta$ 

0.

		2 X 1.5 sq. mm + 1 X 1.5 sq. mm earth wire.				Rupees one
	1.7.1		50.00	Mtr.	130.00	hundred thirty
						only.
		2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth wire.				Rupees one
	1.7.2	,	560.00	Mtr.	161.00	hundred sixty
						one only.
		2 x 6 sq.mm. + 1 x 6 sq.mm. Earth wire				Rupees two
	1.7.4		75.00	Mtr.	271.00	hundred
	1.7.4		73.00	MIII.	2/1.00	seventy one
						only.
		2 x 10 sq.mm. + 1 x 10 sq.mm. Earth wire				Rupees three
	1.7.5		62.00	Mtr.	382.00	hundred eighty
	Sales and the sales are the sa	,			The state of the s	two only.
		4 x 10 sq.mm. + 2 x 10 sq.mm. Earth wire				Rupees five
	1.7.12		45.00	Mtr.	593.00	hundred ninety
	No. of the last of					three only.
		4 x 16 sq.mm. + 2 x 16 sq.mm. Earth wire				Rupees eight
	1.7.13		10.00	7. //	070.00	hundred
	1.7.13		10.00	Mtr.	879.00	seventy nine
		,		Sales and the sa		only.
		Supply and fixing of suitable size GI box with				
		modular plate and cover in front on surface or in				D
76	1 21	recess including providing and fixing 3 pin 5/6	25.00	т. 1	262.00	Rupees three
76	1.31	amps modular socket outlet and 5/6 amps.	25.00	Each	362.00	hundred sixty
		modular switch, connection etc. as required.			6	two only.
1		modular switch, compositor etc. as required.				
		Supply and fixing of suitable size GI box with				
		modular plate and cover in front on surface or in				D.,,,
77	1 22	recess, including providing and fixing 6 pin 5/6	25.00	F1-	412.00	Rupees four
77	1.32	& 15/16 amps modular socket outlet and 15/16	25.00	Each	413.00	hundred
İ		amps. modular switch, connection etc. as				thirteen only.
		required.	,			
		Supplying and fixing 20 amps, 240 volts, SPN,				
- 1		industrial type socket outlet, with 2 poles and				
- 1		earth metal enclosed plug top along with 20				7
1		amps. "C" curve, SP MCB in sheet steel			-	Rupees one
78	2.25	enclosure, on surface or in recess, with chained	15.00	Each	1,912.00	thousand nine
		metal cover for the socket outlet, and complete	10.00		1,5 12.00	hundred twelve
			No.	-		only.
- 1		with connections, testing and commissioning				
1		etc. as required. ( used for Ac box)				
$\neg \uparrow$		Supply and fixing of stepped type electronic fan	n pani a katipupu na atian aritara aan papaanjan	~~~~		D
70	1.00	regulator on the existing modular plate switch	40.00	T 1	250.00	Rupees three
79	1.25	box including connections but excluding	40.00	Each	359.00	hundred fifty
- 1	No.	modular plate etc. as required.	Contract of the Contract of th	The state of the s		nine only.
- 1	No.		Contract of the Contract of th	The state of the s		nine only.

For Puja Engicon Company Pvt. Ltd.

Ranject Kur

Director

Director

Chief Eng neer S.E.I.D.C. Ltd. Patr

	00.154					
					1.7.5	
Rupees flve hundred ninety three only						
Ruppes orgin bundred seventy nine only.			00.01	4 x 16 sq.mm. + 2 x 16 sq.mm. Earth wire		
	362.00	Each	25.00	Supply and fixing of suitable size GI box with modular plate and cover in front on surface or m recess including providing and fixing 3 pin 5/6 amps modular socket outlet and 5/6 amps modular switch, connection etc. as required.		76
		Each	25,00	Supply and fixing of suitable size GI box with medular plate and cover in front on surface or in recess, including providing and fixing 6 pin 5/6 & 15/16 amps modular socket outlet and 15/16 amps. modular switch, connection etc. as required		77
Rugees one thousand nine hundred twelve only.	1,912,00	Each		Supplying and fixing 20 amps, 240 volts, SPN, industrial type socket outlet, with 2 poles and earth metal enclosed plug top along with 20 amps. "C" curve, SP MCB in sheet steel enclosure, on surface or in recess, with chained metal cover for the socket outlet, and complete with connections, testing and commissioning etc. as required (used for Ac box)	2.25	78
				Supply and fixing of stepped type electronic fan regulator on the existing modular plate switch box including connections but excluding modular plate etc. as required		79

Ŏ

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

 $\Theta$ 

 $\bigcirc$ 

 $\bigcirc$ 

 $\Theta$ 

Way The Land 

80	1.26	Supply and fixing modular blanking plate on the existing modular plate & switch box excluding modular plate as required.	1	Each	26.00	Rupees twenty six only.
81	2.12.1	Supplying and fixing 240 volts 'C' series, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required.  6/ 32 amps. single pole		Each	192.00	Rupees one hundred ninety two only.
82	2.14	Supplying & fixing single pole, blanking plate in the existing MCB DB complete etc. as required.		Each	13.00	Rupees thirteen only.
83	2.17	Supplying and fixing following rating, double pole, (single phase and neutral), 240 volts, residual current circuit breaker (RCCB), having a sensitivity current upto 300 milliamperes in the existing MCB DB complete with connections, testing and commissioning etc. as required				
84	2.17.1	16/25 amps.	2.00	Each	2,013.00	Rupees two thousand thirteen only.
85	2.17.2	40 amps.	2.00	Each	2,180.00	Rupees two thousand one hundred eighty only.
86	2.18	Supplying and fixing following rating, four pole, (three phase & neutral) 415 volts, residual current circuit breaker (RCCB), having a sensivity current upto 300 miliamperes in the existing MCB DB complete with connections, testing and commissioning etc. as required:				<b>VIII.</b>
87	2.18.2	40 amps.	2.00	Each	2,620.00	Rupees two thousand six hundred twenty only.
88	2.18.3	63 amps.	2.00	Each	2,941.00	Rupees two thousand nine hundred forty one only.

For Puja Engicon Company Pvt. Ltd.

0.

Ranjeet Kus Director

Chief Eng hear

28.3.E.I.D.C. Ltd. Patra

Z416

2416

2416

	26,00			Supply and fixing modular blacking place on the existing modular plate & switch box excluding modular plate as required.		
Rupees one hurdred minely two only.	00 261	Each	40.00	Supplying and fixing 240 volts 'C' series, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required.  6/32 amps, single pole		
			2.00	Supplying & fixing single pole, blanking plate in the existing MCB DB complete etc. as required.		
				Supplying and fixing following rating, doubte pole, (single phase and neutral), 240 volts, residual current circuit breaker (RCCB), having a sensitivity current upto 300 milliamperes in the existing MCB DB complete with connections, testing and commissioning etc. as required.		
				16/25 amps.	2.17.1	
Rupees two thousand one handred eighty only.		Each		40 amps.	2.17.2	
				Supplying and fixing following rating, four pole, (three phase & neutral) 415 volts, residual current circuit breaker (RCCB), having a sensivity current upto 300 miliamperes in the existing MCB DB complete with connections, testing and commissioning etc. as required;		
Rupees two (bousand six hundred twenty only.		Each	2:00	40 amps.		87
Rupees two fronsand nine hundred forty	2,941.00	Each	2:06	63 amps.	2.18.3	

Ŏ

. ()

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

 $\Theta$ 

 $\bigcirc$ 

89	2.10.4	Supplying and fixing following way, surface /recesses mounting vertical type 415 volts TP&N MCB distribution board of steel sheet for , complete with loose wire box, terminal connectors for all incoming and outgoing circuits, duly prewired with suitable size FRLS PVC insulated copper conductor up to terminal blocks, tinned copper bus bar, neutral link, earth bar, din bar, detachable gland plate, interconnections, powder painted including earthing etc. as required (But without MCB / RCCB / Isolators).	2.00	Each	6,321.00	Rupees six thousand three hundred twenty one only.
90	2.8.9	Supplying and fixing following way single pole & neutral, sheet steel, MCB distribution board, 240 volts, on surface/ recess, complete with tinned copper bus bar, neutral bus-bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator)	1.00	Each	1,315.00	Rupees one thousand three hundred fifteen only.
91	2.15	Supplying and fixing following rating, double pole, 240 V, isolator in the existing MCB DB complete with connections, testing and commissioning etc.				
92	2.15.1	40 Amps	1.00	Each	355,00	Rupees three hundred fifty five only.
93	2.15.2	63 Amps	1.00	Each	455.00	Rupees four hundred fifty five only.
94	2.16	Supplying and fixing following rating, four pole, 415 V, isolator in the existing MCB DB complete with connections, testing and commissioning etc.		ide	,	
95	2.16.1	40 Amps	2.00	Each	495.00	Rupees four hundred ninety five only.
96	2.16.2	63 Amps	2.00	Each	746.00	Rupees seven hundred forty six only.

Ó

For Puja Engicon Company Pvt. Ltd.
Ramjeeticus
Director

Chief Eng hear

246

246

246

246

98	2.10.4	Supplying and fixing following way, surface //recesses mounting vertical type 415 volts TP&N MCB distribution board of steel sheet for , complete with loose wire box, terminal connectors for all meaning and outgoing circuits, duly prewired with suitable size FRLS PVC insulated copper conductor up to terminal blocks, tinned copper bus bar, peutral link, carribar, dun bar, detachable gland plate, interconnections, powder painted including carthing etc. as required (But without MCB / RCCB / Isolators).		Each		Ruppes ik Browstin Bres Inindred Byrniy one only
90		Supplying and fixing following way single pole neutral, sheet steel, MCB distribution board, 240 volts.  240 volts.  on surface/ recess, complete with tinned copper bus.  bus  bus  bar, neutral bus-bar earth bar, din bar interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator)	00,1	Each	1,313.00	
10		2.4.17 year. Double door. Supplying and fixing following rating, double pole, 240 V, isolator in the existing MCB DB complete with connections, testing and commissioning etc.				,
		40 Amps	1,00	Each	355.00	Rupces three hundred fifty five only.
		63 Amps	1.00	Each	455.60	Ruppes four hundeed lifty five only.
50		Supplying and fixing following rating, four pole, 415 V, isolator in the existing MCB DB complete with connections, testing and commissioning etc.				
					495 00	Rupess four burdred dineb
96		63 Атаря		Each	746.00	

 $\Theta$ 

_						
97	1.27.1	Supplying and fixing following size / modules, GI box along with modular base & cover plate for modular switches in recess etc as required 1 or 2 Module (75 mm x 75 mm)		Each	180.00	Rupees one hundred eighty only.
98	1.24	Supplying and fixing following modular switch / socket on the existing modular plate & switch box including connections but excluding modular plate etc as required	7			
99	1.24.6	Telephone Socket outlet	2.00	Each	108.00	Rupees one hundred eight only.
100	1.24.7	TV Antenna socket outlet	2.00	Each	102.00	Rupees one hundred two only.
101	1.21	Supply and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required:				
102	1.21.1	20 mm.	50.00	Mtr.	68.00	Rupees sixty eight only.
103	1.21.2	25 mm.	50.00	Mtr.	79.00	Rupees seventy nine only.
104	1.21.3	32 mm.	50.00	Mtr.	92.00	Rupees ninety two only.
		Supply and drawing following pair, 0.5 sq.mm. FRLS PVC insulated annealed copper			-	
105	1.16.2	conductor, unarmoured telephone cable in the existing surface / recessed steel/ PVC conduit as required.  2 Pair	100.00	Mtr.	18.00	Rupees eighteen only.
106	3.3	Earthing with GI earth plate 600mm x 600 mm x 6mm thick including accessories and providing masonary enclosure with cover plate having locking arrangement and watering pipe of 2.7 metre long etc, with charcoal/ coke and salt as required.	1.00	Set	3,785.00	Rupees three thousand seven hundred eighty five only.

For Puja Engicon Company Pvt. Ltd.

 $\bigcirc$ 

Director

Chief Eng near

B.S.E.I.D.C. Ltd, Patrice

Pull Suppose Suppos

			Supplying and fixing following size / modules. (G) box along with modular base & cover plate for modular switches in recess etc as required 1 or 2 Module (75 mm x-75 mm)		
			Supplying and fixing following modular switch a socket on the existing modular plate & switch box including connections but excluding modular plate ore as required		
			Telephone Socket outlet		
Rappes one hundred two only.			TV Amemia socket outlet		
			Supply and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required:		
			20 mm.		
	79.00				
					104
Rupees eighteen only		Mír.	Supply and drawing following pair, 0.5 sq.nnn. FRLS PVC insulated annealed copper conductor, unarmoured telephone cable in the existing surface / recessed steel/ PVC conduit as required.	1,16.2	
	3,785.00		Earthing with GI earth plate 600mm x 600 mm x 600mm thick including accessories and providing masonary enclosure with cover plate having locking arrangement and watering pipe of 2.7 metre long etc, with charcoal/ coke and salt as required.		

 $\bigcirc$ 

 $\bigcirc$ 

		Supplying and laying 25 mm x 5 mm. G.I. strip at 0.50 metre below ground as strip earth				
107	3.8	electrode, including connection/ terminating with G.I. nut, bolt, spring, washer etc. as required. (Jointing shall be done by overlapping and with 2 sets of G.I. nut bolt & spring washer spaced at 50mm)	20.00	Mtr.	898.00	Rupees eight hundred ninety eight only.
108	3.11	Providing and fixing 25 mm x 5 mm G.I. strip in 40 mm dia G.I. pipe from earth electrode including connection with G.I. nut, bolt, spring, washer excavation and re-filling etc. as required.		Mtr.	487.00	Rupees four hundred eighty seven only.
109	3.16	Providing and fixing 6 SWG dia G.I. wire on surface or in recess for loop earthing as required.	50.00	Mtr.	38.00	Rupees thirty eight only.
	/	Installation, testing and commissioning of pre-		Service .		
110	1.41	wired, flourescent fitting / compact fluorescent fitting of all types, complete with all accessories and tubes etc. directly on ceiling / wall, including connection with 1.5 sq. mm. FRLS PVC insulated, copper conductor, single core cable and earthing etc. as required	150.00	Each	84.00	Rupees eighty four only.
111	1.45	Installation, testing and commissioning of ceiling fan including wiring the down rod of standard length (upto 30 cm.) with 1.5 sq. mm. FRLS PVC insulated, copper conductor, single core cable, including providing and fixing phenolic laminated sheet cover on the fan box etc. as required	20.00	Each	119.00	Rupees one hundred nineteen only.
112	1.50.1	Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required  Upto 450 mm sweep	6.00	Each	198.00	Rupees one hundred ninety eight only.

For Puja Engicon Company Pvt. Ltd.
Ranjeet kun
Director

Ō

Chief Eng hear

24/6

24/6

24/6

the administrative to the contract the contract of the contract to the contract of the contrac	3.	Supplying and laying 25 mm x 5 mm. G.L strip at 0.50 metre below ground as strip earth electrode, including connection terminating with G.L. ma, both, spring, washer etc. as required. (Jointing shall be done by overlapping and with 2 sets of G.L. mit bolt & spring washer spaced at 50mm)				Kupces eight lumdred ninery eight onty.
have	3.1	Providing and fixing 25 mm x 5 mm G.l. strip in 40 mm dia G.l. pipe from earth electrode including connection with G.l. nut, bolt, spring, washer excavation and re-filling etc. as required	20.00			
policy (management of the policy of the poli	1.8 80	Providing and fixing 6 SWG dia G.1 wire on surface or in recess for loop earthing as required.				
	1.4	Installation, testing and commissioning of pre- wired, flourescent fitting / compact fluorescent fitting of all types, complete with all accessories and tubes etc. directly on ceiling / wall, including connection with 1.5 sq. mm. FRLS PVC insulated, copper conductor, single core cable and earthing etc. as required	150,00	Each	84.00	Ropees eighty four only.
	1.4	Installation, testing and commissioning of ceiling fan including wiring the down rod of standard length (upto 30 cm.) with 1.5 sq. mm. FRLS. PVC insulated, copper conductor, single core cable, including providing and fixing phenolic laminated sheet cover on the fan box etc. as required.	20.00	Each	119.00	
	2 1.50	Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required  Unto 450 mm sweep	6,00			Rupees and hundred ninety eight only.

16 to the second 
	THE COMPANY PARTY		_		
	ELECTRIL PANELS				
	Design, manufacturing, assembling, wiring, supply, inst				
1	allation, testing and commissioning of the following				
	extensible cubicle type indoor mounting, dead	2			
	front, fully compartementalised with hinged lockable		9	1	
1	detachable from& backl openable, dust and vermin	*			
	proof, floor mounting sheet steel clad switchboard			1	
	febricated out of 2 mm thick CDCA manufactures 1				
113	fabricated out of 2 mm thick CRCA powder coated				
	sheet steel suitable for use at 415 volt 3 phase 4wire			1	
l	50 cycle system, BMS Compiatable and to withsatans		1	1	
	a symmetrical fault level of below mentioned kA at		1		
	415 volt. panels shall be fabricated in easily		1		
	transportable sections, length, height, depth etc. to				
	match with site condition, complete in all respect.				
	INCOMER:-		ļ		
				-	
	1			Ü	
	Breaking capacity.				
	1 Set of RYB phase Indication lamps with suitable				
	rating MCB				
	1 Set of ON/OFF Indication lamps along with 2A SP				
	MCB backup protecting.				
	1 set Digital Ampere meter with suitable rating CT				
	and selector switch				
	1 set Digital Volt meter with suitable rating MCBs				
	and selector switch				
	Busbar				
	Electrolytic high conductivity aluminium three phas				
	and neutral busbars rated at 415V, 125 amps,35				
	kA,insulated with heat shrinkable coloured PVC			İ	
1	sleeves & clip on shrounds for joints. The busbar		1		
1	sizing calculations shall be sumitted for				
	approval, considering all derating factors.				
	3 Nos. 40 Amps. TPN MCCB(16 KA) with				
	electronic releases.			2	
_	Outgoings Outgoings				
	1) 4 No.40 amp FP MCB of 10 kA breaking capacity.				
	1 * *				
İ	5 No.63 amp FP MCB of 10 kA breaking capacity.				
	TOTAL COST OF MAIN LT PANEL				
					Rupees one la
					nine thousan
	`	2.00	Each	109,980.00	
					nine hundred
					eighty only.
				(III)	891,900.0

For Puja Engicon Company Pvt. Ltd.

Ó

 $\bigcirc$ 

RanjeetKwe

Chief Eng near
28.3.E.I.D.C. Ltd. Patro
We hauther
24/6 24/06/19

		Design manufacturing assembling wiring supply inst-	
		extensible cuincle type indoor mounting, dead	
		frontfully compartementalised with hinged lockable	
		proof, floor mounting sheet steel clad switchboard	
		sheet steel suitable for use at 415 volt 3 pluse 4wire	131
		415 volt. panels shall be fabricated in easily	
		transportable sections length,height,depth etc.ro	
		match with site condition, complete in all respect.	
		1 Nos.160 Amps. 1PN MCCB(25 KA)	and the second s
		Breaking capacity	
		MCB backup protecting.	
		1 set Digital Ampere meter with suitable rating CT	
		and selector switch	
		1 set Digital Volt meter with suitable iming MCBs	
		and selector switch	100
		Busbar	
		Electrolytic high conductivity aluminium three plass	Ŷ
-		and neutral bushars rated at 415V, 125 amps,35	
		kA,insulated with heat shrinkable coloured PVC	
		approval, considering all derating factors.	
		electronic releases.	
		1) 4 No.40 amp FP MCB of 10 kA brenking	
		5 No.63 amp EP MCB of 10 kA breaking capacity.	

2 1/ Assigned

Market Sales

					A)=Say Rs.	5,768,294.08 5,768,294.00
_				(A)=(T-	(IV) +II+III+IV)	410,992.99
115	RUSA	Supplying ,installing of crompton LCPL -36-CDL(2X2) square 36 watt LED recessed mounted , do do all complete job as per direction of EI.	36.00	Each	4,413.70	Rupees four thousand four hundred thirteen & paise seventy only.
114	Patna (Th. the capicity building B.O.Q)		227.25	Sqm	1,109.35	Rupees one thousand one hundred nine & paise thirty five only.

()

Û

 $\bigcirc$ 

For Puja Engicon Company Pvt. Ltd.
Ranject Rue Director

Chief Eng neer

B.S.E.I.D.C. Lid, Patne

Rupees one thousand one bundred ome &			227.25	Providing and fixing Armsmong false ceiling plans or white design eciling files made of pressed particle board or equivalent & Tesections & main runners and cross runners fixed to main runners placed 600 mm centre to centre both ways so as to form a grid of 600 mm square. The frame work shall be suspended from ceiling by level adjusting bangers of 6 mm	Rate as per S.E South bilbar circle	
				dia M.s rod fixed to roof slab by means of ceiling cleats. The suspenders shall be placed 600x1200 mm centre to centre including fixing to the frame with CP brass screws and applying a priming coat of zine chromate yellow primer for steel members complete all complete job as per direction of E/1		
Rupees four thousand four mandred thireen & parse seventy only		Each		Supplying, installing of crompton LCPL -36- CDL(2X2) square 36 watt LED recessed mounted, do do all complete job as per direction of EL		115
410,992,99						
	(VI+III+II-					

 $\bigcirc$ 

 $\bigcirc$ 

O

 $\bigcirc$ 

Ò

### BOQ for Renovation of Store Section at BSEB Office, Patna.

(PART-B) Item Rate Basis (Non Sheduled Item)

# RATE TO BE QUOTED IN DIGITS & WORDS IN EACH ITEM OF THE WORK MENTIONED BELOW

***************************************		Name of the Contractor/ Bidder			PUJA ENGIC	ON COMPANY PVT. LTD.
Ado	dress	, E-mail and Mobile No. of Contracto	r/ Bid	der		.KKANPUR, PATNA, MOB. NO aengiconcompany@gmail.com
Sl.No		Description of Items	Unit	Qty.	Rate (In Digit)	Rate (In Words)
		Non Schedule Items of Work, for which tenderer have to quote Item wise rate.				
1	NS	Supplying fitting and fixing 400 mm dia wall bracket fan with 400 mm sweep, high quality ABS base, 120 rib guard, pull cord control for speed & oscillation on-off inclusive of all taxes royalty etc. all complete as per specification and direction of E/I.	12	Each	1350.00	ONE THOUSAND THREE HUNDRED FIF
2	NS	Providing and placing wall mounting flourescent light with 18 watt tubes with wires switches all complete job	15	Each	155.00	ONE HUNDRED FIFTY FIVE
3	NS	Supplying & Installing of Godrej/ Methodex/Wipro/Zuari /Durian make Steel MF System of size 10'x36"x1S" with SiK do do all complete job as per direction of E/I.	60	Each	8000.00	EIGHT THOUSAND
					Total Part B Amount (Rs) in Digit =	498525
OTE :		e Required Columns of the Financial Bid shall in. Rate to be filled both in the Digit & Word.	be Dul	y filled	Total Part B Amount (Rs) in Word =	FOUR LAKH NINETY EIGHT THOUSAND FIVE HUNDRED TWENTY FIVE
		-A (SOR -ITEM) NT (RS) EXCLUDING 10.00% BELOW	· · · · · · · · · · · · · · · · · · ·			51,91,464/-
2. P.	ART -	B (NS ITEM)				51,71,404/-
	MOUN	VT (RS)				4,98,525/-
		MOUNT (RS) (PART-A +PART-B)				56,89,989/-

For Puja Engicon Company Pvt. Ltd.

Thousand Nine Hundred Eighty Nine Only)

Chief Eng near

28 S.E.I.D.C. Ltd, Patrice

24 6 24 6 6 4 7

Ŏ

 $\bigcirc$ 

Ō

 $\Theta$ 

			EB Office, Pain	
		M) elei		
	E-mail and Mobile No. of Contracto	r/ Bide		
	Supplying fitting and fixing 460 mm dia wall bracket fan with 400 mm sweep, high quality ABS base, 120 rib guard, pall cord control for speed & oscillation on-aff inclusive of all taxes royalty ere, all complete as per specification and direction of EH.			
		15		
	Supplying & Installing of Godrej/ Methodex/Wipro/Zuari /Durian make Steel MF System of size 10'x36"x18" with SiK do do all complete job as ner direction of E/).			
	e Required Columns of the Financial Bid shales. Rate to be filled both in the Digit & Word		Total Part B Amount (Rs) in Word =	
	-A (SOR -ETEM) VE(RS) EXCLUDING 10 00% BELOW			
ender ap clow BD	MOUNT (RS) (PART-A +PART-B)  t in favour of Puja Engicon Company Pvr. 1.  & PART-B © from Rare basis i.e total amos  Hundred Eighty Nine Only)			

THE SALE

## **Performance Security**

Name of Agency: - "Puja Engicon Company Pvt. Ltd"

<u>Performance Security of Regarding</u> "Renovation of Store Section at BSEB Office, <u>Patna (NIT-92/18-19)"</u>

NSC/ P.book_	DOI		<u>AMOUNT</u>
4374126601	25.03.19		1,45,000.00
4277557793	29.01.19		50,000.00
3933547079	16.02.18		40,000.00
3391211765	04.10.16		31,000.00
	<b>.</b>		
3673425491	06.06.17		22,000.00
	•	Total-	2 <b>,88,000.00</b>

(Rupees Two lac eighty eight thousand Only)

लेखा पदाधिकारी

विद्यार राज्य रौक्षणिक आधारभूत संरचना विकास निगम लिं०, पटना

Manulex 10

For Puja Engicon Company Pvt. Ltd.

Director

Chief Eng heer

2416

produced Agency of the same and the same of the same o

ng Parana a parta kanagaran ng parang Parang Parang Parang Parang kanang kanang kanang madipat

A CONTROL OF THE PROPERTY OF T

The set of the set of

Brown note

विश्वार राज्य रीक्षणिक जानारभूत संस्थाना भूगभू

The first first from the second for

2.100



## बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

(A Govt. of Bihar Undertaking) ISO 9001:14001; OHSAS 18001

Shiksha Bhawan, Bihar Rashtrabhasha Parishad Campus, Acharya Shivpujan Sahay Path, Saidpur, Patna - 800 004 Tel. No.: 0612 - 2660850 • Fax No.: 0612 - 2660256

E-mail: bseidc@gmail.com • Website: http://www.bseidc.in • CIN: U80301BR2010SGC015859

#### **Letter of Acceptance**

पत्रांक:- BSEIDC/FIN/3524/2018-19/- । ८०४ सेवा में. पटना, दिनांक.......28 १०२१ २० । १

Puja Engicon Company Pvt. Ltd. Jks-E12a, Old Jakkanpur, Patna

विषय:— बिहार राज्य अंतर्गत "Renovation of Store Section at BSEB Office, Patna (निविदा आमंत्रण सूचना सं0—92/2018-19), Sl. NO.-01 हेतु Performance Security जमा कर एकरारनामा करने के संबंध में।

महाशय,

उपर्युक्त विषय के संबंध में कहना है कि विषयांकित कार्य हेतु आपके द्वारा उद्धृत दरों पर कुल निविदित राशि रू० 56,89,989 / — (छप्पन लाख नवासी हजार नौ सौ नवासी रूपये) मात्र पर आपके पक्ष में निविदा की स्वीकृति प्रदान की गई है।

अतः निदेश दिया जाता है कि उक्त कार्य के एकरारनामा हेतु Performance Security की राशि रू० 2,85,000/— (दो लाख पचासी हजार रूपये) मात्र का पोस्ट ऑफिस सावधि जमा पासबुक/1, 2, 3 वर्षीय पोस्ट ऑफिस टाईम डिपोजिट/राष्ट्रीय बचत प्रमाण पत्र/किसान विकास पत्र, जो प्रबंध निदेशक, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०, पटना के नाम से प्रतिज्ञिप्त (Pledged) हो अथवा फिक्सड डिपोजिट रसींद जो बिहार राज्य में स्थित Nationalized/Scheduled बैंक से निर्गत हो एवं प्रबंध निदेशक, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि० पटना के नाम से प्रतिज्ञिप्त (Pledged) हो, जमा कर एकरारनामा कर लें।

कार्य हित में यह निदेश दिया जाता है कि संलग्न सूची के अनुसार आप तत्काल संबंधित कार्यपालक अभियंता से संपर्क कर आपूर्ति कार्य प्रारंभ करें। इस पत्र की निर्गत की तिथि को कार्य प्रारंभ की तिथि माना जाएगा। Performance Security की राशि के सत्यापन एवं समुचित श्रेणी में इस निगम में निबंधन के उपरांत एकरारनामा किया जाएगा।

विश्वासभाजन

मुख्य अभियंता

प्रतिलिपि :Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC website/Senior / Account Officer/ All Executive Engineer/ Suprintending Engineer BSEIDC for information & necessary action.

Shankar Kur Range cet Kur Director

मुख्य आभगता.D.C. Ltd, Patro

1)

Ö



### बिहार राज्य शैक्षणिक आघारभूत संरचना विकास निगम लिमिटेड BIHAR STATE EDUCATIONAL INFRA RE DEVELOPMENT CORPORATION LTD.

(A Govt. of Bihar Undertaking) ISO 9001:14001; OHSAS 18001

Shiksha Bhawan, Bihar Rashtrabhasha Parishad Campus, Acharya Shivpujan Sahay Path, Saidpur, Patna - 800 004 Tel. No.: 0612 - 2660850 \* Fax No.: 0612 - 2660256

E-mail: bseidc@gmail.com • Website: http://www.bseidc.in • CIN: U80301BR2010SGC015859

Letter No-BSEIDC/NIT/2018-19/- 407

Date:- 17 -01-19

### शुद्धि-पत्र-1

- 1 इस कार्यालय के निविदा आमंत्रण सूचना सं०-92, वर्ष 2018-19 through e-tendering website: www.eproc.bihar.gov.in/www.bseidc.in के क्रम सं०- । पर अंकित कार्य के लिए "प्रतिशत दर निविदा(SBD आधारित)" के स्थान पर "प्रतिशत दर / मदवार दर निविदा(F2 Double Bid)" पढ़ा जाए।
- उक्त निविदा आमंत्रण सूचना सं०-92, वर्ष 2018-19 के क्रम सं०-2 पर अंकित कार्य के लिए "प्रतिशत दर निविदा(SBD आधारित)" के स्थान पर "प्रतिशत दर/मदवार दर निविदा (SBD आधारित)" पढ़ा जाए।
- इस निविदा हेतु अग्रधन जमा करने की अंतिम तिथि, समय एवं स्थान दिनांक:-31.01.2019, 15:00 घंटा, प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम, पटना निर्धारित किया जाता है।
- 4 इस निविदा हेतु टेक्निकल बिड खोलने की तिथि एवं समय दिनांक:-31.01.2019, 16:30 घंटा, निर्धारित किया जाता है।
- 5 इस निविदा हेतु वित्तीय बीड खोलने की तिथि एवं समय दिनांक:-04.02.2019, 15:30 घंटा निर्धारित किया जाता है।

अन्य शर्ते पूर्ववत रहेंगी।

For Puja Engicon Company Pvt. Ltd.

Chief Eng near B.S.E.I.D.C. Ltd, Patron

THE REPORT OF THE PRODUCTION AS INVESTIGATION OF THE OFFICE OF THE PRODUCT OF THE

The second material production of the second

- 보스 Ng alind at the State of George distributes ' group' - gathley's primatern(brightning) (billing)

Date of the Control

CONTRACTOR TO STATE OF THE CONTRACTOR OF THE CON

0

0

0

1)

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

()

0

0

#### FP-51

t hate.

(Compared Fellically see Additional delical see the see the seed of

्रकात निर्मिता आसे प्राप्त प्राप्त के प्राप्त के प्राप्त के प्राप्त के प्राप्त प्राप्त के प्राप्त के प्राप्त क "प्रतिकास दर्ज निर्मिताऽसक्त अध्यक्ति" के स्थान पर "प्रतिकात वस्त मान्यत दर निर्मात (Signa

्ड्स मिरिया हेत् जावहान लाग करने जी जीतेक निर्णे समय एवं स्थान विजास -31.01.2019, 16.00 राह्म प्रवीद निर्देशक का कार्योत्स्य किंतर राह्म श्रेशियक प्रधारस्था संस्थान विवास नगम, 17.11 विवासित विध्या जाता है।

इस निविद्धा हेत् देवित्वाल वित्र एवलने की किया एवं समय वित्रांक अध्यात का कर का
 विद्यारित विच्या लाता है।

े उस निवास सेनू विकास बोड स्रोतन को निवास एवं स्मय विकास -04,02,2018, 1555 क

HOLD HELD BY BE

DESCRIPTION OF THE

of the language Company five

### SPECIAL CONDITIONS (Qualifying Criteria)

1. Tenderer should be registered with Central Govt./State Govt./PSU/Govt. Undertaking and valid registration certificate should be uploaded with tender.

2. The tenderers are required to deposit the earnest money as prescribed in the NIT and

scanned copy of EMD Should be uploaded with tender.

3. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

Certificate from EE / Equivalent Authority for Work Experience of Similar nature (Satisfactory completed at least one Building work of value not less than 25 % of estimated value of contract) in last five Financial years (2013-2014, 2014-2015, 2015-2016, 2016-

2017, 2017-2018).

5. Affidavit/Certificate "for not been debarred/Black listed and required attachments are true and correct and if found fake/ forged, the undersigned will be liable to be inflicted upon the FIR and lawful punishment as well as black listing".

6. Tenderer will have to upload proof for availability of minimum required key

equipments(either owned or leased or by procurement).

7. Conditional tenders shall be rejected.

### **GENERAL CONDITIONS**

1. (i) For Percentage rate Tender, the Quoted Rate Lesser than" Ten Percent (10%) below the B.O.Q cost" will be rejected.

(ii) The rates quoted by the contractor should be inclusive of all taxes, royalties and other incidental charges.

2. Contractor should satisfy themselves fully about the nature, site of work before offering

their tender and place of any ignorance afterwards shall not be considered.

3. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money will be forfeited.

4. Authority shall reserve the right to reject any or all the tenders or distribute the work to

more than one contractor without assigning any reason.

5. Any claim for idle labours on any account shall not be entertained.

6. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. for his labour on his own cost and initially will comply with labour rules prevalent in the locality.

7. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the

contractor.

- 8. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
- 9. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-
- Natural calamities
- b. Act of enemies.
- c. Transport and procurement difficulties.

For Puja Engicon Company Pvt. Ltd.

Jange et Kun

(Seal & Signature of Tenderer) Director

Page 1 of 2 Chief Eng near E.I.D.C. Ltd.

B.S.E.I.D.C. Ltd, Patne

TORN WHO INVAL B. B. B. L. D. C. L. W. W. W. C.

- d. Circumstances beyond the control of the state.
- 10. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- 11. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
- 12. The contractor shall make his own arrangement for water and light at the work site.
- 13. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 14. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 15. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 16. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.
- 17. The Defect liability Period shall be Three (3) Year from the date of completion of the work.
- 18. The Contractor shall rectify at his own cost in case the work is found to be defective during checking in liability period.
- 19. It will be the responsibility of the contractor to pay royalty of mines materials .The Contractor shall submit form "M" and "N" duly Filled as per "Bihar" Mines and Mineral Act 1972.
- 20. The Contractor shall Display a Signboard at work site about the work as on the format prescribed by Engineer- in- Charge.
- 21. The Contractor shall Furnish his programme of construction for execution of the work within the stipulated time schedule together with methodology of construction of each item or work and obtain the approval of the Engineer- in- Charge prior to actual commencement of work.

---------

For Puja Engicon Company Pvt. Ltd.

(Seal & Signature of Tenderer) Director

Page 2 of 2

Chief Eng neer
BS.E.I.D.C. Ltd, Patrie



## बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

(A Govt. of Bihar Undertaking) ISO 9001:14001; OHSAS 18001

Shiksha Bhawan, Bihar Rashtrabhasha Parishad Campus, Acharya Shivpujan Sahay Path, Saidpur, Patna - 800 004 Tel. No.: 0612 - 2660850 • Fax No.: 0612 - 2660256

E-mail: bseidc@gmail.com • Website: http://www.bseidc.in • CIN: U80301BR2010SGC015859

## निविदा आमंत्रण सूचना संख्या-92 वर्ष 2018-19

प्रतिशत दर निविदा (SBD आघारित)

किंवल ई-टेन्डरिंग पद्धति के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

बिहार राज्य के अन्तर्गत विभिन्न विद्यालयों में भवन का कार्य हेतु प्रतिशत दर निविदा आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार/सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रजिस्ट्रेशन, उक्त कार्य का लेटर ऑफ एक्सेपटेंस प्राप्त होने के बाद कराना होगा।

क्र० सं०		प्राक्कलि त राशि (लाख रू०में)	अग्रधन की राशि (रू० में)	परिमाण विपन्न का मूल्य (रू० में)	Beltron Bid Processing Fee (In Rs.)	कार्य समाप्ति की अवधि
1	बिहार विद्यालय परीक्षा समिति, पटना मुख्यालय में स्थित भंडार प्रशाखा के जीर्णोद्वार का कार्य।	100.12	2.03	10,000/	As appeared one e-tendering website	06 माह
2	बिहार विद्यालय परीक्षा समिति, पटना मुख्यालय में स्थित अतिथि गृह के जीर्णोद्वार एवं फनिंसिंग का कार्य।	112.90	2.26	10,000/	As appeared one e-tendering website	06 माह

नोट:- ()प्राक्कलित राशि घट या बढ़ सकती है एवं तद्नुसार अग्रधन की राशि घट या बढ़ सकती है। (ii) वेबसाईट:-www.eproc.bihar.gov.in पर अंकित अग्रधन की राशि अंतिम रूप से मान्य होगा।

- (1) विज्ञापन निर्गत करने की तिथि
- (2) परिमाण विपत्र प्राप्त करने(डाउनलोड) की अवधि एवं समय
- (3) प्री बिड मीटिंग का समय, स्थान एंव तिथि
- (4) निविदा प्राप्ति(अपलोड) की अंतिम तिथि एवं समय
- :- दिनांक:-24.12.2018
- :- दिनांक- 15.01.2019 से 29.01.2019, 15:00 घंटा तक (वेबसाईट:www.eproc.bihar.gov.in पर)
- :- दिनांक:- 21.01.2019, 16:00 घंटा तक. प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारमूत संरचना विकास निगम, पटना।
- :- दिनांक- 30.01,2019 समय- 15:00 घंटा तक

Ranjeet Kun Director



Chief Eng neer B.S.E.I.D.C. Ltd, Patna



होता कि होतामा स्वीध			olf

Mary Charles Obtail Ediffuses (8) निविदा खोलने का स्थान

वेषसाईट-www.eproc.bihar.gov.inपर

(9) निविदा की वैधता की अवधि

(10) ई-टेन्डरिंग की प्रकिया में भाग लेने हेतु संवेदकों को पंजीकृत होना होगा, जिससे कि उन्हें उपयोगकर्ता का नाम (user ID) पासवर्ड (Password) अंकीय हस्ताक्षर (Digital Signature) निर्गत की जायेगी। यह उन्हें वेबसाईट www.eproc.bihar.gov.in से डाउनलोड करने / टेन्डर की प्रक्रिया में भाग लेने की योग्यता प्रदान करेगा।

(11) ई-निविदा पत्र बेवसाईट www.eproc.bihar.gov.in से प्राप्त किया जा सकता है। संवेदक द्वारा सिर्फ उपर्युक्त वेबसाईट से ही परिमाण विपन्न प्राप्त करने के उपरांत वेबसाईट पर ही इलेक्ट्रानिक निविदा पत्र को भरकर भेजना है। अन्य सभी महत्वपूर्ण कागजात / बैंक ड्राफ्ट∕अग्रधन की राशि∕सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को स्कैन कर ई–निविदा के साथ संलग्न करना अनिवार्य है।

(12) (市) Beltron Bid Processing Fee as appeared on the e-tendering website:- www.eproc.bihar.gov.in & BOQ cost as mentioned is mandatory to be paid through e-payment mode i.e. Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS"

Bids along with necessary online payments must be submitted through e-procurement portal www.eproc.bihar.gov.in before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffic/ Holidays or any other reason. ऐसा नहीं करने पर निविदा मान्य नहीं होगा।

(ख) वांछित अग्रधन की राशि राष्ट्रीय बचत पत्र / डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक जो बिहार राज्य से क्रय या जमा किया हो, प्रबंध निदेशक, BSEIDC Ltd., पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा बिहार वित्त नियमावली के अनुसार BSEIDC Ltd. के नाम से फिक्सड डिपोजिट रिसिप्ट अथवा बैंक गारन्टी जो बिड के मान्य अवधि तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत/अनुसूचित बैंक से निर्गत हो (अगर बिहार प्रान्त के बाहर के बैंक से निर्गत बैंक गारन्टी दिया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड, पटना में दिनांक 31.01.2019 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रूप से जमा किया जाना आवश्यक है अथवा EMD can also be paid through e-payment mode i.e. "Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS". ऐसा नहीं करने पर निविदा मान्य नहीं होगा।

(13) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर लें। ताकि अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से बच सकें।

(14) निविदाकार निविदा डालने से पहले अपने स्तर से भी प्रस्तावित कार्य स्थल पर भूमि उपलब्धता के संबंध में आश्वरत हो लेगे।

(15) Even though the bidders meet the qualifying criteria, they are subject to be disqualified if they have record of poor performance such as abandoning the works, not properly completing the contract, inordinate delays in completion, litigation history or financial failure in the work of this Corporation.

(16) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। बिना कारण बताये निविदा या उसके अंश को अस्वीकृत करने/रद्द करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।

(17) विशेष जानकारी हेतु अघोहरताक्षरी के कार्यालय में कार्य अविध में सम्पर्क किया जा सकता है। ई-टेन्डरिंग की प्रकिया से संबंधित किसी भी प्रकार की जानकारी/सूचना हेतु सहायता कक्ष, ई—टेन्डरिंग कक्ष, प्रधत तल्ला, M/22, बैंक ऑफ इण्डिया भवन, रोड न० 25, श्री कृष्णा नगर, पटना-800001, दूरभाष सं० 0612-2523006/9939035696.

मुख्य परामर्शी (तकनीकी)

For Puja Engicon Company Pvt. Ltd.

Chief Eng near .E.I.D.C. Ltd B.S.E.I.D.C. Ltd, Patho

BOQ cost as mentioned is maintained to be used through expansion mode i.e. luterout payment arrequire.