- Work - Construction of Block Schedule XLV - Form No. 61 esource (1) centre at Phulparas Madhubani (SI No:-17) 1 Ltd. **ADHUBANI** ORKS DEPARTMENT [Form No. F-2] Akash Kumar ITEM RATE TENDER AND CONTRACT FOR WORKS memorandum at d in accodance in \_\_\_\_\_189 F<sub>3</sub> of 2017-18 · ubjects to the reement No. accordance with, General Rule and Direction for the guidance of Contractors. Date of Commencement - 11-12-2017 1. All works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer. This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours. 2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so. 3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the Commencement of receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm. 4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender. EN MONTHS 5. The amount of earnest money to be deposited will be : -If the amount of the estimate does not exceed Rs. 2,000 If the amount of the estimate exceeds Rs. 2,000 but does

6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompanied by the treasury challan for the required earnest money will be liable to rejection. No single tender shall find more than one work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the envelope training there of should be enclosed with the tender.

Akash Kuman. 11/12/2017 tructure
... Patna

- 7. The Engineer or his duly authorised assistant will open the tender in the presence intending contractors who may be present at the time and will enter the amounts of the several tender comparative statements in a suitable form. In the event of a tender being rejected the challan for the example of the enderer with a pay order for the amount money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount earnest money.
  - 8. The Engineer shall have the right of rejecting all or any of the tenders.
- 9. In the event of a tender being selected for acceptance the Engineer who opened the tender will, if he is competent to accept the tender, inform the tenderer or the selected tender who shall there sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identificant for his acceptance with the tender. The tender of the selected tender shall also deposit the recamount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with confidence of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount the security money within the priscribed time. The tender with the specification and other documents so by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunctive tenderer.

- 10. When a tender is selected for acceptance the tender shall deposit the required amount the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government is securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of security money. No tender shall be finally accepted until the required amount of the security money has a deposited.
- 11. The amount of security money to be deposited by the tenderer whose tender is selected acceptance shall be 10% of the estimated value of the work & towards this amount the earnest make already deposited by him shall be credit. At least half of this security inclusive of the earnest money shadeposited by the tenderer within such time as may be notified to him in writing by the officer opening tendering which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tense may be made up by deductions of 5% of the amount of each payment to be made to him under clause the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required amount of the second money has been deposited the Engineer shall scrutinise all pages of the tender of the ferrific ferrific for works to see that the form has been properly filled up and signes by discontrated witnessed He shall then if he is competent, to accept the tender. Souther acceptance of the officer competent to accept the acceptance of the officer competent to acceptance of the acceptance of the acceptance of the ac

Akash Kunan

## TENDER FOR WORKS

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

## **MEMORANDUM**

(a) If several sub-work are
actuded they should be
detained in a separate list.

Work.

This deduction from bills will be credited to the contractors

security deposit.

[a]

Name of work	
t-d cost	

[b] (b) This deposit will be 5% of the estimated cost of the

percentage

[c]	Earne	st m
[-1		

Initial security deposits (including earnest money) to be deposited befor the commencement of the work ..... [d]

Percentage to be deducted from bills Rs. 5% (Rupees five percent) [e]

Time required for the work from date of written order to commence ..... [f] monthly

RATE TENDERED

Date of written other to commence [g]

Total number of item of work tendered for [h]

5		RATE TE	NDERED	Per
Item No.	Item of work	In figures	In words	× ×
3				
			·/ · · · ·	
9		/		Trade.
		V	1.4	
•				
•				t .
ے.				
•				(Tachnical)
<b>-</b>				
		Bi		tional Infrastructure poration Ltd., Patna
-		2	everopinent Co.	The second of

n Ltd.

**ADHUBANI** 

memorandum at nd in accodance in subjects to the accordance with,

Commencement of

**EN MONTHS** 

ical) structure

Akash Kumar.

		RATE TE	NDERED		
Item No.	Item of work	In figures	In words	Pe	
IOTHUR 2014	entitle constraint of it was tray a legic				
	Pricipal Editation of the pricipal area to	Control of the Control			
C			/.		
		6	/		
			. /		
		* values/ ear			
		/ /			
		/		•	
(2003)					
		/			
		· · · · · · · · · · · · · · · · · · ·			
2.4		1347.9	Tiom Manager		
		a tale of Stephen and the			
				,	
1100	CI/STATE .		•		
The tw					
Constitution of the	Chief Consultant (Test Bibar State Educational Inf Development Committee)				
anima in	State total Control Control				

3 Schedule XLV - Form No. 61 (5) RATE TENDERED Item No. Item of work . Per n Ltd. In figures In words **ADHUBANI** memorandum at nd in accodance in Subjects to the accordance with, Commencement o EN MONTHS nical) structure d., Patna louchox

Itom No.	15030407 7049	RATE TE	RATE TENDERED		
Item No.	Item of work	In figures	In words /	Per	
			/		
		/			
		/			
		/			
		/			
		/			
		/			
		1			
			$\downarrow$		
				<b>\.</b>	
plant of the					
		1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1			

chedule XLV - Form No. 61 (7)

TO THE REAL PROPERTY.		RATE TE	RATE TENDERED		
em No.	Item of work	In figures	In words	Per	
		Ser. Reserve		1	
				1	
			/		
			/		
			/		
			/		
			1		
- 120				The state of the s	
		. / .			
	A CONTRACTOR OF LACE				
	Valley and the second of the second				
		V			
		1	1991 1872 18		
		/			
	manty to the out to a source				
01 19 100	Carle House models of	Company of the Parks	A CARLEDINA		
				A CONTRACTOR OF THE STREET	
				of the second second	
		many and this will be			
			a saturana		
miss		The state of the s			
0110					
		entir rus bazarro an	deposit in		
		toward to be			
		rive to discuss the	de la		
		tion of enclosing			
		11.00 11.00 10.00 10.00	6 - 10 - 10 0		
	Applications of the English	retainer avail for a	ici a con si		
			And the Control of the Control		
		alia e l'action de			
(hosim -	Chief Consultant (7				
gazetina kinea (tar)	Biling State It Jucattount				
with the states	Development Corporation	in with the track to be			

RATION LID.

on Ltd.

**MADHUBANI** 

en memorandum at and in accodance in Subjects to the n accordance with,

e Commencement of

EEN MONTHS

الم

structure d., Patna should this tender be accepted I/we hereby agree to abide by and fulfill al terms and provisions of the said conditions of contract annexed hereto so, for applicable, or in ssors in office the sums of money mentioned in the said conditions.

Dated the

day of

20

\*Signature, of contractor before comission of tender

witne

Addre

Occupati

Signature of witness to contractor's signature

The above tender is hereby accepted by me on behalf of the Governor of E

Dated the

day of

20

signature of the c

accepting the ter

Acceptances communicated on.....

signature of the taking the te

-00-

#### **CONDITIONS OF CONTRACT**

Compensation

Clause 1:- All compensation or other sums of payable by the contract Government under the terms of his contract may be deducted from, paid a sale of a sufficient part of his security deposit or from the Interest arising theor from any sums which may be due or may become due to the contract Government on any account whatsoever and in the event of his security debeing reduced by reason of any such deduction or sale as aforesaid, the contract shall within ten days there after make good in cash or Government secundorsed as aforesaid any sum or sums which may have been deducted from arised by, sale of his security deposit of any part thereof.

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which the work is finished after necessary rectification of defects as pointed by the Executive Engineer or his authorised agents are fully contractor to the Engineer's satisfaction.

Clause 2:- The time allowed for carrying out the work as entered in the shall be strictly observed by the contractor and shall be reckoned from the which the wirtten order to comence work is given to the contractor. The work throughout the stipulated period of the contract be carried on with all due dil (time being deemed to be the essence of the contract on the part of the contract of the contract on the part of the contract on the part of th or) and the contractor shall pay as compensation an amount equal to 1/2 in on the amount of the estimated cost of the whole work as shown by the term every day that the work remains uncommenced or unfinished after the proper And further to ensure good progress during the execution of the work the com shall be bound in all cases in which the time allowed for any work exceed month to complete one fourth of the whole of the work before one - fourth whole time allowed under the contract has elapsed one-half of the work before half of such time elapsed and three-fourths of the work, before three fourths time has elapsed in the event of the contractor failing to employ with this con I shall be liable to pay as compensation an amount equal to ½ percent on a estimated cost of the whole work for every day that the due quantity of remains incomplete provided always that the entire amount of compensation paid under the provisions the clause shall not exceed 10 percent of the est cost of the work as shown in the tender.

Action when persnle security deposit foreited

Clause 3:- In any case which under any clause or clauses of or this of the contractor shall have rendered himself laible to pay compensation among to the whole of his security deposit in the hands of Government (where sum or deducted by instalments) the Executive Engineer on behalf on the Government shall have been powered to adopt any of the laiblying courses may deem best suited to the enterest of Government.

(a) To rescind the contract (of which rescind notice in writing to the under the hand of the Executive Engineer shall be conclusive evidence which case the sectitiry deposit of the Contractor shall start for a tea absolutely at the disposal of Government Development Corporation Ltd.

Alast Kumer

- (b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debitting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in -charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.
- (c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original contractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4: - In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may, if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Enginee, as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

Clause 5 :- If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) he shall apply in writing to the Executive Engineer within 40 days from the date of starting of hinderance on account of which be desires such extension as aforesaid and the Executive 2-2017

Engineer shall, if in his opinion (which shall be final) reasonable gieficantels and rechnical) thereof authorised such extension of time if any, as may in his point of the recession of Infrastructure proper. The Executive Engineer shall at the same time inform the contractent Cetheration Ltd., Patna

claims compensation for the delay.

Akash Kyman

contractor remains liable to pay compensation if action not take under

Power to take posession of or require removal of or sell contractor plant.

Extension of time

knical) rastructure Lid., Patna chouchos

on Ltd.

**1ADHUBANI** 

n memorandum at and in accodance in Subjects to the accordance with,

ne Commencement of

EEN MONTHS

Final certificate

Payment of in terms date submitted monthly.

certificate to be regarded as advance and Bill to be

Stores supplied Government

Clause 6:- On completion of the work, the contractor shall be furnished with a certification by the Executive Engineer (herein after called the Engineer-in-charge) of such complete but no such certificate be given, nor shall the work be considered to be complete until contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be disting marked by the Executive Engineer in the site plan) on which the work shall be execu all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-wo doors, windows, walls, floors or other parts of any building, in upon or about which work is to be executed, or of which he may have had possession for the purpose of execution thereof, not until the work shall have been measured by the officer of Public Work Department in accordance with rules of Department whose measurement shall be binding and conclusive against the contractor. If the contractor shall fail comply with the requirements of this clause as to removal of scaffolding, surplus material and rubbish and cleaning off dirt on or before the date fixed for completion the work Engineer-in-charge may at the expense of the contractor remove such scaffolding, surp materials and rubbish and dispose of the same as the thinks fit and clean of such dir aforesaid, and the contractor shall forth with pay amount of all expense so incurred, shall have no claim in respect of any such scaffolding or surplus materials as afores except for any sum actually realised by the sale thereof.

Clause 7:- A bill shall be submitted by the contractor each month or before the fixed by the Engineer-in-charge for all work executed in the previous months and Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possibefore the expiry of the days from the presentation of the bill. If the contractor does submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordin shall measure up the said work in the presence of the contractor whose counter who counter signature on the measurement list will be sufficient warrant, and the Engineer charge or his subordinate shall prepare at bill from such list which shall be binding to contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each s. payment shall be deducted so much not exceeding 5% may be necessary to make the balance of the security. All such intermediate payment to the contractor shall regarded as payments by way of advance against the final payments only and no payments for work actually done and completed and shall not precinde the reputing bad, unsound and imperfect or unskilful work to be removed and taken away reconstructed or recreated be considered as an admission of due performance of contractor, or any part thereof in any respect, or the actual of any claim nor sha conclude, determine or affect in any way the powers of the Engineer-in-charge un these conditions or any of them as so the final settlement or adjustment of the account or in any other way vary or affect the contract.

Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor w the month of the date fixed for completion of the work.

Clause 9:- If the specification or estimate of the work provides for the use of special description of material to be supplied from the Engineer in-charge's stores of is required that the contractor shall use certain stores to be provided be the Enginee charge under the conditions of this contract or (such materials and stores, and the pr to be charged therefore as herein after mentioned being so far as practicable for convenience of the contractor, but not so as in any way to control the meaning or e of this contract are specified in schedule or memorandum here to annexed) the contra shall be supplied with such materials and stores noted in the annexed such scherequired from time to time to be used by him for the purposes of the contract, only the value of the full quantity of materials and stores so supplied at the rates specific the said schedule may be set off or deducted from any sum then due or there af become due to the contractor under the contract or otherwise, or against or form security deposit, or the proceed of sale thereof, if the security deposit, or the proceed of sale thereof, if the security deposit, or the proceed of sale thereof, if the security deposit, or the proceed of sale thereof, if the security deposit, or the proceed of sale thereof, if the security deposit, or the proceed of sale thereof, if the security deposit, or the proceed of sale thereof, if the security deposit, or the proceed of sale thereof. the same or sufficient portion thereof in this says sold for the purpose All materials supplied to the contractor shall remain the absolute preperty of Gayernment and not on any accounts he removed from this step of the work and shall at all times be op-

inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: - The contractor shall executive the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid.

Clause 11:- Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a disputes the decision of the superintending Engineer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period.

Clause 12:- If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out. the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsoever on account of any profit or advantage, which he might have derived from the execution of Sampensation for alterthe work in full, but which he did not derive in consequence of the full amount of the work, ation in or restriction of not having been carried out neither shall he have any claim for compensation by reason of any alternation having been made in the original specification bilder wings designs and Infrastructure instruction which shall involve any installment of the work as Originally certific apparation Ltd., Patna clause 12 (a) As contained in G O 1929 dated 11.9.56.

Work to be executed accordance with specification drawing other etc.

Alteration in specifications and designation

Do not in validate contract

Time in consequence of

Rate for work no in estimate or schedule of rates of the district.

echnical) nfrastructure Ltd., Patna Kehoushog

on Ltd.

MADHUBANI

en memorandum at and in accodance in 1 Subjects to the in accordance with,

the Commencement of

TEEN MONTHS

Alkan Kuman.

Clause 12 (a) The contractor shall not be entitled to claim any compensation loss suffered by him on account of delay by or on behalf of Government in the supplementary of the supplementary o materials as stores which the Government may have undertaken to supply where s failure is due to :-

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficult or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an applicaby the contractor within 30 days form the date of such failure or delay, such exterof time shall be granted to the contractor for completion of the work as shall appear the Engineer to be reasonable in accordance with the circumstances of the case decision of the Executive Engineer as to the extension of time shall be accepted finally by the contractor.

Action and compensation payable in case of work

Clause 13 :- If it shall appear to the Engineer-in-charge or his subordinal charge of the work that any work has been executed with unsound, imperfect or uns workmanship or with materials of any inferior description, or by any materials or an provided by him for the execution of the work are unsound or of a quality inferior to contracted for at otherwise not in accordance with the contract, the contractor sha demand in writing form the Engineer-in-charge specifying the inadverentaly pas certified and paid for, forthwith rectify or remove and re-contract the work so specific whole or in part as the case may remove the materials or articles so specified provided other proper and suitable materials or articles at his own proper charge cost, and in the event of failing to do so within period to be specified by the Engineer charge in his demand aforesaid the contractor shall be laible to pay compensation the rate of one percent, on the amount of the estimate for every day not exceeding days while his failure to do so shall continue and in the case of any such failure Engineer-in-charge may certify or remove, and re-execute the work or remove and repe with others, the materials or articles complained of as the case may be at the risk expense in all respects of the contractcor.

Work to be taken to inspection

Clause 14:- All work under in course of execution or executed in presence of contractor shall at the times be open to the inspection and supervision of the Engine in-charge and his subordinates and the contractor shall at all times during the us working hours and at all other time at which reasonable notice of the intimation of Engineer-in-charge or his subordinate to visit the works shall have been given to contractor, either himself to be present to receive orders and instruction, or have responsible agent duly credited in writing present for that purpose orders given to contractor's agent all shall be considered to have the same force as if they had be given to the contractor himself.

Contractor or responsible Agents to be

Clause 15:- The contractor shall give not less than five days notice in writing the Engineer-in-charge or his subordinate-in-charge of the work before covering up otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is covered up or placed beyond the reach of measurement and shall not cover up or pla beyond the reach of measurement of any work without the consent in writing of Engineer-in-charge or his subordinate in-charge of the work shall be covered up placed beyond the reach of measurement without such notice having been given consent obtained, the same shall be uncovered at the contractor's expenses or default there on payment or allowance shall made for such work on materials with what the same was effected.

Notice to be taken before work covered up

Clause 16:- If the contractor or his work-people, or servants shall break, defainjure or destroy any part of a building in which they may be waking or any building road, road curves, fence enclosure water pipes, cables, danie, electric or telephoposts or wires, trees, grass or grassland or cultivated ground contiguous on who the work or any part of it is being executed or Chief Committee Technical Similar Carolinia work, while in progress from any cause whatsoe State Education of Education State of Education o apparent in if within three months (six months velopment Corporation Link) Parte certificate final or other of its completion shall name been given by the Engineer-in-charge

Akash Kynen

as a fore seal, the contractor shall make the same good at his own expense, or in default, the Engineer-in-charge may cause the same to be made be good by other Contractor liable for worksmen and deduct the expense of which time thereafter may become due to the contractor, or from his security deposit, or the proceed of sale there of, or of a sufficient and after certificate portion there of the security deposit at the contractor shall not be refunded before the expiry of three months (six months in the case of a road-work) after the issue of the certificate final or otherwise of completion of work provided that in the case of a road work in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable after three months of the issue of the said certificate of completion

Clause 17:- The contractor shall supply at his own cost all materials (except such special materials) if any as may in accordance with the contract be supplied from the Engineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, rackle scaffolding and temporary works requisits or proper for the proper execution of the work whether original, altered or substituted and whether include in the specification or other documents forming part of the contract or referred to in these conditions or not or which may be necessary for purpose of satisfying or complying with the requirement of ne Engineer-in-charge as to any matter as to which under these conditions he is entitled be satisfied which he is entitled to require together with carriage therefore to and form ne work. The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting, weighing and assisting in the measurement or examination at any time and form time to me of the work or materials failing his so doing the same may be Provided by the engineer-in-charge at the expense of the contractor and the expenses may be deducted rom any money due to the contractor under the contract from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide all necessary fencing and lights required to protect the public from accident, and shall be bound to bear to expenses of defence of every suit action or other proceeding at law that may be brought by any person for injury sustained owing to neglect of the above precautions and to any such person or which may with the consent of the contractor be aid to compromise any claim by any such person.

Clause 18:- No female labour shall be employed within the limits of contonment. he contractor shall not employ for the purpose of his contract any person who is below ne age of twelve years and shall pay to each labour for the work done by such labourer rages not less than the wages paid for similar work in the neighbourhood.

The executive Engineer shall have the right to enquire into the case and decide ny complaint alleging that the wages paid by the contractor to any labourer for the work one by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer nployed by contractor is below the age of twelve years and to refuse to allow any bourer whom he decided to be below the age of twelve years to be employed by the

Clause 19:- The Contractor shall not be assigned or subject without the written proval of the Executive Engineer. And if the contractor shall assign or subject his ntract, or attempt so to do, or become insolvent proceedings to make any composition h his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, offered by the contractor, or any of his servant or agents to any public officer or person he employ of Government in any way relating to his officer or employment or if any ch officer or person shall become in any way directly or indirectly interested in the ntract the Executive Engineer may there upon by notice in writing rescind the contract. e security deposit of the contractor shall there upon stand forfeited and be absolutely he disposal of Government and the same consequence shall ensure as if the contract (Technical) been recinded under clause 3 here of, in addition the contractor shall not be entitled infrastructure ecover or be paid to any work therefore actually performed the under the contract.

Akash Kyman

damage done and for imperfection a months on Ltd.

**MADHUBANI** 

en memorandum at and in accodance in

in accordance with,

the Commencement of

TEEN MONTHS

d Subjects to the

Contractor to supply to plantladder scaffolding

And is liable for damage arising for non-provision of light fencing etc.

Work not to be subject

Contract may be resinded and security deposit for-felted for subletting bribes or if contractor become insolvant

'echnical) Infrastructure in Ltd., Patna Kehoushog

such payable by way of compensation to be considered reasonable compensation without reference to actual loss Clause 20:- All sums payable by way of compensation under any of conditions shall be considered as reasonable compensation to be applied to the sthe Government without reference to the actual loss or damages sustained and the not any damage shall have been sustained.

Clause 21:- In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge information.

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days Engineer-in-charge may be notice in writing rescind the contract and the security de of the contractor shall thereupon stand forfeited and be absolutely at the dispos Government and the same consequences shall ensure as if the contract has rescinded under clause 3 hereof, and in addition the contractor shall not be entitle recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer

Clause 22:- All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engine the circle for the time being who shall be entitled to direct at what point or points a what manner they are to be commenced, and from time to time carried on.

Clause 23:- In case any dispute or difference shall arise between the parteither of there upon any question relating to the meaning of the specifications, des drawings and instructions here before mentioned or as to the quality of workmans materials used on the work or as to the construction of any of the conditions or clause or thing there in contained or as to any question, claim, rights of the partie any matter, or things whatsoever in any way arising out of or relating to the condesigns, drawings specifications, estimates, instruction order of these condition otherwise concerning the work or the execution, or failure to execute the same wharising during the progress of the work of alter the completion or abondment there as the breach of those contract then either party shall forthwith give to the order of such dispute or difference and such dispute or difference shall be referred to Superintending Engineer of the circle and his decision there on shall be final, conclusing beginning on all the parties.

Lum sum in estimate

(a) Clause 24:- When the estimate on which a tender is made includes sum in respect of the contract shall be entitled to payment in respect of the item work involved of the work in question the same rates as are payable under this consuch terms, for if the part of the work in question is not in the opinion of the Engineer charge, capable of measurement the Engineer-in-charge, may at his direction palump sum amounts entered in the estimate, and the certificate in writing of the Engine-charge shall be final and conclusive against the contractor with regard to any payable to him under the provision of this clause.

Action where no specificaiton.

Clause 25:- In the case of any class of work for which there is no such specific as is mentioned in rule 1, such work shall be carried out in accordance with the especification and in the event of there being no circle specification, then in such the work shall be carried out in all respects in accordance with the instructions requirements of the Engineer-in-charge.

Definition of works

Clause 26: The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to a construction be constructed and taken to mean the work by or virtue of the contracted to be executed whether temporary or permanent, and whether original, alter substituted or additional.

Witness.

Akan ku

Other State Educational Landstonehau

Alkash Kain

(15)

Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied

Particulars	Rates at which the material will be charged to the contractor		will be charged to the contractor		Place of delivery
	Unit Rs.	P. /			

ition Ltd.

, MADHUBANI

itten memorandum at ce and in accodance in nd Subjects to the s in accordance with,

the Commencement of

TEEN MONTHS

Note:-The person or firm submitting the tender should see that the rates in the above schedules are ed up by the Engineer-in-charge on the issue of the form prior to the submission of the tender

Chief Consultant (Technical)

Developatene Compectitive Embir Betha

**Bihar State Educational Infrastructure** 

chnical) nfrastructure Lid., Patna

Akash Kuna Signature of Contrator)

# AGREEMENT for Construction of Block Resource Centre at PHULPARAS, MADHUBANI

### **TENDER FOR WORKS**

I/we heredy tender for the execution for the Governor of Bihr of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of witten order to commence and in accodance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subjects to the annexed condation of contract and with such materaials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

### **MEMORANDUM**

- (a) If several sub-work are incuded they should be detained in the separate list
- (A) Name of Work: Construction of Block Resource Centre at PHULPARAS, MADHUBANI (Sl. No-17)
  - (B) Estimated Cost :- Rs. 79,06,795=00 Agreement value :- Rs. 71,16,115=00
- (b) This deposit will be 5% of the estimated cost of the work.
- (C)Earnest Money:-
- (c)This percentage deduction from bills will be credited to the contractors security deposits
- (D) Initial security deposits (including earnest money) to be deposited before the Commencement of the work-

Earnest Money:- Rs. 3,60,000/- (Details attached)

- (E) Percentage to be deducted from bill Rs. 5% (Rupees five percent)
- (F) Time required for the work from date of written order to commence FIFTEEN MONTHS
- (G) Date of written order to commence:-
- (H) Total number of item of work tendered for :- 116

Alkayl Kuna.

Chief Consultant (Technical)
Bihar State Educational Infrastructure

Development Corporation Ltd., Patna

	III S. III -	EDUCATIONAL INFRASTRUCTUR SHIKSHA BHAWAN, SA	IDI UIV,	I TY I I TY		THE CAUSES DEED
		B.O.Q. FOR BLOCK RESOURC	E CENTR	E IN BIH	AK	
	THE ITEM	RATE BASED ON S.O.R BCD BIHAR, DAT	TE - 15-09-	-2014, & D	S.R (ELEC	CTRICAL) 2014
L. 0.	DISTRICT	NAME OF INSTITUTE			BLOCK	
<u>.                                    </u>	MADHU BANI	BLOCK RESOURCE CENTRE		PH	HULPAR	AS
		CIVIL WO	RKS		×	
		a place the property of the second control of	2		Rate	Amount
SI.	SOR Item No.	Item of Work	Qty.	Unit	(Rs.)	(Rs.)
1	2	Hestore or the Add 3	4	5	6	, , , , , , , , , , , , , , , , , , ,
	PILE WORK	S				
1	20.2	Boring, providing and installing bored cast- in-situ reinforced cement concrete piles of grade M-25 of specified diameter and length below the pile cap, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring, with bentonite solution and temporary casing of appropriate length for setting out and removal of same and the length of the pile to be embedded in the pile cap etc. all complete, including removal of excavated earth with all lifts and leads (Length of pile for payment shall be measured upto bottom of pile cap).	0.000	PRESC.	20063	Rs. One thousand three
	20.2.1	300 mm dia Piles	0.000	meter		hundred nine and paise thirty only.  Rs. One thousand five
	20.2.2	400 mm dia Piles	0.000	meter	1523.20	hundred twenty three as paise twenty only.
	20.2.3	450 mm dia Piles	0.000	meter	1978.80	Rs. One thousand nine hundred seventy eight and paise eighty only.
	20.2.4	500 mm dia Piles	0.000	meter	2306.60	Rs. Two thousand thre hundred six and paise sixty only.
	20.2.5	600 mm dia Piles	0.000		/	Rs. Two thousand nine hundred ninety six and paise ten only.

Akash Kuman.

Chief Consultant (Technical)

Bihar State Educational Infrastructure

Development Corporation Ltd., Patna

240

			1			
	20.2.6	750 mm dia Piles	0.000	meter	4219.70	Rs. Four thousand two hundred nineteen and paise seventy only.
2	20.3	Boring, Providing and installing cast in situ single under reamed piles of specified diameter and length below pile cap in M-25 cement concrete, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring with bentonite solution and the length of the pile to be embedded in pile cap etc. all complete. (Length of pile for payment shall be measured upto to the bottom of pile cap):	18330		205.10	Re the section was passed that
	20.3.1	300 mm dia Piles	0.000	meter		Rs. One thousand nine hundred thirty four and paise twenty only.
	20.3.2	400 mm dia Piles	0.000	meter		Rs. Two thousand two hundred twenty five and paise thirty only.
	20.3.3	450 mm dia Piles	0.000	meter		Rs. Two thousand three hundred ninety seven and paise fifty only.
	20.3.4	550 mm dia Piles	0.000	meter	- A. A.L.	Rs. Two thousand six hundred five and paise ten only.
3	20.4	Extra over item No. 23.3 for providing additional bulb in under reamed piles, under specified dia meter (Only the quantity of extra bulbs are to be paid).			\ \.\.	Pay Chiemantichanan
	20.4.1	300 mm dia Piles	0.000	Each		Rs. One thousand two hundred forty and paise tèn only.
	20.4.2	400 mm dia Piles	0.000	Each		Rs. One thousand three hundred seventy three and paise eighty only.
	20.4.3	450 mm dia Piles	0.000	Each		Rs. One thousand four hundred fifty four and paise eighty only.
•	20.4.4	500 mm dia Piles	0.000	Each		Rs. One thousand five hundred ninety seven and paise twenty only.

Akash Kuna.

11-12-2017

Chief Comments (Secretary)

		NEXCAVATION				
4	2.8.1	Earthwork in excavation in as(exceeding 30cm in depth. 1.5m in width as well es 10sqm on plan) incloding dressing of sides and ramming of bottom, lift upto 1.5 including getting out the excavated soil and disposal of surplus soil as directed within a lead of 50m.  All Kind of soil = 286.64 CUM  SEPTIC TANK = 31.89 CUM  TOTAL QUANTITY = 318.53 CUM	318.530	cum		Rs. Two hundred five and paise twenty only.
5	2.29.1	Surface dressing of the ground including removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5m All kinds of soil.  = 136.41 CUM	136.410	100 sqm	718.800	Rs. Seven hundred eighteen and paise eighty only.
EA	ARTH FILL					
6	2.26	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth: consolidating each deposited layer by ramming and watering lead = 188.98 CUM	188.980	cu.m	66.40	Rs. Sixty six and paise forty only.
6	AND FILLI	NG.				
7	2.28	Supplying and Filling in plinth with local sand and under floors including, watering, ramming consolidating and dressing complete.  = 118.79 CUM SEPTIC TANK = 1.02 CUM TOTAL QUANTITY = 119.81 CUM		cu.m	192.50	Rs. One hundred ninety two and paise fifty only.
FLA	T BRICK S	OLING				
8	11.72	Providing designation 100 A one brick flat soling joints filled with local sand including cost of watering, taxes, royalty all complete as per building specification and direction of E/l, 10 + 2, BUILDING = 291.84 CUM SEPTIC TANK = 13.57 CUM TOTAL QUANTITY = 305.41 CUM		80 30		Rs. Two hundred twent seven and paise sixty only.

Akash Kuna.

111-12-2-17

	P.C.C.					
9	4.1.5	Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level  1:3:6 (1cement: 3 coarse sand : 6 graded stone aggregate 20mm nominal size)  = 13 CUM	13.000	cu.m	2775.70	Rs. Two thousand seven hundred seventy five and paise seventy only.
10	4.1.4	Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level 1:2:4 (1 Cement: 2 coarse sand : 4 graded stone aggregate 40 mm nominal size)10 + 2 , BUILDING = 8.74 CUM SEPTIC TANK = 2.98 CUM TOTAL QUANTITY = 11.72 CUM		cu.m	3219.7	Rs. Three thousand two hundred nineteen and paise seventy only.
1	FLOORII		y e ar	40 sq.	.m 801.	Rs. Eight hundred one and paise eighty only.

Akash Kuma.

Chief Consultant (Technical)
Bihar State Educational Infrastructure

Development Corporation Ltd., Patna

			14			
12	11.36	Providing and fixing 1st quality ceramic glazed wall tiles conforming to 1S: 15622 (Thickness to be specified by the manufacture) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-charge in skirting, risers of steps and dados over 12 mm thick bed of cement Motar 1:3(1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching shade complete.  TOILET PORTION = 188.874 SQM	59 183		3 - 1 - 1 - 2	Rs. Seven hundred fifty four and paise twenty only.
		Suttemes place and array as area than	188.874	sq.m	754.200	
13	11.26.1	Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime: 1 surkhi: 1 coarse sand) / 1:4 (20 TO 25MM THICK) = 281.852 SQM	20.500	COST	5664.26	Rs. Nine hundred sixty eight only.
		Continue any living the value	281.852	sq.m	968.00	
14	11.27	Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand ) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm	0.930	sq.m	927.50	Rs. Nine hundred twenty seven and paise fifty only.
15	8.3.2	Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work	0.00	M	239.10	Two Hundred Thirty Nine and paise ten only

Akash Kune.

			15			
WORI	K BELOW F	PLINTH LVL.				
16	5.1.1	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing & reinforcement - all work upto plinth level.  1:1:2 (1cement: 1 coarse sand : graded stone aggregate 20mm nominal size)  = 59.183 CUM	59.183	cu.m	5110.70	Rs. Five thousand one hundred ten and paise seventy only.
R.C.C	. WORK AI	BOVE PLINTH LVL.				
17	5.2.1	Reinforced cement concrete work in wall (any thickness), including attached plasters, buttresses, plinth and struts etc upto floor five level excluding the cost of centring, shuttering, finishing & reinforcement 1:1:2 (1cement: 1 coarse sand: 2 graded stone aggregate 20mm nominal size) 10 + 2, BUILDING = 20.51 SQM	20.510	cu.m	5666.20	Rs. Five thousand six hundred sixty six and paise twenty only.
18	5.1.3	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing and reinforcement-All work puto plinth level. 1:2:4 (1 cement:2 coarse sand:4 graded stone	39.878	1.50.18	1 32 30	Rs. Three thousand four hundred thirty eight and paise ninety only.
		aggregate 20 mm nominal size) SEPTIC TANK = 0.93 CUM	0.930	cum	3438.90	

Alkash Kume.

Chief Consultant (Technical)

Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

			(6)			
19	5.3	Reinforced cement conrete work in				
	+	beams, suspended floors, roofs having slope				
	5.33B.4	upto 15, landings, balconiec, shelves,				Re Seventy five and
	+	chajjas, lintels, bands, plain window sills,				eesse maets univ
	5.33B.1	staircases and spiral stair cases upto floor				
		five level excludingthe cost of centring,				
		shuttering, finishing and	134 (97)	F. S. J. S.	25 16	
		reinforement with 1:2:4(1 cement:2 coarse				
		sand:4 graded stone aggregate 20 mm				Rs. Four thousand five
		nominal size).				hundred eighty one and
		Add or deduct for providing richer or leaner				paise twenty only.
		mixes respectively at all floor levels.			21871.00	pance thenly and
		Providing M-15grade R.C.C instead of M-			46.1.204.224	
10.00	AS THE RESERVE	20 grade R.C.C.				
		Proiding M-25 grade R.C.C. instead of M-				
		20 grade R.C.C.				
		= 100.44 CUM				
			836,858	(A)	123.50	
		Discuss Colleges Blaster I 3 41 concer-	(			
	Part Sea	Substant months with the firsteness court of their	100.440	cu.m	4581.20	On the last of the
		Themen A mai cement pending				the and more show daily.
В	RICK WOF	RK STATE OF THE ST			and the second second	
			10.000	1861 181		
20	6.1.14A	Brick work with bricks of class designation				
		100A in foundations and plinth in cement				AT THE PERSON OF
		mortar 1:6 (1cement :6 coarse sand)				Rs. Three thousand nine
		= 39.878 CUM	104 (389	29.57		hundred ninety two and
		III non person Places 12 4 4 common				paise ninety only.
		laborer profit within doubles and of the				
		Personal English of the Company and a virial	39.878	cu.m	3992.90	,
21	6.1.14A	Brick work with bricks of class designation				The Paradicity field
	+	100A in foundations and plinth in : Cement				
	6.3A	mortar 1:6 (1 cement: 6 coarse sand)				Rs. Four thousand four
		Extra for Brick work in superstructure				hundred twenty seven
		above plinth level upto floor V cum				and paise fifty only.
		= 160.082 CUM		*144		
		town thick under states of Cellife nor	1.60.000		4427.50	
		Negros established	160.082	cu.m	4427.50	THE NEXT REYORALD
22	6.18.4A	Half brick masonry with bricks of class				Carse duty daty
	+	designation 100A in foundations and plinth				
	6.19A	in : Cement mortar 1:4 (1 cement: 4 coarse				Do Five hundred thirty
	Services -	sand)				Rs. Five hundred thirty
		Extra for half Brick masonry in				eight and paise thirty
	V	superstructure above pinth level upto floor				only.
		V level.				
	- '	= 134.043 SQM	124.042	C	520.20	
			134.043	Sq.m.	538.30	

Alkash Kumar.

Chief Consultant (Technical)

Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

			17			
23	6.21A	Extra for providing and placing in position 2 Nos, 6 mm dia, MS bars at every third course of half brick masonry (with F. P. S. bricks) = 134.043 SQM				Rs. Seventy five and paise ninety only.
		n presente	134.043	Sq.m.	75.90	
24	6.1A + 6.1.12/1	Brick work with bricks of class designation 100A in foundations and plinth in: Cement mortar 1::4 (1 cement: 4 coarse sand) = 8.75 CUM				Rs. Four thousand one hundred eighty four only.
			8.750	cum	4184.00	
	ASTER WO					
25	13.13.4	20 mm cement plaster of mix; 1:6 (1 cement: 6 coarse sand) = 836.658 SQM	836.658	sq.m	123.50	Rs. One hundred twenty three and paise fifty only.
26	13.13.1 + 13.26	20 mm cement Plaster 1:3 (1 cement: 3 coarse sand) with a floating coat of neat cement & neat cement punning SEPTIC TANK = 16.65 SQM	16.650	sq.m	185.60	Rs. One hundred eighty five and paise sixty only.
27	13.11.4	12mm thick Cement plaster of mix 1:6 (1 cement : 6 coarse sand) = 1041.58 SQM	1041.580	sq.m	89.30	Rs. Eighty nine and paise thirty only.
28	13.17.1 +13.36.1	12 mm cement Plaster 1:3 (1 cement: 3 coarse sand) with a floating coat of neat cement & Extra for providing and mixing water proofing material in proportion recommended by the manufacturers: 12 mm cement plaster 1:3(1 cement :3 sand)  SEPTIC TANK = 52.82 SQM	166 SA	sq.m	145.50	Rs. One hundred forty five and paise fifty only.
29	13.24.2	6mm thick Cement plaster of Ceiling mix 1:4 (1 cement : 4 coarse sand) = 388.53 SQM	388.530	sq.m	77.40	Rs. Seventy seven and paise forty only.

Akash Kunan.

Chief Consultant (Technical)
Bihar State Educational Infrastructure

Development Corporation Ltd., Patna

			18			
30	11.3.1 + 11.8	Cement concrete flooring 1:2:4(1 cement:2 coarse:sand:4 graded stone agregate) finished with a floating coat of neat cement including cement slurry, etc. but excluding the cost of nosing of steps etc. complete. 40 mm thick with 20 mm nominal size stone aggregate.  Extra for making chequers of approved pattern on cement concrete floors, steps, landing, pavemerts etc.  = 136.41 SQM	105.728	39 m	\$1X.A()	Rs. Two hundred thirty two and paise ninety only.
		Short Wastern And excellence of a legisle	136.410	sq.m	232.90	
FINIS	SHING WO	RK				
31	13.46.1	Finishing walls with Acrylic Smooth exterior paint of required shade :New work (Two or more coat applied @ 1.67 ltr/ 10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/ 10 sqm)  EXTERNAL WALL = 836.658 SQM		K	75 (0	Rs. Sixty eight and paise eighty only.
		building and from their deer shapers	836.658	sq.m	68.80	
32	13.80A.2	Providing and applying white cement based putty of average thickness 2 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	2266.768	sq.m	118.70	Rs. One hundred eighteen and paise seventy only.
33	13.77.2	Distempering with oil bound washa ble distemper of approved brand and manufacture to give an even shade.  New work (two or more coats ) over and including priming coat with cement primer	48 (95	3 <u>4</u> Pi	1823 50	Rs. Sixty four only.
		INTERNAL WALL & CEILING = 1430.11 SQM	1430.110	sq.m	64.00	As Salary sign and base
34	13.81.1	Applying priming coat with ready mixed pink or grey primer of approved brand and manufacture on wood work (hard and softwood)	41.000	et s	63. SA	Rs. Twenty five and paise twenty only.
		= 115.68 SQM	115.680	sq.m	25.20	

Akash Kunan.

			19		3	
35	13.81.3	Applying priming coat with ready mixed zinc chromate yellow primer of approved brand and manufacture on steel galvanized iron/steel work.  = 105.728 SQM	105.728	sq.m	21.30	Rs. Twenty one and paise thirty only.
36	13.93.1	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade two or more coats on new work = 221.408 SQM				Rs. Fifty and paise ninety only.
37	10.14.1	Providing and fixing T-iron frames for doors, windows and ventilators of mils steel Tee-sections, joints miltred and welded with 15x3 mm lugs 10 cm long embedded in cement concerete blocks 15x10x10 cm of 1:3:6 (1 cement: 3 coarse sand: 6 graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required including = 339.675 KG	221.408	sq.m	50.90	Rs. Seventy five and paise ten only.
38	9.21.1	Providing and fixing flush door shutters conforming to IS: 2202 (Part-I) non-decorative type.core of block board construction with frame of 1st class tiard wood and well mathched commercial 3 ply veneering wiih vertical grains or cross bands and face veneers on both faces of shutters.  35 mm thick including anodized aluminum butt hinges with necessary screws  = 48.195 SQM	48.195	Kg.	75.10 1823.80	Rs. One thousand eight hundred twenty three and paise eighty only.
39	9.119.1	Providing and fixing oxidised M.S.tower bolt black finish,(barrel type) with necessary screws etc.complete 250x10mm 10 + 2, BUILDING = 44 EACH	44.000	each	66.50	Rs. Sixty six and paise fifty only.

Alkash Kuman.

Chief Consultant (Tachnical)

,	1	6
	2	_

			20	)	20	
40	9.104.1	Providing and fixing M.S.handles with necessary screws etc.complete 125 mm 10 + 2, BUILDING = 44 EACH	44.000	each	27.50	Rs. Twenty seven and paise fifty only.
41	9.223.2	Providing and fixing alluminium hanging floor door stopper anodised (anodic coating not less than grade AC 10 as per IS :1868) transparent or dyed to required colour and shade with necessary screws etc.complete:Twin rubber stopper = 22 EACH	22.000	each	82.70	Rs. Eighty two and pais seventy only.
42	9.100.1	Providing and fixing M.S. sliding door bolts bright finished or/and black enamelled, with nuts and screws etc.compelled: 300x16 mm = 22 EACH	22.000	each	177.40	Rs. One hundred sevent seven and paise forty only.
ST	TEEL WOI	RK	22.000	Cacii	177.40	
43	10.12.1 + 10.13B	Providing and fixing glazed steel doors, windows or ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm M.S. lugs10cm long with steel legs embedded in cement concrete blocks 15x10x10cm.of (1:3:6) (1cement : 3coarse sand : 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required. Doors  Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel Windows.  = 95.715 SQM		Kon	77.40	Rs. Three thousand two hundred seventy and paise sixty only.
		10 Itmm dia	95.715	sq.m	3270.60	es ocuent care soll

Akash Kune.

10.12.1 Providing and fixing glazed steel doors, windows or ventilators of standard rolled steel sections, joints mitered and welded with 15x3 m/ M.S. lugs10cm long with steel legs enbedded in cement concrete blocks 15x1cx10cm.of (13:6) (1cement: 3coarse and: 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plug providing and fixing of glass punels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of approved steel primer excluding the cost of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel ventilators = 3.24 SQM  45 9.82.1 Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. Hat square or round bars etc all complete fixed to steel windows by welding. = 1722.87 KG  46 5.22 Reinforcement for RCC work including straightening cutting, bending, placing in position and Lunding all complete.  1 TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM 171AL QUANTITY = 8393 KG 8393.000 KG 74.40  8 S. Seventy four and paise forty only.  7 Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG 1300.000 KG 73.10					2	-(		
ted sections, joins mitred and welded with 15x3 mm M.S. Jugs10cm long with steel legs embedded in cement concrete blocks 15x1x10cm, (12:36) (Lement : 3coarse sand : 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hin ses or pivots as required. Doors Extra for pro: ding and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows,ventilators and composite units. Steel ventilators = 3.24 SQM  45 9.82.1 Providing and fixing m.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding.  = 1722.87 KG  1722.87 Kg  1722.87 Kg. 1722.87 Kgs. 91.50  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG  SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  8893.000 KG  74.40  Rs. Seventy four and paise forty only.  Rs. Seventy three and paise forty only.		44	10.12.1	Providing and fixing glazed steel door	rs.			
steel sections, joints mitered and welded with 15x3 mm M.S. Jugs10cm long with steel legs embedded in cement concrete blocks 15x1v.10cm.of (1:36) (1cement : Jeoarse sand : 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glaring clips and special metal-sush putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hineso privots as required. Doors Extra for pro iding and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows.ventilators and composite units. Steel ventilators = 3.24 SQM  3.240 sq.m 3277.60  3.240 sq.m 3277.60  45 9.82.1 Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding. = 1722.87 KG  46 5.22 Reinforcement for RCC work including straightening cutting, bending, placing in position and Lunding all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 Smm dia = 8300 KG  SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  8.85 Seventy flour and paise forty only.  Rs. Seventy four and paise forty only.  Rs. Seventy flour and paise forty only.  Rs. Seventy three and paise ten only				windows or ventilators of standard rolle	be			The Name of the State of the St
with 15x3 mm M.S. lugs10cm long with steel legs embedded in cement concrete blocks 15x10x10cm.of (13x6) (1cement : 3coarse sand : 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hin eas or pivots as required.Doors Extra for pro ding and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows.ventilators and composite units.Sicel ventilators = 3.24 SQM  3.240 sq.m 3277.60  3.240 sq.m 3277.60  7.24 sq.m 3277.60  8.8. Ninety one and paise fifty only.  1722.87 KG  1722.87 Kg. 1722.87 Kgs. 91.50  1722.87 Kgs. 91.50  1722.87 Kgs. 91.50  1722.87 Thermo-Mechanically Treated bars TMTC-500 mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  8.8. Seventy flour and paise forty only.  18. Seventy three and paise forty only.  18. Seventy three and paise forty only.  18. Seventy three and paise forty only.			10.13C	steel sections, joints mitered and welde	ed			torise eranini ocite
steel legs embedded in cement concrete blokes ISxIku/lomor (1:3:6) (Icement: 3coarse sand: 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels ith glazing clips and special metal-sish putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hin-es or privots as required.Doors Extra for pro-iding and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel ventilators = 3.24 SQM   45 9.82.1 Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding. = 1722.87 KG  46 5.22 Reinforcement for RCC work including straightening cutting, bending, placing in position and Londing all complete.  TIMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  8393.000 KG  74.40  Rs. Seventy four and paise forty only.				with 15x3 mm M.S. lugs10cm long wi	th	100	7.8	
blocks 15x1cJ0cmof (1:3:6) (Lement: 3 coarse sand is ograded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinese or pivots as required. Doors Extra for pro- iding and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows.ventilators and composite units. Steel ventilators = 3.24 SQM   3.240 sq.m 3277.60  8.8. Ninety one and paise fifty only.  1722.870 Kgs. 91.50  1722.87 KG  1722.870 Kgs. 91.50  1722.870 Kgs. 91.50  1722.870 Kgs. 91.50  5.22.7A Thermo-Mechanically Treated bars TMTC- 500 8mm dia = 8300 KG  5.22.7B Ibermo-Mechanically Treated bars TMTC- 500 10mm dia = 8300 KG  5.22.7B Ibermo-Mechanically Treated bars TMTC- 500 10mm dia = 1300 KG  1 Ibermo-Mechanically Treated bars TMTC- 500 10mm dia = 1300 KG  88. Seventy three and paise find only.			502.70	steel legs embedded in cement concre	te			
3coarse sand : Ggraded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hin es or pivots as required. Dors Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows.ventilators = 3.24 SQM  45 9.82.1 Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding. = 1722.87 KG  46 5.22 Reinforcement for RCC work including straightening cutting, bending, placing in position and unding all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  8.22.7B Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG  8.5. Seventy three and paise fin only.				blocks 15x10x10cm.of (1:3:6) (1cement				Server two made and
20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required. Doors Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel ventilators = 3.24 SQM  3.240 sq.m 3277.60  Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding. = 1722.87 KG  1722.87 KG  1722.87 Kg. 1722.87 Kgs. 91.50  1722.87 Kgs. 91.50  S.22.7A Thermo-Mechanically Treated bars TMTC-500 Smm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  S.22.7B Thermo-Mechanically Treated bars TMTC-500 I0mm dia = 1300 KG  S.22.7B Thermo-Mechanically Treated bars TMTC-500 I0mm dia = 1300 KG				3coarse sand : 6graded stone aggrega	te			pass outles only in the
and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinses or pivots as required. Doors Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel ventilators = 3.24 SQM  3.240 sq.m 3277.60  Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding. = 1722.87 KG  1722.87 KG  1722.87 Kg. 91.50  S.22.7A Reinforcement for RCC work including straightening cutting, bending, placing in position and Londing all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 Smm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  8393.000 KG 74.40  Rs. Seventy four and paise forty only.  Rs. Seventy three and paise ten only.			3 3 5 5 5	20mm nominal size) or with wooden plus	re			
fixing clips or with botts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hin es or pivots as required. Doors Extra for pro iding and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel ventilators = 3.24 SQM   3.240 sq.m 3277.60  Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding. = 1722.87 KG  1722.87 KG  1722.87 Kg. 1722.87 Kg. 1722.870 Kgs. 91.50  S.22.7A Reinforcement for RCC work including straightening cutting, bending, placing in position and Londing all complete.  TMTC-500  S.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  S.22.7B Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG  Rs. Seventy three and paise tien only.				and screws or rawl plugs and screws or with	33			Ks. Screenly two and a con-
glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hin res or pivots as required. Doors Extra for pro-iding and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators = 3.24 SQM  45 9.82.1 Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding. = 1722.87 KG  46 5.22 Reinforcement for RCC work including straightening cutting, bending, placing in position and Lunding all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  5.22.7B Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG  8.393.000 KG  74.40  Rs. Seventy four and paise forty only.  Rs. Seventy three and paise ie nonly				fixing clips or with holts and nuts				prise twenty series 150
glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hin res or pivots as required. Doors Extra for pro-iding and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel ventilators = 3.24 SQM  Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding. = 1722.87 KG  Rs. Ninety one and paise fifty only.  Rs. Ninety one and paise fifty only.  1722.870 Kgs. 91.50  Rs. Ninety one and paise fifty only.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  5.22.7B Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG  Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG				required including providing and fiving	15	100	601	
metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hin res or pivots as required. Doors Extra for pro-iding and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel ventilators = 3.24 SQM  45 9.82.1 Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding. = 1722.87 KG  46 5.22 Reinforcement for RCC work including straightening cutting, bending, placing in position and Londing all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  5.22.7B Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG  Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG  8.393.000 KG  Rs. Seventy four and paise forty only.				glass nanels with glazing clins and area;	-1			
complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required. Doors Extra for prociding and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel ventilators = 3.24 SQM  3.240 sq.m 3277.60  Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S flats square or round bars etc all complete fixed to steel windows by welding. = 1722.87 KG  Reinforcement for RCC work including straightening cutting, bending, placing in position and Londing all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  5.22.7B Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG  Rs. Seventy three and paise ten only.				metal-sash putty of approved				Do Thurs the
of approved steel primer excluding the cost of metal beading and other fitting except necessary him ses or pivots as required. Doors Extra for prociding and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel ventilators = 3.24 SQM  3.240 sq.m 3277.60  3.240 sq.m 3277.60  45 9.82.1 Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding. = 1722.87 kG  46 5.22 Reinforcement for RCC work including straightening cutting, bending, placing in position and Londing all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 kG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 kG  5.22.7B Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 kG  Rs. Seventy four and paise forty only.  Rs. Seventy four and paise forty only.				complete including applying a primi	e			
of metal beading and other fitting except necessary hinges or pivots as required.Doors Extra for pro_iding and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units.Steel ventilators = 3.24 SQM   3.240 sq.m 3277.60  Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding. = 1722.87 KG  Reinforcement for RCC work including straightening cutting, bending, placing in position and Londing all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  5.22.7B Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG  Rs. Seventy three and paise ten only.			18 18	of approved steel primary and 1'	at			
necessary hin ses or pivots as required.Doors Extra for pro_iding and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows,ventilators and composite units.Steel ventilators = 3.24 SQM  3.240 sq.m 3277.60  Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding. = 1722.87 KG  1722.87 Kg. 1722.87 Kgs. 91.50  Reinforcement for RCC work including straightening cutting, bending, placing in position and Londing all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC- 500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  8.393.000 KG  74.40  Rs. Seventy four and paise forty only.  Rs. Seventy three and paise ten only.				of motal banding and the Cos	st			and paise sixty only.
Extra for pro-iding and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows,ventilators and composite units. Steel ventilators = 3.24 SQM  3.240 sq.m 3277.60  Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding. = 1722.87 KG  1722.87 KG  1722.870 Kgs. 91.50  8.22.7A Reinforcement for RCC work including straightening cutting, bending, placing in position and bunding all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  8.393,000 KG  74.40  8.5. Seventy four and paise forty only.  Rs. Seventy three and paise ten only.				necessary binary and other fitting excep	ot			
of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel ventilators = 3.24 SQM  3.240 sq.m 3277.60  Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding. = 1722.87 KG  1722.87 KG  1722.870 Kgs. 91.50  Rs. Ninety one and paise fifty only.  1722.870 Kgs. 91.50  Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  8.22.7B  Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG  Rs. Seventy three and paise forny only.  Rs. Seventy three and paise ten only.				Extra for any 11.	S	1		
instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel ventilators = 3.24 SQM  3.240 sq.m 3277.60  Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding. = 1722.87 KG  Reinforcement for RCC work including straightening cutting, bending, placing in position and Londing all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  8.393.000 KG  74.40  Rs. Seventy four and paise forty only.  Rs. Seventy three and paise forty only.				Extra for providing and fixing steel beading	g			its. One bits and metrics
in steel doors, windows, ventilators and composite units. Steel ventilators = 3.24 SQM  3.240 sq.m 3277.60  Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding. = 1722.87 KG  1722.87 KG  1722.870 Kgs. 91.50  8. Ninety one and paise fifty only. 1722.870 Kgs. 91.50  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  8. Seventy four and paise forty only. 18393.000 KG  74.40  Rs. Seventy three and paise forty only. 18393.000 KG  Rs. Seventy three and paise fen only. 18393.000 KG  Rs. Seventy three and paise fen only.				of approved snape and section with screw	S			one and parts eathy 500
composite units. Steel ventilators = 3.24 SQM  3.240 sq.m 3277.60  45 9.82.1 Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding. = 1722.87 KG  1722.870 Kgs. 91.50  46 5.22 Reinforcement for RCC work including straightening cutting, bending, placing in position and Lunding all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  5.22.7B Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG  8393.000 KG  74.40  Rs. Seventy four and paise forty only.  Rs. Seventy three and paise ten only.				instread of glaxing clips and met. Sash putt	y			
3.24 SQM   3.240 sq.m   3277.60   3.240 sq.m   3277.60   3.245   9.82.1   Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding.   1722.87 KG   1722.870 Kgs.   91.50   1722.87 Kg.   1722.870 Kgs.   91.50   1722.87 Kg.   91.50   1722.870 Kgs.   91.5				in steel doors, windows, ventilators and	d			
45 9.82.1 Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S flats square or round bars etc all complete fixed to steel windows by welding.  = 1722.87 KG  1722.870 Kgs. 91.50  88. Ninety one and paise fifty only.  1722.870 Kgs. 91.50  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  5.22.7B Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG  8393.000 KG Rs. Seventy four and paise forty only.  Rs. Seventy three and paise ten only.								
9.82.1 Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding.  = 1722.87 KG  1722.870 Kgs. 91.50  Rs. Ninety one and paise fifty only.  1722.870 Kgs. 91.50  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  5.22.7B Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG  Rs. Seventy four and paise forty only.  Rs. Seventy three and paise ten only.				= 3.24  SQM				
9.82.1 Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding.  = 1722.87 KG  1722.870 Kgs. 91.50  Rs. Ninety one and paise fifty only.  1722.870 Kgs. 91.50  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  5.22.7B Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG  Rs. Seventy four and paise forty only.  Rs. Seventy three and paise ten only.	1				214(16)	2,0.0		
9.82.1 Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding.  = 1722.87 KG  1722.870 Kgs. 91.50  Rs. Ninety one and paise fifty only.  1722.870 Kgs. 91.50  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  5.22.7B Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG  Rs. Seventy four and paise forty only.  Rs. Seventy three and paise ten only.								
9.82.1 Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding.  = 1722.87 KG  1722.870 Kgs. 91.50  Rs. Ninety one and paise fifty only.  1722.870 Kgs. 91.50  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  5.22.7B Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG  Rs. Seventy four and paise forty only.  Rs. Seventy three and paise ten only.				A STATE OF THE STA	3 240	sam	3277 60	
requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding.  = 1722.87 KG  1722.870 Kgs. 91.50  Reinforcement for RCC work including straightening cutting, bending, placing in position and Londing all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  8393.000 KG  74.40  75.22.7B Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG  Rs. Seventy four and paise forty only.		45	9.82.1	Providing and fixing M.S. grills of	f 3.210	34.111	3277.00	The second secon
etc., with M.S. flats square or round bars etc all complete fixed to steel windows by welding.  = 1722.87 KG  1722.870 Kgs.  91.50  Rs. Ninety one and paise fifty only.  1722.870 Kgs.  91.50  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  5.22.7B Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG  Rs. Seventy four and paise forty only.  Rs. Seventy four and paise forty only.				requirement pattern in frames of windows				The State of the S
all complete fixed to steel windows by welding. = 1722.87 KG  1722.870 Kgs.  91.50  Reinforcement for RCC work including straightening cutting, bending, placing in position and Londing all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC- 500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  8393.000 KG  74.40  75.22.7B Thermo-Mechanically Treated bars TMTC- 500 10mm dia = 1300 KG  Rs. Ninety one and paise fifty only.  Rs. Seventy four and paise forty only.				etc. with M.S. flats square or round bars etc.				200
fixed to steel windows by welding.  = 1722.87 KG  1722.870 Kgs.  91.50  Reinforcement for RCC work including straightening cutting, bending, placing in position and Londing all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  5.22.7B Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG  Rs. Seventy four and paise forty only.  Rs. Seventy three and paise ten only.	-			all complete	530130			Rs. Ninety one and paise
1722.87 KG   1722.870 Kgs.   91.50								
46 5.22 Reinforcement for RCC work including straightening cutting, bending, placing in position and Londing all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  5.22.7B Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG  Rs. Seventy four and paise forty only.  Rs. Seventy three and paise ten only.				= 1722.87 KG				
Reinforcement for RCC work including straightening cutting, bending, placing in position and Londing all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  S.22.7B Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG  Rs. Seventy four and paise forty only.  Rs. Seventy three and paise ten only.				The West's and bescad with the sen-	1722 070	1/		
straightening cutting, bending, placing in position and Londing all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC- 500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  8393.000 KG 74.40  75.22.7B Thermo-Mechanically Treated bars TMTC- 500 10mm dia = 1300 KG  Rs. Seventy four and paise forty only.  Rs. Seventy three and paise ten only.	T	46	5.22	Reinforcement for PCC work including	1/22.8/0	Kgs.	91.50	
position and Londing all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC- 500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  5.22.7B Thermo-Mechanically Treated bars TMTC- 500 10mm dia = 1300 KG  Rs. Seventy four and paise forty only.  Rs. Seventy three and paise ten only.			0.22	straightening outting banding				P.S. Four thousand big X
TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC- 500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  8393.000 KG  74.40  75.22.7B Thermo-Mechanically Treated bars TMTC- 500 10mm dia = 1300 KG  Rs. Seventy four and paise forty only.				position and landing all areas a				Business Braceh and paine
TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC- 500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  8393.000 KG  74.40  75.22.7B Thermo-Mechanically Treated bars TMTC- 500 10mm dia = 1300 KG  Rs. Seventy four and paise forty only.  Rs. Seventy three and paise ten only.				position and equality an complete.				Sixe only
5.22.7A Thermo-Mechanically Treated bars TMTC- 500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  5.22.7B Thermo-Mechanically Treated bars TMTC- 500 10mm dia = 1300 KG  Rs. Seventy four and paise forty only.  Rs. Seventy three and paise ten only.		-		TMTC 500				
500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  5.22.7B Thermo-Mechanically Treated bars TMTC- 500 10mm dia = 1300 KG  Rs. Seventy four and paise forty only.  Rs. Seventy three and paise ten only.				11V11C-500				
500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  5.22.7B Thermo-Mechanically Treated bars TMTC- 500 10mm dia = 1300 KG  Rs. Seventy four and paise forty only.  Rs. Seventy three and paise ten only.			5.22.7A	Thermo-Mechanically Treated have TMTC				
= 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  5.22.7B Thermo-Mechanically Treated bars TMTC- 500 10mm dia = 1300 KG  Rs. Seventy four and paise forty only.  Rs. Seventy three and paise ten only.				500 8mm dia			Control of the Contro	
SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  5.22.7B Thermo-Mechanically Treated bars TMTC- 500 10mm dia = 1300 KG  Rs. Seventy four and paise forty only.  Rs. Seventy four and paise forty only.								
TOTAL QUANTITY = 8393 KG  5.22.7B Thermo-Mechanically Treated bars TMTC- 500 10mm dia = 1300 KG  Rs. Seventy three and paise ten only.								
5.22.7B Thermo-Mechanically Treated bars TMTC- 500 10mm dia = 1300 KG  Rs. Seventy three and paise ten only.								paise forty only.
5.22.7B Thermo-Mechanically Treated bars TMTC- 500 10mm dia = 1300 KG  Rs. Seventy three and paise ten only				10171 QUANTIT 1 - 8393 KG	8393 000	V.C	74.40	
Solution   Rs. Seventy three and paise ten only			5.22.7B	Thermo-Mechanically Treated bars TMTC	3373.000	NU	74.40	
= 1300 KG				500 10mm dia				Rs. Seventy three and
	1	L			1300.000	KG	73.10	paise ten only.

Akash Kumen

Chief Consultant (Technical)

Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

	5.22.7C	Thermo-Mechanically Treated bars TMTC-500 12mm dia = 7000 KG				Rs. Seventy one and paise eighty only.
	5.22.7D	Thermo-Mechanically Treated bars TMT-500 16mm dia = 700 KG	7000.000	KG KG	71.80	Rs. Seventy two and paise eighty only.
	5.22.7E	Thermo-Mechanically Treated bars TMT-500 20mm dia = 750 KG	750.000	KG	72.20	Rs. Seventy two and paise twenty only.
	5.22.7F	Thermo-Mechanically Treated bars TMT-500 25mm dia = 0 KG	0.000	KG	72.20	Rs. Seventy two and paise twenty only.
47	10.19	Providing & fixing M.S. Fan hook of 16 mm. dia. M.S. bar 1 Mtr. Long bent to required size and shape, placed in position and fixed in Truss Frame / RCC Slab / beam at the time of casting all complete as per building specification and direction of E/I. (Where materials is not supplied by deptt.) = 42 EACH	5 781	Sprii	186.70	Rs. One hundred twenty one and paise eighty only.
		A Company of the Comp	42.000	Each	121.80	
48	10.33.1	Providing & fixing hand rail by welding etc. to steel ladder railling & staircases railling including applying a priming coat of approved steel primer.  MS tube (medium) 40mm nominal bore.  = 550 KG		kg.	91.10	Rs. Ninety one and paise ten only.
49	10.5	Providing and fixingin position collapsible steel shutters with vertical channes 20x10x2mm and braced with flat iron diagonals 20x5mm size with top and bottom rail of T-iron 40x40x6mm with 40mm dia steel pulleys complete with bolts nuts locking arrangement stoppers handles including applying a priming coat of approved steel primer.	651.349	sq.m	4115.60	Rs. Four thousand one hundred fifteen and pais sixty only.

Akash Kumer.

-		•	٠.	
_		_	_	
_		•	_	
_	_	_	_	

			23			
50	4.17	Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size ) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth.  = 75.414 SQM	75.414	sq.m	319.30	Rs. Three hundred nineteen and paise thirty only.
S	HUTTERIN	VG				
51	5.9.1	Centring and shuttering including strutting, propping etc. and removal of form for foundation, footings, basees of columns etc. for mass concrete.  = 55.781 SQM	55.781	Sqm.	166.70	Rs. One hundred sixty six and paise seventy only.
52	5.9.5	Centring and shuttering including strutting, propping etc. and removal of form for lintel, beams, plinth beams, griders, bressumers and contilevers.  = 349.241 SQM	349.241	Sqm.	251.30	Rs. Two hundred fifty one and paise thirty only.
53	5.9.6	Centring and shuttering including strutting, propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts = 367.575 SOM	13 (10)	Est	173.300	Rs. Three hundred forty four and paise forty only.
		A HOLDER SEEDS	367.575	Sqm.	344.40	
54	5.9.3	Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform.  = 451.54 SQM	451.540	Sqm.	275.60	Rs. Two hundred seventy five and paise sixty only.
		THE TRUE OF THE PARTY OF THE PA			Total	5,716,706.85
		Parry value 22 and a series of the series			Total (A)	
Plu	mbing a	and sanitary Work				
		D 111 1 C 1 11 C 1				
55	B.S.R 12.78	Providing and fixing on wall face unplastidsed PVC (working pressure 4 kgf per sqm) rain water pipes cinforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10 mm gap	5			and there may not be a
•		for thermal expansion.		90		It is much paint forty on the

Akash kuma-

Two hundred teen and paise twenty.

			24			
	12.78.2	110 mm diameter. = 40 MTS	40.000	MTS	214.200	Rs. Two hundred fourteen and paise twenty only.
56	SOR 12.79	Providing and fixing on wall face unplasticised -PVC moulded fittings/accessories for unplasticised PVC rainwater pipes conforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10mm gap for thermal expansion.			Α	
	SOR 12.79.1	Coupler				R. Two Beautions is consisted two cases of the constructions of the construction of th
	SOR 12.79.1.2	110mm = 10 MTS	3 (88)	3381.8	5728 778	Rs. One hundred forty four and paise seventy only.
			10.000	Each	144.700	
	SOR 12.79.5	Bend 87.50 <sup>0</sup>				
	SOR 12.79.5.2	110mm bend = 12 MTS	12.000	Each	173.700	Rs. One hundred seventy three and paise seventy only.
	SOR 12.79.6	Shoe (Plain)	1			
	SOR 12.79.6.2	110mm Shoe = 12 MTS	12.000	Each	314.730	Rs. Three hundred fourteen and paise seventy three only.
57	B.S.R 17.1.1	Providing and fixining water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast iron P or S tap, 10 litre low white P.V.C. Flushing cistern with munally controlled device (handle level) conforming to IS: 7231 Parryware/Hindware with all fittings and fixtures complete including cutting and making good the walls and floors wherever required.		Each	46.3	KS. Force sundred for one of the control of the con
		White Vitreous China Orissa pattern W C pan of size 580 x 440 mm with integral type	)			Rs. Three thousand thirty
		foot rest. = 6 EACH			117000	five and paise forty only.

Alkash kuna.

Chief Consultant (Technical)

Bihar State Educational Infrastructure Development Corporation Ltd., Patna

58	B.S.R 17.2.2	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS: 7231, with all fittings and	15 000	Tech	2180,000	ce Che hondred mons
		fixtures complete, including cutting and making good the walls and floors wherever required:				His Seventy eight and
-	6.2.8	W.C. pan with ISI marked black solid plastic seat and lid = 3 EACH	3.000	Each	2928.300	Rs. Two thousand nine hundred twenty eight and paise thirty only.
59	B.S.R 17.4.2	Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I. clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required:	13,000	6946	4077.000	Rs. Four hundred ser mice
		Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern = 3 EACH	3.000	Each	4688.900	Rs. Four thousand six hundred eighty eight and paise ninety only.
60	SOR	Provding and fixing toilet paper holder				
	17.34 SOR 17.34.2	Vitreous china	3	Each	304.2	Rs. Three hundred four and paise twenty only.
61	B.S.R 17.7.1	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:		\		ica i vanimaned in its
		White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps. = 12 EACH		Each	2120.300	Rs. Two thousand one hundred twenty and paise thirty only.

Akash Kuman

			20			
62	18.63	Providing and fixing PTMT angle stop cock 15 mm nominal bore, weighing not less than 85 gms	15.000	Each	180.900	Rs. One hundred eighty and paise ninety only.
63	B.S.R 17.28	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.				mrsuseus paus c'alny 13
	17.28.2.1	Flexible pipe 32 mm dia = 12 EACH	12.000	Each	78.600	Rs. Seventy eight and paise sixty only.
64	B.S.R 17.32.2	Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing:  Rectangular shape 453 x 357 mm  = 12 EACH	40,000°	Dichig.	253 109 146 400	Rs. Six hundred forty three and paise forty only.
65	B.S.R 17.33	Providing and fixing 600 x 120 x 5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete.  = 12 EACH	12.000	Each	643.400	Rs. Four hundred seventy eight and paise thirty only.
66	B.S.R 18.8.1	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I Concealed work including cutting chases and making good the wall etc. 15 mm nominal outer dia Pipes = 50 METER	.103000	Each	478.300	Rs. Two hundred forty one only.
			50.000	metre	241.000	ether as exply,

Alkash Kuman

Chief Consultant (Technical)
Bihar State Educational Infrastructure

Development Corporation Ltd., Patna

		V See See See See See See See See See Se	27			
67	B.S.R 18.9.3	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge.  25 mm nominal inner dia Pipes		The steel	313.500	Rs. One hundred ninety three and paise eighty only.
		= 60 METER	60.000	metre	193.800	
	18.9.4	32 mm nominal outer dia Pipes	40.000	metre	251.100	Rs. Two hundred fifty one only.
	18.9.2	20 mm nominal outer dia Pipes	40.000	metre	146.400	Rs. One hundred forty six and paise forty only.
68	B.S.R 18.48	Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI:12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.  = 4000 PER LITER		per litre	6.800	Rs. Six and paise eighty only.
69	B.S.R 18.49	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931		E-3C 11	3537 433	
		15 mm nominal bore. = 12 EACH	12.000	Each	497.000	Rs. Four hundred ninety seven only.
70	B.S.R -18.52	Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS: 8931				
	18.52.1	15 mm nominal bore. = 10 EACH	10.000	Each	670.700	Rs. Six hundred seventy and paise seventy only.
71	SOR 18.58	Providing and fixing P.T.M.T. grating of approved quality & colour				
	SOR 18.58.1	circular type				
	SOR 18.58.1.1	100 mm nominal dia,	11	Each	47.90	Rs. Forty seven and paise ninety only.

Akash kuna.

			28			
72	B.S.R 19.2.1	Providing and laying cement concrete 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size) allround S.W. pipes including bed concrete as per standard design : 100 mm diameter S.W. pipe = 50 METER				Rs. Three hundred twelve and paise fifty only.
		tas 38 Acres (veight of case) 2 large and	50.000	metre	312.500	
73	B.S.R 19.6.1	Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete:  100 mm dia R.C.C. pipe  = 15 METER		metre	312.900	Rs. Three hundred twelve and paise ninety only.
74	B.S.R 19.27.1	Constructing brick masonry road gully chamber 50x45x60 cm with bricks in cement mortar 1:4 (1cement : 4 coarse sand) including 500x450 mm pre-cast R.C.C. horizontal grating with frame complete as per standard design :  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5  = 2 EACH	2.000	Each	3117.300	Rs. Three thousand one hundred seventeen and paise thirty only.

Akash Kuman.

Chief Consultant (Technical)

Bihar State Educational Infrastructure Development Corporation Ltd., Patna

19.30.1.1   19.3	19.30.1.1 Underground C.I. Inspection Chamber and bend with 75 class designation bricks in cement mortar 14 (I cement: 4 coarse sand) C.I. Cover with frame (light duty) 455x610 mm internal dimentions, total weight of cover with frame to be not less than 38 kg. (weight of cover 23 kg. and weight of frame 15 kg.) RCC top slab with 1:1.5:3 mix (1 cement: 1.5 coarse sand : 3 graded stone aggregate 40 mm nominal size) foundation concrete 1:5:10 mix (1 cement:5 coarse sand : 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm th. with cement mortar 1:3 (1 cement:3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design.  Inside dimensions 466x610 mm and 45cm deep for single pile line:  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 6 EACH  76 B.S.R Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick, honey comb shaft with brick and S.W. drain pipe 100 mm diameter. 1.8 m long complete as per standard design.  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  77 B.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 / 1 cement: 1 fine sand) including testing of joints etc. complete:  19.34.1 100 mm dia = 2 EACH							
bend with 75 class designation bricks in cement mortar 1:4 (1 cement : 4 coarse sand) C.J. Cover with frame (light duty) 455x610 mm internal dimentions, total weight of cover 23 kg, and weight of frame 15 kg.) RCC top slab with 1:1.5:3 mix (1 cement: 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size) foundation concrete 1:5:10 mix (1 cement: 5 coarse sand : 10 graded stone aggregate 40 mm nominal size) foundation concrete 1:5:10 mix (1 cement: 5 coarse sand : 10 graded stone aggregate 40 mm nominal size) inside plastering 12 mm th. with cement mortar 1:3 (1 cement: 3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design.  Inside dimensions 466x610 mm and 45cm deep for single pipe line:  With common burnt clay F.P.S. (non modular) bric.s of class designation 7.5 = 6 EACH  6.000 Each  76 B.S.R  19.32.1 Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diamete. 1.8 m long complete as per standard design.  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  77 B.S.R  Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 /1 cement: 1 fine sand)	bend with 75 class designation bricks in cement mortar 1:4 (1 cement : 4 coarse sand) C.I. Cover with frame (light duty) 455x610 mm internal dimentions, total weight of cover with frame to be not less than 38 kg. (weight of cover 23 kg. and weight of frame 15 kg.) RCC top slab with 1:1.5:3 mix (1 cement: 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size) foundation concrete 1:5:10 mix (1 cement: 5 coarse sand : 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm th. with cement mortar 1:3 (1 cement: 3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design.  Inside dimensions 466x610 mm and 45cm deep for single pipe line:  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 6 EACH  76 B.S.R Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diamete: 1.8 m long complete as per standard design.  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  77 B.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete:  19.34.1 100 mm dia = 2 EACH  88.5 Two hundred eighty three and paise eighty three and paise eighty	75						Sixe mound for
cement mortar 1:4 (1 cement: 4 coarse sand) C.I. Cover with frame (light dus) 455x610 mm internal dimentions, total weight of cover with frame to be not less than 38 kg. (weight of cover 23 kg. and weight of frame 15 kg.) RCC top slab with 1:1.5:3 mix (1 cement: 1.5 coarse sand :3 graded stone aggregate 20 mm nominal size) foundation concrete 1:5:10 mix (1 cement:5 coarse sand : 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm th. with cement mortar 1:3 (1 cement:3 coarse sand) finished smooth with a floatine coat of neat cement on walls and bed concrete etc. complete as per standard design.  Inside dimensions 466x610 mm and 45cm deep for single pipe line:  With common burnt clay F.P.S. (non modular) bries of class designation 7.5 = 6 EACH  6.000 Each  77 B.S.R. Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry briek honey comb shaft with briek and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design.  With common burnt clay F.P.S. (non modular) brieks of class designation 7.5 = 1 EACH  Rs. Twenty five thousand nine hundred and paise ten only.	cement mortar 1:4 (1 cement : 4 coarse sand C.I. Cover with frame (light duty) 455x610 mm internal dimentions, total weight of cover with frame to be not less than 38 kg. (weight of cover 23 kg. and weight of frame 15 kg.) RCC top slab with 1:1.5:3 mix (1 cement: 15:0 mix (1 cement: 15:10 mix (1 cement: 5:0 carse sand : 3 graded stone aggregate 20 mm nominal size) foundation concrete 1:5:10 mix (1 cement: 5 coarse sand : 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm th. with cement mortar 1:3 (1 cement: 3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design.  Inside dimensions 466x610 mm and 45cm deep for single pipe line: With common burnt clay F.P.S. (non modular) brit-s of class designation 7.5 = 6 EACH  76 B.S.R Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diamete: 1.8 m long complete as per standard design.  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  77 B.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 /1 cement: 1 fine sand) including testing of joints etc. complete:  19.34.1 100 mm dia = 2 EACH  88.5 Two hundred eighty three and paise eighty three and paise eighty		19.30.1.1					and the same and the
sand) C.I. Cover with frame (light duty) 455x610 mm internal dimentions, total weight of cover with frame to be not less than 38 kg. (weight of cover 23 kg. and weight of frame 15 kg.) RCC top slab with 1:1.5:3 mix (1 cement: 1.5 coarse sand :3 graded stone aggregate 20 mm nominal size) foundation concrete 1:5:10 mix (1 cement:5 coarse sand :10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm th. with cement mortar 1:3 (1 cement:5 coarse sand) :10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm th. with cement mortar 1:3 (1 cement:5 coarse sand) :10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm th. with cement mortar 1:3 (1 cement:5 coarse sand) :10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm th. with cement mortar 1:3 (1 cement:3 coarse sand) :10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm th. with cement mortar 1:3 (1 cement:3 coarse sand) :10 graded stone aggregate 40 mm nominal size) foundation concrete aggregate 40 mm nominal size) foundation concrete aggregate 20 mm nominal size) foundation concrete aggregate 40 mm nominal size) foundation aggregate 40 mm aggregate 40 mm aggregate 40 mm aggregate 40 mm aggre	sand) C.J. Cover with frame (light duty) 455x610 mm internal dimentions, total weight of cover with frame to be not less than 38 kg. (weight of cover 23 kg. and weight of frame 15 kg.) RCC top slab with 1:1.5:3 mix (1 cement: 1.5 coarse sand 3 graded stom: aggregate 20 mm nominal size) foundation concrete 1:5:10 mix (1 cement.5 coarse sand: 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm th. with cement mortar 1:3 (1 cement.3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design. Inside dimensions 466x610 mm and 45cm deep for single pipe line: With common burnt clay F.P.S. (non modular) bris.s of class designation 7,5 = 6 EACH  76 B.S.R Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter. 1.8 m long complete as per standard design. With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  77 B.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete:  19.34.1 100 mm dia = 2 EACH  Rs. Two hundred eighty three and paise eighty							paser sileny rive prely
455x610 mm internal dimentions, total weight of cover with frame to be not less than 38 kg. (weight of cover 23 kg, and weight of frame 15 kg.) RCC top slab with 1:1.5:3 mix (1 cement: 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size) foundation concrete 1:5:10 mix (1 cement:5 coarse sand : 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm th. with cement mortar 1:3 (1 cement:3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design.  Inside dimensions 466x610 mm and 45cm deep for single pipe line:  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 6 EACH  76 B.S.R 19.32.1 Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design.  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  77 B.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand)	#\$55.610 mm internal dimentions, total weight of cover with frame to be not less than 38 kg. (weight of cover 23 kg. and weight of frame 15 kg.) RCC top slab with 1:1.53 mix (1 cement: 1.5 coarse sand :3 graded stone aggregate 20 mm nominal size) foundation concrete 1:5:10 mix (1 cement: 5 coarse sand : 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm th. with cement mortar 1:3 (1 cement: 3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design.  Inside dimensions 466x610 mm and 45cm deep for single pipe line:  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 6 EACH  76 B.S.R 19.32.1 Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design.  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  77 B.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete:  19.34.1 100 mm dia = 2 EACH  Rs. Two hundred eighty three and paise eighty three and paise eighty					1 1380	BEAT LAND	
weight of cover with frame to be not less than 38 kg. (weight of cover 23 kg. and weight of frame 15 kg.) RCC top slab with 1:1.5:3 mix (1 cement: 1.5 coarse sand :3 graded stone aggregate 20 mm nominal size) foundation concrete 1:5:10 mix (1 cement:5 coarse sand : 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm th with cement mortar 1:3 (1 cement:3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design.  Inside dimensions 466x610 mm and 45cm deep for single pipe line:  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 6 EACH  76  B.S.R  19.32.1  Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design.  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  77  B.S.R  Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand)	weight of cover with frame to be not less than 38 kg. (weight of cover 23 kg. and weight of frame 15 kg.) RCC top slab with 1:1.5:3 mix (1 cement: 1.5 coarse sand 3 graded stone aggregate 20 mm nominal size) foundation concrete 1:5:10 mix (1 cement: 5 coarse sand : 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm th. with cement mortar 1:3 (1 cement: 3 coarse sand) finished smooth with a floatine coat of neat cement on walls and bed concrete etc. complete as per standard design.  Inside dimensions 466x610 mm and 45cm deep for single pipe line:  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 6 EACH  76 B.S.R Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter. 1.8 m long complete as per standard design.  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  77 B.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete:  19.34.1 100 mm dia = 2 EACH  Rs. Two hundred eighty three and paise eighty three and paise eighty		MALYSIS.					
than 38 kg. (weight of cover 23 kg. and weight of frame 15 kg.), RCC top slab with 1:1.53 mix (1 cement: 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size) foundation concrete 1:5:10 mix (1 cement: 5 coarse sand : 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm th. with cement mortar 1:3 (1 cement: 3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design.  Inside dimensions 466x610 mm and 45cm deep for single pipe line:  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 6 EACH  76  B.S.R  Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design.  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  77  B.S.R  Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 /1 cement: 1 fine sand)	than 38 kg. (weight of cover 23 kg. and weight of frame 15 kg.) RCC top slab with 1:1.5:3 mix (1 cement: 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size) foundation concrete 1:5:10 mix (1 cement:5 coarse sand : 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm th. with cement mortar 1:3 (1 cement:3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design.  Inside dimensions 466x610 mm and 45cm deep for single pipe line:  With common burnt clay F.P.S. (non modular) bric.s of class designation 7.5 = 6 EACH  76 B.S.R Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design.  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  77 B.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete:  19.34.1 100 mm dia = 2 EACH							
weight of frame 15 kg.) RCC top slab with 1:1.5:3 mix (1 cement: 1.5 coarse sand :3 graded stone aggregate 20 mm nominal size) foundation concrete 1:5:10 mix (1 cement:5 coarse sand : 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm th. with cement mortar 1:3 (1 cement:3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design.  Inside dimensions 466x610 mm and 45cm deep for single pipe line:  With common burnt clay F.P.S. (non modular) bries of class designation 7.5 = 6 EACH  Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diamete: 1.8 m long complete as per standard design.  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  Rs. Twenty five thousand nine hundred and paise ten only.	weight of frame 15 kg.) RCC top slab with 11.1.5:3 mix (1 cements: 1.5 coarse sand :3 graded stone aggregate 20 mm nominal size) foundation concrete 1:5:10 mix (1 cements: coarse sand : 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm th. with cement mortar 1:3 (1 cement.3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design.  Inside dimensions 466x610 mm and 45cm deep for single pipe line:  With common burnt clay F.P.S. (non modular) brics of class designation 7.5 = 6 EACH  76 B.S.R Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design.  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  77 B.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete:  19.34.1 100 mm dia = 2 EACH							
1:1.5:3 mix (1 cement: 1.5 coarse sand :3 graded stone aggregate 20 mm nominal size) foundation concrete 1:5:10 mix (1 cement:5 coarse sand : 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm th. with cement mortar 1:3 (1 cement:3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design.  Inside dimensions 466x610 mm and 45cm deep for single pipe line:  With common burnt clay F.P.S. (non modular) brick so f class designation 7.5 = 6 EACH  76 B.S.R Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design.  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  77 B.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand)	11.5.3 mix (1 cement: 1.5 coarse sand 3 graded stone aggregate 20 mm nominal size) foundation concrete 1:5:10 mix (1 cement:5 coarse sand : 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm th. with cement mortar 1:3 (1 cement:3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design.  Inside dimensions 466x610 mm and 45cm deep for single pipe line:  With common burnt clay F.P.S. (non modular) bric so of class designation 7.5 = 6 EACH    76   B.S.R   19.32.1   Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diamete: 1.8 m long complete as per standard design.  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH    77   B.S.R   Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement): 1 fine sand) including testing of joints etc. complete:    19.34.1   100 mm dia							
graded stone aggregate 20 mm nominal size) foundation concrete 1:5:10 mix (1 cement:5 coarse sand : 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm th. with cement mortar 1:3 (1cement:3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design.  Inside dimensions 466x610 mm and 45cm deep for single pipe line:  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 6 EACH  76 B.S.R Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design.  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  77 B.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand)	graded stone aggregate 20 mm nominal size) foundation concrete 1:5:10 mix (1 cement:5 coarse sand : 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm th. with cement mortar 1:3 (1 cement:3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design.  Inside dimensions 466x610 mm and 45cm deep for single pipe line :  With common burnt clay F.P.S. (non modular) brit. s of class designation 7.5 = 6 EACH  76 B.S.R Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design.  With common burnt clay F.P.S. (non modular) brites of class designation 7.5 = 1 EACH  77 B.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 /1 cement : 1 fine sand) including testing of joints etc. complete:  19.34.1 100 mm dia = 2 EACH  Rs. Two hundred eighty three and paise eighty three and paise eighty three and paise eighty							
size) foundation concrete 1:5:10 mix (1 cement:5 coarse sand : 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm th. with cement mortar 1:3 (1 cement:3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design.  Inside dimensions 466x610 mm and 45cm deep for single pipe line:  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 6 EACH  76 B.S.R 19.32.1 Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design.  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  77 B.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand)	size) foundation concrete 1:5:10 mix (1 cement:5 coarse sand : 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm th. with cement mortar 1:3 (1cement:3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design.  Inside dimensions 466x610 mm and 45cm deep for single pipe line :  With common burnt clay F.P.S. (non modular) brit. s of class designation 7:5 = 6 EACH  76 B.S.R Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design.  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  77 B.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1) cement : 1 fine sand) including testing of joints etc. complete :  19.34.1 100 mm dia = 2 EACH							
cement:5 coarse sand : 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm th. with cement mortar 1:3 (1 cement:3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design.  Inside dimensions 466x610 mm and 45cm deep for single pipe line:  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 6 EACH  76 B.S.R 19.32.1 Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design.  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  77 B.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand)	cement:5 coarse sand : 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm th. with cement mortar 1:3 (1cement:3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design.  Inside dimensions 466x610 mm and 45cm deep for single pipe line:  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 6 EACH  76 B.S.R Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design.  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  77 B.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 / 1 cement : 1 fine sand including testing of joints etc. complete:  19.34.1 100 mm dia = 2 EACH						4	
cement:5 coarse sand : 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm th. with cement mortar 1:3 (1 cement:3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design.  Inside dimensions 466x610 mm and 45cm deep for single pipe line:  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 6 EACH  76 B.S.R 19.32.1 Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design.  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  77 B.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand)	Cement; S coarse sand : 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm th. with cement mortar 1:3 (1cement; 3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design. Inside dimensions 466x610 mm and 45cm deep for single pipe line :  With common burnt clay F.P.S. (non modular) brick sof class designation 7.5 = 6 EACH    19.32.1							Rs. Three thousand nine
paise ten only.    aggregate 40 mm nominal size), inside   plastering 12 mm th. with cement mortar 1:3 (1cement:3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design.   Inside dimensions 466x610 mm and 45cm deep for single pipe line:   With common burnt clay F.P.S. (non modular) bricks of class designation 7.5   = 6 EACH   6.000   Each   3949,100      B.S.R.	aggregate 40 mm nominal size), inside plastering 12 mm th. with cement mortar 1:3 (Icement:3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design.  Inside dimensions 466x610 mm and 45cm deep for single pipe line:  With common burnt clay F.P.S. (non modular) brics of class designation 7.5 = 6 EACH  76 B.S.R Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design.  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  77 B.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete:  19.34.1 100 mm dia = 2 EACH  Rs. Two hundred eighty three and paise eighty three and paise eighty three and paise eighty three and paise eighty			cement:5 coarse sand : 10 graded stone				
plastering 12 mm th. with cement mortar 1:3 (1cement:3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design.  Inside dimensions 466x610 mm and 45cm deep for single pipe line:  With common burnt clay F.P.S. (non modular) brices of class designation 7.5  = 6 EACH  76 B.S.R 19.32.1 Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design.  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5  = 1 EACH  77 B.S.R 19.34 Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement: 1 fine sand)	plastering 12 mm th. with cement mortar 1:3 (1cement:3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design.  Inside dimensions 466x610 mm and 45cm deep for single pipe line: With common burnt clay F.P.S. (non modular) brices of class designation 7.5 = 6 EACH  76 B.S.R Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design. With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  77 B.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete:  19.34.1 100 mm dia = 2 EACH  Rs. Two hundred eighty three and paise eighty			aggregate 40 mm nominal size), inside				
with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design.  Inside dimensions 466x610 mm and 45cm deep for single pipe line:  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5  = 6 EACH  6.000 Each 3949.100  B.S.R 19.32.1 Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design.  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5  = 1 EACH  Rs. Twenty five thousand nine hundred and paise ten only.	with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design.  Inside dimensions 466x610 mm and 45cm deep for single pipe line:  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 6 EACH  76 B.S.R 19.32.1 Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design.  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  77 B.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete:  19.34.1 100 mm dia = 2 EACH  Rs. Two hundred eighty three and paise eighty three and paise eighty						1 1 1 1 1 1 1 1	parse ten omj.
and bed concrete etc. complete as per standard design.  Inside dimensions 466x610 mm and 45cm deep for single pipe line:  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5  = 6 EACH  76 B.S.R 19.32.1 Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design.  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5  = 1 EACH  77 B.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand)	and bed concrete etc. complete as per standard design.  Inside dimensions 466x610 mm and 45cm deep for single pipe line:  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5  = 6 EACH  76 B.S.R Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design.  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5  = 1 EACH  77 B.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete:  19.34.1 100 mm dia  = 2 EACH  Rs. Two hundred eighty three and paise eighty three and paise eighty			(1cement:3 coarse sand) finished smooth	F. 1,0252	380370		
standard design. Inside dimensions 466x610 mm and 45cm deep for single pipe line: With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 6 EACH   B.S.R  Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design. With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  Rs. Twenty five thousand nine hundred and paise ten only.	standard design. Inside dimensions 466x610 mm and 45cm deep for single pipe line: With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 6 EACH  Making soak pit 2.5 m diameter 3.0 meter deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design. With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  Rs. Twenty five thousan nine hundred and paise ten only.  1.000 Each 25900.100  Rs. Twenty five thousan nine hundred and paise ten only.			with a floating coat of neat cement on walls				
standard design. Inside dimensions 466x610 mm and 45cm deep for single pipe line: With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 6 EACH   B.S.R  Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design. With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  Rs. Twenty five thousand nine hundred and paise ten only.	standard design. Inside dimensions 466x610 mm and 45cm deep for single pipe line: With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 6 EACH  Making soak pit 2.5 m diameter 3.0 meter deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design. With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  Rs. Twenty five thousan nine hundred and paise ten only.  1.000 Each 25900.100  Rs. Twenty five thousan nine hundred and paise ten only.			and bed concrete etc. complete as per				
deep for single pipe line: With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 6 EACH  6.000 Each 3949.100  8.S.R Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design. With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  8.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand)	deep for single pipe line: With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 6 EACH    19.32.1				9			the time handred water a
deep for single pipe line: With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 6 EACH  6.000 Each 3949.100  8.S.R Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design. With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  8.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand)	deep for single pipe line:  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5  = 6 EACH  6.000 Each 3949.100  B.S.R 19.32.1 Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design.  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5  = 1 EACH  77 B.S.R 19.34 Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete:  19.34.1 100 mm dia  = 2 EACH  Rs. Two hundred eighty three and paise eighty			Inside dimensions 466x610 mm and 45cm		1000	365 (80)	TWO COLLS
With common burnt clay F.P.S. (non modular) bricks of class designation 7.5  = 6 EACH  6.000 Each  3949.100  B.S.R Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design.  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5  = 1 EACH  Rs. Twenty five thousand nine hundred and paise ten only.	With common burnt clay F.P.S. (non modular) bricks of class designation 7.5  = 6 EACH  6.000 Each 3949.100  B.S.R 19.32.1 Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design.  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5  = 1 EACH  77 B.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete:  19.34.1 100 mm dia  = 2 EACH  Rs. Two hundred eighty three and paise eighty						1	Ox To sendod state
modular) bricks of class designation 7.5 = 6 EACH  6.000 Each 3949.100  76 B.S.R Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design.  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  77 B.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand)	modular) bricks of class designation 7.5 = 6 EACH  6.000 Each 3949.100  76 B.S.R 19.32.1 Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design. With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  77 B.S.R 19.34 Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete:  19.34.1 100 mm dia = 2 EACH  Rs. Two hundred eighty three and paise eighty					3		Treasure to the second
Total B.S.R   Making soak pit 2.5 m diameter 3.0 metre	B.S.R   Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design. With common burnt clay F.P.S. (non modular) bricks of class designation 7.5				E 906	1 1 63(1)	283.040	
76 B.S.R Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design.  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  77 B.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand)	76 B.S.R Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design.  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  77 B.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete :  19.34.1 100 mm dia = 2 EACH  Rs. Twenty five thousar nine hundred and paise ten only.							its the medical digital
B.S.R 19.32.1 Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design.  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand)	B.S.R   19.32.1   Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design. With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH   1.000   Each   25900.100				10,000	geach	186.000	TRE ONLY
deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design.  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  77 B.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand)	deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design.  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  77 B.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete:  19.34.1 100 mm dia = 2 EACH  Rs. Twenty five thousar nine hundred and paise ten only.			REAL CLASS (40 mpk dia		Each	3949.100	
shaft with brick and S.W. drain pipe 100 mm diameter 1.8 m long complete as per standard design. With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  77 B.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand)	shaft with brick and S.W. drain pipe 100 mm diameter. 1.8 m long complete as per standard design.  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  77 B.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete :  19.34.1 100 mm dia = 2 EACH  Rs. Twenty five thousar nine hundred and paise ten only.  Rs. Two hundred eighty three and paise eighty	76				T CHECK	887646	
mm diameter 1.8 m long complete as per standard design. With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  1.000 Each 25900.100  Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand)	mm diameter 1.8 m long complete as per standard design. With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  1.000 Each 25900.100  Rs. Twenty five thousannine hundred and paise ten only.  1.000 Each 25900.100  Rs. Twenty five thousannine hundred and paise ten only.  1.000 Each 25900.100  Rs. Twenty five thousannine hundred and paise ten only.		19.32.1					
standard design. With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  1.000 Each 25900.100  77 B.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand)	standard design. With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH  1.000 Each 25900.100  8.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete :  19.34.1 100 mm dia = 2 EACH  Rs. Twenty five thousar nine hundred and paise ten only.  Rs. Two hundred eighty three and paise eighty					S 200 4	53,000	
With common burnt clay F.P.S. (non modular) bricks of class designation 7.5  = 1 EACH  1.000 Each 25900.100  Rs. Twenty five thousand nine hundred and paise ten only.	With common burnt clay F.P.S. (non modular) bricks of class designation 7.5  = 1 EACH  1.000 Each  25900.100  Rs. Twenty five thousarnine hundred and paise ten only.  1.000 Each  25900.100  Rs. Twenty five thousarnine hundred and paise ten only.  1.000 Each  25900.100  Rs. Twenty five thousarnine hundred and paise ten only.			mm diameter 1.8 m long complete as per				ve some medest did.
modular) bricks of class designation 7.5 = 1 EACH  1.000 Each 25900.100  77 B.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand)	modular) bricks of class designation 7.5 = 1 EACH  1.000 Each 25900.100  77 B.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete :  19.34.1 100 mm dia = 2 EACH  Rs. Two hundred eighty three and paise eighty						140	
= 1 EACH  1.000 Each 25900.100  77 B.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand)	## 19.34.1   100 mm dia = 2 EACH   1.000   Each   25900.100   The first of class designation 7.5   ten only.    1.000   Each   25900.100    1.			With common burnt clay F.P.S. (non		1 84	\$ 30, AB	
77 B.S.R Providing and fixing S.W. intercepting trap 19.34 in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand)	B.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete :  19.34.1 100 mm dia = 2 EACH  Rs. Two hundred eighty three and paise eighty			modular) bricks of class designation 7.5				
77 B.S.R Providing and fixing S.W. intercepting trap 19.34 in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand)	77 B.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete :  19.34.1 100 mm dia = 2 EACH  Rs. Two hundred eighty three and paise eighty			= 1 EACH			V 10	ten only.
77 B.S.R Providing and fixing S.W. intercepting trap 19.34 in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand)	19.34.1 Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete :  19.34.1 100 mm dia = 2 EACH  Rs. Two hundred eighty three and paise eighty			是PTR TANK = FE 放射			371 580	only.
77 B.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand)	19.34.1 Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete :  19.34.1 100 mm dia = 2 EACH  Rs. Two hundred eighty three and paise eighty							
77 B.S.R Providing and fixing S.W. intercepting trap 19.34 in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand)	B.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete :  19.34.1 100 mm dia = 2 EACH  Rs. Two hundred eighty three and paise eighty						7 7 1 E 3 5 6 7	
Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand)	B.S.R Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete :  19.34.1 100 mm dia = 2 EACH  Rs. Two hundred eighty three and paise eighty			THE STATE OF THE S	- 1 000	Fach	25900 100	
in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand)	in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete :  19.34.1    100 mm dia	77	BSR	Providing and fixing S.W. intercepting tran	1.000	Lacii	23700.100	
mortar 1:1 (1 cement : 1 fine sand)	mortar 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete :  19.34.1 100 mm dia   = 2 EACH    Rs. Two hundred eighty three and paise eighty						4 200 1 4 8	STATE OF THE PARTY
	including testing of joints etc. complete:  19.34.1   100 mm dia   Rs. Two hundred eighty   Rs.		17.5				148.119	AND STATE OF THE S
including testing of joints etc. complete:	19.34.1 100 mm dia  = 2 EACH  Rs. Two hundred eighty three and paise eighty						intel	200, 414,75
	= 2 EACH three and paise eighty			including testing of joints etc. complete:			Total (B)	348, 193, 19
	= 2 EACH three and paise eighty							
	= 2 EACH three and paise eighty							
19.34.1 100 mm dia Rs. Two hundred eighty	= 2 EACH three and paise eighty		19.34.1	100 mm dia				Rs. Two hundred eighty
	and paise eighty			= 2 EACH			199	
and pulse organi	1 2,000 1 Each 1 283,800 Ionly							
1 2.000 1 Each 1 203.000 follow	84	1			2.000	Each	283.800	only.

Akash Kuna.

Chief Consultant (Technical)

Bihar State Educational Infrastructure

Development Corporation Ltd., Patna

244.

SEPTIC TANK = 1 EACH  1.000 Each 374.060 only.  81 Code no. of (ii) S.C.I. plain bend 100 mm dia 1621 SEPTIC TANK = 1 EACH  1.000 Each 436.400 six and paise forty only.  82 Code no. of (iii) S.C.I. Tee 150 mm dia 7087 SEPTIC TANK = 1 EACH  1.000 Each 748.110 only.				20			
RATE	78		mm x 40 mm x 90 mm Tube well Manual Boring	1.000	Each	60432.650	hundred thirty two and
EACH	79	ANALYSIS	RATE)				
Pipes			= EACH				
## 10 EACH   40.000 metre   347.000   seven and only.    ## 10 EACH   DOOR TEE   10 mm dia   = 4 EACH   EACH   BEND 45° 110 mm dia   = 10 EACH   EACH			pipes				
EACH			= 40 EACH	40.000	metre	347.000	
BEND 45° 110 mm dia							
8.000   each   283.000   line only.				4.000	each	365.000	
BEND 45° 110 mm dia				8.000	each	283.000	
SEPTIC TANK = 1 EACH   1.000   Each   436.400   Rs. Sixty five only.						185.000	
= 100 EACH   100.000   each   53.000   Rs. Firty three only.			THE RESERVE AND ADDRESS OF THE PROPERTY OF THE	3.000	each	65.000	Rs. Sixty five only.
Each   Six only.			= 100 EACH	100.000	each	53.000	Rs. Fifty three only.
1352 inside SEPTIC TANK = 1 EACH  1.000 Each 374.060 seventy four and paise six only.  81 Code no. of (ii) S.C.I. plain bend 100 mm dia SEPTIC TANK = 1 EACH  82 Code no. of 7087 SEPTIC TANK = 1 EACH  1.000 Each 436.400 six and paise forty only.  83 Rs. Four hundred thirty six and paise forty only.  84 Rs. Seven hundred forty eight and paise eleven only.  85 Total 348,404.98			The state of the s	10.000	each	436.000	
1621 SEPTIC TANK = 1 EACH  82 Code no. of 7087 SEPTIC TANK = 1 EACH  1.000 Each  748.110 only.  1.000 Total  1.000 Each  1.000	80		inside	1.000	Each	374.060	seventy four and paise six only.
7087 SEPTIC TANK = 1 EACH  1.000 Each 748.110 only.  Total 348,404.98	81		· · · · · · · · · · · · · · · · · · ·	1.000	Each	436.400	
	82	Code no. of	(iii) S.C.I. Tee 150 mm dia	1.000	Each	748.110	eight and paise eleven
- Including No. Many and		÷	WHAT THE COURSE OF THE CO				
			pockiding (Vokasing and			Total (B)	340,403.00

Alkash Kuma.

	1			21		
		Electrical Works (1% labour cess has been added on current DSR-2014)				
83	1.10	Point Wiring in PVC Conduit, with Modular type Switch:-				
87	2.18	Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC	100	EV to	390 000	Rs Jive hundred number
		insulated copper conductor single core cable etc as required.				
	1.10.3	Group C	119.000	Nos.	725.180	Rs. Seven hundred twenty five and paise eighteen only.
84	1.11	Twin Control Point Wiring in PVC Conduit, with Modular type Switch:-				
		Wiring for twin control light point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, 2 way modular	12-00		0.00	
		switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core	•	ı		Rs. Seven hundred seventy seven and paise seventy only.
		cable etc as required	3.000	Nos.	777.700	
85	1.31	Supply and Fixing Light Plug Point with Modular Type Accessories:-	-	INOS.	777.700	Ra Christian de Caración de Ca
		Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 3 pin 5.6 amps modular socket outlet and 5.6 amps modular switch, connection etc. as required. (For	420.4160	条针(5	163,679	Rs. Three hundred six and paise three only.
		light plugs to be used in non residential buildings).	25.000	Nos.	306.030	

Akash Krewn.

Chief Consultant (Technical)

	-	
•	9	
_	_	

			39	2		
86	1.32	Supply and Fixing Power Plug Point wit Modular Type Accessories:-	25.000	Land	BLASS	Es Elighty only photopalison
		Dent Sunsing witning of PVC Condition	73,000	Facts		nate an enty nine pale of
		Supply and Fixing GI box with modula plate and cover in front on surface or in recess including providing and fixing 6 pin 15/16 amps modular socket outlet and 15/16 amps modular type switch, connection painting etc as required.	n, ,, ,,			Rs. Five hundred ninety only.
87	2.18	Supply & fixing 20A SPN MCB Industria Socket Outlet:-	12.000	Nos.	590.000	
	71,14.2	Supplying and fixing 20 amps, 240 volts. SPN industrial type, socket outlet, with 2 pole and earth, metal enclosed plug top	300,000	2.3/2119	12 110	as One houses stated
	1.43.10	alongwith 20 amps "C" curve, SP, MCB, in sheet steel enclosure, on surface or in recess, with chained metal cover for the socket out let and complete with connections, testing and commissioning etc. as required	54,000	Nus.	392.896	Rs. Nine hundred sixty three and paise fifty four only.
88	1.12	Power Plug Wiring in PVC conduit (2x4 sq.	12.000	Nos.	963.540	
		mm):-				
		Wiring for light/ power plug with 2X4 sq. mm FRLS PVC insulated copper conductor single core cable in	26 (500)	1.27	TAUSED	St. Care Manager Service
		surface/ recessed mediumclass PVC conduit alongwith 1 No 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop earthing as required	3,000	<u>a</u> fact	463,593	Rs. One hundred sixty three and paise sixty two only.
89	1.24	Supplying and fixing following modular type switch/ socket on the existing modular plate switch box / cover including connections etc.as required	420.000	Mtrs.	163.620	
L	778-31					

Akash Kuman.

Chief Consultant (Technical)

-	-	
٠,	•	
_	-	
- )	_	

	1		33			
	1.24.1	5/6 amps switch.	25.000	Each	81.810	Rs. Eighty one and paise eighty one only.
	1.24.4	5 pin, 5/6 amps socket outlet.	25.000	Each	79.790	Rs. Seventy nine and paise seventy nine only.
90	1.14	Circuit / Sub-main wiring in PVC Conduit:-	Section 1910			/
- 94	238	Wiring for circuit / sub-main wiring along with earth wire with the following sizes of PVC insulated, copper conductor, single core cable in surface/recessed PVC conduit as required.			2144 236	Ex. I we thorning but a marker forth John Holl seaso twenty into a 11-
	1.14.1	2x1.5 Sqmm 1x1.5 sqmm earth wire	40.000	Mtrs.	107.060	Rs. One hundred seven and paise six only.
	1.14.2	2x2.5 Sqmm + 1x2.5 sq mm earth wire	350.000	Mtrs.	132.310	Rs. One hundred thirty two and paise thirty one only.
	1.14.9	4x6.0 Sqmm + 2x6.0 sqmm earth wire (to be used as sub main)	54.000	Mtrs.	392.890	Rs. Three hundred ninety two and paise eighty nine only.
	1.14.10	4 X 10 sq. mm + 2 X 10 sq. mm earth wire	10.000	Mtrs.	602.970	Rs. Six hundred two and paise ninety seven only.
		S/F 'C' series SP MCB:-				
91		Supplying and fixing 240 volts, 'C' series, miniature circuit breaker suitable for inductive loads of following poles in the existing MCB DB complete with connections, testing and commissioning etc, as required.			À.	And the second of the second o
	2.10.1	6/32A, Single Pole	36.000	Each	170.690	Rs. One hundred seventy and paise sixty nine only.
	2.10.3	6/32A ,DP	3.000	Each	463.590	Rs. Four hundred sixty three and paise fifty nine only.
92	2.13	S/F TPN MCB:-	2,000	Edell	103.370	omy.
		Supplying and fixing following rating, four pole, 240 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required	27 000 -	Bach	43.430 74.730	P.S. Superney Jesus Bord 9/15/ Dutes 1/2/2014 - Contrast 9/15/ 9/15/2014 - Contrast 9/15/2014

Akash Kuman

			24			
	2.13.2	63 A,TPN	3.000	Each	676.700	Rs. Six hundred seventy six and paise seventy only.
93	2.15	S/F TPN RCCB:-Supplying and fixing of following rating three phase and neutral, 415 volts, residual current circuit breaker (RCCB) having a sensitivity current upto 300 miliamperes in the existing MCB DB complete with connections, testing and commissioning etc. as required.				
6	2.15.2	40 Amp.	3.000	Each	2144.230	Rs. Two thousand one hundred forty four and paise twenty three only.
94	2.8	S/F TP MCB DB:- Supplying and fixing of following way,horizontal type three pole and neutral, sheet steel, MCB distribution board, 415 volts, on surface/recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, detachable gland plate, interconnections, phosphatized and powder painted including earthing etc. as required (Without MCB/RCCB/ISOLATOR). Make: Legrand/Anchor/Havells/HPL.	110 600	Nacc		Ry Lifty investant raise only
	2.8.5	4 Ways (4+12 ways) double door	3.000	Set	7430.570	Rs. Seven thousand four hundred thirty and paise fifty seven only.
95	1.33	S/F Ceiling Rose:-			777501070	
•		Supplying and fixing 2 pin ceiling rose on the existing junction box/ wooden block including connection etc as required.	80.000	Each	43.430	Rs. Forty three and paise forty three only.
96	1.34	S/F Batten / Angle Holder:-	27.000	Each	74.740	Rs. Seventy four and paise seventy four only.
	file	Supplying and fixing batten / angle holder including connection etc as required.		Be		

Akash Kuma.

9991199999999999999999999999

	7 1.2	5 S/F Modular type electronic fan regulat	or:-			Audit (
		and providing restaurary enclosure	ones wals	00 E	ach 286.	Rs. Two hundred ei six and paise eighty f only.
		Supplying and fixing stepped type regulator on the existing modular switch box including connections	plate		200.	840 Siny.
		excluding modular plate etc as required.	-		7.34	920
98	1.21	S/F PVC Conduit:-	Sept.			and the second s
		Supplying and fixing of following sizes medium class PVC conduit along with accessories surface/recess including cutting the wall and making good the same in cof recessed conduit as required.	in	Ne	1002.8	Le Cho thanking of the same and as se where the
	1.21.1	20 mm				
99		Telephone Wiring in Existing Conduit:-	110.000	Mtrs	53.530	Rs. Fifty three and paise fifty three only.
1	1.18	Supplying and drawing following pair 0	1			
		mm dia FRLS PVC insulated annealed copper conducto unarmored telephone cable in the existing surface/ recessed steel/ PVc conduit as required	r, 24.0(3)	Mic	864,560	
	1.18.2	2 pair				
00	1.24	S/F Modular type Switch / Socket:-	50.000	Mtrs.	18.180	Rs. Eighteen and paise eighteen only.
		Supplying and fixing following modular type switch / socket on the existing modular plate and switch box including connections but excluding modular plate etc as required.		Mus	204,0.0	is a surface order or and party and party and order
	1.24.6	Telephone socket outlet				Ps Ning S
1	5.6	EARTHING	2.000	Each	95.950	Rs. Ninety five and paise ninety five only.
	5.6	COPPER EARTH PLATE ELECTRODE:-				-
		THE RESERVE TO SHARE THE PARTY OF THE PARTY				

Akash kuna.

			26			
	91	Earthing with copper earth plate 600mmx 600mmx 3mm thick including acessories and providing masonary enclosure with cover plate having locking arrangement and watering pipe of 2.7 meter long etc with charcoal/cock and salt as required.		Each	9384.920	Rs. Nine thousand three hundred eighty four and paise ninety two only.
102	5.10	P/F 25 x 5mm copper earth strip in pipe :-				
	9.1,22	Providing and fixing 25 mm X 5 mm copper strip in 40 mm dia G.I. pipe from earth electrode including connection with brass nut, bolt, spring, washer excavation and refilling etc. as required.	2.000	Pach	272.700	Rs. One thousand ninety two and paise eighty two only.
	2014	Hasting	12.000	Mtrs.	1092.820	
103	5.14	P/F 25 x 5 mm copper earth strip in surface/recess:-	1 to 660	A4bs	,41.006	Re Has human to the
		Providing and fixing 25 mm X 5 mm copper strip on surface or in recess for connections etc. as required.	24.000	Mtrs.	864.560	Rs. Eight hundred sixty four and paise fifty six only.
104		Cable Laying of 1.1 KV & 11 KV :-				
	7.1	Laying of one number PVC insulated and PVC Sheathed / XLPE power cable of 1.1 KV grade of following size direct in ground including excavation, sand cushioning, protective covering and refilling the trench etc as required.	1.009	Each	2260 (80)	Re. Day through dispersion of the period of
	7.1.2	Above 35sq.mm and Upto 95 Sq.mm.	80.000	Mtrs.	204.020	Rs. Two hundred four and paise two only.
105		G.I. Pipe for Cable protection:-				
	14.14	Providing, laying and fixing following dia RCC pipe NP2 class(light duty) in ground complete with RCC collars, joints with cement mortar 1:2 (1 cement: 2 fine sand) including trenching (75 cm) and refilling etc.as required. (Road crossing as per site condition)	1 (10)	Each	-522.2.610	Turnerad rayms avid and

Alkash Kuman.

	14.14.	2   150 mm dia	37			
106	9.1	out of Pulses changes are such that the control of	10.000	) Mtr	387.8	Rs. Three hundred eight seven and paise eighty four only.
		1.1 KV Cable End Termination Supplying and making indoor cable entermination with brass double compression gland and aluminium lugs for following size of PVC insulated XLPE Al. Ar. Cable of L.1 KV grade as required.	nd n		307.0	40 Fear Only.
107	9.1.22	3.5 Core 50 Sq.mm.	2.000	Each	272 700	Rs. Two hundred sevent two and paise seventy
10/	1908 JSR 2014	sheathed (Heavy duty)armoured electric cable aluminium conducter.	30.000	Lacil	272.700	0 only.
0.0		3.5C x 50 Sq.mm 1.1kV	100.000	A No.		Rs. Three hundred ninety
08	2.1	S/F HRC fuse type TP&N switch disconnector: Providing and fixing following capacity TP&N disconnector fuse switch unit inside the existing panel board with ISI marked HRC fuses including drilling holes in cubicle panel, making connections, etc. as required.	1.00.000	Mtrs.	391.000	one only.
	2.1.2	63 amps,TP&N, HRC		<u> </u>		Rs. Two thousand two
9	2.5	S/F Busbar Chamber:-	3.000	Each	2260.380	hundred sixty and paise thirty eight only.
	2.5.3 B.S.R 2009	Providing and fixing following capacity busbar chamber with 4 strips of suitable size made of capper,heavy duty,complete with all accessories including connections, earthing the body, etc as required.	10.000	AG.		Rs. Six thousand two hundred twenty two and paise sixty one only.
			1.000	Each	6222.610	

Alkash Kuna.

711-12-201

			20			
110		Providing and fixing following capacity four	ır			In case Thomsand early
	B.S.R 2009	pole OFF-load changeover switch with sid	e	E L	2807 38	Productive Seven one prove
	2009	handle operation, in sheet enclosure in	n			There were the college.
		existing metal board, including drilling holes in metal panel, making connection	g			Rs. Seven thousand nine
		etc. as required.	S		1000.00	hundred seven only.
		125 Amps, Four pole	1 6 3 2 3 2	And the		
		123 Amps, I can pole				
			1.000	Each	7907.000	
1111	6.5	Providing and fixing copper tape 20 mm	(			
		3 mm thick on parapet				
		or surface of wall for lightning conducto	r			Rs. Three hundred
		complete as required.	13(125)	Thous.	601 67	seventy nine and paise
		(For horizontal run)			ļ	seventy six only.
			80.000	meter	379.760	
112	6.6	Providing and fixing copper tape 20 mm X	00.000	meter	3/9./00	
		3 mm thick on parapet				D. D. L. L.
		or surface of wall for lightning conductor				Rs. Four hundred ten and
		complete as required.	30.000	motor	410.000	paise six only.
113	2.2	Providing and fixing follwing rteing and	30.000	meter	410.060	
		breaking capacity MCCB in existing			333.36	
		cubicale panel bord including drilling hole	Tab Asta		200,00	
		cubicale panel making connection etc as				
		required				de Carrie acard
			139:586	MT	1075.78	security that and not the
	2.2.3	160 amp. 16KA	1000			D. D. J. J.
						Rs. Four thousand five
		4	1.000	FACIL	1565 200	hundred sixty five and
			1.000	EACH	4565.200	paise twenty only.
		FIRE FIGHTING			Total (C)	503,812.73
114	DGS&D	Brand new ISI marked Life Guard ABC	2 Source A	Farmer 1 A		
		type multipurpose Fire Extinguishers 4 Kgs.	1,9 %-12,58 54	2 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
		Capacity, fitted with pressure guage		1		Rs. Seven thousand five
		complete in all respects, ready to use,				hundred forty nine and
		complete installation kit.			***************************************	paise seventy five only.
		provide bisequier of	10.000	Nie	7540.750	7 524 704 73
	BANTE	235.0374.04 1A4.04 1A7.44 1A	10.000	Nos.	7549.750	
	anger to Manage of the San			2 3 3 3 3	Total	75,497.50
		CARRIAGE OF MATERIALS		35-111 D. S	Total (D)	75,498.00
115		THE OF MATERIALS	1 Savens 1	(noder d	Minery Fi	
		Type of materials			Rate Incl.	
		Type of materials			1% Lab.	
					Cess	D. T. I.
		Cement	139.566	MT	200.07	Rs. Two hundred eighty
			139.300	MT	289.87	nine and paise eighty
_						seven only.

Akash Kuna.

Chief Consultant (Technical)

			39			
	A. Coo	Sand	188.457	cum	2807.38	Rs. two Thousand eight Hundred Seven and paise Thirty eight only.
		Local Sand	125.918	cum	205.29	Two Hundred Five and paise Twenty Nine only
		Stone Chips	176.279	cum	2264.53	Rs. two Thousand two Hundred Sixty four and paise fifty Three only.
		Brick	120.253	Thous.	601.67	Rs. Six hundred one and paise sixty seven only.
		Steel	18.050	MT	289.87	Rs. Two hundred eighty nine and paise eighty seven only.
116		A COST OF MATERIAL FOR NGA COMM. W.R.T TO GAYA AS PER			124.4	The land many form there
	Bricks	32 from manual bore Broke hall value	120.253	Thous.	333.36	Rs. three hundred thirty three and paise thirty six only
	Cement	Supplying all appreciate tools and metallistics of 1 life single phase	139.566	MT	1075.73	Rs. One Thousand seventy five and paise seventy three only.
		MAKE EVEN HAS REPORTED OF HIS CHEESE SOOT			Total	1,262,372.25
		PTO A TOME DESCRIPTION STREET, TORY,		New York	Total (E)	1,262,372.00
		25 datok palve 3 35% 0° Line (5)	Grand	Total (A+	B+C+D+E)	7,906,794.73
SL. No.	DISTRICT	NAME OF INSTITUT	E			Amount (Rs.)
1	MADHU BANI	BLOCK RESOURCE CENTRE				7,906,794.73

(Rupees Seventy Nine lacs Six thousand Seven Hundred Ninety Five Only)

Total Cost in 'Rs'

Alkash Kuman

Chief Consultant (Technical)

7,906,795.00

	"Deta	ails of Sl. No. 78 (Construction of 125most of Materials	40 m v 40m	· · · · · · · · · · · · · · · · · · ·	T	
Part '	A' - Co		III X 40II	ım x 90m	Tube well	l) is given below
1.		125mm dia UPVC casing pipe confirming to ISS	27	Meter	315.0	Rs. Three hundred fifte only.
2		40mm dia UPVC pipe confirming to ISS	48	Meter	99.3	Rs. Ninety nine and pai
3		40mm dia PVC ribbed strainer of approved quality	8	Meter	182.00	thirty eight only.  Rs. One hundred eighty
4		Reducing socket 125mm x 40mm	1	Each	270.00	Rs. Two hundred sevent only.
5		Supplying all labour and materials & fitting & fixing PVC cap over the new sink T/well	1	Each	140.00	Page 1
6	B.S.R 1548	Providing and fixing of G.I pipes complete with G.I fittings and clamps, including, cutting and making good etc 32 mm dia (15% C.P & 1% L.Cess)	18	mtr	224.44	Rs. Two hundred twenty four and paise forty four only.
7	B.S.R 1928	32 mm nominal bore Bross Full valve (15% C.P & 1% L.Cess)	70.1	Each	511.21	Rs. Five hundred elevenand paise twenty one
		Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ISI make 2900 rpm capable of discharge 5000	/	1255	/	only.
8		LPH at 45 Mtr head with all necessary riser, pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of E/I	1	Each	26,446.00 f	Rs. Twenty six thousand our hundred forty six nly.
		Sub - Total "A"	2.8	200 LIAN		to Twenty unstand
		AL.				46138.37

			41			
Part	'B' - Cost	of Labour				
		Boring by jet dheki by suitable cutter of reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge.	e Secu Akash C Phulp	nity Cumar	NO - 17	
		(i) 0 to 30.5 m				
9	DR No.	(a) For 125 mm dia U.PV.C pipe	27	mtr	208.77	Rs. Two hundred eight and paise seventy seven only.
10	15.1940100	(b) for 40 mm dia UPVC pipe				17.5000 100
		(i) 0 to 30.5 m	3.5	mtr	119.03	Rs. One hundred nineteen and paise three only.
		(ii) 30.5 m to 61.0 m				2.545 (12.64 (12
11	Sanger In	(a) For 40 mm dia UPVC pipe	30.5	mtr	136.88	Rs. One hundred thirty six and paise eighty eight only.
		(iii) 61.00 m to 75.00 m	And the second			
12		a) For 40mm dia UPVC pipe	14	mtr	148.79	Rs. One hundred forty eight and paise seventy nine only.
		(iv) 75.00 m to above	The state of the s		1967	
13		a) For 40mm dia UPVC ribbed strainer of approved quality	8	mtr	148.79	Rs. One hundred forty eight and paise seventy nine only.
14		Providing all labour & tools and lowering 32 mm dia G.1 pipe as per specificatin etc. all Complete	24	mtr	21.34	Rs. Twenty one and paise thirty four only.
15		Supplying labour and developing the T/Well to have sand free discharge all complete as per direction of E/I	. 1	Each	280.50	Rs. Two hundred eighty and paise fifty only.

Tender approved in favour of Akash Kumar @ 10.00% (Ten Decimal Zero Zero Percent) below BOQ rate i.e. total amount comes to Rs. 71,16,115=00 (Rupees Seventy One Lacs Sixteen Thousand one Hundred Fifteen Only)

Akash kuma.

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

Sub - Total

Total C="A+B"

14,294.28

60,432.65

2ye

## **Performance Security**

Name of Agency:- Akash Kumar

## "Performance Security of BRC Phulparas, SL.NO.- 17"

FDR No.	DOI		Amount
2519401006359/60	05.05.16 To 05.05.17		175000.00
2519401006359/61	05.05.16 To 05.05.17		175000.00
2519401006359/02	03.06.16 To 03.06.17		10000.00
	alian) (SI No.47)" V and A		The second second
		Total-	3,60,000.00

(Rupees Three Lacs Sixty Thousand Only)

Akash kuman

And Market

लेळ्गा पद्गिधिकारी बिहार राज्य शैक्षणिक आधारभूत संरवना विकास निगम लिं०, पटना

10-12-2017

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम) 43

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना—800004, दूरभाष—0612—2910314 कॉर्पोरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256,

पत्रांक:- BSEIDC/FIN/2541/2016-17/-9311 9392 पटना, दिनांक 03-10-46

प्रेषक.

ब्रजेश प्रसाद मुख्यं परामर्शी (तकनीकी)

सेवा में,

Akash Kumar, P.O.-Khajpura, P.O.-B.V. College, Patna-14

विषय:— बिहार राज्य अंतर्गत "Construction of Block Resource Centre at Phulparas, Madhubani (SL. No.-17)" के कार्य हेतु जमानत की राशि जमा कर एकरारनामा करने के संबंध में।

महाशय,

उपर्युक्त विषय के संबंध में कहना है कि विषयांकित कार्य की निविदा हेतु आपके द्वारा निविदित दर जो परिमाण विपन्न के दर से 10.00% (दस दशमलव शून्य शून्य प्रतिशत) कम है तद्नुसार निविदा की कुल राशि रू० 71,16,115/—(एकहत्तर लाख सोलह हजार एक सौ पन्द्रह रूपये) मात्र आपके पक्ष में स्वीकृत की गयी है।

अतः निदेश दिया जाता है कि अग्रधन की राशि रू० 3,56,000/— (तीन लाख छप्पन हजार रूपये) मात्र का सावधि पांसबुक/राष्ट्रीय बचत प्रमाण पत्र के रूप में प्रबंध निदेशक, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०, पटना के नाम से प्रतिज्ञिप्त हो जमा कर अविलंब एकरारनामा कर लें।

(ब्रजेश प्रसाद) मुख्य परामर्शी (तकनीकी)

ज्ञापांक : BSEIDC/FIN/2541/2016-17/- 3332

पटना, दिनांक 03-10-16

प्रतिलिपि : वरीय लेखा पदाधिकारी, BSEIDC को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित।

मुख्य परामर्शी (तकनीकी)

Akash Kuna.

Chief Consultant (Technical)

## बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

77911111179999999999999999999

(बिहार सरकार का एक उपक्रम)

कॉर्पोरेट पहचान संख्याः (१८०३०)।१८२०।। SGC015859, e-mail bseide agmail.com, website, www.bseide.in, Pax No. 0612-2660256 शिक्षा भवन, विहार राष्ट्रभाषा परिषद परिसर, शिवपुलन सहाय पथ, सैदपुर, पटन, 800004, दूरभाष-0612-2910314

Letter no.: BSEIDC NIT/2015-16/- 3 950

Patna, Date: 30 04.16

## Corrigendum No.- 3

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "हिन्दुस्तान" on dated 10.02.2016 vide P.R.-12943 (नि०नि०)15-16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below

3.E. 110.	Existing provision	Amended provision
	Period of Sale of Bid document (Download) from dated 16.04.2016 to 10.05.2016, 15:00 Hrs.	Period of Sale of Bid document (Download) from dated 16:05.2016 to 05:06.2016, 15:00 Hrs.
<b>CI</b>	Date and Time of Pre bid Meeting – 25.04.2016, 14:30 Hrs.	Date and Time of Pre bid Meeting – 25.05.2016, 16:00 Hrs.
(C)	Last date and time for receipt (Upload) of Bids on dated 11.05.2016 ,15:00 Hrs.	Last date and time for receipt (Upload) of Bids on dated 06.06.2016, 15:00 Hrs.
7	Time and date for opening of Technical Bids on dated 13, 05.2016, 16:30 Hrs.	Time and date for opening of Technical Bids on dated 08. 06.2016, 16:30 Hrs.
V.	Time and date for opening of Financial Bids on dated 27.05.2016, 15:30 Hrs.	Time and date for opening of Financial Bids on dated 24.06.2016, 15:30 Hrs.
9	The Cost of BOQ and EMD will be	The Cost of BOQ and EMD will be accepted up to 08.06.2016, 15:00 Hrs.

The other terms and conditions shall remain unchanged.

Kest Kum.

d. Chief Consultant (Technical)

(Brajesh Prasad) Development Corporation Ltd., Patna
(Chief Consultant (Technical)

## 777717777777777777777777777777777777 बिहार राज्य शैक्षणिक आधारभृत सरवना विकास निगम नि०

(बिहार सरकार का एक उपक्रम)

कॉपसिट पहचान सरमा ७.४०३०।BR2011SGC015859, e-mail bseides gmail com, website www bseide in, Fax No. 0612-2660256 शिक्षा भवन, विहार राष्ट्रभाषा वरिषद् परिसम् शिवपूजन सहाय पथ् सेंदपुर, पटना-८००००, दूरमाप-0612-2910314

Letter no.: BSEIDC/NIT/2015-16/- 2937

Patna, Date: 28 03-2016

## Corrigendum No.- 2

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "हिन्दुस्तान" on dated 10.02.2016 vide P.R.-12943 (नि०नि०)15—16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below :-

Period of Sale of Bid document (Download) from dated 03.03.2016 to 28.03.2016.	Period of Sale of Bid document (Download) from dated 16.04.2016 to 10.05,2016.
Date and Time of Pre bid Meeting 15.03.2016. 14:30 Hrs.	Date and Time of Pre bid Meeting - 25.04.2016, 16:00 Hrs.
Last date and time for receipt (Upload) of Bids on dated 29.03.2016,15:00 Hrs.	Last date and time for receipt (Upload) of Bids on dated 11.05.2016, 15:00 Hrs.
Fime and date for opening of Technical Bids on dated 31. 03.2016, 16:30 Hrs.	Time and date for opening of Technical Bids on dated 13, 05,2016, 16:30 Hrs.
Time and date for opening of Financial Bids on dated 11.04.2016, 15:30 Hrs.	Time and date for opening of Financial Bids on dated 27.05.2016, 15:30 Hrs.

The other terms and conditions shall remain unchanged.

these there.

Chief Consultant (Technical)

Chief Consultant (Technical)

Brajesh Prasad)

Brajesh Prasad)

(Brajesh Prasad)
Chief Consultant (Technical)

# बिहार राज्य शैक्षणिक आधारभूत संरवना विकास निगम लि०

7791177779999999999999999999999999

(बिहार सरकार का एक उपक्रम)

कॉर्पीरेट पहचान संख्या U80301BR2011SGC015859, e-mail bseide@gmail.com. website, www bseide.in, Fax No. 0612-2660256, शिक्षा भवन, विहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथा, सैदपुर, पटना-800004, दूरभाष-0612-2910314

Letter no.: BSEIDC/NIT/2015-16/- 5 & a.s.

atna, Date: 17.0 2:14

## Corrigendum No.- 1

website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 through e-tendering the State of Bihar" the following amendments have been made as mentioned below:-

 10.	Existing provision	Amended provision
podering	Period of Sale of Bid document (Download) from dated 03.03.2016 to 28.03.2016, 15:00 Hrs.	Period of Sale of Bid document (Download) from dated 03.03.2016 to 30.04.2016, 15:00 Hrs.
	Last date and time for receipt (Upload) of Bids on dated 29.03.2016, 15:00 Hrs.	Last date and time for receipt (Upload) of Bids on dated 01.05.2016,15:00 Hrs.
	Time and date for opening of Technical Bids on dated 31, 03,2016, 16:30 Hrs.	Time and date for opening of Technical Bids on dated 04, 05.2016, 16:30 Hrs.
-	Time and date for opening of Financial Bids on dated 11.04.2016, 15:30 Hrs.	Time and date for opening of Financial Bids on dated 17.05.2016, 15:30 Hrs.
10	. The Cost of BOQ and EMD will be	The Cost of BOQ and EMD will be accepted up to 04.05.2016, 15:00 Hrs.

The other terms and conditions shall remain unchanged.

Mash Kynner

Chief Consultant (Tachnical)

Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

(Brajesh Pro Development Corporation Ltd., Patna Chief Consultant (Technical)

## SPECIAL CONDITIONS

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes royalties and other incidental charges.

4. To qualify for award of work, the Bidder must possess the following :-

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of signatory bid.

b) DD for required value of B.O.Q. Cost.

c) Sufficient Earnest Money Deposit.

d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.

Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed at least one Building work of value not less than 25 % of estimated value of contract) in last five years as mentioned in Technical bid.

f) Litigation History as mentioned in Technical bid.

g) Affidavit as mentioned in Technical bid.

h) Valid Registration with Central/ State Govt. / PSU. i) Valid labour license as mentioned in Technical bid.

j) Affidavit/Certificate for not been debarred as mentioned in Technical bid.

5. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.

6. The tender without earnest money or insufficient earnest money submitted with the tender, will be outright rejected.

7. Conditional tenders shall be outright rejected.

8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.

9. Authority shall reserve the right to reject any or all the tenders or distribute the work to more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained.

11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules prevalent in the locality.

12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the

contractor.

- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-
- Natural calamities
- b. Act of enemies.

(Seal & Signature of Tenderer)

Chief Consultant (Technical) Bihar State Educational Infrastructure

Development Corporation Ltd., Patna

- c. Transport and procurement difficulties.
- d. Circumstances beyond the control of the state.
- 15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- 16. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
- 17. The contractor shall make his own arrangement for water and light at the work site.
- 18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 20. The Tenderer must not quote their rate more than 10 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
- 21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 22. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.
- 23. The Defect liability Period shall be Three (3) Years from the date of completion of the work.

(Seal & Signature of Tenderer)

Page 2 of 2

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

Zyan

## बिहार राज्य शैक्षणिक आधारमूत संरचना विकास निगम लिमिटेड

(बिहार सरकार का एक उपक्रम)

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् कैम्पस, आचार्य शिवपुजन सहाय पथ, सैदपुर, पटना-800004 (दूरभाष:-0612-2910314)

## निविदा आमंत्रण सूचना संख्या— 40 वर्ष 2015—16 (केवल ई—टेन्डरिंग पद्धति के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

1. बिहार राज्य के भवन निर्माण कार्य हेतु निम्नांकित निविदायें आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार/सार्वजनिक क्षेत्रों में निविधत हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रजिस्ट्रेशन, उक्त कार्य का लेटर ऑफ एक्सेपटेंस प्राप्त होने के बाद कराना होगा।

क्रम	कार्य का नाम	प्राक्कलित राशि (लाख में )	अग्रधन की राशि (रू० में)	परिमाण विपत्र की राशि (रू० में )	Beltron Bid Processing Fee (In Rs.)	का समा की अ	प्ति
1	BRC Ekma, Saran	85.2	1,70,400	10,000	5750	15	माह
2	BRC Baniyapur, Saran	85.2	1,70,400	10,000	5750	15	माह
3	BRC Masrak,Saran	85.2	1,70,400	10,000	5750	15	माह
4	BRC Marhowrah, Saran	85.2	1,70,400	10,000	5750	15	माह
5	BRC Amnour, Saran	85.2	1,70,400	10,000	5750	15	माह
6	BRC,Dariyapur,Saran	85.2	1,70,400	10,000	5750	15	माह
7	BRC,Garkha,Saran	85.2	1,70,400	10,000	5750	15	माह
8	BRC, Manigachhi, Darbhanga	85.2	1,70,400	10,000	5750	15	माह
9	BRC, Keoti, Darbhanga	85.2	1,70,400	10,000	5750	15	माह
10	BRC,kusheshwarsthan,Darbhanga	85.2	1,70,400	10,000	5750	15	माह
11	BRC,Ghanshyampur,Darbhanga	85.2	1,70,400	10,000	5750	15	माह
12	BRC,Kiratpur,Darbhanga	85.2	1,70,400	10,000	5750	15	माह
13	BRC,Baheri,Darbhanga	85.2	1,70,400	10,000	5750	15	-
14	BRC, Hanumannagar, Darbhanga	85.2	1,70,400	10,000	5750	15	माह
15	BRC, Lakhnaur, Madhubani	85.2	1,70,400	10,000	5750	15	माह
16	BRC, Jhanjharpur, Madhubani	85.2	1,70,400	10,000	5750	15	माह
17	BRC,Phulparas,Madhubani	85.2	1,70,400	10,000	5750	15	माह
18	BRC,Khutauna,Madhubani	85.2	1,70,400	10,000	5750	15	माह
19	BRC, Khajouli, Madhubani	85.2	1,70,400	10,000	5750	15	माह
20	BRC,Bisfi,Madhubani	85.2	1,70,400	10,000	5750	15	माह
21	BRC,Rahika,Madhubani	85.2	1,70,400	10,000	5750	15	माह
22	BRC, Harlakhi, Madhubani	85.2	1,70,400	10,000	5750	15	माह
23	BRC,Babubarhi,Madhubani	85.2	1,70,400	10,000	5750	15	माह
24	BRC Rosada, Samastipur	85.2	1,70,400	10,000	5750	15	माह
25	BRC Samastipur	85.2	1,70,400	10,000	5750	15	माह
26	BRC, Khanpur, Samastipur	. 85.2	1,70,400	10,000	5750	15	माह
27	BRC, Hasanpur, Samastipur	85.2	1,70,400	10,000	5750	15	माह
28	BRC, Mohanpur, Samastipur	85.2	1,70,400	10,000	5750	15	माह
29	BRC, Patori, Samastipur	85.2	1,70,400	10,000	5750	15	भाह
30	BRC, Shivajinagar, Samastipur	85.2	1,70,400	10,000	5750	15	
31	BRC,Sangrampur,E.Champaran	85.2	1,70,400	10,000	5750	-	माह
32	BRC,Kalyanpur,E.Champaran	85.2	1,70,400	10,000	5750	15	माह
33	BRC Chakia, E. Champaran	85.2	1,70,400	10,000	5750	15	-
34	BRC Sugauli, E. Champaran	85.2	1,70,400	10,000	5750	15	-
35	BRC Madhuban, E. Champaran	85.2	1,70,400	10,000	5750	15	माह
36	BRC Patahi, E, Champaran	85.2	1,70,400	10,000	5750	15	माह
37	BRC Raxaul, E. Champaran	85.2	1,70,400	10,000	5750		माह
38	BRC Adapur, E. Champaran	85.2	1,70,400	10,000	5750		माह
39	BRC Bankatwa, E. Champaran	85.2	1,70,400	10,000	5750	1	माह
40	BRC Dhaka, E. Champaran	85.2	1,70,400	10,000 €	JASPU-		माह
41	BRC Bairia, W. Champaran	85.2	1,70,400	10,000	5/80		माह
42	BRC Narkatiaganj, W.Champaran	85.2			(Technical)	-	माह
	BRC Sikta, W. Champaran	85.2	Chief	Consumant	al infastructu		

Alkash Kuma.

Development Corporation Ltd., Patna

9		Die Dinaian, w. Champaran	03.2	1,/0,400	10,000	3/30	15 .	116
	45	BRC Lauriya, W.Champaran	85.2	1,70,400	10,000	5750	15 F	गह
)	46	BRC, Piprasi, W. Champaran	85.2	1,70,400	10,000	5750	15 F	गह
	47	BRC, Majhaulia, W. Champaran	85.2	1,70,400	10,000	5750	15 F	गह
'	48	BRC Darauli, Siwan	85.2	1,70,400	10,000	5750	15 F	गह
L	49	BRC Hussainganj,Siwan	85.2	1,70,400	10,000	5750	15 F	गह
	50	BRC Mairwa, Siwan	85.2	1,70,400	10,000	5750	15 F	गह
	51	BRC Basantpur, Siwan	85.2	1,70,400	10,000	5750	15 F	गह
	52	BRC Maharajganj,Siwan	85.2	1,70,400	10,000	5750	15 F	गह
	53	BRC,Bhagwanpur,Siwan	85.2	1,70,400	10,000	5750	15 H	गह
	54	BRC, Hasanpur, Siwan	85.2	1,70,400	10,000	5750	15 म	गह
	55	BRC Uchkagaon, Gopalganj	85.2	1,70,400	10,000	5750	15 म	गह
L	56	BRC Sidhwalia,Gopalganj	85.2	1,70,400	10,000	5750	15 म	गह
)	57	BRC Bhorey, Gopalganj	85.2	1,70,400	10,000	5750	15 म	गह
	58	BRC,Bijaipur,Gopalganj	85.2	1,70,400	10,000	5750	15 म	गह
	59	BRC Pachdeuri, Gopalganj	85.2	1,70,400	10,000	5750	15 म	गह
	60	BRC Kuchaikot, Gopalganj	85.2	1,70,400	10,000	5750	15 म	गह
	61	BRC,Ramgarh,Kaimur	85.2	1,70,400	10,000	5750	15 म	गह
	62	BRC Chainpur, Kaimur	85.2	1,70,400	10,000	5750	15 н	ाह
	63	BRC Bhagwanpur, Kaimur	85.2	1,70,400	10,000	5750	15 н	गह
	64	BRC Chakki,Buxar	85.2	1,70,400	10,000	5750	15 म	ाह
	65	BRC Buxar	85.2	1,70,400	10,000	5750	15 н	ाह
	66	BRC,Chausa,Buxar	85.2	1,70,400	10,000	5750	15 म	ाह
	67	BRC Dinara, Rohtas	85.2	1,70,400	10,000	5750		ाह
	68	BRC Karahgar, Rohtas	85.2	1,70,400	10,000	5750		ाह
	69	BRC Kochas, Rohtas	85.2	1,70,400	10,000	5750		ाह
	70	BRC Tilauthu, Rohtas	85.2	1,70,400	10,000	5750	-	ाह
	71	BRC Karakat, Rohtas	85.2	1,70,400	10,000	5750		ाह
	72	BRC Dawat, Rohtas	85.2	1,70,400	10,000	5750	-	ाह
	73	BRC,Mansahi,Katihar	85.2	1,70,400	10,000	5750	-	ाह
	74	BRC,Manihar,Katihar	85.2	1,70,400	10,000	5750		ाह
	75	BRC,Pranpur,Katihar	85.2	1,70,400	10,000	5750		ाह
	76	BRC, Kadwa, Katihar	85.2	1,70,400	10,000	5750		ाह
	77	BRC,Barsoi,Katihar	85.2	1,70,400	10,000	5750	15 म	
	78	BRC, Azamnagar, Katihar	85.2	1,70,400	10,000	5750	15 म	
	79	BRC,Narpatganj,Araria	85.2	1,70,400	10,000	5750	15 म	
	80	BRC, Araria	85.2	1,70,400	10,000	5750	15 म	
	81	BRC, Jokihat, Araria	85.2	1,70,400	10,000	5750	15 मा	
	82	BRC,Bhargama,Araria	85.2	1,70,400	10,000	5750	15 मा	
	83	BRC,Kursakata,Araria	85.2	1,70,400	10,000	5750	15 मा	-
	84	BRC,Purnea East,	85.2	1,70,400	10,000	5750	15 मा	
	85	BRC, Baisi, Purnea	85.2	1,70,400	10,000	5750	15 मा	
	86	BRC,Amour,Purnea	85.2	1,70,400	10,000	5750	15 मा	
	87	BRC, Dhamdaha, Purnea	85.2	1,70,400	10,000	5750	15 मा	-
	88	BRC,Banmankhi,Purnea	85.2	1,70,400	10,000	5750	15 · 刊	
	89	BRC, Tarhagach, Kishanganj	85.2	1,70,400	10,000	5750	15 和	-
	90	BRC,Thakurganj,Kishanganj	85.2	1,70,400	10,000	5750	15 · 刊	
	91	BRC,Pothia,Kishanganj	85.2	1,70,400	10,000	5750	15 मा	-
	92	BRC Katoria,Banka	85.2					
	93	BRC Rajaun,Banka	85.2	1,70,400	10,000	5750	15 मा 15 मा	-
-	94	BRC.Barhat,Banka	85.2	1,70,400	10,000	5750	15 मा	-
	95	BRC Belhar,Banka		1,70,400	10,000	5750	15 मा	
-	96	BRC Jamui	85.2	1,70,400	10,000	5750	15 मा	-
	97	BRC Barhat, Jamui	85.2	1,70,400	10,000	5750	<b>1</b> 5 मा	
-	98	BRC Chakai, Jamui	85.2	1,70,400	10,000	\$ 50 N	15 मा	
	99	BRC Gidhour, Jamui	85.2	1,70,400	10,000	5750	15 मा	-
	JJ	Dic Giunoui, Jamui	85.2	1,70,400 Chief (	10,000 Consultant	(Technical)	15 मा	8
		OL STATE OF THE ST		74 6		Infractweetu		

Alash Kuna.

102 BR 103 BR 104 BR 105 BR 106 BR 107 BR 108 BR	C Asharganj, Munger C Naugachhia, Bhagalpur C Pirpainti, Bhagalpur C Shahkund, Bhagalpur C Puraini, Madhepura C Gwalpada, Madhepura	85.2 85.2 85.2 85.2 85.2	1,70,400 1,70,400 1,70,400 1,70,400	10,000 10,000 10,000	5750 5750 5750	15	माह माह
103 BR 104 BR 105 BR 106 BR 107 BR 108 BR	C Pirpainti,Bhagalpur C Shahkund,Bhagalpur C Puraini,Madhepura C Gwalpada,Madhepura	85.2 85.2	1,70,400	10,000		15	
104 BR 105 BR 106 BR 107 BR 108 BR	C Shahkund,Bhagalpur C Puraini,Madhepura C Gwalpada,Madhepura	85.2					
105 BR 106 BR 107 BR 108 BR	C Puraini,Madhepura C Gwalpada,Madhepura		14/04/00	10,000	5750	15	माह
106 BR 107 BR 108 BR	C Gwalpada, Madhepura	03.4	1,70,400	10,000	5750	15	माह
107 BR 108 BR		85.2	1,70,400	10,000	5750		माह
108 BR	C Kumarkhand, Madhepura	85.2	1,70,400	10,000	5750		माह
	C Gailarh, Madhepura	85.2	1,70,400	10,000	5750		माह
109 BR	C Saurbazar, Saharsa	85.2	1,70,400	10,000	5750		माह
	C,Navhatta,Saharsa	85.2	1,70,400	10,000	5750	15	माह
	C Mahensi, Saharsa	85.2	1,70,400	10,000	5750	15	माह
	C Sonbarsa, Saharsa	85.2	1,70,400	10,000	5750	15	माह
	C Simri, Bakhtiyarpur Saharsa	85.2	1,70,400	10,000	5750	15	माह
	C Supaul	85.2	1,70,400	10,000	5750	15	माह
	C Pipra, Supaul	85.2	1,70,400	10,000	5750	15	माह
	C Pratapganj, Supaul	85.2	1,70,400	10,000	5750	15	माह
	RC Nirmali, Supaul	85.2	1,70,400	10,000	5750	15	माह
	RC Raghopur, Supaul	85.2	1,70,400	10,000	5750		माह
	RC, Atari, Gaya	85.2	1,70,400	10,000	5750	-	माह
	RC, Neemchak, Gaya	85.2	1,70,400	10,000	5750	15	माह
	RC, Wazirganj, Gaya	85.2	1,70,400	10,000	5750	15	माह
	RC, Mohanpur, Gaya	85.2	1,70,400	10,000	5750	15	माह
	RC, Imamganj, Gaya	85.2	1,70,400	10,000	5750		माह
	RC Amas, Gaya	85.2	1,70,400	10,000	5750		माह
	RC, Koch, Gaya	85.2	1,70,400	10,000	5750		माह
	RC.Jehanabad	85.2	1,70,400	10,000	5750		माह
	C,Kako,Jehanabad	85.2	1,70,400	10,000	5750		माह
	RC,Ghosi,Jehanabad	85.2	1,70,400	10,000	5750		माह
	RC Arwal	85.2	1,70,400	10,000	5750		माह
	RC Karpi,Arwal	85.2	1,70,400	10,000	5750		माह
Accompanies on a consumer consumer service	RC, Obra, Aurangabad	85.2	1,70,400	10,000	5750		माह
THE R. P. LEWIS CO., LANSING, S. P. LEWIS CO	RC,Dev,Aurangabad	85.2	1,70,400	10,000	5750		माह
	RC Madanpur, Aurangabad	85.2	1,70,400	10,000	5750		माह
	RC Kutumba, Aurangabad	85.2	1,70,400	10,000	5750		माह
and the second name and the second name of the seco	RC, Rega, Sitamarhi	85.2	1,70,400	10,000	5750		माह
	RC, Merajgang, Sitamarhi	85.2	1,70,400	10,000	5750		माह
		85.2	1,70,400	10,000	5750		माह
	RC, Pupri, Sitamarhi	85.2	1,70,400	10,000	5750		माह
	RC,Barthnaha,Sitamarhi			10,000	5750		माह
	RC,Runisaidpur,Sitamarhi	85.2	1,70,400	10,000	5750		माह
NAME AND ADDRESS OF THE OWNER, WHEN PERSON NAMED IN COLUMN 2 IS NOT THE OWNER,	RC,Suppi,Sitamarhi	85.2	1,70,400	10,000	5750	-	माह
	RC, Pakribarawan, Nawada	85.2	1,70,400			-	माह
	RC, Warisaliganj, Nawada	85.2	1,70,400	10,000	5750 5750		
	RC, Akabarpur, Nawada	85.2	1,70,400	10,000	5750	-	माह
-	RC, Narhat, Nawada	85.2	1,70,400	10,000	5750	-	माह
	RC, Chandi, Nalanda	85.2	1,70,400	10,000	5750		माह
	RC, Austhawan , Nalanda	85.2	1,70,400	10,000	5750		माह
	RC, Rahui, Nalanda	85.2	1,70,400	10,000	5750	-	माह
Andrew or the second real party and the seco	RC, Ekangarsarai, Nalanda	85.2	1,70,400	10,000	5750	-	माह
	RC,Silaw,Nalanda	85.2	1,70,400	10,000	5750	-	माह
	RC, Katrisarai, Nalanda	85.2	1,70,400	10,000	5750	15	माह
	RC, Karaiparsurai, Nalanda	85.2	1,70,400	10,000	5759	15	माह
	RC,Motipur,Muzaffarpur	85.2	1,70,400	10,000	5050	15	भाह
	RC Gaighat, Muzaffarpur	85.2	1,70,400	10,000	\$750	-	माह
	RC,Aurai,Muzaffarpur	85.2	1,70,400	10,000	(Tophring)	15	माह
155 BF	RC,Bandra,Muzaffarpur	85.2	1,70 GARRES	Consultan	t (Technical) nal Infrastructi		माह

AKash Kuman,

156	BRC, Minapur, Muzaffarpur	85.2	1,70,400	10,000	3/30	13 nie
157	BRC,Bhagwanpur,Muzallarpur	85.2	1,70,400	10,000	5750	15 माह
158	BRC, Jagdishpur, Bhojpur	85.2	1,70,400	10,000	5750	15 माह
159	BRC ,Charpokhri,Bhojpur	85.2	1,70,400	10,000	5750	15 माह
160	BRC, Udwantnagar, Bhojpur	85.2	1,70,400	10,000	5750	15 माह
161	BRC,Garhani,Bhojpur	85.2	1,70,400	10,000	5750	15 माह
162	BRC ,Koilwar,Bhojpur	85.2	1,70,400	10,000	5750	15 माह
163	BRC, Fatuhan, Patna	85.2	1,70,400	10,000	5750	15 माह
164	BRC, Bakhtiyarpur, Patna	85.2	1,70,400	10,000	5750	15 माह
165	BRC, Naubatpur, Patna	85.2	1,70,400	10,000	5750	15 माह
166	BRC,Maner,Patna	85.2	1,70,400	10,000	5750	15 माह
167	BRC,Begusarai	85.2	1,70,400	10,000	5750	15 माह
168	BRC, Matihani, Begusara	85.2	1,70,400	10,000	5750	15 माह
169	BRC, Bhagwanpur, Begusarai	85.2	1,70,400	10,000	5750	15 माह
170	BRC, Bakhri, Begusarai	85.2	1,70,400	10,000	5750	15 माह
171	BRC, Mansoorchak, Begusarai	85.2	1,70,400	10,000	5750	15 माह
172	BRC, Cheria Bariyarpur, Begusarai	85.2	1,70,400	10,000	5750	15 माह
173	BRC ,Chuatham,Khagaria	85.2	1,70,400	10,000	5750	15 माह
174	BRC, Gogari, Khagaria	85.2	1,70,400	10,000	5750	15 माह
175	BRC, Beldour, Khagaria	85.2	1,70,400	10,000	5750	15 माह
176	BRC, Parbatta, Khagaria	85.2	1,70,400	10,000	5750	15 माह
177	BRC,Raghopur,Vaishali	85.2	1,70,400	10,000	5750	15 माह
178	BRC ,Desari,Vaishali	85.2	1,70,400	10,000	5750	15 माह
179	BRC, Bidupur, Vaishali	85.2	1,70,400	10,000	5750	15 माह
180	BRC, Jandaha, Vaishali	85.2	1,70,400	10,000	5750	15 माह
181	BRC ,Mahua, Vaishali	85.2	1,70,400	10,000	5750	15 माह
182	BRC, Garoul, Vaishali	85.2	1,70,400	10,000	5750	15 माह
183	BRC,Chewada,Shekhpura	85.2	1,70,400	10,000	5750	15 माह
184	BRC,Barhiya,Lakhisarai	85.2	1,70,400	10,000	5750	15 माह
185	BRC ,Alinagar, Suryagarha,Lakhisarai	85.2	1,70,400	10,000	5750	15 माह

नोटः (i). निविदाकार एक या अनिक कार्य के लिए अलग-अलग निविदा डाल सकते हैं।

(ii). प्राक्कलित राशि घट या बढ़ सकती है एवं तद्नुसार अग्रधन की राशि घट या बढ़ सकती है।

(iii) वेबसाईट—www.eproc.bihar.gov.in पर अंकित प्राक्कलित राशि, अग्रधन की राशि एवं परिमाण विपन्न की राशि अंतिम रूप से मान्य होगा।

(2) विज्ञापन निर्गत करने की तिथि :- दिनांक:-03.02 .2016

2) परिमाण विपत्र प्राप्त करने(डाउनलोड) की अवधि एवं समय :— दिनांक— 03.**03.2016** से **28.03.2016**, 15:00 घंटा

(वेबसाईट:www.eproc.bihar.gov.in पर)

(4) प्री बिड मीटिंग का समय, स्थान एंव तिथि :- दिनांक:- 15.03.2016, 14:30

दिनांकः— 15.03.2016, 14:30 घंटा प्रबंध निदेशक का कार्यालय,बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम, पटना।

(5) निविदा प्राप्ति(अपलोड) की अंतिम तिथि एवं समय:- दिनांक- 29.03.2016, समय- 15:00 घंटा

(6) अग्रधन जमा करने की अंतिम तिथि एवं समय :- दिनांक- 31.03.2016, समय- 15:00 घंटा

7) टेक्निकल बिंड खोलने की िथ एवं समय :- दिनांक- 31.03.2016, समय- 16:30 घंटा

(वेबसाईट-www.eproc.bihar.gov.inपर)

(8) वित्तीय बिड खोलने की तिथि एवं समय :- दिनांक- 11.04.2016, समय- 15:30 घंटा
(9) निवदा खोलने का स्थान :- वेबसाईट-www.eproc.bihar.gov.inपर

(10) निविदा की वैधना की अविध :- **120 दिन** 

(11) ई-टेन्डरिंग की प्रकिया में भाग लेने हेतु संवेदकों को पंजीकृत होना होगा, जिससे कि उन्हें उपयोगकर्ता का नाम (user

ID) पासवर्ड (Password) अकीय हस्ताक्षर (Digital Signature) निर्गत की जायेगी। यह उन्हें वेबसाईट www.eproc.bihar.gov.in से डाउनलोड करने / टेन्डर की प्रक्रिया में भाग लेने की योग्यता प्रदान करेगा।

(12) ई-निविदा पत्र बेवसाईट www.eproc.bihar.gov.in से प्राप्त किया जा सकता है। संवेदक द्वारा सिर्फ उपर्युक्त वेबसाईट से ही परिमाण विपत्र प्राप्त करने के उपरांत वेबसाईट पर ही इलेक्ट्रानिक निविदा पत्र को भरकर भेजना है। अन्य सभी महत्वपूर्ण कागजात/बैंक ड्राफ्ट/अग्रधन की राशि/सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को स्कैन कर ईन्याच्या के साथ संलग्न करना अनिवार्य है।

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

AKash Kuner.

- (13) परिमाण विपन्न के दर से कम दर उद्धृत करने पर बीड डाक्यूमेंट की शत्तों एवं सरकारी निर्णयानुसार अतिरिक्त Performance Guarantee एकरारनामा के पूर्व जमा करना होगा।
- (14) (क) प्रत्येक परिमाण विपन्न का मूल्य जो प्रत्येक निविदा के सामने उपर किण्डका (1) में अंकित है (जो लौटाया नहीं जाएगा) किसी भी राष्ट्रीयकृत बैंक द्वारा निर्गत एवं BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. के नाम से एवं पटना में भुगतेय हो, स्वीकार किया जायेगा। मूल बैंक ड्राफ्ट "बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड" पटना के कार्यालय में दिनांक 31.03.2016 के 15:00 घंटे तक स्वयं/निबंधित डाक / स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना है। ऐसा नहीं करने पर निविदा मान्य नहीं होगा।
- (ख) Beltron Bid **Processing Fee** is mandatory to be paid through online mode i.e. Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS"
  Bids along with necessary online payments must be submitted through e-procurement portal <a href="https://www.eproc.bihar.gov.in">www.eproc.bihar.gov.in</a> before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffic/ Holidays or any other reason.
- (ग) वांछित अग्रधन की राशि राष्ट्रीय बचत पत्र/डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक जो बिहार राज्य से क्रय या जमा किया हो, प्रबंध निदेशक, BSEIDC Ltd., पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा बिहार वित्त नियमावली के अनुसार BSEIDC Ltd. के नाम से फिक्सड डिपोजिट रिसिप्ट अथवा बैंक गारन्टी जो बिड के मान्य अवधि तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत/अनुसूचित बैंक से निर्गत हो (अगर बिहार प्रान्त के बाहर के बैंक से निर्गत बैंक गारन्टी दिया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड, पटना में दिनांक 31.03.2016 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रूप से जमा किया जाना आवश्यक है। ऐसा नहीं करने पर निविदा मान्य नहीं होगा।
- (15) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर लें। तािक अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से बच सकें।
- (16) निविदाकार निविदा डाल्नि से पहले अपने स्तर से भी प्रस्तावित कार्य स्थल पर भूमि उपलब्धता के संबंध में आश्वस्त हो लेगे।
- (17) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। बिना कारण बताये निविदा या उसके अंश को अस्वीकृत करने / रदद करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।
- (18) विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्य अविध में सम्पर्क किया जा सकता है। ई-टेन्डिरेंग की प्रकिया से संबंधित किसी भी प्रकार की जानकारी/सूचना हेतु सहायता कक्ष, ई-टेन्डिरेंग कक्ष, प्रथत तल्ला, M/22, बैंक ऑफ इण्डिया भवन, रोड न- 25, श्री कृष्णा नगर पटना-800001, दूरभाष सं-0612-2523006/9939035696.

Alash Kuman.

ब्रजेश प्रसाद मुख्य अभियंता

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

244