Schedule XLV-Form No. 61, Work- Residual work of +2 Level School Building At Upgraded. Middle School Laheri, Under Block Kochae, District - Rohtas. (SLNo-6) Form No. F-2] RAFE TENDER AND CONTRACT FOR WORKS -21 F2 0-2019-20 General Rule and Direction for the guidance of Contractors. Date of Commencement - 05.03. 2019 1. All works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer. This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours. 2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so. 3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm. 4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender. 5. The amount of earnest money to be deposited will be:-If the amount of the estimate does not exceed Rs. 2,000 If the amount of the estimate exceeds Rs. 2,000 but does not exceed Rs. 5,000 · If the amount of the estimate exceeds Rs. 5,000 but does not exceed Rs. 10,000 .. 200 For each additional Rs. 5,000 or portion of Rs. 5.000 additional earnest money 6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompanied by the treasury challan for the required earnest money will be liable to rejection. No single tender shall include more than one work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the envelop. Cash deposits for earnests money here in before mentioned shall be made in Government Treasuries and the challan there of should be

TE CHUCKEE

7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.

The Engineer shall have the right of rejecting all or any of the tenders.

9. In the event of a tender being selected for acceptance the Engineer who opened the tenders will, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the priscribed time. The tender with the specilication and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to the tenderer.

10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.

11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required amount of the security money has been deposited the Engineer shall scrutinise all pages of the form of item, are tender & contract for works to see that the form has been properly filled up and signed by the contractor sethe signature witnessed He shall then if he is competent, to accept the tender, sign the acceptance of the tender, or, if he is not so competent shall send the form for signature of the acceptance of the officer competent to accept it.

0

0

0

(1)

(1)

0

TENDER FOR WORKS

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

)	conditio	ns so far as applicable. MEMORANDUM
(a) If several sub-work are included they should be detained in a separate list.	[a]	Name of work
	[b]	Estimated cost
(b) This deposit will be 5% of the estimated cost of the Work.	[c]	Earnest money
c) This percentage deduction from bills will be credited to the contractors	[d]	Initial security deposits (including earnest money) to be deposited befor the commencement of the work
	[e]	Percentage to be deducted from bills Rs. 5% (Rupees five percent)
	ក្រ	Time required for the work from date of written order to commence
	[g]	Date of written other to commence

Total number of item of work tendered for

[h]

		RATE TE	NDERED	Per	
Item No.	Item of work	In figures	In words	rei	
				119	
			KQ	Jonpal19	
			Chief E	neer	
ISHIKA CON	STRUCTION	2	B.S.E.I.D.C	Ltd, Patne	

		RATE TE	RATE TENDERED		
Item No.	Item of work	In figures	In words	Per	
	Make to surger sector says	200(3) 2 0/2			
Lux mod Visit		All behinding and			
	ANALOG CONTRACTOR AND				
				in the division of	
				a steorie visa uni	
		13/13/15/60			
				The transfer and	
		A SUCKA CAL			
	ed players a regress publicant of			Carried State	
				Haraco Carlo Do	
t wo so we	Parantin ACD AMARIN Harrisana	t acotatella	199 Z (a)		
	epothebiones wip assume that	di nigeratore			
	734034 404 00			578 5 5	
		a rest la communication of			
1.00				Si Estado de la	
		- North Art All			

F.7 8					
10/40	TVM				
The second second					

O Ham No		the of work	RATE TE	Per		
0	Item No.	Item of work	In figures	In words	Per	
.0						
0						
0						
0						
0						
0						
0						
9						
0						
0						
0						
0						
0						
0						
10						
10						
0						
0						
0						
0						
0						
0						
0						
0						
0						
0						
0						
0						
0						
0			- 4			
0						

Schedule XLV - Form No. 61

(6

Item No.	Item of work	RATE TE	NDERED	
	CONTRACT E DESCRIAL	In figures	In words	Per
		423		

) Itom No	Item of work		NDERF.D	Per	
Item No.	item of work	In figures	In words	rei	
				Fundamental Maria	
0					
0					
0	overallad to tarted as an entratigate will				
	CE CONTRACTOR OF THE PROPERTY				
0	an market				
0					
D					
0					
D					
		4			
	strategy as a contract of the same				
)					
D					
)					
)					
)					
One of the last					
)					
)			nderstaat in		
	The new ways are the constant		199		
	A to the other responses and series are the				
	es reches jes, our der hand by Spir		STEE BURNEY		
)	Diput Apet Austria (16 1) Blanch Schiff (16 1) Bedechnik pengipata (16 1) 15 Blanch Schiff (16 1)				
	o guirealithean contactorian salabanda p	ar militare la va	ma avaid .		
	10000				
	No. 9-12-12-12-12-12-12-12-12-12-12-12-12-12-				
)	THE SEASON WAS ASSESSED.		S. Marilla S.		

should this tender be accepted I/we hereby agree to abide by and fulfill all the terms and provisions of the said conditions of contract annexed hereto so. for as applicable, or in ssors in office the sums of money mentioned in the said conditions.

Dated the

20

*Signature, of contractor before comission of tender

witness:

Address :-

Occupation:-

Signature of witness to contractor's signature

The above tender is hereby accepted by me on behalf of the Governor of Bihar Dated the day of

20

signature of the officer accepting the tender

Acceptances communicated on...

signature of the party taking the tender

CONDITIONS OF CONTRACT

Compensation

Clause 1:- All compensation or other sums of payable by the contractor to Government under the terms of his contract may be deducted from, paid by the sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor by Government on any account whatsoever and in the event of his security deposit being reduced by reason of any such deduction or sale as aforesaid, the contractor shall within ten days there after make good in cash or Government securities endorsed as aforesaid any sum or sums which may have been deducted from, or arised by, sale of his security deposit of any part thereof.

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which the work is finished after necessary rectification of defects as pointed by the Executive En- gineer or his authorised agents are fully contractor to the Engineer's satisfaction.

Clause 2:- The time allowed for carrying out the work as entered in the tendel shall be strictly observed by the contractor and shall be reckoned from the date on which the wirtten order to comence work is given to the contractor. The work shall throughout the stipulated period of the contract be carried on with all due diligence (time being deemed to be the essence of the contract on the part of the contract or) and the contractor shall pay as compensation an amount equal to 1/2 percent on the amount of the estimated cost of the whole work as shown by the tender for every day that the work remains uncommenced or unfinished after the proper date. And further to ensure good progress during the execution of the work the contractor shall be bound in all cases in which the time allowed for any work exceeds one month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before onehalf of such time elapsed and three-fourths of the work, before three fourths of such time has elapsed in the event of the contractor failing to employ with this condition, I shall be liable to pay as compensation an amount equal to ½ percent on the said estimated cost of the whole work for every day that the due quantity of work remains incomplete provided always that the entire amount of compensation to be paid under the provisions the clause shall not exceed 10 percent of the estimated cost of the work as shown in the tender.

Action when persnle security deposit foreited

Clause 3:- In any case which under any clause or clauses of or this contract the contractor shall have rendered himself laible to pay compendation amounting to the whole of his security deposit in the hands of Government (where paid in one sum or deducted by instalments) the Executive Engineer on behalf on the Bihar Government shall have been powered to adopt any of the following courses, as he may deem best suited to the enterest of Government

(a) To rescind the contract (of which rescind notice in writing to the contractor under the hand of the Executive Engineer shall be conclusive evidence) and in which case the sectitiry deposit of the contractor shall start is a section and be

RUCTIO bsolutely at the disposal of Government.

Proprietr

- (b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debitting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in -charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.
- (c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another Ontractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had Oeen executed by'him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original Ontractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a Oufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4: - In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may, if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Enginee, as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

contractor remains liable to pay compensation if action not take under cause 2

Power to take posession of or require removal of or sell contractor plant.

Clause 5:- If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) he shall apply in writing to the Executive Engineer within 40 days from the date of starting of the hinderance on account of which be desires such extension as aforesaid and the Executive Engineer shall, if in his opinion (which shall be final) reasonable grounds be shown thereof authorised such extension of time if any, as may in his opinion be necessary or proper. The Executive Engineer shall at the same time inform the contractor whether he claims compensation for the delay.

STANKA CONSTRUCTION

Extension of time

C. Ltd, Patne

M SWASA

Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion, but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinctly marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-work doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurements shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus materials and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid, except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinal shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-ir charge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make u, the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not a payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away an reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall i conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the account. or in any other way vary or affect the contract.

Clause 8 - The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Stores supplied

Clause 9:- If the specification or estimate of the work provides for the use of an special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-in charge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums then due or there after to become due to the contractor under the contract or otherwise, quantity or form the security deposit, or the proceed of sale thereof, if the same is held the vernment security the same or sufficient portion thereof in this case sold to the purpose All materials supplied to the contractor shall remain the absolute property of Government and sla not on any accounts he removed from this site of the work and shall at all times be open to

Government

prietor

inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied of him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: - The contractor shall executive the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his nown expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid.

Clause 11: - Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge no does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a disputes the decision of the superintending Engineer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period.

Clause 12:- If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out, the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsoever on account of any profit or advantage, which he might have derived from the execution of the work in full, but which he did not derive in consequence of the full amount of the work attornot having been carried out neither shall he have any claim for compensation by reason of any alternation having been made in the original specification, drawing, designs and in instruction which shall involve any installment of the work as originally contemplated clause 12 (a) As contained in G O 1929 dated 11.9.56.

Work to be executed accordance with specification drawing other etc.

Alteration in specifications and designation

Do not in validate contract

Time in consequence of alteration

Rate for work no in estimate or schedule of rates of the district.

Compensation for alterrestriction of

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such failure is due to:-

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as finally by the contractor.

Action and compensation payable in case of work

Clause 13 :- If it shall appear to the Engineer-in-charge or his subordinate in charge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or article: provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall or demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-incharge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and expense in all respects of the contractcor.

Work to be taken to inspection

Clause 14: All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineer-in-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be present.

Clause 15: The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which the same was effected.

Notice to be taken before work covered up Clause 16:- If the contractor or his work-people, or servants shall break, deface injure or destroy any part of a building in which they may be working or any building, road, road curves, fence enclosure water pipes, cables, drains, electrical telephone posts or wires, trees, grass or grassland or cultivated ground cantiguous on which the work or any part of it is being executed or if any damage shall happen to the work, while in progress from any cause whatsoever of any imperfection become apparent in if within three months (six months in the lase of a road work) after a certificate final or other of its completion shall have beging iven by the Engineer-in-charge

FO ISMINA SPASIBILITION

na fore seal, the contractor shall make the same good at his own expense, or in default, the Engineer-in-charge may cause the same to be made be good by other rksmen and deduct the expense of which time thereafter may become due to the contractor, or from his security deposit, or the proceed of sale there of, or of a sufficient Trion there of the security deposit at the contractor shail not be refunded before the expiry of three months (six months in the case of a road-work) after the issue of the Tificate final or otherwise of completion of work provided that in the case of a road work if in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable er three months of the issue of the said certificate of completion

Contractor liable for damage done and for imperfection a months and after certificate

Clause 17:- The contractor shall supply at his own cost all materials (except such special materials) if any as may in accordance with the contract be supplied from the gineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, tackle scaffolding and temporary works requisits or proper for the proper execution of the ⊕rk whether original, altered or substituted and whether include in the specification or other documents forming part of the contract or referred to in these conditions or not or inich may be necessary for purpose of satisfying or complying with the requirement of the Engineer-in-charge as to any matter as to which under these conditions he is entitled be satisfied which he is entitled to require together with carriage therefore to and form the work. The contractor shall also supply without charge the requisite number of persons th the means and materials necessary for the purpose of setting out works, and counting, weighing and assisting in the measurement or examination at any time and form time to The of the work or materials failing his so doing the same may be Provided by the Engineer-in-charge at the expense of the contractor and the expenses may be deducted m any money due to the contractor under the contract from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide necessary fencing and lights required to protect the public from accident, and shall be bound to bear to expenses of defence of every suit action or other proceeding at law that ay be brought by any person for injury sustained owing to neglect of the above of light fencing etc. precautions and to any such person or which may with the consent of the contractor be id to compromise any claim by any such person.

plantladder scaffolding

Contractor to supply to

And is liable for damage arising for non-provision

Clause 18: - No female labour shall be employed within the limits of contonment. The contractor shall not employ for the purpose of his contract any person who is below be age of twelve years and shall pay to each labour for the work done by such labourer wages not less than the wages paid for similar work in the neighbourhood.

Work not to be subject

The executive Engineer shall have the right to enquire into the case and decide iy complaint alleging that the wages paid by the contractor to any labourer for the work done by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer employed by contractor is below the age of twelve years and to refuse to allow any labourer whom he decided to be below the age of twelve years to be employed by the Contractor.

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his contract, or attempt so to do, or become insolvent proceedings to make any composition with his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward or advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, are offered by the contractor, or any of his servant or agents to any public officer or person in the employ of Government in any way relating to his officer or employment or if any such officer or person shall become in any way directly or indirectly interested in the contract the Executive Engineer may there upon by notice in writing rescind the contract. The security deposit of the contractor shall there upon stand forfeited and be absolutely ar the disposal of Government and the same consequence shall ensure as if the conflabit Eng peer had been recinded under clause 3 here of, in addition the contractor shall not be shiftled. C. Ltd, Patria to recover or be paid to any work therefore actually performed the under the contract.

Contract may be resinded and security deposit forfelted for subletting bribes or if contractor become insolvant

Proprieta

such payable by way of compensation to be considered reasonable compensation without reference to actual loss Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use on the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained.

Clause 21: In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this information.

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal or Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer Clause 22:-All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23: In case any dispute or difference shall arise between the parties or either of there upon any question relating to the meaning of the specifications, designary drawings and instructions here before mentioned or as to the quality of workmanship or materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, or any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions or otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof or as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusionand binding on all the parties.

Lum sum in estimate

(a) Clause 24: When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items of work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-charge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engine in-charge shall be final and conclusive against the contractor with regard to any sum payable to him under the provision of this clause.

Action where no specification.

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Definition of works

Clause 26: The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to such construction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, alter substituted or additional.

Witness.

Contractor.

Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied

0	Particulars	Rates at which	ch the material arged to the ractor		Place of delivery
0		Unit	Rs.	P.	
0					
0					
0					
0	A				
0					
0					
0)					
9 .					
9)				× 5	
9)					
0					
9					
9)					
0)					
9)					
9)					
9)					
0)					
2)					
(9					
0)					
2)					
0)					

Note:-The person or firm submitting the tender should see that the rates in the above schedules are fined up by the Engineer-in-charge on the issue of the form prior to the submission of the tender.

SOME CONSTRUCTION

(Signature of Contrator)

Chief Eng neer (Signature D Executive Engineer)

E. V.		
	ate Educational Infrastructure Develop	
ing At Upgraded Middle School i - Robias.	for Residual Work of +2 Level School Build Labert, Linder Block - Mochas, District	AGREEMENT
	TENDER FOR WORKS	
	the execution for the Governor of Bilin of the work specient within a period of years month from the date of with secifications designs, deswing, and other decuments reflectionact and with such materials as are provided for by as applicable.	the rates specified then
evel School Building At Logrado District - Robins, (SL. NO-96)	(A) Name of Work :- Residual Work of +2 La Middle School Laheri, Under Block - Kochas	
	Group etc. 555 - 152 B-	eif e
	00-519 15 29 -6	
	(B) Estimated Cost :- Rs. 85,74.843=00 Agreement value :- Rs. 77,17,358=00	
		od llivi keopob ad I (d)
	 (D) initial security deposits (including camest money) to the work- Earnest Money :- Rs. 4,01,000/- (Details attact 	
	(F) Time required for the work from date of written on	
	(G) Date of written order to commence:-	
	(H) Total number of item of work rendered for :- 91	
Physical Company		
Yes all the second		
Chief Ling short		
ACT TO SEE STATE OF THE SECOND		OF ISHIKA CONSTRUCT

BIHAR STATE EDUCATION INFRASTRUCTURE DEVELOPMENT CORPORATION LTD., SHIKSHA BHAWAN, SAIDPUR, PATNA.

Bill of Quantity for Residual Work of +2 Level School Building At Upgraded Middle School Laheri, Under Block - Kochas, District - Rohtas.

Rates are based on SOR 2016 (w.e.f. 17.10.2016) & BSR Electrical 2016 (w.e.f. 01.10.2016)

Sl.No.		Name Of School	k	District				
1		Upgraded Middle School, Laheri	Koch	as _	/	Rohtas		
Sl . No.	SOR Item No.	I Item of Work		Unit	Rate (Rs.)	Amount (Rs.)		
		CIVIL WORK						
1	2.28	Supplying and Filling in plinth with local sand and under floors including, watering, ramming consolidating and dressing complete.	391.660	cum	204.40	Rupees to hundred four paise forty on		
2	4.1.5	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - all work upto plinth level. 1:3:6(1 cement: 3 coarse sand: 6 graded stone aggregate 20mm nominal size)	33.750	cum	3174.30	Rupees thr thousand o hundred sever four & paise thin on		
3	4.17	Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth.	96.713	sqm.	359.80	Rupees the hundred fifty nine paise eighty on		
4	5.1.3	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centering, shuttering, finishing and reinforcement-All work upto plinth level 1:2:4(1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size)	0.930	cum	3984.50	Rupees the thousand no hundred eighty for & paise fifty or		
5	5.2.1	Reinforced cement concrete work in wall (any thickness), including attached pilasters, buttresses, plinth and struts etc upto floor five level excluding the cost of centring, shuttering, finishing & reinforcement - all work upto plinth level. 1:1:2 (1cement: 1 coarse sand: 2 graded stone aggregate 20mm nominal size)	26.530	cum	6644.60	Rupees thousand hundred forty for & paise sixty or		

SHIKA CONSTRUCTION

0

Chief Eng near

B.S.E.I.D.C. Ltd. Parme

Odloffly

	pati			SOR Item Vo.	.eV. 18	
			CIVIL WORK			
	mus				2	
	mps		Making plints praction Summ thick of cement concrete 1.3 to (4 cement 3 coarse sand to gradest stone aggregate 20mm nominal size 1 over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand, meluding finishing the top smooth.			
		08.2.0	Providing and laying in position specified grade of rejectored contests excluding the cort of contemp, shutering finishing and reinforcement-All work upto plants from 2 course sund 4 graded stone agent gate 20mm nominal size).	5.1.3	Þ	

. 0

6	5.3+5.33B. 4+5.33B.1	Reinforced cement concrete work in beam, suspended floor, roofs having slop up to 15, landings, balconies, shelves, chaiias, lintel, band, plain window sills, staircases and spiral staircases upto floor five level excluding the cost of centering, shuttering, finishing & reinforcement all work upto plinth level. 1:2:4 (1cement:2 coarse sand: 4 graded stone aggregate 20mm nominal size) (Extra for providing M-15 grade RCC instead of M-20 grade) (Extra for providing M-15 grade RCC instead of M-20 grade)	174,990	cum	5319.10	Rupees five thousand three hundred nineteen & paise ten only
7	5.9.3	Centering and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform.	921.600	sqm.	291.00	Rupees two hundred ninety one only.
8	5.9.5	Centring and shuttering including strutting, proping etc. and removal of form for lintels, beams, plinth beams, griders, bressumers and cantilevers.	309.380	sqm.	261.70	Rupees two hundred sixty one & paise seventy only.
9	5.9.6	Centring and shuttering including strutting, Propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts.	335.730	sqm.	357.60	Rupees three hundred fifty seven & paise sixty only.
10	5.22	Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.				
	5.22.7A	TMTC-500 TMTC-500 8mm dia	11784.000	Kg	56.00	Rupees fifty six only.
	5.22.7B	TMTC-500 10mm dia	468.000	Кд	54.70	Rupees fifty four & paise seventy only.
	5.22.7C	TMTC-500 12mm dia	3828.000	Kg⁄	53.40	Rupees fifty three & paise forty only
	5.22.7D	TMT-500 16mm dia	1268.000	Kg	54.40	Rupees fifty four & paise forty only
	5.22.7E	TMT-500 20mm dia	900.000	Kg	53.60	Rupees fifty three & paise sixty only
	5.22.7F	TMT-500 25mm dia	2065.000	Kg	53.60	Rupees fifty three & paise sixty only
11	6.1.14A + 6.3A	Brick work with bricks of class designation 100A in superstructure above plinth level upto three floor cement mortar 1:6 (1cement:6coarse sand).	152.000	cum	5003.90	Rupees five thousand three & paise ninety only.

SHIKA CONSTRUCTION

329 agroprietor

Chief Eng neer

B.S.E.I.D.C. Ltd, Patria

417 04/04/19

			173.000	Reinforced cement concrete work in beam, a suspended floor, roofs having slop up to 15 landaugs, balcontes, shelves chains, lintel Usad, plain wordow sills, staircases and spiral staircases opto floor five level excluding the cost of centering, shuttering, finishing we reinforcement all work up to plinth level 1.2.4 (Leement 2 coarse sand 4 graded stone aggregate 20mm nominal size) (Extra for providing M-15 grade RCC instead of M-20 grade) (Extra for providing M-15 grade RCC instead of M-20 grade)	ò
	291.00			Centering and slugtering including strutting , proposing etc. and removal of form for suspended floors, roots, landings, balconies and access platform	
			081 605	Centring and shuttering including situring, proping etc. and removal of form for lintels, begins: plinth beams, griders, bassanners and sandlayers.	
					0
					01
		· 121		TMTC-500 Smm dis	
Rupees lifty three & paise forty only				TMTC-500-12mm dia	
				1 M 1 - 500 1 6mm dis	
Rapoes fifty three & paise shirty one.					
				TMT-500 25mm dia	
				Frieds work with bricks of class designation 100A in superstructure above pinath level upon three ficor cement morter 1.6 (Technori because sund).	

O CONSTRUCTION


Ó

Slavial Syle.

12	6.18.4A + 6.19A	Half brick Masonary with bricks of class designation 100A in superstructures above plinth level upto five floor cement mortar 1:4 (1 cement :4 coarse sand).	23.590	sqm	608.40	Rupees six hundred eight & paise forty only.
13	6.21A	Extra for providing and placing in position 2 nos., 6dia MS bars at every third course of half brick masonary (with F.P.S. brick)	23.590	sqm	55.40	Rupees fifty five & paise forty only.
14	9.21.1	Providing and fixing flush door shutters conforming to IS: 2202 (Part-I) non-decorative type.core of block board construction with frame of 1st class tiard wood and well mathched commercial 3 ply veneering wiih vertical grains or cross bands and face veneers on both faces of shutters. 35 mm thick including anodized aluminum butt hinges with necessary screws	90.720	sqm.	1698.20	Rupees one thousand six hundred ninety eight & paise twenty only.
15	9.48.1	Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding. For all floor	3300.000	Kg	86.00	Rupees eighty six only.
16	9.62.1	Providing and fixing oxidised M.S. sliding door bolts with nuts and screws etc. complete 300x16xmm	31.000	each	166.10	Rupees one hundred sixty six & paise ten only.
17	9.63.1	Providing and fixing oxidised M.S.tower bolt black finish, (barrel type) with necessary screws etc.complete 250x10mm	31.000	each	65.30	Rupees sixty five & paise thirty only.
18	9.66.1	Providing and fixing M.S.handles with necessary screws etc.complete 125 mm	82.000	each	27.70	Rupees twenty seven & paise seventy only
19	9.101.2	Providing and fixing alluminium hanging floor door stopper anodised (anodic coating not less than grade AC 10 as per IS :1868) transparent or dyed to required colour and shade with necessary screws etc. complete: Twin rubber stopper	18.000	each	83.80	Rupees eighty three & paise eighty only
20	10.1	Structural steel work in singal section fixed without connecting plate including cutting.hoisting,fixing in position and applying a priming coat of approved steel primer all complete.	781.690	Kg	59.20	Rupees fifty nine & paise twenty only

FOR ISHIKA CONSTRUCTION

HEMOUX METOPRIETOR



			23.590	Helf brick Mesonary with pricks of class designation 100A in supersuractures above plinth level upto five from centent mortar 1:4 (1 content + coarse send).	6.18.4A	
	. 55.40			Extra for providing nodeplacing in position 2 nos obtain MS bats are very than course of half brick masonary (with F.P.S. brick)		
Rapecs ond thousand six handred masts regla & paise averny only:	1698.20	raps	90,720	Providing and firing flush door shurters conforming to 18., 2,702 (Part-I) nondescrative type core or block board construction with frame of 1st class tand wood and well muniched commercial 3 ply vaneering with vertical grains or cross bands and lace, ancers on both there of shutters are time, including anodical shuranum burt hinges with necessary screws.		
				Providing and fixing M.S. grills of requirement pattern in fraces of windows etc. with M.S. flata square or reund bars atcall complete fixed to steel windows by welding. For all ficor	1.81.0	3.5
Rupees one hundred sixty six & paise ten only.				Providing and fixing oxidised M.S. sliding door bolts with nuts and screws etc. complete 300s formin		
Ropers sixty live & paise thirty only.	65.30			Providing and freing oxidised M.S tower bolt black finish (burrel type) with necessary screws ere complete 250x10mm		
	27 70			Providing and lighting M.S.Landlos with necessary screws etc. complete 125 mm		
	83,80		18 000	Providing and fixing alluminism hanging floor door, stepp or anodised (anodic conting not less than grade AC 10 as per 18 (1868) transparent or dyed to required colour and shade with necessity screws etc. complete. Train rubber stopper	2.101.2	
Ruppes lifty nine & paiso though only					Fai	

The second Admi

Ö

		Co.				
21	10.12.1 + 10.13B	Providing and fixing glazed steel doors, windows or ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm M.S. lugs10cm long with steel legs embedded in cement concrete blocks 15x10x10cm.of (1:3:6) (1cement 3coarse sand: 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units.	142.560	sqm.	3175.00	Rupees three thousand one hundred seventy five only.
22	1	Providing and fixing glazed steel doors, windows or ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm M.S. lugs10cm long with steel legs embedded in cement concrete blocks 15x10x10cm.of (1:3:6) (1cement: 3coarse sand: 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. VENTILATOR	6.480	sqm.	3181.80	Rupees three thousand one hundred eighty one & paise eighty only.
23	10.17	Providing & fixing M.S. Fan hook of 16 mm. dia. M.S. bar 1 Mtr. Long bent to required size and shape, placed in position and fixed in Truss Frame / RCC Slab / beam at the time of casting all complete as per building specification and direction of E/I. (Where materials is not supplied by deptt.)	58,000	each	97.00	Rupees ninety seven only.

O FOR ISHIKA CONSTRUCTION

 \bigcirc

Halak REproprietor

Chief Eng neer

3.3.E.I.D.C. Ltd, Patrie

417

417

					r .	0
						0
			concrete blocks 15x10x10cm.of (1.3-6) (Icament.)			
			Scourse sand : our adol stone augregate 20mm			
			nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with			0
						- 0
Rapees tirre			fixing of glass panels with glazing clips and special metal-sash puny of approved make	10,12.1		
thousand one bundred sovermalive		142.560 '	complete including applying a priming coar of approved steel primer excluding the cost of metal	10.138		0
						0
			or pivots as required Extra for providing and fixing steel heading of			<i>(</i> -1)
			Suproved strape, and section with secure instrand			()
			of glazang clips and met. Sash parts in steel doors, windows, ventilators and composite units.			0
						0
						0
			Providing and fixing glazed steel doors, windows or ventilators of standard rolled			0
			steel sections, joints mitered and welded with			0
			15x3 mm M.S. ings10cm long with steel legs embedded in cement concrete blocks			0.
			ISx10x10cm.of(1:3:6) (1cement: 3coarse			0
			sand: ograded stone aggregate 20mm			0
			nominal size) or with wooden plugs and screws or rawl plugs and screws or with			0
			fixing clips or with bolts and ners as required,			
				10.12.1		0
	sqm.		with glazing clips and special metal-sash putty of approved make complete including	+ 10.13C		0
						0
			and other fitting except necessary binges or pivots as required			0
			Frira for providing and fixing steel beading of			
			approved shape and section with screws			. 0
			instread of glaxing clips and met. Sash purty in steel doors, windows, ventilators and			0
			composite units. VENTH ATOR			10
			Providing & fixing M.S. Fan hook of 15 mm			0
			dia. M.S. bar I Mir. Long bent to required size and shape, placed in position and fixed in			0
			Truss Frame / RCC Slab / beam in the time of			
		58,000	casting all complete as per building			0
			specification and direction of Lit. (Where a materials is not supplied by deptt.)			
			f. udan to nanddae ion ac manaine.			
						0

SIF

0

O STANDORISMO CONSTRUCTION O

24	10.33.1	Providing & fixing hand rail by welding etc. to steel ladder railling & staircases railling including applying a priming coat of approved steel primer. MS tube (medium) 40mm nominal bore. Steel Hand Rail	388.940	Kg	90.70	Rupees ninety & paise seventy only.
25	11.3.1 + 11.8	Cement concrete flooring 1:2:4(1 cement:2 coarse:sand:4 graded stone agregate) finished with a floating coat of neat cement including cement slurry, etc. but excluding the cost of nosing of steps etc. complete. 40 mm thick with 20 mm nominal size stone aggregate. Extra for making chequers of approved pattern on cement concrete floors, steps, landing, pavemerts etc.	467.230	sqm	267.70	Rupees two hundred sixty seven & paise seventy only.
26	11.26.1	Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime: 1 surkhi: 1 coarse sand) / 1:4 (1 cement: 4 coarse sand) - 20 to 25 mm thick.	825.000	sqm	998.30	Rupees nine hundred ninety eight & paise thirty only.
27	11.27	Kota stone slabs 20mm thick in risers of steps skirting. Dado & pillars laid on 12mm average thick cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete.	130.450	sqm	973.00	Rupees nine hundred seventy three only.
28	11.36	Providing and fixing 1st quality Ceramic glazed wall tiles conforming to IS: 15622 {thickness to be specified by the manufacturer} of approved make in all colours, shades, except burgundy, bottle green, black of any size as approved by Engineer-in-charge in skirting, risers of step and dados over 12mm thick bed of Cement Mortar 1:3 (1 cement: 3 Coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigments of matching shade complete.	140.620	sqm	766.30	Rupees seven hundred sixty six & paise thirty only.

Proprietor

0.

Chief Eng neer

2 B.S.E.I.D.C. Ltd. Patna

47 24 0 711

				Providing & fixing hand rail by welding etc. to steel ladder railing & starcases railing including applying a priming cost of approved steel primer. MS tube (medium) 40mm nominal bore Steel Hand (tail	10,33 (
Rupees you hundred sixty seven & paise sevent only		mps		Cement concrete flooring 1.2:4(1 coment 2 course sand 4 graded stone agregate) finished with a florting coat of nent cement including cement slurry, etc. but excluding the cost of nosing of steps etc. complete. 40 mm thick with 20 mm nominal size stone aggregate. Extra for making chaquers of approved pattern on cement concrete floors, steps, landing, pavements etc.	11,3,1+	ST.
Rupees nin hundred ninety eigh & paise thirty only		mps	825,000	Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cemem slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1.1:1 (1 line: 1 surkhi: 1 coarse sand) / 1:4 (1 cement: 4 coarse sand) - 20 to 25 mm thick.	11.26.1	
Eupecs nin- hundred sevent three only			130,450	Kota stone slabs 20mm thick in risers of steps sloring. Dado & pillars laid on 12mm average thick cement mortar 1.3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete.	11.27	27
	766,30	ubs	[40,620	Providing and fixing 1st quality Ceramic glazed wall tiles conforming to 1S: 15622 (thickness to be specified by the manufacturer) of approved make in all colours shades, except burgundy, bottle green, black of any size as approved by Engineer-in-charge in skirting, risers of step and dados over 12mm thick bed of Cement Mortar 1:3 (1 cement: 3 Coarse sand) and jointing with grey cement slurry @ 3.3 kg per squ including pointing in white cement mixed with pigments of matching shade complete.	11.36	28

A THE POLICE AND THE PARTY OF T

29	11.38	Providing and laying ceramic glazed floor tiles 300 x 300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS:15622 of approved make in all colors, shades, except white .Ivory, Grey,Fume red, Brown laid on 20mm thick bed of cement Mortar 1:4 (1 cement :4 coarse sand) including pointing the joints woth white cement matching pigments etc complete.	37.900	sqm	812.20	Rupees eight hundred twelve & paise twenty only.
30	11.72	Providing designation 100A one blrick flat soling joints filled with local sand including cost of watering taxes royalty all complete as per building specification and direction of E/I.	487.190	sqm	253.80	Rupees two hundred fifty three & paise eighty only.
31	13.11.4	12 mm cement plaster of mix; 1:6 (1 cement: 6 coarse sand)	1993.87	sqm	101.20	Rupees one hundred one & paise twenty only.
32	13.13.1	20 mm cement Plaster 1:3 (1 cement: 3 coarse sand) with a floating coat of neat cement & neat cement punning	16.65	sqm	214.60	Rupees two hundred fourteen & paise sixty only.
33	13.13.4	20mm cement Plaster 1:6(1 cement : 6 coarse sand)	1432.76	sqm	140.40	Rupees one hundred forty & paise forty only.
34	13.17.1 +13.36.1	12 mm cement Plaster 1:3 (1 cement: 3 coarse sand) with a floating coat of neat cement & Extra for providing and mixing water proofing material in proportion recommended by the manufacturers: 12 mm cement plaster 1:3(1 cement: 3 sand)	52.82	sqm	166.30	Rupees one hundred sixty six & paise thirty only.
35	13.24.2	6mm cement plaster to ceiling of mix 1:4 (1 cement :4 coarse sand)	925.260	sqm	87,40	Rupees eighty seven & paise forty only.
36	13.77A.1	Distempering with 1st quality washable distemper (ready made) of approved manufacturer and of required shade and colour complete. As per manufacture's specifications. Two or more coats on new work	2919.130	sqm.	37.20	Rupees thirty seven & paise twenty only.
37	13.78.2	Applying one coat of cement primer of approved brand and manufacture on wall surface: Distemper primer	2919.130	sqm.	28.10	Rupees twenty eight & paise ten only.
38	13.78.1	Applying one coat of cement primer of approved brand and manufacture on wall surface: Cement primer	1432.760	sqm.	26.90	Rupees twenty six & paise ninety only.

OF ISHIKA CONSTRUCTION

 \bigcirc

 \bigcirc

 \bigcirc

3 Colar Soprietor

Chief Eng near

B.S.E.I.D.C. Ltd., Patra

412

04107119

		Providing and laying ceramic glazed floor tiles 300 x 300 nm (thickness to be specified by				
	11.38	the manufacturer) of 1st quality conforming to 18:15622 of approved make in all colors, abades, except white 1t pry, Grey, frame red. Brown bid on 20mm thick bed of cement Mortar 1.4 (1 cement :4 coarse sand) including pointing the joint's work white cement matching pigments at complete.	37.900	udis		Rupees eig Jundred twelve peise twenty on
	11.72	Providing designation 100A one blrick flat soling joints filled with local sand including cost of watering taxes royalty all complete as per building specification and direction of E/I.	487,190			Rupees r hurdred filty th & paise eighty or
	13.11.4	12 mm cement plaster of mix; 1:6 (1 cement : 6 coarse sand)		mpz		Rupers of hundred one & pai
	13.13.1	20 mm centent Plaster 1:3 '(1 centent: 3 coarse sand) with a floating coat of neat centent huming	16.65	ups		
	13.13.4	20mm cement Plaster 1:6(1 cement : 6 coarse sand)		ups		
48	13.17.1 +13.36.1	12 mm cement Plaster 1:3 (1 cement: 3 coarse sand) with a floating coat of neat cement & Extra for providing and mixing water proofing material in proportion recommended by the manufacturers: 12 mm cement plaster 1:3(1 cement: 3 sand)	.52.82	mps	166,30	Rupees on Jundred sixty six. paise thirry onl
	13.24.2	form cement plaster to ceiling of mix 1:4 (1 cement :4 coarse sand)		mps	87,40	Rupees elginy feve & paise forty onl
36	13.77A.1	Distempeting with 1st quality washable distemper (ready made) of approved manufacturer and of required shade and colour complete. As per manufacture's specifications. Two or more coats on new work.	2919.130	.mpz	37.20	Rupees thirty seve & paise twenty only
37	13.78.2	Applying one coat of cement primer of approved brand and manufacture on wall surface; Distemper primer		sqn).		Rupees-twent eight & paise te
	13 78.1	Applying one coat of cement primer of approved brand and manufacture on wall surface; Cement primer	1432,760			Rupees twenty s & paise ninety only

OF WISHING CONSTRUCTION

0						
39	13.79.1	Finishing walls with water proofing cement paint of approved brand and manufacture and of required shade to give an even shade. New work (three or more coats)	1432.760	sqm.	118.40	Rupees one hundred eighteen & paise forty only.
40	13.81.1	Applying priming coat with ready mixed pink or grey primer of approved brand and manufacture on wood work (hard and softwood)	217.728	sqm.	26.70	Rupees twenty six & paise seventy only.
41	13.81.3	Applying priming coat with ready mixed zinc chromate yellow primer of approved brand and manufacture on steel galvanized iron/steel work.	373.86	sqm.	22.80	Rupees twenty two & paise eighty only.
42	13.93.1	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade two or more coats on new work	591.588	sqm.	54.10	Rupees fifty four & paise ten only.
				Total	Cost (A)=	6,984,378.04
		Water Supply and Sanitation				
43	B.S.R 12.78.2	Providing and fixing on wall face unplastidsed PVC (working pressure 4 kgf per sqm) rain water pipes conforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10 mm gap for thermal expansion. 110 mm diameter.	121.60	meter	212.40	Rupees two hundred twelve & paise forty only.
44	B.S.R 17.1.1	Providing and fixining water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast iron P or S tap, 10 litre low white P.V.C. Flushing cistern with munally controlled device (handle level) conforming to IS: 7231 Parryware/Hindware with all fittings and fixtures complete including cutting and making good the walls and floors wherever required. White Vitreous China Orissa pattern W C pan of size 580 x 440 mm with integral type foot rest.	8.00	Each	3049.30	Rupees three thousand forty nine & paise thirty only.
45	B.S.R 17.2.2	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required:	2.00	Each	2970.00	Rupees two thousand nine hundred seventy only.

For ISHIKA CONSTRUCTION

For ISHIKA CONSTRUCTION

Proprietor

 \circ

 Θ

Chief Eng near

B.S.E.I.D.C. Lid, Patrice

417

				Finishing walls with water proofing cement paint of approved brand out nannlacture and or required shade to give an even shade. New work (three or more coats)			0
Rupees meem, six & päise serseny only					13.81		0
Ropees my ary 1 o Z. pase Lighty out.							0
				Painting with synthetic enamel paint of approved brand and maintiscrure to give an even shade two or more coats on new work	13.93.1	D.	0
6,984,378,04							0
Rupee, two landred twelve & pairs forty only.		rolam	121.60	Water Supply and Sanitation Providing and fixing on wall face unplastideed PVC (working pressure 4 kgf per sqm) min water pipes conforming to 18:4985 including jointing with seal ring conforming to 18:5382 teaving 10 mm gap for thermal expansion 110 and diameter.			0 0 0
Rapees three thousand forcy o'me & prise thirty only	3049.30	Each	8,00	Providing and fiximing water closet squarting pan (Indian type W.C. pan) with 100 mm sand cast iron P or S tap, 10 litre low white P.V.C. Flushing cistern with manually controlled device (handle level) conforming to 1S. 7231. Parryware/Hindware with all fixings and fixtures complete including cutting and making good the walls and floors wherever required. White Vincous China Orissa pattern W.C. pan of size 580 x 440 mm with integral type foot cast.		14	0 0 0
Suppers two thousand niae Broubed severny valve			-00 E	Providing and fixing white virreous chinal pedestal type water closet (Ecropean type W C pan) with seat and lid, 16 flure low level white P. V.C. flushing cistem, including thish sipe, with manually controlled device (handle tever), comborning to IS: 7231, with all fittings and fixtures counciete, including curting and eaking good the walls and fineral wherever required	85R 1722		0 0 0

Service Service State of the Service S

mon Sumassion assessing

		W.C. pan with ISI marked black solid plastic seat and lid			,	
46	B.S.R 17.4.2	Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I. clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required:	2.00	Each	4685.90	Rupees four thousand six hundred eighty five & paise ninety only.
_	a	Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern.				
47	B.S.R 17.7.4	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:		Each	1604.90	Rupees one thousand six hundred four &
	1	White Vitreous China Wash basin size 550x400 mm with 15 mm C.P. brass pillar taps.				paise ninety only.
48	B.S.R 17.28.2.1	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.	•	Each	76.10	Rupees seventy six & paise ten only.
		Flexible pipe 32 mm dia				
49		Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing: Rectangular shape 453 x 357 mm	2.00	Each	636.90	Rupees six hundred thirty six & paise ninety only.
50	B.S.R 17.33	Providing and fixing 600 x 120 x 5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete.	10,00	Each	473.70	Rupees four hundred seventy three & paise seventy only.

FOR ISHIKA CONSTRUCTION

TO STORY TO THE PROPRIETOR

 \bigcirc

 \bigcirc

 Θ

Chief Eng near

Pige

Chief Eng near

All - 7/19

				W.C. pan with 1St marked black solid plastic seat and lid		
		Ench	00.8	Providing and fixing white vircous cities that back or walt corner type lipped from urnal basin of 430x260x350 mm and 440x110x265 mm sizes respectively with automatic flushing cistern with sandard flush pipe and C.P. brass spreaders with brass unions and G.I. clamps complete, including painting of fiftings and brackets, outing and making good the walk and moors wherever required. Range of two minal basins with 5 life white		24
				P.V.C. automatic flushing cistern		
			00.01	Providing and fixing wash basin with C.L. brackets, 15 nm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern including painting of fittings and brackets, cutting and making good the walls wherever cespuire:		47
plan venim sareq			3	White Vitreous China Wash basin size 550x400 mm with 15 mm C.P. brass pillar taps.		
				Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.		48
				Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing: Rectangular shape 453 x 357 mm		ęь.
	473.70			Providing and fixing 600 x 120 x 5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc complete	B.S.R 17.33	50

 Θ

51	B.S.R 18.9.2	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement ,trenching ,refilling & testing of joints complete as per direction of Engineer in Charge. 20 mm nominal outer dia Pipes	30.00	meter	147.30	Rupees one hundred forty seven & paise thirty only.
52	B.S.R 18.8.1	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I Concealed work including cutting chases and making good the wall etc. 15 mm nominal outer dia Pipes	75.00	meter	221.40	Rupees two hundred twenty one & paise forty only.
53	B.S.R 18.9.3	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 25 mm nominal inner dia Pipes	58.00	meter	193.60	Rupees one hundred ninety three & paise sixty only.
54	B.S.R 18.48	Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI 12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.	3000.00	per litre	6.60	Rupees six & paise sixty only.
55	B.S.R 18.49.1	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931	10.00	Each	481.60	Rupees four hundred eighty one & paise sixty only.
56	B.S.R 18.52.1	Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS: 8931	22.00	Each	650.10	Rupees six hundred fifty & paise ten

FOR ISHIKA CONSTRUCTION

Source of the Construction

0 0 0

Chief Eng mer

B.S.E.I.D.C. Ltd. Paris

417

04/07/49

Rupees or frandred forty seve & paise thing only				
Rupees tw hundred-twenty on & paise forty onl	04.125		Providing and fixing Chlormaned Polysingle Chloride (CPVC) pipes, having thermal stability for hor & cold water steply tochuding all CPVC plain & brass tirreaded fittings all CPVC plain & brass tirreaded fittings including from pipe with clamps at 1 00 maring. This includes joining of pipes & fittings with one step CPVC solvent occuent and the cost of cutting chases and making good the same including testing of joints. Concealed work including cutting chases and making making good the wall etc. 15 mm nominal outer dia Pipes.	
Rupees o bindred ninery th & paise sixty on		meter	Providing and fixing Chlorinated Polyviny! Chloride (CPVC) pipes, having thernal stability for hot & cold water supply including all CPVC plain & brass threaded fittings The includes joining of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 25 mm nominal inner dia Pipes.	

The Hotel

O

57	B.S.R 19.2.1	Providing and laying cement concrete 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size) all-round S.W. pipes including bed concrete as per standard design : 100 mm diameter S.W. pipe		meter	431.30	Rupees four hundred thirty one & paise thirty only.
58	B.S.R 19.6.2	Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete: 150 mm dia R.C.C. pipe		meter	329.40	Rupees three hundred twenty nine & paise forty only.
59	B.S.R 19.27.1	Constructing brick masonry road gully chamber 50x45x60 cm with bricks in cement mortar 1:4 (1cement : 4 coarse sand) including 500x450 mm pre-cast R.C.C. horizontal grating with frame complete as per standard design : With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	4.00	Each	3384.80	Rupees three thousand three hundred eighty four & paise eighty only.
60	B.S.R 19.30.1.1	Contructing brick masonry chamber for Underground C.I. Inspection Chamber and bend with 75 class designation bricks in cement mortar 1:4 (1 cement: 4 coarse sand) C.I. Cover with frame (light duty) 455x610 mm internal dimentions, total weight of cover with frame to be not less than 38 kg. (weight of cover 23 kg. and weight of frame 15 kg.) RCC top slab with 1:1.5:3 mix (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20 mm nominal size) foundation concrete 1:5:10 mix (1 cement:5 coarse sand: 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm th. with cement mortar 1:3 (1 cement:3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design. Inside dimensions 466x610 mm and 45cm deep for single pipe line: With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	4.00	Each	4147.30	Rupees four thousand one hundred forty seven & paise thirty only.
61	B.S.R 19.32.1	Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter, 1.8 m long complete as per standard design. With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	1.00	Each	28775.50	Rupees twenty eight thousand seven hundred seventy five & paise fifty only.

For ISHIKA CONSTRUCTION

O

O.

Ö

Chief Eng neer

28.3.E.I.D.C. Lid, Patra

417

04/07/19

		retem	15.00	Providing and laying dement concrete 1.5110 (1 centers: 5 course sand : 10 graded stone aggregate 40 mm nominal size) all-round S.W. pipes including bed southere as per claudard design: 100 mm diameter S.W. pipe		
	129.40			Providing and laving non-pressure NP2 cless (dight dairs) R.C.C. pipes with collars jointed with stiff mixture of tement modrar in the proportion of 1.2 (1 sement 2 line sand) including testing of joints are complete. 150 and dia R.C.C. pipe		
Rapees three three three three three trades of the three trades only only only only						92
Langees four theorem and one hundred forty seven & paise thirty only	4147.30		00.3	Contructing brick masonry chamber for a friedly country and bend of the properties of cament marks of the class designation bricks in carrent marks of the (Leongh, 4 course sand) C.J. Cover with frame (hight dark) 455/610 mm internations, total weight of cover with frame to be dimentious, total weight of cover with frame to be not less than 38 kg. (weight of cover 23 kg. and weight of frame 15 kg.) RCC top slab with 1,1,5,3 mis (1 coment 1.5 course sand :3 graded stone angetegate 20 mm manning size) frondation concrete 1.5:10 mix (1 coment 5 course sand :10 mm nominal size) graded stone agarogate 40 mm nominal size) graded stone agarogate 40 mm nominal size). It's (1 content 3 course sand) finished smooth with a fronting cost of nost content on walls and hed to a strategic of complete as per standard design. Inside dimensions (165x610 mm, and 45cm deep for single pipe time:	B:S.R 19 30.).1	-00
		Hadi		Making soak pit 2.5 m dinmeter 3.0 metre deep with 45 x 45 cm dry brick honey comb shart with brick and 8 W, drain pipe 160 mm discreter, 1.8 m long complete as per standard design. With common burnt clay P.P.S. (non modular) bricks of class designarion 7.5		10

1.11

O

		Description and Calcada CW international Calcada		r	T	
62	B.S.R 19.34.1	Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete : 100 mm dia	0.00	Each	281.30	
		Non Scheduled Items (Market Rate)				
		UPVC Pipe				
63		Provding and fixing soil, waste and vent pipes				
03	110 mm dia		120.00	mtr	347.00	Rupees three hundred forty sever only
		UPVC fittings for UPVC pipes.				J.I.,
64		Door Tee 110 mm dia	8.00	Each	365.00	Rupees three hundred sixty five only
65		Door Bend 110 mm dia	3.00	Each	283.00	Rupees two hundred eighty three only
66		Plain Bend 110 mm dia	10.00	Each	185.00	Rupees one hundred eighty five only
67	= '. /= _ =	Vent Cowel 110 mm dia	3.00	Each	65.00	Rupees sixty five
68		Pipe Clip 110 mm dia	40.00	Each	53.00	Rupees fifty three
69	4	Floor Trap 110X110 mm dia	6.00	Each	436.00	Rupees four hundred thirty six only
				Total	Cost (B)=	282,030.24
		BSR Schedule Items - Internal Electrical Work - (PART-1)		61/12		
70	1.1.	Wiring for light point /fan point / exhaust fan point / call bell point with 1.5 sq.mm FR PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with piano type switch, phenolic laminated sheet, suitable size M.S. / PVC. box etc as required.				
	1.1.3	Group C	218.0	Nos.	621.00	Rupees six hundred twenty one only
		Wiring for twin control point with 1.5 sq.mm FR PVC insulated copper conductor single core cable in surface / recessed medium class				Rupees six hundred
71	core cable in surface / recessed medium class PVC conduit, 2 way piano type switch, phenolic laminated sheet, suitable size M.S. / PVC box etc as required.		4.0	Nos.	628.00	twenty eight only

Obr ISHIKA CONSTRUCTION

State Construction

Proprietor

Chief Eng neer

B.S.E.I.D.C. Ltd, Parago

4/7

4/7

	Providing and fixing S W. intercepting trap in invalidies with salf maxime of consist marter. Int (Leanest1 fine sent) including resing of joints etc. complete. The near its				
	Door Fee 110 mm dia		Fach	385.00	
				00.880	
	Plain Bend 110 mm dia				
	Vent Cowol 110 mm dia				
		6.00			
					Ruppes six hundre twenty one-only
	Wiring for twin controt point with 1.5 squain FR PVC insulated copper conductor single core cable in surface / tocossed medium class PVC conduit, 3 way piano type switch, thougon bruinated sheet, surrable size M.S. / PVC box etwas required.			625,00	

OF ISHRO CONSTRUCTION

0

Salshold Sold

72	1.5	Wiring for light/ power plug with 2x4 sq.mr FR PVC insulated copper conductor single core cable in surface/ recessed medium class PVC conduit along with 1 No 4 sq. mm FI PVC insulated copper conductor single core cable for loop earthing as required.	e s 320	meter	193.00	Rupees one hundred ninety three only.
73	1.7	Wiring for circuit / submain wiring alongwith earth wire with the following sizes of FF PVC insulated copper conductor, single core cable in surface / recessed medium class PVC conduit as required.				
	1.7.2	2 x 2.5 sq.mm + 1 x 2.5 sq. mm earth wire	460	meter	150.00	Rupees one hundred fifty only.
	1.7.4	2 x 6 sq.mm + 1 x 6 sq.mm earth wire.	65	meter	276.00	Rupees two hundred seventy six
74	1,29	Supplying and fixing metal/pvc of 150mm x 75mm x 60mm deep (nominal size) on surface or in recess with suitable size of phenolic laminated sheet cover in front including providing and fixing 5 pin 5/6 amps socket outlet and 5/6 amps piano type switch, connections, painting etc. as required.	28	nos.	199,00	Rupees one hundred ninety nine only.
75	1.30	Supplying and fixing metal/pvc box of 180mm x 100mm x 60mm deep (nominal size) on surface or in recess with suitable size of phenolic laminated sheet cover in front including providing and fixing 6 pin 5/6 & 15/16 amps socket outlet and 15/16 amps piano type switch, connections, painting etc. as required.	8	nos.	313.00	Rupees three hundred thirteen only.
76	1.23	Supplying and fixing following piano type switch/ socket on the existing switch box / cover including connections etc.as required				
76	1.23.1	5/6 amps switch.	24	Each	32.00	Rupees thirty two
	1.23.4	5 pin, 5/6 amps socket outlet.	24	Each	44.00	Rupees forty four only.
77	1.25	Supplying and fixing stepped type electronic fan regulator on the existing modular plate switch box including connections but excluding modular plate etc. as required	18	Each	387.00	Rupees three hundred eighty seven only.
78	1.33	suppling and fixing fixing 3/2 pin, 5 amp ceiling rose on the existing junction box/wooden block including connection etc as required.	95	Each	35.00	Rupees thirty five only.

Oor ISHIKA CONSTRUCTION

OF CONSTRUCTION

Froprietor

Ò

Ö

Chief Eng near
28.3.E.I.D.C. Lid, Patne

				Wiring for light, power plug with 2x4 sq.mm. FR PVC insolated copper conductor single core cable in surface/ recessed involunt class. PVC conduit along with 1 No. 1 sq. mm FR PVC insufated conjury conductor single core cable for loop carriang as required.	ČI.	
				Winng for circum / submain wiring alongwith carth wire with the inflowing sizes of FR PVC insulated copper conductor, single core cable in surface / recessed methum class PVC conduit as required:		
		retom	460	2 x 2.5 sq mm + 1 x 2.5 sq. mm earth wire		
vlac no essau?l ma vionia beahaud vlac					1.29	7.4
	313.00	.aon		Supplying and fixing metal/pyr box of 180mm x 100mm x 60mm deep (nominal slze) on surface or in recess with suitable slze of phenolic laminated sheet cover in from including providing and fixing 6 pin 5/6 & 15/16 amps socket outlet and 15/16 amps appears phano type switch, connections, naming etc. as required.		
				Supplying and fixing following piano type switch/ sucket on the existing twitch box / cover including connections of as required.		
		Each		5/6 amps switch.		
				5 pm, 5/6 amps socket outlet.		
				Supplying and fixing stepped type electronic fin regulator on the existing modular plate switch box, including consecuous out excluding modular plate etc as required		777
				suppling and fixing fixing 3/2 pin, 2 ang- celling rose on the existing innerion box/ wooden bleek including connection as as required	1.33	

NOW THE PROPERTY OF THE PROPER

	7					
79	1.34	Supplying and fixing batten / angle holder including connection etc as required.	52	Each	48.00	Rupees forty eight
		Supplying and fixing following rating,240/415 volts "C" curve, miniature circuit breaker				
	2.12	suitable for loads of single pole in the existing MCB DB complete with connection, and				
80		commissioning etc. as required.				
	2.12.3	40 amp, Single pole and neutral	2	Each	819.00	Rupees eight hundred nineteer only
L	2.12.1	6 to 32 amp, Single Pole	60	Each	208.00	Rupees two hundred eight only.
81	2.8	Supplying and fixing following way, single pole & neutral, sheet steel, MCB distribution board,240 volts, on surface / recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted, including earthing etc as required. (But without MCB/RCCB/Isolator)				
	2.8.5	2 + 12 way, Single door,	6	Each	1170.00	Rupees one thousand one hundred seventy
82	2.15	Supplying and fixing following rating, double pole, 240 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required				only.
	2.15.2	63 Amps	2	Each	528.00	Rupees five hundred twenty eight only.
83	2.17	Supplying and fixing following rating, double pole, (single phase and neutral), 240 volts, residual current circuit breaker (RCCB), having a sensitivity current upto 300 milliamperes in the existing MCB DB				J. Silv Silv.
		complete with connections, testing and commissioning etc. as required.				
	2.17.2	40 Amps	2	Each	2509.00	Rupees two thousand five hundred nine only.
84	2.14	Supplying and fixing single pole blanking plate in the existing MCB DB complete etc. as required.	4	Each	16.00	Rupees sixteen only.

O FOR ISHIKA CONSTRUCTION

O SKAROLETE

Proprietor

 Θ

Chief Eng neer

8.3.E.I.D.C. Ltd, Patrie

417

417

	- 1.01.5			00.618	
				208.00	Rupees two Rupees two Rundred elaint only
18		Supplying and frong lobowing way, single poie & neutral, sheet steel, MCB distribution board, 240 wits, on surface / recess, complete with timed copper bus bar, neutral bus bar, earth bar, din bur, interconnections, powder painted, including earthing etc as required. (But without MCB/RCCB/Isolator)			
	1.8.5	2 + 12 way, Single door,	Hach		
82-		Supplying and fixing following raing, double pole, 240 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required.			
		02 Amps			
		Supplying and fixing following rating, double pole, (single phase and neutral), 240 votts, residual current circuit breaket (RCCB), having a sensitivity current upto 300 milliamperes in the existing MCB DB complete with connections, testing and commissioning etc as required			
		40 Amps			
		Supplying and fixing single pole blanking plats in the existing MCB DB complete etc. as required.			



37514656

0

0

0

Ö

Ö

O

85	3.6	Earthing with copper earth plate 600 mm X 600 mm X 3 mm thick including accessories and providing masonry enclosure with cover plate having locking arrangement and watering pipe of 2.7 metre long etc. with charcoal/ coke and salt as required.	1 1	Each	11703.00	Rupees eleve thousand seve hundred three only
86	3.8	Supplying and laying 25 mm X 5 mm copper strip at 0.50 metre below ground as strip earth electrode, including connection/ terminating with nut, bolt, spring, washer etc. as required. (Jointing shall be done by overlapping and with 2 sets of brass nut bolt & spring washer spaced at 50mm)	10	meter	868.00	Rupees eigh hundred sixty eigh only
87	3.14	Providing and fixing 25 mm X 5 mm copper strip on surface or in recess for connections etc. as required.		meter	976.00	Rupees nine hundred seventy six only
	2.1	Providing and fixing following capacity TP&N disconnector fuse switch unit inside the existing panel board with ISI marked HRC fuse including drilling holes in cubical panel, making connections etc. as required.	,			
88	2.1.3	63 Amps, double pole.	1	Each	3233.00	Rupees three thousand two hundred thirty three only
	2.1.1	32 Amp, double pole.	2	Each	1284.00	Rupees one thousand two hundred eighty four only
		Brand new ISI marked Life Guard ABC type		Total	Cost (C) =	372,497.00
89	DGS&D	multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit.	10	Nos.	7,549.75	Rupees seven thousand five hundred forty nine & paise seventy five only.
-		Carriage of Materials		Total	Cost (D) =	75,497.50
		Carriage of Materials Type of materials			Rate Incl. 1%	
		Cement	185.902	MT	Labour Cess 282.30	Rupees two hundred eighty two & paise twenty nine only.
		Coarse Sand	257.213	cum	748.37	Rupees seven hundred forty eight & paise thirty six only.

FOR ISHIKA CONSTRUCTION

Representation

Ô

Ö

Chief Eng meer

B.S.E.I.D.C. Ltd, Patron

417

4107/19

Rupeos clove thousand seve bondred piros only					.0.8	
				Supplying and laying 2s min X.S rum copper atrip at 0.50 mem below ground as strip earth eleginode, lockuline connection/ terminates, with mit, bolt, genne, washer etc. as required. Coming shall be done by ovariaging and with 2 sets of brass nut belift spring washer spaced at 50mm)		78
		meter				
				Proxiding and fixing following capacity TPRN disconnected mee switch unit inside the existing panel board with ISI marked tHRC first including drilling holes in cubical panel, making connections rice as required		
						88
				Brand new 181 marked f. ift. Guard ABC type multicurpose. Fixe. Estinguishees: 4 Kgs. Capacity, fixed with pressure mage complete in all respects, ready to use complete installation kit.		
	= (N).180D					
				Cauringe of Materials.		
		TW	185,902			
				Coarre Smid		

3月20日 · 英

91		Bricks	92.271	Thous.	242.85	paise eighty fiv
		Bricks	00.071	m	0.40.07	Rupees tw hundred forty two
		Add Extra Cost of Materials w.r.t. GAYA As Per SOR of BCD.				OII
		Steel	20.313	MT	282.30	Rupees to hundred eighty to & paise twenty ni
		Brick	92.271	Thous.	531.02	Rupees f hundred thirty one paise one on
		Stone Chips	212.818	cum	1,946.88	Rupees of thousand in hundred forty six paise eighty several control of the contr
90	1.	Local Sand	399.104	cum	181.48	Rupees of hundred eighty of & paise forty see

Sl.No	Name of School	Block	District	Amount
1	Upgraded Middle School, Laheri	Kochas	Rohtas	8,574,843.18
			Say	8,574,843.00
	(Dunger Fights First Lald Court F. T	1 17 1. 77 1 17	. (70)	7

(Rupees Eighty Five Lakh Seventy Four Thousand Eight Hundred Forty Three only)

Tender approved in favour of Ishika Construction (Murlidhar Singh) @ 10.00% (Ten Decimal Zero Zero Percent) below i.e. total amount comes to Rs. 77,17,358=00 (Rupees Seventy Seven Lacs Seventeen Thousand Three Hunred Fifty Eight Only)

FOR ISHIKA CONSTRUCTION

0

0

0

0

0

0

गुराह्य क्रांकि



Rupessone interind eighty one or pass forty soven only				Local Sand		
Daine eletity seven bundred forty cress bundred forty bundred forty		(fp/).		Stone Chips		
only Rupeus five hundred thirty one &s proceed only	93) 02					
	282.30			leció		
Rapees two landred forty two & pulse eighty five only			92.271			
Rupees two hundred seventy soven & paise forty one only				Cement		
01.011.008						

District		Jeane of School
	Kochas	Upgraded Middle School, Laheri

(Rupess Eighly Fige Lith Severny Four Thousand Eight Hundred Forty Three only)

Tender approved in favour of Ishika Construction (Marlidhar Singh) at 10.00% (Ten Decimal Zero Zero Percent) below i.e. total amount contes to Rs. 77.17.358-80 (Rupees Seventy Seven Lacs Seventeen Thousand Three Houved Fifty Eight Only)

STORIZADO ANTES

Ó

Performance Security

Name of Agency:- "Ishika Construction (Murlidhar Singh)"

Performance Security of Regarding "Residual work of SSS-132 B, SL. No- 06 (NIT-32/18-19)"

FDR No.	DOI	AMOUNT
216900DP00017534	17.10.18	1,50,000.00
216900PU00005640	19.12.18	80,000.00
216900PU00004614	13.08.18	1,71,000.00
2109001 30000		Total- 4,01,000.00

(Rupees Four Lakhs One Thousand Only)

0

0

0

त्रेका पदाधिकारी

लेखा पदाधिकारी बिहार राज्य शैक्षणिक आधारभूत संरचना बिकास निगम लि०, पटना

JAMMents 16/19


FOR ISHIKA CONSTRUCTION

Proprietor

Chief Eng neer

B.S.E.I.D.C. Ltd, Patrie

4/2





बेहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड TURE DEVELOPMENT CORPORATION LTD. HAR STATE EDUCATIONAL INFRASTRUCT

(A Govt. of Bihar Undertaking) ISO 9001:14001; OHSAS 18001

Shiksha Bhawan, Bihar Rashtrabhasha Parishad Campus, Acharya Shivpujan Sahay Path, Saidpur, Patna - 800 004 Tel. No.: 0612 - 2660850 • Fax No.: 0612 - 2660256

E-mail: bseidc@gmail.com • Website: http://www.bseidc.in • CIN: U80301BR2010SGC015859

Letter no: - BSEIDC/FIN/3422/2018-19- 1425

Patna, Date...... 05'02'20/

From,

Chief Engineer BSEIDC, Patna

TO,

Ishika Construction (Murlidhar Singh)

At+P.O.-Kanchanpur, PS-Sasaram, Rohtas, Bihar

Sub: - Provisional work order for the Residual Work of +2 Level School Building at Upgraded Middle School Laheri (SSS-132 B) under Block-Kochas, Distt-Rohtas in the State of Bihar under NIT No-32/2018-19.

Sir,

In continuation to this office Letter of Acceptance No. BSEIDC/FIN/3422/2018-19-8127, dated-04.12.2018, you are hereby instructed to proceed with the execution of the said works in consultation with the Engineer-in-Charge. The date of commencement of work shall be reckoned from the date of issue of this letter. Payment will be done after execution of Agreement.

Yours Faithfully

Memo no: BSEIDC/FIN/3422/2018-19- 14 25 Date: 07,03.5016

Copy forwarded to- Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC website/CCT/S.E./All Ex. Er./Senior Account Officer, BSEIDC, Patna for

information & necessary action.

Chief Engineer Chief Eng neer

S.E.I.D.C. Ltd. Patne



हार राज्य शेक्षणिक आधारभूत संरचना विकास निगम लिमिटेड HAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

(A Govt. of Bihar Undertaking) ISO 9001:14001; OHSAS 18001

Shiksha Bhawan, Bihar Rashtrabhasha Parishad Campus, Acharya Shivpujan Sahay Path, Saidpur, Patna - 800 004 Tel. No.: 0612 - 2660850 • Fax No.: 0612 - 2660256

E-mail: bseidc@gmail.com • Website: http://www.bseidc.in • CIN: U80301BR2010SGC015859

Letter of Acceptance

पत्रांकः – BSEIDC/FIN/3422/2018-19/-X127 पटना, दिनांक... ०५ 1 2 18

सेवा में.

Ishika Construction (Murlidhar Singh)

At+Po-Kanchanpur, Ps-Sasaram, Rohtas, Bihar

बिहार राज्य अंतर्गत "Residual Work of +2 Level School Building At Upgraded विषय:--Middle School Laheri, (SSS-132 B) Under Block - Kochas, District - Rohtas N.I.T. No.-32/(2018-19) Sl. No. :-06 हेतु Performance Security जमा कर एकरारनामा करने के संबंध में।

महाशय.

उपर्युक्त विषय के संबंध में कहना है कि विषयांकित कार्य की निविदा आपके द्वारा उद्धृत दर BOQ से 10% कम पर कुल राशि रू० 77,17,358/—(सतहतर लाख सतरह हजार

तीन सौ अंठावन रूपये) मात्र पर आपके पक्ष में स्वीकृत की गयी है।

अतः निदेश दिया जाता है कि उक्त कार्य के एकरारनामा हेतु Performance Security की राशि रू० 3,86,000/- (तीन लाख छियासी हजार रूपये) मात्र का पोस्ट ऑफिस सावधि जमा पासबुक / 1, 2, 3 वर्षीय पोस्ट ऑफिस टाईम डिपोजिट / राष्ट्रीय बचत प्रमाण पत्र / किसान विकास पत्र, जो प्रबंध निदेशक, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०, पटना के नाम से प्रतिज्ञिप्त (Pledged) हो अथवा फिक्सड डिपोजिट रसीद जो बिहार राज्य में स्थित Nationalized/ Scheduled बैंक से निर्गत हो एवं प्रबंध निदेशक, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि० पटना के नाम से प्रतिज्ञिप्त (Pledged) हो, जमा कर एकरारनामा कर लें।

Performance Security की राशि के सत्यापन एवं समृचित श्रेणी में इस निगम में

निबंधन के उपरांत एकरारनामा किया जाएगा।

नम् ०५।२४ मुख्य अभियंता

ज्ञापांक : BSEIDC / FIN / 3422 / 2018-19 / - 8 \ 2 र पटना, दिनांक ०५ \ १ र

प्रतिलिपि :Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC website/Senior Account Officer/ All Executive Engineer/ Suprintending Engineer BSEIDC for information & necessary action.

For ISHIKA CONSTRUCTION

मुख्य अभियंता

Chief Eng near 8.S.E.I.D.C. Ltd, Patne

O O ISHINA CONSTRUCTION Lineaton Port St.

SPECIAL CONDITIONS

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes, royalties and other

incidental charges.

4. To qualify for award of work, the Bidder must possess the following:-

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of signatory bid.

b) DD for required value of B.O.Q. Cost.

c) Sufficient Earnest Money Deposit.

d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.

Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed at least one Building work of value not less than 25 % of estimated

value of contract) in last five years as mentioned in Technical bid.

- f) Certificate from EE / Concerned Authority for Work Experience of Minimum Quantities of work done as prime contractor in any one Financial year during last five years as mentioned in Technical bid.
- g) Litigation History as mentioned in Technical bid. h) Valid Registration with Central/State Govt. / PSU.
- i) Affidavit/Certificate "for not been debarred and required attachments are true and correct and if found fake/ forged, the undersigned will be liable to be inflicted upon the FIR and lawful punishment as well as black listing".

5. Contractor should satisfy themselves fully about the nature, site of work before offering

their tender and place of any ignorance afterwards shall not be considered.

6. The tender without earnest money or insufficient earnest money submitted with the tender, will be outright rejected.

7. Conditional tenders shall be outright rejected.

8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.

9. Authority shall reserve the right to reject any or all the tenders or distribute the work to

more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained.

11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules prevalent in the locality.

12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the

contractor.

- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-
- a. Natural calamities
- b. Act of enemies.

(Seal & Signature of Tenderer)

Page 1 of 2

Chief Eng near 3.S.E.I.D.C. Ltd, Patne

FOR ISHIKA CONSTRUCTION

orchar 193

SPECIAL CONDITIONS

- The tenderers are required to deposit the earnest money as prescribed in the NIT.
- Every page should be signed by the Tenderer, in the event of tender being submitted by
 a firm, the tender should be signed by the person holding proper power of attoiney
 and the copy of the same should also be submitted.
- The rates quoted by the contractor should be inclusive of all faxes royalties and other incidental charges.
 - 4. To qualify for award of work, the Bidder must possess the following:
 - a) Legal Status, Place of Registration, Principal place of business & Power in attorney of signatory bid.
 - b) DD for required value of B.Q.O. Cost.
 - c) Sufficient Farnest Money Deposit.
- d) Certificate from Charrened Accountant of Annual Financial Turn over usually not less than 50.3% of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioged in Technical bid.
- e) Continuate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory contributed at least one Building work of value not less than 25% of estimated value of contract) in last five years as mentioned in Technical bid.
- f) Certificate from EE / Concerned Authority for Work Experience of Minimum Quantities of work done as prime contractor in any one Financial year during tast five years as atentioned in Technical bid.
 - g) integation distory as mentioned in Technical bid.
 - h) Maild Registration with Central/State Govj. / PSU.
- Attridevir(Certificate "for not been debarred and required attachments are true and correct and if found take/forged, the undersigned will be liable to be inflicted upon the FIR and lawful nunlshment as well as black listing".
- Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.
- The tender without earnest money or insufficient earnest money submitted with the tender, will be outright rejected.
 - Contitional tenders shall be outright rejected.
- 8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and comess money forfeited.
- Authority shall reserve the right to reject any or all the tenders or distribute the work to more than one contractor without assigning any reason.
 - Any claim for idle labours on any account shall not be entertained.
- The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules prevalent in the locality.
- 12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the contractor.
 - 1.5 it will be obligatory on the part of the renderer to keep his render open for 120 days from the date of opening of tender.
- 14. The contractor shall not be entitled to any dates or compensation on account of any loss suffered by him due to:
 - altimutes fetutell te
 - D. Act of energies.

Seal & Signature of Tenderer)

Page 1 of 2

377512/A2/B

MARKET WAS A STREET

- d. Circumstances beyond the control of the state.
- 15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- 16. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
- 17. The contractor shall make his own arrangement for water and light at the work site.
- 18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 20. The Tenderer must not quote their rate more than 10 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
- 21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 22. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.
- 23. The Defect liability Period shall be Three (3) Years from the date of completion of the work.
- 24. The Contractor shall rectify at his own cost in case the work is found to be defective during checking in liability period.
- 25. It will be the responsibility of the contractor to pay royalty of mines materials .The Contractor shall submit form "M" and "N" duly Filled as per "Bihar" Mines and Mineral Act 1972.
- 26. The Contractor shall Display a Signboard at work site about the work as on the format prescribed by Engineer- in- Charge.
- 27. The Contractor shall Furnish his programme of construction for execution of the work within the stipulated time schedule together with methodology of construction of each item or work and obtain the approval of the Engineer- in- Charge prior to actual commencement of work.

____X____

(Seal & Signature of Tenderer)

FOR ISHIKA CONSTRUCTION

Page 2 of 2

Chief Eng near

28.3.E.I.D.C. Ltd, Patria





बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

(A Govt. of Bihar Undertaking) ISO 9001:14001; OHSAS 18001

Shiksha Bhawan, Bihar Rashtrabhasha Parishad Campus, Acharya Shivpujan Sahay Path, Saidpur, Patna - 800 004 Tel. No.: 0612 - 2660850 • Fax No.: 0612 - 2660256

E-mail : bseidc@gmail.com • Website : http://www.bseidc.in • CIN : U80301BR2010SGC015859

निविदा आमंत्रण सूचना संख्या-32 वर्ष 2018-19 प्रतिशत दर निविदा

(केवल ई-टेन्डरिंग पद्धति के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

विहार राज्य के अन्तर्गत विभिन्न विद्यालयों का भवन निर्माण कार्य हेतु प्रतिशत दर निविदा आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार/सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रजिस्ट्रेशन, उक्त कार्य का लेटर ऑफ एक्सेपटेंस प्राप्त होने के बाद कराना होगा।

क्रम० सं०	अग्र प्रा गाप	प्राक्कलित राशि (लाख रू० में)	अग्रधन की राशि (लाख रू० में)	परिमाण विपन्न का मूल्य (रू०में)	Beltron Bid Processing Fee (In Rs.)	कार्य समाप्ति की अवधि
1.	मधुबनी जिलान्तर्गत प्रखण्ड—पंडौल स्थित लक्ष्मीनगर एकेडमी, सरिसव में +2 स्तरीय विद्यालय भवन का निर्माण कार्य।	133.158	2.66	10,000/-	As appeared on the website	15 माह
2.	भोजपुर जिलान्तर्गत प्रखण्ड—संदेश स्थित उच्च विद्यालय, भाटौली में +2 स्तरीय विद्यालय भवन का निर्माण कार्य।	126.85	2.54	10,000/-	As appeared on the website	15 माह
3.	जहानाबाद जिलान्तर्गत प्रखण्ड—काको स्थित प्रोजेक्ट कन्या उच्च विद्यालय, काको में अतिरिक्त वर्ग कक्ष का निर्माण कार्य।	78.657	1.57	10,000/-	As appeared on the website	12 माह
4.	जहानाबाद जिलान्तर्गत प्रखण्ड—काको स्थित उच्च विद्यालय, काको परिसर में स्थित भवनों का जीर्णोद्धार कार्य।	32.106	0.64	5,000/-	As appeared on the website	06 माह
5.	रोहतास जिलान्तर्गत प्रखण्ड—कोचस स्थित उत्क्रमित माध्यमिक विद्यालय, कुर्सा में निर्माणाधीन भवन (SSS-132 A) का अवशेष कार्य।	64.6645	1.29	10,000/-	As appeared on the website	10 माह
6.	रोहतास जिलान्तर्गत प्रखण्ड—कोचस स्थित उत्क्रमित माध्यमिक विद्यालय, लहेरी में निर्माणाधीन भवन (SSS-132 B) का अवशेष कार्य।	85.74843	1.71	10,000/-	As appeared on the website	12 माह

नोटः−(i) प्राक्कलित राशि घट या बढ़ सकती है एवं तद्नुसार अग्रघन की राशि घट या बढ़ सकती है।

(ii) वेबसाईट-www.eproc.bihar.gov.in पर अकित प्राक्किति राशि, अग्रधन की राशि एवं परिमाण विपत्र की राशि अंतिम रुप से मान्य होगा।

(ш) निविदाकार एक या अधिक कार्य के लिए अलग-अलग निविदा डाल सकते हैं।

(1) विज्ञापन निर्गत करने की तिथि

दिनांक:- 24.07.2018

परिमाण विपत्र प्राप्त करने(डाउनलोड)

दिनांक- 06.08.2018 से 13.08.2018, 15:00 घंटा तक

की अवधि एवं समय

(वेबसाईट:www.eproc.bihar.gov.in पर)

(3) प्री बिड मीटिंग का समय, स्थान एंव तिथि

दिनांक:- 09.08.2018, 16:00 घंटा तक, प्रबंध निदेशक का

कार्यालय,बिहार राज्य शैक्षणिक आघारमूत संरचना विकास निगम, पटना।

Chief Eng neer
E.I.D.C. Ltd. P B.S.E.I.D.C. Ltd, Patne

D-nonator

THAN STATE EDUCATIONALIST STORY OF THE PROPERTY CORPORATIONALLY

THE REST OF THE PARTY THE PARTY THE PARTY.

be after and were the state of the state of

tions to the control of the control

		ing to fois	
20-10 W		The state of the s	
		the secretaries need the second experimental new out is the recent the resulting to become	

OF ISHIKA CONSTRUCTION

ALTERNATION OF

(4) निविदा प्राप्ति(अपलोड) की अंतिम तिथि एवं समय:-

(5) अग्रधन जमा करने की अंतिम तिथि एवं समय

(6) टेक्निकल बिड खोलने की तिथि एवं समय

(7) वित्तीय बिड खोलने की तिथि एवं समय

(8) निविदा खोलने का स्थान

0

0

0

0

0

0

0

0

0

0

0

(9) निविदा की वैधता की अवधि

दिनांक- 14.08.2018, समय- 15:00 घंटा तक दिनांक- 16.08.2018, समय- 15:00 घंटा तक दिनांक- 16.08.2018, समय- 16:30 घंटा तक (वेबसाईट-www.eproc.bihar.gov.inपर) दिनांक- 21.08.2018, समय- 15:30 घंटा

वेबसाईट-www.eproc.bihar.gov.inपर

120 दिन

11) ई—टेन्डरिंग की प्रकिया में भाग लेने हेतु संवेदकों को पजीकृत होना होगा, जिससे कि उन्हें उपयोगकर्ता का नाम (user ID) पासवर्ड (Password) अंकीय हस्ताक्षर (Digital Signature) निर्गत की जायेगी। यह उन्हें वेबसाईट www.eproc.bihar.gov.in से डाउनलोड करने/टेन्डर की प्रक्रिया में भाग लेने की योग्यता प्रदान करेगा।

(12) ई-निविदा पत्र बेवसाईट www.eproc.bihar.gov.in से प्राप्त किया जा सकता है। संवेदक द्वारा सिर्फ उपर्युक्त वेबसाईट से ही परिमाण विपत्र प्राप्त करने के उपरांत वेबसाईट पर ही इलेक्ट्रानिक निविदा पत्र को भरकर भेजना है। अन्य सभी महत्वपूर्ण कागजात / बैंक ड्राफ्ट/अग्रधन की राशि/सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को स्कैन कर ई-निविदा के साथ संलग्न करना अनिवार्य है। (13) (西) Beltron Bid Processing Fee as appeared on the e-tendering website: www.eproc.bihar.gov.in & BOQ cost as

mentioned is mandatory to be paid through e-payment mode i.e. Internet payment gateway, (Credit/Debit card), Net Banking,

Bids along with necessary online payments must be submitted through e-procurement portal www.eproc.bihar.gov.in before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffic/ Holidays or any other reason. ऐसा नहीं करने पर निविदा मान्य नहीं होगा।

(ख) वांछित अग्रधन की राशि राष्ट्रीय बचत पत्र / डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक जो बिहार राज्य से क्रय या जमा किया हो, प्रबंध निदेशक, BSEIDC Ltd., पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा बिहार वित्त नियमावली के अनुसार BSEIDC Ltd. के नाम से फिक्सड डिपोजिट रिसिप्ट अथवा बैंक गारन्टी जो बिड के मान्य अवधि तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत/अनुसूचित बैंक से निर्गत हो (अगर बिहार प्रान्त के बाहर के बैंक से निर्गत बैंक गारन्टी दिया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड, पटना में दिनांक 16.08.2018 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रूप से जमा किया जाना आवश्यक है अथवा EMD can also be paid through e-payment mode i.e. "Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS". ऐसा नहीं करने पर निविदा मान्य नहीं होगा।

(14) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर लें। ताकि अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से बच सकें।

(15) निविदाकार निविदा डालने से पहले अपने स्तर से भी प्रस्तावित कार्य स्थल पर भूमि उपलब्धता के संबंध में आश्वस्त हो लेगे।

(16) Even though the bidders meet the qualifying criteria, they are subject to be disqualified if they have record of poor performance such as abandoning the works, not properly completing the contract, inordinate delays in completion, litigation history or financial failture in the work of this Corporation.

(17) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा।

बिना कारण बताये निविदा या उसके अंश को अस्वीकृत करने / रदद करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।

(18) विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्य अविध में सम्पर्क किया जा सकता है। ई—टेन्डरिंग की प्रक्रिया से संबंधित किसी भी प्रकार की जानकारी/सूचना हेतु सहायता कक्ष, ई-टेन्डरिंग कक्ष, प्रथत तल्ला, M/22, बैंक ऑफ इण्डिया भवन, रोड न० 25, श्री कृष्णा नगर, पटना-800001, दूरभाष स० 0612-2523006/9939035696.

or Ishika construction Danal Se

Chief Eng neer S.E.I.D.C. Ltd, Patria

"() As well to make the model of the many of t