Name of Work- Construction of College Schedule XLV-Form No. 61 oilet (ct) Block at B.R.A. Bihar University, Muzappanpur.

BIHAR PUBLIC WORKS DEPARTMENT

Agency - [Form No. F-2] Manoj Kuman ITEM RATE JENDER AND CONTRACT FOR WORKS

Agreement No. 23 F2 of 2019-20

General Rule and Direction for the guidance of Contractors.

Date of Commencement - 06-09-2018

1. All works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer.

This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours.

- 2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so.
- 3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm.
- 4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender.

5. The amount of earnest money to be deposited will be : -		Rs.	
If the amount of the estimate does not exceed Rs. 2,000.			50
If the amount of the estimate exceeds Rs. 2,000 but does		ed de la sons	ryez og
not exceed Rs. 5,000		M	100
If the amount of the estimate exceeds Rs. 5,000 but does	Call od Hens to	ot at and Aprily	
not exceed Rs. 10,000		c	200
For each additional Rs. 5,000 or portion of Rs. 5.000			
additional earnest money			100

6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompanied by the treasury challan for the required earnest money will be liable to rejection. No single tender shall include more than one work, but contractors who will to tender for two or more works shall submit a separate tender reach Tender shall bear the name of the work to which they refer written outside the envelop. Cash deposits for earnests money here in before mentioned shall be made in Government Treasuries and the challan there of should be enclosed with the tender.

Manoj Kumar 8-7-2010

- Schedule XLV Form No. 61 7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.
 - 8. The Engineer shall have the right of rejecting all or any of the tenders.
 - 9. In the event of a tender being selected for acceptance the Engineer who opened the tenders will, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the priscribed time. The tender with the specilication and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to the tenderer.

- 10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.
- 11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required and funt of the security money has been deposited the Engineer shall scrutinise all pages of the form of the fate, tender & contract for works to see that the form has been properly filled up and signed by the contractor & the signature witnessed He shall then if he is competent, to accept the tender, sign the acceptance of the tender, or, if he is not so competent shall send the form for signature of the acceptance of the officer competent to accept it.

[lano] (comos

TENDER FOR WORKS

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

MEMORANDUM (a) If several sub-work are [a] Name of work Olcluded they should be detained in a separate list. Estimated cost [b] · (b) This deposit will be 5% of the estimated cost of the [0] Earnest money Work. Initial security deposits (including earnest money) to be deposited befor [d] vec) This percentage deduction from bills will be the commencement of the work credited to the contractors desecurity deposit. Percentage to be deducted from bills Rs. 5% (Rupees five percent) n Time required for the work from date of written order to commence [f]..... monthly Date of written other to commence [g]

Total number of item of work tendered for

[h]

a Home No	thouse of week	RATE TE	Por	
Item No.	Item of work	In figures	In words	Per
10				
)				
)				
)				
		·		
)				
				119
)			- Ace	08/07/19
,			Chief En	
		1	B.S.E.IDC	td, Patna
Manai	V	2	0	

RATE TENDERED Per Item of work Item No. In figures In words

ircne

(5)

Item No.	Item of work	RATE TENDERED		Per
item No.	Remot work.	In figures	In words	
Hibertania.				
The second				
			44	
11000				
A VALUE				
X CASE				
		• • •		
A TATUE				
A STATE OF				
			THE STATE OF	
13 33 Be				
1 2 2 2				

RATE TENDERED Item No. Item of work Per 50 In figures In words in CC m

4 (7)

Chedule XLV - Form No. 61

Item No.	Item of work	RATE TE		
nem No.	item of work	In figures	In words	Per
0				The Control of the Control
0				
0	and the second second			
				CONTRACTOR ASSESSMENT
D	nur/angle			
0				
			Validation of the last	
	u.en(se			
	of Educations of San Favelor and Seal			
)	er en elle kopele (kee) all lake alle keelette en o			
			Park Control	
)		THE REAL PROPERTY.		
			in the contract of	es sien eile de les
	The Grant was the state of the same			
District Services				Committee of the second
		1 sections	de la	
		100000		
			In section in the	
		CONTRACTOR		
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
		to govern the sorts	District the second	
DE CELEO			decaded.	
an being		d we in the tier to	THE STREET	
	Color of Statement and services and the services of the servic	otlanie na s	teab year Long	
	e the Control of the			
to to be				
	Lighten appearance of a	Penning of the	Ch Yuka - 19	1000000

should this tender be accepted I/we hereby agree to abide by and fulfill all the terms and provisions of the said conditions of contract annexed hereto so. for as applicable, or in ssors in office the sums of money mentioned in the said conditions.

day of

*Signature, of contractor before comission of tender

witness:

Address:

Occupation:

Signature of witness to contractor's signature

The above tender is hereby accepted by me on behalf of the Governor of Bihar Dated the day of

20

signature of the officer

accepting the tender

Acceptances communicated on.....

signature of the party taking the tender

Compensation

CONDITIONS OF CONTRACT

Clause 1:- All compensation or other sums of payable by the contractor to Government under the terms of his contract may be deducted from, paid by the sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor by Government on any account whatsoever and in the event of his security deposit being reduced by reason of any such deduction or sale as aforesaid, the contractor shall within ten days there after make good in cash or Government securities endorsed as aforesaid any sum or sums which may have been deducted from, or arised by, sale of his security deposit of any part thereof.

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which the work is finished after necessary rectification of defects as pointed by the Executive En- gineer or his authorised agents are fully contractor to the Engineer's satisfaction.

Clause 2 :- The time allowed for carrying out the work as entered in the tende shall be strictly observed by the contractor and shall be reckoned from the date on which the wirtten order to comence work is given to the contractor. The work shall throughout the stipulated period of the contract be carried on with all due diligence (time being deemed to be the essence of the contract on the part of the contract) or) and the contractor shall pay as compensation an amount equal to ½ percent on the amount of the estimated cost of the whole work as shown by the tender for every day that the work remains uncommenced or unfinished after the proper date. And further to ensure good progress during the execution of the work the contracto shall be bound in all cases in which the time allowed for any work exceeds one month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before onehalf of such time elapsed and three-fourths of the work, before three fourths of sucl time has elapsed in the event of the contractor failing to employ with this condition, I shall be liable to pay as compensation an amount equal to ½ percent on the said estimated cost of the whole work for every day that the due quantity of work remains incomplete provided always that the entire amount of compensation to be paid under the provisions the clause shall not exceed 10 percent of the estimated cost of the work as shown in the tender.

Action when persnle security deposit foreited

Clause 3:- In any case which under any clause or clauses of or this contract the contractor shall have rendered himself laible to pay compensation amounting to the whole of his security deposit in the hands of Government (where paid in one sum or deducted by instalments) the Executive Engineer on behalf on the Biha Government shall have been powered to adopt any of the following courses, as he may deem best suited to the enterest of Government

(a) To rescind the contract (of which rescind notice priting to the contractor under the hand of the Executive Engineer shall be conclusive evidence) and in which case the sectitiry deposit of the contractor shall start provided, and be absolutely at the disposal of Government

- (b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debitting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in -charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.
- (c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original contractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4:- In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may, if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Enginee, as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

Clause 5 - If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) he shall apply in writing to the Executive Engineer within 40 days from the date of starting of the ninderance on account of which be desires such extension as aforesaid and the Executive Engineer shall, if in his opinion (which shall be final) reasonable grounds be shown thereof authorised such extension of time if any, as may in his opinion be necessary or proper. The Executive Engineer shall at the same time inform the contractor whether he claims compensation for the delay.

Manoj Kumar

contractor remains liable to pay compensation if action not take under

Power to take posession of or require removal of or sell contractor plant.

der sts be

nder of as

d the to be ction utive utive

each

erson

gned e the aving

ed by Subnder e he

50

100

200

100 rate

tion ort. Surv one

Sch

Final certificate

*Sig

Sig

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Clause 6:- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinctly marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-work doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurements shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus materials and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid, except for any sum actually realised by the sale thereof.

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-in charge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not apayments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away an reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the account or in any other way vary or affect the contract.

Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Clause 9:- If the specification or estimate of the work provides for the use of any special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-in charge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums then due to there after the become due to the contractor under the contract or otherwise of against or form the security deposit, or the proceed of sale thereof, if the same is held in Government security the same or sufficient portion thereof in this case sold for the purpose. All materials supplied to the contractor shall remain the absolute property or covernment and shall not on any accounts he removed from this site of the work and shall at all times be open to

Stores supplied Government

(11)

inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: - The contractor shall executive the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid.

Clause 11: - Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a disputes the decision of the superintending Engineer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period.

Clause 12:- If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out, the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsoever on account of any profit or advantage, which he might have derived from the execution of the work in full, but which he did not derive in consequence of the full amount of the work not having been carried out neither shall he have any claim for compensation by reason of any alternation having been made in the original specification, drawing, designs and instruction which shall involve any installment of the work as originally contemplated Ltd. Patrial clause 12 (a) As contained in G O 1929 dated 11.9.56,

Tanoj/ Kumar

Work to be executed accordance with specification drawing other etc.

Alteration in specifications and designation

Do not in validate contract

Time in consequence of

Rate for work no in estimate or schedule of rates of the district.

20

of as

nder

to be ction utive

d the

utive

each rson

gned e the aving

ed by Subnder e he

> 50 100

200

100

rate tion ort.

sury one

der ests lbe Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such failure is due to:

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as finally by the contractor.

Action and compensation payable in case of work

Clause 13:- If it shall appear to the Engineer-in-charge or his subordinate incharge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall on demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-incharge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and expense in all respects of the contractcor.

Work to be taken to inspection

Clause 14:-All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineer-in-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be present

Clause 15:- The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which the same was effected.

Notice to be taken before work covered up

Clause 16:- If the contractor or his work-people, or servants shall break, deface injure or destroy any part of a building in which they may be working or any building, road, road curves, fence enclosure water pipes, cables, drains, electric of telephone posts or wires, trees, grass or grassland or cultivated ground contiguous on which the work or any part of it is being executed or if any damage shall happen to the work, while in progress from any cause whatsoever or any imperfection become apparent in if within three months (six months in the case of a road work) after a certificate final or other of its completion shall have been given by the Engineer-in-charge

Manoj Kumas

a fore seal, the contractor shall make the same good at his own expense, or in uefault, the Engineer-in-charge may cause the same to be made be good by other worksmen and deduct the expense of which time thereafter may become due to the contractor, or from his security deposit, or the proceed of sale there of, or of a sufficient portion there of the security deposit at the contractor shail not be refunded before the expiry of three months (six months in the case of a road-work) after the issue of the certificate final or otherwise of completion of work provided that in the case of a road work in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable after three months of the issue of the said certificate of completion

Contractor liable for damage done and for imperfection a months and after certificate

Clause 17:- The contractor shall supply at his own cost all materials (except such special materials) if any as may in accordance with the contract be supplied from the Engineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, tackle scaffolding and temporary works requisits or proper for the proper execution of the work whether original, altered or substituted and whether include in the specification or other documents forming part of the contract or referred to in these conditions or not or which may be necessary for purpose of satisfying or complying with the requirement of the Engineer-in-charge as to any matter as to which under these conditions he is entitled to be satisfied which he is entitled to require together with carriage therefore to and form me work. The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting, weighing and assisting in the measurement or examination at any time and form time to time of the work or materials failing his so doing the same may be Provided by the Engineer-in-charge at the expense of the contractor and the expenses may be deducted from any money due to the contractor under the contract from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide all necessary fencing and lights required to protect the public from accident, and shall be bound to bear to expenses of defence of every suit action or other proceeding at law that may be brought by any person for injury sustained owing to neglect of the above precautions and to any such person or which may with the consent of the contractor be haid to compromise any claim by any such person.

Contractor to supply to plantladder scaffolding

And is liable for damage arising for non-provision of light fencing etc.

Clause 18: - No female labour shall be employed within the limits of contonment. The contractor shall not employ for the purpose of his contract any person who is below he age of twelve years and shall pay to each labour for the work done by such labourer wages not less than the wages paid for similar work in the neighbourhood.

Work not to be subject

The executive Engineer shall have the right to enquire into the case and decide ny complaint alleging that the wages paid by the contractor to any labourer for the work done by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer imployed by contractor is below the age of twelve years and to refuse to allow any abourer whom he decided to be below the age of twelve years to be employed by the

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his contract, or attempt so to do, or become insolvent proceedings to make any composition with his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, or offered by the contractor, or any of his servant or agents to any public officer or person h the employ of Government in any way relating to his officer or employment or if any such officer or person shall become in any way directly or indirectly interested in the Contract the Executive Engineer may there upon by notice in writing rescind the contract. The security deposit of the contractor shall there upon stand forfeited and be absolutely t the disposal of Government and the same consequence shall ensure as if the contract had been recinded under clause 3 here of, in addition the contractor shall not be haded to recover or be paid to any work therefore actually performed the under the distribute. C. Ltd., Pains

Contract may be resinded and security deposit forfelted for subletting bribes or if contractor become

Manoj Kumar

such payable by way of compensation to be considered reasonable compensation without reference to actual loss Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there or not any damage shall have been sustained.

Clause 21: In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this information.

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal convernment and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer

Clause 22:- All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23:- In case any dispute or difference shall arise between the parties of either of there upon any question relating to the meaning of the specifications, designs drawings and instructions here before mentioned or as to the quality of workmanship of materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, of any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions of otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof of as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

(a) Clause 24: - When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items or work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-incharge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineer in-charge shall be final and conclusive against the contractor with regard to any sum payable to him under the provision of this clause.

Action where no specification.

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions are requirements of the Engineer-in-charge.

Definition of works

Clause 26: - The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to succonstruction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, alteresubstituted or additional.

Witness

Manoj Kumas Contracto

(15)

Schedule showing (Approximately) materials to be supplied, it available the rates of nedule XLV - Form No. 61 ed for and the places at which they are to be supplied

ule showing (Approxin th they are to be charge Particulars	will be o	which the material charged to the ontractor		Place of delivery	
· · · · · · · · · · · · · · · · · · ·	Unit	Rs.	P.		
	Offic				
					. 10
			17.5		
					1
			4		
			17.5		
			N. T.	It the rates in the above schedu	

Note: The person or firm submitting the tender should see that the rates in the above schedules are ed up by the Engineer-in-charge on the issue of the form prior to the submission of the tender

Manoj Kumas (Signature of Contrator)

Chief Eng Signature of Executive Engineer)

Ribar State Educational Infrastructure Development Corporation Utd.

AGREEMENT For Construction of College Toilet (CT) Block at B.R.A. Bihar University
Muzaffarpur

TENDER FOR WORKS

I/we heredy tender for the execution for the Governor of Bibr of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of witten order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subjects to the annexed condution of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

MEMORANDUM

(a) If soveral sub-most, are (A) Name of Work: - Construction of College Toilet (CT) Block at B.R.A detained in the squarte Bihar University Muzaffarpur (5 Units)

itst.

- (B) Estimated Cost :- Rs. 38,48,223=00 Agreement value :- Rs. 34,63,401=00
 - (b) This deposit will be 5% of the estimated cost of the work.

(c)This percentage deduction from bills will be credited to the contractors security

the work-

Earnest Money - Bs. 1,74,800/- (Details arrached)

- (E) Percentage to be deducted from bill Rs. 5% (Rupees five percent)
- (F) Time required for the work from date of written order to commence, FOUR, MONTHS.
 - (G) Date of written order to commence:
 - (ii) Total number of item of work tendered for :- 61

x moust jone 14

State of the second state

Bihar State Educational Infrastructure Devlopment Corporation Ltd.

BOQ for Construction of College Toilet (CT) Block at B.R.A. Bihar University Muzaffarpur

B.R.A. Bihar University Muzaffarpur (5Units)

S. No.	Item No.	Item	QTY (for 1 Unit)	QTY (for 5 Unit)	Unit	Rate	Amount
1	2.29.1	SURFACE DRESSING Surface dressing of the ground including removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5 m	33.36	166.80	100 sqm	806.00	Rupees eight hundred six only.
2	20.3a.1	PILE WORK Making 25 cm (10") dia bore up to 4 mtr depth below ground with hand auger of approved quality in ordinary soi! (vide classification of soil item A) true to plumb and without eccentricity in any stage of operation and disposal of the excavated earth up to 50 mtr, Lead including all lifts, all complete as per approved design and direction of E/I	42.00	210.00	Metre	107.10	Rupees one hundred seven & paise ten only.
3	20.3a.2	63 CM (25) UNDER -REAM Making 63 cm (25) dia under ream at required with hand auger of approved quality in ordinary soil (vide classification of soil ifem - A) true to plumb and without eccentri city in my stage of opration and disposal of the excavated earth up to 50 mts lead in eluding all lifts, all complete as per approved design and direction of (E/I)	14.00	70.00	Nos	114.30	Rupees one hundred fourteen paise thirty only.
4	2.8.1	EARTHWORK Earth work in excavation in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 m including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. All Kinds of soil	3.62	18.10	cum	230.50	Rupees two hundred thirty & paise fifty only.
5	2.28	Supplying and Filling in plinth with local sand and under floors including, watering, ramming consolidating and dressing complete.	5.77	28.85	cum	204.40	Rupees two hundred four & paise forty only.
6	11.72		29.20	146.00	sqm	253.80	Rupees two hundred fifty the & paise eighty or

Manoj Kumas

0

0

0

0 0 0

Chief Eng neer

B.S.E.I.D.C. Ltd. Patro

Kehouth

Off-7/19

Bihar State Educational Infrastructure Devlopment Corporation Ltd

BOO for Construction of College Tollet (CT) Block at E.R. A. Bihar University Muzaffarpur

E.R.A. Effear University Muzaffarpur (SUnits)

tavorst		tlatt				
Rupses eight handred six only.	806.00	100 sqm	166.80	88,68	SURFACE DRESSING Surface dressing of the ground including removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish. Land upto 50 m and lift upto 1.5 m.	
Rupees one hyadred seven & paise (en only,		Metre	210.00		PILE WORK Malong 25 cm (10") dia bore up to 4 mit depth below ground with hand luger of approved quality in ordinary soil (vide classification of soil item A.) mic to plumb and without eccentri one in any soing of operation and disposal of the excavated earth up to 50 mit. Lead meloding all lifts, all complete as not approved design and direction of EA	2
Rapees oue handred fourteen d paist thirty only.					65 CM (25) UNDER -REAM Mislang 63 cm (25) dia under ream at required with hand auger of approved quality in ordinary soil (vide classification of soil ifem = A) time to plumb and without eccentri city in my stage of opration and disposal of the excaveted earth up to 50 mis lead in eluding till iffes, all complete as per approved design and direction of (E0)	
Rapees two Jumbred thirty & paise lifts only.	230.50		18.10	3.62	EARTHWORK Farin work in excavation in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan) including dressing of sides and running of bottoms. Iff up to 1.5 m including getting out the excavated soft and disposal of surplus excavated soft as directed, waitin a lead of 50 m. All Kinds of soil	4
Hapees two introductd four & paise forty only.	204,40		28.85		Supplying and Filling in pinth with local sand and under riotis including, watering rammes consolidating and dressing complete.	
Rances two handred fifty thre & palse eighty and					Providing designation 100 A one brick its	

read from

O

Ò

0							1	
0	7	4.1.5	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering-all work upto plinth level. 1:3:6 (1 Cement: 3 coarse sand:6 graded stone aggregate 20mm nominal size)	3.83	19.15	cum	3,174.30	Rupees three thousand one hundred seventy four & paise thirty only.
0 0 0	8	5.1.2	RCC Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centering, shuttering, finishing & reinforcement - all work upto plinth level. 1:1.5:3 (1cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size)	4.88	24.40	cum	4,530.30	Rupees four thousand five hundred thirty & paise thirty only.
0 0 0	9	5.2.2	Reinforced cement concrete work in wall (any thickness), including attached pilasters, buttresses, plinth and struts etc upto floor V level excluding the cost of centering, shuttering, finishing & reinforcement; 1:1.5:3 (1cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size)		13.15	cum	5,139.70	Rupees five thousand one hundred thirty nine & paise seventy only.
0 0 0	. 10	5.3+ .5.33B.4 A	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15 degree, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement:1.5 coarse sand:3 graded stone aggregate 20 mm nominal size).	4.51	22.55	cum	5,124.90	Rupees five thousand one hundred twenty for & paise ninety only
0	11	6.1.14A	Brick work with bricks of class designation 100A in foundations and plinth in cement mortar 1:6 (1cement:6 coarse sand)	4.15	20.75	cum	4,490.60	Rupees four thousand four hundred ninety & paise sixty only.
0	12	6.1.14A + 6.3A	Brick work with bricks of class designation 100A in foundations and plinth in: Cement mortar 1:6 (1 cement: 6 coarse sand) Extra for Brick work in superstructure above plinth level upto floor V level	12.19	60.95	cum	5,003.90	Rupees five thousand three & paise ninety only.
0 0	13	6.18a+ 6.18.4a	Half brick masonry with bricks of class designation 100A in foundations and plinth in Cement mortar 1:4 (1 cement: 4 coarse send) Extra for half Brick masonry in superstructure above plinth level upto floor V level.	24.31	121.55	sqm	608.40	Rupees six hundre eight & paise forty only.
0	14	5.22	Reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete.					
9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	nojlevm	ar				B. 5. E	hief Eng m	Patra hours

	3,174,30		61.91		Providing and lavary in position cerneric concrete of specified ginde excluding the cost of centering and shuttening-all work upto plotting eyel. 1356 (7 Centering Scotter sandificated stone aggregate 20 nm not until size).		
					n co		
		min	24,40	88,5	Providing and laying in panion specified grade of reinforcest of centering, shuttering, finishing & reinforcement - all work upto plinth level 1.1.5.3 (Leement 1.5 coarse sand : 3 graded		8
					stone opgregate 20mm nominal size)		
Supers five thousand one bundred thirty aim & paise seventy ently.		0.00	61.61	2.63	Reinforced cement concrete work in wall (any thickness), including attached palasters, burnesses, plinth and struis etc upto floor V level excluding the cost of centering shuttering finishing & ranforcement: 1-1-3:3 (Leement: 1-5-coarse sand: 3 graded stone aggregate 20mm nominal size).		
Rupees fing Thomsond one donatesh recorp for & paise dinery only		шиэ	22.55		Reinforced cement concrete work in Icams, suspended floors, roofs having sions upto 15 degree, landings balconies, shelvas, chajas, hards, bands, plan window sills, staircises and spiral sum cases upto floor tive level excluding the cost of centering, shuttering, funching and reinforcement with 1:1.5:3 (1 cement 1.5 ceases sand 3 graded mone aggregate 20 mm norunal size)		
Napecs four thousand four bundred nicety & gaise sixty only.			29.75		Brick work with bricks of class designation 100A in foundations and plinth in centent mortar 1:6 (I centern 6 course sund)	Àprila	
	69.606,8			12,19	Brick work with bricks of class designation 100A in foundations and plinth in Coment mortar I to (I cement 6 course sand) Erra for Brick work in superstructure above plants level upto thoor V level		
Rupees six handn eight & price fartr only,	64,895			24.31	Half brick masonry with bricks of class designation 100A in foundations and plants in Cament mortar 1-4 (Premont of course send). Fixers for half Brick masonry in superstructure above plant level upto floor Viewel.		

A wang lenn o

	5.22.1	Mild Stell 6 mm dia	55.00	275.00	Kg		Rupees fifty four &
	5.00.74	TMTC-500 8mm dia	585.00	2,925.00	kg	56.00	Rupees fifty six only.
	5.22.7B	TMTC-500 10mm dia	385.00	1,925.00	kg	54.70	Rupees fifty four opaise seventy only.
	5.22.7C	TMTC-500 12mm dia	210.00	1,050.00	kg	53.40	Rupees fifty three & paise forty only.
15	5.9.5	Centering and shuttering including strutting, propping etc. and removal of form for Lintel, beams, plinth beams, girders, bressumers and cantilevers.	33.85	169.25	sqm		Rupees two hundred sixty one paise seventy only
16	5.9.3	Centering and shuttering including strutting, propping etc. and removal of form for Suspended floors, roofs, landings, balconies and access platform.	27.38	136.90	sqm	291.00	Rupees two hundred ninety or only.
17	5.9.6	Centering and shuttering including strutting, propping etc. and removal of form for Columns, pillars, piers, abutments, posts and struts	21.00	105.00	sqm	357.60	Rupees three hundred fifty seve & paise sixty only
18	11.37	Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturer) of ist quality conforming to IS: 15622 of approved make in colours such as white, Ivory, Grey, Fume Red, Brown, laid on 20 mm thick Cement motar 1:4 (1 cement: 4coarse sand) including pointing the joints with white cement and matching pigment etc., complete.\	18.02	90.10	sqm	799,40	Rupees seven hundred ninety n & paise forty only
19	11.36	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (Thickness to be specified by the manufacture) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-charge in skirting, risers of steps and dados over 12 mm thick bed of cement Motar 1:3(1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching shade complete.	35.88	179.40	sqm	766.30	Rupees seven hundred sixty six paise thirty only.
20	13.24.2	0.0 %	18.02	90.10	sqm	87.40	& paise forty on
21	13.11.4	1 12mm thick Cement plaster of mix 1:6 (1 cement: 6 coarse sand)	59.94	299.70	sqm	101.20	Rupees one hundred one & paise twenty onl

Ó

Chief Eng neer

B.S.E.I.D.C. Ltd. Party

817

Of 10711

Hupees fifty feste & paise thirty only-						
Respect filty three As maise forty unity.		. Jak				
		mp				
	291,86					
						71
Runezs seven				Providing and floing 1st quality ceramic glazed wall tiles conforming to 1S. 15622 (Thickness to be specified by the manufacture) of approved make in all colours, shades every burgandy, bottle green, black of any size as		
		Still		approved by Engineer-in-charge in skirting, risers of steps and dades over 12 mm finck bed of coment. Motar 1:3(1 coment. 3 course sand.) and jointing with grey coment shury @ 3.3 kg per sqm including conting in white concert mixed with pigment of matching shade		01
		6702		complete. 2 form thick Cament plaster of Ceiting mus Irl (1 cament 4 course sand)		
Ropers and Immetred one & pairs (wanty only	0.10)	arps	59.94	4 12mm thick Cement plaster or mix 1 5 (1 centem 6 conserve sand)	rier	

Color Color

Olano) lonar

Ó

.0

0								Rupees one
	22		20 mm cement plaster of mix; 1:6 (1 cement: 6 coarse sand)	52.28	261.40	sqm	140.40	hundred forty & paise forty only. Rupees thirty two
0	23.	13.26	Neat Cement Punning	11.88	59.40	sqm	32,30	& paise twenty nine only.
0	24	- /	Cement concrete flooring 1:2:4 (1 cement:2 coarse:sand:4 graded stone aggregate) finished with a floating coat of neat cement including cement slurry, etc. but excluding the cost of nosing of steps etc. complete. 40 mm thick with 20 mm nominal size stone aggregate.	25.50	127.50	sqm	245.70	Rupees two hundred forty five & paise seventy only.
0	25		Providing and fixing 1 mm thick M.S. sheet door with frame of 40x40x6 mm angle iron and 3mm MS gusset plates at the junction and corners.all necessary fittings complete including applying a priming coat of approved steel primer.	4.42	22.10	sqm	2,617.00	Rupees two thousand six hundred seventeen only.
0	26	9.48.2	Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete. Fixed to openings/ wooden frames with rawl plugs screws etc	44.55	222.75	kg	94.20	Rupees ninety four & paise twenty only
0000000000	27	21.1.2.2	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standardtubular sections/ appropriate Z sections and other sections of of approved make conforming to IS: 733 and IS: 1285, fixing withdash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / aneling, C.P. brass /stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately):	75.40	377.00	sqm	426.40	Rupees four hundred twenty six & paise forty only.
0 0 0	28	9.96.2	Providing and fixing aluminium sliding door bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete:250x16 mm	14.00	70.00	Nos	182.00	Rupees one hundred eighty two only.
O O O O	of Kum	a y				2 B.S. 1	Chief Eng	Apalla d. Patro dhaulf

	245,70		02,751	Cement carenets flooring 1:2:4 (1 cement 2 courses sand if graded stone aggregate) finished with a floating coat of near cement including the cest or cement story, ere but excluding life cest or occurry of steps ste consplete 40 mm thick with 20 mor normal stac stone aggregate.	
		mps			
			222.75		
Ropers four hundred twenty six & paise forty only.				Providing and fixing aluminum work for doors, windows, vimilators and parlinents with extruded built up standardinbular sections appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing withdish histories of required dia and size, including necessarviiling up the gaps at junctions, i.e. at top! bottom and sideswith required EPDM rubber/ neotrene states are Aluminiumsections shall be smooth rust free, straight, mitted and rublinding clear angle, Aluminium sees required for glazing / anchog C.P. brass /strinless steel strein-charlet and strein-charlet and strein-charlet and strein-charlet and the directions, of Engineer-in-charge. ((Hazing paneling and dash fasteness to be paid for separately):	
				Providing and fixing aluminium shaing door boles, 15t worked, anodised (anodic costing tool loss man grade AC 10 as per IS 1868), in ensperient or dy. I to 1 equired colour or shade, with mats and service atc. complete 250x16 mm.	

man land

							,
29	9.100.2	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete: 100 mm	14.00	70.00	Nos	54.60	Rupees fifty four & paise sixty only.
30	BSR 2631 + 15% +1%	Providing & Fixing 4 mm thick ACP for Door shutter of approaved brand and design as per direction of E/I.	11.03	55.15	sqm	1,450.33	Rupees one thousand four hundred fifty & paise thirty three only.
31	21.3.1	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge.	4.50	22.50	sqm	768.30	Rupees seven hundred sixty eight & paise thirty only.
32	4.17	Making plinth protection 50 mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20 mm nominal size) over 75 mm thick bed of dry brick ballast 40 mm nominal size, well rammed and consolidated and grouted with fine sand, including finishing the top smooth.	11,88	59.40	sqm	359,80	Rupees three hundred fifty nine of paise eighty only.
33	13.46A.	Finishing walls with Acrylic Smooth exterior paint of required shade: New work (Two or more coat applied @ 1.67 ltr/ 10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/ 10 sqm)	63.36	316.80	sqm	83.60	Rupees eighty thre & paise sixty only.
34	13.77.2	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade New work (two or more coats) over and including priming coat with cement primer.	77.96	389,80	sqm	69.10	Rupees sixty nine of paise ten only.
35	13.80 A.2	Providing and applying white cement based putty of average thickness 2 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	141.32	706.60	sqm	118.40	Rupees one hundred eighteen & paise forty only.

Manoj Kumar

O

Chief Eng neer

B.S.E.I.D.C. Ltd, Patrie

Skihoust

Ropers filty frue S palse to ty oid			14,00			20
Rapiess one thousand faur handred fairy & gaire thary thing only.				Providing & Freing 4 arm thick ACP for Door shader of appropriational brand and design as per direction of Ed.		
Rupees seven incodeed sixty eight & paive thicky only				Providing and dising placing in aluminum door, worklove, ventilater shutters and partitions at with EPDM rather / neopicine gasket etc. complete as not the auxiliarectoral drawings and the directions of engineer-m-charge		11.
Rupees three leaderd lifty nine pass eighty only.				Making pinds protection 50 non thick of comient-concrete 1 3.6 (1 cansett 3 coases stud o graded store aggregate 20 mm normal size) over 75 mm thick bed of dry back ballist 10 mm normal size, well ranned and consolidated and grouped with		
ridi etilgis səsqust Z pot v sixir only:				Finishing walls with Actvlic Smooth exterior paint of required shade. New work (Two or more cost applied @ 1.67 hit. 10 sum over and including priming cost of exterior primer applied @ 2.20 kg/ 10 sqm).		
Raptes sixty time paixe tea only				Ostempering with oil hound washable distemper of approved brand and manufacture to give an even shade New work (two or more coats) over and including priming coat with remest primer.	13.77	
Cupees one incorped eighteen d paisa forty anly.	01.811			Providing and applying white cament based purity of average (hickoress 2 mm of approved brand and manufacturar, over the playtered well surface to propare the surface even and smooth complete.		

y med jone /

am thick gang saw premoulded and r kitchen platforms, sills, facias and ired size, approved laid over 20 mm 1:4 (1 cement: with white cement, ment, epoxy touching, moulding and igh gloss finish etc. adde to ready mixed zinc approved brand and alvanized iron/steel paint of approved ll shades to give an ork (two or more	9.48 8.54 9.31 17.97	42.72 42.72 46.53	sqm sqm MT		Rupees three thousand five hundred seventy three & paise seventy only. Rupees twenty two & paise eighty only Rupees sixty three & paise sixty only. Rupees two hundred eighty two & paise twenty ninconly. Rupees nine hundred seventy five & paise twenty
approved brand and lvanized iron/steel paint of approved Il shades to give an	9.31	46.53	sqm	282.30	& paise eighty only Rupees sixty three & paise sixty only. Rupees two hundred eighty two & paise twenty nin only. Rupees nine hundred seventy
ll shades to give an	9.31	46.53 89.87	МТ	282.30	& paise sixty only. Rupees two hundred eighty two & paise twenty nin only. Rupees nine hundred seventy
		89.87			hundred eighty two & paise twenty nin only. Rupees nine hundred seventy
		89.87			hundred eighty two & paise twenty nin only. Rupees nine hundred seventy
<i>y</i>	17.97		cum	975.26	hundred seventy
				. /	five only.
	15.80	79.01	cum	1,619.61	Rupees one thousand six hundred nineteen of paise sixty only.
	13.52	67.59	th /	531.02	Rupees five hundred thirty one & paise one only.
	1.24	6.18	МТ	282.30	Rupees two hundred eighty two & paise twenty nin only.
	6.31	31.57	cum	181.48	Rupees one hundred eighty one & paise forty sever only.
				6.31 31.57 cum	1.24 6.18 MT 282.30

exect rangel				Providing and fixing 18 mm thick garg saw cut, murer polished, premoulded and prepolished, machine and for lefthen planterus, vanny continus, condow sills, factas and saulfar locations, of raquired size approved	
housing live undered geomethics of here is pinne leventy only.	- 3,573.70.1	47.40		shade, colour and resture faid over 20 min finck base causes mount 1.4 (1 cement : loosese sand), joints treated with white centent, mused with rearching pigment, approx touch ups including rubbing, curing, moulding and polishmy to edges to give high gloss funds etc.	
Ruptes twenty two & paise eighty only.					
Rapers sixty three & paixe sixty only.	6a,€a			Painting with ready mixed paint of approved to give at prend and manufacture in all shades to give at even shades low steel work (two or mute ocats)	
Ruppes two hundred effuty two & gaise twenty nice only.		65,83			
Rupres nine handred seventy five & paise twenty					
five only. Rapiess one				Sand	
chousand six landred niceteen d paise sixty only.					
s Rupees five					
hondred thirty one & paise one only.			-(3,62		
Repeat two bandred eights for A paire twenty nio					
only.					
Ropers one					
ino vidyja barbinid. 1979e vitral oslog 2					
ylan					1 1 1

canny fores

		<u></u>					
40		Add Extra Cost for material					Rupees three
			13.52	67.59	th	370.75	hundred seventy &
		Bricks	-	~	/		paise seventy five only.
		Dilens					Rupees three
			9.31	46.53	mt		hundred nineteen &
113		Cement		/			paise three only.
		INDIAN TYPE WC					
		Providing and fixing water closet squatting pan					
41	17.1	Indian type W.C.pan) with 100 mm sand cast iron P or S trap, 10 litre low fixtures complete,				7	
	/	including cutting and making good the walls and level white P.V.C. flushing eistern,					
		including flush pipe, with manually controlled					Translation of the
		device (handle lever) conforming to IS:					
		White Vitages abine Original W.C.	4.00	20.00	E a a la	3,049.30	Rupees three thousand forty nine
	17.1.1	White Vitreous china Orissa pattern W.C. pan of size 580 x 440 mm with integral type foot	4.00	20,00	Each	3,049.30	& paise thirty only.
		rests					
		URINAL					
		Providing and fixing white vitreous china flat back half stall urinal of size 580x380x350 mm					
42	17.5	with white PVC automatic flushing cistern, with fittings, standard size C.P. brass lush pipe,					
42	17.5	spreaders with unions and clamps (all in C.P.					
		brass) with waste fitting as per IS :2556, C.I. trap with outlet grating and other couplings in					
		C.P. brass, including painting of fittings and					
		cutting and making good the walls and floors wherever required:				€ 1	
					- ()		Rupees eleven
	17.5.3		1.00	5.00	Each	11,542.20	thousand five
	17.3.3	Range of three half stall urinals with 10 litre	1.00	-	Ench		hundred forty two & paise twenty only
		P.V.C. automatic flushing cistern					
		COUNTER TYPE WASHBASIN					
43	17.7	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pilar taps, 32 mm		-			
TJ	11.1	C.P. brass waste of standard pattern, including		CREE!			
. 7	,	painting of fitting and brackets, cutting and making good the walls wherever required.					1 1211/2-11
						ief Eng. ne I.D.C. Ltd.	M
1						100 C	low,
oj Kun	1018				Ch	ief Engine	er .
				0	B.3.E.	D.C. Lid,	Patra
				65	5	08/	07/19
				8		-01	

					40
		200			
		67,59			
	-				
Rupees three					
		in the second			
			Providing and fixing water closed aquatting pany		
				11711	
			URBYAL		
			brass) with waste litting as per 15 :2556, C.I.		
			trap with outlet grating and other couplings to		
			cutting and making good the walls and floors		
	Each				
			Range of three half sigh unnals with 10 line		
			Providing and fixing wash basin with C L		
			brackets, 15 mm C.P. brass pilm taps, 32 mm	17.7	
			making good the walls behaviver required.		

committee o

0.

	17.7.1	White Vitreous China Surgeon type wash basin of size660x460 mm with single 15 mm C.P. brass pillar taps with elbow operated levers ISI marked	2.00	10.00	Each	2,874.40	Rupees two thousand eight hundred seventy four & paise forty only.
44	18.9	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement ,trenching ,refilling & testing of joints complete as per direction of Engineer in Charge.		<u>-</u>			
	a)	15 mm dia nominal bore	10.00	50.00	M	126.60	Rupees one hundred twenty six & paise sixty only.
	b)	20 mm dia nominal bore	15.00	75.00	M	147.30	Rupees one hundred forty sever & paise thirty only.
	c)	25 mm dia nominal bore	20.00	100.00	M	193.60	Rupees one hundred ninety three & paise sixty only.
	d)	32 mm dia nominal bore	15,00	75.00	M	249.10	Rupees two hundred forty nine & paise ten only.
45	18.48	Providing and placing or terrace (at all floor levels) polyethylence water storage tank, ISI: 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fitting and the base support for tank.	500.00	2,500.00	Liter	6.60	Rupees six & paise sixty only.
46	18.49.1	Providing and fixing C.P. brass bib cock of approved quality conforming to IS: 8931: 15 mm nominal bore	7.00	35.00	Each	481.60	Rupees four hundred eighty one & paise sixty only.
47	17.24	Providing and fixing white vitreous china squatting plate urinal with integral rim longitudinal flush pipe.	3.00	15.00	Each	1,532.00	Rupees one thousand five hundred thirty two only.
48	17.28	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C waste fittings complete					
	may	or wash basin including P.V.C waste fittings comlete.		21/2	B.S.E.	nief Eng man. D.C. Ltd.,	Pathe

Rapers two however eight randered seventy ion: & phise forty acts.	2,874,40	Each					
					Providing and fixing "Morianed Polyvinyl Chloride (CPVC) pipes, 'tavang thorqual stability for hot & cold water stopes nocluding all CPVC plans & bases threaded filmers This includes jointing of pipes & fitteen with one stop CPVC solvent cornent from hing achieve & tasking of joints domplete as per direction of Engineer of Charge.	18.9	
					15 pim sia nominel bore		
Rapces one handred forty see Lepaire thirty only		W					
			00.001				
			00.87				
	20.0	Eliter	2,500.00	00,002		18.48	
	00.181			7.80	Providing and fixing C.P. brass his tock of approved quality conforming to 18: 8931:		
					Providing and fixing white vinceus china squathing plate united with integral rime together the street the street that the property of the street that the street the st		
					Providing and fixing P.V.C. wagte pipe for sinkle or wash basa, melading P.V.C. waste furnges		

Ó

	17.28.2	Flexible pipe					
	17.28.2.	32 mm dia	5.00	25.00	Each	76.10	Rupees seventy six & paise ten only.
49	18.17	Providing and fixing gun metal gate valve with C.I. wheet of approved quality (screwed end):		- 11 - 11 - 11 - 11 - 11 - 11 - 11 - 1			
50	18.17.1		1.00	5.00	Each	449.50	Rupees four hundred forty nine & paise fifty only.
51	18.52	25 mm nominal bore Providing and fixing C.P. brass stop cock (concealed) of standard desing and of approved make conforming to IS: 8931		-			
52	18.52.1	15 mm nominal bore	11.00	55.00	Each	650,10	Rupees six hundre fifty & paise ten only.
53	19.32.1	Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with bricks and S.W. drain pipe 100 mm diameter, 1.8 m long complete as per standard design. With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	1.00	5.00	Each	28,775.00	Rupees twenty eig thousand seven hundred seventy five only.
54	19.30.1.	Constructing brick masonry road gully chamber 50x45x60 cm with bricks in cement mortar 1:4 (1 cement : 4 coarse sand) including 500x450 mm pre-cast R.C.C. horizontal grating with frame complete as per standard design :With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	2.00	10.00	Each	3,384.80	Rupees three thousand three hundred eighty fou & paise eighty only
55		Construcion of Septic Tank as per Details	1.00	5.00	Each	56,972.00	Rupees fifty six thousand nine hundred seventy two only.
56		Construction of 125mm x 40mm x 90m T/well	1.00	5.00	Each	60,432.59	Rupees sixty thousand four hundred thirty two & paise fifty eight only.
57	1.3.3	Internal Electrification Work Wiring for light point/ fan point with 1.5 Sq.mm FR PVC insulated copper conductor single core cable in surface/ recessed PVC conduit, with modular type switch, modular plate, suitable size of GI box etc as required. Group C		_			
		GROUP C	21.00	105.00	Each	675.00	Rupees six hundre seventy five only.

Rupces seventy si & paise ten only.					
Rupees four nonired forty oinc					
				Providing and fixing C.P. brass stop cock (concealed) of stimular disting and of approved make conforming to IS: 8031	
Rupees six busile lifty & paixe ten only,					
Rapees twenty efg thousand seven			00.1	Midding sost pit 2.5 in diameter 3.0 metre deep with 45 x 45 cm dry brick honey conib shaft with bricks and 5 W. drain pipe 100 mm	53
				design, With common burnt clay F P.S. (non-modular) bricks of class designation 7.5.	
		10.60			
ino vidgie eighty oni				grating with frame complete as per standard design With countron burnt clay F.P.S. (non medular) bricks of class designation 7.5	
Engage fifty six thousand time brandered sex only	no ero as				
thousand four knowed thirty tw & pairs id'ty sight		5.00			
				Internal Electrification Work Wiring for light point fan point with 1.5 Sq.mni FR PVC instituted copper conductor single core cable in suffacer recessed PVC conduct with modelar type switch modelar	13
				plate, suitable size of GI box en as required. Group C	
Rupers six intrali- seventy live only.					

May a part of the second of th

58	1.7	Wiring for circuit / sub main wiring along with earth wire with the following size of PVC insulated copper conductor, single core in surface / recessed PVC conduit as required					
	1.7.2	2 x 2.5 sq. mm + 2 x 2.5 sq. m earth wire	30.00	150.00	m	150.00	Rupees one hundred fifty only.
59	1.34	S/F BATTEN HOLDER :- Supplying and fixing of batten / angle holder including connection etc. as required.	12.00	60.00	Each	48.00	Rupees forty eight only.
60	2.12.2	Supplying and fixing following rating, 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. 6/32 amps, Single pole and neutral (provide 16amp)	1,00	5.00	Each	819.00	Rupees eight hundred nineteen only.
61	2.12.1	Supplying and fixing following rating, 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. 6/32 amps, Single pole and neutral (provide 6amp)	2.00	10.00	Each	208.00	Rupees two hundred eight only
					TOTAL AMOUNT=		3,848,223.4
			-		T	SAY	3,848,223.0

Tender approved in favour of Manoj Kumar @ 10.00% (Ten Decimal Zero Zero Percent) below i.e. total amount comes to Rs. 34,63,401=00 (Rupees Thirty Four Lacs Sixty Three Thousand Four Hundred One Only)

(Rupees Thirty Eight Lakh Forty Eight Thousand Two Hundred and Twenty Three only)

Manoj kumar

Chief Eng neer

Pies.E.I.D.C. Ltd., Patrice

Stoff of the Stoff of the

				Winnig for circuit sub-main wiring along was grant. PVC was with the following was of PVC.	
ana enapoli gino gilil berband					
Ripers forty eight only.					. 67
Rupee eight hundred hineteen lonty		5,00	00,1		
Rupces two bandred eight only.				Supplying and fixing following raing, 240:415 volts, "C" curve, massaure circuit breaker suitable for inductive load of following peles in the existing MCB DB complete with connections, testing and commissioning etc as required (6.32 sairs, Single pole and neutral (provide oamp)	
3,843,723.41	LATOT				
1,5,18,223,00					

Tender approved in favour of Mange Kamer in 10,00% (Ten Decinal Zero Zero Percent) below i.e. total amount comes to 28, 34,63,401-00 (Rupses Thirty Four Lacs Sixty Three Thousand Four Hundred One Only)


ennal fried

0

0

about a series of the series o

tem No.	SOR No.	Particular of work	No.	Length (m)	Breadth (m)	Height Depth (m)	Quantity	Unit	Rate	Amount
1	2.8.1	Earthwork in excavation								
		(i) Septic tank	1	3.75	1.90	2.35	16.74	cum	230.50	3,858.57
2	2.28	Sand filling	1	3.75	1.90	0.075	0.53	cum	204.40	108.33
3	11.72	Flat Brick soling	1	3.75	1.90		7.13	sq.m	253.80	1,809.59
7.5	- 1 i	P.C.C. (1:2:4)	1	3.75	1.90	0.20	1.43	cum	3,740.20	5,348.49
4	4.1.4	(i) Sloping portion 1:20	1	3.425	1.60	0.05	0.27	cum	3,740.20	1,009.85
		Brick work with bricks of class designation 100A in foundations and plinth in : Cement mortar 1 .:4 (1 cement: 4 coarse sand)					<i>J</i>			
5	6.1.12/1	(i) Long wall	2	3.330	0.25	2.225	3.70	cum	4,724.40	17,480.28
		(ii) Short Wall	2	1.520	0.25	2.225	1.69	cum	4,724.40	7,984.24
		(iii) Partition wall	1	1.22	0.125	1.300	0.20	cum	4,724.40	944.88
		(iv) Partition wall	1	1.22	0.125	1.825	0.28	cum	4,724.40	1,322.83
	13.17.1	12 mm cement Plaster 1:3 (1 cement: 3 coarse sand) with a floating coat of neat cement & Extra for providing								
6		and mixing water proofing material in	2	3.750		2.225	16.69	sq.m	166.30	2,775.55
		proportion recommended by the manufacturers: 12 mm cement plaster 1:3(1 cement :3 sand)	6	1.900		2.225			166.30	4,219.03
			1	3.750		1.600		sq.m	166.30	997.80
7		20 mm cement Plaster 1:3 (1 cement: 3 coarse sand) with a floating coat of neat cement & neat cement punning	1	11.700 3.750		0.300 2.100		sq.m sq.m	214.60	753.25 1,691.05
8	5.1.3	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing and reinforcement-All work puto plinth level. 1:2:4 (1 cement:2 coarse sand:4 graded stone aggregate 20 mm nominal size)		3.730						
. 1		(i) Roof cover slab of septic tank	1	3.75	1.90	0.075	0.53	cum	3,984.50	2,111.79
		(ii) Rcc Beam in septic tank	1	1.90	0.125	0.125	0.03	cum	3,984.50	119.54
9	5.22.7A	(i) Steel 8mm in R.C.C.	1				56.00	Kg.	56.00	3,136.00
10	Code no. of 1352	(i) C.I. cover and frame 300 x 300 mm inside	1				1.00	Each	312.17	312.17
	Code no. of 1621	(ii) S.C.I. plain bend 100 mm dia	1				1.00	Each	364.20	364.20
	Code no. of 7087	(iii) S.C.I. Tee 150 mm dia	1	- 7,			1.00	Each	624.34	624.34
									Total = Say =	56,971.7 56,972.0





						niet No.
					Earthwerk in excavation	
			08.1			
					Brick work with bricks of class designation 100A in foundations and plants in Cament mortar 1 of (1 cament 4 coarse send.)	
4.724.40						
					dty Padition well	
	mpe					
					neat cement & neat cement punning	
ſ						
02.486.8						
00.88						

Mana Comas

		Detailed Estimate for construction of 1 Manual Be	25 mm x	40 mm x	90 mTube well	
SI. No.	S.O.R		Quantity	TImi6	I Boto I	
	Tolone	Construction of 125mm x		Unit	Rate	Amount
art 'A	'- Cost	of Materials	40mm X 90	ili i/weii		
		125mm dia UPVC casing pipe confirming to				
1		ISS	27	Meter	315.00	8,505.
2		40mm dia UPVC pipe confirming to ISS	48	Meter	99.38	4,770.
3		40mm dia PVC ribbed strainer of approved	8	Meter	182.00	1,456.
4		quality Reducing socket 125mm x 40mm				
		Supplying all labour and materials & fitting &	1	Each	270.00	270.
5		fixing PVC cap over the new sink T/well	1	Each	140.00	140.
6	B.S.R 1548	Providing and fixing of G.I pipes complete with G.I fittings and clamps, including, cutting and making good etc 32 mm dia (15% C.P & 1% L.Cess)	18	mtr	224.44	4,039.
7	B.S.R	32 mm nominal bore Bross Full valve	1	Each	511.21	E44
	1928	(15% C.P & 1% L.Cess)	1	Lacii	311.21	511.
8		Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of E/I	1	Each	26,446.00	26,446.
		Sub - Total "A"	-			46,138.31
art 'B'	- Cost	of Labour				40,100.01
		Boring by jet dheki by suitable cutter of reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge. (i) 0 to 30.5 m				
9		(a) For 125 mm dia U.PV.C pipe	27	mtr	208.77	5,636.7
10	=	(b) for 40 mm dia UPVC pipe	<u></u>	1111	200.11	3,030.
		(i) 0 to 30.5 m	3.5	mtr	119.03	416.6
11		(ii) 30.5 m to 61.0 m (a) For 40 mm dia UPVC pipe	20.5		460.05	
		(iii) 61.00 m to 75.00 m	30.5	mtr	136.88	4,174.8
12		a) For 40mm dia UPVC pipe	14	mtr	148.79	2,083.0
		(iv) 75.00 m to above	0		110.10	2,000.0
13		a) For 40mm dia UPVC ribbed strainer of approved quality	8	mtr	148.79	1,190.3
14		Providing all labour & tools and lowering 32 mm dia G.I pipe as per specificatin etc. all Complete	24	mtr	21.34	512.1
15		Supplying labour and developing the T/Well to have sand free discharge all complete as per direction of E/I	1	Each	280.50	280.5
		Sub - Total				14,294.2
		Total C="A+B"				60,432.

Manoj Kumas

Ō

Chief Eng neer
B.S.E.I.D.C. Ltd, Patrie

			,	
	279.00		Reducing socket 125mm x 40mm	
			Supplying all report and marerials & teling & fixing PVC cap over the new sink Tiwell	
		11	Providing and fixing of Gil pipes complete with GI fittings and clemps including, cutting and making good arc. 32 mm dia (15% Q.P. & 1% L.C.s.s.)	
			22 mm nominal care Britis Full valve	
			Supplying all equipments tools and installation of a HP single phase submersible motor pump set of KSE/1SI make 2900 rpm capable of discharge 5000 LPH at 45 Mir head with all	
26.446.00			necessary riscr pipe starter control panel, 1,25" E.I. Full way valve, 1,25" M.S. clamp, 1,25" C.I. Elbow, 1,25" check valve, 1,25" x 9" long G.I. Nipple etc. all complete as per direction of E.I.	
			Boring by jet dheld by suitable cutter of reduce as the case may be lowering 125 mm x U.P.V.C. as the case may be lowering 125 mm x U.P.V.C. at 40 mm dia G.I. pipe & strainer of standard quality iron, shoe plug & socket erc. all complete including providing all tools and plants required for the job as per specification and direction of this engineer in chame	
			m 8.00 of 0 (4)	
				6
		24		

Chinal County

O

And the second s

Performance Security

Name of Agency:- "Manoj Kumar"

Performance Security of Regarding "Construction of College Toilet Block at B.R.A., Bihar University. (NIT-16 A/18-19, Sl No.-15.)"

FDR /TD/B.G. No.

 $\underline{D.O.I}$

AMOUNT

4772194842

0

0

0

0

0

0

0

27.05.2019 to 26.05.22

1,74,000.00

Total-

1,74,000.00

(Rupees One Lakhs Seventy Four Thousand only)

17.10)

तिरा पदाधिकारी


विहार राज्य शैक्षणिक आधारभूत संरचना
विकास निगम लि०, पटना

Manoj Kumas

Chief Eng neer

3.S.E.I.D.C. Ltd, Patner

817





बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

(A Govt. of Bihar Undertaking) ISO 9001:14001; OHSAS 18001

Shiksha Bhawan, Bihar Rashtrabhasha Parishad Campus, Acharya Shivpujan Sahay Path, Saidpur, Patna - 800 004 Tel. No.: 0612 - 2660850 • Fax No.: 0612 - 2660256

E-mail: bseidc@gmail.com • Website: http://www.bseidc.in • CIN: U80301BR2010SGC015859

Letter of Acceptance

Manoj Kumar

Vill-Garikhana Po- Khagaul Patna

विषय:— बिहार राज्य अंतर्गत ''Construction Of College Toilet (CT) Block at B.R.A. Bihar University, Muzaffarpur, का निर्माण कार्य (N.I.T. No.-16 A/2018-19, SI. No. : 15) in the State of Bihar हेतु Performance Security जमा कर एकरारनामा करने के संबंध में।

महाशय,

उपर्युक्त विषय के संबंध में कहना है कि विषयांकित कार्य की निविदा आपके द्वारा उद्धृत दर BOQ से 10% कम पर कुल राशि रू० 34,63,401/—(चौंतीस लाख तिरसठ हजार चार सौ एक रूपये) मात्र पर आपके पक्ष में स्वीकृत की गयी है।

अतः निदेश दिया जाता है कि उक्त कार्य के एकरारनामा हेतु Performance Security की राशि रू० 1,74,000/— (एक लाख चौहत्तर हजार रूपये) मात्र का पोस्ट ऑफिस सावधि जमा पासबुक/1, 2, 3 वर्षीय पोस्ट ऑफिस टाईम डिपोजिट/राष्ट्रीय बचत प्रमाण पत्र/किसान विकास पत्र, जो प्रबंध निदेशक, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०, पटना के नाम से प्रतिज्ञिप्त (Pledged) हो अथवा फिक्सड डिपोजिट रसीद जो बिहार राज्य में स्थित Nationalized/ Sheduled बैंक से निर्गत हो एवं प्रबंध निदेशक, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि० पटना के नाम से प्रतिज्ञिप्त (Pledged) हो, जमा कर एकरारनामा कर लें।

कार्य हित में यह निदेश दिया जाता है कि संलग्न सूची के अनुसार आप तत्काल संबंधित कार्यपालक अभियंता से संपर्क कर निर्माण कार्य प्रारंभ करें। इस पत्र की निर्गत की तिथि को कार्य प्रारंभ की तिथि माना जाएगा। Performance Security की राशि के सत्यापन एवं समुचित श्रेणी में इस निगम में निबंधन के उपरांत एकरारनामा किया जाएगा।

ज्ञापांक : BSEIDC/FIN/3364/2018-19/- ५९९ म

पटना, दिनांक......

प्रतिलिपि : Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC website/Senior Account Officer/ All Executive Engineer/All Suprintending Engineer BSEIDC for information & necessary action.

Manoj (unax

0

0

0

SPECIAL CONDITIONS

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes, royalties and other

incidental charges.

4. To qualify for award of work, the Bidder must possess the following:

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of signatory bid.

b) DD for required value of B.O.Q. Cost.

c) Sufficient Earnest Money Deposit.

d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.

Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed at least one Building work of value not less than 25 % of estimated

value of contract) in last five years as mentioned in Technical bid.

f) Certificate from EE / Concerned Authority for Work Experience of Minimum Quantities of work done as prime contractor in any one Financial year during last five years as mentioned in Technical bid.

g) Litigation History as mentioned in Technical bid. h) Valid Registration with Central/State Govt. / PSU.

Affidavit/Certificate "for not been debarred and required attachments are true and correct and if found fake/ forged, the undersigned will be liable to be inflicted upon the FIR and lawful punishment as well as black listing".

5. Contractor should satisfy themselves fully about the nature, site of work before offering

their tender and place of any ignorance afterwards shall not be considered.

6. The tender without earnest money or insufficient earnest money submitted with the tender, will be outright rejected.

7. Conditional tenders shall be outright rejected.

8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.

9. Authority shall reserve the right to reject any or all the tenders or distribute the work to

more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained.

11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules prevalent in the locality.

12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the

contractor.

- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-
- a. Natural calamities
- b. Act of enemies.

(Seal & Signature of Tenderer)

Monej kumas

Page 1 of 2

Chief Eng near
.E.I.D.C. Ltd, P B.S.E.I.D.C. Ltd, Potrne

THE PROPERTY OF A STREET

- c. Transport and procurement difficulties.
- d. Circumstances beyond the control of the state.
- 15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- 16. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
- 17. The contractor shall make his own arrangement for water and light at the work site.
- 18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 20. The Tenderer must not quote their rate more than 10 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
- 21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 22. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.
- 23. The Defect liability Period shall be Three (3) Year from the date of completion of the work.
- 24. The Contractor shall rectify at his own cost in case the work is found to be defective during checking in liability period.
- 25. It will be the responsibility of the contractor to pay royalty of mines materials . The Contractor shall submit form "M" and "N" duly Filled as per "Bihar" Mines and Mineral Act 1972.
- 26. The Contractor shall Display a Signboard at work site about the work as on the format prescribed by Engineer- in- Charge.
- 27. The Contractor shall Furnish his programme of construction for execution of the work within the stipulated time schedule together with methodology of construction of each item or work and obtain the approval of the Engineer- in- Charge prior to actual commencement of work.

----X-----X-----

Manojkumas

(Seal & Signature of Tenderer)

Page 2 of 2

Chief Eng neer S.E.I.D.C. Ltd., Patna

		. ()
	d. Circumstances beyond the control of the state.	0
	15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in-charge in writing on "SITE ORBER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.	0
		0
1		0
	18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.	0
	19. Items ordered and done if not included in sanctioned rates will be payable after a approval of rates by the competent authority.	0
	20. The Tenderer must not quote their rate more than 10 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.	0
		0
	22. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.	0
	23. The Defect liability Period shall be Three (3) Year from the date of completion.	0
	25. The Defect Hability Fellob shall be Till be vol.	0
	24. The Contractor shall rectify at his own cost in case the work is found to be detective the during checking in liability period.	0
	25. It will be the responsibility of the contractor to pay royalty of mines materials. The Contractor shall submit form "M" and "N" duly Filled as per "Bihar" Mines and Mineral Act 1972.	0
		0
	27. The Contractor shall Furnish his programme of construction for execution of the work, within the stipulated time schedule together with methodology of construction of each item or work and obtain the approval of the Engineer- in Charge prior to actual in the second of the Engineer in Charge prior to actual in the second of the Engineer in Charge prior to actual in the second of the Engineer in Charge prior to actual in the second of the Engineer in Charge prior to actual in the second of the secon	0
		0
		0
		0
	wo and formall.	0
		0
		0
		0



बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

(A Govt. of Bihar Undertaking) ISO 9001:14001; OHSAS 18001

Shiksha Bhawan, Bihar Rashtrabhasha Parishad Campus, Acharya Shivpujan Sahay Path, Saidpur, Patna - 800 004

Tel. No.: 0612 - 2660850 • Fax No.: 0612 - 2660256

E-mail: bseidc@gmail.com • Website: http://www.bseidc.in • CIN: U80301BR2010SGC015859

Letter No.-BSEIDC/TECH/NIT/18-19/-

The second second	A .	
ਪਟਜਾ	दिनांक	
40.11.	141147-	
	1 11 4' minimum minimum	

निविदा आमंत्रण सूचना संख्या—16 A वर्ष 2018—19 प्रतिशत दर निविदा

(केवल ई-टेन्डरिंग पद्धति के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

बिहार राज्य के अन्तर्गत विभिन्न विश्वविद्यालयों / महाविद्यालयों में शौचालय का निर्माण कार्य हेतु प्रतिशत दर निविदा आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय / राज्य सरकार / सार्वजनिक क्षेत्रों में निवंधित हो, निविदा होगा।

क्रमद संव	कार्य का नाम	प्राक्कलित राशि (लाख रू० में)	अग्रधन की राशि (रू० में)	परिमाण विपन्न का मूल्य (रू०में)	Beltron Bid Processing Fee (In Rs.)	कार्य समाप्ति
1.	वीर कुवँर सिंह विश्वविद्यालय के अंतर्गत विभिन्न महाविद्यालयों में शौचालय निर्माण कार्य।	42.72	86,000/-	5,000/-	As appeared on the website	की अवधि 04 माह
2.	तिलका मॉझी भागलपुर विश्वविद्यालय, भागलपुर (मुख्यालय) के अंतर्गत विभिन्न महाविद्यालयों में शौचालय निर्माण कार्य।	35.60	72,000/-	5,000/-	As appeared on the website	04 माह
3.	तिलका माँझी भागलपुर विश्वविद्यालय, भागलपुर के अंतर्गत विभिन्न अंगीमूत महाविद्यालयों (भागलपुर एवं बाँका) में शौचालय निर्माण कार्य।	85.44	1,72,000/-	10,000/-	As appeared on the website	04 माह
4.	तिलका माँझी भागलपुर विश्वविद्यालय, भागलपुर के अंतर्गत विभिन्न अंगीभूत महाविद्यालयों (मुंगेर) में शौचालय निर्माण कार्य।	49.84	1,00,000/-	5,000/-	As appeared on the website	04 माह
5.	तिलका माँझी भागलपुर विश्वविद्यालय, भागलपुर के अंतर्गत विभिन्न अंगीभूत महाविद्यालयों (लखीसराय) में शौचालय निर्माण कार्य।	28.48	58,000/-	5,000/-	As appeared on the website	04 माह
6.	तिलका माँझी भागलपुर विश्वविद्यालय, भागलपुर के अंतर्गत विभिन्न अंगीभूत महाविद्यालयों (खगड़िया) में शौचालय निर्माण कार्य।	28.48	58,000/-	5,000/-	As appeared on the website	04 माह



Manoj Kumar

0

Chief Eng neer

B.S.E.I.D.C. Ltd, Patna

dere eigen edenforer erietzener eigen foreier feierer schoreren Uhar state educational infrastructure bevelopment corporation urd

Tenderstall veille to be per les

sometic manufactured during the party of the property of the property of the party of the party

Letter No. 29 STIDE A LEG LEST 13 4 5 1

- HEST - FSF

property and another range of the special special

by mivegradidacoup and speed views in the relief h hard

		24,47	
or Leading to a service of the servi			3

Monoflowery

0.0

Wayselly Courses

7.	तिलका माँझी भागलपुर विश्वविद्यालय, भागलपुर के अंतर्गत विभिन्न अंगीभूत महाविद्यालयों (जमुई) में शौचालय निर्माण कार्य।	14.24	30,000/-	5,000/-	As appeared on the website	04 माह
8.	पटना विश्वविद्यालय, पटना के मुख्यालय एवं अन्य परिसरों में शौचालय निर्माण कार्य।	128.16	2,58,000/-	10,000/-	As appeared on the website	04 माह
9.	ललित नारायण मिथिला विश्वविद्यालय, दरभंगा (मुख्यालय) एवं अन्य महाविद्यालयों में शौचालय निर्माण कार्य।	42.72	86,000/-	5,000/-	As appeared on the website	04 माह
10.	कामेश्वर सिंह दरभंगा संस्कृत विश्वविद्यालय, दरभंगा (मुख्यालय) एवं अन्य अंगीभूत महाविद्यालयों में शौचालय निर्माण कार्य।	42.72	86,000/-	5,000/-	As appeared on the website	04 माह
11.	बी० एन० मण्डल विश्वविद्यालय, मधेपुरा (मुख्यालय) में शौचालय निर्माण कार्य।	35.60	72,000/-	5,000/-	As appeared on the website	04 माह
12.	बी० एन० मण्डल विश्वविद्यालय, मधेपुरा के अंतर्गत विभिनन महाविद्यालयों (सहरसा) में शौचालय निर्माण कार्य।	56.96	1,04,000/-	10,000/-	As appeared on the website	04 माह
13.	बीठ एनठ मण्डल विश्वविद्यालय, मधेपुरा के अंतर्गत विभिनन महाविद्यालयों (पूर्णियाँ एवं कटिहार) में शौचालय निर्माण कार्य।	14.24	30,000/-	5,000/-	As appeared on the website	04 माह
14.	ए० एन० कॉलेज, पटना में शौचालय निर्माण कार्य।	21.36	44,000/-	5,000/-	As appeared on the website	04 माह
15.	बी० आर० ए०, बिहार विश्वविद्यालय, मुजफ्फरपुर में शौचालय निर्माण कार्य।	35.60	72,000/-	5,000/-	As appeared on the website	04 माह

नोट:-(i) प्रावकित राशि घट या बढ़ सकती है एवं तद्नुसार अग्रधन की राशि घट या बढ़ सकती है। (ii) वेबसाईट-www.eproc.bihar.gov.in पर अंकित प्राक्किति राशि, अग्रधन की राशि एवं परिमाण विपन्न की राशि अंतिम रुप से मान्य होगा। (III) निविदाकार एक या अधिक कार्य के लिए अलग-अलग निविदा डाल सकते हैं।

(1) विज्ञापन निर्गत करने की तिथि

दिनांक:- 08.06.2018

(2) परिमाण विपत्र प्राप्त करने(डाउनलोड)

दिनांक- 22.06.2018 से 01.07.2018, 15:00 घंटा तक

की अवधि एवं समय (3) प्री बिंड मीटिंग का समय, स्थान एवं तिथि (वेबसाईट:www.eproc.bihar.gov.in पर) दिनांक:- 26.06.2018, 16:00 घंटा तक, प्रबंध निदेशक का

कार्यालय,बिहार राज्य शैक्षणिक आधारमूत संरचना विकास निगम, पटना।

(4) निविदा प्राप्ति(अपलोड) की अंतिम तिथि एवं समय:-

दिनांक- 02.07.2018, समय- 15:00 घंटा तक

(5) अग्रधन जमा करने की अंतिम तिथि एव समय(6) टेक्निकल बिंड खोलने की तिथि एवं समय

दिनांक- 03.07.2018, समय- 15:00 घंटा तक दिनांक- 03.07.2018, समय- 16:30 घंटा तक

(7) वित्तीय विड खोलने की तिथि एवं समय

(वेबसाईट-www.eproc.bihar.gov.inपर) दिनांक- 09.07.2018, समय- 15:30 घंटा

(8) निविदा खोलने का स्थान

वेबसाईट–www.eproc.bihar.gov.inपर

(9) निविदा की वैधता की अवधि

120 दिन

11) ई-टेन्डिंरंग की प्रक्रिया में भाग लेने हेतु संवेदकों को पंजीकृत होना होगा. जिससे कि उन्हें उपयोगकर्ता का नाम (user ID) पासवर्ड (Password) अंकीय हस्ताक्षर (Digital Signature) निर्गत की जायेगी। यह उन्हें वेबसाईट www.eproc.bihar.gov.in से डाउनलोड करने /टेन्डर की प्रक्रिया में भाग लेने की योग्यता प्रदान करेगा।

Manoj Kunar

0

0

0

0

0

0

0

Chief Eng hear

3.3.E.I.D.C. Ltd, Patrice

white law Louis Edward

(12) ई-निविदा पत्र बेवसाईट www.eproc.bihar.gov.in से प्राप्त किया जा सकता है। संवेदक द्वारा सिर्फ उपर्युक्त वेबसाईट से ही परिमाण विपत्र प्राप्त करने के उपरांत वेबसाईट पर ही इलेक्ट्रानिक निविदा पत्र को भरकर भेजना है। अन्य सभी महत्वपूर्ण कागजात / बैंक ड्राफ्ट/अग्रधन की राशि/सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को स्कैन कर ई-निविदा के साथ संलग्न करना अनिवार्य है। (13) (本) Beltron Bid Processing Fee as appeared on the e-tendering website:- www.eproc.bihar.gov.in & BOQ cost as mentioned is mandatory to be paid through e-payment mode i.e. Internet payment gateway, (Credit/Debit

Bids along with necessary online payments must be submitted through e-procurement www.eproc.bihar.gov.in before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffic/ Holidays or any other reason. ऐसा नहीं करने पर निविदा

मान्य नहीं होगा।

(ख) वांछित अग्रधन की राशि राष्ट्रीय बचत पंत्र/डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक जो बिहार राज्य से क्रय या जमा किया हो, प्रबंध निदेशक, BSEIDC Ltd., पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा बिहार वित्त नियमावली के अनुसार BSEIDC Ltd. के नाम से फिक्सड डिपोजिट रिसिप्ट अथवा बैंक गारन्टी जो बिंड के मान्य अवधि तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत/अनुसूचित बैंक से निर्गत हो (अगर बिहार प्रान्त के बाहर के बैंक से निर्गत बैंक गारन्टी दिया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड, पटना में दिनांक 03.07.2018 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना आवश्यक है अथवा EMD can also be paid through e-payment mode i.e. "Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS". ऐसा नहीं करने पर निविदा मान्य नहीं होगा।

(14) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर लें। ताकि अंतिम समय में

(15) निविदाकार निविदा डालने से पहले अपने रतर से भी प्रस्तावित कार्य स्थल पर भूमि उपलब्धता के संबंध में आश्वस्त हो लेगे। होनेवाले किसी प्रकार के व्यवधान से बच सकें।

(16) Even though the bidders meet the qualifying criteria, they are subject to be disqualified if they have record of poor performance such as abandoning the works, not properly completing the contract, inordinate delays in completion, litigation history or financial failture in the work of this Corporation.

(17) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा।

बिना कारण बताये निविदा या उसके अंश को अस्वीकृत करने / रदद करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।

(18) विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्य अविध में सम्पर्क किया जा सकता है। ई-टेन्डरिंग की प्रक्रिया से संबंधित किसी भी प्रकार की जानकारी/सूचना हेतु सहायता कक्ष, ई-टेन्डरिंग कक्ष, प्रथत तल्ला, M/22, बैंक ऑफ इण्डिया भवन, रोड न० 25, श्री कृष्णा नगर, पटना-800001, दूरमाष सं० 0612-2523006/9939035696.

> बजेश प्रसाद मुख्य परामर्शी (तकनीकी)

Manoj Kumar

Chief Eng neer
E.I.D.C. Ltd S.E.I.D.C. Ltd, Patne