Date of Commencement - 28-02-2017

1. All works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer.

This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours.

- 2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so.
- 3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm.
- 4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender.

5. The amount of earnest money to be deposited will be : -	Rs.
If the amount of the estimate does not exceed Rs. 2,000	
If the amount of the estimate exceeds Rs. 2,000 but does	
not exceed Rs. 5,000	100
If the amount of the estimate exceeds Rs. 5,000 but does	
not exceed Rs. 10,000	200
For each additional Rs. 5,000 or portion of Rs. 5.000	
additional earnest money	100

6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompanied by the treasury challan for the required earnest money will be liable to rejection. No single tender shall include more than one work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the enveloped the deposits for earnests money here in before mentioned shall be made in Government Treasuries and the challen there of should be enclosed with the tender.

Niwelson Kumas 28-2-17 Ltd.

nka

memorandum at d in accodance in ibjects to the ccordance with,

Commencement of

N MONTHS

eer Patnal

7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the

8. The Engineer shall have the right of rejecting all or any of the tenders.

9. In the event of a tender being selected for acceptance the Engineer who opened the tenders ill, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the priscribed time. The tender with the specilication and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to the tenderer.

10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.

11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required amount of the security money has been deposited the Engineer shall scrutinise all pages of the form of the grate, tender &contract for works to see that the form has been properly filled up and signed by the contractor of the signature witnessed He shall then if he is competent, to accept the tender, sign the deceptance of the tender, or, if he is not so competent shall send the form for signature of the acceptance of the officer competent to accept it.

(3)

TENDER FOR WORKS

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

MEMORANDUM

- (a) If several sub-work are [a] cluded they should be
- detained in a separate list.
- (b) This deposit will be 5% the estimated cost of the

[c]

(c) This percentage aduction from bills will be credited to the contractors ecurity deposit.

Item No.

- Name of work [b]
 - Estimated cost
 - Earnest money Initial security deposits (including earnest money) to be deposited befor the commencement of the work
- Percentage to be deducted from bills Rs. 5% (Rupees five percent) [e]
- Time required for the work from date of written order to commence [f] monthly

In figures

RATE TENDERED

In words

Date of written other to commence [g]

Item of work

Total number of item of work tendered for [h]

n Ltd.

anka

memorandum at id in accodance in ubjects to the accordance with,

Commencement of

EN MONTHS

Per

Chief Engineer B.S.E.I.D.C. Ltd, Patna

Niwesu Kumor 28-2-17

Chief Esgin B.S.E.L.D.C. Lic

m Ma	lkan af	RATE TE	NDERED		a Ltd.	
m No.	Item of work	In figures	In words	Per		
					anka	
					memorandum at ad in accodance in ubjects to the accordance with,	
				1-1		
					e Commencement of	
					EEN MONTHS	
		3.3				
			1,7			
- 1					0 1	
					rineer Ltd. Patnal Jkenoull 25 62/19	
					td, Patna	
					20 62/9	

should this tender be accepted I/we hereby agree to abide by and fulfill all terms and provisions of the said conditions of contract annexed hereto so. for applicable, or in ssors in office the sums of money mentioned in the said condito

Dated the

*Signature, of contractor before comission of tender

day of

Signature of witness to centractor's signature

The above tender is hereby accepted by me on bet Dated the day of

signature of the off

Acceptances communicated on 05-10-16

accepting the tend

signature of the pa taking the ten

Compensation

CONDITIONS OF CONTRACT

Clause 1:- All compensation or other sums of payable by the contractor Government under the terms of his contract may be deducted from, paid by sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor Government on any account whatsoever and in the event of his security depo being reduced by reason of any such deduction or sale as aforesaid, the contract shall within ten days there after make good in cash or Government securitendorsed as aforesaid any sum or sums which may have been deducted from arised by, sale of his security deposit of any part thereof.

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which necessary rectification of defects as pointed by the Executive En- gineer or his contractor to the Engineer's satisfaction.

Clause 2 :- The time allowed for carrying out the work as entered in the tend shall be strictly observed by the contractor and shall be reckoned from the date which the wirtten order to comence work is given to the contractor. The work sha the work is finished after throughout the stipulated period of the contract be carried on with all due diligent (time being deemed to be the essence of the contract on the part of the contra or) and the contractor shall pay as compensation an amount equal to 1/2 percent authorised agents are fully on the amount of the estimated cost of the whole work as shown by the tenderfi every day that the work remains uncommenced or unfinished after the proper day And further to ensure good progress during the execution of the work the contract shall be bound in all cases in which the time allowed for any work exceeds on month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before one half of such time elapsed and three-fourths of the work, before three fourths of suc time has elapsed in the event of the contractor failing to employ with this condition I shall be liable to pay as compensation an amount equal to ½ percent on the sa estimated cost of the whole work for every day that the due quantity of wor remains incomplete provided always that the entire amount of compensation to be paid under the provisions the clause shall not exceed 10 percent of the estimate cost of the work as shown in the tender.

Action when persnle security deposit foreited

Clause 3:- In any case which under any clause or clauses of or this contract the contractor shall have rendered himself laible to pay compensation amounting to the whole of his security deposit in the hands of Government (where paid in or sum or deducted by instalments) the Executive Engineer on behalf on the Biha Government shall have been powered to adopt any of the following courses, as h may deem best suited to the enterest of Government -

(a) To rescind the contract (of which rescind notice in writing to the contractor under the hand of the Executive Engineer shall be conclusive evidence) and which case the sectitiry deposit of the contractor Grand absolutely at the disposal of Government.

B.S.E.I.D.C. Ltd, Patna

Niwem



(b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debitting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in -charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.

(c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by'him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original contractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified

Clause 4: - In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may. if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Engineer as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

Clause 5 :- If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) the shall apply in writing to the Executive Engineer within 40 days from the date of startil hinderance on account of which be desires such extension as aforesaid and the Ex Engineer shall, if in his opinion (which shall be final) reasonable grounds be shown thereof authorised such extension of time, if any, as may in his opinion be necessary or proper. The Executive Engineer shall at the same time inform the contractor whether his proper. The Executive Engineer shall at the same time inform the contractor whether his proper. claims compensation for the delay

Niver Kimi

on Ltd.

Banka

en memorandum at and in accodance in I Subjects to the in accordance with,

contractor remains liable to pay compensation if action not take under

he Commencement of

Power to take posession of or require removal of

TEEN MONTHS

2012

Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certification by the Executive Engineer (herein after called the Engineer-in-charge) of such complete but no such certificate be given, nor shall the work be considered to be complete until contractor no such certificate be given, nor shall the work be considered to be comple until the contractor shall have removed from the area of the premises (to be distinct marked by the Executive Engineer in the site plan) on which the work shall be execut all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-wo doors, windows, walls, floors or other parts of any building, in upon or about which t work is to be executed, or of which he may have had possession for the purpose of execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurement shall be binding and conclusive against the contractor. If the contractor shall fail comply with the requirements of this clause as to removal of scaffolding, surplus materia and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surply materials and rubbish and dispose of the same as the thinks fit and clean of such dirta aforesaid, and the contractor shall forth with pay amount of all expense so incurred, an shall have no claim in respect of any such scaffolding or surplus materials as aforesaid except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly

Clause 7:- A bill shall be submitted by the contractor each month or before the data fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible before the expiry of the days from the presentation of the bill. If the contractor does no submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinals shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-incharge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts or in any other way vary or affect the contract.

• Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Stores supplied Government

Clause 9:- If the specification or estimate of the work provides for the use of any special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-incharge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums then due or there after to become due to the contractor under the contract or otherwise, or a sound form the security deposit, or the proceed of sale thereof, if the same is held in covernment security the same or sufficient portion thereof in this case sold for the purpose. All materials supplied to the contractor shall remain the absolute property brief by the contractor shall remain the absolute property brief by the contractor shall remain the absolute property brief by the contractor shall remain the absolute property brief by the contractor shall remain the absolute property brief by the contractor shall remain the absolute property brief by the contractor shall remain the absolute property brief by the contractor shall remain the absolute property brief by the contractor shall remain the absolute property brief by the contractor shall remain the absolute property brief by the contractor shall remain the absolute property brief by the contractor shall remain the absolute property brief by the contractor shall be absoluted by the contractor of the contractor shall be absoluted by the contractor of the co not on any accounts he removed from this site of the workand shall the be open to



inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: - The contractor shall executive the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid.

Clause 11: - Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a disputes the decision of the superintending Engineer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period.

Clause 12:- If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out, the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsoever on account of any profit or advantage, which he might have derived from the execution the work in full, but which he did not derive in consequence of the full amount of the work not having been carried out neither shall he have any claim for compensation tyrepson gineer work to be carried out. of any alternation having been made in the original specification, drawings especialtd, Patna instruction which shall involve any installment of the work as originally contemplated clause 12 (a) As contained in GO 1929 dated 11.9.56.

Viwen Klima tion Ltd.

Banka

Work to be executed accordance with specification drawing other etc.

tten memorandum at e and in accodance in id Subjects to the in accordance with,

Alteration in specifications and designation

Do not in validate contract

the Commencement of

Time in consequence of

Rate for work no in estimate or schedule of

rates of the district.

TEEN MONTHS

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as finally by the contractor.

tion and compens ation payable in case

Clause 13:- If it shall appear to the Engineer-in-charge or his subordinate incharge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall on demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-incharge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and expense in all respects of the contractcor.

Work to be taken to

Clause 14: - All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineerin-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be

Clause 15:- The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which the same was effected.

Notice to be taken before work covered up

Clause 16:- If the contractor or his work-people, or servants shall break, deface injure or destroy any part of a building in which they may be working or any building, road, road curves, fence enclosure water pipes, cables, drains, electron telephone posts or wires, trees, grass or grassland or cultivated ground contiguous on which the work or any part of it is being executed or if any damage shall be pen to the work, while in progress from any cause whatsoever or any imperfection become apparent in if within three months (six months in the case of a road-work) after a certificate final or other of its completion shall have been stren by the Engineer-in-charge YIWOM 2812

as a fore seal, the contractor shall make the same good at his own expense, or in default, the Engineer-in-charge may cause the same to be made be good by other Contractor liable for worksmen and deduct the expense of which time thereafter may become due to the contractor, or from his security deposit, or the proceed of sale there of, or of a sufficient and after certificate contractor, or from his security deposit, or the proceed of sale there of, or of a sufficient portion there of the security deposit at the contractor shall not be refunded before the expiry of three months (six months in the case of a road-work) after the issue of the certificate final or otherwise of completion of work provided that in the case of a road work in the expiring of the Engineer-in-charge behalf of the security deposit will be refundable f in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable after three months of the issue of the said certificate of completion

Clause 17:- The contractor shall supply at his own cost all materials (except such special materials) if any as may in accordance with the contract be supplied from the Engineer-in-charges stores). Plants, tools, application, implements, ladders; cordage, ackle scaffolding and temporary works requisits or proper for the proper execution of the work whether original, altered or substituted and whether include in the specification or other documents forming part of the contract or referred to in these conditions or not or which may be necessary for purpose of satisfying or complying with the requirement of the Engineer-in-charge as to any matter as to which under these conditions he is entitled to be satisfied which he is entitled to require together with carriage therefore to and form the work. The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting, weighing and assisting in the measurement or examination at any time and form time to time of the work or materials failing his so doing the same may be Provided by the Engineer-in-charge at the expense of the contractor and the expenses may be deducted from any money due to the contractor under the contract from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide all necessary fencing and lights required to protect the public from accident, and shall be bound to bear to expenses of defence of every suit action or other proceeding at law that may be brought by any person for injury sustained owing to neglect of the above of light fencing etc. precautions and to any such person or which may with the consent of the contractor be paid to compromise any claim by any such person.

Clause 18: - No female labour shall be employed within the limits of contonment. The contractor shall not employ for the purpose of his contract any person who is below the age of twelve years and shall pay to each labour for the work done by such labourer wages not less than the wages paid for similar work in the neighbourhood.

The executive Engineer shall have the right to enquire into the case and decide any complaint alleging that the wages paid by the contractor to any labourer for the work done by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer employed by contractor is below the age of twelve years and to refuse to allow any labourer whom he decided to be below the age of twelve years to be employed by the contractor.

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his contract, or attempt so to do, or become insolvent proceedings to make any composition with his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward Ir advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, or offered by the contractor, or any of his servant or agents to any public officer or person the employ of Government in any way relating to his officer or employment or if any such officer or person shall become in any way directly or indirectly interested in contract the Executive Engineer may there upon by notice in writing rescind the contract The security deposit of the contractor shall there upon stand forfeited and be absolute at the disposal of Government and the same consequence shall ensure as if the chief trigineer had been recinded under clause 3 here of, in addition the contractor shall Bos Echilles. Ltd, Patna o recover or be paid to any work therefore actually performed the under contract.

damage done and for imperfection a months

Contractor to supply to plantladder scaffolding

ation Ltd.

t, Banka

ritten memorandum at ice and in accodance in and Subjects to the ts in accordance with,

at

And is liable for damage arising for non-provision

e the Commencement of

Work not to be subject

FTEEN MONTHS

Contract may be resinded and security deposit forfelted for subletting bribes or if contractor become

such payable by way of compensation to be considered reasonable compensation without reference to actual loss Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained.

Clause 21: In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this information.

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal of Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer Clause 22:-All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23:- In case any dispute or difference shall arise between the parties or either of there upon any question relating to the meaning of the specifications, designs, drawings and instructions here before mentioned or as to the quality of workmanship or materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, or any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions or otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof or as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

(a) Clause 24: When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items or work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-incharge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineer-in-charge shall be final and conclusive against the contractor with regard to any sum payable to him under the provision of this clause.

Action where specificaiton.

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Definition of works

Clause 26: The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to succonstruction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered substituted or additional.

Witness. 78/117

Niwen 12 Contract 8.

chedule XLV - Form No. 61

(15)

Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied

	con	arged to the tractor	er at 1	Place of delivery
	Unit	Rs.	P.	
	The wife many			
	Dept. Atlanta			
the transfer of	A CONTRACTOR OF A		10 40	re jedanled (et 150 dag 16 jele
	ar against thing			
			A17.0267	
	All signs of a		un train	Acres Black Reserved
			es Biri	using hourse to be
A.				
	A STEEN WAR			
	Contract left)			
	The Asilon seems		notuding	
	Dr. Nack w			
	Nation (s.)			C-filmals, amount to
	In Material Sports		literalini	
	The term		de legal d	
	1			
			or Indian	
	70-7 (65-10)		10 4 1904	
	100			
	1		Y Las	

ation Ltd.

at, Banka

vritten memorandum at nce and in accodance in and Subjects to the cts in accordance with,

at

re the Commencement of

IFTEEN MONTHS

Note:-The person or firm submitting the tender should see that the rates in the above schedules are filled up by the Engineer-in-charge on the issue of the form prior to the submission of the leader.

Niwon Ko

(Signature of Contrator)

Chief Engineer
(SBrSttEddDEVedLite, Protocor)

28/2

28/2

Engineer

20 lor/9

Bihar State Educational Infrastructure Development Corporation Ltd.

AGREEMENT for Construction of Block Resource Centre at Barhat, Banka

TENDER FOR WORKS

I/we heredy tender for the execution for the Governor of Bihr of the work specifed in the under written memorandum at the rates specified therein within a period of years month from the date of witten order to commence and in accodance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subjects to the annexed condation of contract and with such materaials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

MEMORANDUM

- (a) If several sub-work are incuded they should be detained in the separate list
- (A) Name of Work :- Construction of Block Resource Centre at Barhat, Banka (Sl. No-94)
- (B) Estimated Cost :- Rs. 73,34,286=00 Agreement value :- Rs. 66,00,857=00
- (b) This deposit will be 5% of the estimated cost of the work.
- (C)Earnest Money:-
- (c)This percentage deduction from bills will be credited to the contractors security deposits
- (D) Initial security deposits (including earnest money) to be deposited before the Commencement of the work-

Earnest Money :- Rs. 3,80,000/- (Details attached)

- (E) Percentage to be deducted from bill Rs. 5% (Rupees five percent)
- (F) Time required for the work from date of written order to commence **FIFTEEN MONTHS**
- (G) Date of written order to commence :-
- (H) Total number of item of work tendered for :- 116

Niwesh Kumar 28-2-17 Chief Engineer

B.S.E.I.D.C. Ltd, Patnal

28/2

BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. SHIKSHA BHAWAN, SAIDPUR, PATNA.

B.O.Q. FOR BLOCK RESOURCE CENTRE IN BIHAR

THE ITEM RATE BASED ON S.O.R BCD BIHAR, DATE - 15-09-2014, & D.S.R (ELECTRICAL) 2014

SL. No.	DISTRIC	T NAME OF INSTITUTE			BLO	 C K
1	Banka	BLOCK RESOURCE CENTRE			Bark	nat
		<u>CIVIL V</u>	VORKS	5		
SI.	SOR			_		
No.	Item No.	Item of Work	Qty.	Unit	Rate (Rs.)	Amount (Rs.)
1	2	3	4	5	6	7
1 P	ILE WOR	KS				/
		Boring, providing and installing bored castin-situ reinforced cement concrete piles of grade M-25 of specified diameter and length below the pile cap, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring, with bentonite solution and temporary casing of appropriate length for setting out and removal of same and the length of the pile to be embedded in the pile cap etc. all complete, including removal of excavated earth with all lifts and leads (Length of pile for payment shall be measured upto bottom of pile cap).				
	20.2.1	300 mm dia Piles	0.000	meter	1200 20	Rs. One thousand three hundred nine and paise
	20.2.2	400 mm dia Piles	0.000			thirty only. Rs. One thousand five hundred twenty three and
	20.2.3	450 mm dia Piles		meter		paise twenty only. Rs. One thousand nine hundred seventy eight
	20.2.4	500 mm dia Piles	0.000	meter	1978.80	and paise eighty only. Rs. Two thousand three hundred six and paise
	20.2.5	600 mm dia Piles	0.000	meter	2306.60	sixty only. Rs. Two thousand nine hundred ninety six and paise ten only.

Niwem Kumar

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Skhauh

2010

	20.2.6	750 mm dia Piles				
		and Thes	0.000	meter	4219.70	Rs. Four thousand two hundred nineteen and paise seventy only.
2	20.3	Powing D. 11.				l said only.
2	20.3	Boring, Providing and installing cast in situ single under reamed piles of specified diameter and length below pile cap in M-25 cement concrete, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring with bentonite solution and				
		the length of the pile to be embedded in pile cap etc. all complete. (Length of pile for payment shall be measured upto to the bottom of pile cap):				
	20.3.1	300 mm dia Piles				D. O. I
	20.2.2		0.000	meter	1934.20	Rs. One thousand nine hundred thirty four and paise twenty only.
	20.3.2	400 mm dia Piles	0.000			Rs. Two thousand two hundred twenty five an
	20.3.3	450 mm dia Piles	0.000	meter	2225.30	paise thirty only.
			0.000	matan		Rs. Two thousand three hundred ninety seven a
	20.3.4	550 mm dia Piles	0.000	meter		paise fifty only. Rs. Two thousand six hundred five and paise
-			0.000	meter	2605.10	ten only.
3	20.4	Extra avaritam N- 22.2.6				part of the same o
	20.1	Extra over item No. 23.3 for providing additional bulb in under reamed piles, under specified dia meter (Only the quantity of extra bulbs are to be paid).				
	20.4.1	300 mm dia Piles				
			0.000	Each		Rs. One thousand two nundred forty and paise
	20.4.2	400 mm dia Piles		Buen		Rs. One thousand three nundred seventy three
	20.4.3	450 mm dia Piles	0.000	Each	1373.80 a	and paise eighty only.
	1	Sid Files	0.000	Each	ŀ	Rs. One thousand four nundred fifty four and
	20.4.4	500 mm dia Piles	0.000	Dacii	F	Paise eighty only. Rs. One thousand five
			0.000	Each	1597.20 p	undred ninety seven ar aise twenty only.
DTI	IWODK IN	EXCAVATION				

Niwen Komar

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

20101

			12			
4	2.8.1	Earthwork in excavation in as(exceeding	10			
	-	30cm in depth. 1.5m in width as well	es			
	-	10sqm on plan) incloding dressing of side	96			
		and ramming of bottom, lift upto 1	5			
		including getting out the excavated soil an	.3			
		disposal of surplus soil as directed within	id		1	Do Tour land o
		lead of 50m.	a			Rs. Two hundred five
		All Kind of soil				and paise twenty only.
		= 286.64 CUM				
		SEPTIC TANK = 31.89 CUM				
5	2.29.1	TOTAL QUANTITY = 318.53 CUM	318.530	cum	205.2	0
	2.29.1	Surface dressing of the ground including	g			
		removing vegetation and inequalities no	ot			
		exceeding 15 cm deep and disposal o	f			Rs. Seven hundred
		rubbish, lead upto 50 m and lift upto 1.5m				eighteen and paise eighty
		All kinds of soil.			,	only.
		= 136.41 CUM	136.410	100 sqm	710.00	
E	ARTH FILI	LING	130.410	100 sqiii	718.800)
6	2.26	Filling available excavated earth (excluding	,			
		rock) in trenches, plinth, sides of	e e			
		foundations etc. in layers not exceeding 20				
	9	cm in depth: consolidating each deposited				Rs. Sixty six and paise
		layer by ramming and watering lead				forty only.
		= 188.98 CUM				
SA	AND FILLI		188.980	cu.m	66.40	
7	2.28					
		Supplying and Filling in plinth with local	/		-	
		sand and under floors including, watering, ramming consolidating and dressing				
		dicssille				
		complete.				Rs. One hundred ninety
		= 118.79 CUM				two and paise fifty only.
		SEPTIC TANK = 1.02 CUM				
TOT A ST	DDY	TOTAL QUANTITY = 119.81 CUM	119.810	cu.m	192.50	
	BRICK SO	DLING		caini	192.30	
8	11.72	Providing designation 100 A one brick flat	1	T		
		soling joints filled with local sand including				
		cost of watering, taxes, royalty all complete				
		as per building specification and direction				Rs. Two hundred twenty
		of E/I,				seven and paise sixty
		10 + 2 , BUILDING = 291.84 CUM				only.
		SEPTIC TANK = 13.57 CUM	1			omy.
		TOTAL QUANTITY = 305.41 CUM				
	P.C.C.	1017LL QUANTITY - 303.41 CUM	305.410	sq.m	227.600	
9	4.1.5	Providing and Issis			And the second	
	1.1.0	Providing and laying in position cement				
		concrete of specified grade excluding the				4
		cost of centring and shuttering- all work			1	Rs. Two thousand seven
		upto plinth level				nundred seventy five and
		1:3:6 (1cement: 3 coarse sand : 6 graded			r	paise seventy only.
	1	stone aggregate 20mm nominal size)			1	ourse seventy only.
		= 13 CUM	13.000	cu.m	2775.70	
					2/13.70	

Niwer Kuma

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

			13			
10	4.1.4	Providing and laying in position ceme concrete of specified grade excluding to cost of centring and shuttering- all wo upto plinth level 1:2:4 (1 Cement: 2 coarse sand: 4 grade stone aggregate 40 mm nominal size)10 + 2, BUILDING 8.74 CUM SEPTIC TANK = 2.98 CUM TOTAL QUANTITY = 11.72 CUM	ent he rk	cu.m	3219.7	Rs. Three thousand two hundred nineteen and paise seventy only.
11	FLOORIN			- Cuiti	3219.7	0
	11.38	Providing and laying Ceramic glazed flootiles 300x300 mm (thickness to be specifie by the manufacturer) of ist qualit conforming to IS: 15622 of approved mak in colours such shades except white, Ivory, Grey, Fume Red Brown, laid on 20 mm thick Cement motal: 4 (1 cement: 4 coarse sand) including pointing the joints with white cement and matching pigment etc., complete. TOILET PORTION = 46.04 SQM	d y e			Rs. Eight hundred one and paise eighty only.
\ \ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	I A X X PRYY		46.040	sq.m	801.800	
12	11.36			1	001.000	
	11.30	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (Thickness to be specified by the manufacture) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-charge in skirting, risers of steps and dados over 12 mm thick bed of cement Motar 1:3(1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching shade complete.				Rs. Seven hundred fifty four and paise twenty only.
LOORI	NG & SKI	TOILET PORTION = 188.874 SQM	188.874	sq.m	754.200	
13	11.26.1	Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime: 1 surkhi: 1 coarse sand) / 1:4 (20 TO 25MM THICK) = 281.852 SQM			I	Rs. Nine hundred sixty eight only.
		201.032 SQIVI	281.852	sq.m	968.00	

Niwem Kuma

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Skehouel

2810

			14			
14	11.27	Kota stone slabs 20 mm thick in risers o	f		T	
		steps skirting. Dado &				
		pillars laid on 12 mm (average (thick				
		cement mortar 1:3 (1 cement:				
		3 coarse sand) and jointed with grey	/			Rs. Nine hundred twenty
		cement slurry mixed with				seven and paise fifty
		pigment to match the shade of the slab				only.
		including rubbing and				
		polishing complete. Details of cost for 10				
		sqm	74.37	sa m	027.5	
15	8.3.2	Extra for providing edge moulding to 18	77.37	sq.m	927.5	0
		mm thick marble stone counters, Vanities				
		etc. over item no. 8.2 including machine				
		polishing to edge to give high gloss finish				Two Hundred Thirty
		etc. complete as per design approved by				Nine and paise ten only
		Engineer -in -charge.				- una paise ten omy
/		Granite work	0.00		220.10	
WOR	K BELOW	PLINTH LVL.	0.00	M	239.10	
16	5.1.1	Providing and laying in position specified				
		grade of reinforced cement concrete				
		excluding the cost of centring, shuttering,			7 "	
		finishing & reinforcement - all work upto				Rs. Five thousand one
		plinth level.				hundred ten and paise
		1:1:2 (1cement: 1 coarse sand : graded				seventy only.
		stone aggregate 20mm nominal size)				seventy omy.
		= 59.183 CUM	50 102			
R.C.C	. WORK A	BOVE PLINTH LVL.	59.183	cu.m	5110.70	
17	5.2.1	Reinforced cement concrete work in wall	and the second	1	- Marie Car	
		(any thickness), including attached plasters,			Barren Comment	
		buttresses, plinth and struts etc upto floor				
		five level excluding the cost of centring,				
		shuttering, finishing & reinforcement				Rs. Five thousand six
		1:1:2 (1cement: 1 coarse sand : 2 graded				hundred sixty six and
		stone aggregate 20mm nominal size)				paise twenty only.
		10 + 2 , BUILDING = 20.51 SQM				
		2, BOILDING 20.51 SQIVI	20.510			
18	5.1.3	Providing and laying in position specified	20.510	cu.m	5666.20	
		grade of reinforced		X		
		cement concrete excluding the cost of				
		centring chuttaria - C : 1:				
		reinforcement-All work puto				Rs. Three thousand four
		plinth level. 1:2:4 (1 cement:2 coarse sand:4				hundred thirty eight and
		graded stone				paise ninety only.
		aggregate 20 mm nominal size)				
		SEPTIC TANK = 0.93 CUM				
		OLI 110 1ANK - 0.93 CUM	0.930	cum	3438.90	

Niwem Kumu

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Megweeth

			15			
19	5.3	Reinforced cement conrete work	in			
	+	beams, suspended floors, roofs having slop	100			
	5.33B.4	upto 15, landings,balconiec, shelve				
	+	chajjas, lintels, bands, plain window sill	5,			
	5.33B.1	staircases and spiral stair cases upto floo	S,			
		five level excludingthe cost of centring	or			
		shuttering, finishing and	5,			
		reinforement with 1-2-4/1				
		reinforement with 1:2:4(1 cement:2 coars	e			Rs. Four thousand five
		sand:4 graded stone aggregate 20 mm nominal size).	n			hundred eighty one and
						paise twenty only.
		Add or deduct for providing richer or leane	r			The state of the s
		mixes respectively at all floor levels.			-, 1	
		Providing M-15grade R.C.C instead of M	-			
		20 grade R.C.C.				
		Proiding M-25 grade R.C.C. instead of M-	-			
		20 grade R.C.C.				
I	BRICK WO	= 100.44 CUM	100.440	cu.m	4581.20	
20	6.1.14A					
20	0.1.14A	Brick work with bricks of class designation				
		100A in foundations and plinth in cement				Rs. Three thousand nine
		mortar 1:6 (1cement :6 coarse sand)				hundred ninety two and
		= 39.878 CUM				paise ninety only.
21	6.1.14A	D: 1	39.878	cu.m	3992.90	
21	+ +	Brick work with bricks of class designation				
	6.3A	100A in foundations and plinth in : Cement				
	0.5A	mortar 1:6 (1 cement: 6 coarse sand)				Rs. Four thousand four
		Extra for Brick work in superstructure				hundred twenty seven
		above plinth level upto floor V cum				and paise fifty only.
		= 160.082 CUM		V 81 19		panet may only.
22	6.18.4A	Half had	160.082	cu.m	4427.50	
1 22	+ +	Half brick masonry with bricks of class			- Aller and a second	
	6.19A	designation 100A in foundations and plinth				
	0.19A	in : Cement mortar 1:4 (1 cement: 4 coarse				
	=	sand)				Rs. Five hundred thirty
		Extra for half Brick masonry in				eight and paise thirty
		superstructure above pinth level upto floor				only.
		V level.				
23	6.21A	= 134.043 SQM	134.043	Sq.m.	538.30	
23	0.21A	Extra for providing and placing in position				
		2 Nos, 6 mm dia, MS bars at every third				
		course of half brick masonry (with F. P. S.				Rs. Seventy five and
	100	bricks)	A			paise ninety only.
24	6.1A +	= 134.043 SQM	134.043	Sq.m.	75.90	
		Brick work with bricks of class designation 100A in foundations and			and the same of th	
			N. Carlotte			Do Found
		plinth in : Cement mortar 1 .:4 (1 cement: 4 coarse sand)				Rs. Four thousand one
		= 8.75 CUM				hundred eighty four only.
PLA	STER WO	RK	8.750	cum	4184.00	

Niwen Rumon

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Jkehoudh

2812 - 280414

			16			
25	13.13.4	20 mm cement plaster of mix; 1:6 (T	T	
		cement : 6 coarse sand)				Rs. One hundred twenty
		= 836.658 SQM	836.658	sq.m	123.50	three and paise fifty only
26		20 mm cement Plaster 1:3 (1 cement: 1	3	34.111	123.30	0
	+ 13.26	coarse sand) with a floating coat of nea	t		Market State of State	Do One had a late
		cement & neat cement punning				Rs. One hundred eighty
		SEPTIC TANK = 16.65 SQM	16.650	sq.m	185.60	five and paise sixty only.
27	13.11.4	12mm thick Cement plaster of mix 1:6 (- Sq.m	103.00	
		cement : 6 coarse sand)			-	Rs. Eighty nine and paise
20		= 1041.58 SQM	1041.580	sq.m	89.30	thirty only.
28	13.17.1	12 mm cement Plaster 1:3 (1 cement: 3	3	1	07.50	
	+13.36.1	coarse sand) with a floating coat of near	t /			
		cement & Extra for providing and mixing				
		water proofing material in	8			Rs. One hundred forty
		proportion recommended by the				five and paise fifty only.
		manufacturers: 12 mm cement plaster 1:3(1				inve and paise inty only.
		cement :3 sand)				
20		SEPTIC TANK = 52.82 SQM	52.820	sq.m	145.50	
29	13.24.2	6mm thick Cement plaster of Ceiling mix			1.0.00	
		1:4 (1 cement : 4 coarse sand)				Rs. Seventy seven and
20	1101	= 388.53 SQM	388.530	sq.m	77.40	paise forty only.
30	11.3.1	Cement concrete flooring 1:2:4(1 cement:2		1		
	+	coarse:sand:4 graded stone agregate)				
	11.8	finished with a floating coat of neat cement				
		including cement slurry, etc. but excluding	=			
		the cost of nosing of steps etc. complete. 40				Rs. Two hundred thirty
		mm thick with 20 mm nominal size stone				two and paise ninety
		aggregate.			-	only.
		Extra for making chequers of approved				omy.
		pattern on cement concrete floors, steps.				
		landing, pavemerts etc.	p.			×
FINA		= 136.41 SQM	136.410	sq.m	232.90	
	SHING WO			1	252.50	
31	13.46.1	Finishing walls with Acrylic Smooth	and the same of th			
		exterior paint of				
		required shade :New work (Two or more				
		coat applied @ 1.67 ltr/ 10				Re Sixty eight and main
		sqm over and including priming coat of				Rs. Sixty eight and paise eighty only.
		exterior				eighty offiy.
		primer applied @ 2.20 kg/ 10 sqm)			(E) /	
		EXTERNAL WALL = 836.658 SQM	836.658	sq.m	68.80	
32	13.80A.2	Providing and applying white cement based		1	50.00	
		putty of average thickness 2 mm, of				
		approved brand and manufacturer, over the		<i>y</i>		Rs. One hundred
		plastered wall surface to prepare the surface				eighteen and paise
		even and	4		5	seventy only.
		smooth complete.	2266.768	sq.m	118.70	/
				1	- 10.70	

Niwers Ruma

B.S.E.I.D.C. Ltd, Patna Jkehouch

2 Solution

	-	
r	,	
•	_	+
,	-	

			17			
33	13.77.2	Distempering with oil bound washa ble distemper of approved brand and manufacture to give an even shade. New work (two or more coats) over and				
		including priming coat with cement primer INTERNAL WALL & CEILING =				Rs. Sixty four only.
34	12.01.1	1430.11 SQM	1430.110	sq.m	64.0	0
34	13.81.1	Applying priming coat with ready mixed pink or grey primer of approved brand and manufacture on wood work (hard and softwood) = 115.68 SQM				Rs. Twenty five and paise twenty only.
35	13.81.3	Applying priming coat with ready mixed	115.680	sq.m	25.20	
		zinc chromate yellow primer of approved brand and manufacture on steel galvanized iron/steel work. = 105.728 SQM				Rs. Twenty one and paise thirty only.
36	13.93.1		105.728	sq.m	21.30	
	, , , , , , , , , , , , , , , , , , , ,	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade two or more coats on new work = 221.408 SQM				Rs. Fifty and paise ninety only.
2.7			221.408	sq.m	50.90	
37	10.14.1	Providing and fixing T-iron frames for doors, windows and ventilators of mils steel Tee-sections, joints miltred and welded with 15x3 mm lugs 10 cm long embedded in cement concerete blocks 15x10x10 cm of 1:3:6 (1 cement: 3 coarse sand: 6 graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required including = 339.675 KG	220 (75			Rs. Seventy five and paise ten only.
38	9.21.1	Providing and fixing flush door shutters	339.675	Kg.	75.10	
		conforming to IS: 2202 (Part-I) non-decorative type.core of block board construction with frame of 1st class tiard wood and well mathched commercial 3 ply veneering wiih vertical grains or cross bands and face veneers on both faces of shutters. 35 mm thick including anodized aluminum butt hinges with necessary screws = 48.195 SQM	48.195	sq.m		Rs. One thousand eight hundred twenty three and paise eighty only.
			.0.173	34.111	1023.80	Y

Nivela Kuma

28/2.

Chief Engineer
B.S.E.I.D.C. Ltd. Patna

			18			
39	9.119.1	Providing and fixing oxidised M.S.tower	T .			
		bolt black finish,(barrel				
		type) with necessary screws etc.complete				Rs. Sixty six and paise
		250x10mm				fifty only.
		10 + 2, BUILDING = 44 EACH	44.000	each	66.50	
40	9.104.1	Providing and fixing M.S.handles with	1	Cacii	00.30	
		necessary screws etc.complete			and the same of th	Do Twent
		125 mm				Rs. Twenty seven and
4.1	0.000	10 + 2, BUILDING = 44 EACH	44.000	each	27.50	paise fifty only.
41	9.223.2	Providing and fixing alluminium hanging			27.50	
		floor door stopper anodised (anodic coating				
		not less than grade AC 10 as per IS:1868)	-			
		transparent or dyed to required colour and				Rs. Eighty two and paise
		shade with necessary screws				seventy only.
		etc.complete:Twin rubber stopper				and the same of th
12	0.100.1	= 22 EACH	22.000	each	82.70	
42	9.100.1	Providing and fixing M.S. sliding door bolts				
		bright finished or/and black enamelled, with				
		nuts and screws etc.compelled:				Rs. One hundred seventy
		300x16 mm				seven and paise forty
		= 22 EACH				only.
-	TEEL WO		22.000	each	177.40	
43	TEEL WOI					
45	10.12.1	Providing and fixing glazed steel doors,	And the second			
	+	windows or ventilators of standard rolled				
	10.13B	steel sections, joints mitered and welded				
		with 15x3 mm M.S. lugs10cm long with				
		steel legs embedded in cement concrete				
		blocks 15x10x10cm.of (1:3:6) (1cement :				
		3coarse sand : 6graded stone aggregate				
		20mm nominal size) or with wooden plugs				
	*	and screws or rawl plugs and screws or with				
		fixing clips or with bolts and nuts as				
		required, including providing and fixing of				
		glass panels with glazing clips and special				Rs. Three thousand two
		metal-sash putty of approved make				hundred seventy and
		complete including applying a priming coat	\			paise sixty only.
		of approved steel primer excluding the cost			ľ	since only only.
		of metal beading and other fitting except				
		necessary hinges or pivots as required. Doors				
		25,700-08				, T
		Extra for providing and fixing steel beading				
		of approved shape and section with screws				
		instread of glaxing clips and met. Sash putty				
		in steel doors, windows, ventilators and				
		composite units.Steel Windows. = 95.715 SQM				
		75./15 SQIVI				
			95.715	sq.m	3270.60	

Niver Rumin

Chief Engineer

B.S.E.I.D.C. Ltd. Patnaher

210.
2812-25W113

19

			19			
44	10.12.1	Tixing glazed steel (100)	'S.			
	+	windows or ventilators of standard rolle	ed			
	10.13C	Johns, Johns Mittered and Welde	ed			
		with 15x3 mm M.S. lugs10cm long wi	th			
		steel legs embedded in cement concre	te			
	7	blocks 15x10x10cm.of (1:3:6) (1cement	:			
		3coarse sand : 6graded stone aggregation	te			
		20mm nominal size) or with wooden plug	gs			
		and screws or rawl plugs and screws or wit	th			
		fixing clips or with bolts and nuts a	ıs			
		required, including providing and fixing of	of			
		glass panels with glazing clips and specia	al			Rs. Three thousand two
		metal-sash putty of approved mak	e			hundred seventy seven
		complete including applying a priming coa	ıt			and paise sixty only.
		of approved steel primer excluding the cos	st			and paise sixty only.
		of metal beading and other fitting excep	ot			1
		necessary hinges or pivots a	S			
		required.Doors				
		Extra for providing and fixing steel beading	g			
		of approved shape and section with screws	S			
		instread of glaxing clips and met. Sash putty	y			
		in steel doors, windows, ventilators and	l			
		composite units. Steel ventilators				
		= 3.24 SQM				
45	9.82.1	Providing and fixing M.S. grills of	3.240	sq.m	3277.60	
		requirement pattern in frames of windows				
		etc. with M.S. flats square or round bars etc.				
		all complete				Rs. Ninety one and paise
		fixed to steel windows by welding.				fifty only.
		= 1722.87 KG	1722 070	17		
6	5.22	Reinforcement for RCC work including	1722.870	Kgs.	91.50	Application of the state of the
		straightening, cutting, bending, placing in	THE STREET		and the same of th	
		position and bonding all complete.				
		TMTC-500				
	5.22.7A	Thermo-Mechanically Treated bars TMTC-				
		500 8mm dia	N.			
		= 8300 KG				Rs. Seventy four and
		SEPTIC TANK = 93 CUM				paise forty only.
		TOTAL QUANTITY = 8393 KG	8393.000	KG	74.40	
	5.22.7B	Thermo-Mechanically Treated bars TMTC-	0373.000	NU	74.40	
		500 10mm dia			and the same of th	Rs. Seventy three and
		= 1300 KG	1300.000	KG	73.10	paise ten only.
- 1	5.22.7C	Thermo-Mechanically Treated bars TMTC-	1500.000	NO	73.10	
			-			Rs. Seventy one and
		500 12mm dia				res. Seventy one and
		= 7000 KG	7000.000	KG		paise eighty only.
	5.22.7D	= 7000 KG Thermo-Mechanically Treated bars TMT-	7000.000	KG		
	5.22.7D		7000.000	KG	71.80	

Niwen Rum

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

July Mary

28/2

28/02/12

S.22.7E Thermo-Mechanically Treated bars TMT- S00 20mm dia 2750 KG 72.20 750 KG 75	1			20			
Thermo-Mechanically Treated bars TMT-500 25mm dia		5.22.7E	Tree lancary freated bars for	7-			
5.22.7F Thermo-Mechanically Treated bars TMT-500 25mm dia							poise to 1
S00 25mm dia		5.22.7F		750.000	KG	72.2	o paise twenty only.
10.19 Providing & fixing M.S. Fan hook of 16 mm. dia. M.S. bar 1 Mtr. Long bent to required size and shape, placed in position and fixed in Truss Frame / RCC Slab / beam at the time of casting all complete as per building specification and direction of E/I. (Where materials is not supplied by deptt.) = 42 EACH 42.000 Each 121.80			500 25mm dia			and the same of th	Do Coventy to 1
10.19 Providing & fixing M.S. Fan hook of 16 mm. dia. M.S. bar 1 Mtr. Long bent to required size and shape, placed in position and fixed in Truss Frame / RCC Slab / beam at the time of casting all complete as per building specification and direction of E/I. (Where materials is not supplied by deptt.) = 42 EACH 42.000 Each 121.80			= 0 KG				
mm. dia. M.S. bar 1 Mr. Long bent to required size and shape, placed in position and fixed in Truss Frame / RCC Slab / beam at the time of casting all complete as per building specification and direction of E/I. (Where materials is not supplied by deptt.) = 42 EACH 48 10.33.1 Providing & fixing hand rail by welding etc. to steel ladder railling & staircases railling including applying a priming coat of approved steel primer. MS tube (medium) 40mm nominal bore. = 550 KG 49 10.5 Providing and fixingin position collapsibble steel shutters with vertical channes 20x10x2mm and braced with flat iron diagonals 20x5mm size with top and bottom rail of T-iron 40x40x6mm with 40mm dia steel pulleys complete with bolts nuts locking arrangemant stoppers handles including applying a priming coat of approved steel primer. 4.52 sq.m 4115.60 ISCELLANEOUS WORK 50 4.17 Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth. = 75.414 SQM 75.414 sq.m 319.30	47	10.19	Providing & fixing MS. For book of 1	0.000	KG	72.20	0 paise twenty only.
required size and shape, placed in position and fixed in Truss Frame / RCC Slab / beam at the time of casting all complete as per building specification and direction of E/I. (Where materials is not supplied by deptt.) = 42 EACH 48 10.33.1 Providing & fixing hand rail by welding etc. to steel ladder railling & staircases railling including applying a priming coat of approved steel primer. MS tube (medium) 40mm nominal bore. = 550 KG 49 10.5 Providing and fixingin position collapsibble steel shutters with vertical channes 20x10x2mm and braced with flat iron diagonals 20x5mm size with to pand bottom rail of T-iron 40x40x6mm with 40mm diasteel pulleys complete with bolts nuts locking arrangemant stoppers handles including applying a priming coat of approved steel primer. 4.52 sq.m 4115.60 ISCELLANEOUS WORK 50 4.17 Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth. = 75.414 SQM 75.414 sq.m 319.30			mm. dia. M.S. bar 1 Mtr. Long bent to			/	
and fixed in Truss Frame / RCC Slab / beam at the time of casting all complete as per building specification and direction of EL (Where materials is not supplied by deptt.) = 42 EACH 48 10.33.1 Providing & fixing hand rail by welding etc. to steel ladder railling & staircases railling including applying a priming coat of approved steel primer. MS tube (medium) 40mm nominal bore. = 550 KG 49 10.5 Providing and fixingin position collapsibble steel shutters with vertical channes 20x10x2mm and braced with flat iron diagonals 20x5mm size with top and bottom rail of T-iron 40x40x6mm with 40mm dia steel pulleys complete with bolts nuts locking arrangemant stoppers handles including applying a priming coat of approved steel primer. ISCELLANEOUS WORK 50 4.17 Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth. = 75.414 SQM 75.414 SQM 319.30 Rs. One hundred twenty one and paise eighty only. Rs. Ninety one and paise eighty only. Rs. Tore hundred dinetent one and paise eighty only. Rs. Three hundred nineteen and paise thirty only.			required size and shape, placed in position	1			
Solution specification and direction of E/I. (Where materials is not supplied by deptt.) = 42 EACH			and fixed in Truss Frame / RCC Slab / bean				D. O. I. I. I.
(Where materials is not supplied by deptt.) = 42 EACH 42.000 Each 121.80 121.80 10.33.1 Providing & fixing hand rail by welding etc. to steel ladder railling & staircases railling including applying a priming coat of approved steel primer. MS tube (medium) 40mm nominal bore. = 550 KG 550.000 kg. 91.10 Providing and fixingin position collapsibble steel shutters with vertical channes 20x10x2mm and braced with flat iron diagonals 20x5mm size with top and bottom rail of T-iron 40x40x6mm with 40mm dia steel pulleys complete with bolts nuts locking arrangemant stoppers handles including applying a priming coat of approved steel primer. Rs. Ninety one and paise ten only. Rs. Four thousand one hundred fifteen and paise sixty only. Rs. Four thousand one hundred fifteen and paise sixty only. ISCELLANEOUS WORK 50 4.17 Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth. = 75.414 SQM 75.414 SQM 319.30			building specification and direction of R	r			
48 10.33.1 Providing & fixing hand rail by welding etc. to steel ladder railling & staircases railling including applying a priming coat of approved steel primer. MS tube (medium) 40mm nominal bore. = 550 KG 49 10.5 Providing and fixingin position collapsibble steel shutters with vertical channes 20x10x2mm and braced with flat iron diagonals 20x5mm size with top and bottom rail of T-iron 40x40x6mm with 40mm dia steel pulleys complete with bolts nuts locking arrangemant stoppers handles including applying a priming coat of approved steel primer. 4.52 sq.m 4115.60 ISCELLANEOUS WORK 50 4.17 Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth. = 75.414 SQM 75.414 sq.m 319.30			(Where materials is not supplied by deptt.)				
Providing & fixing hand rail by welding etc. to steel ladder railling & staircases railling including applying a priming coat of approved steel primer. MS tube (medium) 40mm nominal bore. = 550 KG Providing and fixingin position collapsibble steel shutters with vertical channes 20x10x2mm and braced with flat iron diagonals 20x5mm size with top and bottom rail of T-iron 40x40x6mm with 40mm dia steel pulleys complete with bolts nuts locking arrangemant stoppers handles including applying a priming coat of approved steel primer. Rs. Four thousand one hundred fifteen and paise sixty only. ISCELLANEOUS WORK 50 4.17 Making plinth protection 50mm thick of cement concrete 13:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth. = 75.414 SQM 75.414 Sq.m 319.30			= 42 EACH				
Providing & fixing hand rail by welding etc. to steel ladder railling & staircases railling including applying a priming coat of approved steel primer. MS tube (medium) 40mm nominal bore. = 550 KG Providing and fixingin position collapsibble steel shutters with vertical channes 20x10x2mm and braced with flat iron diagonals 20x5mm size with top and bottom rail of T-iron 40x40x6mm with 40mm dia steel pulleys complete with bolts nuts locking arrangemant stoppers handles including applying a priming coat of approved steel primer. Rs. Four thousand one hundred fifteen and paise sixty only. ISCELLANEOUS WORK 50 4.17 Making plinth protection 50mm thick of cement concrete 13:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth. = 75.414 SQM 75.414 Sq.m 319.30			*				
to steel ladder railling & staircases railling including applying a priming coat of approved steel primer. MS tube (medium) 40mm nominal bore. = 550 KG 10.5 Providing and fixingin position collapsibble steel shutters with vertical channes 20x10x2mm and braced with flat iron diagonals 20x5mm size with top and bottom rail of T-iron 40x40x6mm with 40mm dia steel pulleys complete with bolts nuts locking arrangemant stoppers handles including applying a priming coat of approved steel primer. Rs. Four thousand one hundred fifteen and paise sixty only. Rs. Four thousand one hundred fifteen and paise sixty only. Rs. Four thousand one hundred fifteen and paise sixty only. Rs. Four thousand one hundred fifteen and paise sixty only. Rs. Four thousand one hundred fifteen and paise sixty only. Rs. Four thousand one hundred fifteen and paise sixty only. Rs. Four thousand one hundred fifteen and paise sixty only. Rs. Three hundred nineteen and paise thirty only.	48	10.33.1	Providing & fixing hand rail by wolding at	42.000	Each	121.80	
Including applying a priming coat of approved steel primer. MS tube (medium) 40mm nominal bore. = 550 KG Providing and fixingin position collapsibble steel shutters with vertical channes 20x10x2mm and braced with flat iron diagonals 20x5mm size with top and bottom rail of T-iron 40x40x6mm with 40mm dia steel pulleys complete with bolts nuts locking arrangemant stoppers handles including applying a priming coat of approved steel primer. Rs. Four thousand one hundred fifteen and paise sixty only. Rs. Four thousand one hundred fifteen and paise sixty only. Rs. Four thousand one hundred fifteen and paise sixty only. Rs. Four thousand one hundred fifteen and paise sixty only. Rs. Four thousand one hundred fifteen and paise sixty only. Rs. Four thousand one hundred fifteen and paise sixty only. Rs. Four thousand one hundred fifteen and paise sixty only. Rs. Four thousand one hundred fifteen and paise sixty only. Rs. Three hundred nineteen and paise thirty only. Rs. Three hundred nineteen and paise thirty only.			to steel ladder railling & staircases railling				
Ass. Four thousand one hundred fifteen and paise ten only. 10.5 Providing and fixingin position collapsible steel shutters with vertical channes 20x10x2mm and braced with flat iron diagonals 20x5mm size with top and bottom rail of T-iron 40x40x6mm with 40mm dia steel pulleys complete with bolts nuts locking arrangemant stoppers handles including applying a priming coat of approved steel primer. 1SCELLANEOUS WORK 1SCELLANEOUS WORK 50 4.17 Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth. = 75.414 SQM 75.414 sq.m 319.30			including applying a priming coat of				De Nies
## 10.5 Providing and fixingin position collapsibble steel shutters with vertical channes 20x10x2mm and braced with flat iron diagonals 20x5mm size with top and bottom rail of T-iron 40x40x6mm with 40mm dia steel pulleys complete with bolts nuts locking arrangemant stoppers handles including applying a priming coat of approved steel primer. ### 13.50 4.17 Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth. #### 13.50 75.414 Sq.m 319.30			approved steel primer.				
10.5 Providing and fixingin position collapsibble steel shutters with vertical channes 20x10x2mm and braced with flat iron diagonals 20x5mm size with top and bottom rail of T-iron 40x40x6mm with 40mm dia steel pulleys complete with bolts nuts locking arrangemant stoppers handles including applying a priming coat of approved steel primer. 4.52 sq.m 4115.60 ISCELLANEOUS WORK			MS tube (medium) 40mm nominal bore.				ten only.
ISCELLANEOUS WORK 50 4.17 Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth. 75.414 Sq.m 319.30 Rs. Four thousand one hundred fifteen and paise sixty only. Rs. Four thousand one hundred fifteen and paise sixty only. Rs. Four thousand one hundred fifteen and paise sixty only. Rs. Four thousand one hundred fifteen and paise sixty only. Rs. Three hundred nineteen and paise thirty only.	49	10.5		550.000	kg.	91.10	
20x10x2mm and braced with flat iron diagonals 20x5mm size with top and bottom rail of T-iron 40x40x6mm with 40mm dia steel pulleys complete with bolts nuts locking arrangemant stoppers handles including applying a priming coat of approved steel primer. 4.52 sq.m 4115.60 ISCELLANEOUS WORK 50 4.17 Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth. = 75.414 SQM 75.414 sq.m 319.30		10.0				Name of the last o	
diagonals 20x5mm size with top and bottom rail of T-iron 40x40x6mm with 40mm dia steel pulleys complete with bolts nuts locking arrangemant stoppers handles including applying a priming coat of approved steel primer. 4.52 sq.m 4115.60 ISCELLANEOUS WORK 50 4.17 Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth. = 75.414 SQM 75.414 sq.m 319.30			20x10x2mm and braced with flat iron				
rail of T-iron 40x40x6mm with 40mm dia steel pulleys complete with bolts nuts locking arrangemant stoppers handles including applying a priming coat of approved steel primer. 4.52 sq.m 4115.60 ISCELLANEOUS WORK 50 4.17 Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth. = 75.414 SQM 75.414 sq.m 319.30			diagonals 20x5mm size with top and bottom			11	
ISCELLANEOUS WORK 50 4.17 Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth. = 75.414 SQM sq.m 4115.60 Rs. Three hundred nineteen and paise thirty only.			rail of T-iron 40x40x6mm with 40mm dia				
ISCELLANEOUS WORK Solution including applying a priming coat of approved steel primer. 4.52 sq.m 4115.60 ISCELLANEOUS WORK Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth. = 75.414 SQM 75.414 sq.m 319.30			locking arrangement at the bolts nuts				
ISCELLANEOUS WORK 50 4.17 Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth. = 75.414 SQM 75.414 sq.m 319.30			including applying a priming cost of				Sixty Offiy.
ISCELLANEOUS WORK 50 4.17 Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth. = 75.414 SQM 75.414 sq.m 319.30			approved steel primer.			The state of the s	
Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth. = 75.414 SQM 75.414 sq.m 319.30	-			4.52	sq.m	4115.60	
Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth. = 75.414 SQM 75.414 sq.m 319.30	ISCE	LLANFOUS	SWODY				
Rs. Three hundred nineteen and paise thirty only. Rs. Three hundred nineteen and paise thirty only. Rs. Three hundred nineteen and paise thirty only.	I SCE	BERNEOUS	WORK				*
cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth. = 75.414 SQM 75.414 sq.m 319.30	50	4.17	Making plinth protection 50mm thick of				2
sand: 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth. = 75.414 SQM Rs. Three hundred nineteen and paise thirty only.			cement concrete 1:3:6 (1 cement :3 coarse				
ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth. = 75.414 SQM 75.414 sq.m 319.30			sand: 6 graded stone aggregate 20mm			19	
and consolidated and grouted with fine sand including finishing the top smooth. = 75.414 SQM 75.414 sq.m 319.30			nominal size) over 75mm bad by dry brick				Rs Three hundred
including finishing the top smooth. = 75.414 SQM 75.414 sq.m 319.30			and consolidated and grouted with fine				
= 75.414 SQM 75.414 sq.m 319.30			including finishing the top smooth				
217.30			= 75.414 SQM				
217.30				75.414	sa m	210.20	
	SI	HUTTERING	G	70.117	5q.III	319.30	

Niwon Mum

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

July

28/21/19

-	1		21			
5		Centring and shuttering including strutting propping etc. and removal of form for foundation, footings, basees of columns etc for mass concrete. = 55.781 SQM	or or	Sam	166.7	Rs. One hundred sixty six and paise seventy only.
52	5.9.5	Centring and shuttering including strutting	33.761	Sqm.	166.7	0
87		propping etc. and removal of form for lintel beams, plinth beams, griders, bressumers and contilevers. = 349.241 SQM				Rs. Two hundred fifty one and paise thirty only.
53	5.9.6	Contring	349.241	Sqm.	251.30	
	3.9.0	Centring and shuttering including strutting propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts = 367.575 SQM				Rs. Three hundred forty four and paise forty only.
54	5.0.2		367.575	Sqm.	344.40	
34	5.9.3	Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 451.54 SQM				Rs. Two hundred seventy five and paise sixty only.
		~	451.540	Sqm.	275.60	San Paris Control of the Control of
			1011010	Sqiii.	2/3.00	
			/		Total	5.71(.70(.07
DI	1.				Total (A)	5,716,706.85 5,716,707.00
Plu	mbing a	nd sanitary Work			(-2)	3,710,707.00
55	B.S.R 12.78	Providing and fixing on wall face unplastidsed PVC (working pressure 4 kgf per sqm) rain water pipes cinforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10 mm gap for thermal expansion.				
	12.78.2	110 mm diameter.				
5.0	0.00	= 40 MTS	40.000	MTS		Rs. Two hundred fourteen and paise twenty only.
56	SOR 12.79	Providing and fixing on wall face unplasticised -PVC moulded fittings/accessories for unplasticised PVC rainwater pipes conforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10mm gap for thermal expansion. Coupler			2.1.200	only.
	12.79.1	Couplei				
	SOR 12.79.1.2	110mm = 10 MTS	10.000	Each	f	Rs. One hundred forty our and paise seventy only.

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Ala.

20121

1				22			
		SOR	Bend 87.50 ^o				
		12.79.5					
		SOR	110mm bend	+			
		12.79.5.2	2 = 12 MTS				Rs. One hundred seventy
							three and paise seventy
		SOR	Shoe (Plain)	12.00	0 Each	173.700	only.
		12.79.6	Shoe (Flain)				
			110				
		SOR	110mm Shoe				Rs. Three hundred
		12.79.6.2	= 12 MTS				
-				12.000	Each	214 720	fourteen and paise
	57	B.S.R	Providing and fixining water closes		Lacii	314.730	seventy three only.
		17.1.1	squatting pan (Indian type W.C. pan) with				
			100 mm sand cast iron P or S tap, 10 litre				
			low white PVC Eluction is				
			low white P.V.C. Flushing cistern with	1			
			munally controlled device (handle level)				
			conforming to IS : 7231				
			Parryware/Hindware with all fittings and				
			fixtures complete including cutting and				
			making good the walls and floors wherever				
			required.				
			White Vitreous China Orissa pattern W C				
			pan of size 580 v 440 mm with it				
			pan of size 580 x 440 mm with integral type foot rest.				Rs. Three thousand thirty
							five and paise forty only.
-	58	D.C.D.	= 6 EACH	6.000	Each	3035.400	and pulse forty only.
	0	B.S.R	Providing and fixing white vitreous china				
		17.2.2	pedestal type water closet (European type				
			W.C. pan) with seat and lid, 10 litre low				
			level white P.V.C. flushing cistern,				
			including flush pipe, with manually		,		
			1000411 1 1 1				
			conforming to IS: 7231, with all fittings				
			and fixtures complete, including cutting and				
			making good the walls and floors wherever				
	-		required:				
			W.C. pan with ISI marked black solid				D. T. d.
		100	plastic seat and lid				Rs. Two thousand nine
			= 3 EACH	3.000	Deal	2020.200	hundred twenty eight and
59	9	B.S.R	Providing and fixing white vitreous china	3.000	Each	2928.300	paise thirty only.
		17.4.2	flat back or wall corner type lipped front				
			urinal basin of 420-260-250				
			urinal basin of 430x260x350 mm and				
		1	340x410x265 mm sizes respectively with				
			automatic flushing cistern with standard				/
			flush pipe and C.P. brass spreaders with				
		-	brass unions and G.I. clamps complete			1	
		1	including painting of fittings and brackets,				
			cutting and making good the walls and				
			floors wherever required:				
			Range of two uring basing its 5 "				
			Range of two urinal basins with 5 litre white P.V.C.				D. F.
			1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				Rs. Four thousand six
			automatic flushing cistern		,		hundred eighty eight and
			= 3 EACH	3.000	Each	4688.900	paise ninety only.
					_4011	1000.700	

Niwem Kumu

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

28/2.

2862/19

			23			
60	SOR	Provding and fixing toilet paper holder				
	17.34	- Faper Holder				
	SOR	Vitreous china	3	Г 1		
	17.34.2	, w	3	Each	304.2	Rs. Three hundred four
61	B.S.R	Providing and fixing wash basin with C.I	-			and paise twenty only.
	17.7.1	brackets, 15 mm C.P. brass pillar taps 33				
		mm C.P. brass waste of standard nattern				
	1	including painting of fittings and brackets				
		cutting and making good the walls wherever				
		require:				
		White Vitreous China Wash basin size				
		630x450 mm with a pair of 15 mm CP				Rs. Two thousand one
		orass pillar taps.				hundred twenty and paise
- (2	10.41	= 12 EACH	12.000	Each	2120.300	141.* 4
62	18.63	Providing and fixing PTMT angle stop cock	12,000	Lacii	2120.300	
		15 mm nominal				Rs. One hundred eighty
62	D.C.D.	bore, weighing not less than 85 gms	15.000	Each	180,900	and paise ninety only.
63	B.S.R	Providing and fixing P.V.C. waste nine for		Zacii	100.900	
	17.28	sink or wash basin including P.V.C. waste	-	-		
-	17 20 2 1	fittings complete.				
	17.28.2.1	Flexible pipe 32 mm dia				Do Coverto 11
64	B.S.R	= 12 EACH	12.000	Each	78.600	Rs. Seventy eight and
04	17.32.2	Providing and fixing mirror of superior			70.000	paise sixty only.
77.	17.32.2	glass (of approved quality) and of required			and the same of th	
		shape and size with plastic moulded frame				
		of approved make and shade with 6 mm				Rs. Six hundred forty
		thick hard board backing:			7	three and paise forty
		Rectangular shape 453 x 357 mm				only.
		= 12 EACH				
65	B.S.R	Durani di santa	12.000	Each	643.400	
	17.33	Providing and fixing 600 x 120 x 5 mm			27100	
	17.33	glass shelf with edges round off, supported				
		on anodised aluminium angle frame with				Rs. Four hundred seventy
		C.P. brass brackets and guard rail complete				eight and paise thirty
		fixed with 40 mm long screws, rawl plugs				only.
		etc., complete. = 12 EACH				,
		12 EACH	12.000	Each	478.300	

Niwell Ruma

2812

Chief Engineer

B.S.E.I.D.C. Ltd., Patna

Line Henoughers

	,
9	/1
1	4

((D.C.D.	B 111	24			
66	B.S.R	Providing and fixing Chlorinated Polyviny	/1			
	18.8.1	Chloride (CPVC) pipes, having therma	ıl			
		stability for hot & cold water supply	y			
		including all CPVC plain & brass threaded	d			
		fittings including fixing the pipe with	h			
	2	clamps at 1.00 m spacing. This include	S		-	
		joining of pipes & fittings with one step				
		CPVC solvent cement and the cost o	f			Rs. Two hundred forty
		cutting chases and making good the same	2			one only.
		including testing of joints complete as pe	r			
		direction of E/I			-	
		Concealed work including cutting chases				
		and making good the wall etc. 15 mm				
	X	nominal outer dia Pipes	1			
		= 50 METER	50.000		244.000	
67	B.S.R	Providing and fixing Chlorinated Polyviny		metre	241.000	
	18.9.3	Chloride (CPVC) pipes, having therma			-	
		stability for hot & cold water supply				
		including all CPVC plain & brass threaded	1			, ~
		fittings This includes jointing of pipes &	1			
		fittings with one step CPVC solvent cement.				Rs. One hundred ninety
		trenching refilling of testing of ities	,			three and paise eighty
		trenching, refilling & testing of joints				only.
		complete as per direction of Engineer in Charge.				
		25 mm nominal inner dia Pipes				
		= 60 METER				
	18.9.4	32 mm nominal outer dia Pipes	60.000	metre	193.800	
	10.7.1	32 mm nommar outer dia ripes	10,000		251.100	Rs. Two hundred fifty
	18.9.2	20 mm nominal outer dia Pipes	40.000	metre	251.100	one only.
		25 mm nommar outer dia ripes	40.000		146,400	Rs. One hundred forty
68	B.S.R	Providing and placing on terrace (at all floor	40.000	metre	146.400	six and paise forty only.
	18.48	levels) polyethylene water storage tank ISI	Service Control of the Control of th			
		:12701 marked with cover and suitable				
		locking arrangement and making necessary				
		holes for inlet, outlet and overflow pipes		'		Rs. Six and paise eighty
		but without fittings and the base support for				only.
		tank.				
		= 4000 PER LITER	1000 000	per		
69	B.S.R	Providing and fixing C.P. brass bib cock of	4000.000	litre	6.800	
	18.49	approved quality conforming to IS:8931	Service and the service and th		Contract of the Contract of th	
		15 mm nominal bore.				
		= 12 EACH	12.000	Fools	107.000	Rs. Four hundred ninety
70	B.S.R	Providing and fixing C.P. brass stop cock	12.000	Each	497.000	seven only.
	18.52	(concealed of standard design and of				-
		approved make conforming to IS: 8931				
	18.52.1	15 mm nominal bore.				
		= 10 EACH	10.000	г.		Rs. Six hundred seventy
71	SOR	Providing and fixing P.T.M.T. grating of	10.000	Each	670.700	and paise seventy only.
	18.58	approved quality & colour				
	SOR	circular type			*	
	18.58.1	J. S.	Χ		11	
. L						

Niwer Kuma

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Linux

2812

2812

Ang 167

25

1			25			
	SOR 18.58.1.1	100 mm nominal dia,	11	Each	47.90	Rs. Forty seven and paise
72	B.S.R 19.2.1	Providing and laying cement concrete 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size) allround S.W. pipes including bed concrete as per standard design :				Rs. Three hundred twelve and paise fifty only.
		100 mm diameter S.W. pipe = 50 METER	50.000	metre	312.500	omj.
73	B.S.R 19.6.1	Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete: 100 mm dia R.C.C. pipe		mette	312.300	Rs. Three hundred twelve and paise ninety only.
74	DCD	= 15 METER	15.000	metre	312.900	
/4	B.S.R 19.27.1	Constructing brick masonry road gully chamber 50x45x60 cm with bricks in cement mortar 1:4 (1cement : 4 coarse sand) including 500x450 mm pre-cast				
		R.C.C. horizontal grating with frame complete as per standard design: With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 2 EACH				Rs. Three thousand one hundred seventeen and paise thirty only.
75		Contructing brick masonry chamber for Underground C.I. Inspection Chamber and bend with 75 class designation bricks in cement mortar 1:4 (1 cement : 4 coarse sand) C.I. Cover with frame (light duty) 455x610 mm internal dimentions, total weight of cover with frame to be not less than 38 kg. (weight of cover 23 kg. and weight of frame 15 kg.) RCC top slab with 1:1.5:3 mix (1 cement: 1.5 coarse sand :3 graded stone aggregate 20 mm nominal size) foundation concrete 1:5:10 mix (1 cement:5 coarse sand : 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm th. with cement mortar 1:3 (1cement:3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design. Inside dimensions 466x610 mm and 45cm deep for single pipe line: With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 6 EACH	6,000	Each		Rs. Three thousand nine hundred forty nine and paise ten only.
			6.000	Each	3949.100	

Niwer Muma

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

28/2.

			26			
76		Making soak pit 2.5 m diameter 3.0 met	re			
	19.32.1	deep with 45 x 45 cm dry brick honey com	ıb			
		shaft with brick and S.W. drain pipe 10	00			
		mm diameter, 1.8 m long complete as per	ar			Rs. Twenty five thousar
		standard design.	-1			nine hundred and paise
		With common burnt clay F.P.S. (no				ten only.
		modular) bricks of class designation 7.5	n			ten omy.
	4	= 1 EACH		11		
77	B.S.R		1.000	Each	25900.100	
//	19.34	Providing and fixing S.W. intercepting tra	p		-27	
	19.34	in manholes with stiff mixture of cemer	nt		The state of the s	
		mortar 1:1 (1 cement : 1 fine sand				
		including testing of joints etc. complete:				
	19.34.1	100 mm dia				Rs. Two hundred eighty
		= 2 EACH				
			2.000	Each	283.800	three and paise eighty
78	3	Detailed Estimate for construction of 12:	5	Lacii	283.800	only.
		mm x 40 mm x 90 mm Tube well Manua	1		San Control of the Co	Rs. Sixty thousand four
		Boring				hundred thirty two and
		= 1 EACH	1.000			paise sixty five only
79	ANALYSIS	11011	1.000	Each	60432.650	paise sixty live only
		NON SCHEDULED ITEMS(MARKET RATE)				
		= EACH				
		P.V.C. PIPE				
		= EACH				
		Provding and fixing soil, waste and ven	t			
		pipes				
		= EACH				NI I
		110 mm dia				Rs. Three hundred forty
		= 40 EACH	40.000	metre	347.000	seven and only.
		P.V.C. FITTINGS			217:000	seven and only.
		= EACH			-	
		DOOR TEE 110 mm dia				Do Thurs I
		= 4 EACH	4.000	each		Rs. Three hundred sixty
		DOOR BEND 110 mm dia	1.000	Cacii		five only.
		= 8 EACH	8.000	00.01		Rs. Two hundred eighty
		BEND 45° 110 mm dia	0.000	each		three only.
		= 10 EACH	10,000			Rs. One hundred eighty
		VENT COWEL 110 mm dia	10.000	each	185.000	five only.
		= 3 EACH	2.000		to the state of th	Rs. Sixty five only.
		PIPE CLIP 110 mm dia	3.000	each	65.000	rts. Sixty five only.
		= 100 EACH	Restaurant .		Reserved to the second	Do Eifer the
			100.000	each	53.000	Rs. Fifty three only.
		FLOOR TRAP 110X110 mm dia	And the second		Water Comment	Rs. Four hundred thirty
80	Codono of	= 10 EACH	10.000	each		six only.
00	Code no. of	(i) C.I. cover and frame 300 x 300 mm	and the same of th	7		Rs. Three hundred
		inside			. V	seventy four and paise
0.1	0.1	SEPTIC TANK = 1 EACH	1.000	Each		six only.
81	Code no. of	(ii) S.C.I. plain bend 100 mm dia	1000			Rs. Four hundred thirty
		SEPTIC TANK = 1 EACH	1.000	Each		six and paise forty only
32		(iii) S.C.I. Tee 150 mm dia				Rs. Seven hundred forty
		SEPTIC TANK = 1 EACH	W.			
			1.000	Each	The second secon	eight and paise eleven
			1.000	Lacii	748.110	only.

Niver Runa

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Skelvousky

28/2

28/2

					Tota	3/8/10/1
					100	348,404.9
					Total (I	348,405.0
		Electrical Works (1% labour cess has				
		been added on current DSR-2014)			,	/
83	1.10	Point Wiring in PVC Conduit, with				
		Modular type Switch:-	1		3	
		Wiring for light point/ fan point/ exhaust	-			
		fan point/ call bell point				
		with 1.5 sq.mm FRLS PVC insulated				
		copper conductor single		-		
		core cable in surface / recessed medium				
		class PVC conduit,				h
		with modular switch, modular plate,				2
		suitable GI box and earthing				, J *
		the point with 1.5 sq.mm. FRLS PVC				
		insulated copper conductor				
	1.10.3	single core cable etc as required. Group C				l ·
	1.10.5	Group C				Rs. Seven hundred
						twenty five and paise
34	1.11	Twin Control Point Wiring in PVC Conduit,	119.000	Nos.	725.180	eighteen only.
		with Modular type Switch:-				
		Wiring for twin control light point with 1.5				
		sq.mm FRLS PVC				
		insulated copper conductor single core				\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
		cable in surface / recessed				
		medium class PVC conduit, 2 way modular				Rs. Seven hundred
		switch, modular plate,				seventy seven and paise
		suitable GI box and earthing the point with				seventy only.
		1.5 sq.mm. FRLS				
		PVC insulated copper conductor single core				
5	1.31	cable etc as required	3.000	Nos.	777.700	
	1.51	Supply and Fixing Light Plug Point with Modular Type Accessories:-				
t		Supplying and fixing suitable size GI box				
		with modular plate and				
		cover in front on surface or in recess,				
		including providing and				
		fixing 3 pin 5/6 amps modular socket outlet				Rs. Three hundred six
		and 5/6 amps modular				and paise three only.
		switch, connection etc. as required. (For	1		2	
		light plugs to be used in				
	1.25	non residential buildings).	25.000	Nos.	306.030	
6	1.32	Supply and Fixing Power Plug Point with			20000	
	3	Modular Type Accessories:-	The same of the sa			

Niwer Ruma

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

110. Skibenity

28/2. 28/31/4

1			28			
		Supply and Fixing GI box with modul	lar			
		plate and cover in front on surface or	in			
		recess including providing and fixing 6 pi	in			
		15/16 amps modular socket outlet ar	nd,			Rs. Five hundred ninety
						only.
		connection, painting etc as required.	1			
87	2.18	Supply & fiving 20A CDV MCD	12.000	Nos.	590.000	
		Supply & fixing 20A SPN MCB Industri Socket Outlet:-	al			
		Supplying and fixing 20 amps, 240 volt	S,			
		SPN industrial type,			1	
		socket outlet, with 2 pole and earth, meta-	al			
		enclosed plug top				
		alongwith 20 amps "C" curve, SP, MCB, i	n			_
		sneet steel enclosure,				Rs. Nine hundred sixty
		on surface or in recess, with chained meta	.1			three and paise fifty fou
		cover for the socket	11			only.
		out let and complete with connections				
		testing and commissioning	5,			
		etc. as required				
88	1.12	-	12.000	Nos.	963.540	
	1.12	Power Plug Wiring in PVC conduit (2x4 sq				
		mm):-	P		bassing	
		Wiring for light/ power plug with 2X4 sq				
		mm FRLS PVC insulated				
		copper conductor single core cable in				
		surface/ recessed mediumclass PVC conduit				Rs. One hundred sixty
		alongwith 1 No 4 sq. mm FRLS PVC				three and paise sixty two
		insulated				only.
		copper conductor single core cable for loop				omy.
		earthing as required	I			
89	1.24		420.000	Mtrs.	163.620	
		Supplying and fixing following modular				
		type switch/ socket on the existing modular				
		plate switch box / cover including				
-	1.04:	connections etc.as required				
	1.24.1	5/6 amps switch.				Do Field
			25.000	Each	01.010	Rs. Eighty one and paise
	1.24.4	5 pin, 5/6 amps socket outlet.	23.000	Lach	81.810	eighty one only.
			25.000	F - 1	70 -	Rs. Seventy nine and
0	1.14	Circuit / Sub-main wiring in PVC Conduit:-	23.000	Each	79.790	paise seventy nine only.
		Wiring for circuit / sub-main wiring along				
		with earth wire with the following sizes of				
		of lower with the following sizes of				
		PVC insulated assets of	ı			
		PVC insulated, copper conductor, single	27			
		PVC insulated, copper conductor, single core cable in surface/recessed PVC conduit	4			
	1 14 1	PVC insulated, copper conductor, single core cable in surface/recessed PVC conduit as required.	4			
	1.14.1	PVC insulated, copper conductor, single core cable in surface/recessed PVC conduit as required.				Po One hand
		PVC insulated, copper conductor, single core cable in surface/recessed PVC conduit as required. 2x1.5 Sqmm + 1x1.5 sqmm earth wire	40,000	Mtre		Rs. One hundred seven
	1.14.1	PVC insulated, copper conductor, single core cable in surface/recessed PVC conduit as required. 2x1.5 Sqmm + 1x1.5 sqmm earth wire	40.000	Mtrs.	107.060	and paise six only.
		PVC insulated, copper conductor, single core cable in surface/recessed PVC conduit as required.	40.000	Mtrs.	107.060	and paise six only. Rs. One hundred thirty
		PVC insulated, copper conductor, single core cable in surface/recessed PVC conduit as required. 2x1.5 Sqmm + 1x1.5 sqmm earth wire			107.060	and paise six only. Rs. One hundred thirty
	1.14.2	PVC insulated, copper conductor, single core cable in surface/recessed PVC conduit as required. 2x1.5 Sqmm + 1x1.5 sqmm earth wire 2x2.5 Sqmm + 1x2.5 sq mm earth wire	40.000	Mtrs.	107.060	and paise six only.
		PVC insulated, copper conductor, single core cable in surface/recessed PVC conduit as required. 2x1.5 Sqmm + 1x1.5 sqmm earth wire 2x2.5 Sqmm + 1x2.5 sq mm earth wire 4x6.0 Sqmm + 2x6.0 sqmm earth wire (to			132.310	and paise six only. Rs. One hundred thirty two and paise thirty one only.
	1.14.2	PVC insulated, copper conductor, single core cable in surface/recessed PVC conduit as required. 2x1.5 Sqmm + 1x1.5 sqmm earth wire 2x2.5 Sqmm + 1x2.5 sq mm earth wire			132.310	and paise six only. Rs. One hundred thirty two and paise thirty one

Niver Ruma

Chief Engineer

B.S.E.I.D.C. Ltd., Patna

Kehouth

2012

	1 1 4 1		29			
	1.14.1	$4 \times 10 \text{ sq. mm} + 2 \times 10 \text{ sq. mm}$ earth wire	e			Rs. Six hundred two and
		C/C ICI	10.000	0 Mtr	s. 602.970	naise ninety server 1
91		S/F 'C' series SP MCB:-			002.57	paise ninety seven only.
92		Supplying and fixing 240 volts, 'C' serie miniature circuit breaker suitable for inductive loads of following poles in the existing MCB DB complete with connections, testing and commissioning etc.	or ne			
	2.10.1	as required. 6/32A, Single Pole	С,			
	2.10.3	6/32A ,DP	36.000	Each	170.690	Rs. One hundred seventy and paise sixty nine only.
			3.000	Each	Superior Control	Rs. Four hundred sixty three and paise fifty nine
92	2.13	S/F TPN MCB:-			+03.390	only.
	2.13.2	Supplying and fixing following rating, four pole, 240 volts, isolator in the existing MCE DB complete with connections, testing and commissioning etc. as required 63 A,TPN	2			
93	2.15	S/E TRN DCCD C	3.000	Each	676.700	Rs. Six hundred seventy six and paise seventy only.
		S/F TPN RCCB:-Supplying and fixing of following rating three phase and neutral, 415 volts, residual current circuit breaker (RCCB) having a sensitivity current upto 300 miliamperes in the existing MCB DB complete with connections, testing and commissioning etc. as required.				
	2.15.2	40 Amp.				
)4	2.8		3.000	Each	2144.230	Rs. Two thousand one hundred forty four and paise twenty three only.
	2.0	S/F TP MCB DB:-				paise twenty three only.
	2.8.5	Supplying and fixing of following way, horizontal type three pole and neutral, sheet steel, MCB distribution board, 415 volts, on surface/recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, detachable gland plate, interconnections, phosphatized and powder painted including earthing etc. as required (Without MCB/RCCB/ISOLATOR). Make: Legrand/Anchor/Havells/HPL.				
		as a subject to the s				Rs. Seven thousand four
+	1.33	S/F Ceiling Rose:-	3.000	Set	7430.570 ff	nundred thirty and paise if if y seven only.
	1.55	O/1 Coming Rose:-				Jacob Only.

Niw de Rum

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Page 25 Willy

			30			
		Supplying and fixing 2 pin ceiling rose of	n			
		the existing junction box/ wooden block	k			Rs. Forty three and pai
		including connection etc as required.	80.000	Each	12 120	forty three and
96	1.34	S/F Batten / Angle Holder:-	00.000	Each	43.430	. /
			27,000			Rs. Seventy four and
		Supplying and fixing batten / angle holde	27.000	Each	74.740	paise seventy four only
		including connection etc as required.	er		and the same of th	
97	1.25	S/F Modular type electronic C			455	
	1.23	S/F Modular type electronic fan regulator:-				Rs. Two hundred eigh
						six and paise eighty for
			24.000	Each	286.840	only.
		Supplying and fixing stepped type far	n		-	omy.
		regulator on the existing modular plate	e		1	
		switch box including connections by	t			
		excluding modular plate etc as required				
98	1.21	S/F PVC Conduit:-				
		Supplying and fixing of following sizes or	f			
		medium class PVC				
		conduit along with accessories in			1	
		surface/recess including cutting				
		the wall and making good the same in case				
		of recessed conduit				
		as required.				
	1.21.1	20 mm				
	1.21.1	20 11111				Rs. Fifty three and paise
99		Tologle W' : 1 7 1	110.000	Mtrs.	53.530	fifty three only.
	1.18	Telephone Wiring in Existing Conduit:-				
	1.10	Supplying and drawing following pair 0.5				/
		mm dia FRLS PVC				
		insulated annealed copper conductor,				
		unarmored telephone cable				
		in the existing surface/ recessed steel/ PVC				
		conduit as required				
	1.18.2	2 pair				
			50.000	1	10.10.	Rs. Eighteen and paise
00	1.24	S/F Modular type Switch / Socket:-	30.000	Mtrs.	18.180	eighteen only.
		Supplying and fixing following modular				
		type switch / socket on the existing modular				
		plate and switch have in-1.				
		plate and switch box including connections but excluding modular plate at a second				
		but excluding modular plate etc as required.				
-	1.24.6				10	
	1.24.0	Telephone socket outlet				Rs. Ninety five and paise
-		E A D'ELID I C	2.000	Each	95.950	ninety five only.
01	5 (EARTHING				mety five only.
91	5.6	COPPER EARTH PLATE ELECTRODE:-				
-						
		Earthing with copper earth plate 600mmx				
		600mmx 3mm thick including acessories			1	
		and providing masonary enclosure with	8			Rs. Nine thousand three
		cover plate having locking arrangement and				hundred eighty four and
		watering pipe of 2.7 meter long etc with		1 4		paise ninety two only.
		charcoal/cock and salt as required.	2.000			passe innety two only.
2	5.10	P/F 25 x 5mm copper earth strip in pipe :-	2.000	Each	9384.920	
		A stilli copper earth strip in pipe :-				

Niw-en Luma

Chief Engineer

B.S.E.I.D.C. Ltd., Patna

Kehowilling

2812... 2815/17

28/2 . ,

1			31			
103	5.14	Providing and fixing 25 mm X 5 mm copper strip in 40 mm dia G.I. pipe from earth electrode includin connection with brass nut, bolt, spring, washer excavation and refilling etc. as required. P/F 25 x 5 mm copper earth strip in surface recess:- Providing and fixing 25 mm X 5 mm copper	g 12.000	Mtrs.	1092.820	Rs. One thousand ninety two and paise eighty two only. Rs. Eight hundred sixty
		strip on surface or in recess for connections etc. as required.	24.000			four and paise fifty six
104		Cable Laying of 1.1 KV & 11 KV :-	24.000	Mtrs.	864.560	only.
	7.1	Laying of one number PVC insulated and PVC Sheathed / XLPE power cable of 1.1 KV grade of following size direct in ground including excavation, sand cushioning protective covering and refilling the trench etc as required.	1			
	7.1.2	Above 35sq.mm and Upto 95 Sq.mm.	80.000	24		Rs. Two hundred four
105	-	G.I. Pipe for Cable protection:-	80.000	Mtrs.	204.020	and paise two only.
	14.14	Providing, laying and fixing following dia RCC pipe NP2 class(light duty) in ground complete with RCC collars, joints with cement mortar 1:2 (1 cement: 2 fine sand) including trenching (75 cm) and refilling etc.as required. (Road crossing as per site condition)				
106	9.1	150 mm dia 1.1 KV Cable End Termination:	10.000	Mtr.	387.840	Rs. Three hundred eighty seven and paise eighty four only.
	V	Supplying and making indoor cable end termination with brass double compression gland and aluminium lugs for following size of PVC insulated XLPE Al. Ar. Cable of 1.1 KV grade as required.				
107	9.1.22	3.5 Core 50 Sq.mm.	2.000	Each		Rs. Two hundred seventy two and paise seventy only.
107	1908 JSR 2014	3.5 core 50 sq mm xlpe/pvc insulated sheathed (Heavy duty)armoured electric cable aluminium conducter.				omj.
		3.5C x 50 Sq.mm 1.1kV	100.000	Mtrs.		Rs. Three hundred ninety one only.

Niwern Kum

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Skihowihr

2814

32

100			32			
108	2.1	S/F HRC fuse type TP&N switch disconnector:- Providing and fixing following capacity TP&N disconnector fust switch unit inside the existing panel boar with ISI marked HRC fuses including drilling holes in cubic panel, making connections, etc. as required.	ng e rd			
	2.1.2	63 amps,TP&N, HRC				Rs. Two thousand two
109		S/F Busbar Chamber:-	3.000	Each	2260.386	hundred sixty and paise
	2.5					
	2.5.3 B.S.R 2009	Providing and fixing following capacity busbar chamber with 4 strips of suitable size made of capper, heavy duty, complete with all accessories including connections, earthing the body, etc as required.				Rs. Six thousand two hundred twenty two and paise sixty one only.
110	2.7.4	200 amp.TPN Providing and fixing following capacity	1.000	Each	6222.610	
	B.S.R 2009	four pole OFF-load changeover switch with side handle operation, in sheet enclosure in existing metal board, including drilling holes in metal panel, making connections etc. as required. 125 Amps, Four pole				Rs. Seven thousand nine hundred seven only.
111	6.5	Providing and fixing copper tape 20 mm X	1.000	Each	7907.000	
		or surface of wall for lightning conductor complete as required. (For horizontal run)	80.000	meter	379.760	Rs. Three hundred seventy nine and paise seventy six only.
112	6.6	Providing and fixing copper tape 20 mm X 3 mm thick on parapet or surface of wall for lightning conductor complete as required. (For vertical run)			Walter Control of the	Rs. Four hundred ten and paise six only.
113	2.2	Providing and fixing follwing rteing and breaking capacity MCCB in existing cubicale panel bord including drilling hole cubicale panel making connection etc as required	30.000	meter	410.060	
	2.2.3	160 amp. 16KA	1.000	EACH	4565.200	Rs. Four thousand five hundred sixty five and paise twenty only.
		FIRE FIGHTING			Total (C)	503,812.73

Niwen Rum

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Jkehoush

28 2. 28 52 16

	114 DGS&E	3	3			
		Brand new ISI marked Life Guard A type multipurpose Fire Extinguishers 4 K Capacity, fitted with pressure guard complete in all respects, ready to a complete installation kit.	kgs.	0 Nos	5. 7549.7	Rs. Seven thousand five hundred forty nine and paise seventy five only
					To	tal 75.407
						73,497.
		CARRIAGE OF MATERIALS			Total ((D) 75,498.
	15	Type of materials			Rate Inc 1% Lat Cess	
		Cement	139.566	5 MT		Rs. Two hundred eighty nine and paise eighty seven only.
		Sand	188.457	cum	499.4	Rs Four Hundred Ninety nine and paise Forty only
		Local Sand	125.918	cum	205.2	Rs. Two Hundred Five and paise Twenty Nine only
		Stone Chips	176.279	cum	1611.5	Rs. One Thousand Six Hundred eleven and paise Fifty Four only.
		Brick	120.253	Thous.	601.67	D 0' 1
116		Steel	18.050	MT	289.87	Rs. Two hundred eighty nine and paise eighty seven only.
	ADD EXTR. Bhagalpur C	A COST OF MATERIAL FOR COMM. W.R.T TO GAYA AS PER SOR			1.	
	Bricks		120.253	Thous.	333.36	Rs. Three hundred thirty three and paise Thirty six only
	Cement		139.566	МТ	914.90	Rs. Nine hundred Fourteen paise ninety Only.
					Total	689,863.16
					Total (E)	689,863.00
			Grand T	otal (A+I	3+C+D+E)	7,334,285.73
L. 0.	DISTRICT	NAME OF INSTITUTE				Amount (Rs.)
	Banka	BLOCK RESOURCE CEN	TRE			7,334,285.73
						A

Niwela Dum

34 Total Cost in 'Rs' 7,334,286.00 (Rupees Seventy Three lacs Thirty Four Thousand Two Hundred Eighty Six Only) "Details of Sl. No. 78 (Construction of 125mm x 40mm x 90m Tube well) is given below Part 'A' - Cost of Materials 125mm dia UPVC casing pipe confirming Rs. Three hundred fifteen 27 to ISS Meter 315.00 only. 40mm dia UPVC pipe confirming to ISS Rs. Ninety nine and paise 48 Meter 99.38 thirty eight only. 40mm dia PVC ribbed strainer of approved 3 Rs. One hundred eighty 8 Meter 182.00 quality two only. 4 Reducing socket 125mm x 40mm Rs. Two hundred seventy 1 Each 270.00 Supplying all labour and materials & fitting 5 Rs. One hundred forty & fixing PVC cap over the new sink T/well 1 Each 140.00 only. Providing and fixing of G.I pipes complete B.S.R with G.I fittings and clamps, including, Rs. Two hundred twenty 6 1548 18 cutting and making good etc mtr 224.44 four and paise forty four 32 mm dia (15% C.P & 1% L.Cess) only. B.S.R 32 mm nominal bore Bross Full valve Rs. Five hundred eleven 7 1 1928 Each (15% C.P & 1% L.Cess) 511.21 and paise twenty one only. Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser Rs. Twenty six thousand 8 1 pipe, starter control panel, 1.25" Full way Each 26,446.00 four hundred forty six valve, 1.25" M.S clamp, 1.25" G.I Elbow, only. 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of Sub - Total "A" 46138.37 Part 'B' - Cost of Labour Boring by jet dheki by suitable cutter of reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge. (i) 0 to 30.5 m

27

mtr

Nivery Lumer

(a) For 125 mm dia U.PV.C pipe

(b) for 40 mm dia UPVC pipe

9

10

Chief Fari

Rs. Two hundred eight

208.77 and paise seventy seven

only.

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Kelwoodh

			Total (C="A+B"	60,432.65
			S	ub - Total	14,294.28
15	Supplying labour and developing the T/Well to have sand free discharge all complete as per direction of E/I	1	Each	280.50	Rs. Two hundred eighty and paise fifty only.
14	Providing all labour & tools and lowering 32 mm dia G.I pipe as per specificatin etc. all Complete	24	mtr	21.34	Rs. Twenty one and paise thirty four only.
13	a) For 40mm dia UPVC ribbed strainer of approved quality	8	mtr		Rs. One hundred forty eight and paise seventy nine only.
	(iv) 75.00 m to above	1		/	
12	a) For 40mm dia UPVC pipe	14	mtr	148.79	Rs. One hundred forty eight and paise seventy nine only.
	(iii) 61.00 m to 75.00 m			September 1	
11	(a) For 40 mm dia UPVC pipe	30.5	mtr	136.88	Rs. One hundred thirty six and paise eighty eight only.
	(ii) 30.5 m to 61.0 m				
	(i) 0 to 30.5 m	3.5	mtr	119.03	Rs. One hundred nineteen and paise three only.

Tender approved in favour of Niwesh Kumar @ 10.00% (Ten Decimal Zero Zero Percent) below BOQ rates i.e. total amount comes to Rs. 66,00,857=00 (Rupees Sixty Six Lacs Eight Hundred Fifty Seven Only)

Niwesh Ruma

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

28/2

Skehoust 7 28101 (1)

Performance Security

Name of Agency – "Niwesh Kumar"

Performance Security of "Niwesh Kumar" of "BRC-Barahat(SL. No.-94)"

				The state of the s	
<u>Passbook No.</u> 3449644262	<u>DOI</u> 16.12.16	Reg. No.			Amount
3449650188 3355859231	16.12.16 16.12.16 23.08.16				10000.00 20000.00
3449657941 3449656968	16.12.16				100000.00 50000.00
NSC NO. 39EF 588096-98	16.12.16				50000.00
NSC No. 44EF 316860-71	09.12.14 <u>DOI</u>	4391 Reg. No.	10000*3		30000.00 Amount
77L1 310800-/1	07.04.15	2497-99	10000*12		120000.00
				Total	380000.00

(Rupees Three Lacs Eighty Thousands Only)

inkr 5~15/2/17 लेखा पदाधिकारी

बिहार राज्य शैक्षणिक आधारभूत संरचना

विकास निगम लि०, पटना विकास निगम लि०, पटना विकास निगम लि०, पटना

Niwell Dum

BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

(A Govt. Of Bihar Undertaking)

Shiksha Bhawan, Bihar Rastrabhasa Parishad Campus ,Acharya Shiv Pujan Sahay Path, Saidpur, PATNA-800004. (Tel. No: 0612-2910314)

Cor. ID. No.: U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256

Letter of Acceptance

Letter no :- BSEIDC/FIN/2669/2016-17/- 10503

Date. 29.10.16

To.

Niwesh Kumar,

Bhaiharan, Asthan Road, Banka.

Dear Sir,

This is to notify you that your Bid dt. 11.06.2016 for execution of "Construction of Block Resource Centre at Barahat, Banka (SL. No.-94 of NIT No.-40/ 2015-16) in the State of Bihar" has been accepted by the Corporation at your quoted rate of 10.00% (Ten Decimal Zero Zero Percent) below BOQ rates amounting to total contract price of Rs. 66,00,857=00 (Rs. Sixty Five Lacs Eight Hundred Fifty Seven Only)

You are hereby requested to furnish performance security including additional security in the form detailed in I.T.B. para 31.1, 27.4 and clarification issued thereon by RCD, Govt. of Bihar, vide letter no. 3376 (E) dt. 17.08.2010, for an amount equivalent to Rs. 3,80,000=00 (Rs. Three Lacs Eighty Thousand Only) within ten days of receipt of this letter of acceptance valid upto 28 days from the date of expiry of defects liability period and sign the contract, failing which action as stated in Para 31.3 of ITB will be taken.

Yours faithfully

(Brajesh Prasad)

Memo no: BSEIDC/FIN/2669/2016-17/- 10503

Chief Consultant (Technical)

Date: 27:10:16

Copy forwarded to : Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC website/Senior Account Officer, BSEIDC, Patna for information & necessary action

Memo no: BSEIDC/FIN/2669/2016-17/-10502 Chief Consultant (Technical)

Date: 28:10:16

Copy forwarded to: Chief Engineer, BSEIDC, Patna for information Please.

Memo no: BSEIDC/FIN/2669/2016-17/- 10503

109-10-2016 Chief Consultant (Technical)

Date: 29110116

Copy forwarded to : Managing Director, BSEIDC, Patna for information Please.

29-10-2016 Chief Consultant (Technical)

> Chief Engineer B.S.E.I.D.C. Ltd, Patna

Miw on Kom

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

शिक्षा भवन, दिहार राष्ट्रमाषा परिषद् परिसर, शिवपूजन सहाय पथा, सैदपुर, पटना—800004, दूरभाष—0612—2910314 कॉपेरेट पहचान संख्या: U80301BR2011SGC015859, e-mail bseidc@gmail.com, website; www.bseidc.m, Fax No.; 0612-2660256,

Letter no.: BSEIDC/NIT/2015-16/- 3 950

Patna, Date: 30.04.16

Corrigendum No.- 3

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "हिन्दुस्तान" on dated 10.02.2016 vide P.R.-12943 (नि०नि०)15—16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below:-

SL.	Existing provision	Amended provision
90 menus	Period of Sale of Bid document (Download) from dated 16.04.2016 to 10.05.2016, 15:00 Hrs.	Period of Sale of Bid document (Download) from dated 16.05.2016 to 05.06.2016,
2	Date and Time of Pre bid Meeting – 25.04.2016, Date and Time of Pre bid Meeting – 25.05.2016, 14:30 Hrs.	Date and Time of Pre bid Meeting – 25.05.2016, 16:00 Hrs.
(0)	Last date and time for receipt (Upload) of Bids on dated 11.05.2016,15:00 Hrs.	Last date and time for receipt (Upload) of Bids on dated 06.06.2016.15:00 Hrs.
4	Time and date for opening of Technical Bids on dated 13, 05,2016, 16:30 Hrs.	Time and date for opening of Technical Bids on dated 08. 06.2016, 16:30 Hrs.
V)	Time and date for opening of Financial Bids on dated 27.05.2016, 15:30 Hrs.	Time and date for opening of Financial Bids on dated 24.06.2016, 15:30 Hrs.
9	The Cost of BOQ and EMD will be	The Cost of BOQ and EMD will be accepted up to 08 06 2016 15:00 H

The other terms and conditions shall remain unchanged.

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

(Brajesh Prasad)

Chief Consultant (Technical)

Niwen Kumar

बिहार राज्य शैक्षणिक आधारमत संरवना विकास निगम लि०

बिहार सरकार का एक उपक्रम

शिक्षा भवन, विहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना–800004, दूरभाष–0612—2910314 कॉर्पोरेट पहचान संख्या: U80301BR2011SGC015859, e-mail: bseide@gmail.com, website; www.bseide.in, Fax No.. 0612-2660256,

Letter no.: BSEIDC/NIT/2015-16/- 2937

Patna, Date: 28 - 3-2016

Corrigendum No.- 2

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "हिन्दुश्तान" on dated 10.02.2016 vide P.R.-12943 (नि०नि०)15—16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below :-

10.	Existing provision	Amondod
Same out outstanding	The state of the s	Amended provision
yearson,	from dated 03.03.2016 to 28.03.2016, 15:00 Hrs.	Period of Sale of Bid document (Download) from dated 16.04.2016 to 10.05.2016,
0	Date and Time of Pre bid Meeting – 15.03.2016, 14:30 Hrs.	Date and Time of Pre bid Meeting – 15.03.2016, Date and Time of Pre bid Meeting – 25.04.2016, 14:30 Hrs.
cr;	Last date and time for receipt (Upload) of Bids on dated 29.03.2016 .15:00 Hrs.	Last date and time for receipt (Upload) of Bids on
****	Time and date for opening of Technical Bids on dated 31, 03, 2016, 16:30 Hrs	Time and date for opening of Technical Bids on
10	Time and date for opening of Financial Bids on dated 11.04.2016, 15:30 Hrs.	Time and date for opening of Financial Bids on
9	The Cost of BOO and EMD will be a	The Cost of BOO and EMD will be accounted us to 12 of 2011.

The other terms and conditions shall remain unchanged.

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

282

(Brajesh Prasad)

Chief Consultant (Technical)

Rumin

बिहार राज्य शिक्षणिक आधारभूत संरवना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

कॉपॉरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseide@gmail.com, website; www.bseide.in, Fax No.: 0612-2660256, शिक्षा भवन, विहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथा, सैदपुर, पटना–800004, दूरभाष–0612–2910314

Letter no.: BSEIDC/NIT/2015-16/- 2 6 3.8

Patna, Date: 17:03:16

Corrigendum No.- 1

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below:-

	Existing provision	Amended monicion
	Period of Sale of Bid document (Download) from dated 03.03.2016 to 28.03.2016,	ale (
1	Last date and time for receipt (Upload) of Bids on dated 29.03.2016,15:00 Hrs.	Last date and time for receipt (Upload) of Bids on
	Time and date for opening of Technical Bids on dated 31. 03.2016, 16:30 Hrs.	Time and date for opening of Technical Bids on
	Time and date for opening of Financial Bids on dated 11.04.2016, 15:30 Hrs.	Time and date for opening of Financial Bids on dated 17 05 2016, 15.20 rt.
	The Cost of BOQ and EMD will be	The Cost of BOQ and EMD will be accented up to 04 of 2017 12 of 1.

The other terms and conditions shall remain unchanged.

(Brajesh Prasad)

Chief Consultant (Technical)

Niwen Rum

SPECIAL CONDITIONS

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes royalties and other

incidental charges.

4. To qualify for award of work, the Bidder must possess the following:-

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of signatory bid.

b) DD for required value of B.O.Q. Cost.

c) Sufficient Earnest Money Deposit.

- d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.
- Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed at least one Building work of value not less than 25 % of estimated value of contract) in last five years as mentioned in Technical bid.

f) Litigation History as mentioned in Technical bid.

g) Affidavit as mentioned in Technical bid.

h) Valid Registration with Central/State Govt. / PSU. i) Valid labour license as mentioned in Technical bid.

j) Affidavit/Certificate for not been debarred as mentioned in Technical bid.

5. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.

6. The tender without earnest money or insufficient earnest money submitted with the tender, will be outright rejected.

7. Conditional tenders shall be outright rejected.

Cuma

- 8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.
- 9. Authority shall reserve the right to reject any or all the tenders or distribute the work to more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained.

- 11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules prevalent in the locality.
- 12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the
- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-
- a. Natural calamities

b. Act of enemies.

Niwem

(Seal & Signature of Tenderer)

Page 1 of 2

- c. Transport and procurement difficulties.
- d. Circumstances beyond the control of the state.
- 15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- 16. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
- 17. The contractor shall make his own arrangement for water and light at the work site.
- 18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 20. The Tenderer must not quote their rate more than 10 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
- 21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 22. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.

----X-----X

23. The Defect liability Period shall be Three (3) Years from the date of completion of the work.

Niw oh Kum

(Seal & Signature of Tenderer)

Page 2 of

Chief Engineer B.S.E.I.D.C. Ltd, Patna

28/2

बिहार राज्य शैक्षणिक आधारमूत संरचना विकास निगम लिमिटेड

(बिहार सरकार का एक उपक्रम) 43 शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् कैम्पस, आचार्य शिवपुजन सहाय पथ, सैदपुर, पटना–800004 (दूरभाष:–0612–2910314)

निविदा आमंत्रण सूचना संख्या- 40 वर्ष 2015-16 (केवल ई-टेन्डरिंग पद्धति के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

बिहार राज्य के भवन निर्माण कार्य हेतु निम्नांकित निविदायें आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार/सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रजिस्ट्रेशन, उक्त कार्य का लेटर ऑफ

क्रम	काय की नाम	प्राक्कलित राशि (लाख में)	की राशि	परिमाण विपत्र की राशि	Beltron Bid Processing Fee (In Rs.)	स	कार्य माप्ति अवर्षि
1	BRC Ekma, Saran	85.2	1,70,400	(रू० में)		_	
2	BRC Baniyapur,Saran	85.2	1,70,400	10,000	5750	15	
3	BRC Masrak,Saran	85.2	1,70,400	10,000	5750	15	
4	BRC Marhowrah, Saran	85.2	1,70,400	10,000	5750	15	
5	BRC Amnour, Saran	85.2	1,70,400	10,000	5750	15	
6	BRC,Dariyapur,Saran	85.2	1,70,400	,	5750	15	
7	BRC,Garkha,Saran	85.2	1,70,400	10,000	5750	15	माह
8	BRC, Manigachhi, Darbhanga	85.2	1,70,400	10,000	5750	15	माह
9	BRC, Keoti, Darbhanga	85.2	1,70,400	10,000	5750	15	माह
10	BRC,kusheshwarsthan,Darbhanga	85.2	1,70,400	10,000	5750	15	
11	BRC,Ghanshyampur,Darbhanga	85.2	1,70,400	10,000	5750	15	माह
12	BRC,Kiratpur,Darbhanga	85.2		10,000	5750	15	माह
13	BRC,Baheri,Darbhanga	85.2	1,70,400	10,000	5750	15	माह
14	BRC, Hanumannagar, Darbhanga	85.2	1,70,400	10,000	5750	15	माह
15	BRC, Lakhnaur, Madhubani	85.2	1,70,400	10,000	5750	15	माह
16	BRC, Jhanjharpur, Madhubani	85.2	1,70,400	10,000	5750	15	माह
17	BRC,Phulparas,Madhubani	85.2	1,70,400	10,000	5750	15	माह
18	BRC,Khutauna,Madhubani		1,70,400	10,000	5750	15	माह
19	BRC, Khajouli, Madhubani	85.2	1,70,400	10,000	5750	15	माह
20	BRC,Bisfi,Madhubani	85.2	1,70,400	10,000	5750	15	माह
21	BRC,Rahika,Madhubani	85.2	1,70,400	10,000	5750	15	माह
22	BRC, Harlakhi, Madhubani	85.2	1,70,400	10,000	5750	15	माह
23	BRC,Babubarhi,Madhubani	85.2	1,70,400	10,000	5750	15	माह
24	BRC Rosada, Samastipur	85.2	1,70,400	10,000	5750	15	माह
25	BRC Samastipur	85.2	1,70,400	10,000	5750	15	माह
6	BRC, Khanpur, Samastipur	85.2	1,70,400	10,000	5750	15	माह
7	BRC, Hasanpur, Samastipur	85.2	1,70,400	10,000	5750		माह
8	BRC, Mohanpur, Samastipur	85.2	1,70,400	10,000	5750		नाह
9	BRC, Patori, Samastipur	85.2	1,70,400	10,000	5750		गह
0	BRC, Shivajinagar, Samastipur	85.2	1,70,400	10,000	5750	15 F	गह
1	BRC,Sangrampur,E.Champaran	85.2	1,70,400	10,000		15 म	
2	BRC,Kalyanpur,E.Champaran	85.2	1,70,400	10,000			ाह
3	BRC Chakia, E. Champaran	85.2	1,70,400	10,000			ाह
4	BRC Sugauli,E.Champaran	85.2	1,70,400	10,000			ाह
5	BRC Madhuban, E. Champaran	85.2	1,70,400	10,000			ाह
5	BRC Patahi, E. Champaran	85.2	1,70,400	10,000			ाह
7	BRC Raxaul, E. Champaran	85.2	1,70,400	10,000		15 म	
3	BRC Adapur,E.Champaran	85.2	1,70,400	10,000		15 मा	
)	BRC Bankatwa, E. Champaran	85.2	1,70,400	10,000		15 刊	
)	BRC Dhaka,E.Champaran		1,70,400	10,000		15 · 刊	_
	BRC Bairia, W.Champaran	85.2	1,70,400	10,000		15 मा 15 मा	_
	BRC Narkatiagon: W.C.		1,70,400	10,000		15 Tyr	
1	BRC Narkatiaganj, W.Champaran		1,70,400	10,000		-	
I	BRC Sikta, W.Champaran			10,000	TAVX M	5 / मा	-
1	BRC Bhithan, W.Champaran		1,70,400	- 0,000	Day of	5 मा	5

Nice de Nun

B.S.E.I.D.C. Ltd, Patna

	BRC Lauriya, W.Champaran	85.	2 1.70	400		
4	, ipiasi, w.Cliallinaran	0.7	-,,			
48	- Champaran	44 85. 85.	-,, 0,		0.00	
49		85.	-,, 0,	, - 0	0.50	15
		85.			0,50	15
50		85.	-,, 0,	,00	0.00	15
	Sasantpui,Siwan	85.2	-,.09	-,00	0.20	15
52		85.2	-,, 0,	-,00	2750	15
53	Shagwanpur,Siwan	85.2	- , ,	, , ,		15
54	-10,11dSdffpdf,SfWdff	85.2	7 9	-,	-,00	15
55		85.2	-,,	, , , , , , , , , , , , , , , , , , , ,	2,20	15
56	ODDalgani	85.2	-,,	-,00	0,00	15
57	The Bhorey, dopalyani	85.2	-,. 0,.	-,000	2,20	15
58	- 10,2 ijaipai, Oopaigaiii	85.2	-,,.	-,	0,00	15
59	- re rachacuit, dobaigant	85.2	, , ,	,,,,,		15
60	- Tracharkot, Gopargani	85.2	-,,.	,	0,00	15
61	BRC,Ramgarh,Kaimur	85.2	1,70,4	,000	0	15
62	BRC Chainpur,Kaimur		1,70,4	-,000	0,00	15
63	BRC Bhagwanpur,Kaimur	85.2	1,70,40	-,000		15
64	BRC Chakki,Buxar	85.2	1,70,40	-,000	5750	15
65	BRC Buxar	85.2	1,70,40	-,	5750	15
66	BRC,Chausa,Buxar	85.2	1,70,40	,000	5750	15
67	BRC Dinara, Rohtas	85.2	1,70,40	-,	5750	15
68	BRC Karahgar, Rohtas	85.2	1,70,40	-,000	5750	15
69	BRC Kochas, Rohtas	85.2	1,70,40	7000	5750	15
70	BRC Tilauthu, Rohtas	85.2	1,70,40		5750	15 1
71	BRC Karakat, Rohtas	85.2	1,70,40		5750	15 F
72	BRC Dawat, Rohtas	85.2	1,70,40	0 10,000	5750	15 F
73	BRC,Mansahi,Katihar	85.2	1,70,40	- 1 - 0 0	5750	15 म
74	BRC,Manihar,Katihar	85.2	1,70,40		5750	15 म
75	BRC,Pranpur,Katihar	85.2	1,70,400	10,000	5750	15 म
76	BRC, Kadwa, Katihar	85.2	1,70,400		5750	15 円
77	BRC,Barsoi,Katihar	85.2	1,70,400		5750	
78	BRC,Azamnagar,Katihar	85.2	1,70,400	,	5750	15 म
79	BRC,Narpatganj,Araria	85.2	1,70,400	-,-00	5750	15 中
80	BRC, Araria	85.2	1,70,400	- 9000		15 मा
81		85.2	1,70,400	-,000	5750	15 मा
82	BRC, Jokihat, Araria	85.2	1,70,400	- 7000	5750	15 मा
33	BRC,Bhargama,Araria	85.2	1,70,400	,	5750	15 मा
34	BRC,Kursakata,Araria	85.2	1,70,400		5750	15 मा
35	BRC, Purnea East,	85.2	1,70,400	10,000	5750	15 मा
36	BRC Amour P	85.2	1,70,400	10,000	5750	15 मार
37	BRC, Amour, Purnea	85.2	1,70,400		5750	15 मार
	BRC, Dhamdaha, Purnea	85.2	1,70,400	10,000	5750	15 माह
	BRC,Banmankhi,Purnea	85.2	1,70,400	10,000	5750	15 माह
9	BRC, Tarhagach, Kishanganj	85.2	1,70,400	10,000	5750	15 माह
0	BRC, Thakurganj, Kishanganj	85.2		10,000	5750	15 माह
1	BRC,Pothia,Kishanganj		1,70,400	10,000	5750	15 माह
2	BRC Katoria,Banka	85.2	1,70,400	10,000	5750	15 माह
3	BRC Rajaun,Banka	85.2	1,70,400	10,000	5750	15 माह
4	BRC,Barhat,Banka	85.2	1,70,400	10,000	5750	15 माह
5]	BRC Belhar,Banka	85.2	1,70,400	10,000	5750	15 माह
5]	BRC Jamui	85.2	1,70,400	10,000	5750	15 माह
	BRC Barhat,Jamui	85.2	1,70,400	10,000	5750	15 माह
	BRC Chakai, Jamui	85.2	1,70,400	10,000	5750	15 माह
) I	BRC Gidhour,Jamui	85.2	1,70,400	10,000	○ 5750	15 माह
0 F	BRC Sikandra,Jamui	85.2	1,70,400	10,000	5750	1
1	oncontrandia, Jaiilui	85.2	1,70,400	10,000	DX W	/5 माह

Niw en Rum

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

28/2

10	D1 BRC Asharganj,Munger					
10	D2 BRC Naugachhia Bhagalpur	85.2	1,70,400	, , , , ,	5750	15 माह
10	BRC Pirpainti,Bhagalpur	85.2	1,70,400	,	5750	15 माह
10	94 BRC Shahkund,Bhagalpur	85.2	1,70,400	-,		15 माह
10	BRC Puraini, Madhepura	85.2	1,70,400	-		15 माह
10	BRC Gwalpada, Madhepura	85.2	1,70,400	,		15 माह
10	7 BRC Kumarkhand, Madhepura	85.2	1,70,400	,		15 माह
10	8 BRC Gailarh, Madhepura	85.2	1,70,400	- /		15 माह
10	9 BRC Saurbazar, Saharsa	85.2	1,70,400	10,000		15 माह
11	0 BRC,Navhatta,Saharsa	85.2	1,70,400	-		15 माह
11	1 BRC Mahensi, Saharsa	85.2	1,70,400	10,000		15 माह
11	sandisa,Sanaisa	85.2 85.2	1,70,400	10,000		15 माह
11.	Bakitti yai bul Sallai Sa	85.2	1,70,400	10,000	5750	15 माह
114	4 BRC Supaul	85.2	1,70,400	10,000	5750	15 माह
11!	ipia,sapaai	85.2	1,70,400	10,000	5750	15 माह
116	- Tatap Sanj, Supaul	85.2	1,70,400	10,000	5750	15 माह
117	- Thirdii, Supaul	85.2	1,70,400	10,000	5750	15 माह
118	- Tagnopai, Supaui	85.2	1,70,400	10,000	5750	15 माह
119	- Januari, Gaya	85.2	1,70,400	10,000	5750	15 माह
120	differial, Odya	85.2	1,70,400	10,000	5750	15 माह
121	, razirgani, Gaya	85.2	1,70,400	10,000	5750	15 माह
122	BRC, Mohanpur, Gaya	85.2	1,70,400 1,70,400	10,000	5750	15 माह
123	, manganj, Gaya	85.2	1,70,400	10,000	5750	15 माह
124	- Lines, Ou yu	85.2	1,70,400	10,000	5750	15 माह
125	-, room, Suyu	85.2	1,70,400	10,000	5750	15 माह
126	- ye shahabad	85.2	1,70,400	10,000	5750	15 माह
127	BRC,Kako,Jehanabad	85.2	1,70,400	10,000	5750	15 माह
128	BRC,Ghosi,Jehanabad	85.2	1,70,400	10,000	5750	15 माह
129	BRC Arwal	85.2	1,70,400	10,000	5750	15 माह
130	BRC Karpi, Arwal	85.2	1,70,400	10,000	5750	15 माह
131	BRC,Obra,Aurangabad	85.2	1,70,400	10,000	5750	15 माह
132	BRC,Dev,Aurangabad	85.2	1,70,400	10,000	5750	15 माह
133	BRC Madanpur, Aurangabad	85.2	1,70,400	10,000	5750	15 माह
134	BRC Kutumba, Aurangabad	85.2	1,70,400		5750	15 माह
135	BRC, Rega, Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
136	BRC,Merajgang,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
137	BRC,Pupri,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
138	BRC,Barthnaha,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
139	BRC,Runisaidpur,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
140	BRC,Suppi,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
141	BRC, Pakribarawan, Nawada	85.2	1,70,400	10,000	5750	15 माह
142	BRC, Warisaliganj, Nawada	85.2	1,70,400	10,000	5750	15 माह
143	BRC, Akabarpur, Nawada	85.2	1,70,400	10,000	5750	15 माह
144	BRC, Narhat, Nawada	85.2	1,70,400	10,000	5750	15 माह
145	BRC, Chandi, Nalanda	85.2	1,70,400	10,000	5750	15 माह
146	BRC, Austhawan ,Nalanda	85.2	1,70,400	10,000	5750	15 माह
147	BRC, Rahui, Nalanda	85.2	1,70,400	10,000	5750	15 माह
148	BRC, Ekangarsarai, Nalanda	85.2	1,70,400	10,000	5750	15 माह
149	BRC,Silaw,Nalanda	85.2	1,70,400	10,000	5750	15 माह
150	BRC, Katrisarai, Nalanda	85.2	1,70,400	10,000	5750 5750	15 माह
151	BRC, Karaiparsurai, Nalanda	85.2	1,70,400	10,000	5750 5750	15 माह
152	BRC, Motipur, Muzaffarpur	85.2	1,70,400	10,000	5750 5750	15 माह
153	BRC Gaighat, Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह
154	BRC, Aurai, Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह
155	BRC,Bandra,Muzaffarpur	85.2	1,70,400	10,000	5750	15
156	BRC,Minapur,Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह
			7. 5,100	10,000	3/30/1	15 माह

Niwell Rum

Chief Engineer B.S.E.I.D.C. Ltd, Patna

28/2

157	BRC,Bhagwanpur,Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह
158	BRC, Jagdishpur, Bhojpur	85.2	1,70,400	10,000	5750	15 माह
159	BRC ,Charpokhri,Bhojpur	85.2	1,70,400	10,000	5750	
160	BRC, Udwantnagar, Bhojpur	85.2	1,70,400	10,000	5750	15 माह 15 माह
161	BRC,Garhani,Bhojpur	85.2	1,70,400	10,000	5750	15 माह
162	BRC ,Koilwar,Bhojpur	85.2	1,70,400	10,000	5750	15 माह
163	BRC, Fatuhan, Patna	85.2	1,70,400	10,000	5750	15 माह
164	BRC, Bakhtiyarpur, Patna	85.2	1,70,400	10,000	5750	15 माह
165	BRC,Naubatpur,Patna	85.2	1,70,400	10,000	5750	15 माह
166	BRC,Maner,Patna	85.2	1,70,400	10,000	5750	
167	BRC,Begusarai	85.2	1,70,400	10,000		
168	BRC,Matihani,Begusarai	85.2	1,70,400	10,000	5750 5750	15 माह 15 —
169	BRC, Bhagwanpur, Begusarai	85.2	1,70,400	10,000	5750	15 माह 15 माह
170	BRC, Bakhri,Begusarai	85.2	1,70,400	10,000	5750	
171	BRC, Mansoorchak, Begusarai	85.2	1,70,400	10,000	5750	
172	BRC, Cheria Bariyarpur,Begusarai	85.2	1,70,400	10,000	5750	
173	BRC ,Chuatham,Khagaria	85.2	1,70,400	10,000	5750	
174	BRC ,Gogari,Khagaria	85.2	1,70,400	10,000	5750	
175	BRC, Beldour, Khagaria	85.2	1,70,400	10,000	5750	
176	BRC,Parbatta,Khagaria	85.2	1,70,400	10,000	5750	
177	BRC,Raghopur,Vaishali	85.2	1,70,400	10,000	5750	
178	BRC ,Desari, Vaishali	85.2	1,70,400	10,000	5750	
179	BRC, Bidupur, Vaishali	85.2	1,70,400	10,000		15 माह
180	BRC, Jandaha, Vaishali	85.2	1,70,400	10,000	5750 5750	15 माह
181	BRC ,Mahua,Vaishali	85.2	1,70,400	10,000		15 माह
182	BRC, Garoul, Vaishali	85.2	1,70,400	10,000	5750	15 माह
183	BRC,Chewada,Shekhpura	85.2	1,70,400	10,000	5750 5750	15 माह 15 माह
184	BRC,Barhiya,Lakhisarai	85.2	1,70,400	10,000		15 माह 15 माह
185	BRC ,Alinagar, Suryagarha,Lakhisarai	85.2	1,70,400	10,000	5750 5750	15 माह 15 माह

नोटः (i). निविदाकार एक या अधिक कार्य के लिए अलग-अलग निविदा डाल सकते हैं।

(ii). प्राक्कलित राशि घट या बढ़ सकती है एवं तदन्सार अग्रधन की राशि घट या बढ़ सकती है।

(iii) वेबसाईट-www.eproc.bihar.gov.in पर अंकित प्राक्कलित राशि, अग्रधन की राशि एवं परिमाण विपन्न की राशि अंतिम रुप से मान्य होगा।

(2) विज्ञापन निर्गत करने की तिथि

दिनांक:-03.02 .2016

(3) परिमाण विपन्न प्राप्त करने(डाउनलोड) की अवधि एवं समय :- दिनांक- 03.03.2016 से 28.03.2016, 15:00 घंटा

(वेबसाईट:www.eproc.bihar.gov.in पर)

(4) प्री बिड मीटिंग का समय, स्थान एवं तिथि

दिनांक:- 15.03.2016, 14:30 घंटा प्रबंध निदेशक का

कार्यालय,बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम, पटना।

(5) निविदा प्राप्ति(अपलोड) की अंतिम तिथि एवं समय:-

दिनांक- 29.03.2016, समय- 15:00 घंटा

(6) अग्रधन जमा करने की अंतिम तिथि एवं समय

दिनांक- 31.03.2016, समय- 15:00 घंटा

(7) टेक्निकल बिड खोलने की तिथि एवं समय

दिनांक- 31.03.2016, समय- 16:30 घंटा

(8) वित्तीय बिड खोलने की तिथि एवं समय

(वेबसाईट-www.eproc.bihar.gov.inपर)

(9) निविदा खोलने का स्थान

दिनांक- 11.04.2016, समय- 15:30 घंटा

(10) निविदा की वैधता की अवधि

वेबसाईट-www.eproc.bihar.gov.inपर

120 दिन

(11) ई—टेन्डरिंग की प्रकिया में भाग लेने हेतु संवेदकों को पंजीकृत होना होगा, जिससे कि उन्हें उपयोगकर्ता का नाम (user ID) पासवर्ड (Password) अंकीय हस्ताक्षर (Digital Signature) निर्गत की जायेगी। यह उन्हें वेबसाईट

www.eproc.bihar.gov.in से डाउनलोड करने / टेन्डर की प्रक्रिया में भाग लेने की योग्यता प्रदान करेगा।

(12) ई-निविदा पत्र बेवसाईट www.eproc.bihar.gov.in से प्राप्त किया जा सकता है। संवेदक द्वारा सिर्फ उपर्युक्त वेबसाईट से ही परिमाण विपत्र प्राप्त करने के उपरांत वेबसाईट पर ही इलेक्ट्रानिक निविदा पत्र को भरकर भेजना है। अन्य सभी महत्वपूर्ण कागजात / बैंक ड्राफ्ट / अग्रधन की राशि / सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को स्कैन कर 🌴 निविदा के साथ संलग्न करना अनिवार्य है।

(13) परिमाण विपन्न के दर से कम दर उद्धृत करने पर बीड डाक्यूमेंट की शत्तों एवं सरकारी निर्म्न सीर अनुस्कित

Performance Guarantee एकरारनामा के पूर्व जमा करना होगा।

Chief Engineer B.S.E.I.D.C. Ltd, Patna

Niwery fun

(14) (क) प्रत्येक परिमाण विपन्न का मूल्य जो प्रत्येक निविदा के सामने उपर कण्डिका (1) में अंकित है (जो लौटाया नहीं जाएगा) किसी भी राष्ट्रीयकृत बैंक द्वारा निर्गत एवं BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. के नाम से एवं पटना में भुगतेय हो, स्वीकार किया जायेगा। मूल बैंक 47 ड्राफ्ट ''बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड'' पटना के कार्यालय में दिनांक 31.03.2016 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना है। ऐसा नहीं करने पर निविदा मान्य नहीं

(ঘ) Beltron Bid Processing Fee is mandatory to be paid through online mode i.e. Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS" Bids along with necessary online payments must be submitted through e-procurement portal www.eproc.bihar.gov.in before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffic/ Holidays or

(ग) वांछित अग्रधन की राशि राष्ट्रीय बचत पत्र / डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक जो बिहार राज्य से क्रय या जमा किया हो, प्रबंध निदेशक, BSEIDC Ltd., पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा बिहार वित्त नियमावली के अनुसार BSEIDC Ltd. के नाम से फिक्सड डिपोजिट रिसिप्ट अथवा बैंक गारन्टी जो बिड के मान्य अवधि तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत/अनुसूचित बैंक से निर्गत हो (अगर बिहार प्रान्त के बाहर के बैंक से निर्गत बैंक गारन्टी दिया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड, पटना में दिनांक 31.03.2016 के 15:00 घंटे तक स्वयं / निबंधित डाक / स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना आवश्यक है। ऐसा नहीं करने पर निविदा

(15) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर लें। ताकि अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से बच सकें।

(16) निविदाकार निविदा डालने से पहले अपने स्तर से भी प्रस्तावित कार्य स्थल पर भूमि उपलब्धता के संबंध में आश्वस्त हो

(17) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। बिना कारण बताये निविदा या उसके अंश को अस्वीकृत करने / रद्द करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।

(18) विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्य अविध में सम्पर्क किया जा सकता है। ई—टेन्डरिंग की प्रक्रिया से संबंधित किसी भी प्रकार की जानकारी / सूचना हेतु सहायता कक्ष, ई-टेन्डरिंग कक्ष, प्रथत तल्ला, M / 22, बैंक ऑफ इण्डिया भवन, रोड न० २५, श्री कृष्णा नगर, पटना—800001, दूरभाष सं० 0612—2523006/9939035696.

> ब्रजेश प्रसाद म्ख्य अभियंता

Niwem Ruma