1

Schedule XLV-Form No. 61 Resource centre at Shivaji nagar, Samastipur. (SL No. - 30).

BIHAR PUBLIC WORKS DEPARTMENT

A gency - [Form No. F-2] Abhay Kuman Singh.
ITEM RATE TENDER AND CONTRACT FOR WORKS

Agreement No. ______249

242 F2 of 2016-17

General Rule and Direction for the guidance of Contractors.

Date of Commencement - 18-03-2017

1. All works proposed for execution by contract will be notified in a form of invitation to tender

passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer.

This notice will state the work to be seen at the sub-divisional Officer (Executive Engineer).

This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours.

2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so.

3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm.

4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender.

6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompanied by the treasury work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the envelop. Cash deposits for earnests enclosed with the tender

18/3/17

18/3/17

n Ltd.

SAMASTIPUR

n memorandum at nd in accodance in Subjects to the accordance with,

: Commencement of

EN MONTHS

neer
d. Patna
www.hou.hou
103/12

7. The Engineer or his duly authorised assistant will open the tender in the presence of any Schedule XLV - Form No. 61 intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.

8. The Engineer shall have the right of rejecting all or any of the tenders.

9. In the event of a tender being selected for acceptance the Engineer who opened the tenders will, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the priscribed time. The tender with the specilication and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to

10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.

11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required the security money has been deposited the Engineer shall scrutinise all pages of the form of item rate, tender & contract money has been deposited the Engineer shall scrutinise all pages of the form of item rate. for works to see that the form has been properly filled up and signed by the contractor witnessed He shall then if he is competent, to accept the tender, sign the acceptance of the is not so competent shall send the form for signature of the acceptance of the acce

(3) 2

TENDER FOR WORKS

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

MEMORANDUM

If several sub-work are	[0]	Name of work
cluded they should be tained in a separate list.	[b]	Estimated cost
This deposit will be 5%	[c]	Earnest money

the estimated cost of the [C] Initial security deposits (including earnest money) to be deposited befor the commencement of the work

c) This percentage eduction from bills will be credited to the contractors

security deposit.

[e]

Percentage to be deducted from bills Rs. 5% (Rupees five percent) Time required for the work from date of written order to commence monthly [f]

Date of written other to commence [9]

Total number of item of work tendered for [h]

RATE TENDERED Per In words Item of work In figures Item No.

Chief En B.S.E.I.D.C. L

ion Ltd.

t, SAMASTIPUR

ten memorandum at e and in accodance in d Subjects to the in accordance with,

the Commencement of

TEEN MONTHS

Item No. Item of work In figures In words In figures In words And		CANDY SKA STOR	RATE TEL	NDERED	Dor
Control of the contro	Item No.	Item of work	In figures	In words	Per
The control of the co	onal ray has	contained the surface of the	Liferry Lance	Santa Formación	
Authority and control of the control	Thinking of schools		n in the same of the same		
AUGUS POSTER AU			or resided on to		
Third Search of Continues are granted by an area through a street plant and the street plant area through a street plant and the street plant area through a street plant and the street plant area through a street plant are a street plant area through a street plant are a street plant area through a street plant are a street plant area through a street plant are a street plant area through a street plant are a street pla					
Shi keni ya di kara Mara musuka dinamanana dan apampa maja di arawa dan apampa maja dan arawa dan apampa dan arawa dan apampa dan arawa dan apampa dan arawa		MUQAROUBIN			
tion of all and a second to the second to th			Trow to	(A) (A)	
tion of all and a second to the second to th			,		
tides and all seague), 20 and all seague in the mail to all an appendix of the mail to all a seague in the mail to				asi (19)	
tides and all seague), 20 and all seague in the mail to all an appendix of the mail to all a seague in the mail to					
tides and all seague), 20 and all seague in the mail to all an appendix of the mail to all a seague in the mail to			BACTE CELL		
tides and all seague), 20 and all seague in the mail to all an appendix of the mail to all a seague in the mail to				***	
Contract plane (allow to glab more than participations). Contract plane (100 100 100 100 100 100 100 100 100 100		e e a aglaceto la la compositiva	20 20 20 20 20 20 20 20 20 20 20 20 20 2	
Contract plane (allow to glab more than participations). Contract plane (
Standard Sta	· (Rraining or)	l seedu 1, 212, a Flaigh moit is su	b o as an analysi		
Standard Sta					-
Consideration of matter to the	83,02000			(TÉ HE NO SE	
Call action and the state of the particular of t					
Call action and the state of the particular of t					
OSCIONAL ASSOCIATION ASSOCIATI	S 4 3 0 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
OSINSONS IN AGENCY AND		and Repulsivest stone C		a Santa	
	16F C PC			a to made the	
	10 dia 100				
			hi recolution to		
				148	
	The State		Assessment the New		
	aprinted a large				
			a telephone		
	ton				
	19				
and Pina Sea	A/ Follow				
ans Paris Bardo	The market of the				
Spiller State Spiller State B. S.E. I.O.C. Ltd. Plana					
and Paragraph Pa					
ann 9, br. D.C. Lac a	12/2/	**			
anni P. M. D. C. E. B. B. B. C. C. Lid. P. dna.	150	California d	A Company		
	snin Pains	e e e e e e e e e	1 1 2 2 2 2 2		1 33 10
			Turk is the		- 平台

3 (5) schedule XLV - Form No. 61 RATE TENDERED Per Item of work Item No. In words In figures

tion Ltd.

R, SAMASTIPUR

tten memorandum at e and in accodance in id Subjects to the in accordance with,

30)

the Commencement of

TEEN MONTHS

gineer Ltd, Patna Jkehoushon 16/03/14

Item No.	Item of	work	RATE TE	NAME AND ADDRESS OF THE OWNER, WHEN PERSON ADDRESS OF THE OWNER, WHEN PERSON AND ADDRESS OF THE OWNER, WHEN	Per
item vo.	831081	estudies.	In figures	In words	
				-	
			1		
				() () () () () () () () () ()	
		To any			
				- grander	
				E SINESIES	

RATE TENDERED

In words

In figures

ritten memorandum at ce and in accodance in and Subjects to the ts in accordance with,

at

Per

e the Commencement of

FTEEN MONTHS

ngineer
Ltd. Patna
Kehowshord
K/03//2

should this tender be accepted I/we hereby agree to abide by and fulfill all the terms and provisions of the said conditions of contract annexed hereto so, for a applicable, or in ssors in office the sums of money mentioned in the said conditions.

Dated the

*Signature, of contractor before comission of tender

witness Address

Occupation .

Signature of witness to contractor's signature

Compensation

The above tender is hereby accepted by me on behalf of the Governor of Bihar. day of Dated the

20

signature of the office accepting the tender

Acceptances communicated on 05-09-2016.

signature of the part taking the tende

CONDITIONS OF CONTRACT

Clause 1:- All compensation or other sums of payable by the contractor to Government under the terms of his contract may be deducted from, paid by the sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor by Government on any account whatsoever and in the event of his security depos being reduced by reason of any such deduction or sale as aforesaid, the contracto shall within ten days there after make good in cash or Government securities endorsed as aforesaid any sum or sums which may have been deducted from, or arised by, sale of his security deposit of any part thereof.

The work should not be considered untill such date as the Executive Engineer shall necessary rectification of defects as pointed by the contractor to the Engineer's satisfaction.

Clause 2 :- The time allowed for carrying out the work as entered in the tende shall be strictly observed by the contractor and shall be reckoned from the date of which the wirtten order to comence work is given to the contractor. The work sha the work is finished after throughout the stipulated period of the contract be carried on with all due diligence (time being deemed to be the essence of the contract on the part of the contract or) and the contractor shall pay as compensation an amount equal to 1/2 percent authorised agents are fully on the amount of the estimated cost of the whole work as shown by the tender for every day that the work remains uncommenced or unfinished after the proper date And further to ensure good progress during the execution of the work the contract shall be bound in all cases in which the time allowed for any work exceeds or month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before one half of such time elapsed and three-fourths of the work, before three fourths of such time has elapsed in the event of the contractor failing to employ with this condition I shall be liable to pay as compensation an amount equal to ½ percent on the sa estimated cost of the whole work for every day that the due quantity of wo remains incomplete provided always that the entire amount of compensation to be paid under the provisions the clause shall not exceed 10 percent of the estimate cost of the work as shown in the tender.

Action when persnle security deposit foreited

Clause 3: - In any case which under any clause or clauses of or this contract the contractor shall have rendered himself laible to pay compensation amounting to the whole of his security deposit in the hands of Government (where paid in on sum or deducted by instalments) the Executive Engineer on behalf on the Biha Government shall have been powered to adopt any of the following courses, as h may deem best suited to the enterest of Government -

under the hand of the Executive Engineer shall be conclusive evidence) and which case the sectitiry deposit of the contractor shall start in the disposal of Government which case the sectitiry deposit of the contractors and absolutely at the disposal of Government.

(9)

(b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debitting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in -charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.

(c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original contractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4: - In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may, if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Engineer as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

Clause 5 :- If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) he shall apply in writing to the Executive Engineer within 40 days from the date of starting hinderance on account of which be desires such extension as aforesaid and the Ex Engineer shall, if in his opinion (which shall be final) reasonable grounds be engineer. thereof authorised such extension of time, if any, as may in his opinion be heef safgineer proper. The Executive Engineer shall at the same time inform the costs down the Ltd. Patna claims compensation for the delay.

ation Ltd.

AR, SAMASTIPUR

vritten memorandum at nce and in accodance in and Subjects to the cts in accordance with,

at 0-30)

contractor remains liable to pay compensation if action not take under

Power to take posession of or require removal of

or sell contractor plant

re the Commencement of

IFTEEN MONTHS

Extension of time

Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion, but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinctly marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-work, doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurements shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus materials and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid, except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible, before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-in-charge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts or in any other way vary or affect the contract.

• Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Stores supplied Government

Clause 9:- If the specification or estimate of the work provides for the use of any special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-incharge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums then due of there after to become due to the contractor under the contract or otherwise, or security deposit, or the proceed of sale thereof, if the same is held in Government security the same or sufficient portion thereof in this case sold for the purpose interesterials supplied to the contractor shall remain the absolute property of Government and shall not on any accounts he removed from this site of the work and shall at all times be open to

ABLOGICA 3/17

18/3

inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: - The contractor shall executive the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid

Clause 11:- Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a disputes the decision of the superintending Engineer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period.

Clause 12:- If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out. the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsoever on account of any profit or advantage, which he might have derived from the execution of the work in full, but which he did not derive in consequence of the full amount of the work not having been carried out neither shall he have any claim for compensation of reason to be carried out. of any alternation having been made in the original specification, drawing to build antid, Patna instruction which shall involve any installment of the work as a time ally contemplated clause 12 (a) As contained in G O 1929 dated 11.9.56.

ation Ltd.

AR, SAMASTIPUR

Work to be executed accordance with specification drawing other etc.

ritten memorandum at nce and in accodance in and Subjects to the ets in accordance with,

at 0-30

Alteration in specifications and designation

Do not in validate contract

e the Commencement of

FTEEN MONTHS

Time in consequence of

Rate for work no in estimate or schedule of

Compensation for alteration in or restriction of

> ngineer Ltd. Patna

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such failure is due to:

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as finally by the contractor.

Action and compensation payable in case of work

Clause 13 :- If it shall appear to the Engineer-in-charge or his subordinate incharge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall on demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-incharge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and expense in all respects of the contractcor.

Work to be taken to inspection

Clause 14:-All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineer-in-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be present.

Clause 15: The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which the same was effected.

Notice to be taken before work covered up

Clause 16:- If the contractor or his work-people, or servants shall break, deface injure or destroy any part of a building in which they may be working by any building, road, road curves, fence enclosure water pipes, cables, drains, electric or descriptions posts or wires, trees, grass or grassland or cultivated ground contigues on which the work or any part of it is being executed or if any damage shall begin the work, while in progress from any cause whatsoever or any imported to the work, while in progress from any cause whatsoever or any imported to the day apparent in if within three months (six months in the case of a road-work) after a certificate final or other of its completion shall have been given by the Engineer-in-charge

Alley

as a fore seal, the contractor shall make the same good at his own expense, or in default, the Engineer-in-charge may cause the same to be made be good by other Contractor liable for worksmen and deduct the expense of which time thereafter may become due to the contractor, or from his security deposit, or the proceed of sale there of, or of a sufficient and after certificate portion there of the security deposit at the contractor shall not be refunded before the expiry of three months (six months in the case of a road-work) after the issue of the certificate final or otherwise of completion of work provided that in the case of a road work if in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable after three months of the issue of the said certificate of completion

Clause 17:- The contractor shall supply at his own cost all materials (except such special materials) if any as may in accordance with the contract be supplied from the Engineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, tackle scaffolding and temporary works requisits or proper for the proper execution of the work whether original, altered or substituted and whether include in the specification or other documents forming part of the contract or referred to in these conditions or not or which may be necessary for purpose of satisfying or complying with the requirement of the Engineer-in-charge as to any matter as to which under these conditions he is entitled to be satisfied which he is entitled to require together with carriage therefore to and form the work. The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting, weighing and assisting in the measurement or examination at any time and form time to time of the work or materials failing his so doing the same may be Provided by the Engineer-in-charge at the expense of the contractor and the expenses may be deducted from any money due to the contractor under the contract from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide all necessary fencing and lights required to protect the public from accident, and shall be bound to bear to expenses of defence of every suit action or other proceeding at law that may be brought by any person for injury sustained owing to neglect of the above precautions and to any such person or which may with the consent of the contractor be paid to compromise any claim by any such person.

Clause 18:- No female labour shall be employed within the limits of contonment. The contractor shall not employ for the purpose of his contract any person who is below the age of twelve years and shall pay to each labour for the work done by such labourer wages not less than the wages paid for similar work in the neighbourhood.

The executive Engineer shall have the right to enquire into the case and decide any complaint alleging that the wages paid by the contractor to any labourer for the work done by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer employed by contractor is below the age of twelve years and to refuse to allow any labourer whom he decided to be below the age of twelve years to be employed by the contractor.

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his contract, or attempt so to do, or become insolvent proceedings to make any composition with his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward or advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, or offered by the contractor, or any of his servant or agents to any public officer or person in the employ of Government in any way relating to his officer or employment or if any such officer or person shall become in any way directly or indirectly interested in the contract the Executive Engineer may there upon by notice in writing rescind the contract The security deposit of the contractor shall there upon stand forfeited and be absolutely at the disposal of Government and the same consequence shall ensure as if the contract had been recinded under clause 3 here of, in addition the contractor shall no chief the gineer

to recover or be paid to any work therefore actually performed the und to be Eche G. Ltd, Patna

damage done and for imperfection a months

ation Ltd.

IR, SAMASTIPUR

ritten memorandum at nce and in accodance in and Subjects to the Contractor to supply to ts in accordance with, plantladder scaffolding

And is liable for damage arising for non-provision of light fencing etc.

e the Commencement of

Work not to be subject

FTEEN MONTHS

Contract may be resinded and security deposit forfelted for subletting bribes or if contractor become

such payable by way of compensation to be considered reasonable compensation without reference to actual loss

Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained.

Clause 21: In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal of Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending En-

Clause 22 :- All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23: - In case any dispute or difference shall arise between the parties or either of there upon any question relating to the meaning of the specifications, designs, drawings and instructions here before mentioned or as to the quality of workmanship or materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, or any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions or otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof or as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

(a) Clause 24 :- When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items or work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-incharge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineerin-charge shall be final and conclusive against the contractor with regard to any sum payable to him under the provision of this clause.

where specificaiton

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Definition of works

Clause 26 :- The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to such construction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered, substituted or additional.

Clause 27:- The terms and conditions of the agreement have been read/explainer clearly understand them

Witness.

Schedule XLV - Form No. 61

(15)

Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied

Particulars	will be ch	nich the materi narged to the ntractor	ial	Place of delivery
	Unit	Rs.	P.	
	Mark de W			
	B-Subfall			Carlos Series Company
		Fec. 67,6		
		rain (froi		
		tanin tan ingg		
		the lyen of o		

ion Ltd.

?, SAMASTIPUR

tten memorandum at e and in accodance in nd Subjects to the s in accordance with,

at

e the Commencement of

IFTEEN MONTHS

Engineer-in-charge on the issue of the form prior to the submission of the

(Signature of Contrator)

Chief Engineer

BSS nature of Extended to Rating an eer)

Engineer
C. Ltd. Patna
Kehoushor

Bihar State Educational Infrastructure Development Corporation Ltd.

AGREEMENT for Construction of Block Resource Centre at SHIVAJINAGAR, SAMASTI

I/we heredy tender for the execution for the Governor of Bihr of the work specifed in the under written memorandum the rates specified therein within a period of years month from the date of witten order to commence and in accodance all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subjects to the annexed condation of contract and with such materaials as are provided for by and in other respects in accordance with such conditions so far as applicable.

MEMORANDUM

- (a) If several sub-work are incuded they should be detained in the separate list
- (A) Name of Work :- Construction of Block Resource Centre at SHIVAJINAGAR, SAMASTIPUR (Sl. No-30)
- (B) Estimated Cost :- Rs. 75,11,777=00 Agreement value :- Rs. 67,60,599=00
- (b) This deposit will be 5% of the estimated cost of the work.
- (C)Earnest Money:-
- (c)This percentage deduction from bills will be credited to the contractors security deposits
 - (D) Initial security deposits (including earnest money) to be deposited before the Commencement of

Earnest Money:- Rs. 3,40,000/- (Details attached)

- (E) Percentage to be deducted from bill Rs. 5% (Rupees five percent)
- (F) Time required for the work from date of written order to commence **FIFTEEN MONTHS** (G) Date of written order to commence :-
- (H) Total number of item of work tendered for :- 116

Chief Engineer B.S.E.I.D.C. Ltd. Patna Kehoushon MAILIA

1910

BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. SHIKSHA BHAWAN, SAIDPUR, PATNA.

B.O.Q. FOR BLOCK RESOURCE CENTRE IN BIHAR

1		THE ITEM	I RATE BASED ON S.O.R. BCD. PWY	JRCE CENTED AND ALL LEAD
	CX	THETTEN	RATE BASED ON S.O.R BCD RIHAD.	ACE CENTRE IN BIHAR
	SL.	DISTRICT	NAME OF THE PROPERTY OF THE PR	URCE CENTRE IN BIHAR DATE - 15-09-2014, & D.S.R (ELECTRICAL) 2014
	1			2014
	1	SAMAST	Dr. o. s	BLOCK
	1	IPUR	BLOCK RESOURCE CENTRE	
			- CENTRE	SHIVAJINAGAD

SI.	SOR		CIVIL WOR	<u>KS</u>			
No.	Item No.	Item of Wor	rk O	ty. I	I*4	Rate	
	II F WOR	3			nit	(Rs.)	Amount
1	1LE WOR 20.2	Boring, providing and instal in-situ reinforced compart	4		5	6	(Rs.)
		in-situ reinforced cement cograde M-25 of specified dian below the pile cap, to carry load not less than specified, cost of steel reinforcement but cost of boring, with bentonit temporary casing of approprisetting out and removal of length of the pile to be embeddap etc. all complete, includir excavated earth with all lift. Length of pile for paymeneasured upto bottom of pile cannot be pile to be embedded and the pile to be embedded.	neter and length a safe working excluding the at including the solution and iate length for same and the ded in the pile ng removal of its and leads				
2	20.2.1	00 mm dia Piles				Rs. On	e thousand three
20	0.2.2	00 mm dia Piles	0.000	meter	1.	309.30 thirty o	d nino and .
20	0.2.3	0 mm dia Piles	0.000	meter	15	523.20 paise tw	twenty three and
20.	2.4	mm dia Piles	0.000	meter		78.80 and pais	thousand nine seventy eight
20	2.5 600	mm dia Piles	0.000	meter	taring and	hundred 06.60 sixty only	thousand three six and paise
			0.000		40000	Rs. Two	thousand nine ninety six and

Chief Engineer B.S.E.I.D.C. 18/03/12 18/3

			0 mm dia Piles			0.000				Rs. Four thousand hundred nineteen
	2 2	0.3 Box	ing Do- 11			7.000	meter	42	19.70	paise seventy only
		sing	ring, Providing and inst	alling cast in	situ			-		
		cem load cost cost the le cap cap aym	gle under reamed pineter and length below ent concrete, to carry not less than specifie of steel reinforcement lof boring with benton ength of the pile to be elete. all complete. (Ler ent shall be measure m of pile cap):	pile cap in M a safe work d, excluding but including a ite solution a mbedded in p	fied -25 ing the the nd ile					
	20.3.	1 300 m	m dia Piles							
	20.3.2		m dia Piles		0.00	0 m	eter	1024	Thur	One thousand nir
						-	oter	1934.2	20/pais	se twenty only
	20.3.3	450 mm	n dia Piles		0.000) me	eter	2225.3	nun 0 pais	Two thousand two dred twenty five a e thirty only.
	20.3.4	550 mm	l' pu		0.000			Maria Company	Rs.	Two thousand thre
		330 11111	dia Piles		0.000	me	ter	2397.50	opaise	fifty only
2					0.000	met	er	2605.10	Ihund	wo thousand six red five and paise
3	20.4	Extra ove	er item No. 23.3 for pro	Viding				2605.10	ten o	nly.
		specified	bulb in under reamed dia meter quantity of extra bulbs	piles, under						
	20.4.1	300 mm d	ia Piles							
									Rs. On	e thousand two
	20.4.2	400 mm di	a Piles		0.000	Each	12	240.10 to	lundre	d forty and .
	20.4.3	450 mm dia	a Piles		0.000	Each	-	R	Rs. One undred	e thousand three I seventy three se eighty only.
	20.4.4	500 mm dia	Piles	0	0.000	Each	- 1000		s. One Indred	thousand four
1							. 143	94.80 pa	use eig	thousand five

AB-870 Sith

Chief Engineer

B.S.E.I.D.C. Ltd., Patna

16/03/17

		EAR	THWO	DI			10					
		4	2.8	3.1	IN EXCAVATION		12	_				
					Earthwork in excavation 30cm in depth, 15m in	on in as(exce	eding					
-					10sqm on plan) include	width as we	ell es					
					and ramming of	g dressing of	sides					
					including getting out the disposal of surplus soil as	excavated so:	1.5					
					disposal of surplus soil as lead of 50m.	directed with	and					
					All Kind of soil						Rs. Two hundred fi	VO.
					= 286.64 CUM						and paise twenty on	lv.
					SEPTIC TANK = 31.89 C	JM						
	-	-			101AL QUANTITY = 31	8.53 CUM					and the same of th	
	5		2.29.1		Surface dressing of the		318.5	30	cum	20		
					removing vegetation and exceeding 15 cm deep	inequalities	ing		Carri	20:	5.20	
					exceeding 15 cm deep a rubbish, lead upto 50 m and	and disposal	of			The state of the s		
					rubbish, lead upto 50 m and All kinds of soil.	lift upto 1.5m	01				Rs. Seven hundred	
					= 136.41 CUM						eighteen and paise eigh	htv
\bigcirc	E	ART	H FILI				125				only.	, iii y
	6		2.26				136.41	0	100 sqm	718.8	00	
			2.20	re	illing available excavated e	arth (excluding						
				fo	ock) in trenches, plint undations etc. in leve	h, sides of	f					
				cn	in denth: consolidation	exceeding 20						
				lay	er by ramming and water	ach deposited					Re Cint	
				=	188.98 CUM	3 read					Rs. Sixty six and paise forty only.	
_ [S A	AID									J. J	
-			FILLIN				188.980		cu.m	66.40		
	7	2	.28	Sup	plying and Filling in plint	la del						
				san	. Hoors inclinding	n with local				15000		
				com	ming consolidating and plete.	d dressing						
				= 1	18.79 CUM	Some						
			18	EP	TIC TANK = 1 02 CUR.						Rs. One hundred ninety	
				01	AL QUANTITY = 110 81 C	'IIM					two and paise fifty only.	
FL	AT B	RICI	K SOLI	NG		OIVI	119.810	cu.	.m	192.50		
8		11.7				6	English			192.50	4	
			1	lino	ding designation 100 A one	brick flat						
			co	st o	f watering toward with local sand	l including						
			as	per	building specification and	complete						
			of	E/1,	and	direction				-		
			SE	+ 2 PT1/	, BUILDING = 291.84 CUN	1				Rs	5. Two hundred twenty	
					C TANK = 13.57 CUM C QUANTITY = 305.41 CU					on	ven and paise sixty	
					= 305.41 CU	M						
۸.					\	305	5.410 so	ą.m	20	77.63		
M	Ja	8	10	1	in			1.111		27.600		

Allan 12 Sich

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

18/3/17

18/3/17

				12					
				13					
		P.C.C.							
		1.0.0.							
_									
	9	4.1.5	D						
			Providing and laying in position concrete of specified grade	Cement					
			concrete of specified grade exclu	ding the					
			cost of centring and shuttering- a	all work					
			11:3:6 (Icement 2	W. WOLK			1		
			1:3:6 (1cement: 3 coarse sand : 6 stone aggregate 20mm nominal :	graded				Rs. Two thousand sev	even
			stone aggregate 20mm nominal size)				1	Hundred seventy five	and
	10	4.1.4						paise seventy only.	
		1	Providing and laying in position concrete of specified grad-	13.00	00 c	u.m 277	75.70		
			concrete of specified grade excludi	cement		211	3.70		
			cost of centring and shuttering- all upto plinth level	ng the					
			upto plinth level	WOLK					
_			1:2:4 (1 Cement: 2 coarse sand : 4 g stone aggregate 40	graded					
		1	mm_nominal_si=>10	, 4424			R	Rs. Three thousand two	
		8	mm nominal size)10 + 2 , BUILDII 8.74 CUM	NG =			IIIu	undred nineteen and	3
		5	SEPTIC TANK = 2.98 CUM				pa	aise seventy only.	
		T	TOTAL QUANTITY = 11.72 CUM					vj.	
	F	LOORING	QOANTITY = 11.72 CUM						
	11			11.720	cu.n	m 3219.	70	<i>y</i>	
		1 1	Providing and laying Ceramic glazed ites 300x300 mm (thickness)			321).	70		
		by					+		_
		CO	y the manufacturer) of ist quantification of the specific performing to IS: 15622 at	lied ality.				1	
		in	onforming to IS: 15622 of approved m	ility					
		exi	colours such shades	ake					
		Bro	ccept white , Ivory , Grey , Fume Recown , laid on 20 mm thick C	ad					
		1:4	own, laid on 20 mm thick Cement mo	otar			D ,		
		poi	4 (1 cement: 4 coarse sand) including the joints with which	ing			Ks. F	Eight hundred one	
		mat	inting the joints with white cement a tching pigment etc.	ind			and p	paise eighty only.	
		TOI	tching pigment etc., complete. ILET PORTION = 46.04 SQM						
			= 46.04 SQM						1
	TTIAT								
	WAL	L TILES		46.040	sq.m	901.000			
					54.111	801.800			

Chief Engineer

B.S.E.I.D.C. Ltd, Patnay

Skahva Shory

13/03//3

24er 18/3

	12	1.36 Providing	14			
		I loviding and fiving 1-1				
		glazed wall tiles conforming (Thickness to be	to IS: 15622			
		manufacture) of approved colours, shades expect to	make in all			
		colours, shades except burgi	indy hottle			
-		green, black of any size as app	roved by			
		steps and dados over 12 mm	thick bed of			Rs Seven hours
		cement Motar 1:3(1 cement: 3 and jointing with gray and	coarse sand			Rs. Seven hundred four and paise twer
						only.
		cement mixed with pigment of shade complete.	of matching			
		TOILET PORTION = 188.874 S	QM			
LOC	ORING &	SKIRTING	188.87	7.4		
13	11.20	SI Kota	100.87	/4 sq.n	754.2	00
		Stolle Slab flooring	r 20 mm			
		over and jointed with grey cen	nent slurry	-		
		mixed with pigment to				
		match the shade of the slab	including			
						D
		complete . Base with 1:1:1 (1 surkhi: 1 coarse sond) / 1 to 1	lime : 1			Rs. Nine hundred sixt
		surkhi: 1 coarse sand) / 1:4 (20 T	O 25MM			eight only.
		=281.852 SQM				Market Control
		Service SQIVI				and the same of th
14	11.27	Kota stone slaba 20	281.852	S.G. m		
		Kota stone slabs 20 mm thick in steps skirting. Dado &	risers of	sq.m	968.00	
					and the same of th	
		pillars laid on 12 mm (averag cement mortar 1:3 (1 cement:	e (thick			
		3 coarse sand) and is interest.				
		3 coarse sand) and jointed with grey slurry mixed with	cement			
		pigment to match the about				Rs. Nine hundred twent
		including rubbing and	he slab			seven and paise fifty
		polishing complete. Details of cost			19	only.
		sqm sqm	for 10			the state of the s
-						
5	8.3.2	Extra for providing edge moulding to	74.37	sq.m	927.50	
-		The stone court		·	721.30	and a man-
					-	
		The state of the s				
		I PICIC OS DEL DECION	ıısh			
		l Same III - Cliarge	У		T	wo Hundred Thirty
		Granite work			Ni	ine and paise ten only
			0.00			
			0.00	M	239.10	

Assort Sim

Chief Engineer

S.S.E.I.D.C. Ltd, Patna

Jkihowilhta

18/3

WORK	BELOV	V PLINTH LVL.	15			
16	5.1.1	Providing and laying in position spengrade of reinforced cement context excluding the cost of centring, shutth finishing & reinforcement - all work plinth level. 1:1:2 (1cement: 1 coarse sand : grant gra	ecified Oncrete tering, C upto			Rs. Five thousand one hundred ten and paise seventy only.
R.C.C. W	ORK A	BOVE PLINTH LVL.	59.183	cu.m	5110.70	0
17	S	Reinforced cement concrete work in (any thickness), including attached plast buttresses, plinth and struts etc upto fi five level excluding the cost of centri shuttering, finishing & reinforcement 1:1:2 (1cement: 1 coarse sand : 2 gract stone aggregate 20mm nominal size) 10 + 2, BUILDING = 20.51 SQM	iters, Toor ring,			Rs. Five thousand six hundred sixty six and paise twenty only.
8 5.1	ce rei pli	Providing and laying in position specificated of reinforced ement concrete excluding the cost of entring, shuttering, finishing an einforcement-All work puto inth level. 1:2:4 (1 cement:2 coarse sand: aded stone	nd	cu.m	5666.20	s. Three thousand four undred thirty eight and

0.930

cum

3438.90

Alog IL Sim

aggregate 20 mm nominal size)

SEPTIC TANK = 0.93 CUM

Chief Engineer B.S.E.I.D.C. Ltd. Patn

hundred thirty eight and

paise ninety only.

		5.3 + 33B.4 + 33B.1 Reinforced cement conrete beams, suspended floors, roofs haupto 15, landings, balconiec, chajjas, lintels, bands, plain wir staircases and spiral stair cases five level excludingthe cost of shuttering, finishing and reinforement with 1:2:4(1 cements and:4 graded stone aggregate nominal size). Add or deduct for providing richer mixes respectively at all floor levels.	shelves, ndow sills, upto floor centring, t:2 coarse 20 mm			Rs. Four thousand five hundred eighty one and
	RPICK	Providing M-15grade R.C.C instead 20 grade R.C.C. Proiding M-25 grade R.C.C. instead 20 grade R.C.C. = 100.44 CUM	d of M-	40 cu.	m 4581.	paise twenty only.
	BRICK W	VORK	Market Ma		The state of the s	
2.	6.3A	100A in foundations and plinth in compared to the coarse sand) = 39.878 CUM	39.878 ation ment	cu.m	3772.9	Rs. Three thousand nine hundred ninety two and paise ninety only. Rs. Four thousand four hundred twenty seven and paise fifty only.
22	6.18.4A + 6.19A	Half brick masonry with bricks of c designation 100A in foundations and pli in: Cement mortar 1:4 (1 cement: 4 coasand) Extra for half Brick masonry superstructure above pinth level upto flow V level. = 134.043 SQM	nth	cu.m	4427.50	Rs. Five hundred thirty ight and paise thirty nly.

134.043

Sq.m.

Asson waln

Chief Engineer

SE.I.D.C. Ltd, Patrol

Jk. houlk

538.30

24		A Extra for providing and placing in Nos, 6 mm dia, MS bars at course of half brick masonry (which bricks)	every third			
24			III F. P. S.			
24		= 134.043 SQM				Rs. Seventy five and paise ninety only.
	6.1A + 6.1.12/j	Work with bricks of 1	designation 134.04	Sq.m.	75.90	
	31112	100A in foundations and plinth in: Cement mortar 1::4 (1 coarse sand) = 8.75 CUM				Rs. Four thousand one hundred eighty four or
	LASTER W	ORK	8.750	cum	4184.00	
25	13.13.4	cement: 6 coarse sand)	; 1:6 (1			
26	13.13.1 + 13.26	= 836.658 SQM 20 mm cement Plaster 1:3 (1 ce coarse sand) with a floating coat cement & neat cement.	836.658 ement: 3	sq.m	123.50	Rs. One hundred twent three and paise fifty on
27	13.11.4	SEPTIC TANK = 16.65 SQM		sq.m	185.60 F	Rs. One hundred eighty ive and paise sixty only
28	13.17.1 +13.36.1	= 1041.58 SQM	1041.580	sq.m	R	s. Eighty nine and paise airty only.
	F n c	coarse sand) with a floating coat of cement & Extra for providing and result water proofing material in proportion recommended by manufacturers: 12 mm cement plaster cement: 3 sand) SEPTIC TANK = 52.82 SQM	of neat mixing		Rs. five	. One hundred forty e and paise fifty only.
1	13.24.2 61	mm thick Cement plaster of Ceiling:4 (1 cement : 4 coarse sand) = 388.53 SQM	52.820 s	sq.m	145.50	Seventy seven and

Chief Engineer

3.S.E.I.D.C. Ltd, Patna

140.

813.

(1/03//1)

1813.

	30	11.3	some toolcrete flooring 1:2:4(1 cement:2 coarse:sand:4 graded stone agregate) finished with a floating coat of neat cement including cement slurry, etc. but excluding the cost of nosing of steps etc. complete. 40 mm thick with 20 mm nominal size stone aggregate. Extra for making chequers of approved pattern on cement concrete floors, steps, landing, pavemerts etc. = 136.41 SQM	hirty
	FINIS	HING W	ORK 136.410 sq.m 232.90	
	31	13.46.1	mishing walls with Asmit a	
			exterior paint of Sillooth	
			required shade :New work (Two or more coat applied @ 1.67 ltr/ 10	
			sqm over and including priming coat of exterior	
_				
			Γ	ise
			EXTERNAL WALL = 836.658 SQM	
	32	3.80A.2	Providing and applying 1: 836.658 Sq.m. (0.00)	
			The state of the s	
			approved brand and manufactures 2 mm, of	
			IRS One has to	
			eignteen and paise	
	3 1		seventy only.	
7 3	3 1	3.77.2	Distempering with oil bound washa ble 2266.768 sq.m 118.70	
				-
			mandacture 10 olve an average	
			New work (two or more coats) over and including	
		þ	priming coat with cement primer Rs. Sixty four only	
		1	INTERNAL WALL & CELLINIC	
		1	1430.11 SQM	
34	13.	81.1 A	Applying priming cost with 1430.110 sq.m	
			ink or grey primer of course that mixed	
		- 1	Wood work at	1
		1	Rs. I Wenty five and	
			paise twenty only.	
			115.680 sq.m 25.20	

Chief Engineer

3.S.E.I.D.C. Ltd, Patna

Skehneichter

1873

35	13.81.3 Applying	priming	1	9			
	zinc chro	priming coat with read	y mixed				
	brand and	mate yellow primer of a	pproved				
	iron/steel	I manufacture on steel gal work.	vanized				
	= 105.728	S SOM					Rs. Twenty one an
36							thirty only.
	3.93.1 Painting	with synthetic enamel porand and manufacture	105	5.728	sq.m	21	
	approved 1	orand and manufacture to g	aint of			21.	30
	even shade	two or more coats on new SOM	give an				
	= 221.408	SQM	work				Rs Fifty and
27							Rs. Fifty and paise only.
37 1).14.1 Providing	and fixing T-iron frame	221.	408	S.G. m		
	doors, wind	ows and water	es for		sq.m	50.9	0
	Tee-sections	ows and ventilators of mile	steel				
	15x3 mm lu		d with				
	cm long e	nheddod :					
	blocks 15v1	mbedded in cement cond	cerete				
	coarse sand	0x10 cm of 1:3:6 (1 ceme)	nt:3				
	mm nominal	: 6 graded stone aggregations: 6 graded stone aggregations	e 20				Rs. Seventy five and
	or with woo	100 -1					paise ten only.
	plugs and sor	den plugs and screws or	rawl				parse ten only.
	bolts and nuts	ews or with fixing clips or	with	/			
	= 339.675 K						
38 92		J					
38 9.2	1 · · · · · · · · · · · · · · · · · · ·	fixing flush door shut	339.67.	5 K	g.	75.10	
	conforming to	Is: 2202 (Part-I) n	ters		0.	75.10	
	decorative to	pe.core of block bo	on-				
	construction w	ith frame of 1st class time	ard				
	wood and well	mathched commercial 3 pl	ard				
	veneering with	vertical grains or cross ban	у				
	and face veneer	s on both faces of shutters.	ds				
		s on both faces of shutters. cluding anodized aluminu				R	S One than
	butt hinges	anodized aluminu	m			h	s. One thousand eight
	with necessary s	Crews				na	indred twenty three and ise eighty only.
	= 48.195 SQM	ciews				Pu	ise eighty only.
	2001						
9.119.1	Providing and five		48.195	00			
	bolt black finish,	ing oxidised M.S.tower	0.175	sq.m	18:	23.80	
			Tallian and the same of the sa		ME ENGLISHE	district the second sec	
	250x10mm	ary screws etc.complete					
						Rs.	Sixty six and paise
	10+2, BUILDIN	G = 44 EACH				fifty	only.
			44.000				omy.
			/1/1 /1/1/1	each			

Chief Engineer

B.S.E.I.D.C. Ltd, Patner

Stehnschung

1813

1813/12

_									
	40	9.104.	I wilding and fixin	g M.S.handles with	20	7			
			J SCI CWS EI	c.complete					
			1 2 3 111111						
	1.1		10 + 2 , BUILDING					Rs. Twenty seven a	and
	11	9.223.2	Providing and fixing	alluminium hanging	44.000	each	27.5	paise fifty only.	parameter.
			floor door stopper ar	nodised (anodic coating		Jack	27.5	0	
			transparent or dvad	C 10 as per IS:1868)	8		And the second second		
			shade with necessary	required colour and					
			Tete. complete: I win ru	bber stopper				Rs. Eighty two and p	oaise
10			Ericii					seventy only.	
42		9.100.1	Providing and fixing Noright finished or/and	MS sliding 1	22.000	each	92.70		
			bright finished or/and nuts and screws etc. co	black enamelled with			82.70		
			nuts and screws etc.co 300x16 mm	mpelled:			and the same of th		
			= 22 EACH					Rs. One hundred seve	enty
							15	seven and paise forty	
S	TE	EL WORK	7		22.000			only.	
43					22.000	each	177.40		
		1	Providing and fixing vindows or ventilators	glazed steel doors,	1250				\dashv
	1	0.13B s	teel sections joints	of standard rolled					
		W st	ith 15x3 mm M.S. It	ags 10cm long with					
		bl	eel legs embedded ii ocks 15x10x10cm of	n cement concrete					
		30	oarse sand : 60m.	(1:3:6) (1cement :					
		20	mm nominal size) or of screws or rawl plugg	with wooden pluce					
		fix	d screws or rawl plugs	and screws or with					
		req	uired, including pro-	ons and nuts as					
		gla	ss panels with glazing	clips and fixing of	,				
		con	al-sash putty of	approved make			D		
		of a	pproved steel prime	ng a priming coat			hund	Three thousand two dred seventy and	
		of r	netal heading and	xcluding the cost			paise	e sixty only.	
		Doo	ssary hinges or pivors	ots as required				,,	
		Extra	for providing and c.					Management	
		of ap	proved shape and sected of glaxing clips and	ing steel beading					
		in st	ead of glaxing clips and eel doors windows	met. Sash putty					
		comp	osite units Steel Wind	ventilators and					
		= 95.	715 SQM	WS.					
				95.7	15 sq.m	227	0.60		
					1	321	0.60		

Aldrog k sith

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

18 3 | Slosing

	44 10.	12.1 Providing and fiving		21		
		and tiving al	steel doors,			
	10.					
		steel sections, joints mitered with 15x3 mm MS live 10	and welded			
		with 15x3 mm M.S. lugs10ci	m long with			
		steel legs embedded in cemblocks 15x10x10cm of (1.2.co	ent concrete			
		20mm nominal size) are id	e aggregate			
		and screws or rawl plugs and scr fixing clips or with balts	ooden plugs			
		fixing clips or with bolts ar	'ews or with			
						·
		1 Will Slaving Clina	id fixing of			
		metal-sash putty of approv	and special			
		I omplete illelliding applying				Rs. Three thousand
		of approved steel primer excluding of metal beading and other	ng the			hundred seventy sev
		of metal beading and other fitt	ing over			and paise sixty only.
		necessary hinges or pivots as requ	ired Deam			office of the state of the stat
		Extra for providing and fixing ste of approved shape and saction	el heading			
		of approved shape and section winstread of glaxing clips and	ith screwal			
		in steel doors winds	Sash putty			
			stors and			
			and			
		= 3.24 SQM				
		· ·				
45	9.82.1	Due : II	2 240			
		Providing and fixing M.S. g	rills of	sq.m	3277.6	50
		requirement pattern in for				
		etc. with M.S. flats square or round all complete	bars etc		Market	
						D. M.
		fixed to steel windows by welding. = 1722.87 KG				Rs. Ninety one and pais
		1/22.8/ KG				fifty only.
6	5.22	Reinforcement C	1722.870	V		and the state of t
		Reinforcement for RCC work incomparing cutting the straightening cutting	cluding	Kgs.	91.50	
		straightening, cutting, bending, place position and bonding all complete.	cing in			
		and boilding all complete.				
		TMTC-500				
-	5 22 74					
	5.22.7A	Thermo-Mechanically Treated bars T 500 8mm dia	MTC			
		did	IVI I C-			
		= 8300 KG				
		SEPTIC TANK = 93 CUM			I	Rs. Seventy four and
		TOTAL QUANTITY = 8393 KG			ľ	paise forty only.
			8393.000	VO		only.
	-	Thermo-Mechanically Treated bars TM 500 10mm dia	1TC-	KG	74.40	A STATE OF THE STA
		RID HIIII CI S	Mitgless		and the same of th	
	1	: 1300 KG			Management of the last of the	
	1	= 1300 KG	1300.000		R	s. Seventy three and aise ten only.

Alleyicsin

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Perford han

213. 1803/17

	5.22.7C	Thermo-Mechanical		22		
		Thermo-Mechanically Treated by 500 12mm dia = 7000 KG	pars TMTC-			Po C
	5.22.7D	Thermo-Mechanically Treated I 500 16mm dia	7000.	000 KG	71.8	Rs. Seventy one an paise eighty only.
	5.22.7E	= 700 KG Thermo-Mechanically, Translation	700.0	00 KG	72.80	Rs. Seventy two and paise eighty only.
	5.22.7F	= 750 KG Thermo-Mechanically, Tread I is		00 KG	72.20	Rs. Seventy two and paise twenty only.
47	10.19	= 0 KG				Rs. Seventy two and
		Providing & fixing M.S. Fan hoomm. dia. M.S. bar 1 Mtr. Long required size and shape, placed in and fixed in Truss Frame / P.C.	bent to	KG	72.20	paise twenty only.
	a a b	and fixed in Truss Frame / RCC Slate the time of casting all complete puilding specification and direction Where materials is not supplied by 6 = 42 EACH	position b / beam c as per		[0,	ds. One hundred twen ne and paise eighty nly.
48	10.33.1 Pr	oviding & fixing hand rail by weldi steel ladder railling & staircases i	42.000 ng etc.	Each	121.80	
49	app MS = 5	proved steel primer. S tube (medium) 40mm nominal bor 550 KG	e.		Rs. ten	Ninety one and paise only.
	20x diag	gonals 20x5mm size in	iron	kg.	91.10	
	steel locki inclu	pulleys complete with bolts	n dia nuts		Inund	Four thousand one red fifteen and paise only.
CELLA	NEOUS WOR		4.52	sq.m 4	1115.60	

Alero Sin

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Separation

1813

	50 4.1	Ividiting plinth protection 50		23		
		Making plinth protection 50mm this cement concrete 1:3:6 (1 cement :3 cement :3 cement :6 graded stone aggregate 2 nominal size) over 75mm bad by dry ballast 40mm nominal size well rammand consolidated and grouted with fine including finishing the top smooth.	coarse 20mm brick			Rs. Three hundred nineteen and paise only.
			75.4			
	SHUTTE	RING	75.41	14 sq.	.m 319	9.30
51	5.9.1	Centillig and Shuttering in 1 1:	ing.			
52	5.9.5	foundation, footings, basees of columns of form for mass concrete. = 55.781 SQM Centring and shuttering in the second columns of t	for etc. 55.781	1 Sqm	166	Rs. One hundred sixt and paise seventy onl
		propping etc. and removal of form for linte beams, plinth beams, griders, bressume and contilevers. = 349.241 SQM	ng, el, ers	Oqiii	n. 166.	Rs. Two hundred fifty one and paise thirty on
53	5.9.6	Centring and shuttering including strutting	349.241 g,	Sqm.	251.3	
54		columns, pillars, piers, abutments, posts and struts = 367.575 SQM	or d		Approx.	Rs. Three hundred forty four and paise forty only
34	5.9.3	Centring and shuttering including strutting,	367.575	Sqm.	344.40	
		propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 451.54 SQM				Rs. Two hundred sevent five and paise sixty only.
			451.540	Sqm.	275.60	
uml	ning or	X .			Total	5,716,706.85
	mig an	id sanitary Work			Total (A)	5,716,707.00
1	12.78 L	Providing and fixing on wall face unplastidsed PVC (working pressure 4 kgf per sqm) rain water pipes cinforming to S:4985 including jointing with seal ring conforming to IS:5382 leaving 10 mm gap or thermal expansion.				

Albert sin

	12.	78.2	110 mm diameter.		-	24				
5	6 SC 12.	OR 79	Providing and fixing on	wall fac	40.00	00	MTS	3 214.2	200	Rs. Two hundred fourteen and paise two only.
			accessories for unplasticised P pipes conforming to IS:498 jointing with seal ring co IS:5382 leaving 10mm gap expansion.	ded fittings VC rainwate 85 including	r g			and the second		
	SOF 12.79	- 1	Coupler			-				
	SOR 12.79.1	1.	10mm = 10 MTS							
	SOR 12.79.5	В	end 87.50°		10.000	Ea	ach	144.700	10	s. One hundred forty our and paise seventy aly.
	SOR 12.79.5.2	11	0mm bend		Marine .			The state of the s		
	SOR 12.79.6		12 MTS De (Plain)		12.000	Eac	ch	173.700	Rs.	One hundred sevent ee and paise seventy y.
	SOR 12.79.6.2	110	mm Shoe 2 MTS							
7	B.S.R 17.1.1	Prov	riding and fixining water	closet	2.000	Each	1 .	314.730	tour	Three hundred teen and paise nty three only.
		low muna	mm sand cast iron P or S tap, white P.V.C. Flushing cisterally controlled device (handle	an) with 10 litre	Marie Control of the			Market Control		Market Control of the
		Parry fixtur	ware/Hindware with all fitting es complete including cutting good the walls and floor	7231 gs and						
	f	White pan of poot res		W C				Ro	The	rao th
				6.00	00 Ea	ich	3035	5.400 fiv	e and	ee thousand thirty paise forty only.

Ablus 12 Sim

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Like Manually

1813.

60 SOR Provide 17.34 SOR Vitre 17.34.2 61 B.S.R Provide brack mm (cutting require)	Providing and fixing white vitre pedestal type water closet (Euro W.C. pan) with seat and lid, 10 level white P.V.C. flushing including flush pipe, with controlled device (handle conforming to IS: 7231, with all fit fixtures complete, including cutt making good the walls and floors verequired: W.C. pan with ISI marked blac plastic seat and lid = 3 EACH Providing and fixing white vitreous flat back or wall corner type lipped in the providing and fixing cistern with state ush pipe and C.P. brass spreaders rass unions and G.I. clamps completed in the providing painting of fittings and brack titing and making good the walls wherever required: Inge of two urinal basins with 5 litre was limited flushing cistern with 5 litre was limited flushing cistern with 5 litre was limited flushing cistern basins with 5 litre was limited flushing limited flushing was basin with C.C. basins was basin with 5 litre was limited flushing limited flushing was basin with 5 litre was limited flushing limited flushing limited flushing limited flushing limited flushing was basin with 5 litre was limited flushing limit	pean type litre low cistern, manually lever), tings and ing and wherever k solid 3.00 china front and with ndard with plete, kets, and hite 3.000 3.000	Each Each	4688.900 304.2	Rs. Four thousand six hundred eighty eight and paise ninety only.
White 630x45	e: Vitreous China Wash basin size 50 mm with a pair of 15 mm C.P. illar taps. ACH	12.000	Each 2	1	Rs. Two thousand one nundred twenty and paise hirty only.

Chief Engineer/
B.S.E.I.D.C. Ltd, Patna
We lehoudharf
In Color | Color

62	18.63	I so riding and fixing PTMT		26		
63	2 200	bore, weighing not less than 85 gms	cock			Rs. One hundred eigh
03	B.S.R 17.28	Providing and fixing P.V.C. waste pipe sink or wash basin including P.V.C. waste pipe fittings complete.	15.000	00 Each	h 180.900	and paise ninety only
		fittings complete.	aste			
	17.28.2.1	Flexible pipe 32 mm dia = 12 EACH				
64	B.S.R	Providing and fixing mirror of superiglass (of approved a little of superior o	12.000) Each	78.600	Rs. Seventy eight and paise sixty only.
	17.32.2	shape and size with plastic and of require	red		70.000	
		thick hard board backing: Rectangular shape 453 x 357 mm	m			Rs. Six hundred forty
		12 LACH				three and paise forty only.
65		Providing and fixing 600 x 120 x 5 mm glass shelf with edges round off, supported on anodised alumining	1 1	Each	643.400	
	fi et	on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete. = 12 EACH	h		e	Rs. Four hundred sevent eight and paise thirty only.
66	B.S.R Pr	roviding and fixing Chlorinated Polyvinyl	12.000	Each	478.300	/
	sta	ability for hot & cold water supply			1,0,000	
	clar joir CP'	amps at 1.00 m spacing. This includes ining of pipes & fittings with one step extra charge chases and making the pipe with pipe with one step extra charge chases and making the pipe with				
	dire	ection of E/I			Ks.	Two hundred forty e only.
	nom	making good the wall etc. 15 mm ninal outer dia Pipes 0 METER				
			50.000 me	netre 24	41.000	

Marie sim

Chief Engineer

B.S.E.I.D.C. Ltd. Patne

	Providing and fixing Chlorinate (CPVC) pipes, havi stability for hot & cold was including all CPVC plain & bra fittings This includes jointing of fittings with one step CPVC solve trenching, refilling & the six	ing theri ater sup	mal	27			
	stability for hot & cold wa including all CPVC plain & bra fittings This includes jointing of fittings with one stor CPVC.	ing theri ater sup	mal				
	including all CPVC plain & bra fittings This includes jointing of fittings with one store CPVC.	ater sup	ply				
	fittings This includes jointing of fittings with one stor CDV.	ass threac	DIVI	- 1	1		
	fittings with one ston CDV	iss inreac	Piy				
	fittings with one sten CDVG	of .	ded				
		or pipes	&				
	trenching, refilling & testing complete as per direction of the step of the st	ent ceme	nt,				Rs One had
	complete as per direction of E Charge.	of joir	nts				Rs. One hundred ni
	Charge Charge	ingineer	in				three and paise eigh
	25 mm nominal:						only.
	25 mm nominal inner dia Pipes = 60 METER						
	WETER						
18.9	9.4 32		(0.00				
	32 mm nominal outer dia Pipes		60.00	0 me	etre 19	3.800	
10.0			-			2.000	D. T
18.9	20 mm nominal outer dia Pinas		40.000) me	tre 25	100	Rs. Two hundred fift
0 -			Wildling .		23	.100	Jone only.
D.0.	1. To viulily and placing		40.000	ma		SECRETARIA DE LA CONTRACTOR DE LA CONTRA	Rs. One hundred fort
18.4	8 levels) polyethylang on terrace (at	t all floor		THE	146	.400	and paise forty only.
	:12701 market	tank ISI	Mark Control of the C				torty offiy.
	locking and	Suitable			-	STATE OF THE PARTY	
	holes for interest and making no	ecesson					
	notes for inlet, outlet and overflow n	vines				- 1	
	without fittings and the base super	rpes but				[]	Rs. Six and paise eigh
	tank.	port for					only.
	= 4000 PER LITER						
-				ner			description
D.5.K	Providing and fiving C.D.		4000.000	1			
18.49	approved quality and C.P. brass bib of	cock of		Hille	6.80	0	
	quality conforming to IS:893	31	E CONTRACTOR OF THE PARTY OF TH				
	= 12 FACY						
Don						D	Γ .
	Providing and fixing C.P. L.		12.000	Each	107.00	IKS	s. Four hundred ninety
18.52					+9/.00	U se	ven only.
			Contraction of the Contraction o		Marie Contraction of the Contrac		and the same of th
	to IS: 8931	1					Market and the same of the sam
18.52.1							
	= 10 FACU						
	LACH						
						Rs.	Six hundred seventy
	Providing and fiving R	10	0.000	Foot	(F-	and	paise seventy only.
18.58	approved quality a	g of		Laci	670.700		raise sevenly only.
	duality & colour						
SOR	circular type	40			Market Comment		Market Control of the
	mediai type						
0.1						1	
0.0=							
	100 mm nominal dia						
18.58.1.1	moninal dia,	11	Ε.	ala .			
			Eac	en			
		-			17.00	Rs F	Orty cove
					47.90	ninot	orty seven and paise
	B.S.R 18.49 B.S.R 18.49 B.S.R 18.52 18.52.1 SOR 18.58 SOR 18.58.1	18.9.4 32 mm nominal outer dia Pipes 18.9.2 20 mm nominal outer dia Pipes 8 B.S.R 18.48 Providing and placing on terrace (a levels) polyethylene water storage :12701 marked with cover and locking arrangement and making n holes for inlet, outlet and overflow pwithout fittings and the base supplants. = 4000 PER LITER B.S.R 18.49 Providing and fixing C.P. brass bib approved quality conforming to IS:89 15 mm nominal bore. = 12 EACH B.S.R (concealed of standard design arapproved make conforming to IS:893 18.52.1 I5 mm nominal bore. = 10 EACH SOR Providing and fixing P.T.M.T. gratinapproved quality & colour SOR circular type SOR 100 mm nominal bis sources in the providing and fixing P.T.M.T. gratinapproved quality & colour	18.9.4 32 mm nominal outer dia Pipes 18.9.2 20 mm nominal outer dia Pipes 8 B.S.R 18.48 Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI :12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. = 4000 PER LITER B.S.R 18.49 Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 15 mm nominal bore. = 12 EACH B.S.R (concealed of standard design and of approved make conforming to IS:8931 18.52.1 15 mm nominal bore. = 10 EACH SOR Providing and fixing P.T.M.T. grating of approved quality & colour SOR circular type SOR 100 mm nominal bice.	18.9.4 32 mm nominal outer dia Pipes 18.9.2 20 mm nominal outer dia Pipes 8 B.S.R 18.48 Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI :12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. = 4000 PER LITER B.S.R 18.49 Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 15 mm nominal bore. = 12 EACH B.S.R 18.52 Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS:8931 18.52.1 15 mm nominal bore. = 10 EACH SOR Providing and fixing P.T.M.T. grating of approved quality & colour SOR circular type SOR 100 mm nominal dia,	18.9.4 32 mm nominal outer dia Pipes 18.9.2 20 mm nominal outer dia Pipes 8 B.S.R 18.48 Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI :12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. = 4000 PER LITER B.S.R 18.49 Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 15 mm nominal bore. = 12 EACH B.S.R 18.52 (concealed of standard design and of approved make conforming to IS:8931 18.52.1 I5 mm nominal bore. = 10 EACH SOR 18.58 Providing and fixing P.T.M.T. grating of approved quality & colour SOR 18.58.1 Circular type	18.9.4 32 mm nominal outer dia Pipes 18.9.2 20 mm nominal outer dia Pipes 8 B.S.R 18.48 Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI 12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. = 4000 PER LITER B.S.R 18.49 Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 I5 mm nominal bore. = 12 EACH B.S.R 18.52 (concealed of standard design and of approved make conforming to IS:8931 18.52.1 15 mm nominal bore. = 10 EACH SOR Providing and fixing P.T.M.T. grating of approved quality & colour SOR circular type SOR 100 mm nominal dia,	18.9.4 32 mm nominal outer dia Pipes 40.000 metre 251.100 18.9.2 20 mm nominal outer dia Pipes 40.000 metre 251.100 8 B.S.R 18.48 Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI 1:1701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. = 4000 PER LITER B.S.R 18.49 Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 15 mm nominal bore. = 12 EACH B.S.R 18.52 Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS:8931 18.52.1 15 mm nominal bore. = 10 EACH SOR Providing and fixing P.T.M.T. grating of approved quality & colour SOR 18.58.1 100 mm nominal dia, 11 Each 1000 metre 251.100 40.000 metre 251.100 40.000 metre 251.100 40.000 metre 251.100 40.000 metre 251.100 146.400 156.800 per 4000.000 per 11 per 6.800 1670.700 metre 251.100 160.000 metre 40.000 160.000 m

Aldrey with

Chief Engineer

B.S.E.I.D.C. Ltd, Potna

Lhoudher

1813.

72	B.S.R 19.2.1	Providing and laying cement concret 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size) all round S.W. pipes including the stone stone stone including the stone st	d			
		round S.W. pipes including bed concrete as per standard design: 100 mm diameter S.W. pipe = 50 METER	s			Rs. Three hundred twel and paise fifty only.
73	B.S.R 19.6.1	Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete: 100 mm dia R.C.C. pipe = 15 METER		metre	312.500	Rs. Three hundred twelve and paise ninety only.
74	i F V	Constructing brick masonry road gully chamber 50x45x60 cm with bricks in cement mortar 1:4 (1cement : 4 coarse sand) including 500x450 mm pre-cast R.C.C. horizontal grating with frame complete as per standard design : With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	15.000	metre	312.900	Rs. Three thousand one hundred seventeen and paise thirty only.
			2.000	Each	3117.300	d programme of the second

Away & sith

Chief Engineer

3.S.E.I.D.C. Ltd. Patna

1813

	S.R Contructing brick masonry chamber for Underground C.L. Inc., 1997	29
76 B.S.R	bend with 75 class designation bricks in cement mortar 1:4 (1 cement : 4 coarse sand) C.I. Cover with frame (light duty) 455x610 mm internal dimentions, total weight of cover with frame to be not less than 38 kg. (weight of cover 23 kg. and weight of frame 15 kg.) RCC top slab with 1:1.5:3 mix (1 cement: 1.5 coarse sand :3 graded stone aggregate 20 mm nominal size) foundation concrete 1:5:10 mix (1 cement:5 coarse sand : 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm th. with cement mortar 1:3 (1 cement:3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design. Inside dimensions 466x610 mm and 45cm deep for single pipe line: With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	Rs. Three thousand nine hundred forty nine and paise ten only.
77 B.S.R 19.34	shaft with brick and S.W. drain pipe 100 mm diameter, 1.8 m long complete as per standard design. With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH Providing and fixing S.W. intercepting trap in manholes with stiff mixture of the standard design.	Rs. Twenty five thousand nine hundred and paise ten only.
19.34.1	mortar 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete : 100 mm dia = 2 EACH 2.000	Rs. Two hundred eighty three and paise eighty only.

Aldroje sigh

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

1873.

[Sloyp)

	78	Detailed E.		31	0			
		Detailed Estimate for construction mm x 40 mm x 90 mm	tion of 125		0			
		I who will a you mm Tube w	vell Manual					
		- 5.1115	ven manual					Rs. Sixty thousand
-		= 1 EACH						hundred thirty two
7	9 ANAL	YSIS NON SCHEDULED ITEMS RATE)		1.00	00 F	ach 604	32.650	paise sixty five onl
		RATE)	(MARKET			004.	32.650	Faise sixty live only
		= EACH			-			4
		EACH						
		P.V.C. PIPE						
		= EACH						
		Proving and S.						
		Provding and fixing soil, waste pipes	and vent					
		1 1						
		= EACH						
		110						
		110 mm dia						
		= 40 EACH		10 -			I	Rs Three hours 1 12
		P.V.C. FITTINGS		40.000	met	re 347.0	000	Rs. Three hundred for
		= EACH					3	even and only.
		DOOR TEE 110 mm dia				Marie and Marie		Market Control
		= 4 EACH						
				4.000			R	s. Three hundred six
		DOOR BEND 110 mm dia			eacl	365.0	00 fi	ve only.
		= 8 EACH		Same and a second		and the same of th		
		DEND 450		8.000			R	s. Two hundred eight
		BEND 45° 110 mm dia		5.000	each	283.00	00 th	ree only.
		= 10 EACH		Maderia		- Control of the Cont	Re	6. One hundred eighty
		VENT COWEL 110 mm dia	1	0.000	each	185.00	00 fiv	e only.
		= 3 EACH	45	and the same		and the second second	IIV	c only.
		PIPE CLIP 110 mm dia	3	.000	each	65.000	Rs	. Sixty five only.
		= 100 EACH		and Marian	1	05.000	-	Jare only.
		FLOOR TRADITION	100	0.000	each	TO CO	Re	Fifty there
		FLOOR TRAP 110X110 mm dia		, , , ,	cacn	53.000) 13.	Fifty three only.
		- TO EACH		de Caración de Car		and the second second	Re	Four hund
80 (Code no. of	(i) C.I. cover and frame 300 x 30 inside	10	.000	each	136 000	civ	Four hundred thirty
	1352	inside and frame 300 x 30	00 mm			436.000	JIA	only.
						The state of the s	Rs.	Three hundred
		SEPTIC TANK = 1 EACH					seve	enty four and paise si
31 C	ode no. of	(ii) S.C.I. plain bend 100 mm dia	1.0	000	Each	374.000	only	and paise si
-	mm 1				24011	374.060	-	
2 C		SEPTIC TANK = 1 EACH	1.0		E a - 1	Market and the same	Rs. 1	Four hundred thirty
	7087	(iii) S.C.I. Tee 150 mm dia	1.0	00	Each	436.400	six a	nd paise forty only.
	7007	SEPTIC TANK = 1 EACH	Marine de la companya della companya de la companya de la companya della companya	A		Daniel Markey.	Rs. S	Seven hundred forty
-							eight	and poiss 1
			1.00	00	Each	748.110	only.	and paise eleven
						Total		
						Total (B)		348,404.98
					- 1	TOTAL (R	1.1	348,405.00

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

1873

[Polly

		Electrical Works (1% labour cess	has				
83	1.10	added oil current DCD 2014					
	1.10	Point Wiring in PVC Conduit, with N type Switch:-	Modular	r	,		
		Wiring for light point/ fan point/ exhapoint/ call bell point with 1.5 sq.mm FRLS PVC incopper conductor single core cable in surface / recessed m class PVC conduit, with modular switch, modular plate, su GI box and earthing the point with 1.5 sq.mm. FRLS insulated copper conductor single core cable etc as required.	sulated nedium uitable				
	1.10.3	Group C					
84	1.11	Twin Control Point Wiring in PVC Conwith Modular tyre Converse	duit	119.000	Nos.	725.18	Rs. Seven hundred twenty five and paise eighteen only.
		Widdiai type Switch:-				The second second	g an only.
		Wiring for twin control light point with sq.mm FRLS PVC insulated copper conductor single core cain surface / recessed medium class PVC conditions	able				
		medium class PVC conduit, 2 way moduswitch, modular plate, suitable GI box and earthing the point w 1.5 sq.mm. FRLS	ith				Rs. Seven hundred seventy seven and paise seventy only.
35		PVC insulated copper conductor single cocable etc as required					
	1.31 S	Supply and Fixing Light Plug Point wi Modular Type Accessories:-	th 3.	.000	Nos.	777.700	
		Supplying and fixing suitable size GI bo		Second de la constant			
	in fix an sw lig	with modular plate and over in front on surface or in recess acluding providing and axing 3 pin 5/6 amps modular socket outled 5/6 amps modular witch, connection etc. as required. (For the plugs to be used in n residential buildings).	s, et				Rs. Three hundred six and paise three only.

Allow 10 sigh

Chief Engineer

3.S.E.I.D.C. Ltd. Patna

| Sold | S

	86 1.	Supply and Fixing Power Plug Point w	32)		
		Modular Type Accessories:-	ntn			
		Supply and Fixing GI box with modul				
		recess including providing and fixing 6 pin	in in,			De Fine hundred
		amps modular type switch, connection painting etc as required.	1,			Rs. Five hundred nine only.
87	7 2.18	8 Supply & fixing 20A SPN MCB Industria Socket Outlet:-	12.000	Nos.	590.000	
	1	Supplying and fixing 20 amps, 240				
		socket outlet, with 2 pole and earth, metal enclosed plug top	1			
		alongwith 20 amps "C" curve, SP, MCB, in sheet steel enclosure, on surface or in recess, with chained metal cover for the scalet.	1			Rs. Nine hundred sixty
		cover for the socket out let and complete with connections, testing and commissioning etc. as required	1			three and paise fifty for only.
88	1.12	Power Plug Wiring in PVC conduit (2x4 ca	12.000	Nos.	963.540	
		mm):-				
		Wiring for light/ power plug with 2X4 sq. mm FRLS PVC insulated				
		copper conductor single core cable in surface/ recessed mediumclass PVC conduit alongwith 1 No 4 sq. mm FRLS PVC insulated			R	Rs. One hundred sixty
		copper conductor single core cable for loop earthing as required			Or	hree and paise sixty two
89	1.24	Supplying and fixing following modular type switch/ socket on the existing modular plate switch box / cover including connections etc.as required	20.000	Mtrs.	163.620	

Alberg & Sith

Chief Engineer

B.S.E.I.D.C. Ltd., Patna

Jlehoudher

1813
[182]

	1.24.	5/6 amps switch.		33	3			
	1.24.4	5 pm, 5/6 amps socket outlet.		25.00	00 E	Each 8	1.810	Rs. Eighty one and reighty one only.
90	1.14	Circuit / Sub-main wiring in PVC (Conduit:-	25.00	0 E	ach 7	9.790	Rs. Seventy nine and paise seventy nine or
	1.14.1	Wiring for circuit / sub-main wiring with earth wire with the following PVC insulated, copper conductor core cable in surface/recessed PVC as required. 2x1.5 Sqmm + 1x1.5 sqmm earth wir	sizes of r, single conduit					
	1.14.2	2x2.5 Sqmm + 1x2.5 sq mm earth wir		40.000	Mtrs	5. 107.	300 a	Rs. One hundred seven nd paise six only.
	1.14.9	4x6.0 Sqmm + 2x6.0 sqmm earth w be used as sub main)	ire (to	50.000	Mtrs.		i	s. One hundred thirty wo and paise thirty one nly.
	1.14.10	4 X 10 sq. mm + 2 X 10 sq. mm earth v	4	1.000	Mtrs.	392.89	on on	s. Three hundred nine to and paise eighty nir aly.
91		S/F 'C' series SP MCB:-	10	0.000	Mtrs.	602.97	Rs 70 pai	. Six hundred two and ise ninety seven only.
	ii e. cc as	nductive loads of following poles in xisting MCR DR	for the					
2		32A ,DP	36.0	00	Each	170.690	and p	One hundred seventy paise sixty nine only.
2 2		TPN MCB:-	3.00	0 E	Each	463.590	Rs. F three only.	our hundred sixty and paise fifty nine
	DB	pplying and fixing following rating, for experience, 240 volts, isolator in the existing MC complete with connections, testing an missioning etc. as required	ur B nd		4			

Alson & Wh

	2.	13.2	63 A,TPN		34			
93	2.	15	S/F TPN RCCB:-Supplying an following rating three	d fiving of	3.000	Each	676.	Rs. Six hundred se six and paise sever only.
			following rating three phase a 415 volts, residual current circ (RCCB) having a sensitivity of 300 miliamperes in the existing complete with connections, te commissioning etc. as required.	nd neutral, uit breaker arrent upto				
	2.15		40 Amp.					
94	2.8		6/F TP MCB DB:- Supplying and fixing of	3	.000	Each	2144.2	Rs. Two thousand or hundred forty four arpaise twenty three or
	2.8.5	ti. ba in pa (W Le	Vay, horizontal type three pole and heet steel, MCB distribution be obts, on surface/recess, complanted copper bus bar, neutral bus lar, din bar, detachable gland terconnections, phosphatized and inted including earthing etc. as Vithout MCB/RCCB/ISOLATOR) grand/Anchor/Havells/HPL.	pard, 415 ete with par, earth d plate, powder				Rs. Seven thousand four hundred thirty and paise fifty seven only.
5	1.33	S/F	Ceiling Rose:-	3.000) 5	Set 7	7430.570	
			lying and fixing 2 pin ceiling ro existing junction box/ wooden ding connection etc as required.	se on block				Rs. Forty three and paise
1	.34		atten / Angle Holder:-	80.000	Eac	ch 4	13.430	forty three only.
		Suppl	ying and fixing batten / angle hoing connection etc as required.	27.000	Eac	ch 7	4.740 p	Rs. Seventy four and paise seventy four only.

Abord to sixh

9	7 1.	25 S/F Modular to 1		35	5			
		25 S/F Modular type electronic fan regu	ılator:-					
								Rs. Two hundred e
								six and paise eighty
		Supplying and fixing stepped ty		24.000	0 Ea	ach 28	6.840	only.
		regulator on the avisti	pe fan			20	0.840	Offiy.
						access of the same		
		excluding modular plate etc as require	ed.					
98	1.2							
	1.2	S/F PVC Conduit:-			-			
		Supplying and fiving 6.0						
		Supplying and fixing of following si medium class PVC	zes of					
		Conduit -1						
			in					
		surface/recess including cutting	- 1					
		the wall and making good the same ir	case					
		Conduit						
		as required.						
	1.21.1							
	1.21.1	20 mm	•					
		*						
							R	c Fifty 41
99							fit	s. Fifty three and pais
99		Telephone Wiring in Existing Conduit:-	11	0.000	Mtrs.	53.53	30	fty three only.
-	1.10							
	1.18	Supplying and drawing following pair	0.5			Secretary.		
		THE TREST VC	0.5					
		insulated annealed coppor	.					
		unarmored telephone cable	-1					
		in the existing surface/ recessed steel/ P						
		conduit as required	VC					
	1.18.2							
	1.10.2	2 pair						
0	1.24	C/D M	50	000			Rs.	Eighteen and paise
	1.24	S/F Modular type Switch / Socket:-		000	Mtrs.	18.180	eigh	iteen only.
		Supplying and fixing foll-:	O.P.				0.	omy.
						Marie Control		
		I moluding	1					-
		but excluding modular plate etc as required	18					
	104		1.					
-	1.24.6	Telephone socket outlet	-					
							Ron	linat. C
		E A DELLA	2.00	00 E	Each	95.950	nin-	linety five and paise y five only.
		EARTHING				70.750	Imnet	V TIVE only
	5.6	EARTHING COPPER EARTH PLATE ELECTRODE					-	Tive only.
	5.6	EARTHING COPPER EARTH PLATE ELECTRODE:-		and the second second				Tive only.

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

149.

13.

\cap		Earthing with	3	6		
	02 510	Earthing with copper earth plate 6 600mmx 3mm thick including ac and providing masonary enclosur cover plate having locking arrangem watering pipe of 2.7 meter long et charcoal/cock and salt as required.	essories re with ent and c with			Rs. Nine thousand three hundred eighty four and paise ninety two only.
	5.10	23 x 3mm copper earth strip in pir	2.00	00 Eac	h 9384.92	
103	5.14	Providing and fixing 25 mm X 5 mm of strip in 40 mm dia G.I. pipe from earth electrode includence connection with brass nut, bolt, spring, washer excavation and filling etc. as required. P/F 25 x 5 mm copper earth strip in surrecess:-	copper luding and re-) Mtrs.	1092.820	Rs. One thousand ninety two and paise eighty two only.
104	7.1	recess for connections etc. as required. Cable Laying of 1.1 KV & 11 KV:-	24.000	Mtrs.		Rs. Eight hundred sixty four and paise fifty six only.
	7.1.2	Laying of one number PVC insulated a PVC Sheathed / XLPE power cable of I KV grade of following size direct in groun including excavation, sand cushionin protective covering and refilling the trend etc as required. Above 35sq.mm and Upto 95 Sq.mm.	.1 nd			
105	F c c ir	G.I. Pipe for Cable protection:- Providing, laying and fixing following dia RCC pipe NP2 class(light duty) in ground complete with RCC collars, joints with ement mortar 1:2 (1 cement : 2 fine sand) including trenching (75 cm) and refilling tc.as required. (Road crossing as per site prodition)		Mtrs.	204.020 ar	s. Two hundred four and paise two only.

May 12 WM

	14.1	4.2	150 mm dia		3	7			
100	5 9.1	- 1	1.1 KV Cable End	Termination	10.0	00	Mtr.	387.84	Rs. Three hundred seven and paise eig four only.
	0.1.26		Supplying and making in termination with brass dou gland and aluminium lugs for PVC insulated XLPE Al. I KV grade as required.	ndoor cable en ible compressio	nd on				
	9.1.22	3	.5 Core 50 Sq.mm.						
107	1908 JS 2014		5 core 50 sq mm xlpe	:/pvc insulated	2.000	Ea	ach 2	72.700	Rs. Two hundred sevent two and paise sevent only.
		(Falu	Heavy duty)armoured e uminium conducter.	electric cable					
108		3.5	5C x 50 Sq.mm 1.1kV						Rs. Three hundred nin
	2.1	foll swi with fuse pane	HRC fuse type Treconnector:- Providing connector:- Providing owing capacity TP&N discontent of the existing of the existing of the transfer of transfer of the transfer of transfer of the transfer of transfe	g panel board	100.000	Mtr	S. 39	1.000	one only.
	2.1.2	63 aı	nps,TP&N, HRC						
9	2.5		Busbar Chamber:-		3.000	Each	2260.	hi	s. Two thousand two indred sixty and paise irty eight only.
	2.5.3 B.S.R		ding and fixing following rehamber with 4 strips of so						
	a c re	all connec equire	accessories ctions, earthing the bod	pplete with including dy,etc as				hur	Six thousand two ndred twenty two and se sixty one only.

Allowersin

Chief Engineer

S.S.E.I.D.C. Ltd., Patna

Planting

1813 | 1821)

	1	2.7.4 Providing	g and fixing following cap	1: 0	38		
	1	.S.R pole OFF	F-load changeover switch	pacity four			
	2	009 handle o	peration, in sheet enclared board in the	with side			
		existing	metal board, including	losure in			
		holes in	metal panel metal	drilling			
		etc. as req	uired pallel, making col	nnections			Re Com
		125 Amps	uired.				Rs. Seven thousa
		125 Allips	, Four pole				hundred seven or
1	111 6.	5 Providing	ord C.	1	.000		
		3 mm thick	and fixing copper tape 20	mm X	.000	Each 79	007.000
		Or sunfa	on parapet				
		or surface	of wall for 1:-1.	ndur			
		complete as	required.	nauctor			D - mi
		(For horizon	ntal run)				Rs. Three hundred
			(111)				seventy nine and n
1	12 66						seventy six only.
1	6.6	providing ar	nd fixing copper tape 20	80.0	000 m	acton and	
		3 mm thick of	nd fixing copper tape 20	mm X	11	neter 379	9.760
		or surface	on parapet				
		or surface o	f wall for lightning con- equired	ducton			D 5
112		C 200	1-11-04.	1			Rs. Four hundred te
113	2.2	Providing an	nd fixing follwing rteing	30.0	00	.	paise six only
		breaking	id fixing follwing rteing	and and	me	eter 410.	.060
		Cubical-	pacity MCCB in ex	isting			
		cubicale pane	el bord including drilling	hal			
		cubicale pane	el making	HOIEL	1		
			making connection				
		required	el making connection et	tc as			
		required	making connection et	tc as			
	2.2.3		making connection et	tc as			
	2.2.3	required 160 amp. 16K	making connection et	tc as			
	2.2.3		making connection et	tc as			
	2.2.3		making connection et	tc as			Rs. Four thousand five
	2.2.3		making connection et	tc as			Rs. Four thousand five hundred sixty five and
	2.2.3	160 amp. 16K	A	1.000	EAC	H 4565.20	flundred sixty five and
114		160 amp. 16K	A NG	1.000	EAC	1.505.20	00 paise twenty only.
114	2.2.3 DGS&D	160 amp. 16KA FIRE FIGHTI Brand new ISI	NG	1.000	EAC	H 4565.20 Total (00 paise twenty only.
114		160 amp. 16KA FIRE FIGHTI Brand new ISI	NG	1.000	EAC	1.505.20	00 paise twenty only
114		FIRE FIGHTI Brand new ISI type multipurpo	NG marked Life Guard A	1.000	EAC	1.505.20	00 paise twenty only.
114		FIRE FIGHTI Brand new ISI type multipurpor	NG marked Life Guard Algebrase Fire Extinguishers 4 K	1.000 BC gs.	EAC	1.505.20	nundred sixty five and paise twenty only. (C) 503,812
114		FIRE FIGHTI Brand new ISI type multipurpo: Capacity, fitte- complete in al	NG marked Life Guard Algebrase Fire Extinguishers 4 K d with pressure guard and the control of	1.000 BC gs.	EAC	1.505.20	nundred sixty five and paise twenty only. (C) 503,812
114		FIRE FIGHTI Brand new ISI type multipurpo: Capacity, fitte- complete in al	NG marked Life Guard Algebrase Fire Extinguishers 4 K d with pressure guard and the control of	1.000 BC gs.	EAC	1.505.20	nundred sixty five and paise twenty only. (C) 503,812 Rs. Seven thousand five
114		FIRE FIGHTI Brand new ISI type multipurpor	NG marked Life Guard Algebrase Fire Extinguishers 4 K d with pressure guard and the control of	1.000 BC gs.	EAC	1.505.20	Rs. Seven thousand five hundred forty nine and
114		FIRE FIGHTI Brand new ISI type multipurpo: Capacity, fitte- complete in al	NG marked Life Guard Algebrase Fire Extinguishers 4 K d with pressure guard and the control of	1.000 BC gs. age se,		Total (Rs. Seven thousand five hundred forty nine and paise seventy five only.
114		FIRE FIGHTI Brand new ISI type multipurpo: Capacity, fitte- complete in al	NG marked Life Guard Algebrase Fire Extinguishers 4 K d with pressure guard and the control of	1.000 BC gs.	EAC Nos.	Total (Rs. Seven thousand five hundred forty nine and paise seventy five only.
114	DGS&D	FIRE FIGHTI Brand new ISI type multipurpor Capacity, fitter complete in al complete installa	NG marked Life Guard Algorithms and Algorithms and Algorithms and Algorithms are seen as a second control of the second control of	1.000 BC gs. age se,		Total (Rs. Seven thousand five hundred forty nine and paise seventy five only.
	DGS&D	FIRE FIGHTI Brand new ISI type multipurpor Capacity, fitter complete in al complete installa	NG marked Life Guard Algorithms and Algorithms and Algorithms and Algorithms are seen as a second control of the second control of	1.000 BC gs. age se,		7549.750 Total	Rs. Seven thousand five hundred forty nine and paise seventy five only. Rs. Seven thousand five hundred forty nine and paise seventy five only.
	DGS&D	FIRE FIGHTI Brand new ISI type multipurpo: Capacity, fitte- complete in al	NG marked Life Guard Algorithms and Algorithms and Algorithms and Algorithms are seen as a second control of the second control of	1.000 BC gs. age se,		Total (Rs. Seven thousand five hundred forty nine and paise seventy five only. 1 75,497.5
	DGS&D	FIRE FIGHTI Brand new ISI type multipurpos Capacity, fitte complete in al complete installa	NG marked Life Guard Algorithms and Algorithms and Algorithms and Algorithms are seen as a second control of the second control of	1.000 BC gs. age se,		7549.750 Total	Rs. Seven thousand five hundred forty nine and paise seventy five only. Rs. Seven thousand five hundred forty nine and paise seventy five only.
	DGS&D	FIRE FIGHTI Brand new ISI type multipurpor Capacity, fitter complete in al complete installa	NG marked Life Guard Algorithms and Algorithms and Algorithms and Algorithms are seen as a second control of the second control of	1.000 BC gs. age se,		7549.750 Total (D	Rs. Seven thousand five hundred forty nine and paise seventy five only. 1 75,497.5 75,498.00
	DGS&D	FIRE FIGHTI Brand new ISI type multipurpos Capacity, fitte complete in al complete installa	NG marked Life Guard Algorithms and Algorithms and Algorithms and Algorithms are seen as a second control of the second control of	1.000 BC gs. age se,		7549.750 Total (D Rate Incl.	Rs. Seven thousand five hundred forty nine and paise seventy five only. 1 75,497.5 75,498.00
	DGS&D	FIRE FIGHTI Brand new ISI type multipurpos Capacity, fitte complete in al complete installa	NG marked Life Guard Algorithms and Algorithms and Algorithms and Algorithms are seen as a second control of the second control of	1.000 BC gs. age se,		7549.750 Total (D Rate Incl. 1% Lab.	Rs. Seven thousand five hundred forty nine and paise seventy five only. 1 75,497.5 75,498.00
1114	DGS&D	FIRE FIGHTI Brand new ISI type multipurpos Capacity, fitte complete in al complete installa	NG marked Life Guard Algorithms and Algorithms and Algorithms and Algorithms are seen as a second control of the second control of	1.000 BC gs. age se,		7549.750 Total (D Rate Incl.	Rs. Seven thousand five hundred forty nine and paise seventy five only. 1 75,497.5 75,498.00
	DGS&D	FIRE FIGHTI Brand new ISI type multipurpos Capacity, fitte complete in al complete installa	NG marked Life Guard Algorithms and Algorithms and Algorithms and Algorithms are seen as a second control of the second control of	1.000 BC gs. age se, 10.000	Nos.	Total (D Total (D Total (D Rate Incl. 1% Lab. Cess	Rs. Seven thousand five hundred forty nine and paise seventy five only. Rs. Seven thousand five hundred forty nine and paise seventy five only. Rs. Two hundred sixty five and paise seventy five only.
	DGS&D	FIRE FIGHTI Brand new ISI type multipurpos Capacity, fitte complete in al complete installa	NG marked Life Guard Algorithms and Algorithms and Algorithms and Algorithms are seen as a second control of the second control of	1.000 BC gs. age se,		Total (D Total (D Total (D Rate Incl. 1% Lab. Cess	Rs. Seven thousand five hundred forty nine and paise seventy five only. 1 75,497.5 75,498.00

			39	7				
		Sand						
			188.4		cui	m 130	00.62	Rs. One Thousand Hundred and paise s
		Local Sand	125.0			47 Partie		two only.
		Stone Chips	125.9	18	cun	n 20	5.29	Two Hundred Five a paise Twenty Nine of
			176.27	79	cum	1634	1	Rs. One Thousand si Hundred thirty four a
		Brick	120.25	53	Thous			paise fifty one only
		Steel	1	+	111003	601		Rs. Six hundred one a paise sixty seven only.
1	116 ADD EXTI	TRA COST OF MATERIAL FOR	18.050	,	MT	289	$.87 \frac{n}{n}$	ine and paise eighty
	SOR SOR	AA COST OF MATERIAL FOR ANGA COMM. W.R.T TO GAYA AS PER	40			All of the second	Se	even only.
	Bricks							
			120.253	Т	hous.	333.3	וווו	s. three hundred thirty ree and paise thirty six
	Cement		139.566			EST.	Po	O Ti
			139.300	N	MT	1075.73	Siseve	enty five and paise enty three only.
						Total		
								867,354.18
L.			Grand T	otal	(A+B	Total (E)		867,354.00
Vo.	DISTRICT	NAME OF INSTITUTE			1	(C(D)E)		7,511,776.73
1	SAMAST IPUR							nount Rs.)
+		BLOCK RESOURCE CENTE	RE					7,511,776.73
	(Rupees §	Seventy Five lacs Eleven Thomas	l Cost in	n 'R	s'			7 514 777 00
		Total Seventy Five lacs Eleven Thousand Se	even Hur	ndr	ed Se	venty Se	ven (7,511,777.00 Only)

Albro v sirk

Chief Engineer

B.S.E.I.D.C. Ltd. Patra

18/3

		ctails of Sl. No. 78 (Construction of Cost of Materials 125mm dia UPVC casing pine acres		III A 401	mm x 90	m Tube w	vell) is given belgi
		to ISS	firming	27			
	2	40mm dia UPVC pipe confirming to	o ISS	48	TVICE	31.	Rs. Three hundred only.
3	3	40mm dia PVC ribbed strainer of appuality	proved	8	Met		Rs. Ninety nine and thirty eight only.
4		Reducing socket 125mm x 40mm		0	Mete	er 182	Rs. One hundred e two only.
				1	Each	270.	Rs. Two hundred so only.
5	7	Supplying all labour and materials & t & fixing PVC cap over the new sink T	fitting [/well	1	Each	140.0	D. C
6	B.S.R 1548	Providing and fixing of G.I pipes comp with G.I fittings and clamps, including, cutting and making good etc 32 mm dia (15% C.P & 1% L.Cess)	olete,	18	mtr	224.44	Rs. Two hundred twe
7	B.S.R 1928	32 mm nominal bore Bross Full valve (15% C.P & 1% L.Cess)		1	Each		Rs. Five hundred
		Supplying all equipments, tools and				/	and paise twenty one only.
8	i P	installation of 1 HP single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary ris pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of E/I	ser	1	Each	-,	Rs. Twenty six thousand our hundred forty six only.

Chief Engineer

B.S.E.I.D.C. Ltd, Patnal

10.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

110.

1

rait B.	- Cost of Labour	4)		
	Boring by jet dheki by suitable cutter of reduce as the case may be lowering 125 x U.P.V.C x 40 mm dia G.I pipe & strain of standard quality iron, shoe, plug & so etc. all complete including providing all tools and plants required for the job as perspecification and direction of the engineer in charge.	mm ner cket			
	(i) 0 to 30.5 m				
9	(a) For 125 mm dia U.PV.C pipe	27	7 mtr	20	Rs. Two hundred eigand paise seventy seventy
10	(b) for 40 mm dia UPVC pipe				only.
	(i) 0 to 30.5 m	3.5	mtr	119	Rs. One hundred nineteen and paise thr
	(ii) 30.5 m to 61.0 m	-600			only.
11	(a) For 40 mm dia UPVC pipe	30.5	mtr	136	Rs. One hundred thirt
	(iii) 61.00 m to 75.00 m	The state of the s			six and paise eighty eigonly.
12	a) For 40mm dia UPVC pipe	14	mtr	148.7	Rs. One hundred forty eight and paise seventy
	(iv) 75.00 m to above		1		nine only.
13	a) For 40mm dia UPVC ribbed strainer of approved quality	8	mtr	148.79	Rs. One hundred forty
14	Providing all labour & tools and lowering 32 mm dia G.I pipe as per specificatin etc. all Complete	24	mtr	21.34	Rs. Twenty one and
5	Supplying labour and developing the T/Well to have sand free discharge all complete as per direction of E/I	1	Each	280.50	paise thirty four only. Rs. Two hundred eighty and paise fifty only.
			Sub	- Total	
nder ann	oved in favour of Abhay Kumar Singh		Total C=	Total	14,294.28

Tender approved in favour of Abhay Kumar Singh @ 10.00% (Ten Decimal Zero Zero Percent) below BOQ rate i.e. total amount comes to Rs. 67,60,599=00 (Rupees Sixty Seven Lacs Sixty Thousand Five Hundred Ninety Nine Only)

Hard It sith

Chief Engineer B.S.E.I.D.C. Ltg td. Patna lehoushing

Performance Security

Name of Agency - "Abhay Kumar Singh"

Performance Security of "Abhay Kumar Singh" of "BRC-Shivajinagar(SL. No.-30)"

NSC No 46EF 880302-04 46EF 880609-18 46EF 880590-92 46EF 880593-08 NSC No 04EF 743938 04EF 743940	<u>DOI</u> 02.01.16 06.01.16 06.01.16 06.01.16 <u>DOI</u> 19.10.11	Reg. No. 1617 1688-90 1684 1685-88 Reg. No. 5412	10000*3 10000*10 10000*3 10000*16 10000*1	Shivajinagar(SL. No30)" Amount 30000.00 100000.00 30000.00 160000.00 Amount 10000.00 10000.00 Total 340000.00
--	--	--	--	--

(Rupees Three Lacs Forty Thousands Only)

Amir Kr Sar 15/03/17 लेखा पदाधिकारी

विहार राज्य शैक्षणिक आधारभूत संरचना

विकास निगम लि०, पटना

Hory or John

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना-800004, दूरभाष-0612-2910314 कॉर्पोरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256,

पत्रांक:- BSEIDC/FIN/2518/2016-17/- 93% S

पटना, दिनांक 03-10-15

प्रेषक.

ब्रजेश प्रसाद मुख्य परामर्शी (तकनीकी)

सेवा में

Abhay Kumar Singh, Banbira, P.Halai, Samastipur.

बिहार राज्य अंतर्गत "Construction of Block Resource Centre at Shivajinagar, Samastipur (SL. No.-30)" के कार्य हेतु जमानत की राशि जमा कर एकरारनामा करने के संबंध में।

महाशय.

उपर्युक्त विषय के संबंध में कहना है कि विषयांकित कार्य की निविदा हेतु आपके द्वारा निविदित दर जो परिमाण विपत्र के दर से 10.00% (दस दशमलव शून्य शून्य प्रतिशत) कम है तद्नुसार निविदा की कुल राशि रू० 67,60,599/—(सड़सठ लाख साठ हजार पाँच सौ निनानवें रूपये) मात्र आपके पक्ष में स्वीकृत की गयी है।

अतः निदेश दिया जाता है कि अग्रधन की राशि रू० 3,39,000/- (तीन लाख उनचालीस हजार रूपये) मात्र का सावधि पासबुक / राष्ट्रीय बचत प्रमाण पत्र के रूप में प्रबंध निदेशक, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०, पटना के नाम से प्रतिज्ञिप्त हो जमा कर अविलंब एकरारनामा कर लें।

> (ब्रजेश प्रसाद) मुख्य परामर्शी (तकनीकी)

ज्ञापांक : BSEIDC/FIN/2518/2016-17/- 9385

पटना, दिनांक 02-10-16

प्रतिलिपि : वरीय लेखा पदाधिकारी, BSEIDC को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित।

मुख्य परामर्शी (तकनीकी)

बिहार राज्य श्रीक्षणिक आधारमत संरचना विकास निगम लि०

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथा, सैदपुर, पटना—800004, दूरभाष—0612—2910314

कॉपॉरेट पहचान संख्या: U80301BR2011SGC015859, e-mail: bseide@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256,

Letter no.: BSEIDC/NIT/2015-16/- 3950

Patna, Date: 30.04.16

Corrigendum No.- 3

With reference to N.L.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "हिन्दुस्तान" on dated 10.02.2016 vide P.R.-12943 (नि०नि०)15—16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below

SI.		
no.	Existing provision	
	Period of Sale of Bid document (Download) from dated 16.04.2016 to 10.05.2016,	Period of Sale of Bid document (Download) from
	Date and Time of Pre bid Meeting – 25.04.2016, 14:30 Hrs.	Date and Time of Pre bid Meeting – 25.04.2016, Date and Time of Pre bid Meeting – 25.04.2016,
	Last date and time for receipt (Upload) of Bids on dated 11,05,2016, 15,00 rs.	16:00 Hrs. Last date and time for receipt (12)
	Time and date for opening of Technical Bids on dated 13. 05.2016, 16:30 p.m.	dated 06.06.2016,15:00 Hrs. Time and date for opening of Tash.
	nancial Bids on	dated 08. 06.2016, 16:30 Hrs. Time and date for opening of Eigen
	and EMD will be	The Cost of BOO and EMD will be good.
1	00 mm	scepted up to 08.06.2016, 15:00 Hrs

The other terms and conditions shall remain unchanged.

Chief Engineer

3.S.E.I.D.C. Ltd, Patna

Chief Consultant (Technical) 300-4-2016 (Brajesh Prasad)

बहार राज्य शिक्षाणिक आधारमत सरवना विकास निमा लिए शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथा, सैदपुर, पटना–800004, दूरभाष–0612–2910314 (बिहार सरकार का एक उपक्रम)

कॉर्पोरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website: www.bseidc.in, Fax No.: 0612-2660256, Letter no.: BSEIDC/NIT/2015-16/- 2937

Patna, Date: 28 03-2016

Corrigendum No.-2

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "हिन्दुरतान" on dated 10.02.2016 vide P.R.-12943 (नि०नि०)15—16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as me

Existing provision Period of Sale of Bid document (Download) 15:00 Hrs. Date and Time of Pre bid Meeting – 15.03.2016, 14:30 Hrs. Last date and time for receipt (Upload) of Bids on dated 29.03.2016, 15:00 Hrs. Time and date for opening of Technical Bids on dated 31. 03.2016, 16:30 Hrs. Time and date for opening of Financial Bids on dated 11.04.2016, 15:30 Hrs. The Cost of BOQ and EMD will be a	econ made as mentioned below:	Period of Sale of Bid document (Download) 6.	15:00 Hrs. Date and Time of Pre bid Meeting – 25:04.2016	Last date and time for receipt (Upload) of Bids on dated 11.05.2016,15:00 Hrs	Time and date for opening of Technical Bids on dated 13. 05.2016, 16:30 Hrs.	dated 27.05.2016, 15:30 Hrs.	opica up to 13.05.2016, 15:00 Hrs.
0 5 7 0	SL.	Period of Sale of Bid document (Download) from dated 03.03.2016 to 28.03.2016,	Date and Time of Pre bid Meeting – 15.03.2016,	on dated 29.03.2016,15:00 Hrs. Time and date for opening of Technical Bids	inancial Bids on	and EMD will be a	

The other terms and conditions shall remain unchanged.

Chief Consultant (Technical) (Brajesh Prasad)

बिहार राज्य श्रीक्षणिक आधारभूत संरवना विकास निगम लि

(बिहार सरकार का एक उपक्रम)

कॉपोरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website: www.bseidc.in, Fax No.: 0612-2660256, शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना—800004, दूरभाष—0612—2910314

Letter no.: BSEIDC/NIT/2015-16/- 2638

Patna, Date: 1年63-16

Corrigendum No.- 1

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below:-

		The state of the s			Ť		Ţ				
		Amended provision	Period of Sale of Bid document (Download) from dated 03.03.2016 to 30.03.00.000	15:00 Hrs.	Last date and time for receipt (Upload) of Bids on	Time and date 6	dated 04. 05.2016, 16:30 Hrs	Time and date for opening of Financial Box	dated 17.05.2016, 15:30 Hrs.	The Cost of BOQ and EMD will be accented in to 04 of 2000	From up to 04.05.2016, 15:00 Hrs.
	Existing provision	Period of Sale of Bid dom	from dated 03.03.2016 to 28.03.2016,	Last date and time for receipt (Upload) of Bids	on dated 29.03.2016,15:00 Hrs.	dated 31 03 2016 10 Opening of Technical Bids on	Time and date for consists	dated 11.04.2016, 15:30 Hrs	10111	The Cost of BOQ and EMD will be a	
SI.	no.		_	7		3		+	5		
							-				

The other terms and conditions shall remain unchanged.

(Brajesh Prasad)

Chief Consultant (Technical)

SPECIAL CONDITIONS

- 1. The tenderers are required to deposit the earnest money as prescribed in the NIT.
- 2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.
- 3. The rates quoted by the contractor should be inclusive of all taxes royalties and other
- 4. To qualify for award of work, the Bidder must possess the following :-
- a) Legal Status, Place of Registration, Principal place of business & Power of attorney of b) DD for required value of B.O.Q. Cost.
- c) Sufficient Earnest Money Deposit.
- d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.
- Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed at least one Building work of value not less than 25 % of estimated value of contract) in last five years as mentioned in Technical bid.
- f) Litigation History as mentioned in Technical bid.
- g) Affidavit as mentioned in Technical bid.
- h) Valid Registration with Central/ State Govt. / PSU.
- i) Valid labour license as mentioned in Technical bid.
- j) Affidavit/Certificate for not been debarred as mentioned in Technical bid.
- 5. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.
- 6. The tender without earnest money or insufficient earnest money submitted with the 7. Conditional tenders shall be outright rejected.
- 8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.
- 9. Authority shall reserve the right to reject any or all the tenders or distribute the work to more than one contractor without assigning any reason.
- 10. Any claim for idle labours on any account shall not be entertained.
- 11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules
- 12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the
- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss
- a. Natural calamities
- b. Act of enemies.

(Seal & Signature of Tenderer)

Page 1 q

- Transport and procurement difficulties.
- d. Circumstances beyond the control of the state.
- 15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- 16. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing
- 17. The contractor shall make his own arrangement for water and light at the work site.
- 18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 19. Items ordered and done if not included in sanctioned rates will be payable after
- 20. The Tenderer must not quote their rate more than 10 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
- 21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 22. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.
- 23. The Defect liability Period shall be Three (3) Years from the date of completion ----X-----X

(Seal & Signature of Tenderer)

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड

(बिहार सरकार का एक उपक्रम) 49 शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् कैम्पस, आचार्य शिवपुजन सहाय पथ, सैदपुर, पटना—800004 (दूरभाष:—0612—2910314)

निविदा आमंत्रण सूचना संख्या– 40 वर्ष 2015–16

(केवल ई-टेन्डरिंग पद्धति के अनुसार वेबसाइट www.eproc.bihar.gov.in पर) बिहार राज्य के भवन निर्माण कार्य हेतु निम्नांकित निविदायें आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार/सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रजिस्ट्रेशन, उक्त कार्य का लेटर ऑफ

1	क्रम	कार्य का नाम	у	ाक्क लित	T 277	प्रति	माण है		
		प्रा पास		राशि	012	ाधन परि राशि विपन	Beltro	on Bid	1
	1	BRC Ekma, Saran	(ल	ाख में			Proce	essing	स
	2	BRC Baniyapur,Saran		85.2	(()	(स्व		n Rs.)	की
	3	BRC Masrak, Saran			1,70,	400 10,0	000 575	-	
	4	BRC Mark		85.2	1,70,	400 10,0	000 575		15
1	5	BRC Marhowrah, Saran		85.2	1,70,	10.0	075		15
F	6	BRC Amnour, Saran		35.2	1,70,4	100 10,0	00		15
-	7	BRC,Dariyapur,Saran		35.2	1,70,4	10,0	00	-	15
-		BRC, Garkha Saran	8	35.2	1,70,4	0.0	0/3	-	15
-	8	BRC, Manigachhi Darbhan	8	5.2	1,70,4	0.0	00		15
-	9	BRC, Reott. Darbhango	8	5.2	1,70,4	-,0,		0	15
_	10	BRC, Kusheshwarsthan David		5.2		- 0,00)	15
	11	BRC, Ghanshyampur, Darbhanga		5.2	1,70,4	- 0,00	0/50)	15
	12	BRC, Kiratpur, Darbhanga			1,70,40	10000	5750		15
	13	BRC Rahari Dall		5.2	1,70,40		0 5750		
	14	BRC,Baheri,Darbhanga		5.2	1,70,40		0 5750		15
		BRC, Halibanagar, Darbhanga	85		1,70,40	0 10,00	5/50		15
-	16	BRC, Lakhnaur Madhuba.	85		1,70,40	0 10,000	3730		15
-	10	DRC, Jnanjharnir Madhuhani	85	.2	1,70,40	0 10,000	5750		15
-		BRC, Filliparas Madhubani	85.	2	1,70,40	-,000	5750		15 F
	10	DRC, Khutauna Madhuhani	85.	2	1,70,400	- 5,000	3730		15 н
-		DRC, Khajouli Madhuhani	85.	2	1,70,400	-,000	5/50		15 म
2	0]	BRC,Bisfi,Madhubani	85.			-,000	5/30		15 म
2	1 I	BRC,Rahika,Madhubani	85.		1,70,400		5750		15 मा
2	2 I	BRC, Harlakhi,Madhubani	85.2		1,70,400		5750		
2.	3 F	BRC Rabubart Mariani			1,70,400	10,000	5750		
24	4 F	BRC,Babubarhi,Madhubani	85.2		1,70,400	10,000	5750		
25		BRC Rosada, Samastipur	85.2		1,70,400	10,000	5750		5 माह
26		BRC Samastipur	85.2	1	,70,400	10,000		1:	
27	B	RC, Khanpur,Samastipur	85.2	1	,70,400	10,000	5750	1:	
	D	NC, Hasannur Samastin	85.2		,70,400	10,000	5750	15	5 माह
28	D	NC, Mohannur Samactin	85.2		,70,400		5750	15	माह
29	D	RC, Patori Samastinus	85.2		,70,400	10,000	5750	15	माह
30	BI	RC, Shivajinagar, Samastipur	85.2		70,400	10,000	5750		माह
31	DI	C,Sangrampur E Champa	85.2			10,000	5750		माह
32	BF	RC,Kalyanpur,E.Champaran	85.2		70,400	10,000	5750		माह
3	BR	RC Chakia,E.Champaran	85.2		70,400	10,000	5750		माह
4	BR	C Sugarli E Ch			70,400	10,000	5750		माह
5	RR	RC Sugauli,E.Champaran	85.2		70,400	10,000	5750		
6	RD	C Madhuban,E.Champaran	85.2	1,7	70,400	10,000	5750	15	माह
7	DI	C Palani, E Champage	85.2	1,7	0,400	10,000		4 -	माह
	DI	C Kaxaul, F. Champaran	85.2	1,7	0,400	10,000	5750		माह
3	DK	C Adapur, E. Champaran	85.2		0,400	10,000	5750		माह
)	DK	C Bankatwa F Champan	85.2		0,400		5750	15	माह
)	DIV	Unaka, E. Champaran	85.2		0,400	10,000	5750	15	माह
	BRO	Bairia, W.Champaran	85.2			10,000	5750		माह
	BRC	Narkatiaganj, W.Champaran	85.2		0,400	10,000	5750		माह
	BRC	Sikto W.C.			,400	10,000	5750	15 F	
	RRC	Sikta, W.Champaran	85.2		,400	10,000			
	DICC	Bhithan, W. Champaran	85.2	1,70	,400	10,000	\$750	15 F	
			85.2				ADI TIM MA	715 H	ाह

	45 BRC Lauriya, W. Champaran								
	DRC, Piprasi W Champan		8:	5.2	1,70,40	0 100	0.0		
	BRC, Majhaulia W Chame	50	85	5.2	1,70,400		20	750	15 माह
	BRC Darauli Siwan			5.2	1,70,400	10,00	3	750	15 माह
	The Hussalngani Civia		85	5.2	1,70,400		0	750	15 माह
	orte Mali Wa Siwan		85	5.2	1,70,400		0	750	15 माह
	Dasaninir Siwon		85		1,70,400	10.00	0	750 750	15 माह
	52 BRC Maharajganj,Siwan 53 BRC,Bhagwanpur,Siwan		85.		1,70,400	10,00	0/		15 माह
	54 BRC,Hasanpur,Siwan		85. 85.	-	1,70,400	10,000	57		15 माह 15 माह
	55 BRC Uchkagaon, Gopalganj		85.		,70,400	10,000	57.		
	BRC Sidnwalla Gonalass:		85.2		,70,400	10,000	57:		15 माह 15 माह
	DIC Bhorey Gonalgan:		85.2		70,400	10,000	575		15 माह
	56 BRC, Bliainur Gonalgan:		85.2	-	,70,400 ,70,400	10,000		50	15 माह
	BRC Pachdeuri Gonalgani		85.2	1,	70,400	10,000	575		15 माह
-	BRC Ruchalkot Gonalgon:		85.2	- ,	70,400	10,000	575		15 माह
	or BRC, Ramgarh Kaimur		85.2		70,400	10,000	575		15 माह
-	oz BRC Chainnur Kaimur		85.2		70,400	10,000	575		15 माह
	03 BRC Bhagwannur Kaimur		85.2		70,400	10,000	5750	- '	5 माह
	DRC Chakki Buyar		85.2		0,400	10,000	5750	-	5 माह
	os BRC Buxar		85.2		0,400	10,000	5750		5 माह
	- Chausa Blivar		85.2		0,400	10,000	5750	1	
	Site Dilidia, Kohtas		85.2	1,7	0,400	10,000	5750	-	
	The Raidilgar Robtas		85.2	1,70	0,400	10,000	5750	1:	
	BRC Rochas, Rohtas		85.2	1,70),400	10,000	5750 5750	15	
	The Hauthly Rohtas		85.2		,400	10,000	5750	15	
	- Raidkal Rohtas		85.2		,400	10,000	5750	15	
	Dawal, Kontas		85.2	1,70		10,000	5750	15	
-	BRC,Mansahi,Katihar BRC,Manihar,Katihar		35.2	1,70	,400	10,000	5750		माह
	BRC, Pranpur, Katihar		35.2 35.2	1,70,		10,000	5750	15 15	
	BRC, Kadwa, Katihar		5.2	1,70,		10,000	5750	15	माह
7	7 BRC,Barsoi,Katihar		5.2	1,70,		10,000	5750		माह माह
7	8 BRC,Azamnagar,Katihar		5.2	1,70,		0,000	5750		माह
7	9 BRC, Narpatganj, Araria		5.2	1,70,4		0,000	5750		माह
8	BRC, Araria		5.2	1,70,4 1,70,4	100	0,000	5750		माह
8:	BRC, Jokihat, Araria		5.2	1,70,4	0.0	0,000	5750	15	
82	BRC,Bhargama, Araria	85		1,70,4		0,000	5750		माह
83	BRC, Kursakata Araria	85	.2	1,70,4		0,000	5750		माह
84	BRC, Purnea Fast	85.	.2	1,70,40	0.0	0,000	5750	15	नाह
85	BRC, Baisi, Purnea	85.	.2	1,70,40		,000	5750	15 ∓	गह
86 87	- C, Alliour, Pilrnea	85.	2	1,70,40		,000	5750		ाह
88	BRC, Dhamdaha, Purnea	85.		1,70,40		,000	5750		ाह
89	BRC,Banmankhi Purnes	85.2		1,70,40		000	5750 5750		ाह
90	BRC, Tarhagach, Kishanganj	85.2		1,70,40	0 10,	000	5750	15 H	
91	BRC, Thakurganj, Kishanganj	85.2		1,70,40	0 10,	000	5750	15 मा	
92	BRC, Pothia, Kishanganj	85.2		1,70,400	10,	000	5750	15 मा 15 मा	
93	BRC Katoria,Banka	85.2		1,70,400		000	5750	15 मा	
94	BRC Rajaun, Banka	85.2	-	1,70,400	10,0		5750	15 मार	
95	BRC, Barhat, Banka	85.2		,70,400	10,0		5750	15 माह	
96	BRC Belhar,Banka BRC Jamui	85.2		,70,400	10,0	0.0	5750	15 माह	_
97	BRC Barhat, Jamui	85.2 85.2		,70,400	10,0	0.0	5750	15 माह 15 माह	
98	BRC Chakai, Jamui	85.2		,70,400	10,0	0.0			
99	BRC Gidhour, Jamui	85.2		70,400	10,00	00		15 माह 15 माह	
100	BRC Sikandra, Jamui	85.2		70,400	10,00	00	5₹50	15 माह 15 माह	
	MA H A A	85.2		70,400	10,00	00		ाउँ माह विमाह	
*	18 Str	00.2	1,	70,400	10,00	$0 $ $\frac{5}{2}$	180 (9)	5 माह	
					C	hief En	gineer		J
					B.S.E	J.D.C.	td, Patr	a	
				-	ye.	-			
				1	813.				
					1				

	102 BRC New Asharganj, Munger								
	DILL MAIIGOOPP: D:		8	5.2	1,70,40				
			8	5.2	1,70,400	10,00		5750	15
	Sildliklind Db - 1	5	85	5.2	1,70,400	10,00		5750	15
	T UI dilli Mode		85	5.2	1,70,400	-0,00		5750	15
	DICC (IWalnada M. II		85	.2	1,70,400	- 0,000		5750	15
	The Rullarkhand M. II		85.		1,70,400	-,000		5750	15
	108 BRC Gailarh, Madhepura 109 BRC Sand		85.	2	1,70,400	10,000		5750	
	Dic Sallrhazon C-1		85.		1.70,400	10,000		5750	
	Site, Navnatta Cal-		85.2		1,70,400	10,000		5750	
	Bitte Mahensi Saha		85.2		1,70,400	10,000		5750	15
	DRC Sonbarca Cal-		85.2		1,70,400	10,000		5750	15
	DRC Simri Rakht:		85.2		1,70,400	10,000		5750	15
	114 BRC Supaul 115 BRC Dimen G	1	85.2	-	1,70,400	10,000		750	15 F
	BRC FIDIA Sunaul		85.2		70,400	10,000		750	15 म
	DRC Pratangani C		85.2	1	,70,400	10,000		750	15 H
	DIC Nirmali Cum		85.2	1	70,400	10,000		750	15 मा
	DRC Raghonur S		85.2	1,	70,400	10,000		750	15 मा
	- BRC, Alari Gave		85.2	1,	70,400	10,000		50	15 मार
	DRC, Neemchal, C		85.2	1,	70,400	10,000	57		15 माह
	BRC, Wazirgani C-		85.2	1,	70,400	10,000	57:		15 माह
	Bitc, Mohannur Ca-		85.2	1,7		10,000	575		15 माह
-	BRC, Imamgani C		85.2	1,7	0,400	10,000	575		15 माह
12	BRC Amas Gava		35.2		0,400	10,000	575		15 माह
	BRC, Koch Gave		35.2	1,7	0,400	0,000	575		15 माह
12	BRC.Jehanahad		5.2	1,7(0,400	0,000	575		15 माह
12	BRC, Kako Jehanak		5.2		0,400 1	0,000	5750	,	15 माह
128	BRC, Ghosi Jehanaha I		5.2	1,70	,400 1	0,000	5750	1	5 माह
129	DRC Arwal		5.2	1,70	,400	0,000	5750	1	5 माह
130	DIC Narni Arrival	85		1,70,	400	0,000	5750	1	
131	DRC, Opra Aurana 1	85		1,70,	400	,000	5750	1.	
132	DRC, Dev Allrangel	85		1,70,	400 10	,000	5750	15	
133	DIC Wadannin A	85.		1,70,	400 10.	,000	5750	15	माह
134	Tuttuling Auron 1	85.	-	1,70,4	100 10.	000		15	माह
135	- illamonh			1,70,4	00 10.	000	5750		माह
136	BRC, Merajgang Sitem 1	85.		1,70,4	00 10.	000	5750	15	माह
137	official vitamond	85.2		1,70,4	00 10.0		5750	15	माह
138	BRC, Barthnaha Sitam Li	85.2	-	1,70,40	00 10.0	100	5750	15	माह
139	- 10,10 ull Saldbur C:4	85.2	A	,70,40	00 10.0	00	5750		माह
140	Site Supplied them and the supplied to the sup	85.2	A	,70,40	0 10.0	0.0	5750		माह
141	BRC, Pakribarawan N	85.2		,70,40	0 10.00	0.0	5750	15	माह
142	- , '' ul lodiloan' N - '	85.2		70,40	0 10.00		5750		माह
-	Akaparnur VI	85.2		70,400	10.00	10	750	15	गह
	Narhat Navada	85.2		70,400	10.00	0	750		ग्रह
	BIC, Chandi Naland	85.2		70,400	10.00	0	750	15 म	ाह
	DRC, Austhawan Not	85.2	1,7	70,400	10.00	3	750	15 甲	ाह
	orc, Nalli Nalanda	85.2	1,7	0,400	10,000	3	750	15 मा	ह
10 1	orc, Ekangarsarai N-L	85.2	1,7	0,400	10,000	37	50	15 मा	ह
	V. Sildw Nalanda	85.2	1,7	0,400	10,000	31	50	15 मा	ह
B	ORC, Katrisarai Noland	85.2	1,70	0,400	10,000	37		15 माह	3
- D	NC, Karamarsura; N. I.	85.2	1,70	,400	10,000	57.		15 माह	5
	C, WOLDHR Muza CC	85.2	1,70	,400	10,000	575		15 माह	
Di	NC Galghat Muzafe	85.2	1,70	,400	10,000	575		15 माह	
4 BI		85.2	1,70,	400	10,000	575		15 माह	_
5 BF	W. Dandro M.	85.2	1,70,		10,000	575		15 माह	_
5 BR	RC.Minapur M.	35.2	1,70,			575		15 माह	1
1		35.2	1,70,		10,000	\$750)	15 माह	1
	1 - 14 21 1/2	5.2			10,000	15750			1
A12		3.2	1,70,4	100	10,000	\$750	MIN	5 माह	

Chief Engineer 28.S.E.I.D.C. Ltd, Patna

	158 BRC, Jagdishpur DI						
	158 BRC, Jagdishpur, Bhojpur BRC, Charles Hojpur		0.5				
	The Markovick Di		85.	19/0	,400 10,0	100	
	, Udwantnoon Di	52	85.	$\frac{2}{1,70}$	40.0		50 15 माह
	161 BRC,Garhani,Bhojpur		85.2	2 1,70	10.		50 15 माह
	162 BRC ,Koilwar,Bhojpur 163 BRC Feet I		85.2	2 1,70,	10,0		0
	163 BRC, Fatuhan, Patna		85.2	1,70,	- 5,00	00 575	0 13 418
	164 BRC Bakki		85.2	1,70,	10,00	575	गुड नाह
	164 BRC, Bakhtiyarpur, Patna 165 BRC Naubatar		85.2	1.70,	100	0 5750	13 418
			85.2	1,70,4	- 0,00	5750	15 माह
1	BRC, Waner, Patna		85.2	1,70,4	10,000	5750	13 माह
0	DIC Beolicana:		85.2	1,70,4	00 10,000	5750	13 418
	BRC, Matihani D			1,70,4	00 10.000	3730	15 माह
_	Dildow/anning D		85.2	1,70,40	10.000	3/30	15 माह
-	170 BRC, Bakhri, Begusarai 171 BRC, Maria BR		85.2	1,70,40	0 10,000	5750	15 माह
0	Ditt. Mancoon-1		85.2	1,70,40	0 10,000	5750	15 माह
			85.2	1,70,40	0 10,000	5750	15 माह
1	BRC Constitution, Khagaria		85.2	1,70,400	10,000	5750	15 माह
	BRC Gogari VI		85.2	1,70,400	- 5,000	5750	15 माह
	175 BRC, Beldour, Khagaria 176 BRC Parbatt		85.2	1,70,400	-0,000	5750	15 माह
	76 BRC Paul 77 BRC Paul		85.2	1,70,400	3,000	5750	
1	77 BRC Ragh		85.2	1,70,400	-0,000	5750	
1	77 BRC,Raghopur,Vaishali	8	35.2	1,70,400	10,000	5750	15 माह 15 माह
17	78 BRC Distributivalishali	8	35.2	1.70,400	10,000	5750	
18	BIC, Bidlinur Voi-1		5.2	1,70,400	10,000	5750	15 माह
18	BRC, Jandaha Voich II		5.2	1,70,400	10,000	5750	15 माह
18	BRC Mahua Vaiala II		-	1,70,400	10,000	5750	15 माह
18:	Bic, Garoul Vaida I:			1,70,400	10,000		15 माह
	DRC, Chewada Chall			1,70,400	10,000	5750	15 माह
184	- C.Dainiva I al-1:	85	-	1,70,400	10,000	5750	15 माह
185	BRC, Alinagar Surveyer	85	.2	1,70,400	10,000	5750	15 माह
	BRC ,Alinagar, Suryagarha,Lakhisarai	85.	2 1	1,70,400	10,000	5750	15 माह
	नोटः (i) निविद्यान	85.	2 1	,70,400		5750	15 माह
	नोटः (i). निविदाकार एक या अधिक कार्य के लिए अलग—अलग निविद (ii). प्राक्कलित राशि घट या बढ़ सकती है एवं तदनुसार अगधन			,, 5,400	10,000	5750	15 माह
	(ii). प्राक्किलत राशि घट या बढ़ सकती है एवं तद्नुसार अग्रधन :	रा डाल	सकते हैं	1	,		15 माह
	(iii).वेबसाईट—www.eproc.bihar gov in क्रांचित अग्रधन	की राशि	घट ग				

(ii). प्राक्किलत राशि घट या बढ़ सकती है एवं तद्नुसार अग्रधन की राशि घट या बढ़ सकती है।

(iii).वेबसाईट—www.eproc.bihar.gov.in पर अंकित प्राक्कलित राशि, अग्रधन की राशि एवं परिमाण विपन्न की राशि अंतिम रुप से (2) विज्ञापन निर्गत करने की तिथि (3) परिमाण विपत्र प्राप्त करने(डाउनलोड) की अवधि एवं समय :- दिनांक- 03.03.2016 से 28.03.2016, 15:00 घंटा

(वेबसाईट:www.eproc.bihar.gov.in पर)

(4) प्री बिड मीटिंग का समय, स्थान एंव तिथि

दिनांक:- 15.03.2016, 14:30 घंटा प्रबंध निदेशक का

कार्यालय,बिहार राज्य शैक्षणिक आधारभूत

(5) निविदा प्राप्ति(अपलोड) की अंतिम तिथि एवं समय:—

संरचना विकास निगम, पटना। दिनांक- 29.03.2016, समय- 15:00 घंटा

(6) अग्रधन जमा करने की अंतिम तिथि एवं समय

दिनांक- 31.03.2016, समय- 15:00 घंटा

(7) टेक्निकल बिड खोलने की तिथि एवं समय

दिनांक- 31.03.2016, समय- 16:30 घंटा

(8) वित्तीय बिंड खोलने की तिथि एवं समय

(वेबसाईट-www.eproc.bihar.gov.inपर)

(9) निविदा खोलने का स्थान

दिनांक- 11.04.2016, समय- 15:30 घंटा

(10) निविदा की वैधता की अवधि

वेबसाईट-www.eproc.bihar.gov.inपर

(11) ई—टेन्डरिंग की प्रकिया में भाग लेने हेतु संवेदकों को पंजीकृत होना होगा, जिससे कि उन्हें उपयोगकर्ता का नाम (user ID) पासवर्ड (Password) अंकीय हस्ताक्षर (Digital Signature) निर्गत की जायेगी। यह उन्हें वेबसाईट www.eproc.bihar.gov.in से डाउनलोड करने / टेन्डर की प्रक्रिया में भाग लेने की योग्यता प्रदान करेगा।

(12) ई-निविदा पत्र बेवसाईट www.eproc.bihar.gov.in से प्राप्त किया जा सकता है। संवेदक द्वारा सिर्फ उपर्युक्त वेबसाईट से ही परिमाण विपत्र प्राप्त करने के उपरांत वेबसाईट पर ही इलेक्ट्रानिक निविदा पत्र को भरकर भेजना है। अन्य सभी महत्वपूर्ण कागजात / बैंक ड्राफ्ट / अग्रधन की राशि / सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को स्कैन कर ई-निविद्या के साथ (13) परिमाण विपन्न के दर से कम दर उद्धृत करने पर बीड डाक्यूमेंट की शर्तों एवं सरकारी निर्णयानुसार

Performance Guarantee एक्रारनामा के पूर्व जमा करना होगा।

(14) (47) प्रत्यक पारमाण ।वपत्र का मूल्य जो प्रत्यक निविदा के सामने उपर किण्डका (1) में अंकित है (जो लौटाया नहीं जाएगा) किसी भी राष्ट्रीयकृत बैंक द्वारा निर्गत एवं BIHAR STATE EDUCATIONAL INFRASTRUCTURE

DEVELOPMENT CORPORATION LTD. के नाम से एवं पटना में भुगतेय हो, स्वीकार किया जायेगा। मूल बैंक ड्राफ्ट "बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटंड" पटना के कार्यालय में दिनांक 31.03.2016 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना है। ऐसा नहीं करने पर निविदा मान्य नहीं

(অ) Beltron Bid Processing Fee is mandatory to be paid through online mode i.e. Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS" Bids along with necessary online payments must be submitted through e-procurement portal www.eproc.bihar.gov.in before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffic/ Holidays or any other reason.

(ग) वांछित अग्रधन की राशि राष्ट्रीय बचत पत्र/डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक जो बिहार राज्य से क्रय या जमा किया हो, **प्रबंध निदेशक**, BSEIDC Ltd., पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा बिहार वित्त नियमावली के अनुसार BSEIDC Ltd. के नाम से फिक्सड डिपोजिट रिसिप्ट अथवा बैंक गारन्टी जो बिड के मान्य अविध तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत/अनुसूचित बैंक से निर्गत हो (अगर बिहार प्रान्त के बाहर के बैंक से निर्गत बैंक गारन्टी दिया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड, पटना में दिनांक 31.03.2016 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना आवश्यक है। ऐसा नहीं करने पर निविदा

(15) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्ट्रनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर लें। ताकि अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से बच सकें।

(16) निविदाकार निविदा डालने से पहले अपने स्तर से भी प्रस्तावित कार्य स्थल पर भूमि उपलब्धता के संबंध में आश्वस्त हो लेगे।

(17) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। बिना कारण बताये निविदा या उसके अंश को अस्वीकृत करने / रद्द करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।

(18) विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्य अविध में सम्पर्क किया जा सकता है। ई-टेन्डरिंग की प्रकिया से संबंधित किसी भी प्रकार की जानकारी/सूचना हेतु सहायता कक्ष, ई-टेन्डरिंग कक्ष, प्रथत तल्ला, M/22, बैंक ऑफ इण्डिया भवन, रोड न० २५, श्री कृष्णा नगर, पटना—800001, दूरभाष सं० 0612—2523006/9939035696.

> ब्रजेश प्रसाद मुख्य अभियंता