Name of Work - Construction of Block Kesource Centre Schedule XLV-Form No. 61 at Manihari, Kutihar (SL-No-74)

# **BIHAR PUBLIC WORKS DEPARTMENT**

Agency [Form No. F-2] Mahmad Jafiruddin ITEM RATE TENDER AND CONTRACT FOR WORKS

Agreement No. 253 F2 of 2017-18

General Rule and Direction for the guidance of Contractors.

Date of Commencement - 05-02-2018.

1. All works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer.

This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours.

- 2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so.
- 3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm.
- 4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender.

5. The amount of earnest money to be deposited will be: -	Rs.
If the amount of the estimate does not exceed Rs. 2,000	50
If the amount of the estimate exceeds Rs. 2,000 but does	Hadis no displacement
not exceed Rs. 5,000 ·	100
If the amount of the estimate exceeds Rs. 5,000 but does	
not exceed Rs. 10,000	200
For each additional Rs. 5,000 or portion of Rs. 5.000	
additional earnest money	100

6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompleted by the treasury challan for the required earnest money will be liable to rejection. No single tender shall include more than one work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the envelopment the challant there of should be enclosed with the tender.

171 d. Japaruddin 5/2/18 Ltd.

tihar

morandum at n accodance in ects to the ordance with,

mencement of

**MONTHS** 

2014

rastructure
td., Patna

7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.

8. The Engineer shall have the right of rejecting all or any of the tenders.

9. In the event of a tender being selected for acceptance the Engineer who opened the tenders will, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the priscribed time. The tender with the specilication and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to the tenderer.

10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.

11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required amount of the security money has been deposited the Engineer shall scrutinise all pages of the form of tenderal contract for works to see that the form has been properly filled up and signed by the contractor the semanture witnessed He shall then if he is competent, to accept the tender, signethe acceptance of the officer competent to accept it.

Md Claper uddin

(3)

## TENDER FOR WORKS

 $I/W\varepsilon$  hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

#### **MEMORANDUM**

(a) If several sub-work	are
Included they should	
detained in a separate li	st.

b) This deposit will be 5% of the estimated cost of the Work.

This percentage [d] deduction from bills will be credited to the contractors security deposit.

Item No.

Name of work ..... [a]

Item of work

Mdda Par uddin

[b]

[c]

Estimated cost .....

Initial security deposits (including earnest money) to be deposited befor the commencement of the work .....

RATE TENDERED

In words

Percentage to be deducted from bills Rs. 5% (Rupees five percent) [e]

Time required for the work from date of written order to commence ..... [f] ..... monthly

In figures

Date of written other to commence [g]

Total number of item of work tendered for [h]

ommencement of

n Ltd.

atihar

nemorandum at

I in accodance in

cordance with,

bjects to the

N MONTHS

Chief Consultant (Technical) Bihai State Educational Infrastructure Development Corporation Ltd., Patna Zyan

Per

Technical) I Infrastructure

		RATE T	RATE TENDERED			
tem No.	Item of work	In figures	In words	Per		
magicael tr. L. i. o	nomina. Vitaino estructo	ewo. divica simon :				
enederika enedek Kasa da ta da da da da da		The distribution of the				
		s value la lapsivous ou				
		al California in	oran difference 2 8			
	ARK HASCIAN	M Page 1				
		Less May be				
				1 - 2 mg ( 1 g )		
		io Capisinini	5 Adh			
			10			
(Intelligence of the						
Section Green						
	Commission of the Victory					
		Co. Co. 1 1210 (600) 124 10				
	and beautiful and the					
			A STATE OF STATE OF			
			•			
	*					
810 0						
100	212					
(Technical)	Chief Tonsultun					
austrum leed find for	Bibar State Education					
party he musica	Street appearat Corpor		1 120 300	(3.6/5)		

should this tender be accepted I/we hereby agree to abide by and fulfill all the terms and provisions of the said conditions of contract annexed hereto so. for as applicable, or in ssors in office the sums of money mentioned in the said conditions.

Dated the

Dated the

day of

witness

fore comission of tender

\*Signature, of contractor be-

Address

Occupation:

Signature of witness contractor's signature

The above tender is hereby accepted by me on behalf of the Governor of Bihar day of

signature of the officer accepting the tender.

Acceptances communicated on.....

signature of the party taking the tender



# CONDITIONS OF CONTRACT

Compensation

Clause 1:- All compensation or other sums of payable by the contractor to Government under the terms of his contract may be deducted from, paid by the sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor by Government on any account whatsoever and in the event of his security deposit being reduced by reason of any such deduction or sale as aforesaid, the contractor shall within ten days there after make good in cash or Government securities endorsed as aforesaid any sum or sums which may have been deducted from, or arised by, sale of his security deposit of any part thereof.

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which the work is finished after necessary rectification of defects as pointed by the satisfaction.

Clause 2:- The time allowed for carrying out the work as entered in the tender shall be strictly observed by the contractor and shall be reckoned from the date on which the wirtten order to comence work is given to the contractor. The work shall throughout the stipulated period of the contract be carried on with all due diligence (time being deemed to be the essence of the contract on the part of the contract or) and the contractor shall pay as compensation an amount equal to ½ percent on the amount of the estimated cost of the whole work as shown by the tender for contractor to the Engineer's every day that the work remains uncommenced or unfinished after the proper date. And further to ensure good progress during the execution of the work the contractor shall be bound in all cases in which the time allowed for any work exceeds one month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before onehalf of such time elapsed and three-fourths of the work, before three fourths of such time has elapsed in the event of the contractor failing to employ with this condition. I shall be liable to pay as compensation an amount equal to ½ percent on the said estimated cost of the whole work for every day that the due quantity of work remains incomplete provided always that the entire amount of compensation to be paid under the provisions the clause shall not exceed 10 percent of the estimated cost of the work as shown in the tender.

Action when persnle security deposit foreited

Clause 3 :- In any case which under any clause or clauses of or this contract the contractor shall have rendered himself laible to pay compensation amounting to the whole of his security deposit in the hands of Government (where paid in one sum or deducted by instalments) the Executive Engineer on behalf on the Bihar Government shall have been powered to adopt any office following courses, as he may deem best suited to the enterest of Government.

(a) To rescind the contract (of which reschief regressitant (Technical) tractor under the hand of the Executive Engineters Salite Edgrational Lines Continued which case the sectitiry deposit of the Developments Camputation Lided, and be absolutely at the disposal of Government

Md. da Avuddin

- (b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debitting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in -charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.
- (c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original contractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4:- In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Enginee, as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

Clause 5:- If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) he shall apply in writing to the Executive Engineer within 40 days from the date of starting of the hinderance on account of which be desires such extension as aforesaid and the Executive 2.2.2618 Engineer shall, if in his opinion (which shall be final) reasonable gibble the received of the executive Engineer shall at the same time inform the decide of the latter beautiful Ltd., Patna claims compensation for the delay.

Md. Japanyddin

n Ltd.

Catihar

memorandum at d in accodance in bjects to the ccordance with.

contractor remains liable to pay compensation if action not take under cause 2.

Power to take posession of or require removal of

or sell contractor plant.

ommencement of

N MONTHS

20.2014

Technical)
Infrastructure
on Ltd., Patna
Kihowi hum

Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion, but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinctly marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-work, doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurements shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus materials and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid. except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible, before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-incharge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts or in any other way vary or affect the contract.

Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Clause 9:- If the specification or estimate of the work provides for the use of any special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-incharge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums then due or there after to become due to the contractor under the contract or other isa, or against or form the security deposit, or the proceed of sale thereof, if the same is held in Government security the same or sufficient portion thereof in this case is the purpose in the same of sufficient portion thereof in this case is the purpose in the same of sufficient portion thereof in this case is the purpose in the same of sufficient portion thereof in this case is the purpose in the same of sufficient portion thereof in this case is the purpose in the same of sufficient portion thereof in this case is the same of sufficient portion thereof in this case is the same of sufficient portion thereof in this case is the same of sufficient portion thereof in this case is the same of sufficient portion thereof in this case is the same of sufficient portion thereof in this case is the same of sufficient portion thereof in this case is the same of sufficient portion thereof in this case is the same of sufficient portion thereof in this case is the same of sufficient portion thereof in this case is the same of sufficient portion thereof in this case is the same of sufficient portion thereof in this case is the same of sufficient portion the sufficient portion the same of sufficient portion the sufficient supplied to the contractor shall remain the aBsourt property of Government units not on any accounts he removed from this site Drawel normand small enter the best pen to

Md. Napor uddin

Stores supplied Government

(11)

inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: - The contractor shall executive the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor cation drawing other etc. shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid.

Clause 11: - Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may. consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the determination of the rates as aforesaid according to such rate or rates as shall be fixed Time in consequence of by the Engineer-in-charge in the event of a disputes the decision of the superintending

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period.

Clause 12:- If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out. the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whats ever on account of any profit or advantage, which he might have derived from the execution of the work in full, but which he did not derive in consequence of the full amount of the work ation in or restriction of not having been carried out neither shall he have any claim for compensation of the compensation out. of any alternation having been made in the original specification prison of any alternation having been made in the original specification prison of any alternation having been made in the original specification prison of the original specification prison or the original specification or the original specifi instruction which shall involve any installment of the work as or gively proper topleteration Ltd., Patna clause 12 (a) As contained in G O 1929 dated 11.9.56.

Md. Japanuddru

n Ltd.

Catihar

Work to be executed accordance with specifi-

memorandum at d in accodance in ibjects to the accordance with.

Alteration in specifications and designation

Do not in validate contract

commencement of

N MONTHS

Rate for work no in estimate or schedule of rates of the district.

(Technical)

al Infrastructure tion Ltd., Patna

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such failure is due to :-

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as finally by the contractor.

Action and compensation payable in case

Clause 13:- If it shall appear to the Engineer-in-charge or his subordinate incharge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall on demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-incharge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and expense in all respects of the contractcor.

Work to be taken to inspection

Clause 14:- All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineerin-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be

Clause 15:- The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which the same was effected

Notice to be taken before work covered up

Clause 16:- If the contractor or his work-people, or servants shall break, deface injure or destroy any part of a building in which they may be working or any building, injure or destroy any part or a building in which they may be working or any building, road road curves, fence enclosure water pipes, cables, drains, erectric or telephone posts or wires, trees, grass or grassland or cultivated ground contiguous on which the work or any part of it is being executed or if any clamane shall happen to the work, while in progress from any cause whatsoever or any imperfection become work, while in progress from any cause whatsoever or any imperfection become apparent in if within three months (six months in the Education of the Ingineer in charge certificate final or other of its completion shall have been given by the Engineer in charge

Md. dafmuddin

(13)

as a fore seal, the contractor shall make the same good at his own expense, or in refault, the Engineer-in-charge may cause the same to be made be good by other Contractor liable for worksmen and deduct the expense of which time thereafter may become due to the Contractor, or from his security deposit, or the proceed of sale there of, or of a sufficient and after certificate portion there of the security deposit at the contractor shail not be refunded before the expiry of three months (six months in the case of a road-work) after the issue of the certificate final or otherwise of completion of work provided that in the case of a road work in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable after three months of the issue of the said certificate of completion

Clause 17:- The contractor shall supply at his own cost all materials (except such \* pecial materials) if any as may in accordance with the contract be supplied from the Engineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, ackle scaffolding and temporary works requisits or proper for the proper execution of the work whether original, altered or substituted and whether include in the specification or ther documents forming part of the contract or referred to in these conditions or not or which may be necessary for purpose of satisfying or complying with the requirement of he Engineer-in-charge as to any matter as to which under these conditions he is entitled to be satisfied which he is entitled to require together with carriage therefore to and form ne work. The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting. weighing and assisting in the measurement or examination at any time and form time to time of the work or materials failing his so doing the same may be Provided by the ngineer-in-charge at the expense of the contractor and the expenses may be deducted from any money due to the contractor under the contract from his security deposit or the roceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide all necessary fencing and lights required to protect the public from accident, and shall be bound to bear to expenses of defence of every suit action or other proceeding at law that may be brought by any person for injury sustained owing to neglect of the above of light fencing etc. precautions and to any such person or which may with the consent of the contractor be paid to compromise any claim by any such person.

Clause 18: - No female labour shall be employed within the limits of contonment. The contractor shall not employ for the purpose of his contract any person who is below he age of twelve years and shall pay to each labour for the work done by such labourer wages not less than the wages paid for similar work in the neighbourhood.

The executive Engineer shall have the right to enquire into the case and decide any complaint alleging that the wages paid by the contractor to any labourer for the work done by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer imployed by contractor is below the age of twelve years and to refuse to allow any abourer whom he decided to be below the age of twelve years to be employed by the contractor.

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his ontract, or attempt so to do, or become insolvent proceedings to make any composition vith his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward r advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, or offered by the contractor, or any of his servant or agents to any public officer or person n the employ of Government in any way relating to his officer or employment or if any such officer or person shall become in any way directly or indirectly interested in the contract the Executive Engineer may there upon by notice in writing rescind the contract he security deposit of the contractor shall there upon stand forfeited and be absolutely the disposal of Government and the same consequence shall ensure as if the contract (Technical) ad been recinded under clause 3 here of, in addition the contraction and the second infrastructure recover or be paid to any work therefore actually performed the triderine conference Ltd., Patna

Md. da Hraddy

imperfection a months

Contractor to supply to plantladder scaffolding

And is liable for damage arising for non-provision

Work not to be subject

Contract may be resinded and security deposit forfelted for subletting bribes or if contractor become

> nt (Technical) onal Infrastructure ration Ltd., Patna

## on Ltd.

#### Katihar

n memorandum at ind in accodance in Subjects to the accordance with,

Commencement of

CEN MONTHS

such payable by way of compensation to be considered reasonable compensation without reference to actual loss

Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained.

Clause 21: - In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this information.

Charges in constitution of firm

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal of Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending En-

Clause 22 :- All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23: - In case any dispute or difference shall arise between the parties of either of there upon any question relating to the meaning of the specifications, designs drawings and instructions here before mentioned or as to the quality of workmanship of materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, of any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions of otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof or as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

(a) Clause 24 :- When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items of work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-in charge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineer in-charge shall be final and conclusive against the contractor with regard to any sun payable to him under the provision of this clause.

where Action specificaiton.

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Definition of works

Clause 26 :- The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to suc construction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered substituted or additional.

Clause 27:- The terms and conditions of the agreement have been read/explained .....clearly understand them to me and certify. Bifter State Edit

(Preknical) ountpurperties inc

Development Corporation i.id., Pains. Witness.

Md Ca Amyd dyn 5/2/18 Contracto

hedule XLV - Form No. 61

(15)

Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied

Particulars	will be	which the materi charged to the contractor	al		Place of delivery
	Unit	Rs.	P.		
		12-14-15			and the first thinks it
		a managara			
		A 2 2 4 4 5			
					*
				12.15	情化。就会以同时的人类以 <b>会</b> 对
		100000000000000000000000000000000000000			
		1 / .			
		2585/14 58			
		1	1 12		
		1			
				1116	
	/				
	The second of the			e Paris	<b>第二世纪</b>
	1				
	The years,	The second state of		10.75	
	1		1		
				2.0%	
				¥.	
				1	
			1		

1 Ltd.

atihar

nemorandum at I in accodance in pjects to the coordance with,

ommencement of

N MONTHS

Note:-The person or firm submitting the tender should see that the rates in the above schedules are lied up by the Engineer-in-charge on the issue of the form prior to the submission of the tender.

Md. darrauddir

Signature of Contrator)

Chief Consultant (Technical)

Bihar State Educational Infrastructure
Description Corporative Frances

20.2014

Technical)

Infrastructure on Ltd., Patna Kenaushan

# Bihar State Educational Infrastructure Development Corporation Ltd.

# AGREEMENT for Construction of Block Resource Centre at Manihari, Katihar

# **TENDER FOR WORKS**

I/we heredy tender for the execution for the Governor of Bihr of the work specifed in the under written memorandum at the rates specified therein within a period of years month from the date of witten order to commence and in accodance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subjects to the annexed condation of contract and with such materaials as are provided for by and in other respects in accordance with,

### **MEMORANDUM**

list

(a) If several sub-work are (A) Name of Work:- Construction of Block Resource Centre at Manihari, Katihar(Sl. No-74)

> (B) Estimated Cost :- Rs. 76,14,407=00 Agreement value :- Rs. 68,52,966=00

(b) This deposit will be 5% of the estimated cost (C)Earnest Money:of the work.

(c)This percentage deduction from bills will be credited to the contractors security deposits

(D) Initial security deposits (including earnest money) to be deposited before the Commencement of

Earnest Money:- Rs. 3,95,000/- (Details attached)

- (E) Percentage to be deducted from bill Rs. 5% (Rupees five percent)
- (F) Time required for the work from date of written order to commence FIFTEEN MONTHS
- (G) Date of written order to commence:-
- (H) Total number of item of work tendered for :- 116

Md. Japanuddin

BIH	AR STAT	E EDUCATIONAL INFRASTRUC	TURE D	EVELO	PMENT C	ORPORATION LTD
		SHIKSHA BHAWAN, B.O.Q. FOR BLOCK RESOL	JRCE CE	UK, PAT NTRE IN	NA.	
	THE ITEM	RATE BASED ON S.O.R BCD BIHAR,				LECTRICAL) 2014
SL.	DISTRICT		T		J.S.R. (E	ELECTRICAL) 2014
No.	DISTRICT	NAME OF INSTITUTE			BLOC	CK
1	Katihar	BLOCK RESOURCE CENTRE			Manih	ari
		<u>CIVIL W</u>	ORKS			
SI. No.	SOR Item No.	Item of Work	Qty.	Unit	Rate (Rs.)	Amount (Rs.)
1	2	3	4	5	6	7
1 P	1LE WORK 20.2					
		Boring, providing and installing bored cast- in-situ reinforced cement concrete piles of grade M-25 of specified diameter and length below the pile cap, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring, with bentonite solution and temporary casing of appropriate length for setting out and removal of same and the length of the pile to be embedded in the pile cap etc. all complete, including removal of excavated earth with all lifts and leads (Length of pile for payment shall be measured upto bottom of pile cap).				
	20.2.1	300 mm dia Piles	0.000	meter	1309.30	Rs. One thousand three hundred nine and paise thirty only.
	20.2.2	400 mm dia Piles	0.000	meter		Rs. One thousand five hundred twenty three and paise twenty only.
	20.2.3	450 mm dia Piles	0.000			Rs. One thousand nine hundred seventy eight
	20.2.4	500 mm dia Piles		meter		and paise eighty only.  Rs. Two thousand three hundred six and paise
	20.2.5	500 mm dia Piles	0.000	meter		Rs. Two thousand nine
			0.000	meter		hundred ninety six and paise ten only.

Md Japaruddin

	20.2.6	750 mm dia Piles		T	T	Rs. Four thousand two
						hundred nineteen and
			0.000	meter	4219.7	paise seventy only.
					-	
2	20.3	Boring, Providing and installing cast in sit	u			
		single under reamed piles of specified	d			
		diameter and length below pile cap in M-2	5			
		cement concrete, to carry a safe working	g			
		load not less than specified, excluding the	e			
		cost of steel reinforcement but including the	el			
		cost of boring with bentonite solution and	1	1		
		the length of the pile to be embedded in pile				
		cap etc. all complete. (Length of pile for	r			
		payment shall be measured upto to the				
		bottom of pile cap):				
	20.3.1	300 mm dia Piles	-			
		and the same and same				Rs. One thousand nine
			0.000	motor	1024.20	hundred thirty four an
	20.3.2	400 mm dia Piles	0.000	meter	1934.20	paise twenty only.
						Rs. Two thousand two
			0.000		2225.20	hundred twenty five ar
	20.3.3	450 mm dia Piles	0.000	meter	2225.30	paise thirty only.
						Rs. Two thousand thre
			0.000	matan	2207.70	hundred ninety seven a
	20.3.4	550 mm dia Piles	0.000	meter	2397.50	paise fifty only.
						Rs. Two thousand six
			0.000	motor	2605 10	hundred five and paise
			0.000	meter	2605.10	ten only.
3	20.4	Extra over item No. 23.3 for providing				
		additional bulb in under reamed piles, under				A
		specified dia meter				
		(Only the quantity of extra bulbs are to be				# # # 11
		paid).				
	20.4.1	300 mm dia Piles				Rs. One thousand two
						hundred forty and paise
			0.000	Each	1240 10	ten only.
	20.4.2	400 mm dia Piles				Rs. One thousand three
						hundred seventy three
-	20.42	1400	0.000	Each	1373.80	and paise eighty only.
	20.4.3	450 mm dia Piles				Rs. One thousand four
						hundred fifty four and
-	20.4.4	500	0.000	Each	1454.80	paise eighty only.
	20.4.4	500 mm dia Piles				Rs. One thousand five
						hundred ninety seven an
DT	IIWODIZ	V DVCAVA	0.000	Each	1597.20	paise twenty only.
KI.	nwukk II	N EXCAVATION				omy.

Md. Vafiruddin

	7 2 2 4		12			
4	2.8.1	30cm in depth. 1.5m in width as well and ramming of bottom, lift upto 1 including getting out the excavated soil and	es es .5			
		disposal of surplus soil as directed within lead of 50m. All Kind of soil = 286.64 CUM SEPTIC TANK = 31.89 CUM TOTAL QUANTITY = 318.53 CUM				Rs. Two hundred five and paise twenty only
5	2.29.1		318.530	cum	205.	20
		removing vegetation and inequalities no exceeding 15 cm deep and disposal or rubbish, lead upto 50 m and lift upto 1.5m All kinds of soil.  = 136.41 CUM	+	100 sqm	710.00	Rs. Seven hundred eighteen and paise eight only.
EA	ARTH FIL	LING	130.410	100 sqiii	718.80	00
6	2.26	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth: consolidating each deposited layer by ramming and watering lead = 188.98 CUM				Rs. Sixty six and paise forty only.
SA	ND FILLI	NG	188.980	cu.m	66.40	
7	2.28	Supplying and Filling in plinth with local sand and under floors including, watering, ramming consolidating and dressing complete.  = 118.79 CUM SEPTIC TANK = 1.02 CUM TOTAL QUANTITY = 119.81 CUM	119,810	CIV 277	100 50	Rs. One hundred ninety two and paise fifty only.
LAT	BRICK SO		117.010	cu.m	192.50	
8	11.72	Providing designation 100 A one brick flat soling joints filled with local sand including cost of watering, taxes, royalty all complete as per building specification and direction of E/I,  10 + 2, BUILDING = 291.84 CUM  SEPTIC TANK = 13.57 CUM  TOTAL QUANTITY = 305.41 CUM				Rs. Two hundred twenty seven and paise sixty only.
			1			

Md. Japiruddin

11:3:6 (1cement: 3 coarse sand : 6 graded stone aggregate 20mm nominal size)  10 4.1.4 Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level  1:2:4 (1 Cement: 2 coarse sand : 4 graded stone aggregate 40 mm nominal size)10 + 2 , BUILDING = 8.74 CUM  SEPTIC TANK = 2.98 CUM TOTAL QUANTITY = 11.72 CUM  FLOORING  11 11.38 Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturer) of ist quality conforming to IS : 15622 of approved make in colours such shades except white , Ivory , Grey , Fume Red , Brown , laid on 20 mm thick Cement motar					P.C.C.	
10 A.1.4 Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level  1:3:6 (1cement: 3 coarse sand : 6 graded stone aggregate 20mm nominal size)  10 A.1.4 Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level  1:2:4 (1 Cement: 2 coarse sand : 4 graded stone aggregate 40 mm nominal size)10 + 2 , BUILDING = 8.74 CUM  SEPTIC TANK = 2.98 CUM  TOTAL QUANTITY = 11.72 CUM  FLOORING  11.38 Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturer) of ist quality conforming to IS : 15622 of approved make in colours such shades except white , Ivory , Grey , Fume Red , Brown , laid on 20 mm thick Cement motar 1:4 (1 cement: 4 coarse sand) including pointing the joints with white cement and matching pigment etc., complete.				D. '1'	415	9
Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level  1:2:4 (1 Cement: 2 coarse sand : 4 graded stone aggregate 40 mm nominal size)10 + 2 , BUILDING = 8.74 CUM  SEPTIC TANK = 2.98 CUM TOTAL QUANTITY = 11.72 CUM  11.38 Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturer) of ist quality conforming to IS : 15622 of approved make in colours such shades except white , Ivory , Grey , Fume Red , Brown , laid on 20 mm thick Cement motar 1:4 (1 cement: 4 coarse sand) including pointing the joints with white cement and matching pigment etc., complete.	rade excluding the nuttering- all work see sand: 6 graded painal size)  Rs. Two thousand seven hundred seventy five a paise seventy only.		d d	concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level  1:3:6 (1cement: 3 coarse sand: 6 grade stone aggregate 20mm nominal size)	4.1.3	
cost of centring and shuttering- all work upto plinth level  1:2:4 (1 Cement: 2 coarse sand : 4 graded stone aggregate 40 mm nominal size)10 + 2 , BUILDING = 8.74 CUM  SEPTIC TANK = 2.98 CUM  TOTAL QUANTITY = 11.72 CUM  11.720 cu.m 3219.70  FLOORING  11 11.38 Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturer) of ist quality conforming to IS : 15622 of approved make in colours such shades except white , Ivory , Grey , Fume Red , Brown , laid on 20 mm thick Cement motar 1:4 (1 cement: 4 coarse sand) including pointing the joints with white cement and matching pigment etc., complete.	n position cement rade excluding the	cu.m	t	concrete of specified grade excluding the		10
stone aggregate 40 mm nominal size)10 + 2 , BUILDING = 8.74 CUM SEPTIC TANK = 2.98 CUM TOTAL QUANTITY = 11.72 CUM  11.720 cu.m 3219.70  FLOORING  11 11.38 Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturer) of ist quality conforming to IS : 15622 of approved make in colours such shades except white , Ivory , Grey , Fume Red , Brown , laid on 20 mm thick Cement motar 1:4 (1 cement: 4 coarse sand) including pointing the joints with white cement and matching pigment etc., complete.	uttering- all work		(	cost of centring and shuttering- all work upto plinth level ::2:4 (1 Cement: 2 coarse sand: 4 grades		
FLOORING  11.38 Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturer) of ist quality conforming to IS: 15622 of approved make in colours such shades except white, Ivory, Grey, Fume Red, Brown, laid on 20 mm thick Cement motar 1:4 (1 cement: 4 coarse sand) including pointing the joints with white cement and matching pigment etc., complete.	2 , BUILDING = hundred nineteen and paise seventy only.			tone aggregate 40 nm nominal size)10 + 2 , BUILDING = .74 CUM EPTIC TANK = 2.98 CUM		
Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturer) of ist quality conforming to IS: 15622 of approved make in colours such shades except white, Ivory, Grey, Fume Red, Brown, laid on 20 mm thick Cement motar 1:4 (1 cement: 4 coarse sand) including pointing the joints with white cement and matching pigment etc., complete.		cu.m	11.720	11.72 COM	Department of the last of the	F
by the manufacturer) of ist quality conforming to IS: 15622 of approved make in colours such shades except white, Ivory, Grey, Fume Red, Brown, laid on 20 mm thick Cement motar 1:4 (1 cement: 4 coarse sand) including pointing the joints with white cement and matching pigment etc., complete.	amic glazed floor			roviding and laying Ceramic glazed floor	11.38 F	
pointing the joints with white cement and matching pigment etc., complete.	of ist quality of approved make			onforming to IS: 15622 of approved make colours such shades acept white, Ivory, Grey, Fume Red	c in e:	
	sand) including and paise eighty only.			4 (1 cement: 4 coarse sand) including inting the joints with white cement and atching pigment etc., complete.	po	
WALL TILES 46.040 sq.m 801.800	46.040 sq.m 801.800	sq.m	46.040		ALL THES	WA

Md. Napirudaliu

12   11.36   Providing and fixing 1st quality ceramic glazed wall titles conforming to IS: 15622 (Thickness to be specified by the manufacture) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-charge in skirting, risers of steps and dados over 12 mm thick bed of cement Mortar 1:31 (cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching shade complete.   101LET PORTION = 188.874 SQM	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (Thickness to be specified by the manufacture) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-charge in skirting, risers of steps and dados over 12 mm thick bed of cement Motar 1:3(1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching shade complete.  TOILET PORTION = 188.874 SQM  LOORING & SKIRTING  13 11.26.1 Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime: 1 surkhi: 1 coarse sand) / 1:4 (20 TO 25MM THICK)  = 281.852 SQM  281.852 SQM  281.852 SQM  281.852 sq.m 968.00  Rs. Nine hundred sixty eight only.  Rs. Nine hundred sixty eight only.  Rs. Nine hundred wenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.							
(Thickness to be specified by the manufacture) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-charge in skirting, risers of steps and dados over 12 mm thick bed of cement Motar 1:3(1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching shade complete.  TOILET PORTION = 188.874 SQM  LOORING & SKIRTING  13 11.26.1 Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime : 1 surkhi: 1 coarse sand) / 1:4 (20 TO 25MM THICK)  = 281.852 SQM  281.852 SQM  281.852 sq.m 968.00  14 11.27 Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  5 8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer- in -charge.  Granite work	(Thickness to be specified by the manufacture) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-charge in skirting, risers of steps and dados over 12 mm thick bed of cement Motar 1:3(1 cement: 3 coarse sand ) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching shade complete.  TOILET PORTION = 188.874 SQM  13 11.26.1 Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime: 1 surkh: 1: coarse sand) / 1:4 (20 TO 25MM THICK)  = 281.852 SQM  281.852 SQM  281.852 sq.m 968.00  14 11.27 Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand)) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge. Granite work		12 1	1.36 Providing	14			
(Thickness to be specified by the manufacture) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-charge in skirting, risers of steps and dados over 12 mm thick bed of cement Motar 1:3(1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching shade complete.  TOILET PORTION = 188.874 SQM  LOORING & SKIRTING  13 11.26.1 Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime : 1 surkhi: 1 coarse sand) / 1:4 (20 TO 25MM THICK)  = 281.852 SQM  281.852 SQM  281.852 sq.m 968.00  14 11.27 Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  5 8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer- in -charge.  Granite work	(Thickness to be specified by the manufacture) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-charge in skirting, risers of steps and dados over 12 mm thick bed of cement Motar 1:3(1 cement: 3 coarse sand ) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching shade complete.  TOILET PORTION = 188.874 SQM  13 11.26.1 Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime: 1 surkh: 1: coarse sand) / 1:4 (20 TO 25MM THICK)  = 281.852 SQM  281.852 SQM  281.852 sq.m 968.00  14 11.27 Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand)) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge. Granite work			glazed and fixing 1st quality	ceramic			
manufacture) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-charge in skirting, risers of steps and dados over 12 mm thick bed of cement Motar 1:3(1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching shade complete. TOILET PORTION = 188.874 SQM  LOORING & SKIRTING  13 11.26.1 Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime : 1 surkhi: 1 coarse sand) / 1:4 (20 TO 25MM THICK)  281.852 SQM  281.852 sq.m 968.00  14 11.27 Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement moratr 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  5 8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge. Granite work	manufacture) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-charge in skirting, risers of steps and dados over 12 mm thick bed of cement Motar 1:3(1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching shade complete. TOILET PORTION = 188.874 SQM  LOORING & SKIRTING  13 11.26.1 Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime: 1 surkhi: 1 coarse sand) / 1:4 (20 TO 25MM THICK)  281.852 SQM  281.852 SQM  281.852 sq.m 968.00  14 11.27 Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement motart: 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing omplete. Details of cost for 10 sqm  8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge. Granite work					-	1	
Colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-charge in skirting, risers of steps and dados over 12 mm thick bed off cernent Motar 1;3(1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching shade complete. TOILET PORTION = 188.874 SQM    LOORING & SKIRTING	colours, shades except burgundy , bottle green, black of any size as approved by Engineer-in-charge in skirting, risers of steps and dados over 12 mm thick bed of cement Motar 1;3(1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching shade complete.  TOILET PORTION = 188.874 SQM  LOORING & SKIRTING  13 11.26.1 Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime: 1 surkhi: 1 coarse sand) / 1:4 (20 TO 25MM THICK)  281.852 SQM  281.852 SQM  281.852 sq.m 968.00  Rs. Nine hundred sixty eight only.  Rs. Nine hundred twenty eight only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.			IU III checitical 1				
Rs. Seven hundred first four and paise twenty with pigment of match in surkhi: 1 coarse sand ) 1:2 (1 lime: 1 surkhi: 1 coarse sand ) 1:2 (20 TO 25MM THICK)  11.27 Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average) (thick cement match: 3 coarse sand ) and jointed with prigment of steps skirting. Dado & pillars laid on 12 mm (average) (thick cement: 3 coarse sand ) and jointed with prev cement slurry mixed with pigment of steps skirting. Dado & pillars laid on 12 mm (average) (thick cement match: 3 coarse sand ) and jointed with grey cement slury mixed with pigment of steps skirting. Dado & pillars laid on 12 mm (average) (thick cement match: 3 coarse sand ) and jointed with grey cement slury mixed with pigment to match the shade of the slab including nubbing and polishing complete. Details of cost for 10 sqm  14 11.27 Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average) (thick cement match: 3 coarse sand ) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  5 8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Enginer - in -charge. Granite work	Rs. Seven hundred fif four and paise twenty being green, black of any size as approved by Engineer-in-charge in skirting, risers of steps and dados over 12 mm thick bed of cement Motar 1:3(1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching shade complete.  TOILET PORTION = 188.874 SQM  LOORING & SKIRTING  13 11.26.1 Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime: 1 surkhi: 1 coarse sand) / 1:4 (20 TO 25MM THICK)  = 281.852 SQM  281.852 SQM  281.852 sq.m 968.00  14 11.27 Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement motar 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. cover item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer - in -charge. Granite work			I Annroved1				
Engineer-in-charge in skirting, risers of steps and dados over 12 mm thick bed of cement motar 1:3(1 cement: 3 coarse sand) and jointing with grey cement shurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching shade complete.  TOILET PORTION = 188.874 SQM  LOORING & SKIRTING  13	Engineer-in-charge in skirting, risers of steps and dados over 12 mm thick bed of cement Motar 1:3(1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching shade complete.  TOILET PORTION = 188.874 SQM  LOORING & SKIRTING  13 11.26.1 Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime : 1 surkhi: 1 coarse sand ) / 1:4 (20 TO 25MM THICK)  = 281.852 SQM  14 11.27 Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand ) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  74.37 sq.m 927.50  8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work			Judges except buses 1			-	
Seven hundred fift four and paise twenty only.  Rs. Seven hundred fift four and paise twenty and joining with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching shade complete.  TOILET PORTION = 188.874 SQM  LOORING & SKIRTING  13 11.26.1 Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime: 1 surkhi: 1 coarse sand ) / 1:4 (20 TO 25MM THICK)  = 281.852 SQM  281.852 sq.m 968.00  14 11.27 Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand ) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  5 8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work	steps and dados over 12 mm thick bed of cement Motar 1:3(1 cement: 3 coarse sand ) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching shade complete.  TOILET PORTION = 188.874 SQM  LOORING & SKIRTING  13 11.26.1 Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime: 1 surkhi: 1 coarse sand) / 1:4 (20 TO 25MM THICK)  = 281.852 SQM  281.852 SQM  281.852 sq.m 968.00  14 11.27 Kota stone slabs 20 mm thick in risers of steps skirring. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work		2 -				1	
cement Motar 1:3(1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching shade complete. TOILET PORTION = 188.874 SQM  LOORING & SKIRTING  13 11.26.1 Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime: 1 surkhi: 1 coarse sand) / 1:4 (20 TO 25MM THICK) = 281.852 SQM  281.852 SQM  281.852 sq.m 968.00  14 11.27 Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  74.37 sq.m 927.50  Two Hundred Thirty Nine and paise ten only	cement Motar 1:3(1 cement; 3 coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching shade complete.  TOILET PORTION = 188.874 SQM  LOORING & SKIRTING  13 11.26.1 Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime: 1 surkhi: 1 coarse sand) / 1:4 (20 TO 25MM THICK) = 281.852 SQM  281.852 SQM  281.852 SQM  281.852 sq.m 968.00  Rs. Seven hundred fif four and paise twenty only.  Rs. Nine hundred sixty eight only.			Engineer-in-charge in all	by		1	1
cement Motar 1:3(1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching shade complete. TOILET PORTION = 188.874 SQM  LOORING & SKIRTING  13 11.26.1 Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime: 1 surkhi: 1 coarse sand) / 1:4 (20 TO 25MM THICK) = 281.852 SQM  281.852 SQM  281.852 sq.m 968.00  14 11.27 Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  74.37 sq.m 927.50  Two Hundred Thirty Nine and paise ten only	cement Motar 1:3(1 cement; 3 coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching shade complete.  TOILET PORTION = 188.874 SQM  LOORING & SKIRTING  13 11.26.1 Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime: 1 surkhi: 1 coarse sand) / 1:4 (20 TO 25MM THICK) = 281.852 SQM  281.852 SQM  281.852 SQM  281.852 sq.m 968.00  Rs. Seven hundred fif four and paise twenty only.  Rs. Nine hundred sixty eight only.			steps and dadas are skirting, ris	ers of		1	
Indicate the state of the sta	Source   S			1 I was the 1	1 .			Rs. Seven hundred fift
kg per sqm including pointing in white cement mixed with pigment of matching shade complete.  TOILET PORTION = 188.874 SQM  LOORING & SKIRTING  13 11.26.1 Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime : 1 surkhi: 1 coarse sand ) / 1:4 (20 TO 25MM THICK)  = 281.852 SQM  281.852 SQM  281.852 sq.m 968.00  14 11.27 Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand ) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  5 8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work	Section   Sect			Total Iviolal 1 311 coments 2		-		four and paise twenty
LOORING & SKIRTING  13 11.26.1 Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime: 1 surkhi: 1 coarse sand) / 1:4 (20 TO 25MM = 281.852 SQM  14 11.27 Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  5 8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  188.874 sq.m 754.200  Rs. Nine hundred sixty eight only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Two Hundred Thirty Nine and paise ten only	LOORING & SKIRTING  13			John Will Orev coment of			- 1	only.
Shade complete. TOILET PORTION = 188.874 SQM  LOORING & SKIRTING  13	shade complete.  TOILET PORTION = 188.874 SQM  LOORING & SKIRTING  13 11.26.1 Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime: 1 surkhi: 1 coarse sand) / 1:4 (20 TO 25MM THICK) = 281.852 SQM  14 11.27 Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer-in-charge.  Granite work  188.874 sq.m 754.200  Rs. Nine hundred sixty eight only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Two Hundred Thirty Nine and paise ten only			I C F - Squi illuming north-		1		
LOORING & SKIRTING  13	TOLET PORTION = 188.874 SQM  LOORING & SKIRTING  13			macu will nigment of	tohina			
LOORING & SKIRTING  13 11.26.1 Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime : 1 surkhi: 1 coarse sand ) / 1:4 (20 TO 25MM FIHCK) = 281.852 SQM  14 11.27 Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand ) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  5 8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work	LOORING & SKIRTING  13 11.26.1 Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime: 1 surkhi: 1 coarse sand) / 1:4 (20 TO 25MM = 281.852 SQM  14 11.27 Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3) (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  188.874 sq.m 754.200  Rs. Nine hundred sixty eight only.  Rs. Nine hundred twenty seven and paise fifty only.  PA-3.7 sq.m 927.50  Two Hundred Thirty Nine and paise ten only			The complete.	Cining		1	
1.26.1   Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime: 1 surkhi: 1 coarse sand) / 1:4 (20 TO 25MM THICK) = 281.852 SQM   281.852 Sq.m   968.00     14   11.27   Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm   74.37   sq.m   927.50     5   8.3.2   Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge. Granite work   10.00 mm   10.	LOORING & SKIRTING  13 11.26.1 Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime: 1 surkhi: 1 coarse sand) / 1:4 (20 TO 25MM THICK)  = 281.852 SQM  281.852 SQM  281.852 sq.m 968.00  14 11.27 Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand)) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer in -charge. Granite work			TOILET PORTION = 188 874 SOM	1			1
11.26.1   Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime: 1 surkhi: 1 coarse sand) / 1:4 (20 TO 25MM THICK) = 281.852 SQM   281.852 Sq.m   968.00     14   11.27   Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm   74.37 sq.m   927.50     5   8.3.2   Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge. Granite work   0.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000	11.26.1 Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime : 1 surkhi: 1 coarse sand ) / 1:4 (20 TO 25MM THICK) = 281.852 SQM  14 11.27 Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand ) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  74.37 sq.m 927.50  8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work	-		100.874 SQM				
11.26.1   Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime: 1 surkhi: 1 coarse sand) / 1:4 (20 TO 25MM THICK) = 281.852 SQM   281.852 Sq.m   968.00     14   11.27   Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm   74.37 sq.m   927.50     5   8.3.2   Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge. Granite work   0.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000   1.000	11.26.1 Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime : 1 surkhi: 1 coarse sand ) / 1:4 (20 TO 25MM THICK) = 281.852 SQM  14 11.27 Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand ) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  74.37 sq.m 927.50  8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work	LOC	URING &	SKIRTING	188.8	74 sq.	m 754 20	20
over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime : 1 surkhi: 1 coarse sand ) / 1:4 (20 TO 25MM = 281.852 SQM    14	over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime : 1 surkhi: 1 coarse sand ) / 1:4 (20 TO 25MM = 281.852 SQM  14 11.27 Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand)) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  Rs. Nine hundred sixty eight only.  Rs. Nine hundred twenty seven and paise fifty only.  Two Hundred Thirty Nine and paise ten only	13	11.26	5.1 Kota stone slob a			134.20	0
over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime : 1 surkhi: 1 coarse sand ) / 1:4 (20 TO 25MM = 281.852 SQM    14	over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime : 1 surkhi: 1 coarse sand ) / 1:4 (20 TO 25MM = 281.852 SQM  14 11.27 Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand)) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  Rs. Nine hundred sixty eight only.  Rs. Nine hundred twenty seven and paise fifty only.  Two Hundred Thirty Nine and paise ten only			Stolle Slab flooring over 20	mm			
match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime: 1 surkhi: 1 coarse sand) / 1:4 (20 TO 25MM THICK) = 281.852 SQM  281.852 SQM  281.852 sq.m 968.00  14 11.27 Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand)) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  5 8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work	match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime : 1 surkhi: 1 coarse sand) / 1:4 (20 TO 25MM THICK) = 281.852 SQM  281.852 SQM  281.852 sq.m 968.00  14 11.27 Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand)) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  Rs. Nine hundred sixty eight only.  Rs. Nine hundred twenty seven and paise fifty only.  Two Hundred Thirty Nine and paise ten only			The stage I unck pase laid	- 1			
match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime: 1 surkhi: 1 coarse sand) / 1:4 (20 TO 25MM THICK) = 281.852 SQM  281.852 SQM  281.852 sq.m 968.00  14 11.27 Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand)) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  5 8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work	match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime : 1 surkhi: 1 coarse sand) / 1:4 (20 TO 25MM THICK) = 281.852 SQM  281.852 SQM  281.852 sq.m 968.00  14 11.27 Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand)) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  Rs. Nine hundred sixty eight only.  Rs. Nine hundred twenty seven and paise fifty only.  Two Hundred Thirty Nine and paise ten only			over and jointed with grey cement si	lurry			
complete . Base with 1:1:1 (1 lime : 1 surkhi: 1 coarse sand ) / 1:4 (20 TO 25MM THICK) = 281.852 SQM  14 11.27 Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand ) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  5 8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  Rs. Nine hundred sixty eight only.  Rs. Nine hundred sixty eight only.  Rs. Nine hundred twenty seven and paise fifty only.  Two Hundred Thirty Nine and paise ten only	complete . Base with 1:1:1 (1 lime : 1 surkhi: 1 coarse sand ) / 1:4 (20 TO 25MM THICK) = 281.852 SQM  14 11.27 Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand ) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  18.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  Rs. Nine hundred sixty eight only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Two Hundred Thirty Nine and paise ten only			The with Digitient to	1	1		
complete . Base with 1:1:1 (1 lime : 1 surkhi: 1 coarse sand ) / 1:4 (20 TO 25MM THICK) = 281.852 SQM  14 11.27 Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand ) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  5 8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  Rs. Nine hundred sixty eight only.  Rs. Nine hundred sixty eight only.  Rs. Nine hundred twenty seven and paise fifty only.  Two Hundred Thirty Nine and paise ten only	complete . Base with 1:1:1 (1 lime : 1 surkhi: 1 coarse sand ) / 1:4 (20 TO 25MM THICK) = 281.852 SQM  14 11.27 Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand ) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  18.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  Rs. Nine hundred sixty eight only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Two Hundred Thirty Nine and paise ten only			match the shade of the slab inclu	dina			
Complete   Base with 1:1:1 (1 lime   1 surkhi: 1 coarse sand ) / 1:4 (20 TO 25MM   281.852 SQM   281.852 SQM   281.852 SQM   281.852 Sq.m   968.00      14	Complete			and polishing	1	1		
Surkhi: 1 coarse sand ) / 1:4 (20 TO 25MM THICK) = 281.852 SQM  281.852 SQM  281.852 SQM  281.852 sq.m 968.00  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work	surkhi: 1 coarse sand ) / 1:4 (20 TO 25MM)  THICK) = 281.852 SQM  281.852 Sq.m 968.00  Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand ) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  74.37 sq.m 927.50  8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work			complete. Base with 1:1:1 (1.1:				Rs. Nine hundred sixty
11.27   Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand ) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm   74.37 sq.m   927.50      8.3.2   Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.   Granite work   0.00   1.00   1.00   1.00   1.00   1.00   1.00      Two Hundred Thirty Nine and paise ten only	14   11.27   Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand ) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm   74.37 sq.m   927.50    8.3.2   Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge. Granite work   0.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.0			surkhi: 1 coarse sand ) / 1:4 (20 TO 25)	: 1			eight only.
= 281.852 SQM   281.852 sq.m   968.00	Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.    South State			THICK)	MM	1		
14 11.27 Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand ) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  5 8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  Kota stone slabs 20 mm thick in risers of steps. 3 g.m 968.00  Rs. Nine hundred twenty seven and paise fifty only.  74.37 sq.m 927.50  Two Hundred Thirty Nine and paise ten only	14 11.27 Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand ) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  8.4.3 Post. Mine hundred twenty seven and paise fifty only.  74.37 sq.m 927.50  Two Hundred Thirty Nine and paise ten only		1					
Rota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand ) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  Rs. Nine hundred twenty seven and paise fifty only.  74.37 sq.m 927.50  Two Hundred Thirty Nine and paise ten only	Rota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement:  3 coarse sand ) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  Rs. Nine hundred twenty seven and paise fifty only.  74.37 sq.m 927.50  Two Hundred Thirty Nine and paise ten only			30/11				
steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand ) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  74.37 sq.m 927.50  Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work	steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand ) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  Rs. Nine hundred twenty seven and paise fifty only.  74.37 sq.m 927.50  Two Hundred Thirty Nine and paise ten only	14	11.27	Kota stone al-1	281.852	Sa m	060.00	
pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement:  3 coarse sand ) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  5 8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  Rs. Nine hundred twenty seven and paise fifty only.  74.37 sq.m 927.50  Two Hundred Thirty Nine and paise ten only	pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement:  3 coarse sand ) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  Rs. Nine hundred twenty seven and paise fifty only.  74.37 sq.m 927.50  Two Hundred Thirty Nine and paise ten only			steps states 20 mm thick in risers	of	34.111	968.00	
3 coarse sand ) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  74.37 sq.m  927.50  8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work	8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  Rs. Nine hundred twenty seven and paise fifty only.  74.37 sq.m 927.50  Rs. Nine hundred twenty seven and paise fifty only.  Two Hundred Thirty Nine and paise ten only			15tops skilling. Dado &				
3 coarse sand ) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  74.37 sq.m  927.50  8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work	8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  Rs. Nine hundred twenty seven and paise fifty only.  74.37 sq.m 927.50  Rs. Nine hundred twenty seven and paise fifty only.  Two Hundred Thirty Nine and paise ten only			pillars laid on 12 mm (average (the	ick		1 1	-
Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Two Hundred Thirty Nine and paise ten only	8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Rs. Nine hundred twenty seven and paise fifty only.  Two Hundred Thirty Nine and paise ten only			The month	1			
pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  5 8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  Rs. Nine hundred twenty seven and paise fifty only.  74.37 sq.m 927.50  Two Hundred Thirty Nine and paise ten only	pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  74.37 sq.m  927.50  8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  Rs. Nine hundred twenty seven and paise fifty only.  Two Hundred Thirty Nine and paise ten only			S coarse sand ) and jointed with		1		
pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  5 8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  Seven and paise fifty only.  74.37 sq.m 927.50  Two Hundred Thirty Nine and paise ten only	pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm  8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  Seven and paise fifty only.  74.37 sq.m  927.50  Two Hundred Thirty Nine and paise ten only	- 1		July IIIIXEII With	1	1		Rs Nine hundred
polishing complete. Details of cost for 10 sqm  5 8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  74.37 sq.m 927.50  Two Hundred Thirty Nine and paise ten only	8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  O 000  74.37 sq.m 927.50  Two Hundred Thirty Nine and paise ten only			pigment to match the shade of the	.			seven and pairs 50
polishing complete. Details of cost for 10 sqm  74.37 sq.m  927.50  Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  Two Hundred Thirty Nine and paise ten only	8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  74.37 sq.m 927.50  Two Hundred Thirty Nine and paise ten only			including rubbing and	16			only
Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  74.37 sq.m 927.50  Two Hundred Thirty Nine and paise ten only	8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  74.37 sq.m 927.50  Two Hundred Thirty Nine and paise ten only			polishing complete Details of				mly.
Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  74.37 sq.m 927.50  Two Hundred Thirty Nine and paise ten only	8.3.2 Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  74.37 sq.m 927.50  Two Hundred Thirty Nine and paise ten only			sam	.0			
mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  Granite work  Sq.M 927.50  Two Hundred Thirty Nine and paise ten only	mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  Sq.III 927.50  Two Hundred Thirty Nine and paise ten only							
mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  Granite work  Granite work  Granite marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Nine and paise ten only	mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  Granite work  Granite work  Granite work  Granite marble stone counters, Vanities etc. vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Nine and paise ten only	5	8.3.2	Extra for provide	74.37	sa m	027.50	
etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  Two Hundred Thirty Nine and paise ten only	etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  Two Hundred Thirty Nine and paise ten only			mm thick made		~q.m	927.30	
Etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  Two Hundred Thirty Nine and paise ten only	Polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work  Two Hundred Thirty Nine and paise ten only			min unck marble stone counters Wall				
Engineer -in -charge.  Granite work  Two Hundred Thirty Nine and paise ten only	Engineer -in -charge.  Granite work  Two Hundred Thirty Nine and paise ten only			otc. Over item no. 82 including mast.				
Engineer -in -charge.  Granite work  Two Hundred Thirty Nine and paise ten only	Engineer -in -charge. Granite work  Two Hundred Thirty Nine and paise ten only			Polishing to edge to give high alar or				
Granite work  Nine and paise ten only	Granite work  Nine and paise ten only			Total Complete as per design appropriate			T	Vo II-
Granite work	Granite work  Nine and paise ten only			2 charge			11	wo Hundred Thirty
				Granite work			Ni	ne and paise ten only
0.00 M 239.10	0.00 M 239.10							
0.00 M 239.10	0.00 M 239.10				000			
					0.00	M	239.10	

101d. Jafiruddin



WORK BELOW PLINTH LVL.	15			
16 5.1.1 Providing and 1				
Providing and laying in a six				
grade of reinforced cement	specified			
excluding the cement	concrete	1	- 1	
		1		1
1	vork unto	- 1		1
		- 1		Rs. Five thousand one
1:1:2 (1cement: 1 coarse sand :		- 1		hundred ten and paise
stone aggregate 20mm nominal size	graded		1	seventy only.
= 59.183 CUM	e)	1		seventy only.
39.163 CUM	1	- 1		
D.C.C. Worse	59.18	33   cu.r	n 5110.7	
R.C.C. WORK ABOVE PLINTH LVL.			3110.7	0
			-	
17   5.2.1   Reinforced comput				
Reinforced cement concrete work	in wall			
lary unckliess), including official	.	1		
I and charte of		1		1
Tovel excluding the cost of		-		
shuttering, finishing & reinforcement	entring,	1		
1:1:2 (Icement: 1		- 1		D. F.
1:1:2 (1cement: 1 coarse sand : 2	graded	1		Rs. Five thousand six
l destribute destribute de la communa de la		1	1 1	hundred sixty six and
10 + 2, BUILDING = 20.51 SQM		1	1 1	paise twenty only.
24.11	1	1	1 1	J omy.
		1	1 1	
18 513 P		1	1 1	
Providing and laying in position spe	20.510	cu.m	5666.20	
grade of reinforced	cified		0000.20	
Cement consequent		1		
cement concrete excluding the cost of	1	1		
l century, snuttering finishing	and	1		
reinforcement-All work nuto		1		
plinth level. 1:2:4 (1 cement:2 c			R	s. Three thousand four
sand:4 graded stone	oarse		h	undred thirty eight and
Stated Stolle			l n	pice ninet cignt and
aggregate 20 mm nominal size)			P	nise ninety only.
SEPTIC TANK = 0.93 CUM				
	1			
	0.930	i	1	
	0.930	Clim	2420 00	
	0.930	cum	3438.90	

Md. Jarruddin

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd. Patra Development Corporation Ltd., Patna

BRICK WORK  20 6.1.14A Brick work with bricks of class designation 100A in foundations and plinth in cement mortar 1:6 (1cement :6 coarse sand) = 39.878 CUM  21 6.1.14A Brick work with bricks of class designation 100A in foundations and plinth in : Cement mortar 1:6 (1 cement: 6 coarse sand)  Extra for Brick work in superstructure above plinth level upto floor V cum = 160.082 CUM  22 6.18.4A Half brick masonry with bricks of class designation 100A in foundations and plinth in : Cement mortar 1:4 (1 cement: 4 coarse sand)  Extra for half Brick masonry with bricks of class designation 100A in foundations and plinth in : Cement mortar 1:4 (1 cement: 4 coarse sand)  Extra for half Brick masonry in the bricks of class designation 100A in foundations and plinth in : Cement mortar 1:4 (1 cement: 4 coarse sand)  Extra for half Brick masonry in the bricks of class designation 100A in foundations and plinth in : Cement mortar 1:4 (1 cement: 4 coarse sand)  Extra for half Brick masonry in the bricks of class designation 100A in foundations and plinth in : Cement mortar 1:4 (1 cement: 4 coarse sand)  Extra for half Brick masonry in the bricks of class designation 100A in foundations and plinth in : Cement mortar 1:4 (1 cement: 4 coarse sand)  Extra for half Brick masonry in the bricks of class designation 100A in foundations and plinth in : Cement mortar 1:4 (1 cement: 4 coarse sand)	5,3	Reinforced cement conrete work beams, suspended floors, roofs having upto 15, landings, balconiec, she chajjas, lintels, bands, plain window staircases and spiral stair cases upto five level excludingthe cost of cent shuttering, finishing and reinforement with 1:2:4(1 cement:2 co sand:4 graded stone aggregate 20 nominal size).  Add or deduct for providing richer or lead mixes respectively at all floor levels.  Providing M-15grade R.C.C instead of 20 grade R.C.C.  Proiding M-25 grade R.C.C. instead of 120 grade R.C.C.	slope elves, sills, floor ring, arse mm			Rs. Four thousand five hundred eighty one and paise twenty only.
20 6.1.14A Brick work with bricks of class designation 100A in foundations and plinth in cement mortar 1:6 (1cement :6 coarse sand)  21 6.1.14A Brick work with bricks of class designation 100A in foundations and plinth in : Cement mortar 1:6 (1 cement: 6 coarse sand)  Extra for Brick work in superstructure above plinth level upto floor V cum  160.082 CUM  22 6.18.4A Half brick masonry with bricks of class	BRICK W	ODV	100.440	cu.m	4581.20	
Brick work with bricks of class designation 100A in foundations and plinth in cement mortar 1:6 (1cement :6 coarse sand)  21 6.1.14A  Brick work with bricks of class designation 100A in foundations and plinth in : Cement mortar 1:6 (1 cement: 6 coarse sand)  Extra for Brick work in superstructure above plinth level upto floor V cum  160.082 CUM  22 6.18.4A  Half brick masonry with bricks of class designation 100A in foundations and plinth in : Cement mortar 1:4 (1 cement: 4 coarse sand)  Extra for half Brick masonry with bricks of class designation 100A in foundations and plinth in : Cement mortar 1:4 (1 cement: 4 coarse sand)  Extra for half Brick masonry with bricks of class designation 100A in foundations and plinth in : Cement mortar 1:4 (1 cement: 4 coarse sand)  Extra for half Brick masonry with bricks of class designation 100A in foundations and plinth in : Cement mortar 1:4 (1 cement: 4 coarse sand)  Extra for half Brick masonry with bricks of class designation 100A in foundations and plinth in : Cement mortar 1:4 (1 cement: 4 coarse sand)						
V level. = 134.043 SQM	21 6.1.14A + 6.3A 22 6.18.4A + 6.19A	Brick work with bricks of class designation 100A in foundations and plinth in cemen mortar 1:6 (1cement :6 coarse sand) = 39.878 CUM  Brick work with bricks of class designation 100A in foundations and plinth in : Cement mortar 1:6 (1 cement: 6 coarse sand)  Extra for Brick work in superstructure above plinth level upto floor V cum = 160.082 CUM  Half brick masonry with bricks of class designation 100A in foundations and plinth in : Cement mortar 1:4 (1 cement: 4 coarse sand)  Extra for half Brick masonry in superstructure above pinth level upto floor V level.	39.878		3992.90 Fh ha 4427.50	Rs. Four thousand four aundred twenty seven and paise fifty only.  6. Five hundred thirty ght and paise thirty

Md. Japoruddiy

	23	6.21	Extra for providing and ml	7			
) )			2 Nos, 6 mm dia, MS bars at every the course of half brick masonry (with F. P. bricks) = 134.043 SQM				Rs. Seventy five and paise ninety only.
	24	6.1A 6.1.12	1 100A in foundations and		43 Sq.	m. 75.9	90
			plinth in : Cement mortar 1 .:4 (1 cement: coarse sand ) = 8.75 CUM				Rs. Four thousand one hundred eighty four only
L	PLA	STER V	VORK	8.750	cur	n 4184.00	
	25	13.13.4	20 mm cement plaster of mix; 1:6 () cement: 6 coarse sand) = 836.658 SQM				Rs. One hundred twenty
	26	13.13.1 + 13.26	20 mm cement Plaster 1:3 (1 cement: 3 coarse sand) with a floating coat of neat	836.658	sq.m	123.50	three and paise fifty only.
2	7	13.11.4	SEPTIC TANK = 16.65 SQM	16.650	sq.m	185.60	Rs. One hundred eighty five and paise sixty only.
28	3 1	13.17.1	12mm thick Cement plaster of mix 1:6 (1 cement : 6 coarse sand) = 1041.58 SQM	1041.580		l t	Rs. Eighty nine and paise hirty only.
		13.36.1	12 mm cement Plaster 1:3 (1 cement: 3 coarse sand) with a floating coat of neat cement & Extra for providing and mixing water proofing material in proportion recommended by the manufacturers: 12 mm cement plaster 1:3(1 cement :3 sand) SEPTIC TANK = 52.82 SQM	7.7.000	sq.m	89.30 R	s. One hundred forty we and paise fifty only.
29	13	1	:4 (1 cement : 4 coarse sand) = 388.53 SQM	88.530	sq.m	145.50 Rs. pai	Seventy seven and se forty only.

Md. Zapruddin

30 11.3. + 11.8   The state of	coarse:sand:4 graded stone agree finished with a floating coat of neat ce including cement slurry, etc. but excluding cement slurry, etc. but excluding the cost of nosing of steps etc. complete mm thick with 20 mm nominal size of aggregate.  Extra for making chequers of appropattern on cement concrete floors, standing, pavements etc.  = 136.41 SQM	egate) ement ading e. 40 stone	10 sq.1	n 232.9	Rs. Two hundred thirty two and paise ninety only.
THUSHING W	URK				
31 13.46.1	Finishing walls with Acrylic Smoot exterior paint of required shade: New work (Two or mo coat applied @ 1.67 ltr/ 10 sqm over and including priming coat exterior primer applied @ 2.20 kg/ 10 sqm)  EXTERNAL WALL = 836.658 SQM	ore			Rs. Sixty eight and paise eighty only.
32   13.80A.2	Providing and applying white cement base	836.658	sq.m	68.80	
	putty of average thickness 2 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.  Distempering with oil bound washa bleed to be a surface of the su	of e e			Rs. One hundred eighteen and paise seventy only.
	distemper of approved brand and manufacture to give an even shade.  New work (two or more coats) over and necluding oriming coat with cement primer  INTERNAL WALL & CEILING = 430.11 SQM				es. Sixty four only.
m	ink or grey primer of approved brand and anufacture on wood work (bard and	1430.110	sq.m	64.00	
1 130	oftwood) 115.68 SQM	115.680	sq.m	25.20 Rs	s. Twenty five and ise twenty only.

Md. Jafiruddiy

	35   13	912	19				
1	13	81.3 Applying priming coat with read			_		
		Thomat vellow nriman - C					
		I manuacilire on steel	pproved				
		iron/steel work.	vanized				Rs. Twenty one and
		= 105.728 SQM				1	paice thirty one and
30	6 12		1 10				paise thirty only.
1 30	0 13.	Painting with synthetic enamel p		5.728	sq.m		21.30
		approved brand and manufacture to	aint of				
		even shade two or many	give an	- 1			1
		even shade two or more coats on new = 221.408 SQM	work				Rs. Fifty and paise
1		221.408 SQWI	- 1	- 1			ninety and paise
37	10.1	11 7	221	1.408			ninety only.
1	10.1	1-10 riding alle fixing Tiron C.	0	1.408	sq.m	5	0.90
		doors. Willdows and ventilators of					
		Tee-sections, joints miltred and with 15 v3 mm ly 10	s steel				
		with 15x3 mm lugs 10	elded			,	
		cm long embedded :-					
		cm long embedded in cement comblocks 15x10x10 cm of 10x10x10	cerete				
		1020 13 13A1UX 1U cm of 1.2.6 ( 1	- 1				
		said . O graded stone accura	te 20				Rs. Seventy five and
		January Size					paise ten only.
		or with wooden plugs and screws or	rawl				July.
		ipidgs and screws or with fiving 1:	- 1	- 1	- 1		
		with boils and nuts as required including	5 01		- 1		
		= 339.675 KG	g		- 1		
38	9.21.1		339.6	75	Va		
	7.21.1	1 To viding alld fixing thick does 1		73	Kg.	75.	10
- 1		1001101111111111 10 1N · 2202 (Dant 1)		- 1			
- 1		lybe.core of block	-1				
		Tonsulation with frame of 1st -1	1		1		
		wood and well mathched commercial 3	lard	1			1
		veneering with vertical	oly				
		veneering with vertical grains or cr	oss	- 1	- 1		
		bands and face veneers on both faces shutters.	of				Rs. One thousand eight
		John Miles					hundred twenty three and
		35 mm thick including anodized alumin	um	- 1			naise eight
		1111803					paise eighty only.
		with necessary screws					
		= 48.195 SQM					
		7					
1	0.11		40.45				
9	9.119.1	Providing and fixing oxidised M.S.tower	48.195	sq.	m	1823.80	
		bolt black finish, (barrel	-		-		
		type) with necessary					
		type) with necessary screws etc.complete 250x10mm					
					/		Rs. Sixty six and paise
		10 + 2, BUILDING = 44 EACH					fifty only.
1	0.104.1		11.000	1	.		/
1	9.104.1	Providing and fixing M.S.handles with	44.000	eac	h	66.50	
1		necessary screws etc.complete					
		125 mm					
			1			F	s. Twenty seven and
		10+2. BIIII DING - 44 B 4 G 5	1				T WELLY SEVELI SINA
		10 + 2, BUILDING = 44 EACH				p	aise fifty only
		10 + 2 , BUILDING = 44 EACH	44.000	each		27.50 p	aise fifty only.

Md. Japaruddin

9.223.2	Providing and fixing alluminium hanging floor door stopper anodised (anodic coating not less than grade AC 10 as per IS :1868) transparent or dyed to required colour and shade with necessary screws etc.complete:Twin rubber stopper = 22 EACH	20			Rs. Eighty two and paise seventy only.
42 9.100.1	Providing and fixing M.S. sliding door bolts bright finished or/and black enamelled, with nuts and screws etc.compelled: 300x16 mm = 22 EACH	22.000	each	82.70	Rs. One hundred seventy seven and paise forty only.
10.13B s b 3 2 an w re gla me con of of nece Doo Ext of a inst putt	Providing and fixing glazed steel doors, windows or ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm M.S. lugs10cm long with teel legs embedded in cement concrete locks 15x10x10cm.of (1:3:6) (1cement : coarse sand : 6graded stone aggregate 0mm nominal size) or with wooden plugs and screws or rawl plugs and screws or ith fixing clips or with bolts and nuts as quired, including providing and fixing of ass panels with glazing clips and special etal-sash putty of approved make mplete including applying a priming coat approved steel primer excluding the cost metal beading and other fitting except ressary hinges or pivots as required.	22.000	each	hu	3. Three thousand two ndred seventy and ise sixty only.

Md. Japaruddin

44 10.12.1 Providing and fixing glazed steel doors, windows or ventilators of standard rolled steel sections, joins mitered and welded with 15x3 mm M.S. lugs10cm long with steel legs embedded in cement concrete blocks 15x10x10cm (1:3:6) (Icement: 3coarse sand: 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or rawl plugs and screws or rawl plugs and screws or glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required. Doors  Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel ventilators  3.24 SQM  45 9.82.1 Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding.  1722.87 KG  1722.87 KG  1722.87 KG  1722.87 KG  1722.87 Kg. Seventy four and paise fifty only.  Rs. Ninety one and paise fifty only.  Rs. Seventy four and paise forty only.  Rs. Seventy four and paise forty only.  Rs. Seventy four and paise forty only.  Rs. Seventy three and paise forty only.						
steel sections, joints mitered and welded with 15x3 mm M.S. lugs10cm long with steel legs embedded in cement concrete blocks 15x10x10cm of (1:3:6) (Icement: 3coarse sand: 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or rawl plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required.Doors  Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel ventilators  = 3.24 SQM  45 9.82.1 Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding.  = 1.722.87 KG  5.22 Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG  SEPTIC TANK = 93 CUM  TOTAL QUANTITY = 8393 KG  8.5.22.7B Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG		44 10	1 To viding all fiving old 1			
with 15x3 mm M.S. lugs10cm long with steel legs embedded in cement Concrete blocks 15x10x10cm of (1:3.6) (Icement: 3coarse sand: 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or raw plugs and screws or plugs and screws or raw plugs and screws or raw plugs and screws or						
steel legs embedded in cement concrete blocks 15x10x10cm of (1:3:6) (1cement: 3coarse sand: 6graded stone aggregate 20mm nominal size) or with worker and screws or rawl plugs and screws or with fixing clips or with bolts and nurs as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required. Doors  Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel ventilators  = 3.24 SQM  45 9.82.1 Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding.  = 1722.87 KG  46 5.22 Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG  SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  5.22.7B Thermo-Mechanically Treated bars TMTC-500 lomm dia = 1300 KG		10	0.13C steel sections joints mit standard rolled	7		
steel legs embedded in cement concrete blocks 15x10x10cm of (1:3:6) (1cement: 3coarse sand: 6graded stone aggregate 20mm nominal size) or with worker and screws or rawl plugs and screws or with fixing clips or with bolts and nurs as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required. Doors  Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel ventilators  = 3.24 SQM  45 9.82.1 Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding.  = 1722.87 KG  46 5.22 Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG  SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  5.22.7B Thermo-Mechanically Treated bars TMTC-500 lomm dia = 1300 KG			with 15x3 mm M.S. Intered and welded		1	
blocks 15x10x10cm of (1:3:6) (1cement : 3coarse sand : 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required.Doors  Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel ventilators = 3.24 SQM  45 9.82.1 Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding. = 1722.87 KG  46 5.22 Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 Smm dia = 8300 KG  SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  8.8. Seventy four and paise forty only.  7.4.40  8.8. Seventy three and paise forty only.  8.8. Seventy three and paise forty only.						
3coarse sand: 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required.Doors Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows,ventilators and composite units.Steel ventilators = 3.24 SQM  45  9.82.1  Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding. = 1722.87 KG  1722.87 KG  46  5.22  Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  5.22.7A  Thermo-Mechanically Treated bars TMTC- 500 8mm dia = 8300 KG  SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  8.393.000 KG  74.40  78. Seventy three and	$\sim 1$	1		- 1		
20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required.Doors  Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel ventilators  - 3.24 SQM  45  9.82.1 Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc fixed to steel windows by welding.  = 1722.87 KG  1722.87 KG  1722.87 Kg. Ninety one and paise fifty only.  1722.87 Kg. Ninety one and paise fifty only.  ThrtC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia 8300 KG  SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  8.Seventy four and paise forty only.  Rs. Seventy three and reference and companies forty only.					1	
and screws or rawl plugs and screws or with moden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required.Doors  Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel ventilators  = 3.24 SQM  3.240 sq.m 3277.60  Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding.  = 1722.87 KG  Rinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  Thermo-Mechanically Treated bars TMTC-500 smm dia = 8300 KG  SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  S.22.7B Thermo-Mechanically Treated bars TMTC-500 lomm dia = 1300 KG  Rs. Seventy three and recommendation and r	- 1	1	Suitu Doraned ctome		1	1
with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of metal beading and other fitting except necessary hinges or pivots as required. Dors  Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel ventilators and composite units. Steel ventilators as 3.24 SQM  45  9.82.1 Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding.  = 1722.87 KG  1722.87 KG  1722.87 Kg  1722.87 Kg  Rs. Ninety one and paise fifty only.  Thermo-Mechanically Treated bars TMTC- 500 Smm dia = 8300 KG  SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  8.8 Seventy four and paise forty only.  Rs. Seventy three and		1				
required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required. Doors  Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel ventilators  = 3.24 SQM  45 9.82.1 Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding.  = 1722.87 KG  46 5.22 Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG  SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  8.393.000 KG  74.40  5.22.7B Thermo-Mechanically Treated bars TMTC-500 l0mm dia = 1300 KG	5		I I I I I I I I I I I I I I I I I I I		1	
glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required. Doors  Extra for providing and fixing steel beading of approved shape and section with screws instraed of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel ventilators  = 3.24 SQM  3.240 sq.m 3277.60  45 9.82.1 Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding.  = 1722.87 KG  1722.87 Kg. 1722.87 Kgs. 91.50  46 5.22 Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  8.393.000 KG 74.40  5.22.7B Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG						
metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required.Doors  Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel ventilators  = 3.24 SQM  45  9.82.1 Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding.  = 1722.87 kG  1722.87 kG  S.22.7A Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  TMTC-500  Thermo-Mechanically Treated bars TMTC-500 Rs. Seventy four and paise forty only.  5.22.7B Thermo-Mechanically Treated bars TMTC-500 l0mm dia = 1300 kG	7	- 1	required, including providing and nuts as		1	
complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required.Doors  Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units.Steel ventilators  = 3.24 SQM  45 9.82.1 Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete  fixed to steel windows by welding.  = 1722.87 KG  46 5.22 Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia  = 8300 KG  SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  8393.000 KG  74.40  8.5. Seventy four and paise forty only.  Rs. Seventy three and regions are recompleted and recomplete and recomplete.			glass panels with clarify and fixing of			
complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required.Doors  Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units.Steel ventilators  = 3.24 SQM  45 9.82.1 Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete  fixed to steel windows by welding.  = 1722.87 KG  46 5.22 Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia  = 8300 KG  SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  8393.000 KG  74.40  8.5. Seventy four and paise forty only.  Rs. Seventy three and regions are recompleted and recomplete and recomplete.		- 1	metal-sash putting glazing clips and special			
of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required.Doors  Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units.Steel ventilators  = 3.24 SQM  45 9.82.1 Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding.  = 1722.87 KG  46 5.22 Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC- 500 8mm dia  = 8300 KG  SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  8393.000 KG  74.40  Rs. Seventy four and paise forty only.  Rs. Seventy three and paise forty only.	-		DUILV OT OPPOSE 1			Rs Throath
of metal beading and other fitting except necessary hinges or pivots as Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel ventilators = 3.24 SQM  45 9.82.1 Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding.  = 1722.87 KG  1722.870 Kgs. 91.50  88. Ninety one and paise fifty only.  TMTC-500  TMTC-500  Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  8393.000 KG 74.40  S. Seventy four and paise forty only.  88. Seventy three and paise forty only.		1	The state of the s	-	- 1	hundred hundred
necessary hinges or pivots as required Doors Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel ventilators = 3.24 SQM  45 9.82.1 Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding.  = 1722.87 KG  46 5.22 Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  8.393.000 KG 74.40  75.22.7B Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG						and noise seventy seven
Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel ventilators = 3.24 SQM  45 9.82.1 Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding. = 1722.87 KG  46 5.22 Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  8393.000 KG 74.40  5.22.7B Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG			seating and other fitting except			and paise sixty only.
Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel ventilators = 3.24 SQM  45 9.82.1 Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding. = 1722.87 KG  46 5.22 Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  8393.000 KG 74.40  75.22.7B Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG  88. Seventy three and paice texture and paice te			I IIII2CS Or manage			
Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows,ventilators and composite units. Steel ventilators = 3.24 SQM  45 9.82.1 Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding.  5.22 Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  8.893.000 KG 74.40  75.22.7B Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG	1		required. Doors			
instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel ventilators = 3.24 SQM  45 9.82.1 Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding. = 1722.87 KG  46 5.22 Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  5.22.7B Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG			Extra for providing and fixing steel booding			
putty in steel doors, windows, ventilators and composite units. Steel ventilators = 3.24 SQM  45 9.82.1 Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding. = 1722.87 KG  46 5.22 Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  5.22.7B Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG		1	The vot slidbe and section will		1	
45 9.82.1 Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding.  46 5.22 Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  8393.000 KG  5.22.7B Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG	1		of glaxilly cline and			
45 9.82.1 Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding.  46 5.22 Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  8393.000 KG  5.22.7B Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG			putty in steel doors winds			
45 9.82.1 Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding.  46 5.22 Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  5.22.7B Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG  Rs. Ninety one and paise fifty only.  Rs. Seventy four and paise forty only.			and composite units Standard windows, ventilators			
45 9.82.1 Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding.  46 5.22 Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  5.22.7B Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG  Rs. Seventy four and paise forty only.  Rs. Seventy three and			= 3 24 SOM			
Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding.  46 5.22 Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  8393.000 KG 74.40  75.22.7B Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG  Rs. Seventy four and paise forty only.	l		5.24 5QIVI		1	
Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding.  46 5.22 Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  8393.000 KG 74.40  75.22.7B Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG  Rs. Seventy four and paise forty only.						
Rs. Ninety one and paise fifty only.  46  5.22  Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  5.22.7A  Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  5.22.7B  Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG  Rs. Ninety one and paise fifty only.  Rs. Seventy four and paise forty only.	45	9 82 1	Provid: 3 240	00.00		
Seventy four and paise forty only.   Seventy three and paise first only.   Seventy three and paise first only.   Seventy three and paise first only.   Seventy three and paise forty o			Troviding and fixing M.C 11	Sq.III	3277.60	
all complete fixed to steel windows by welding. = 1722.87 KG  Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  5.22.7B Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG  Rs. Ninety one and paise fifty only.  Rs. Seventy four and paise forty only.			requirement pattern in frames of	1		
fixed to steel windows by welding.  = 1722.87 KG  Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG  SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  8393.000 KG  Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG  Rs. Ninety one and paise fifty only.  Rs. Seventy four and paise forty only.		1	With W.S. Half Sollare or round 1			× ,
### 1722.87 KG    1722.87 KG   1722.870 Kgs.   91.50						
### 1722.87 KG    Total Column   February			fixed to steel windows by welding			Rs. Ninety one and paise
Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  8393.000 KG  74.40  Rs. Seventy four and paise forty only.  Rs. Seventy three and paise to make the paise the paise the paise the paise to make the paise to make the paise the pa		1	= 1722.87 KG		- 1	fifty only.
TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC- 500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  5.22.7B Thermo-Mechanically Treated bars TMTC- 500 10mm dia = 1300 KG  Rs. Seventy four and paise forty only.  Rs. Seventy three and	4.5	-				
TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  5.22.7B Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG  Rs. Seventy four and paise forty only.	46	5.22	Reinforcement for PCC 1 1722.870	Kgs.	91 50	
TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC- 500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  8393.000 KG  74.40  Rs. Seventy four and paise forty only.  Rs. Seventy three and Paise toward three an		1	straightening cutting to the straightening straightening cutting to the straightening straightening to the straightening to the straightening straightening to the straightening straigh		71.50	
TMTC-500  5.22.7A Thermo-Mechanically Treated bars TMTC- 500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  8393.000 KG  74.40  Rs. Seventy four and paise forty only.  Rs. Seventy three and Paise toward three an		1	position and handing, bending, placing in			
5.22.7A Thermo-Mechanically Treated bars TMTC- 500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  5.22.7B Thermo-Mechanically Treated bars TMTC- 500 10mm dia = 1300 KG  Rs. Seventy four and paise forty only.  Rs. Seventy three and			position and bonding all complete.			
5.22.7A Thermo-Mechanically Treated bars TMTC- 500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  5.22.7B Thermo-Mechanically Treated bars TMTC- 500 10mm dia = 1300 KG  Rs. Seventy four and paise forty only.  Rs. Seventy three and			TMTC 500			
500 8mm dia = 8300 KG  SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  Thermo-Mechanically Treated bars TMTC- 500 10mm dia = 1300 KG  Rs. Seventy four and paise forty only.  Rs. Seventy four and paise forty only.			TMTC-500			
= 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  S.22.7B Thermo-Mechanically Treated bars TMTC- 500 10mm dia = 1300 KG  Rs. Seventy four and paise forty only.  Rs. Seventy four and paise forty only.		5.22.7A	Thermo-Mechanically T			
= 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  S.22.7B Thermo-Mechanically Treated bars TMTC- 500 10mm dia = 1300 KG  Rs. Seventy four and paise forty only.  Rs. Seventy four and paise forty only.	-		500 8mm dia			
SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  8393.000 KG  74.40  Rs. Seventy four and paise forty only.  Rs. Seventy four and paise forty only.  Rs. Seventy three and Paise top			o o onini dia			
TOTAL QUANTITY = 8393 KG  5.22.7B Thermo-Mechanically Treated bars TMTC- 500 10mm dia = 1300 KG  Rs. Seventy three and					_	
5.22.7B Thermo-Mechanically Treated bars TMTC- 500 10mm dia = 1300 KG  Rs. Seventy three and			TOTAL ONLY		R	s. Seventy four and
5.22.7B Thermo-Mechanically Treated bars TMTC- 500 10mm dia = 1300 KG  Rs. Seventy three and			TOTAL QUANTITY = 8393 KG		pa	ise forty only.
500 10mm dia = 1300 KG  Rs. Seventy three and		5.22.7R		KG	1	
Rs. Seventy three and	- 1	/1	Treated have Theme	NU	74.40	
1200 000 The Pages ton and			o Tomin dia			
1200 000   Table 1   Ingice ton aut			I= 1200 RA		ID	6
					Rs	. Seventy three and

Md. Jakruddin

	5.22.70	C Thermo-Mechanically T	22			
	5.22.7[	Thermo-Mechanically Treated bars TMT 500 12mm dia = 7000 KG		00 KG		Rs. Seventy one and paise eighty only.
	5.22.7E	Thermo-Mechanically Treated bars TM 500 16mm dia = 700 KG	T-			Rs. Seventy two and
	5.22.7F	500 20mm dia = 750 KG	Γ-		12	Rs. Seventy two and paise twenty only.
47	10.19	Thermo-Mechanically Treated bars TMT 500 25mm dia = 0 KG		KG		Rs. Seventy two and
	10.17	Providing & fixing M.S. Fan hook of 16 mm. dia. M.S. bar 1 Mtr. Long bent to required size and shape, placed in position and fixed in Truss Frame / RCC Slab / beam at the time of casting all complete as per building specification and direction of E/I. (Where materials is not supplied by deptt.)  = 42 EACH		UA	72.:	Rs. One hundred twenty one and paise eighty only.
48		Providing & fixing hand rail by welding etc. to steel ladder railling & staircases railling including applying a priming coat of approved steel primer.  MS tube (medium) 40mm nominal bore.  = 550 KG	42.000	Each	121.80	Rs. Ninety one and paise ten only.
49	10.5 F	Providing and fixingin position collapsibble teel shutters with vertical channes 0x10x2mm and braced with flat iron iagonals 20x5mm size with top and ottom rail of T-iron 40x40x6mm and	550.000	kg.	91.10	
	ni	Omm dia steel pulleys complete with bolts ats locking arrangement stoppers handles cluding applying a priming coat of oproved steel primer.	4.52	Sa m	5	Rs. Four thousand one hundred fifteen and paise sixty only.
CELLA	NEOUS W	ORK		sq.m	4115.60	

Md. dapruddin

1			sand: 6 graded stone aggregate 20 nominal size) over 75mm bad by dry ballast 40mm nominal size well ramm	rick				D - TT
			and consolidated and grouted with fine sincluding finishing the top smooth.	sand				Rs. Three hundred nineteen and paise thirty
			= 75.414 SQM					only.
		SHUTTE	CRING	75.4	14	sq.m	319.3	0
	51			-		-		
			Centring and shuttering including strutting propping etc. and removal of form in foundation faction.	a				
			foundation, footings, basees of columns er for mass concrete.	tc.				Rs. One hundred sixty
			= 55.781  SQM					six and paise seventy
0	52	5.9.5	Centring and shuttering including at all	55.78	1 S	qm.	166.70	only.
			Propping cic and removal co			-		
<u> </u>			lintel, beams, plinth beams, griders bressumers and contilevers.	s,				Rs. Two hundred fifty
			= 349.241 SQM					one and paise thirty only.
	53	5.9.6	Centring and shuttering including strutting	349.24	1 Sq	m. 2	251.30	
			I Pring Cit. all Temoval of famore	1		-		
			columns, pillars, piers, abutments, posts and	1				Rs. Three hundred forty
			= 367.575 SQM				f	four and paise forty only.
	54	5.9.3	Centring and shuttering including strutting,	367.575	Sqr	m. 3	14.40	
			ir opping the and removal of the	ŧ				
			suspended floors, roofs, landings, balconies and access platform.				R	s. Two hundred seventy
			= 451.54 SQM				fi	ve and paise sixty only.
				451.540	Sqm	1. 27	5.60	
1	+							
F	lum	hing	nd co-'t			Total	(A)	5,716,706.85
-		B ZIIIO	nd sanitary Work			- 0001	(**)	5,716,707.00
1	55	B.S.R	Providing and fixing on wall face					
			unplasticised PVC (working programs 4.1. d					
			IS:4985 including jointing with					
		- 1	conforming to IS:5382 leaving 10 mm gap for thermal expansion.					

Md. Japun uddin

SOR 12.79	Tumpiasticised DVG		000 M	TS 214.200	Rs. Two hundred fourteen and paise twenty only.
,	accessories for unplasticised rainwater pipes conforming to IS including jointing with seel in	PVC 5:4985			
SOR 12.79.1	Coupler				
SOR 12.79.1.2	110mm = 10 MTS				Pa Co. 1
SOR 12.79.5	Bend 87.50°	10.000	Each	144.700	Rs. One hundred forty four and paise seventy only.
12.79.5.2	110mm bend = 12 MTS				Rs. One hundred seventy
12.79.6		12.000	Each	173.700	three and paise seventy only.
	10mm Shoe = 12 MTS			R	s. Three hundred
lo lo mi co Pa fix ma	on mm sand cast iron P or S tap, 10 litry white P.V.C. Flushing cistern with anally controlled device (handle level forming to IS: 7231 tryware/Hindware with all fittings and the sound the sound floors where	h e h l	Each	314.730 Se	eventy three only.
foot	rest.			Rs. 7	Three thousand thirty
	SOR 12.79.1 SOR 12.79.1.2 SOR 12.79.5 SOR 12.79.6 SOR 12.79.6.2 SOR 17.1.1 SO	12.79  12.79  12.79  12.79  12.79  12.79  12.79.1  12.79.1  12.79.1  12.79.1  12.79.1  12.79.1  12.79.1  12.79.1  12.79.1  12.79.1  12.79.1  12.79.1  12.79.1  12.79.1  12.79.1  12.79.1  12.79.1  12.79.1  12.79.1  12.79.1  12.79.1  12.79.1  12.79.1  12.79.1  13.79.5  14.79.5  15.79.5  16.79  17.1.1  18.5.R  19.79.6  19.79.6  10.79.6  11.79.6  11.79.6  11.79.6  11.79.6  11.79.6  11.79.6  11.79.6  11.79.6  11.79.6  11.79.6  11.79.6  11.79.6  11.79.6  11.79.6  11.79.6  11.79.6  11.79.6  11.79.6  11.79.6  11.79.6  11.79.6  11.79.6  11.79.6  11.79.6  11.79.6  11.79.6  11.79.6  11.79.6  11.79.6  11.79.6  11.79.6  11.79.6  11.79.6  11.79.6  12.79.6  12.79.6  12.79.6  12.79.6  13.79.6  14.79.6  15.79.6  16.79.6  17.1.1  18.79.6  19.79.6  19.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10.79.6  10	12.79  12.79  12.79  12.79  12.79  12.79  12.79  12.79  12.79  12.79  13.79  13.79  14.79  15.79  15.79  15.382  16.79  16.79  17.79  17.79  18.50R  12.79  19.60  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.0000  10.000  10.000  10.000  10.000  10.0000  10.0000  10.0000  10.0000  10.0000  10.0000  10.0	12.79  12.79  12.79  12.79  12.79  12.79  12.79  12.79  12.79  12.79  12.79  12.79  12.79  13.60  14.79.1  15.60  16.60  17.79.1  17.79.1  18.50  19.60  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.000  10.0000  10.000  10.0000  10.0000  10.0000  10.0000  10.0000  10.00000  10.00000  10.	12.79  Individual and fixing on wall face unplasticised PVC moulded fittings/ accessories for unplasticised PVC rainwater pipes conforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10mm gap for thermal expansion.  SOR 12.79.1  SOR 110mm 12.79.5  SOR 110mm bend 12.79.5.2  SOR 12.79.6  SOR 12.79.6  SOR 12.79.6  SOR 12.79.6  SOR 13.79.6  SOR 14.700  SOR 15.5382 leaving 10mm gap for thermal expansion.  15.600  SOR 16.79.5  SOR 17.1.1  SOR 18.5 Reproviding and fixining water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast iron P or S tap, 10 litre low white P.V.C. Flushing cistern with munally controlled device (handle level) conforming to IS: 7231 Parryware/Hindware with all fittings and fixtures complete including cutting and making good the walls and floors wherever required.  White Vitreous China Orissa pattern W C pan of size 580 x 440 mm with integral type foot rest.

Md. Jagwuddin

	50		20			
	58 B.S	1 To viding alld flying white	25			
	17.2					
		W.C. pan) with seat and lid, 10 litre	type	- 1		
	1	level white PVC and lid, 10 litre	low	- 1	1	
		level white P.V.C. flushing cist	ern,		1	1
	İ	controlled manual pipe, with manual	ally			1
	1	ucvice (hond)			1	
		[ Comorning to 18 · 7221		1	1	
		Tartuics Culliniere including	4			
1		and floore will and floore	ver		1	1
		required:				
					1	
		W.C. pan with ISI marked black sol			- 1	1
		plastic seat and lid	id			
	1	= 3 EACH	1			Re Two 4
1		o Litem			1	Rs. Two thousand nine
59	D.O.		1 250			hundred twenty eight a
1 39	D.D.I	Providing and fixing white vitreous chin	3.00	00 Ea	ch 2928.3	
	17.4.2	The out of Wall Corner type 1: 1 c	Nacional			
		urinal basin of 430x260x350 mm and	it			
		340x410x265 mm sizes respectively with	d			
		automatic flushing sizes respectively with	a		1	
	1	automatic flushing cistern with standard	1			- 1
		pipe and ( P brace annual	1	- 1		
	1	and and the classes	1		1	
	1	pauling of tittings and 1	1			
		B und making good the 11				
		floors wherever required:				
1						
		Range of two urinal basins with 5 litre		-		
		automatic flushing cistern				Rs. Four thousand six
		= 3 EACH				hundred eighty eight and
-						paise ninety only.
60	SOR	Provding and fixing toilet paper holder	3.000	Each	4688.900	paise innety only.
-	17.34	tonet paper noider				
	SOR	Vitreous china				
	17.34.2	3		Each	304.2	D. mi
51	B.S.R	Providing and S-:	4		304.2	Rs. Three hundred four
	17.7.1	Providing and fixing wash basin with C.I.			+	and paise twenty only.
	1	prackets, 15 mm C.P. brass pillar taps, 32				
	1-	C.I. Ulds Waste of standard				
	1-	nertuing painting of fittings and 1			1	
	1	and making good the walls wherever				
-	r	equire:		Α		
	127	This are				
-		Thite Vitreous China Wash basin size				
	Į v	A				
	10.	With a pair of 15 mm C.P.				
	bı	rass pillar taps.				Rs. Two thousand one
	bı	With a pair of 15 mm C.P.				Rs. Two thousand one hundred twenty and
	bı	rass pillar taps.  12 EACH	2.000	Each	1	Rs. Two thousand one hundred twenty and paise thirty only.

Md. Japu uddin

62	18.63	Providing and fiving PTMT	26				
		Providing and fixing PTMT angle stop 15 mm nominal bore, weighing not less than 85 gms	cock				Rs One built
63	B.S.R	Providing and fixing P.V.C. works	0	000	Each	180.90	Rs. One hundred eight and paise ninety only
	17.28	sink or wash basin including P.V.C. visitings complete.	waste				
	17.28.2.	Flexible pipe 32 mm dia = 12 EACH		_			
64	B.S.R		12.00	00	Each	70.600	Rs. Seventy eight and paise sixty only.
	17.32.2	Providing and fixing mirror of superglass (of approved quality) and of requishape and size with plastic moulded from approved make and the involved makes and th	erior ired		Lacii	78.600	
× 20		of approved make and shade with 6 in thick hard board backing: Rectangular shape 453 x 357 mm = 12 EACH	mm				Rs. Six hundred forty three and paise forty only.
65	B.S.R	Providing and fixing 600 x 120 x 5 m	12.000	) E	Each	643.400	
	17.33	glass shelf with edges round off, support on anodised aluminium angle frame with C.P. brass brackets and guard rail comple fixed with 40 mm long screws, rawl plug etc., complete.  = 12 EACH	ed th				Rs. Four hundred seventy eight and paise thirty only.
1	B.S.R 1	Providing and fixing Chlorinated Polyviny	12.000	Ea	ch	478.300	
	ii ff c jo C ci in di Cc an no	Chloride (CPVC) pipes, having therma stability for hot & cold water supply including all CPVC plain & brass threaded fittings including fixing the pipe with lamps at 1.00 m spacing. This includes braining of pipes & fittings with one step PVC solvent cement and the cost of atting chases and making good the same cluding testing of joints complete as per rection of E/I bracealed work including cutting chases d making good the wall etc. 15 mm minal outer dia Pipes 50 METER	7			Rejon	s. Two hundred forty se only.
			50.000	metre			

Md. Japanuddiu

	67	T		9	7				
	0/	D.	Providing and fixing Chlorinated Po Chloride (CPVC) pige	-	-1				
		10.							
_		1							
		1							
_			fittings This includes jointing of pi	readed				1	
_							1	Re C	)
								there	One hundred nine
. 1			Property as the direction of F	ringon				uiree	and paise eighty
				SHICEL		- 1	- 1	only.	
. 1			25 mm nominal inner dia Pipes					1	
	- 1		= 60 METER						
	- 1					1		- 1	
1		18.9.	4 32 mm nominal outer dia Pipes	6	0.000	met	re 193.	800	
	_		outer dia Pipes				175.	Televisia consumption of the latest consumpt	
	- 1	18.9.	20 mm nominal	4	0.000	met	re 251	Rs. Tv	vo hundred fifty
			20 mm nominal outer dia Pipes		-	HICH	re 251.	one on	lly.
1	58	B.S.R	Providing	40	0.000	1		Rs. On	e hundred forty
		18.48	la to viding and placing on town	all		metr	e 146.4	00 six and	paise forty only
		10.48							Torty only
-			101 .12/Ul marked with	-1					
			Totally arrangement and	. 1					
			TOP 100 A	1		1		1	
			overflow pipes but without fittings and base support for tools	and		1		Rs. Six	and paise eighty
			base support for tank.	the		1		only.	r and orginty
			= 4000 PER LITER					1	
			1000 FER LITER			per			
69		B.S.R	Providing and S	4000	.000	litre	6 900		
		18.49	Providing and fixing C.P. brass bib cock	of _			6.800		
			approved quality conforming to IS:8931						
								1	
			15 mm nominal bore.		-		-		
70	+-	D. C. =	= 12 EACH	120	.			Rs. Four	hundred ninety
70	1	B.S.R	Providing and fixing C.P. brass stop coo	12.0	00	Each	497.000	seven onl	V
		18.52	(concealed of standard design and concealed makes are for	K _	-			The state of the	<i>y</i> .
	1		approved make conforming to IS: 8931	of]			The second		
			comorning to 18: 8931					1	
	18	3.52.1	15 mm nominal bore.						1
			= 10 EACH					-	
	1		TO LINCII	1				Da C: 1	
7.1				10				ns. Six hu	ndred seventy
71		OR	Providing and fixing P.T.M.T. grating of	10.00	0	Each	670.700	and paise s	seventy only.
	18	8.58	approved quality & colour						
			The colour						
	S	OR	circular type						
	18.	58.1	- JPv						
1	C/	OR I	0.0					-	
		1 -	00 mm nominal dia,	11	-				
- 1	18.5	8.1.1		11	Eac	ch			
								Re Fort	
							47.90	Rs. Forty serpaise ninety	ven and

Md. Japon uddin

7.	B.S.R 19.2.1	Providing and laying cement concilision of the state of t	ded			Rs. Three hundred twelve and paise fifty only.
73		Providing and laying non-pressure NI class (light duty) R.C.C. pipes with colla jointed with stiff mixture of cement mortal in the proportion of 1:2 (1 cement : 2 fin sand) including testing of joints etcomplete:  100 mm dia R.C.C. pipe  = 15 METER	rs	metre	312.500	Rs. Three hundred twelve and paise ninety only.
74	c si R co W	Constructing brick masonry road gully chamber 50x45x60 cm with bricks in the sement mortar 1:4 (1cement : 4 coarse and) including 500x450 mm pre-cast and acceptation in the sement mortal grating with frame complete as per standard design : With common burnt clay F.P.S. (non odular) bricks of class designation 7.5		metre	1	Rs. Three thousand one hundred seventeen and paise thirty only.

Md. Japanuddin

Binar State Educational Infrastructure
Development Corporation Ltd., Paina

75	B.S.R 19.30.1.1 Underground C.I. Inspection Chambend with 75 class designation becement mortar 1:4 (1 cement : 4 sand) C.I. Cover with frame (ligh 455x610 mm internal dimentions weight of cover with frame to be not than 38 kg. (weight of cover 23 kg.) RCC top slates 1:1.5:3 mix (1 cement: 1.5 coarse sand size) foundation concrete 1:5:10 mg. cement:5 coarse sand : 10 graded aggregate 40 mm nominal size), in plastering 12 mm th. with cement mg. 1:3 (1cement:3 coarse sand) find smooth with a floating coat of neat cement with a floating coat of neat cement in the composition of th	ber and cicks in coarse t duty) total ot less g. and b with and :3 minal ix (1 stone nside a cortar ished ment te as	9		Rs. Three thousand nine hundred forty nine and paise ten only.
- 1	modular) bricks of class designation 7.5  = 6 EACH  S.R Making soak pit 2.5 m diameter 3.0 mediameter with 45 x 45 cm dry brick honey conshaft with brick and S.W. drain pipe 1 mm diameter, 1.8 m long complete as a standard design.  With common burnt clay F.P.S. (no modular) bricks of class designation 7.5  = 1 EACH	6.000 etre mb	Each	3949.100	Rs. Twenty five thousand nine hundred and paise ten only.
77 B.S.I 19.34	in manholes with stiff mixture of cemen mortar 1:1 (1 cement : 1 fine sand including testing of joints etc. complete :		Each	202 222	Rs. Two hundred eighty hree and paise eighty nly.

Mal. Ja Arrudaliu

State Educational Infrastructi

Development Corporation Ltd., Patna

	78	Detailed Estimate for construction	30					
	79 ANAL	Boring = 1 EACH	l Manual	1.000	Ea	ach 6043	2.650	Rs. Sixty thousand for hundred thirty two and paise sixty five only
		RATE) = EACH	IARKET				2.030	The only
		P.V.C. PIPE = EACH			-			
1		Provding and fixing soil waste ar	1d vent		-			
		pipes = EACH						
		110 mm dia						
		= 40 EACH P.V.C. FITTINGS	40.	000	metre	e 347.0	R 00 se	s. Three hundred forty
		= EACH DOOR TEE 110 mm dia		-			130	even and only.
		= 4 EACH	4.0	00			Rs	s. Three hundred sixty
		DOOR BEND 110 mm dia = 8 EACH	4.0	00	each	365.00	U IIV	e only.
		BEND 45 <sup>0</sup> 110 mm dia	8.00	00	each	283.00	Rs thr	. Two hundred eighty ee only.
		= 10 EACH VENT COWEL 110 mm dia	10.0	00	each	185.000	Rs.	One hundred eighty e only.
		= 3 EACH PIPE CLIP 110 mm dia	3.00	0	each	65.000	TAV	Sixty five only.
		= 100 EACH FLOOR TRAP 110X110 mm dia	100.0	00	each	53.000		Fifty three only.
80	Code no. of	= 10 EACH  (i) C.I. cover and frame 300 x 300 inside	10.00	0	each	436.000	Rs. 1	Four hundred thirty
	1352	inside SEPTIC TANK = 1 EACH	mm				Rs. 7	Three hundred
31	Code no. of 1621	(ii) S.C.I. plain bend 100 mm dia	1.000	I	Each	374.060	S1X 01	•
2	Code no. of	(iii) S.C.I. Tee 150 mm dia	1.000	E	Each	436.400	Rs. F	our hundred thirty ad paise forty only.
	7087	SEPTIC TANK = 1 EACH					Rs. Se	even hundred forty
			1.000	E	ach	748.110	eight a	and paise eleven
						Total (B)		348,404.98
						Jan (D)		348,405.00

Md. Jafiruddiy

			31			
-	83	Electrical Works (1% labour cess has been added on current DSR-2014)				
	65	Modular type Switch:-				
		Wiring for light point/ fan point/ exhaust fan point/ call bell point				
		with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium				
		class PVC conduit, with modular switch, modular plate, suitable GI box and earthing				
		insulated copper conductor				
	1.10	single core cable etc as required.  Group C				
84	1.1	Twin Control Point Wining	19.000	Nos.	725.18	Rs. Seven hundred twenty five and paise
		Conduit, with Modular type Switch:-  Wiring for twin control light point with 1.5				0 eighteen only.
		sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, 2 way modular				
		suitable GI box and earthing the point with				Rs. Seven hundred seventy seven and paise seventy only.
5	1.21	PVC insulated copper conductor single core cable etc as required				
	1.31	Supply and Fixing Light Plug Point with Modular Type Accessories:-	00	Nos.	777.700	
	T y	Supplying and fixing suitable size GI box with modular plate and				
		cover in front on surface or in recess, including providing and fixing 3 pin 5/6 amps modular socket outlet and 5/6 amps modular				Rs. Three hundred six
		switch, connection etc. as required. (For light plugs to be used in non residential buildings).			8	and paise three only.
		25.00	0 N	los. 3	06.030	

Md. Japonuddin

8	6 1	32 Supply and Fixing Power Pl		32		
		Supply and Fixing Power Plug Po Modular Type Accessories:-	int with			
		Supply and Fi			8	
		Supply and Fixing GI box with market and cover in front on surface	odular			
		I will difficult to an I co.				
		amps modular socket outle	t and			D ==
		amps illumiar trans	witch,			Rs. Five hundred nine only.
		connection, painting etc as required.				omy.
87	2.18	Supply & fixing 20A SPN MCB Indu	12.0	000 N	los. 590.0	00
		Socket Outlet:-	ıstrial			
		Supplying and fixing 20 amps, 240 s				
		of it industrial type.	1			
- 1		socket outlet, with 2 note and earth	netal			
- 1		enclosed plug top alongwith 20 amps "C" curve, SP, MCI	1			
		Janeer Steel Chelosure	1			
		on surface or in recess, with chained	etal			Rs. Nine hundred sixty
		cover for the socket out let and complete with connection	1			three and paise fifty four
		testing and commissioning	ons,			
		etc. as required				
88	1.12	Power Plug Wining: DVG	12.000	Nos	963.540	
		Power Plug Wiring in PVC conduit (2x4 mm):-	sq.		703.340	
-						
		Wiring for light/ power plug with 2X4 s	sq.			
		mm FRLS PVC insulated copper conductor single core cable	1			
		Journal of Tecessed mediumclass DVC	•.1			
		alongwith 1 No 4 sq. mm FRLS PV	C			Rs. One hundred sixty
		copper conductor single core cable for loo				three and paise sixty two only.
		earthing as required	p			/ /
-	1.24	Sunnkring and G	420.000	Mtrs.	162 620	
		Supplying and fixing following modula type switch/ socket on the existing modular		241615.	163.620	
	1	plate Switch box / cover includ:	r			
		connections etc.as required				
The second of the second						1

Md. Jupwuddin

	1.:	24.1	5/6 amps switch.		33					
	1.2	4.4	5 pin, 5/6 amps socket outlet.		25.0	00	Each	81.	Rs. Eighty of eighty one of	ne and p
90	1.	14	Circuit / Sub-main wiring in PVC C	-	25.0	00	Each	79	Rs. Seventy	nine and
			whing in PVC C	onduit:				-	790 paise seventy	nine on
			Wiring for circuit / sub-main wiring with earth wire with the following PVC insulated, copper conductor, core cable in surface/recessed PVC is required.	sizes of						
	1.14.	1 2	x1.5 Sqmm + 1x1.5 sqmm earth wire						D. C.	
	1.14.2	2 22	x2.5  Sqmm + 1x2.5  sq mm earth wire	9	40.000	M	trs.	107.00	Tara paise SIX ()	ılv .
	1.14.9	1	6.0 Sqmm + 2x6.0 sqmm earth wi	re (to	350.000	Mt	rs.	132.31	Rs. One hundre two and paise the only.	d thirty pirty one
-	1.14.10		used as sub main)  ( 10 sq. mm + 2 X 10 sq. mm earth v		54.000	Mtr	s.	392.890	Rs. Three hundr two and paise ei	ed ninet ghty nin
91		S/F	'C' series SP MCB:		10.000	Mtr	S.	602.970	Rs. Six hundred	two and
		indi exis	oplying and fixing 240 volts, 'C' se iniature circuit breaker suitable active loads of following poles in ting MCB DB complete value nections, testing and commissioning equired.	for the						only.
	2.10.1	6/32	A, Single Pole	-			+			
	2.10.3	6/32/	A ,DP	36	5.000	Each	1	70.690	Rs. One hundred s and paise sixty nin	eventy e only.
2	2.13	S/F 7	TPN MCB:-	3.	000	Each	46	3.590	Rs. Four hundred s three and paise fift only.	ixty v nine
		MCB	ying and fixing following rating, fo 240 volts, isolator in the existin DB complete with connection and commissioning etc. as required	ıg						

Md. Japmuddin

		2.13.2	63 A,TPN		34				
	93	2.15	S/F TPN RCCB:-Supplying and following rating three al			) 1	Each	676.700	Rs. Six hundred seve six and paise seventy only.
			415 volts, residual current circu (RCCB) having a sensitivity cur 300 miliamperes in the existing complete with connections, tes commissioning etc. as required.	it breaker rent upto		~			
	2.1	5.2	40 Amp.			+			
94	2.	8 S	S/F TP MCB DB:-		3.000	Ea	ch 21		Rs. Two thousand one nundred forty four and paise twenty three only
	2.8.5	we show the short was the short was the short was the short with the short was the sho	way, horizontal type three pole and heet steel, MCB distribution boat olts, on surface/recess, complete nined copper bus bar, neutral bus bar, din bar, detachable gland terconnections, phosphatized and printed including earthing etc. as revithout MCB/RCCB/ISOLATOR). Legrand/Anchor/Havells/HPL.	rd, 415 e with r, earth plate, powder				hun	Seven thousand four dred thirty and paise seven only.
95	1.33	S/F (	Ceiling Rose:-	3.0	00	Set	7430.5	570	
			lying and fixing 2 pin ceiling rose existing junction box/ wooden bling connection etc as required.	e on ock				Rs. F	orty three and paise
	1.34		atten / Angle Holder:-	80.00	00 E	ach	43.43(	o	three only.
		Supply	ving and fixing batten / angle holding connection etc as required.	27.00 der	0 E	ach	74.740	Rs. Se paise s	eventy four and seventy four only

Md. Jafiruddiy

	97	1.25	S/F Modular type electronic fan regul	lator:	>			
			Supplying and fixing stepped typ regulator on the existing modular switch box including	e fan plate	.000	Each	286.840	Rs. Two hundred esix and paise eighty only.
L			excluding modular plate etc as required	d.				
9	98	1.21	S/F PVC Conduit:-	-				
			Supplying and fixing of following size medium class PVC conduit along with accessories surface/recess including cutting the wall and making good the same in of recessed conduit as required.	in				
	1.2	1.1	20 mm					
99			Telephone Wiring in Existing Conduit:-	110.00	00 M	trs. 5	53.530 F	Rs. Fifty three and paise ifty three only.
	1.1	i	Supplying and drawing following pair of mm dia FRLS PVC insulated annealed copper conductor marmored telephone cable in the existing surface/ recessed steel/ PV conduit as required	or,				
	1.18.	Name and Address of the Owner, where	pair					
100	1.24	Si	/F Modular type Switch / Socket:- applying and fixing following modular pe switch / socket	50.000	Mtr	s. 18.	Rs. eig	Eighteen and paise hteen only.
		pl bu red	ate and switch box including connections  t excluding modular plate etc as  quired.					
+	1.24.6		lephone socket outlet	2,000		-	Rs. 1	Ninety five and paise
1	5.6	CC	RTHING PPER EARTH PLATE ELECTRODE:-	2.000	Each	95.9	50 nine	ty five only.

Md. Japanuddin

_			21			
		Earthing with copper earth plate 600mmx	36			
		and providing masoners acessories	3			
		cover plate having lead;			1	_
	- 1				1	Rs. Nine thousand th
İ	ĺ				1	nundred eighty four
		charcoal/cock and salt as required.			1	paise ninety two only
10	02 5		2.000	,   _	.	1
		10 P/F 25 x 5mm copper earth strip in pipe :-	2.000	Eac	ch 9384.9	220
		Providing and C:				
		Providing and fixing 25 mm X 5 mm		-	-	
		pipe from earth electrode including			1	
		connection with brass				Rs One thousand
1		nut, bolt, spring, washer excavation and re-				Rs. One thousand nine
		filling etc. as required.				two and paise eighty to
						only.
103	5.14	P/F 25 v 5 mm	12.000	Mtrs	1000 ==	
		P/F 25 x 5 mm copper earth strip in surface/		IVIUS.	1092.82	0
	1	100055 :				
					1	
					1	
		Providing and fixing 25 mm X 5 mm				
		copper strip on surface or in				
		recess for connections etc. as required.				Rs. Eight hundred sixty
104		Call as required.	4.000	1.		four and paise fifty six
L		Cable Laying of 1.1 KV & 11 KV :-	7.000	Mtrs.	864.560	only.
	7.1	Laying of one				
		Laying of one number PVC insulated and				
		- Concauled / XI pe norman 11				
		D VAVAVAIIOII cond 1 ' .				
		The solution of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of th				
1		etc as required.				
	7.1.2	Above 35sq.mm and Upto 95 Sq.mm.				
						D- T
5		G.I. Pipe for Cable protection:-	000	Mtrs.	204.020	Rs. Two hundred four
	14.14	Providing laying and C			207.020 8	and paise two only.
		Providing, laying and fixing following dia				
		PIPC INTZ CIASSILIGHT darks)				
		The William Collose				
1		The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s				
1		deliching (75 cm) and				
		required. (Noad crossing as non site)				
		condition)				
		condition)				

Md. Jafir uddin

	14.14	.2   150 mm dia	29				
106	9.1	1.1 KV Cable End Terminatio	10.0	000	Mtr.	387.840	Rs. Three hundred eight seven and paise eight four only.
		Supplying and making indoor cable e termination with brass double compressi gland and aluminium lugs for following si of PVC insulated XLPE Al. Ar. Cable 1.1 KV grade as required.	end on				
	9.1.22	3.5 Core 50 Sq.mm.					
107	1908 JSF 2014	2 3.5 core 50 sq mm vlps/pvs :	2.000	) E	ach	272.700	Rs. Two hundred sever two and paise seventy only.
	2014	sheathed (Heavy duty)armoured electric cable aluminium conducter.	1				
108		3.5C x 50 Sq.mm 1.1kV	100.000	) Mt	rg 2	01.000	Rs. Three hundred ninet
	2.1	S/F HRC fuse type TP&N switch disconnector:- Providing and fixing following capacity TP&N disconnector fuse switch unit inside the existing panel board with ISI marked HRC fuses including drilling holes in cubicle panel, making connections, etc. as required.		IVIL	(3. )	91.000 0	one only.
	2.1.2	63 amps, TP&N, HRC					
09		S/F Busbar Chamber:-	3.000	Each	2260	hui	. Two thousand two ndred sixty and paise rty eight only.
E	2.5.3 F 3.S.R b 2009 si	Providing and fixing following capacity usbar chamber with 4 strips of suitable ize made of capper, heavy duty, complete ith all accessories including onnections, earthing the body, etc as				Rs.	Six thousand two
	re	quired.				pais	dred twenty two and e sixty one only.

Md. dafruddin

$\cap$	110	2.7.4	Dec. 11	2	38			
		B.S.R 2009	four pole OFF-load shares	capacity tch with osure in	,0			Rs. Seven thousand nin hundred seven only.
	111	6.5			1.000	F	ach 7907	
			Providing and fixing copper tape 20 3 mm thick on parapet or surface of wall for lightning concomplete as required.  (For horizontal run)				ach 7907	Rs. Three hundred seventy nine and paise seventy six only.
1	112	6.6	Providing and fixing copper tape 20 n	8	0.000	me	ter 379.7	
			The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s				-	
	113	2.2	or surface of wall for lightning cond complete as required.  Providing and fixing following.	30	0.000	met	er 410.06	Rs. Four hundred ten and paise six only.
	2.2		breaking capacity MCCB in exist cubicale panel bord including drilling cubicale panel making connection etcorequired					
		E	TIDE ELGUATION	1.0	00	EACH	.200	
11	4 DGS	&D B	TRE FIGHTING			***************************************	Total (C	503,812.73
		ty	rand new ISI marked Life Guard AF pe multipurpose Fire Extinguishers 4 Kg apacity, fitted with pressure guar purplete in all respects, ready to us amplete installation kit.	gs.	00	Nos.	7549.750	Rs. Seven thousand five hundred forty nine and paise seventy five only.
		CA	RRIAGE OF MATERIA				Total (D)	75,497.50
115			ARRIAGE OF MATERIALS  De of materials				Rate Incl. 1% Lab.	75,498.00
		10	ement	1	-		Cess	Rs. Two hundred eighty

Md. Japaruddin

	$\cap$					39				
1				Sand		188.4	57	cum	1707	Rs. One thousand seven Hundred Seven and paise Twenty only.
				Local Sand		125.91	18	cum	205.	Two Hundred Five and
				Stone Chips		176.27	9	cum		paise Twenty Nine only  Rs. One Thousand four Hundred thirty nine and paise fifty nine only.
_		-		Brick	,	120.253	TI	hous.	601.6	Rs. Six hundred one and
	11	6 A	DD EXT	Steel Steel		18.050	N	MT	289.8	Paise sixty seven only.  Rs. Two hundred eighty nine and paise eighty
(	-	C	OMM. V	TRA COST OF MATERIAL FOR P W.R.T TO GAYA AS PER SOR	urnia					seven only.
( (		Br	icks		12	20.253	Tho	ous.	835.35	Rs. Eight hundred thirty five and paise thirty five only
( ( (		Cer	ment		13	9.566	M	Г	1075.73	Rs. One Thousand Seventy five and paise seventy Three only.
-									Total	969,983.60
-					G	rand T	ntal (		Total (E) C+D+E)	969,984.00
4	SL. No.	DIST	RICT	NAME OF INSTI			otai (2	A+B+	C+D+E)	7,614,406.73
7	1	Kat	ihar			-/				Amount (Rs.)
1				BLOCK RESOURCE						7,614,406.73
_			(Ru	ipees Seventy Six lacs Forteen	Total ( Thousand	Cost in Four	1 'Rs	dred	Seven O	7,614,407.00
										-3)

Md. Jahruddiy

"Details of Sl. No. 78 (Construction of 125mm x 40mm x 90m Tube well) is given below  Part 'A' - Cost of Materials  1	Pa	rt 'A' - (	Cost of Materials	f 125mm	x 401	mm x 9	0m Tube	well) is given below
4 Meter 99.38 Rs. Ninety nine and paise thirty eight only.  Reducing socket 125mm x 40mm  Reduci	-	-	125mm dia UPVC casing pipe cont to ISS	firming				
quality  Reducing socket 125mm x 40mm  1	_	-	40mm dia UPVC pipe confirming to	o ISS	48		-	fifteen only.
Reducing socket 125mm x 40mm  1 Each 270.00 Rs. Two hundred severable fixing PVC cap over the new sink T/well  1 Each 140.00 Rs. Two hundred severable fixing PVC cap over the new sink T/well  1 Each 140.00 Rs. One hundred forty only.  Rs. Two hundred forty only.  Rs. Two hundred severable for and paise forty four and paise forty four and paise forty four and paise forty only.  Rs. Two hundred twent four and paise forty four and paise twenty one only.  Rs. Two hundred twent four and paise forty four and paise twenty one only.  Rs. Two hundred eleven and paise twenty one only.  Rs. Two hundred eleven and paise twenty one only.  Rs. Two hundred twent four and paise forty four and paise twenty one only.  Rs. Two hundred eleven and paise twenty one only.  Rs. Two hundred twent four and paise twenty one only.  Rs. Two hundred twent four and paise twenty one only.  Rs. Two hundred twent four and paise twenty one only.  Rs. Twenty six thousand four hundred forty six only.  Rs. Twenty six thousand four hundred forty six only.  Rs. Twenty six thousand four hundred forty six only.		3	quality quality	proved	8	-		paise thirty eight only
Supplying all labour and materials & fitting & fixing PVC cap over the new sink T/well 1 Each 140.00 Rs. One hundred forty only.  Providing and fixing of G.I pipes complete with G.I fittings and clamps, including, cutting and making good etc 32 mm dia (15% C.P & 1% L.Cess)  B.S.R 1928 32 mm nominal bore Bross Full valve (15% C.P & 1% L.Cess)  I Each 511.21 Rs. Five hundred eleven and paise twenty one only.  Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I. Blow, 1.25" check valve, 1.25" x 9" long G.I. Blow, 1.25" check valve, 1.25" x 9" long G.I. Blow, 1.25" check valve, 1.25" x 9" long G.I. Blow, 1.25" check valve, 1.25" x 9" long G.I. Blow, 1.25" check valve, 1.25" x 9" long G.I. Blow, 1.25" check valve, 1.25" x 9" long G.I. Blow, 1.25" check valve, 1.25" x 9" long G.I. Blow, 1.25" check valve, 1.25" x 9" long G.I. Blow, 1.25" check valve, 1.25" x 9" long G.I. Blow, 1.25" check valve, 1.25" x 9" long G.I. Blow, 1.25" check valve, 1.25" as par direction of the provided the provided form only.		4	Reducing socket 125mm x 40mm			+	10.	two only.
Providing and fixing of G.I pipes complete with G.I fittings and clamps, including, cutting and making good etc 32 mm dia (15% C.P & 1% L.Cess)  18 mtr 224.44 Rs. Two hundred twent four and paise forty four only.  Rs. Five hundred eleven and paise twenty one only.  Rs. Five hundred eleven and paise twenty one only.  Rs. Five hundred eleven and paise twenty one only.  Rs. Five hundred eleven and paise twenty one only.  Rs. Five hundred eleven and paise twenty one only.  Rs. Five hundred eleven and paise twenty one only.  Rs. Five hundred eleven and paise twenty one only.  Rs. Five hundred eleven and paise twenty one only.	5	5	Supplying all labour and materials & & fixing PVC cap over the new sink	fitting T/well	1	Each		Rs. One hundred forty
B.S.R 1928 32 mm nominal bore Bross Full valve (15% C.P & 1% L.Cess)  Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel of the control panel	6		cutting and making good etc	pplete	18	mtr	224.4	Rs. Two hundred twent four and paise forty four
Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I  Nipple etc. all complete as per direction of	7		32 mm nominal bore Bross Full valve (15% C.P & 1% L.Cess)		1	Each	511.2	Rs. Five hundred eleven
Sub - Total "A"	8		submersible motor pump set of KSB/ IS make 2900 rpm capable of discharge 500 LPH at 45 Mtr head with all necessary ripipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of E/I	00 iser y v,		Each	26,446.00	Rs. Twenty six thousand four hundred forty six

Md. Japruddin

	Boring by jet the list				
	Boring by jet dheki by suitable cutter of reduce as the case may be lowering 125 n x U.P.V.C x 40 mm dia G.I pipe & straine of standard quality iron, shoe, plug & socket etc. all complete including providinall tools and plants required for the job as per specification and direction of the engineer in charge.	er			
	(i) 0 to 30.5 m	+			
9	(a) For 125 mm dia U.PV.C pipe	27	mtr	208	Rs. Two hundred eight and paise seventy sever
10	(b) for 40 mm dia UPVC pipe				only.
	(i) 0 to 30.5 m	3.5	mtr	119.	Rs. One hundred nineteen and paise three
+	(ii) 30.5 m to 61.0 m				only.
11	(a) For 40 mm dia UPVC pipe (iii) 61.00 m to 75.00 m	30.5	mtr	136.8	Rs. One hundred thirty six and paise eighty eight
12					only.
12	a) For 40mm dia UPVC pipe	14	mtr	148.7	Rs. One hundred forty eight and paise seventy
	(iv) 75.00 m to above				nine only.
13	a) For 40mm dia UPVC ribbed strainer of approved quality	8	mtr	148.79	Rs. One hundred forty eight and paise seventy nine only.
14	Providing all labour & tools and lowering 32 mm dia G.I pipe as per specificatin etc. all Complete	24	mtr	21.34	D. T.
15	Supplying labour and developing the T/Well to have sand free discharge all complete as per direction of E/I	1	Each	280.50	Rs. Two hundred eighty and paise fifty only.
			Sul	b - Total	
-	approved in favour of Mahmad Jafiruddin @		TILLE	- 0 0001	14,294.28

Tender approved in favour of Mahmad Jafiruddin @ 10.00% (Ten Decimal Zero Zero Percent) below i.e. total amount comes to Rs. 68,52,966=00 (Rupees Sixty Eight Lacs Fifty wo Thousand Nine hundred Sixty Six Only)

Md. Jafiruddin

# **Performance Security**

Name of Agency: - Mahmad Jafuruddin,

# "Performance Security of "BRC-Manihar(SL. No.-74)"

		The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s
FDR No. 028200DP00009340 028200DP00009359 NSC No.	DOI 15.03.16 To 15.03.19 15.03.16 To 15.03.19	Amount 172000.00 172000.00
95EE 184540-44 Pass Book	28.06.11	50000.00
3427467623	21.11.16	1000.00

Total-395000.00

(Rupees Three Lacs Ninety Five Thousand only)

लेखा पदाधिकारी बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि॰, पटना

Md. Jahraddiy

# BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

(A Govt. Of Bihar Undertaking) Shiksha Bhawan, Bihar Rastrabhasa Parishad Campus ,Acharya Shiv Pujan Sahay Path, Saidpur, PATNA-800004. (Tel. No: 0612-2910314)

Cor. ID. No.: U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256

## Letter of Acceptance

Letter no :- BSEIDC/FIN/2655/2016-17/- 10489 To.

Mahmad Jafiruddin, Vill+P.O.-Kheriya, Distt.-Katihar.

Dear Sir,

This is to notify you that your Bid dt. 11.06.2016 for execution of "Construction of Block Resource Centre at Manihar, Katihar (SL. No.-74 of NIT No.-40/ 2015-16) in the State of Bihar" has been accepted by the Corporation at your quoted rate of 10.00% (Ten Decimal Zero Zero Percent) below BOQ rates amounting to total contract price of Rs. 68,52,966=00 (Rs. Sixty Eight Lacs Fifty Two Thousand Nine Hundred Sixty Six Only)

You are hereby requested to furnish performance security including additional security in the form detailed in I.T.B. para 31.1, 27.4 and clarification issued thereon by RCD, Govt. of Bihar, vide letter no. 3376 (E) dt. 17.08.2010, for an amount equivalent to Rs. 3,95,000=00 (Rs. Three Lacs Ninety Five Thousand Only) within ten days of receipt of this letter of acceptance valid upto 28 days from the date of expiry of defects liability period and sign the contract, failing which action as stated in Para 31.3 of ITB will be taken.

Yours faithfully

(Brajesh Prasad)

Memo no: BSEIDC/FIN/2655/2016-17/-

Chief Consultant (Technical)

Copy forwarded to : Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC website/Senior Account Officer, BSEIDC, Patna for information & necessary action

Memo no: BSEIDC/FIN/2655/2016-17/-10489

18-10-2016 Chief Consultant (Technical)

Date: 29:10:16

Copy forwarded to: Chief Engineer, BSEIDC, Patna for information Please.

Memo no: BSEIDC/FIN/2655/2016-17/-10489

Chief Consultant (Technical)

A5.10-2016

Date: 29:10:16

Copy forwarded to :Managing Director, BSEIDC, Patna for information Please.

**Chief Consultant** 

Chef Consultant (Technical)

Bihar State Educational Infrastructure Development Corporation Ltd., Patna

Md. Jafiruddiy

# बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

बिहार सरकार का एक उपक्रम)

कॉर्पोरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256, शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथा, सैदपुर, पटना—800004, दूरभाष—0612—2910314

Letter no.: BSEIDC/NIT/2015-16/- 3950

Patna, Date: 30.04.16

# Corrigendum No.- 3

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "हिन्दुस्तान" on dated 10.02.2016 vide P.R.-12943 (नि०नि०)15-16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below:-

Feriod of Sale of Bid document (Download) from dated 16.04.2016 to 10.05.2016, 15:00 Hrs.  Last date and time for receipt (Upload) of Bids on dated 13. 05.2016, 16:30 Hrs.  Time and date for opening of Financial Bids on dated 27.05.2016, 15:30 Hrs.  Existing provision  Amended provision  Period of Sale of Bid document (Download) from dated 16.05.2016 to 05.06.2016, 1  15:00 Hrs.  Last date and Time of Pre bid Meeting – 25.04.2016, 1  15:00 Hrs.  Last date and time for receipt (Upload) of Bids on dated 11.05.2016, 15:30 Hrs.  Time and date for opening of Financial Bids on dated 24.06.2016, 15:30 Hrs.	Amended provision	ale .20	and Time of Pre bid Meeting – 25.05.2016,	Last date and time for receipt (Upload) of Bids on	Time and date for opening of Technical Bids on	Time and date for opening of Financial Bids on	dated 24.00.2010, 15:30 Hrs.
	Existing provision	load)	Date and Time of Pre bid Meeting – 25.04.2016, Date 14:30 Hrs.	1	echnical Bids on	Financial Bids on	

The other terms and conditions shall remain unchanged.

Chief Consultant (Technical)

(Brajesh Prasad)

-2.2018 mief Consultant (Technical) Bihar State Educational Infrastructure Development Corporation Ltd., Patna

Md. Jafiruddin

बिहार राज्य शैक्षणिक आधारभूत संरवना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

कॉर्पोरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256, शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना–800004, दूरभाष–0612–2910314

Letter no.: BSEIDC/NIT/2015-16/- 2937

Patna, Date: 28-03-2016

# Corrigendum No.- 2

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "हिन्दुस्तान" on dated 10.02.2016 vide P.R.-12943 (नि०नि०)15—16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below:-

-		The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s
no.	Existing provision	
	Period of Sale of Bid J	Amended provision
	from dated 03.03.2016 to 28.03.2016,	Period of Sale of Bid document (Download) from dated 16.04.2016 to 10.05.2016
	Date and Time	
	14:30 Hrs.	
		16:00 Hrs.
	on dated 29.03.2016 .15:00 Hrs	Last date and time for receipt (Upload) of Bide
	1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	dated 11.05.2016, 15:00 Hrs.
	-	Time and date for opening of Technical Bids on
	nancial D.J.	dated 13. 05.2016, 16:30 Hrs.
		lime and date for opening of Financial Bids on
		dated 27.05.2016, 15:30 Hrs.
	The Cost of BOQ and EMD will be a	The Cost of BOQ and EMD will be accepted in to 13 05 2015

The other terms and conditions shall remain unchanged.

Chief Consultant (Technical)

(Brajesh Prasad)

200

Chief Consultant (Technical) Bihar State Educational Infrastructure Development Corporation Ltd., Patna 2110.

Md. Japanuddin

# बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

कॉर्पोरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256, शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना—800004, दूरभाष—0612—2910314

Letter no.: BSEIDC/NIT/2015-16/- 2638

Patna, Date: パギゥヌット

# Corrigendum No.- 1

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below:-

The other terms and conditions shall remain unchanged.

,2018

Chief Consultant (Technical) (Brajesh Prasad)

d. Japiruddiy

## SPECIAL CONDITIONS

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes royalties and other

4. To qualify for award of work, the Bidder must possess the following :-

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of b) DD for required value of B.O.Q. Cost.

c) Sufficient Earnest Money Deposit.

- d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.
- Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed at least one Building work of value not less than 25 % of estimated value of contract) in last five years as mentioned in Technical bid. f) Litigation History as mentioned in Technical bid.

g) Affidavit as mentioned in Technical bid.

h) Valid Registration with Central/ State Govt. / PSU.

i) Valid labour license as mentioned in Technical bid.

j) Affidavit/Certificate for not been debarred as mentioned in Technical bid.

- 5. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.
- 6. The tender without earnest money or insufficient earnest money submitted with the 7. Conditional tenders shall be outright rejected.
- 8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.

9. Authority shall reserve the right to reject any or all the tenders or distribute the work to more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained.

11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules

12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the

- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss a. Natural calamities
- b. Act of enemies.

Md. Japanuddin

(Seal & Signature of Tenderer)

Page 1 of 2 Chief Considerant (Technical)

Bihar State Educational Infrastructure Development Corporation Ltd., Patna

- c. Transport and procurement difficulties.
- d. Circumstances beyond the control of the state.
- 15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- 16. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing
- 17. The contractor shall make his own arrangement for water and light at the work site.
- 18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process
- 19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 20. The Tenderer must not quote their rate more than 10 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
- 21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 22. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.

23. The Defect liability Period shall be Three (3) Years from the date of completion

Md. Tapmuddiy

(Seal & Signature of Tenderer)

Page 2 of 2

Chief Consultant (Technical)

Bihar State Educational Infrastructure Development Corporation Ltd., Patna

# बिहार राज्य शैक्षणिक आधारमूत संरचना विकास निगम लिमिटेड ्थिहार सरकार का एक उपक्रम) शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् कैम्पस, आचार्य शिवपुजन सहाय पथ, सैदपुर, पटना-800004 (दूरभाष:-0612-2910314)

## निविदा आमंत्रण सूचना संख्या- 40 वर्ष 2015-16

(केवल ई-टेन्डिरिंग पद्धित के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

विहार राज्य के मवन निर्माण कार्य हेतु निम्नांकित निविदायें आमित्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार/सार्वजनिक क्षेत्रों में निविदा में भाग ले सकते हैं परन्तु इस निगम का रजिस्ट्रेशन, उक्त कार्य का लेटर ऑफ

	1	BRC Ekma,Saran		विकलित राशि ।खिमें)	की	ग्रधन राशि ० में)	परिम विपत्र राष्ट्रि	की Belti	ron B	07 200
	2	BRC Baniyapur,Saran		85.2	1,70	,400	(死の前	10	No. of Concession, Name of Street, or other Desires, Name of Street, or other Desires, Name of Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Original Street, Origi	-
	3	BRC Masrak, Saran		85.2	1,70,	-	10,00	0	750	15
	4	BRC Marhowrah, Saran		35.2	1,70,	-	10,000	0	50	15
	5	BRC Amnour, Saran	8	35.2	1,70,	-	10,000	31	-	15
	6	BRC,Dariyapur,Saran	8	5.2	1,70,4		resident and the second section of the second	-	-	15
	7	BRC,Garkha,Saran	8:	5.2	1,70,4	-	10,000		50	15
8		BRC Mari	85	5.2	1,70,4	-	10,000	575	0	15 7
9	i	BRC, Manigachhi, Darbhanga	85		The same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the sa	-	10,000	575	0	15 H
10	-	, Acoll Jarhhango			1,70,40	-	10,000	5750	)	15 п
11		BRC, kusheshwarsthan, Darbhanga	85.		1,70,40	-	10,000	5750	)	15 т
-	-	- , Onansiivampiir Doubl		-	1,70,40	-	0,000	5750		15 मा
12		- Sixilatuur Jarhhanaa	85.		1,70,40	-	0,000	5750		15 m
13	-	nc, Daneri Darhhango	85.		1,70,400	-	0,000	5750		15 HIE
4	D	RC, Hanumannagar Dorbl	85.2		1,70,400	-	0,000	5750	+	15 माह
5		, Lanillalir Madhile.	85.2		,70,400	11	0,000	5750		15 माह
6	1 40	C, Jilaninarnur Modbal	85.2	1	,70,400	10	,000	5750	-	the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s
7	1.01	C, I nulparas, Madhuhani	85.2	1,	70,400	10	,000	5750	-	15 माह
3	BI	RC,Khutauna,Madhubani	85.2	1,	70,400	10.	.000	5750	-	15 माह
1	BF	RC, Khajouli, Madhubani	85.2	1,	70,400	10,	000	5750	-	5 माह
	BR	RC,Bisfi,Madhubani	85.2	1,7	70,400	-	000		-	5 माह
	BR	C,Rahika,Madhubani	85.2	-	0,400	10,0	Making management or property and	5750	-	5 माह
1	BR	C, Harlakhi, Madhubani	85.2	-	0,400	10,0	-	5750	15	माह
1	BR	C Rabubaal N. Madhubani	85.2	and the same of the same of	0,400	10,0		5750	15	माह
1	RR	C,Babubarhi,Madhubani	85.2	-	,400	and the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of th	Water and the last of the last of	5750	15	भाह
1	RR	C Rosada, Samastipur	85.2	-	,400	10,0		5750	15	माह
ti	RP	C Samastipur	85.2	1,70		10,00	-	5750	15	माह
I	SDU	C, Khanpur,Samastipur	85.2	-	-	10,00		5750	15	माह
-	2111	, Hasanpur Samaetinum	85.2	1,70	-	10,00		5750	15	माह
-	2116	, Williannur Samactin	85.2	1,70,	-	10,00	0	5750	15	माह
L	SKL	, ratori, Samastinur	-	1,70,		10,000	)	5750	15	
		and the second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second s	85.2	1,70,4	100	10,000		5750	15	

Md. Japanuddy

Chief Consultant (Technical)

Bihar State Educational Infrastructure Development Corporation Ltd., Patna

	BRC, Shivajinagar, Samastipur BRC, Sangrampur, E. Champaran		85.2	1,70	400 10,0	00 50	50 1	
1	32 BRC Kalyannur F Cl		85.2	1,70,	and the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of th	00		15
l-su	BRC, Kalyanpur, E. Champaran BRC Chakia, E. Champaran	8	35.2	1,70,	The same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the sa	and I		5
T	34 BRC Sugarli F. Cl	8	5.2	1,70,	-			5
	34 BRC Sugauli, E. Champaran 35 BRC Madhuk Francisch	8	5.2	1,70,4	The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s		The Property Co. Communication in Co. Co. Co. Co. Co. Co. Co. Co. Co. Co.	5
1	BRC Madhuban, E. Champaran	8	5.2	1,70,4	700	0		5
	BRC Patahi, E. Champaran	8:	5.2	1,70,4	and the second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second s	5/2	-	inchinen a
	BRC Raxaul, E. Champaran BRC Adapur E. Cl	85	5.2	1,70,4		010	- 10	-
-	E.Champaran	85	.2	1,70,40	***************************************		1.0	1
-	DIC Dankatwa F. Champana	85	.2	1,70,40			15	7
-	DRC Dhaka, E. Champaran	85.		- Water in California Street Color of the		V/ 1/1	) 15	4
-	BKC Bairia, W Champaron	85.	-	1,70,40		The same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the sa	15	4
-	BRC Narkatiagani W Champana	85.	-	1,70,40	-	5750	15	मा
4.	Dikla, W. Champaran	85.	-	1,70,40	10,000	5750	15	मा
4	BRC Bhithan, W. Champaron	85.2		1,70,400	-0,000	5750	15	मा
45	DRC Lauriya, W. Champaran			,70,400	-0,000	5750	15	मा
46	DRC, Piprasi, W. Champaran	85.2		,70,400		5750	15 3	मार
47	BKC, Majhaulia, W. Champaran	85.2		,70,400	10,000	5750	15 F	भाह
48	DRC Darauli, Siwan	85.2		,70,400	10,000	5750	15 म	-
49	BRC Hussaingani, Siwan	85.2	1,	70,400	10,000	5750	15 ч	ng
50	BRC Mairwa, Siwan	85.2	And in concession with the second	70,400	10,000	5750	15 ч	TE
51	BRC Basantpur, Siwan	85.2	-	70,400	10,000	5750	15 मा	E
52	BRC Maharaigani Siwan	85.2	1,7	70,400	10,000	5750	15 मा	ngranaga
53	BRC,Bhagwanpur,Siwan	85.2	1,7	70,400	10,000	5750	15 मा	-
54	BRC, Hasanpur, Siwan	85.2	1,7	0,400	10,000	5750	15 माह	-
55	BRC Uchkagaon, Gopalganj	85.2	1,7	0,400	10,000	5750	15 нт	TO CHANGE
56	BRC Sidhwalia, Gopalganj	85,2	1,7	0,400	10,000	5750	15 माह	-
57	BRC Bhorey, Gopalganj	85,2	1,70	0,400	10,000	5750	15 HIS	-
8	BRC,Bijaipur,Gopalganj	85.2	1,70	,400	10,000	5750	15 HIE	-
9	BRC Pachdeuri, Gopalganj	85.2	1,70	,400	10,000	5750	15 His	- mil
0	BRC Kuchaikot, Gopalganj	85.2	1,70	,400	10,000	5750	15 माह	-
1	BRC,Ramgarh,Kaimur	85.2	1,70	,400	10,000	5750	15 माह	1
2	BRC Chainpur, Kaimur	85.2	1,70,	400	10,000	5750	15 माह	1
	BRC Bhagwanpur,Kaimur	85.2	1,70,	400	10,000	5750	15 माह	-
	BRC Chakki,Buxar	85.2	1,70,	400	10,000	5750	-	
-	BRC Buxar	85.2	1,70,	400	10,000	5750	15 mg	
	BRC Chause D.	85.2	1,70,4	100	10,000	5750	15 माह	
1	BRC,Chausa,Buxar	85.2	1,70,4	100	10,000		15 माह	
	BRC Dinara, Rohtas	85.2	1,70,4			5750	15 माह	

Md. Jarryddiy

	69	BRC Karahgar, Rohtas		85.	2 1	70,400	T	- and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a supplemental and a suppl	Name of Street, Street, or other Designation of Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street	
	70	BRC Kochas, Rohtas		85.		NAME AND POST OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF T	10,00	-	750	15
	71	BRC Tilauthu, Rohtas		85.2		70,400	10,00	-	750	15
	72	BRC Karakat, Rohtas		85.2	* 9	70,400	10,00	3	750	15
	73	BRC Dawat, Rohtas		85.2		70,400	10,00	0 5	750	15
	74	BRC, Mansahi, Katihar		85.2	447	0,400	10,000	0 57	50	15 7
	-	BRC,Manihar,Katihar		85.2	The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s	0,400	10,000	21	50	15 ч
	75	BRC, Pranpur Katihar		85.2	and the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contra	0,400	10,000	57	50	15 н
	76	BRC, Kadwa, Katihar			A STATE OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PAR	0,400	10,000	57:	50	15 m
-		BRC,Barsoi,Katihar		85.2		,400	10,000	575	50	15 मा
-	/8	BRC, Azamnagar Katibar	And desired the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the	85.2	The same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the sa	,400	10,000	575	0	15 чт
-		oke, Narpatgani Araria	And the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of th	85.2	1,70	-	10,000	575	0	15 मार
-	00 ]	oke, Araria	The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s	35.2	1,70,	-	10,000	575	0	15 माह
-	81	BRC, Jokihat Araria	The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s	35.2	1,70,		10,000	5750	)	15 HIE
-	82 1	RC, Bhargama Araria	The second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second secon	5.2	1,70,	400	10,000	5750	1	15 чтв
-	33 E	SKC, Kursakata Araria	To provide the manifest and despetition of a security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the security of the s	5.2	1,70,4	100	10,000	5750	1	15 माह
	84 E	RC,Purnea East,	8.	5.2	1,70,4	100	10,000	5750	+	15 माह
1	85 B	RC, Baisi, Purnea	85	5.2	1,70,4	00	10,000	5750	-	15 माह
8	86 B	RC,Amour,Purnea	85	.2	1,70,4	00	0,000	5750	-	15 माह
8	37 B	RC, Dhamdaha, Purnea	85	.2	1,70,40	90 1	0,000	5750	-	15 माह 15 माह
8	8 B	RC,Banmankhi,Purnea	85	.2	1,70,40	00 1	0,000	5750	-	5 माह
8	9 B	RC, Tarhagach, Kishanganj	85.	2	1,70,40	0 1	0,000	5750	-	5 माह
90	0 BI	RC, Thakurganj, Kishanganj	85.	2	1,70,40	0 1	0,000	5750	-	THE RESERVE AND PROPERTY.
91	BI	RC,Pothia,Kishanganj	85.	2	1,70,40	0 10	0,000	5750	-	5 माह
92	RE	RC Katoria, Banka	85.2	2	1,70,400		.000			5 माह
93	BE	PC Poiess B	85.2		1,70,400	-	,000	5750	-	5 माह
94	BR	RC Rajaun,Banka	85.2	-	1,70,400	-	.000	5750	15	माह
95	RD	C,Barhat,Banka	85.2		1,70,400	-	-	5750	15	माह
96	RD	C Belhar,Banka	85.2	-	,70,400		000	5750	15	माह
97	DD	C Jamui	85.2		,70,400	-	000	5750	15	माह
98	DR	C Barhat, Jamui	85.2		PERSONAL PROPERTY OF THE PARTY	10,0		5750	15	माह
99	DR	C Chakai, Jamui	85.2	-	,70,400 ,70,400	10,6		5750	15	माह
*****************	BK	C Gidhour,Jamui	85.2	-	Conference of the State of the	10,0		5750	15	माह
100	BK	C Sikandra, Jamui	85.2	and the same of the same of	70,400	10,0		5750	15	माह
101	BK(	Ashargani Munger	85.2	1	70,400	10,0	00	5750	15	माह
102	BK	Naugachhia Rhagalaus	85.2	-	70,400	10,00	00	5750	15	माह
.03	DIC	Pirpainti.Bhagalnur	The second second second second second	-	70,400	10,00	-	5750	15	गह
04	DKC	Shahkund.Bhagalnur	85.2	1	0,400	10,00	0	5750	15 H	गह
05	BRC	Puraini, Madhepura	85.2	-	0,400	10,00	0	5750	15 म	TE
		The second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second secon	85.2	1,7	0,400	10,00	0	5750	15 m	

Md. Jagruddry

BRC Gwalpada, Madhepura	a		85.2	1,70,4	100 10	000	-		_
BRC Kumarkhand, Madhep	ura	8	85.2	1,70,4		STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET	5750		15
- Vallarn, Madhenura	and the second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second s	8	35.2	The sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the sales of the s	00	-	5750		15
BRC Saurbazar, Saharsa		1	15.2	1,70,4	10,0	100	5750		15
Dic, Navnatta Saharea		-	5.2	1,70,40		00 5	750		15
DKC Mahensi Saharea		1	-	1,70,40		00 5	750		15
BRC Sonbarsa Saharra	The second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second secon	-	5.2	1,70,40	10,01	00 5	750	+	15
BRC Simri, Bakhtiyarnun G	harca	-	-	1,70,40		00 57	750	1	15 =
Supaul	uiaisa	85	-	1,70,400	10,00	0 57	50	-	15 н
BRC Pipra. Supaul		85.	.2	,70,400	10,00	The second liverage and the second liverage and the second	William to the last transfer and the last transfer and the last transfer and the last transfer and the last transfer and the last transfer and the last transfer and the last transfer and the last transfer and the last transfer and the last transfer and the last transfer and the last transfer and the last transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer an	-	-
BRC Pratangani Support		85.	2 1	,70,400	10,000	The last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport to the last transport transport to the last transport to the last transport transport to the last transport transport to the last transport tra	manufacture of the same of the	1	15 п
BRC Nirmali, Supaul		85.2	2 1	,70,400	10,000		-	-	15 m
BRC Raghopur, Supaul		85.2	And the second	70,400	10,000	-	-	-	5 मा
119 BRC, Atari, Gaya		85.2		70,400	10,000	2/3	0	1	5 मा
120 BRC, Neemchak, Gaya		85.2	The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s	70,400		575	0	1:	5 माह
BRC, Wazirganj, Gaya		85.2	-	70,400	10,000	5750	-	15	े माह
BRC, Mohanpur, Gaya	CONCERNA CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CO	85.2	The second second	0,400	10,000	5750	-	15	माह
BRC, Imamganj, Gaya		85.2	- I make	0,400	10,000	5750		15	माह
124 BRC Amas, Gaya		85.2	-	0,400	10,000	5750		15	माह
125 BRC, Koch, Gaya		85.2	The second name of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of the least of	0,400	10,000	5750		-	माह
126 BRC,Jehanabad	Makaninaninan makan dalam	85.2	And received	0,400	10,000	5750		relative and the section of the purpose	माह
BRC,Kako,Jehanabad		85.2	The second second	,400	10,000	5750		Paris and the second	माह
BRC,Ghosi,Jehanabad		85.2	AND A COLUMN THE PROPERTY AND ADDRESS OF	,400	10,000	5750	_	15	-
129 BRC Arwal	Na Spring James Administra Springer	85.2	1,70	and in contract the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of the land of th	10,000	5750		15	-
130 BRC Karpi, Arwal		85.2	1,70,		10,000	5750	-	15	-
131 BRC,Obra,Aurangabad	8	35.2	1,70,	-	10,000	5750	-	15 1	-
132 BRC,Dev,Aurangabad	8	5.2	1,70,	-	10,000	5750	-	15 =	пв
BRC Madanpur, Aurangabad	8	5.2	1,70,	400	10,000	5750	-	-	ns
BRC Kutumba, Aurangabad	8.	5.2	1,70,4		10,000	5750	-	5 H	-
BRC, Rega, Sitamarhi	85	5.2	1,70,4	transport and the second	0,000	5750	The section of the section of	<b>5</b> म	-
136 BRC, Merajgang Sitamorhi	85	5.2	1,70,4	0.0	0,000	5750 5750	-	5 मा	-
DRC, Pupri, Sitamarhi	85	.2	1,70,4	0.0	0,000	5750	- marine	5 41	minne
BRC, Barthnaha Sitamorhi	85	.2	1,70,40	Trial Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Control of Contr	0,000	5750	-	मा	
BRC,Runisaidpur,Sitamarhi	85.	.2	1,70,40	10	0,000		-	माह	-
DRC, Suppl. Sitamarhi	85.	2	1,70,40	0	0,000	5750 5750	- francisco	माह	many
BRC, Pakribarawan Nawada	85.	2	1,70,40	Total Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street, Street,	,000	5750	-	माह	Long
DRC, Warisaligani Nawada	85.2	2	1,70,40	-	,000	5750		माह	many .
DRC, Akabarpur Nawada	85.2	!	1,70,400	-	,000	5750	and introduct years on	माह	-
DRC, Narhat, Nawada	85.2		1,70,400	-	000	5750	** Service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and	माह	The second land
BRC, Chandi, Nalanda	85.2	1	1,70,400		000	5750	15	-	
BRC, Austhawan ,Nalanda	85.2	1	,70,400	-	000	5750	15	-	
, valdida	85.2	1	,70,400		200	5750	15	-	

Mld. Japaruddiy

Development Corporation Ltd., Patna

147 BRC, Rahui, Nalanda 148 BRC, Ekangarsarai, Nalanda 149 BRC Silva Nalanda		85.2	1,70	0,400 10	),000		
DIC, Sliaw, Nalanda		85.2	1	1.400	,000	5750	15
BRC, Katrisarai Nalanda		85.2	-		,000	5750	15
DRC, Karainarsurai Nal-		85.2	The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s	***	000	5750	15
BRC, Motipur, Muzaffarpur		85.2	1,70	40.0	000	5750	15
BRC Gaighat, Muzaffarpur		85.2	1,70,		000	5750	15
DRC, Aural, Muzaffarnus		85.2	1,70,		200	5750	15
BRC,Bandra,Muzaffarpur		35.2	1,70,4		100	750	15
156 BRC, Minapur, Muzaffarpur		15.2	1,70,4		00	750	15
157 BRC,Bhagwanpur,Muzaffarpur	8	5.2	1,70,4		00	750	15
158 BRC, Jagdishpur, Bhojpur	8	5.2	1,70,4	10,0		750	15
159 BRC Champelle Brojpur	8:	5.2	1,70,40			50	15 2
BRC ,Charpokhri,Bhojpur  BRC Lldwart	THE REAL PROPERTY AND ADDRESS OF THE PERSON NAMED IN COLUMN TWO PERSONS ASSESSED.	5.2	1,70,40	-	37	50	15 H
160 BRC, Udwantnagar, Bhojpur	85	-	1,70,40	- 0,00	31.	50	15 н
BRC, Garhani, Bhojpur	85	-	And the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of th		-	50	15 m
162 BRC ,Koilwar,Bhojpur	85.		1,70,40	-	312	50	15 m
BRC, Fatuhan, Patna	85.	-	1,70,40	7,50	- The second	0	15 чт
BRC, Bakhtiyarpur, Patna	85.		1,70,400		575	0	15 mi
BRC, Naubatpur Patna	85.	-	1,70,400		513	0	15 HIE
Dice, Maner, Patna	85.2	-	1,70,400	,000	5750	)	15 माह
DRC, Degusarai	85.2		70,400	,000	5750	,	15 माह
Bico, Matinani Reguestra:	85.2		,70,400	10,000	5750	-	15 माह
Dicc, Dhagwannur Regus :	85.2	-	,70,400	10,000	5750	-	15 माह
Dicc, Dakfiri Begusarai	85.2	-	,70,400	10,000	5750		15 माह
BRC, Wansoorchak Begusse :	85.2	-	70,400	10,000	5750	-	15 माह
DRC, Cheria Rarivarnum D.	and the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of th	Constanting Contractions	70,400	10,000	5750		5 माह
- Ciluatilam Khagaria	85.2		70,400	10,000	5750	-	5 माह
DKC, Gogari Khagaria	85,2	-	70,400	10,000	5750	1:	-
BRC, Beldour Khagaria	85.2	The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s	70,400	10,000	5750	15	-
DRC, Parbatta, Khagaria	85.2	-	0,400	10,000	5750	15	
BRC, Raghopur, Vaishali	85.2	-	0,400	10,000	5750	-	माह
DRC ,Desari, Vaishali	85.2		0,400	10,000	5750	The same of the same of	माह
BRC, Bidupur Vaishali	85.2	THE REAL PROPERTY.	0,400	10,000	5750	Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of the Contract of th	माह
BRC, Jandaha, Vaishali	85.2	The second second	,400	10,000	5750	-	माह
BRC, Mahua, Vaishali	85.2	And in contrast of the last	,400	10,000	5750	_	माह
oz BRC, Garoul, Vajshali	85.2	-	,400	10,000	5750	-	माह
83 BRC, Chewada, Shekhpura	85.2	1,70	400	10,000	5750	-	माह
DRC, Barhiya, Lakhisarai	85.2	1,70,	400	10,000	5750	15	CONTRACTOR STATE
BRC ,Alinagar, Suryagarha,Lakhisarai	85.2	1,70,	400	10,000	5750	-	Charge and Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of
नोटः (i). निविदाकार एक या अधिक कार्य के निया अ	85.2	1,70,	400	10,000	5750	15	-

नोटः (i). निविदाकार एक या अधिक कार्य के लिए अलग-अलग निविदा डाल सकते हैं।

Md. Japar udding

<sup>(</sup>ii). प्राक्कलित राशि घट या बढ़ सकती है एवं तद्नुसार अग्रधन की राशि घट या बढ़ सकती है।

<sup>(</sup>iii) वेबसाईट www.eproc.bihar.gov.in पर अंकित. प्राक्कलित राशि, अग्रधन की राशि एवं परिमाण विपन्न की राशि अंतिम रूप से