me of Work-Construction of Balance Form No. 61 Work on (1) Upgraded Secondary School Building at M.S. Gundi Banhara, Bhojpun, (USS-08C) Ltd. ency - [Form No. F-2] M/s Gayatin Enterprises ITEM RATE TENDER AND CONTRACT FOR WORKS emorandum at mement No. ________255 Fz of 2017-18. n accodance in ects to the General Rule and Direction for the guidance of Contractors. ordance with, ate of Commencement - 09-02-2018 1. All works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer. This notice will state the work to be carried out the items and approximate quantities thereof as OF well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the Fr. No.-USS. amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours. 2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so. 3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having imencement of authority to give effectual receipt for the firm. 4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender. 5. The amount of earnest money to be deposited will be: -Rs. HS If the amount of the estimate does not exceed Rs. 2,000 ... 50 If the amount of the estimate exceeds Rs. 2,000 but does If the amount of the estimate exceeds Rs. 5,000 but does not exceed Rs. 10,000 For each additional Rs. 5,000 or portion of Rs. 5.000 additional earnest money 6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompanied by the treasury challan for the required earnest money will be liable to rejection. No single tender shall include more than one work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender 18 shall bear the name of the work to which they refer written outside the envelop Cast deposits for earnests money here in before mentioned shall be made in Government Treasuries entitle classification and be enclosed with the tender. 3-2-018

- 7. The Engineer or his duly authorised assistant will open the tender in the presence of intending contractors who may be present at the time and will enter the amounts of the several tende comparative statements in a suitable form. In the event of a tender being rejected the challan for the ear money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of
 - 8. The Engineer shall have the right of rejecting all or any of the tenders.
- 9. In the event of a tender being selected for acceptance the Engineer who opened the tend will, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereup sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identifical and for his acceptance with the tender. The tender of the selected tender shall also deposit the requi amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time. of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with cop of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount the security money within the priscribed time. The tender with the specilication and other documents sign by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded

- 10. When a tender is selected for acceptance the tender shall deposit the required amount the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been
- 11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tendered may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

अट्येन्ट्र सि

12. When a tender has been selected for acceptance & the required africult of the security money has been deposited the Engineer shall scrutinise all pages of the form of item, rate, tender & contract for works to see that the form has been properly filled up and signed by the bintactors and signature witnessed He shall then if he is competent, to accept the tender, sign the Sceniance of the tender to air he is not so competent shall send the form for signature of the acceptance of the officer competent to accept it

(a) If several sub-work are

cluded they should be

detained in a separate list.

(b) This deposit will be 5% of the estimated cost of the

(c) This percentage eduction from bills will be

credited to the contractors

security deposit.

Work.

[b]

[c]

[e]

[f]

TENDER FOR WORKS

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

MEMORANDUM

1	L	tc	<u>l.</u>
	_		

AR

nemorandum at l in accodance in jects to the cordance with,

OF

Gr. No.-USS.

Estimated cost .				
1-28-1	oosits (includ	ing earnest money) to be deposited	befor
the commencem	ent of the w	ork		

Time required for the work from date of written order to commence

[g] Date of written other to commence

Name of work

[h] Total number of item of work tendered for

..... monthly

mmencement of

THS

Item No. Item of work	RATE	TENDERED	
item No.	In figures	In words	Per
	In figures		

12/18

er Patga voughan

Item No.	Item of work	RATE T	ENDERED	
Remiso.	iterifor work	In figures	In words	Per
and the second				
•				
		•	<i>X</i> .	1. The second se
		. /		
		Mary Barrell B		
				•
		•		
1		'		
		·		
		I		

Schedule XLV - Form No. 61

(5)

Chedule XL	V - Form No. 61	(5) I			
Item No.	Item of work		NDERED	Per	**
		In figures	In words		1 Ltd.
					- 1500
					AR
					nemorai
					in acco
					cordanc
. ?			/		
		/			OF
					Gr. No
		[· . · · / . · · ·			
					9.3
					.
	· · · · · · · · · · · · · · · · · · ·	ľ			T .:
					i di salah s
					-
					mmence
					:
					-
			40		TITE
			k.		THS
		•			
	,				
					-
					Available of the second of the
					1/8
					1211
					. •

andum at codance in to the ice with,

lo.-USS.

cement of

Item No. Item of work In figures In words			RATE TE	NDERED	
	Item No.	Item of work			Per
					7
				·/ :	
				*	
	*			· . .	
	* .				
	•				
					. •
				· ·	
			•		
				.	
	٠				
				ŀ	
			No.		

Schedule XLV - Form No. 61

า Hem เงด	Item of work	RATE TE	NDERFD		
Item No.	item of work	In figures	In words	Per	
,					n Ltd.
					[AR
					LAIN.
					memorandun
		•			1bjects to the
1					accordance with
					K OF
.					(Gr. NoU
		/			
					ommencement
		pr.			Sommencement
					NTHS
					7 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
.					
					59/2/18
	1	į į			<i>11</i>

m at ice in vith,

JSS.

it of

should this tender be accepted I/we hereby agree to abide by and fulfill all terms and provisions of the said conditions of contract annexed hereto so. fo applicable, or in ssors in office the sums of money mentioned in the said condition

Dated the

Dated the

Signature, of contractor before comission of tender

Addres Occupation

witnes

Signature of witness contractor's signature

The above tender is hereby accepted by me on behalf of the Governor of Bil day of

signature of the off accepting the tend

Acceptances communicated on......

signature of the pa taking the ten

Compensation

CONDITIONS OF CONTRACT

Clause 1:- All compensation or other sums of payable by the contractor Government under the terms of his contract may be deducted from, paid by sale of a sufficient part of his security deposit or from the Interest arising theref or from any sums which may be due or may become due to the contractor Government on any account whatsoever and in the event of his security depo being reduced by reason of any such deduction or sale as aforesaid, the contract shall within ten days there after make good in cash or Government securit endorsed as aforesaid any sum or sums which may have been deducted from arised by, sale of his security deposit of any part thereof.

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which the work is finished after necessary rectification of defects as pointed by the Executive En- gineer or his authorised agents are fully contractor to the Engineer's. satisfaction.

Clause 2:- The time allowed for carrying out the work as entered in the tend shall be strictly observed by the contractor and shall be reckoned from the date which the wirtten order to comence work is given to the contractor. The work sh throughout the stipulated period of the contract be carried on with all due diligen (time being deemed to be the essence of the contract on the part of the contra or) and the contractor shall pay as compensation an amount equal to 1/2 percent on the amount of the estimated cost of the whole work as shown by the tender every day that the work remains uncommenced or unfinished after the proper day And further to ensure good progress during the execution of the work the contract shall be bound in all cases in which the time allowed for any work exceeds of month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before of half of such time elapsed and three-fourths of the work, before three fourths of su time has elapsed in the event of the contractor failing to employ with this condition I shall be liable to pay as compensation an amount equal to ½ percent on the sa estimated cost of the whole work for every day that the due quantity of wo remains incomplete provided always that the entire amount of compensation to paid under the provisions the clause shall not exceed 10 percent of the estimate cost of the work as shown in the tender,

Action when persnle security deposit foreited

Clause 3:- In any case which under any clause or clauses of or this contra the contractor shall have rendered himself laible to pay compensation amounti to the whole of his security deposit in the hands of Government (where paid in o sum or deducted by instalments) the Executive Engineer on behalf on the Bill Government shall have been powered to adopt any of the following courses, as may deem best suited to the enterest of Government

(a) To rescind the contract (of which rescind notice in writing to the contract under the hand of the Executive Engineer shall be of the veregonate) and which case the sectitiry deposit of the contractors fall sac fately ain of absolutely at the disposal of Government.

- (b) To employ labour paid by the Public Works Department and to supply aterials to carry out the work, or any part of the work, debitting the construction with e cost of the labour and the price of the materials (of the amount of which cost and rice certificate of the Engineer-in -charge shall be final and conclusive against the ontractor), and crediting him with the value of the work done, in all respects in the ame manner and at the same rates as if it had been carried out by the contractor under e terms of his contract, the certificate of the Executive Engineer as to the value of the ork done shall be final and conclusive against the contractor.
- (c) To measure up the work of the contractor and to take such part of the work the contractor as shall be unexecuted out of his hands, and to give it to another intractor to complete in which case any expenses which may be incurred in excess of e sum which would have been paid to the original contractor if the whole work had en executed by'him (of the amount of which excess the certificate in writing of the recutive Engineer shall be final and conclusive) shall be born and paid by the original ntractor and made be deducted from any money due to him by Government under the ntract or otherwise, or from his security deposit or the proceeds of sale thereof, or a fficient part thereof.

In the event of any of the above courses being adopted by the Executive gineer, the contractor shall have no claim to compensation for any loss sustained by n by reason of his having purchased or procured any materials or entered into any gagement, or made advances on account of or with a view to execution of the work or e performance of the contract. And in case the contract shall be rescinded under the ovision aforesaid, contractor shall not be entitled to recover or be paid any sum for any rk there-to-fore actually performed under this contract unless and until the Executive gineer shall have certified in writing the performance of such work and the value able in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4:- In any case in which any of the powers, conferred upon the Executive gineer by clause 3 thereof shall have become exercisable and the same shall not be ercised the non-exercise there of shall not contitury waiver of the conditions here and th power shall not with standing be exercisable in the event of any future case of ault by the contractor for which by any clause or clauses hereof he is declared liable pay compensation amounting to the whole of his security deposit and the liability of contractor for past and future compensation shall remain unaffected in the event of Executive Engineer putting in force the powers vested in him under the preceeding use he may, if so desires, take possession of all or any tools, plants, materials and e, in or upon the works of the site thereof or belonging to the contractor or procured nim and intended to be for the execution of the work or any part there of paying or wing for the same in the contract at the account rates, or in case of these not being licable at current market rates to be certified by the Executive Engineer whose ificate thereof shall be final, otherwise the Executive Engineer may notice in writing ne contractor or his clerk of the work, foreman or other authorised agent require him emove such tools, plants, materials or stores from the promises (within a time to be cified in such notice) and in the event to the contractor failing to comply with any n requisition the Executive Engineer may remove them at the contractor expense or them by auction or private sale on account of the contractor and at his risk in all ect, and the certificate of the Executive Enginee, as to the expense of any such oval and the amount of the proceeds and expense of any such sale be final and clusive against the contractor.

Clause 5 - If the contractor shall desire any extension of the time for pletion of the work on the ground of his having been unavoidably hindered in its cution or on any other ground other than those mentioned in clause 12 (a) he shall y in writing to the Executive Engineer within 40 days from the date of starting of the erance on account of which be desires such extension as aforesaid and the Executive neer shall, if in his opinion (which shall be final) reasonable grounds be shown eof authorised such extension of time if any, as may in his opinion be necessary or er. The Executive Engineer shall at the same time inform the contractor ns compensation for the delay.

on Ltd.

IAR

memorandum at nd in accodance in ubjects to the accordance with.

K OF l (Gr. No.-USS.-

contractor remains liable to pay compensation if action not take under cause 2

Commencement of

Power to take posession of or require removal of

)NTHS

Extension of time

Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinct marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-work doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurement shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus materials and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplu materials and rubbish and dispose of the same as the thinks fit and clean of such dirta aforesaid, and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible before the expiry of the days from the presentation of the bill. If the contractor does no submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinal shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-in charge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make it the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not a payments for work actually done and completed and shall not precinde the reputing bad, unsound and imperfect or unskilful work to be removed and taken away an reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall conclude, determine or affect in any way the powers of the Engineer-in-charge und these conditions or any of them as so the final settlement or adjustment of the account or in any other way vary or affect the contract.

Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor with

the month of the date fixed for completion of the work.

Clause 9:- If the specification or estimate of the work provides for the use of an special description of material to be supplied from the Engineer in-charge's stores or is required that the contractor shall use certain stores to be provided be the Engineercharge under the conditions of this contract or (such materials and stores, and the price to be charged therefore as herein after mentioned being so far as practicable for $\mathfrak h$ convenience of the contractor, but not so as in any way to control the meaning or effe of this contract are specified in schedule or memorandum here to annexed) the contract shall be supplied with such materials and stores noted in the annexed such schedul required from time to time to be used by him for the purposes of the contract, only the value of the full quantity of materials and stores so supplied at the rates specified the said schedule may be set off or deducted from any sums then due or there after become due to the contractor under the contract or otherwise, or agains form the security deposit, or the proceed of sale thereof, if the same is held in Government security the same or sufficient portion thereof in this case sold for the purpose. All material supplied to the contractor shall remain the absolute property of Government and state of the contractor shall remain the absolute property of Government and state of the contractor shall remain the absolute property of Government and state of the contractor shall remain the absolute property of Government and state of the contractor shall remain the absolute property of Government and state of the contractor shall remain the absolute property of Government and state of the contractor shall remain the absolute property of Government and state of the contractor shall remain the absolute property of Government and state of the contractor shall remain the absolute property of Government and state of the contractor shall remain the absolute property of Government and state of the contractor shall remain the absolute property of Government and state of the contractor shall remain the absolute property of Government and state of the contractor shall remain the absolute property of Government and state of the contractor shall remain the absolute property of Government and state of the contractor shall remain the contractor shall be contracted as the contractor of the contrac not on any accounts he removed from this site of the work and shall at all times be open

Stores supplied Government

aspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be eturned to the Engineer-in-charge's store, at the prevailing market rate or at the issue ate whichever is less if by a notice in writing under his hand he shall so require, but the ontractor shall not be entitled to return any such materials unless with such consent nd shall have no claim for compensation on account of any such materials so supplied him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: The contractor shall executive the whole and every part of the work the most substantial and workman like manner, and both as regards materials and therwise in every respect in strict accordance with the specifications. The contractor hall also confirm exactly, fully and faithfully to designs, drawings, and instructions in riting relating to the work singed by the Engineer-in-charge and lodged in his office and which the contractor shall be entitle to access at such office, for the purpose of spection during office hours, and the contractor shall, if he so require be entitled at his vn expenses to make or cause to be made copies of the specification, and of all such esigns, drawings and instructions as aforesaid.

Clause 11:- Engineer-in-charge shall have power to make any alteration in additions the original specifications, drawings and instructions that may appear to him to be cessary or advisable during the progress of the work. The contractor shall be bound carry out the work in accordance with any instructions which may be given to him in iting signed by the Engineer-in-charge, and such alteration shall not invalidate the ntract and any additional work which the contractor may be directed to do in the anner above specified as part of the work shall be carried out by the contractor on the me conditions in all respects on which he agreed to do the main work, and at the me rates as are specified in the tender of the main work. The time for completion of work shall be extended in the proportion that the additional work bears to the original ntract work and the certificate of the Engineer-in-charge shall be conclusive as to ch proportion and to the additional work includes any class of work, for which no rales specified in this contractor then such class of work shall be carried out at the rates tered in the sanctioned schedule or rates of the locality during the period when the rk is being carried on and if such last mentioned class of work is not entered in the nedule of rates of the district then the contractor shall within seven days of the date nis receipt of the order to carry out the work inform the Engineer-in-charge does the e which in his intention to charge for such class of work and if the Engineer-in-charge es not agree to this rate he shall be noticed in writing be at liberty to cancel his order carry out such class of work and arrange to carry it out in such manner as he may sider advisable provided always that if the contract shall commence work or in our expenditure in regard thereof before the rate shall have been determine as lastly ein before mentioned then and in such case he shall only be entitled to be paid in pect of the work carried out or expenditure incurred by him prior to the date of the ermination of the rates as aforesaid according to such rate or rates as shall be fixed he Engineer-in-charge in the event of a disputes the decision of the superintending ineer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any itional work done unless he has received an order in writing from the Engineer-inrge for the additional work the contractor shall be bound to submit his claim for any itional work done during any month on or before the 15th days other following month ompanied by a copy of the order in witting of the Engineer-in-charge for the additional cand that contractor or shall not be entitled to any payment in respect of such tional work if be other submit his claim within date afore said period.

Clause 12:- If at any time after the commencement of the wok the Government of r shall for any reason whatsoever not require the whole thereof as specified in the er to be carried out. the Engineer-in-charge shall give notice in writing of the fact to ontractor who shall have no claim to any payment of compensation whatsoever on ount of any profit or advantage, which he might have derived from the execution of aving been carried out neither shall be have any claim for compensation by reason to be carried out.

See the full amount of the work and the shall be have any claim for compensation by reason to be carried out.

See the full amount of the work and the shall involve the shall involve. uction which shall involve any installment of the work as originall Bcontent Dated Ltd, Patna se 12 (a) As contained in G O 1929 dated 11.9.56.

अव्यक्ति हिन्दी

on Ltd.

HAR

Work to be executed accordance with specification drawing other etc.

n memorandum at and in accodance in Subjects to the accordance with.

Alteration in specifications and designation.

K OF R (Gr. No.-USS.

Do not in validate contract

Commencement of

Time in consequence of alteration

ONTHS

Rate for work no in estimate or schedule of rates of the district.

Clause 12 (a) The contractor shall not be entitled to claim any compensation loss suffered by him on account of delay by or on behalf of Government in the supply materials as stores which the Government may have undertaken to supply where s_{ij} failure is due to :-

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficult or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an applicate by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears the Engineer to be reasonable in accordance with the circumstances of the case. It decision of the Executive Engineer as to the extension of time shall be accepted finally by the contractor.

Action and compensation payable in case of work.

Clause 13 :- If it shall appear to the Engineer-in-charge or his subordinate charge of the work that any work has been executed with unsound, imperfect or unski workmanship or with materials of any inferior description, or by any materials or artic provided by him for the execution of the work are unsound or of a quality inferior to contracted for at otherwise not in accordance with the contract, the contractor shall demand in writing form the Engineer-in-charge specifying the inadverentaly pass certified and paid for, forthwith rectify or remove and re-contract the work so specified whole or in part as the case may remove the materials or articles so specified provided other proper and suitable materials or articles at his own proper charge cost, and in the event of failing to do so within period to be specified by the Engineer charge in his demand aforesaid the contractor shall be laible to pay compensation the rate of one percent, on the amount of the estimate for every day not exceeding days while his failure to do so shall continue and in the case of any such failure Engineer-in-charge may certify or remove, and re-execute the work or remove and repa with others, the materials or articles complained of as the case may be at the riska expense in all respects of the contractcor.

Work to be taken to inspection

Clause 14:- All work under in course of execution or executed in presence of contractor shall at the times be open to the inspection and supervision of the Engine in-charge and his subordinates and the contractor shall at all times during the use working hours and at all other time at which reasonable notice of the intimation of Engineer-in-charge or his subordinate to visit the works shall have been given to contractor, either himself to be present to receive orders and instruction, or have responsible agent duly credited in writing present for that purpose orders given to contractor's agent all shall be considered to have the same force as if they had be given to the contractor himself.

Contractor or responsible Agents to be present. Clause 15:- The contractor shall give not less than five days notice in writing the Engineer-in-charge or his subordinate-in-charge of the work before covering up otherwise placing beyond the reach of measurement of any work in order that the same and be measured and correct dimensions there of be taken before the same is covered up or placed beyond the reach of measurement and shall not cover up or placed beyond the reach of measurement and shall not cover up or placed beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up placed beyond the reach of measurement without such notice having been given consent obtained, the same shall be uncovered at the contractor's expenses of default there on payment or allowance shall made for such work on materials with white same was effected.

Notice to be taken before work covered up

Clause 16.- If the contractor or his work-people, or servants shall break, defainjure or destroy any part of a building in which they may be working or any building road, road curves, fence enclosure water pipes, cables, drains, electric or telephologosts or wires, trees, grass or grassland or cultivated ground completions on which work or any part of it is being executed or if any damage shall happen to work, while in progress from any cause whatsoever crant in appending become apparent in if within three months (six months in the case of a road-work) after certificate final or other of its completion shall have been given by the Engineer-in-charge

२-१८पेन्य सिंह

edule XLV - Form No. 61

fore seal, the contractor shall make the same good at his own expense, or in ult, the Engineer-in-charge may cause the same to be made be good by other smen and deduct the expense of which time thereafter may become due to the actor, or from his security deposit, or the proceed of sale there of, or of a sufficient on there of the security deposit at the contractor shall not be refunded before the y of three months (six months in the case of a road-work) after the issue of the icate final or otherwise of completion of work provided that in the case of a road work ne opinion of the Engineer-in-charge behalf of the security deposit will be refundable three months of the issue of the said certificate of completion

Clause 17:- The contractor shall supply at his own cost all materials (except such

al materials) if any as may in accordance with the contract be supplied from the

leer-in-charges stores). Plants, tools, application, implements, ladders, cordage,

scaffolding and temporary works requisits or proper for the proper execution of the

whether original, altered or substituted and whether include in the specification or documents forming part of the contract or referred to in these conditions or not or may be necessary for purpose of satisfying or complying with the requirement of ngineer-in-charge as to any matter as to which under these conditions he is entitled satisfied which he is entitled to require together with carriage therefore to and form ork. The contractor shall also supply without charge the requisite number of persons

e means and materials necessary for the purpose of setting out works, and counting,

ing and assisting in the measurement or examination at any time and form time to f the work or materials failing his so doing the same may be Provided by the er-in-charge at the expense of the contractor and the expenses may be deducted ny money due to the contractor under the contract from his security deposit or the ds of sale thereof or of a sufficient portion thereof. The contractor shall also provide essary fencing and lights required to protect the public from accident, and shall be to bear to expenses of defence of every suit action or other proceeding at law that

Contractor liable for damage done and for imperfection a months and after certificate

ition Ltd.

3IHAR

itten memorandum at e and in accodance in id Subjects to the in accordance with,

ORK OF AR (Gr. No.-USS.

the Commencement of

MONTHS

Contractor to supply to plantladder scaffolding

And is liable for damage

arising for non-provision

of light fencing etc.

Work not to be subject

tions and to any such person or which may with the consent of the contractor be compromise any claim by any such person. Clause 18:- No female labour shall be employed within the limits of contonment. ntractor shall not employ for the purpose of his contract any person who is below of twelve years and shall pay to each labour for the work done by such labourer not less than the wages paid for similar work in the neighbourhood.

e brought by any person for injury sustained owing to neglect of the above

he executive Engineer shall have the right to enquire into the case and decide nplaint alleging that the wages paid by the contractor to any labourer for the work such labour is less than the wages paid for similar work in the neighbourhood.

he officer in-charge of the work shall have the right to decide whether any labourer ed by contractor is below the age of twelve years and to refuse to allow any r whom he decided to be below the age of twelve years to be employed by the

ause 19:- The Contractor shall not be assigned or subject without the written l of the Executive Engineer. And if the contractor shall assign or subject his or attempt so to do, or become insolvent proceedings to make any composition creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward tage pecunalry of otherwise, shall either directly or indirectly be given promissed, d by the contractor, or any of his servant or agents to any public officer or person aploy of Government in any way relating to his officer or employment or if any cer or person shall become in any way directly or indirectly interested in the the Executive Engineer may there upon by notice in writing rescind the contract. rity deposit of the contractor shall there upon stand forfeited and be absolutely posal of Government and the same consequence shall ensure as if the contract recinded under clause 3 here of, in addition the contractor shall not be will the r or be paid to any work therefore actually performed the under the confeet. Ltd, Patna

Contract may be resinded and security deposit forfelted for subletting bribes or if contractor become

such payable by way of compensation to be considered reasonable compensation without reference to actual loss Clause 20:- All sums payable by way of compensation under any of the conditions shall be considered as reasonable compensation to be applied to the use the Government without reference to the actual loss or damages sustained and there not any damage shall have been sustained.

Clause 21:- In the case of a sender by partners, any change in the constitute of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or the information.

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security depos of the contractor shall thereupon stand forfeited and be absolutely at the disposal of Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled a recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer Clause 22: All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and what manner they are to be commenced, and from time to time carried on.

Clause 23: In case any dispute or difference shall arise between the parties either of there upon any question relating to the meaning of the specifications, designs drawings and instructions here before mentioned or as to the quality of workmanships materials used on the work or as to the construction of any of the conditions or an clause or thing there in contained or as to any question, claim, rights of the parties, of any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions of otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof as the breach of those contract then either party shall forthwith give to the order notion of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

(a) Clause 24: When the estimate on which a tender is made includes lum sum in respect of the contract shall be entitled to payment in respect of the items of work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-Incharge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineer in-charge shall be final and conclusive against the contractor with regard to any suppayable to him under the provision of this clause.

Action where no specification.

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions are requirements of the Engineer-in-charge.

Definition of works

Clause 26: The expression "work" or "works" where used in these condition, shall unless there be something either in the subject or context repugnant to succonstruction be constructed and taken to mean the work by or virtue of the contracted to be executed whether temporary or permanent, and whether original, alteresubstituted or additional.

सल्योक्स

Contract

Witness.

le XLV - Form No. 61

(.15)

nedule showing (Approximately) materials to be supplied, it available the rates of hich they are to be charged for and the places at which they are to be supplied

Particulars		Rates wil	I be cha	h the mat rged to th actor	erial		Place of delivery
	\$ a.e.	Unit		Rs.	P	 , 	
						-	
*		100					
	.	* .					
	-						
							•
						1	
			1				
				Section 2			
						. •	
		4	1 .				
£			1			•	
			1.				
			İ	. 4			
			İ.,				
	1		1				
•							
						•	
				1			
				`` <u>.</u>			
				·],			
at a second of			;	1			
				1			and the second s
					ŀ		
he person or firm sub		- 4					

ration Ltd.

V BIHAR

written memorandum at ence and in accodance in f and Subjects to the ects in accordance with,

WORK OF IHAR (Gr. No.-USS.

ore the Commencement of

SIX MONTHS

The person or firm submitting the tender should see that the rates in the above schedules are Engineer-in-charge on the issue of the form prior to the submission of the tender.

सिष्ट

ontrator)

Chief Eng neer

(Signature of Executive Engineer)

ief Eng neer
D.C. Ltd. Patna
Skehaushar

Bihar State Educational Infrastructure Development Corporation Ltd.

AGREEMENT FOR UPGRADED SECONDARY SCHOOLS IN BIHAR

TENDER FOR WORKS

I/we heredy tender for the execution for the Governor of Bihr of the work specifed in the under written memorandum at the rates specified therein within a period of years month from the date of witten order to commence and in accodance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subjects to the annexed condation of contract and with such materaials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

MEMORANDUM

incuded they should be detained in the separate

(a) If several sub-work are (A) Name of Work:- CONTSTRUCTION OF BALANCE WORK OF UPGRADED SECONDARY SCHOOLS BUILDING IN BIHAR (Gr. No.-USS-8 C), M.S.Gundi, Block-Barhara, Distt.-Bhojpur.

> (B) Estimated Cost: Rs. 36,34,738=00 Agreement value :- Rs. 32,71,264=00

(b) This deposit will be 5% of the estimated cost of the work.

(C)Earnest Money:-

(c)This percentage deduction from bills will be credited to the contractors security deposits

(D) Initial security deposits (including earnest money) to be deposited before the Commencement of the work-

Earnest Money :- Rs. 1,65,000/- (Details attached)

- (E) Percentage to be deducted from bill Rs. 5% (Rupees five percent)
- (F) Time required for the work from date of written order to commence SIX MONTHS
- (G) Date of written order to commence:-
- (H) Total number of item of work tendered for :- 75

Chief Eng neer B.S.E.I.D.C.

Bihar State l	Educational Infrastructu	re Development	Corporation Ltd
AGREEMEN'	T FOR UPGRADED SE	CONDARY SCE	IOOLS IN BIHAD
	Group No. : U		1771
Division	District	Block	Name of School
Patna (E)	Bhojpur	Barhara	M.S.Gundi

THE ITEM RATES ARE BASED ON BIHAR SCHEDULE OF RATES, BCD, effective from dated: 17.10.16

			PART-B (Work To	Be Don	e)		
CIV	/IL W	ORKS					
S.N	Sub N.	SOR Ref.N.	DESCRIPTION	Unit	Quanti	Rate	Amount
			2.0 Earth Work				
1		2.8	EARTH WORK IN EXCAVATION over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including dressing of sides and ramming of bottom, lift upto 1.5m including getting out the excavated				
			soil and disposal of surplus soil as directed, within a lead of 50m.				
	· · · · · · · · · · · · · · · · · · ·	2.8.1	ALL KINDS OF SOIL	CU.M	21.39	230,50	Rs. Two hundred thirty and paise fifty only.
2		2,26	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth: consolidating each deposited layer by ramming and watering lead of 50 m.	CU.M	0.00	74.50	Rs. Seventy four and paise fifty only.
3		2.28	SUPPLY AND FILLING in plinth & Foundation with local sand and under floors inluding watering, ramming, consolidating and dressing and dressing complete.	CU.M	171,23	204.40	Rs. Two hundred four and paise forty only.
			SURFACE DRESSING of the ground including removing vegetation and in-equalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5 m	100 SQ.M	0.00	806.00	Rs. Eight hundred six only.

- इनव्यक्ट्य विसह

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

When they

9/2

9/2/

		11				
		4.0 Concrete Work				
	4.1	Providing and laying in position cement concrete of specified grade exluding the cost of centring and shuttering-all work upto plinth level.				
5	4.1.5	1:3:6 (1 Cement : 3 Coarse sand : 6 graded stone aggregate 40mm nominal size)	CU.M	18.90	2775.70	Rs. Two thousand seven hundred seventy five and paise seventy only.
		5.0 Reinforced Cement Concrete				- vancy only:
6	5.1	Providing and laying of in position, of specified mix of reinforced cement concrete, excluding the cost of centering and shuttering, finishing and reinforcement - all work upto plinth level.				
	5.1.2	1:1½:3 (1 Cement : 1½ Coarse sand : 3 graded stone aggregate 20 mm nominal size) IN FOUNDATION.	CU.M	0.90	4530.30	Rs. Four thousar five hundred thirty and paise thirty only.
7	5.2	Reinforced cement concrete work in wall (any thickness), including attached pilasters, butteresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts, etc. upto floor v level, excluding costs of centering, shuttering, finishing and reinforcement. Col. In plinth & superstructure				
	5.2.2	1:1½:3 (1 Cement : 1½ Coarse sand : 3 graded stone aggregate 20 mm nominal size).	CU.M	9.95	5139.70	Rs. Five thousan one hundred thirt nine and paise seventy only.

- २नटपेक्ट्र स्थिष्ट

				12			
8		5.3+ 5.33B.	Reinforced cement concrete win LINTEL BAND upto five levexcluding cost of centring, shuttering and finishing and reinforcement with 1:1½:3(1cement: 1½ coarse sand: graded stone agreagate 20 mm niminal size)	el CU.	M 16.40	5	Rs. Sixteen ar paise forty six only.
9		5.3+ 5.33B.4	Reinforced cement concrete wo in beams, upto five level excluding cost of centring, shuttering and finishing and	CU.M	A 33.62		Rs. Thirty three and paise sixty two only.
10		5.3+ 5.33B.4	Reinforced cement concrete wor in suspended floors & roofs upto five level excluding cost of centring, shuttering and finishing and reinforcement with 1:1½:3(1cement: 1½ coarse sand:3 graded stone agreagate 20 mm niminal size)	CU.M	3.52		Rs. Three and paise fifty two only.
11		5.3+ 5.33B.4	Reinforced cement concrete work in STAIRCASE upto five level excluding cost of centring, shuttering and finishing and reinforcement with 1:1½:3(1cement: 1½ coarse sand:3 graded stone agreagate 20 mm niminal size)	CU,M	3.93		Rs. Three and paise ninety three only.
				Total=	57.525	5124.90	Rs. Five thousand one hundred twenty four and paise ninety only.
		5.9	Centering and shuttering including struting, propping etc. and removal of form for -				
	12.1	5.9.1	Foundations, footings,bases of columns etc. for mass concrete.	SQ.M.	0.00	169.00	Rs. One hundred sixty nine only.

न्सरपेन्य सिष्ट

	12.2	5.9.6	Columns	SQ.M.	157.79	357.60	Rs. Three hundred fifty seven and paise sixty only.
12	12.3	5.9.3	ROOF SLAB	SQ.M.	268.97	291.00	Rs. Two hundred ninety one only.
	12.4	5.9.5	Lintels, beams, plinth beams,-	SQ.M.	218.28	261.70	Rs. Two hundred sixty one and paise seventy only.
	12.5	5.9.7	Stairs (excluding landings).	SQ.M.	23.31	328.90	Rs. Three hundred twenty eight and paise ninety only.
7777744		5.22	Reinforcement for RCC work including straightening, cutting bending, placing in position and binding all complete.				
	13.1	5.22.1	Mild steel 6.00 mm dia	kg	564.19	54.30	Rs. Fifty four and paise thirty only.
	13.2	5.22.7A	Thermo- Mechanically Treated bars TMTC-500- 8mm dia.	Kg	4552.45	56.00	Rs. Fifty six only.
13	13.3	5 .22.7B	Thermo- Mechanically Treated bars TMTC-500- 10mm dia.	Kg	329.84	54.70	Rs. Fifty four and paise seventy only.
-	13.4	5 .22.7C	Thermo- Mechanically Treated bars TMTC-500- 12mm dia.	Kg	558.74	53.40	Rs. Fifty three and paise forty only.
	13.5	5 ,22.7D	Thermo- Mechanically Treated bars TMTC-500- 16mm dia.	Kg	241.88	54.40	Rs. Fifty four and paise forty only.
	13.6	5 .22.7E	Thermo- Mechanically Treated bars TMTC-500- 20mm dia.	Kg	408.20	53.60	Rs.Fifty three and paise sixty only.
			6.0 Brick Work (A)			<i>f</i>	
	, ,	6.1 A	Brick work with bricks of class of class designation 100 A in foundations and plinth in:				
14	14.1	6.1.14A	Cement mortar 1: 6 (1 cement : 6 coarse sand)	CU.M	5.03	100	Rs. Four thousand four hundred ninety and paise sixty only.
L.	<u>i_</u>			J			

- २१०५०-द्र सिन्ह

Chief Eng neer

B.S.E.I.D.C. Lid. Patna

210

09/02/18

	14.2	6.1.12/1	Cement mortar 1: 4 (1 cement : 4 coarse sand)	CU.N	7.03	4724.40	Rs. Four thousand seven hundred twenty four and paise forty only.
	15.1	6.1 A	Brick work with bricks of class or class designation 100 A in superstructure upto floor V level in				
15		6.1.14 A+6.3A	Cement mortar 1: 6 (1 cement : 6 coarse sand)	CU. M	69.64	5003.90	Rs. Five thousand three and paise ninety only.
	15.2	6.18.4A+6 19A	coarse sand)	SQ.M.	15.28	608.40	Rs. Six hundred eight and paise forty only.
16		9.48.1	Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete.	Kg	1431.17	86.00	Rs. Eighty Six only.
17		10.5	Providing and fixing in position collapsable steel shutters with vertical channels 20X10X2 mm and braced with flat iron ds 20X5 mm size with top and bottom rail of Tiron 40X40X6 mm with 40 mm diasteel pulleys completes with boltsmuts locking arrangement stoppers handles including applying a priming coat of approved steel primer.	SQ.M	9.76	4248.20	Rs. Four thousand two hundred forty eight and paise twenty only.

210ोग्य सिंह

Chief Eng neer

B.S.E.I.D.C. Ltd., Patpa

Skhully

912.

				レン			
18	3	10.7	Providing and fixing 1 mm thick M.S. sheet door & window with frame of 40X40X6 mm angle iron and 3 mm gusset plates at the junction and corners all necessary fittings complete including applying a primming coat of approved steel primer.	SQ.M	1. 49.44	2617.00	Rs. Two thousand six hundred seventeen only.
19		10.12	Providing and fixing steel glazed doors, windows and ventilatrs of standard rolled steel sections, joints mitered and welded with 15x3 mm lugs 10 cm long with steel lugs embedded in cement concrete blocks 15x10x10 Cm of 1:3:6 (1 Cement:3 coarse sand : 6 graded stone aggregate 22 mm nominal size) or with woodenplugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panes with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer; excluding the cost of metal beading and other fitting except necessary hinges or pivots as required.		. 66.54	2843.00	Rs. Two thousand eight hundred forty three only.
20	·	10.17	Providing and fixing M.S.fan clamp type I or II of 16 mm dia.M.S. bar bent to shape with hooked ends in R.C.C slabs during laying including painting the exposed portion of loop,all as per standard design complete.	EACH	20.00	97.00	Rs. Ninety seven only.
21		10.32.2	Steel work welded in built up sections as per drawing including cutting hoisting, fixing in position and applying a priming coat of approved steel primer using steel in Stairs / Balcony railing.	K.G.	539.67	76.70	Rs. Seventy six and paise seventy only.

२-10210-2 हिन्ह

Chief Eng neer

B.S.E.I.D.C. Ltd, Patna

19

9102/19

			16			
22	10.33	Providing and fixing hand rail by welding etc. to steel ladder railings & staircases railing including applying a priming coat of approved steel primer MS tube (medium) 40 mm nominal bore	K.G.	108.00	90.70	Rs. Ninety and paise seventy
		11.0 Flooring	-			only.
23	11.4	52 mm thick cement concrete flooring with metallic concrete hardener topping undr layer 40 mm thick cement concrete 1:2:4(1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal Size) and top layer 12 mm thick metallic cement hardener consisting of mix 1:2 (1 cement hardenr miz: 2 stone aggregate 6 Mrr. ominal size) by volume hardning compund is mixed @ 2 litre per 50 kag of cement or as per manufacture specification. This includes cost of cement slurry, etc, but excluding the cost of nosing of steps etc. complete.	SQ.M	664.42	383.50	Rs. Three hundred eighty three and paise fifty only.
24	11.8	Extra for making chequers of approved pattern on cement concrete floors, steps, landing, pavements etc.	SQ.M	228.28	22.00	Rs. Twenty two only.
25	11.72	Providing designation 100 - A, BRICK FLAT SOLING joints filled with local sand including cost of watering,taxes and royalty all complete as per building specification and direction of Engineer Incharge.	SQ.M	249.55	253.80	Rs. Two hundred fifty three and paise eighty only.

चल्येन्य सिंह

Chief Eng neer

B.S.E.I.D.C. Ltd, Patna

10.
69102110

				17			
26		11.76	Providing average 150 mm thick design remmed Khoa beaten to 112 mm (Compacted with water) made of well burnt or Jhama bricks including ramming properly till compacted thickness is achieved. Curing and carriage of water with all leads, making proper slope and blinding the top with cement mortar, (1: 10) all complete as per building specification and direction of E/1	SQ.M	1 214.55	329.90	Rs. Three hundred twenty nine and paise ninety only.
			12.0 Roofing				
27		12.78	Providing & fixing on wall face unplasticised - Rigid P.V.C. rain water pipes conforming to IS: 13592 Type A including jointing with seal ring conforming to IS: 5382 leaving 10mm gap for thermal expansion. Single socket ed pipes. 110 mm dia				
		12.78.2	110 MM RAIN WATER PIPE	Metre	82.31	212.40	Rs. Two hundred twelve and paise
		12.79.5.2	BEND				forty only.
28			110 MM	EACH	10.00	168.30	Rs. One hundred sixty eight and paise thirty only.
29		12.79.6.2	SHOE - 110MM	EACH	10.00	305.02	Rs. Three hundred five and paise two only.
			13.0 Finishing				
30	30.1	J 3.11.2	Cement Plaster in coarse sand with 12 mm cement plaster 1:4 (1 Cement : 6 Coarse Sand)	SQ.M.	229.32	114.70	Rs. One hundred fourteen and paise seventy only.
	30.2	13.11.4	Cement Plaster in coarse sand with 12 mm cement plaster 1:6 (1 Cement : 4 Coarse Sand)	SQ.M.	1288.59	101.20	Rs. One hundred one and paise twenty only.
		13.13. 13.13.2	20 mm thick plaster of mix :				

- स्थार हिनाह

Chief Eng neer

B.S.E.I.D.C. Ltd, Patna

Skibitullar

912

			10			
31	13.13.2	1:4 (1 Cement; 4 Coarse Sand)	SQ.M	11.89	161.30	Rs. One hundred sixty one and paise thirty only
		20 mm thick plaster of mix:			NAPPER OF	paise unity only
32	13.13.4		SQ.M	. 663.16	140.40	Rs. One hundred forty and paise forty only.
33	13.17.1	12 mm cement Plaster 1:3 (1 Cemer : 3 Coarse Sand) finished with a floating coat of neat Cement	SQ.M	48.53	159.00	Rs. One hundred fifty nine only.
34	13.24.2	6 mm Cement Plaster to Ceiling of mix - cement plaster 1:4 (1 Cement : 4 Coarse Sand)	SQ.M.	448.06	87.40	Rs. Eighty seven and paise forty only.
35	13.26	Neat Cement Punning	SQ.M	330.08	32.30	Rs. Thirty two and paise thirty only.
36	13.70. 13.70.1	White washing with lime to give an even shade New work (three or more coats)	SQ.M	1560.61	12.50	Rs. Twelve and paise fifty only.
37	13.78	Applying one coat of cement primer of approved brand and manufacturer on wall surface.	C. Stronger	(immerican)		parse mry only.
31	13.78.1	cement primer on outer wall surface	SQ.M	730.49	26.90	Rs. Twenty six and paise ninety only.
38	13.79	Finishing walls with water proofing cement paint of approved brand and manufacture and of required shade to give an even shade			Japan .	
	13.79.1	New work (three or more coats)	SQ.M	730.49	63.20	Rs. Sixty three and paise twenty only.
39	13.93	Painting with Synthetic enamel paints of approved brand and manufacture of required color to give an even shade.				
	13.93.1	Two or more coats on new work Painting over Steel surface	SQ.M	283.92	54.10	Rs. Fifty four and paise ten only.

सर्ग्रेन्स् खिट

Chief Eng neer

B.S.E.I.D.C. Ltd. Patna

212

912

0910218

			23.0 Pile Work		1		
40	40.1	23.2.5	Making 25 cm (10") dia bore up to 4 Mtr Depth below ground with hand auger of approved quality in ordinary soil (Vide classification of soil item A) true to plumb and without eccentricity in any stage of operation and disposal of gthe excavated earth up to 50 mtr. lead in eluiding all lifts. all complete as per approved disign and directions of E/I	Metre	0.00	59.80	Rs. Fifty nine and paise eighty only.
	40.2	23.2.6	63 cm (25) UNDER REAM making 63 cm (25) dia under ream at required with hand auger of approved quality in ordinary soil (Vide classification of soil item-A) true to plumb and without iccentric city in may stage of operation and disposal of the excavated earth up to 50 mts. lead in eluding all lifts. All complete as per approved design and direction of (E/I)	EACH	0.00	63.80	Rs. Sixty three and paise eighty only.
41		D.S.R 17.1.1	Sanitary Works Providing and fixining water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast iron P or S tap, 10 litre low white P.V.C. Flushing cistern with munally controlled device (handle level) conforming to IS:7231 Parryware/ Hindware with all fittings and fixtures complete including cutting and making good the walls and floors wherever required. White Vitreous China Orissa pattern W C pan of size 580 X 440	Each	8.00	3049.30	Rs. Three thousand forty nine and paise
			Providing and fixing C.P. brass bib cock of approved qualityconforming to IS:8931				thirty only.

अट्रांबर्ट डिल्ह

Chief Eng neer

B.S.E.I.D.C. Ltd, Patna

30-1

92-1

92-1

42	. 1	18.49					
42		10.47	15 mm nominal bore.	Each	8.00	481.60	Rs. Four hundred eighty one and paise sixty only.
43		17.7.1	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps,32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps.		4.00	2093.50	Rs. Two thousand ninety three and
		. 17.28	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.		Yesterman		paise fifty only.
	44.1	17.28.2	Flexible pipe				
44		17.28.2.1	32 mm dia	EACH	4.00	76.10	Rs. Seventy six and paise ten only.
	44.2	17.28.2.2	40 mm dia	EACH	1.00	78.50	Rs. Seventy eight and paise fifty only.
45		17.11	Providing and fixing white vitreous china laboratory sink with C.I. brackets, C.P. brass chain with rubber plug 40mm C.P brass waste and including painting of fittings and brackets, cutting and making good the wall wherever required:				
77.11.1.1		17.11.2	Size 600x450x200mm	EACH	1.00	2986.20	Rs. Two thousand nine hundred eighty six and paise twenty only.
46		18.52	Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS:8931.				

- याटपेन्य सिट

Chief Eng neer

B.S.E.I.D.C. Ltd, Patna

June 19 02/19

9102/19

		18.52.	- Iominal Boic.	EAC	CH 5.00	650.1	Rs. Six hundred fifty and paise ter
4	7	18.58.1.1	of approved quality and colour.	g			only.
			100 mm nominal dia	EAC	H 6.00	46.40	Rs. Forty six and
48		12.78	Providing & fixing on wall face unplasticised - Rigid P.V.C. rain water pipes conforming to IS: 13592 Type A including jointing with seal ring conforming to IS: 5382 leaving 10mm gap for thermal expansion. Single socket ed pipes. 110 mm dia	MTS	76.21	212.40	Rs. Two hundred twelve and paise forty only.
			Provinding and fixing PVC pipe fittings with all accessories				
49	49.1		1) 110mm Plain bend PVC	EACH	16.00	161.70	Rs. One hundred sixty one and paise seventy only.
	49.2		2) 110mm door tee PVC	EACH	8.00	245.45	Rs. Two hundred forty five and paise forty five only.
	ļ		Contructing brick masonry chamber for Underground C.I. Inspection				Only.
50		19.30.1.1/.	Chamber and bend with 75 class	EACH	6.00		Rs. Four thousand one hundred forty seven and paise thirty only.

3-16-51 AGE

Chief Eng neer

B.S.E.I.D.C. Ltd, Patna

JK.houthon

9/2

having thermal stability for hot & cold water supply including allCPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one stepCPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I Concealed work including cutting chases and making good the wall etc. 51.1 a)18.8.1 15mm dia MTS 54.93 221.40 Rs. Two hun twenty one are paise forty on Exposed on wall S1.2 c) 18.9.5 40mm dia MTS 54.98 339.70 Rs. Three hur thirty nine are paise sever only. Labour cost for preparation of BIHAR MAP on wall incuding painting all complete. Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI: 12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank Providing and fixing of Borewell,				Handpump with Submerssible pump all complete.				
having thermal stability for hot & cold water supply including allCPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one stepCPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I Concealed work including cutting chases and making good the wall etc. 51.1 a)18.8.1 15mm dia MTS 54.93 221.40 Rs. Two hun twenty one at paise forty on Exposed on wall Exposed on wall 51.2 c) 18.9.5 40mm dia MTS 54.98 339.70 Rs. Three hur thirty nine at paise sever only. Labour cost for preparation of BIHAR MAP on wall incuding painting all complete. Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI: 12701 marked with cover and suitable locking arrangement and making necessary LTS 1000.00 6.60 Rs. Six and p sixty only.	77000			pipes but without fittings and the base support for tank Providing and fixing of Borewell,	Water Section 2015	**************************************		
having thermal stability for hot & cold water supply including allCPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one stepCPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I Concealed work including cutting chases and making good the wall etc. 51.1 a)18.8.1 15mm dia MTS 54.93 221.40 Rs. Two hun twenty one are paise forty on Exposed on wall c) 18.9.5 40mm dia MTS 54.98 339.70 Rs. Three hur thirty nine a paise severe only. 52 52.3 MR BIHAR MAP on wall incuding painting all complete.	53		18.48/ .	all floor levels) polyethylene water storage tank ISI: 12701 marked with cover and suitable locking arrangement and making necessary	LTS	1000.00	6.60	Rs. Six and paise sixty only.
having thermal stability for hot & cold water supply including allCPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one stepCPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I Concealed work including cutting chases and making good the wall etc. 51.1 a)18.8.1 15mm dia MTS 54.93 221.40 Rs. Two hun twenty one are paise forty on Exposed on wall 51.2 e) 18.9.5 40mm dia MTS 54.98 339.70 Rs. Three hur thirty nine are paise sever only.	52	52.3	MR	BIHAR MAP on wall incuding painting all complete.	Each	1.00	15000.00	Rs. Fifteen thousand only.
having thermal stability for hot & cold water supply including allCPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one stepCPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I Concealed work including cutting chases and making good the wall etc. 51.1 a)18.8.1 15mm dia MTS 54.93 221.40 Rs. Two hun twenty one ar paise forty on		51.2	e) 18.9.5			54.98	339.70	Rs. Three hundred thirty nine and paise seventy only.
having thermal stability for hot & cold water supply including allCPVC plain & brass threaded fittings including fixing the pipe 18.8/. with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one stepCPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I Concealed work including cutting chases and making good the wall etc. 51.1 a)18.8.1 15mm dia MTS 54.93 221.40 Rs. Two hun twenty one are				Exposed on wall		· ·	465	i de la companya de l
having thermal stability for hot & cold water supply including allCPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one stepCPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I Concealed work including cutting		51.1	a)18.8.1	15mm dia	MTS	54.93	221.40	Rs. Two hundred twenty one and paise forty only.
Polyvinyl Chloride (CPVC) pipes,	51		18.8/.	having thermal stability for hot & cold water supply including allCPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one stepCPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I Concealed work including cutting				

- सन्येन्द्रस्थिष्ट

Chief Eng heer

B.S.E.I.D.C. Ltd, Patna

App. Mechanilhary

9/02/16

	Construction of 125 mm x 40mm dia x 61.00 mtr. Deep I.M III hand Tube Well				
	Part 'A' Cost of Materials				
54.1	India mark III hand pump with 8 nos. Connection Rod and one cylender (With provision of force and uplift)	Each	1.00	8550.00	Rs. Eight thousand five hundred fifty only
54.2	65 mm dia G.I. pipe medium quality (3mtrs length each).	Each	8.00	1062.00	Rs. One thousand sixty two only.
54.3	125 mm dia UPVC casing pipe conforming to ISS	mtr	81.00	315.00	Rs. Three hundred fifteen only.
54.4	40 mm dia length quantity G.I pipe conforming to ISS	mtr	112.00	186.00	Rs. One hundred eighty six only.
54.5	40 mm dia x 2 long PVC RIBEED strainer of approved quality	nos.	2.00	182.00	Rs. One hundred eighty two only
54.6	125 mm x 40 mm UPVC reducing socket (Heavy quality)	Each	1.00	165.00	Rs. One hundred sixty five only.
	Part - 'B' Labour Cost	No.			and the state of t
	(Classification of soil item 'A')				
	Boring by jet dheki by suitable cutter of reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per				
	specification and direction of the engineer in charge.				
	(i) 0 to 30.5 m				
54.7	(a) For 125 mm dia U.PV.C pipe	mtr	27.00	208.77	Rs. Two hundred eight and paise seventy seven only.
54.8	(b) for 40 mm dia G.I pipe	mtr	3.50	104.42	Rs. One hundred four and paise forty two only.
	(ii) 30.5 m to 61.0 m		<	Company County	

516 तुक दि रिग्राह

Chief Eng neer

B.S.E.I.D.C. Ltd. Patna

Le: Skehoushin

9/2, 9/1-2/ly

		1			
54.9	(a) For 40 mm dia G.I Pipe	mtr	30.50	120.08	Rs. One hundred twenty and paise eight only.
	(iii) 61.00 m to 75.00 m		Care Comment		Cignt Only.
54.10	a) For 40mm dia G.I pipe	mtr	14.00	130.53	Rs. One hundred thirty and paise fifty three only.
54.11	Providing all labour & tools and fitting & fixing India mark III hand pump over newely sunk for T/Well etc. all Complete	Each	1.00	66.71	Rs. Sixty six and paise seventy one only.
54.12	Supplying all labour and material and fitting and fixing G.I Cap over the new sink T/well	Each	1.00	65.00	Rs. Sixty five only.
54.13	Providing all labour & tools and fitting & fixing Cylender with requisite suspension pipe and connection rod of India mark III hand pump etc. all complete.	Each	1.00	128.64	Rs. One hundred twenty eight and paise sixty four only.
54.14	Providing all labour & tools and lowering 65 mm dia G.I pipe as per specificatin etc. all Complete	p/m	24.00	21.34	Rs. Twenty one and paise thirty four only.
54.15	Supplying labour and developing the T/Well to have sand free discharge all complete as per direction of E/I	Each	1.00	280.50	Rs. Two hundred eighty and paise fifty only.
54.16	Providing all materials and labour and construction 1.85 dia circular P.C.C (1:2:4) UNICEF design platform with foot rest etc. all complete	Each	1.00	3643.00	Rs. Three thousand six hundred forty three only.
54.17	Providing all material and labour & constructing 1 P.C.C (1:2:4) UNICEF design drain for disposal of waste water etc. all complete.	P/M	3.00	308.00	Rs. Three hundred eight only.
54.18	Transportation of T/W materials, tools & plant from Store to work site and back to store if materials are surplus.	Each	1.00	357.70	Rs. Three hundred fifty seven and paise seventy only.
	Part 'C' Cost for Additional Motorised system for filling overhead water-tank				January 1980

2-10-70-5 हिन्ह

Chief Eng neer

B.S.E.I.D.C. Ltd. Patna

Lyo.

9/2/1/19

				27			
	54.1	9	Providing and fixing of G.I pipes complete with G.I fittings and clamps, including, cutting and making good the walls etc. (internal work) 25mm dia	P/M	12.00	182.53	Rs. One hundred eighty two and paise fifty three only.
	54.20		Providing and fixing brass valve 25 mm nominal bore Fullway valve	e Each	2.00	210.95	Ton and parse
	54.21		25 mm nominal bore Non-Return valve	Each	1.00	234.55	Rs. Two hundred thirty four and paise fifty five only.
55	54.22	1.1	Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of E/I Internal Electrification Work Wiring for light point/fan point/exhaust fan point/ call bell poiont with 1.5 sq. mm FR PVC insulated copper conductor single core cable in surface/recessed PVC conduit, with piano type switch, phenolic laminated sheet, suitbale size PVC/ G.I box etc. as required.		1.00	26200.00	Rs. Twenty six
		1.1.3	Group C	Each	153.00	469.00	Rs. Four hundred sixty nine only.
56		1.2	Wiring for twin control light point with 1.5 sq. mm FR PVC insulatd copper condctor single core cable in surface/ recessed PVC conduit, with 2way piano type switch, phinollic laminated sheet, suitable size PVC/GI box etc. as required.	Each	2.00	471.00	Rs. Four hundred seventy one only.

ज्यहत्रेक्ट्र व्यिह

Chief Eng neer

B.S.E.I.D.C. Ltd. Patna

10.

9/2

9/2

9/2

09/02/6

			•	26			
57	7	1.5	Wiring for light/ power plug with 2x4 sq. mm. FR PVC insulated, copper conductor, signle core, cable in and surface, recessed PVC condualong with 1 no. 4 sq. mm FR PVC insulated copper conductor single core cable for loop earthing as required.	it D	440.00	170.00	Rs. One hundred seventy only.
58		1.7	Wiring for circuit/ sub main wiring along with earth wire with the following size of PVC insulated, coppper conductor, signle core cable in surface/ recessed PVC conduit as required.				
		(b) 1.7.2	wire.	Rmt	335.00	125.00	Rs. One hundred twenty five only.
59		(c) 1.7.11	4x6 sq. mm + 1x6 sq. mm earth wire.	Rmt	25.00	387.00	Rs. Three hundred eighty seven only.
60		1.33	Supplying and fixing 2 pin 5 amp. Ceiling rose on the existing junction box/ PVC box including connection etc as required.	Each	40.00	23.00	Rs. Twenty three only.
61		1.34	Supplying and fixing battan/ angle holder including connection as required.	Each	92.00	28.00	Rs. Twenty eight only.
62		1.23	Supplying and fixing following piano typed switch/ socket on existing switch box/ cover including connection etc. as required.				
		1.23.7	Telephone socket on shutter outlet	Each	153.00	49.00	Rs. Forty nine only.
63		1.22	Supplying and fixing metal box of following size (normal size) on surface or in recess with suitable size or phinollic laminated sheet cover in front of including painting etc. as				omy.
		1221	required. 75mm X 75mm X 60mm deep (4" x 4")	Each	6.00	59.00	Rs. Fifty nine only.

नेरिंग्स हिर

Chief Eng neer
B.S.E.I.D.C. Ltd, Patna

Pp. Should

9/02/17

			27			
64	1.3	Supplying and fixing metal box of 180mm X 100mm X 60mm deep (normal size) on surface or in recess with suitble size phinollic laminated sheet cover in front of including providing and fixing 3 pin 5/6 amp. Socket outlet and 15/16 amp. Tumbler/ piano type switch, connection, painting etc. as required	Each	26.00	564.00	Rs. Five hundred sixty four only.
		DISTRIBUTION BOARD				
65	2.9	Supplying and fixing of following way of three pole and neutral sheet steel, MCB distribution board 415 Volts, on surface/ recess, tinned, copper bus bar, neutral link, earth bar, din bar, detachable gland plate, interconnections, phosphatized and power painted including earthing etc. as required (but without MCB/RCCB/ isolator)				
	(b) 2.9.5	6 way (4+18) double door	Each	2.00	2529.00	Rs. Two thousand five hundred
	and the second second		and the	V	West.	twenty nine only.
66	2.12	Supplying and fixing 5 amps. to 32 amps, rating, 240 volts, 'C' series, MCB of following poles in the existing MCB DB with connections, testing and commissioning etc. as required.				·
	(a) 2.12.1 _l	6/32 single pole	Each	35.00	156.00	Rs. One hundred fifty six only.
67	(b) 2.12.5	6/32 TPN	Each	1.00	927.00	Rs. Nine hundred twenty seven only.
		LT Panel & Cable			ç	

न्यत्येन्य शिष्ट

Chief Eng neer

B.S.E.I.D.C. Ltd. Patna

Property of the without of the control o

				28			
68	3	6.14	Supplying and laying following size and core PVC/ XLPE insulated PVC sheathed heavy duty armoured electrical cable with alluminium conductor for working voltage upto & including 1100 Volts. (Conforms to IS: 1554 part-1)				
		(a) 6.14.4	16 sq.mm X 4 core alluminium armoured cable	Rmt	100.00	235.00	Rs. Two hundred thirty five only.
69			Trench cutting in soil of suitable size 1.5 feet wide and 2 feet depth including refilling the trench with same etc. as required. (For laying the cable)	Rmt	100.00	22.00	Rs. Twenty two only.
70)	1.3	S/F suitable size GI PVC box on surface or in recess with phinollic laminated sheet cover in front of including P/F 6 pin. 15/16 amp socket outlet and 15/16amp. Piano type switch connection painting etc. as required.	Each	0.00	215.00	Rs. Two hundred fifteen only.
71		12.6	P/F/F 200amp. 415 volt porcelain fuse link conplete rewirable type 415V including drilling holes in board making connection as required. P/F/F sheet metal main switch disconnector fuse unit in existing metal board, including drilling holes in metal board making connection				
		2.2.2	100 amps. TP & N HRC	Each	0.00	5975.00	Rs. Five thousand nine hundred
		· · · · · · · · · · · · · · · · · · ·	EARTHING	and the second		Cart de la lace	seventy five only.
72		3.15	Providing and laying earth conection from earth electrod with 6 SWG dia GI wire in 15 mm dia GI pipe from earth electrod, as required.	Each	3.00	122.00	Rs. One hundred twenty two only.

2-10-21-27 Fale

Chief Eng neer

B.S.E.I.D.C. Ltd, Patna

Ples of 102/18

	(Ku	pees 1	nirty S	ix Lacs Thirty Four Thousand Se	ven Hi	ındr	I has he	hinter Fiel	40-1-
	<u> </u>							SAY	2624520.00
						$oxed{oxed}$	Tota	ıl=	3634737.84
	10.2	(B		Cement	Bags	1	300.00	6.92	Rs. Six and paise ninety two only.
	75.2	(P				4			paise fifty only.
75	75.1	(A	() E	Bricks	THO SAN	1	49.28	157.50	Rs. One hundred fifty seven and
			[]	Add extra cost of material for Patna Comm. W.r.t.Gaya as per SOR, BCD					,
	74.6			F) Steel	M.	Γ.	6.66	179.50	Rs. One hundred seventy nine and paise fifty only.
	74.5			E) Cement	Ba	gs	1300.00	8.98	Rs. Eight and paise ninety eight only.
	74.4			D) BRICKS	THO SAI	1	49.28	815.60	Rs. Eight hundred fifteen and paise sixty only.
74	74.3	1.3		C) STONE CHIPS	CU	J.M	99.80	1661.39	Rs. One thousand
	74.3	74.2		B) COARSE SAND,	Cī	J.M	114.12	512.14	Rs. Five hundred
	74.	.1		A) LOCAL SAND	CI	J.M	174.97	195.53	Rs. One hundred ninety five and paise fifty three only.
				CARRAIGE OF MATERIALS				- 	
			M	ISCELLANEOUS WORK			 		
	73		3.6	including accessoies, and providi masonary enclosure with cover p having locking arrangement and watering pipe etc as required	ng late	Set	1.00	5578.0	
		2.6		E arthing with copper earth plate 600mmx600mmx3mm thick					Rs. Five thousa

Tender approved in favour of M/S Gaytree Enterprises @ 10.00% (Ten Decimal Zero Zero Percent) below i.e. total amount comes to Rs. 32,71,264=00 (Rupees Thirty Two Lacs Seventy One Thousand Two Hundred Sixty Four Only)

ड्यट्यून्ड डियट

Chief Eng neer

3.S.E.I.D.C. Ltd. Patna

140.

9/2/

Performance Security

Name of Agency:- M/S Gayatri Enterprises,

"Performance Security of "USS-8(C)"

<u>FDR No</u>. 37313331242

<u>DOI</u> 21.11.17

Amounts 165000.00

Total

1,65,000.00

(Rupees One Lac Sixty Five Thousands Only)

Amir Kr Son 9/12/17

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास ,निगम लि॰, पटना

डनद्रमुंक द्री रिझोर्ट

Chief Eng neer

S.S.E.I.D.C. Ltd. Patna

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

शिक्षाभवन, बिहारराष्ट्रभाषापरिषद् परिसर, शिवपूजनसहाय पथ, सैवपुर, पटना-800004, दूरभाष-0612-2910314 कींपोरेटपहचानसंख्याः U80301BR2011SGC015859, e-mail: bseide@gmail.com, website; www.bseide.in, Fax No.: 0612-2660256,

पत्रांक:-BSEIDC/FIN/3031/2017-18/- 7469

पटना, दिनांक 🦫 🥱 ।। । नि

प्रेषक.

ब्रजेश प्रसाद

मुख्य परामर्शी (तकनीकी)

रनेवा में.

M/S Gaytree Enterprises

Godhani Road, Post- Anaith, P.S.- Nawada, Ara,

District-Bhojpur

विषय:--

बिहार राज्य अंतर्गत <u>Construction Of Proposed Upgraded Secondary</u> Schools In Bihar Group No. : USS-08 (C) से संबंधित (पुनर्निविदा आमंत्रण सूचना संख्या-12/2017-18)।

महाशय,

उपर्युक्त विषय के संबंध में कहना है कि विषयांकित कार्य की निविदा हेत् आपके द्वारा निविदित दर जो परिमाण विपत्र के दर से 10.00% (दस दशमलव शून्य शून्य प्रतिशत) कम है तद्नुसार निविदा की कुल राशि रू० 32,71,264 / - (बतीस लाख इकहतर हजार दो सौ चौसठ) मात्र आपके पक्ष में स्वीकृत की गयी है।

अतः निदेश दिया जाता है कि उक्त कार्य के एकरारनामा हेतु Performance security के रूप में राशि रू० 1.64,000/- (एक लाख चौसठ हजार रूपये) मात्र का सावधि पासंबुक, राष्ट्रीय वचत प्रमाण पत्र प्रबंध निदेशक, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि0 के नाम से प्रतिज्ञिप्त (Pledged) अथवा एकाउंट पेयी डिमांड ड्राफ्ट/फिक्सड डिपोजिट रसीद/ वैंक गारंटी, जो राष्ट्रीयकृत बैंक / अनुसूचित बिहार राज्य स्थित बैंक द्वारा निर्गत एवं बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि0 के पक्ष में पटना में भुगतेय हो, जमा कर एकरारनामा कर लें।

मुख्य परामर्शी (तकनीकी)

प्रतिलिपिः Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC website/Senior Account Officer, BSEIDC, Patna for information & necessary action

ज्ञापांक:BSEIDC/FIN/3031/2017-18/- नि५६ पटना, दिनांक <u>७९:11:1</u># प्रतिलिपिः क्षेत्रीय कार्यपालक अभियंता, BSEIDCको सूचनार्थ एवं आवश्यक कार्रवाइ हेन् समर्पित।

2017 मुख्य परामशी (तकनीकी) ज्ञापांक:BSEIDC/FIN/3031/2017-18/- २५६९ पटना, दिनांक १९।।। 7 प्रतिलिपिः मुख्य अभियंता, BSEIDCको सूचनार्थ एवं आवर्थयक कार्रवाइ हेतु समर्पित्।

> मुख्य परामर्शी (तकनीकी) पटना, दिनांक.....

ज्ञापांक BSEIDC / FIN / 3031 / 2017-18/-प्रतिलिपिः प्रबंध निवेशक महोदय, BSEIDC को सूचनार्थ समर्पित।

उमट्रोक्ट्र विसह

मुख्य प्रामर्शी (तकारिकारी) neer S.E.I.D.C. Ltd, Patna

मुख्य परामशी (तकनीकी)

32

SPECIAL CONDITIONS

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes royalties and other

incidental charges.

4. To qualify for award of work, the Bidder must possess the following:-

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of signatory bid.

b) DD for required value of B.O.Q. Cost.

c) Sufficient Earnest Money Deposit.

d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.

e) Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed at least one Building work of value not less than 25 % of estimated

value of contract) in last five years as mentioned in Technical bid.

- f) Certificate from EE / Concerned Authority for Work Experience of Minimum Quantities of work done as prime contractor in any one year during last five years as mentioned in Technical bid.
- g) Litigation History as mentioned in Technical bid.h) Valid Registration with Central/ State Govt. / PSU.

Valid labour license as mentioned in Technical bid.

j) Affidavit/Certificate "for not been debarred and required attachments are true and correct and if found fake/ forged, the undersigned will be liable to be inflicted upon the FIR and lawful punishment as well as black listing".

5. Contractor should satisfy themselves fully about the nature, site of work before offering

their tender and place of any ignorance afterwards shall not be considered.

6. The tender without earnest money or insufficient earnest money submitted with the tender, will be outright rejected.

7. Conditional tenders shall be outright rejected.

8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.

9. Authority shall reserve the right to reject any or all the tenders or distribute the work to more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained.

- 11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules prevalent in the locality.
- 12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the contractor.
- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-
- a. Natural calamities

b. Act of enemies.

(Seal & Signature of Tenderer)

Page 1 of 2

Chief Eng neer B.S.E.I.D.C. Ltd, Patna

2/P. 112

33

- c. Transport and procurement difficulties.
- d. Circumstances beyond the control of the state.
- 15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
- 17. The contractor shall make his own arrangement for water and light at the work site.
- 18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 20. The Tenderer must not quote their rate more than 10 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
- 21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 22. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.
- 23. The Defect liability Period shall be Three (3) Years from the date of completion of the work.
- 24. The Contractor shall rectify at his own cost in case the work is found to be defective during checking in liability period.
- 25. It will be the responsibility of the contractor to pay royalty of mines materials .The Contractor shall submit form "M" and "N" duly Filled as per "Bihar" Mines and Mineral Act 1972.
- 26. The Contractor shall Display a Signboard at work site about the work as on the format prescribed by Engineer- in- Charge.
- 27. The Contractor shall Furnish his programme of construction for execution of the work within the stipulated time schedule together with methodology of construction of each item or work and obtain the approval of the Engineer- in- Charge prior to actual commencement of work.

सर्पेन्य सिंह

(Seal & Signature of Tenderer)

Page 2 of 2

Chief Eng neer
B.S.E.I.D.C. Ltd, Patna

349,

बिहार राज्य शैक्षणिक आधारमूत संरचना विकास निगम लिमिटेड

(विहार रारकार का एक उपक्रम)

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् कैम्पस, आचार्य शिवपुजन सहाय पथ, सैदपुर, घटना-800004 (दूरभाष:-0612-2910314)

निविदा आमंत्रण सूचना संख्या-12 वर्ष 2017-18 प्रतिशत दर निविदा

(केवल ई-टेन्डरिंग पद्धति के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

1. बिहार राज्य के अन्तर्गत निग्न भवनों के शेष निर्माण कार्य हेतु प्रतिशत दर निविदा आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार/सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रजिस्ट्रेशन कार्य आवंटन के बाद कराना होगा।

क्रम	गुप स0	जिला का नाम	प्रखंड का नाम	कार्य का नाम	प्राक्कलित राशि (लाख रूठ में)	अग्रधन का राशि (लाख रू० में)	परिमाण विपन्न का मूल्य(रू०में)	Beltron Bid Processing Fee (In Rs.)	कार्य समाप्ति की अवधि
1,	USS- 08(A)	Bhojpur	Agiaav	Balance Work Of M.S Naraynpur	39,45	0.79	5,000.00	1,150/-	6 माह
2.	USS- 08(B)	Bhojpur	Koilwar	Balance Work Of M.S Bisunpura	22.51	0.45	5,000.00	1,150/-	६ माह
3,	USS- 08(C)	Bhojpur	Barhara	Balance Work Of M.S Gundi	36.35	0.73	5,000.00	1,150/-	6 माह
4.	USS- 08(D)	Bhojpur	Udyant Nagar	Balance Work Of M.S Kesawpur	54.55	1.09	10,000.00	1,150/-	९ माह

नोटः (i) निविदाकार एक या अधिक कार्य के लिए अलग-अलग निविदा डाल सकते हैं।

(ii) प्राक्कलित राशि घट या बढ़ सकती है एवं तद्नुसार अग्रधन की राशि घट या बढ सकती है।

(iii) वेबसाईट—www.eproc.bihar.gov.in पर अंकित प्राक्किति राशि, अग्रधन की राशि एवं परिमाण विपन्न की राशि अतिम रूप से मान्य होगा।

(2) विज्ञापन निर्गत करने की तिथि दिनांक:-16.08.2017.

परिमाण विषत्र प्राप्त करने(डाउनलोड) की अवधि एवं सगर :- दिनांक- 30.08.2017 से 10.07.2017, 15:00 घंटा

(वेबसाईट:www.eproc.bihar.gov.in पर)

(4) प्री बिंड मीटिंग का समय, स्थान एंव तिथि विनांक:- 03.07.2017, 16:30 घंटा प्रबंध निदेशक का कार्यालय,बिहार राज्य शैक्षणिक आधारमत

संरचना विकास निगम, पटना।

(5) निविदा प्राप्ति(अपलोंड) की अंतिम तिथि एवं समय :--दिनांक- 11.07.2017, समय- 16:00 घंटा

अग्रधन जमा करने की अंतिम तिथि एवं समय विनांक- 13.07.,2017, समय- 15:00 घंटा

(7) टेविनकल बिड खोलने की तिथि एवं समय दिनांक- 13.07.2017, समय- 16:30 घंटा

(वेवसाईट-www.eproc.bihar.gov.inपर)

(8) वित्तीय विंड खोलने की तिथि एवं समय

दिनांक- 18.07.2017, समय- 15:30 घंटा

(9) निविदा खोलने का स्थान वैवसाईट-www.eproc.bihar.gov.inपर (10) निविदा की वैधता की अवधि 120 दिन

(11) ई-टेन्डरिंग की प्रक्रिया में भाग लेने हेतु संवेदकों को पंजीकृत होना होगा, जिससे कि उन्हें उपयोगकर्ता का नाम (user ID) प्रासवर्ड (Password) अंकीय हस्ताक्षर (Digital Signature) निर्गत की जायेगी। यह उन्हें वेबसाईट

www.eproc.bihar.gov.in से डाउनलोड करने / टेन्डर की प्रक्रिया में भाग लेने की योग्यता प्रदान करेगा। (12) ई-निविदा पत्र बेवसाईट www.eproc.bihar.gov.in रो प्राप्त किया जा सकता है। संवेदक द्वारा सिर्फ उपर्युक्त वेवसाईट से ही परिमाण विपन्न प्राप्त करने के उपरांत वेबसाईट पर ही इलेक्ट्रानिक निविदा पत्र को भरकर भेजना है। अन्य सभी महत्वपूर्ण कागजात/बैंक ड्राफ्ट/अग्रधन की राशि/सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को स्कैन कर

ई-निविदा के साथ संलग्न करना अनिवार्य है। (13) (事) Beltron Bid Processing Fee of Rs. 1,150/-/- (Rs. One Thousand One Hundred Fifty Only) &

BOQ cost as mensioned above is mandatory to be paid through e-payment mode i.e. Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS"

Bids along with necessary online payments must be submitted through e-procurement portal

www.eproc.bihar.gov.in before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online

Chief Eng neer B.S.E.i.D.C. Ltd. Patna

nent caused due to Non-availability of Internet Connection, Network Traffic/ Holidays or any other

Ason. ऐसा नहीं करने पर निविदा मान्य नहीं होगा।

(ख) वांछित अग्रधन की राशि राष्ट्रीय वचत पत्र/ डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक जो बिहार राज्य से कृय या जमा किया हो, प्रबंध निदेशक, BSEIDC Ltd., पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा बिहार वित्त िनयमावली के अनुसार BSEIDC Ltd. के नाम से फिक्सड डिपोजिट रिसिप्ट अथवा बैंक गारन्टी जो बिंड के मान्य अवधि तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत/अनुसूचित वैंक से निर्मत हो (अगर बिहार प्रान्त के बाहर के वैंक से निर्मत वैंक गार्न्टी दिया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदेसक का कार्यालय, विहार राज्य पैक्षणिक आधारभूत संरचना विकास निगम तिमिटेड, पटना में दिनांक 13.07.2017 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पींड पोस्ट द्वारा निश्चित रूप से जमा किया जाना आवश्यक है अधवा EMD can also be paid through e-payment mode i.e. "Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS". ऐसा नहीं करने पर निविदा मान्य नहीं होगा।

(14) निविदाकारों द्वारा इस्तेमाल कियें जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड

कर लें। ताकि अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से बच सकें।

(15) Even though the bidders meet the qualifying criteria, they are subject to be disqualified if they have record of poor performance such as abandoning the works, not properly completing the contract, inordinate delays in completion, litigation history, or financial failure in the work of this Corporation.

(16) किसी भी प्रकार की जानकारी अधवा शुद्धि पत्र को वेवसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। बिना कारण बताये निविदा या उसके अंश को अस्वीकृत करने / रदद करने का अधिकार सक्षम पदाधिकारी को

(17) विषेष जानकारी हेतु अधोहरताक्षरी के कार्यालय में कार्य आखि में सम्पर्क किया जा सकता है। ई-टेन्डरिंग की प्रकिया से संबंधित किसी भी प्रकार की जानकारी/सूचना हेतु सहायता कक्ष, ई-टेन्डरिंग कक्ष, प्रथत तल्ला, M/22, बैंक ऑफ इण्डिया भवन, रोड न० 25, श्री कृष्णा नगर, पटना--800001, दूरमाय सं० 0612--2523006/9939035698.

> र्विजेश प्रसाद मुख्य परामर्शी (तकनीकी)

अध्येक्ट्र सिंह

Chief Eng neer B.S.E.I.D.C. Ltd, Patna