Name of Work - Construction of Block. LV-Form No. 64 Resource Centre at Naugachhia, Bhagalpur (SL No. - 20)

[Form No. F-2] Lal Babu Prasad. ITEM RATE TENDER AND CONTRACT FOR WORKS 273 F20f2017-18 Agreement --General Rule and Direction for the guidance of Contractors.

Date of Commencent - 09-03-2018.

1. All works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer.

This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours.

- 2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so.
- 3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm.
- 4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender.

5. The amount of earnest money to be deposited will be: -	Rs.
If the amount of the estimate does not exceed Rs. 2,000	
If the amount of the estimate exceeds Rs. 2,000 but does	4504 ed Histo equiposo de
not exceed Rs. 5,000 ·	100
If the amount of the estimate exceeds Rs. 5,000 but does	
not exceed Rs. 10,000	200
For each additional Rs. 5,000 or portion of Rs. 5.000	
additional earnest money	

6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompanied by the treasury challan for the required earnest money will be liable to rejection. No single tender shall include an one work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the envelop. Cash deposits for earnests money here in before mentioned shall be made in Government Treasures and the challant their brishold be enclosed with the tender.

Development Corporation Ltd., Patna enclosed with the tender.

9/03/2018

- 7. The Engineer or his duly authorised assistant will open the tender in the presence of intending contractors who may be present at the time and will enter the amounts of the several tender comparative statements in a suitable form. In the event of a tender being rejected the challan for the earn money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of
 - 8. The Engineer shall have the right of rejecting all or any of the tenders.
- 9. In the event of a tender being selected for acceptance the Engineer who opened the tend will, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereup sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identificat and for his acceptance with the tender. The tender of the selected tender shall also deposit the requi amount of the security money within the prescribed time. If the tenderer fails to deposit the required amo of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with cop of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amoun the security money within the priscribed time. The tender with the specilication and other documents sign by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded

- 10. When a tender is selected for acceptance the tender shall deposit the required amount the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Governme securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has bee
- 11. The amount of security money to be deposited by the tenderer whose tender is selected fo acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of

12. When a tender has been selected for acceptance & the required amount of the security money has been deposited the Engineer shall scrutinise all pages of the form of item, rate, tender & contract for works to see that the form has been properly filled up and signed by the contractor & the signature witnessed He shall then if he is competent, to accept the tender, sign the acceptance of the tender, or, if he is not so competent shall send the form for signature of the acceptance of the officer competent to accept it.

of Mally Hully

any

sa

est

the

ers

on

ed

ınt

he es of

ed

to

of nt le (3)

TENDER FOR WORKS

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

MEMORANDUM

(a) If several sub-work are	[a]
included they should be	[~]
detained in a separate list.	

(b) This deposit will be 5% of the estimated cost of the Work.

(c) This percentage [d] deduction from bills will be credited to the contractors security deposit.

Name of work

Estimated cost

Earnest money

Initial security deposits (including earnest money) to be deposited befor the commencement of the work

[e] Percentage to be deducted from bills Rs. 5% (Rupees five percent)

[f] Time required for the work from date of written order to commence monthly

[g] Date of written other to commence

[h] Total number of item of work tendered for

Item No.	Item of work	RATE TE	RATE TENDERED	
	TIGHT OF WORK	In figures	In words	Per
	Commence of the second			
' '		4		
				6 2018
			714	3.201 6
		¢	hief Consultan State Education	(Technical)
		Bihar	State Education	al infrastructure
		Deve	opment Corpor	ition Ltd., Patna

MIMAILYHIL

Item No.	Item of work	RATE TE	NDERED	
Santa Santa Maria	BUILDING STORY WAS BELLEVILLE.	In figures	In words	F
Delivery of Land	Anti-dividing union in	the manufacture of the		
Control of the Control		other in the second of the second	eggestlem.	
	Para Para Para Standard Andrew		PICK COLF (I)	
	AT THE ACCORD	Of solding so said	SECOND DE	
		3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
		40000		
		Turkin law.		
cled ponionia				
		The simples in		
) synapræmnied (4		
Unes eq sua a			300 00	10919291 6
	South of the seal of the south	Service and the		
	PORTON AND AND AND AND AND AND AND AND AND AN			
		Nu natinwic sa C		
		\		
	**			
	Carlo Harris			
A 46. 35				
100				
	ro Calb			
Thomas Edward	Trans. c. 28		1 24 20	
	PROBLEM SERVER A			

	-	
	1	4
		•
	-	

Schedule XLV - Form No. 61

1	-	1
1	h	-1
1	J	- 1

	CEST IGNORED TEXTS	RATE TE	NDERED	
Item No.	Item of work	In figures	In words	Per
		•		
4, 7,				
		•		
	.\.		•	
1				
		\		
				\. \. \.
		7 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		

Item No.	Item of work	RATE TE	NDERED	
	1. APPLICATION	In figures	In words	Per
	•			
			/ 4	
			7	
			/	
		\ \		
	/			
	/			
7 + 1				
*				
7.				

4 (7) dule XLV - Form No. 61 RATE TENDERED Per In words Item of work In figures m No.

should this tender be accepted I/we hereby agree to abide by and fulfill a terms and provisions of the said conditions of contract annexed hereto so. for applicable, or in ssors in office the sums of money mentioned in the said condit Dated the

*Signature, of contractor before comission of tender

day of

20

witne

Addre

Signature of witness to contractor's signature

Occupation The above tender is hereby accepted by me on behalf of the Governor of B Dated the day of 20

signature of the off

accepting the ten

Acceptances communicated on.....

signature of the pa taking the ten

Compensation

CONDITIONS OF CONTRACT

Clause 1:- All compensation or other sums of payable by the contractor Government under the terms of his contract may be deducted from, paid by t sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor Government on any account whatsoever and in the event of his security depo being reduced by reason of any such deduction or sale as aforesaid, the contract shall within ten days there after make good in cash or Government securiti endorsed as aforesaid any sum or sums which may have been deducted from, arised by, sale of his security deposit of any part thereof.

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which defects as pointed by the Executive En- gineer or his satisfaction.

Clause 2 :- The time allowed for carrying out the work as entered in the tend shall be strictly observed by the contractor and shall be reckoned from the date (which the wirtten order to comence work is given to the contractor. The work sha the work is finished after throughout the stipulated period of the contract be carried on with all due diligence (time being deemed to be the essence of the contract on the part of the contract or) and the contractor shall pay as compensation an amount equal to ½ percer authorised agents are fully on the amount of the estimated cost of the whole work as shown by the tender for every day that the work remains uncommenced or unfinished after the proper date And further to ensure good progress during the execution of the work the contracto shall be bound in all cases in which the time allowed for any work exceeds one month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before onehalf of such time elapsed and three-fourths of the work, before three fourths of such time has elapsed in the event of the contractor failing to employ with this condition, I shall be liable to pay as compensation an amount equal to ½ percent on the said estimated cost of the whole work for every day that the due quantity of work remains incomplete provided always that the entire emount of compensation to be paid under the provisions the clause shall not exceed 10 percent of the estimated cost of the work as shown in the tender.

Action when persnle security deposit foreited

Clause 3:- In any case which under any clause or clauses of or this contract the contractor shall have rendered himself laible to pay compensation amounting to the whole of his security deposit in the hands of Government (where paid in one sum or deducted by instalments) the Executive Engineer on behalf on the Bihar Government shall have been powered to adopt any of the following courses, as he may deem best suited to the enterest of Government

(a) To rescind the contract (of which rescind notice in writing to the contractor under the hand of the Executive Engineer shall be conclusive evidence) and in which case the sectitiry deposit of the contractor shall start for eited, and be absolutely at the disposal of Government.

MIM SIZYHIC

(9)

(b) To employ labour paid by the Public Works Department and to supply hedule XLV - Form No. 61 praterials to carry out the work, or any part of the work, debitting the construction with Oe cost of the labour and the price of the materials (of the amount of which cost and ice certificate of the Engineer-in -charge shall be final and conclusive against the ontractor), and crediting him with the value of the work done, in all respects in the ame manner and at the same rates as if it had been carried out by the contractor under 35e terms of his contract, the certificate of the Executive Engineer as to the value of the prork done shall be final and conclusive against the contractor.

(c) To measure up the work of the contractor and to take such part of the work f the contractor as shall be unexecuted out of his hands, and to give it to another contractor to complete in which case any expenses which may be incurred in excess of he sum which would have been paid to the original contractor if the whole work had leen executed by him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original rpontractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a

In the event of any of the above courses being adopted by the Executive sufficient part thereof. Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any trengagement, or made advances on account of or with a view to execution of the work or nethe performance of the contract. And in case the contract shall be rescinded under the reprovision aforesaid, contractor shall not be entitled to recover or be paid any sum for any by work there-to-fore actually performed under this contract unless and until the Executive sit Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4: - In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may, if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Enginee, as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

contractor remains liable to pay compensation if action not take under

> Power to take posession of or require removal of or sell contractor plant.

Clause 5 :- If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its Extension of time execution or on any other ground other than those mentioned in clause 12 (a) he shall apply in writing to the Executive Engineer within 40 days from the date of starting of the hinderance on account of which be desires such extension as aforesaid and the Executive Engineer shall, if in his opinion (which shall be final) reasonable grounds be shown thereof authorised such extension of time if any, as may in his opinion be necessary or proper. The Executive Engineer shall at the same time inform the contractor whether he claims compensation for the delay.

W100 417 XH119

Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certif by the Executive Engineer (herein after called the Engineer-in-charge) of such comple but no such certificate be given, nor shall the work be considered to be complete unti contractor no such certificate be given, nor shall the work be considered to be comp until the contractor shall have removed from the area of the premises (to be distir marked by the Executive Engineer in the site plan) on which the work shall be execu all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-w doors, windows, walls, floors or other parts of any building, in upon or about which work is to be executed, or of which he may have had possession for the purpose of execution thereof, not until the work shall have been measured by the officer of Public Work Department in accordance with rules of Department whose measureme shall be binding and conclusive against the contractor. If the contractor shall fail comply with the requirements of this clause as to removal of scaffolding, surplus materi and rubbish and cleaning off dirt on or before the date fixed for completion the work t Engineer-in-charge may at the expense of the contractor remove such scaffolding, surp materials and rubbish and dispose of the same as the thinks fit and clean of such dirt aforesaid, and the contractor shall forth with pay amount of all expense so incurred, a shall have no claim in respect of any such scaffolding or surplus materials as aforesa except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Clause 7:- A bill shall be submitted by the contractor each month or before the da fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpos of having the same verified and the claim, as for as admissible, adjusted, if possible before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinal shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-in charge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each sucl payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts or in any other way vary or affect the contract.

Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Clause 9:- If the specification or estimate of the work provides for the use of any special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-incharge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums then due or there after to become due to the contractor under the contract or otherwise, or against or form the security deposit, or the proceed of sale thereof, if the same is held in Government security the same or sufficient portion thereof in this case sold for the purpose. All materials supplied to the contractor shall remain the absolute property of Government and sha not on any accounts he removed from this site of the work and shall at all times be open to

Stores supplied Government

WIW SIE MILL

tic spections by the Engineer-in-charge. Any such materials unused and in correctly in thod condition at the time of the completion or determination of the contract shall be le turned to the Engineer-in-charge's store, at the prevailing market rate or at the issue te whichever is less if by a notice in writing under his hand he shall so require, but the tentractor shall not be entitled to return any such materials unless with such consent ornd shall have no claim for compensation on account of any such materials so supplied th him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: - The contractor shall executive the whole and every part of the work th the most substantial and workman like manner, and both as regards materials and nt therwise in every respect in strict accordance with the specifications. The contractor thall also confirm exactly, fully and faithfully to designs, drawings, and instructions in al writing relating to the work singed by the Engineer-in-charge and lodged in his office and ho which the contractor shall be entitle to access at such office, for the purpose of unspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid.

Clause 11:- Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the Do not in validate contract work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may. consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the Time in consequence of determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a disputes the decision of the superintending

Provided always that the contractor shall not be entitled to any payment for any Engineer of the circle will be final. additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period.

Clause 12:- If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out. the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsoever on the contractor who shall have no claim to any payment of compensation whatsoever of compensation for alteraccount of any profit or advantage, which he might have derived from the execution of Compensation for alteraccount of any profit or advantage, which he might have derived from the execution of the executio the work in full, but which he did not derive in consequence of the full amount of the work ation in or restriction of not having been carried out neither shall he have any claim for compensation by reason. Work to be carried out. of any alternation having been made in the original specification, drawing designs and latrastructure instruction which shall involve any installment of the work as originally porteriple entered at involve and installment of the work as originally porteriple entered at involve and installment of the work as originally porteriple entered at involve and involve and installment of the work as originally porteriple entered at involve and involv clause 12 (a) As contained in G O 1929 dated 11.9.56.

MM 312 24114

Work to be executed accordance with specification drawing other etc.

> Alteration in specifications and designation.

Rate for work no in estimate or schedule of rates of the district.

Clause 12 (a) The contractor shall not be entitled to claim any compensation loss suffered by him on account of delay by or on behalf of Government in the support materials as stores which the Government may have undertaken to supply where failure is due to:-

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficuor (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an applicate by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appear the Engineer to be reasonable in accordance with the circumstances of the case. decision of the Executive Engineer as to the extension of time shall be accepted finally by the contractor.

Action and compensation payable in case of work.

Clause 13:- If it shall appear to the Engineer-in-charge or his subordinate charge of the work that any work has been executed with unsound, imperfect or unski workmanship or with materials of any inferior description, or by any materials or artic provided by him for the execution of the work are unsound or of a quality inferior to the contracted for at otherwise not in accordance with the contract, the contractor shall demand in writing form the Engineer-in-charge specifying the inadverentaly pass certified and paid for, forthwith rectify or remove and re-contract the work so specified whole or in part as the case may remove the materials or articles so specified a provided other proper and suitable materials or articles at his own proper charge ar cost, and in the event of failing to do so within period to be specified by the Engineer-i charge in his demand aforesaid the contractor shall be laible to pay compensation the rate of one percent, on the amount of the estimate for every day not exceeding te days while his failure to do so shall continue and in the case of any such failure th Engineer-in-charge may certify or remove, and re-execute the work or remove and replac with others, the materials or articles complained of as the case may be at the risk an expense in all respects of the contractcor.

Work to be taken to inspection

Clause 14: All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineer in-charge and his subordinates and the contractor shall at all times during the usua working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be present.

Clause 15:- The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which the same was effected.

Notice to be taken before work covered up

Clause 16:- If the contractor or his work-people, or servants shall break, deface injure or destroy any part of a building in which they may be working or any building, road road curves, fence enclosure water pipes, cables, drains, electric or telephone posts or wires, trees, grass or grassland or cultivated ground contiguous on which the work or any part of it is being executed or if any damage shall happen to the work, while in progress from any cause whatsoever or any imperfection become apparent in if within three months (six months in the case of a road-work) after a certificate final or other of its completion shall have been given by the Engineer-in-charge

MIMAIZYHIL

(13)

fore seal, the contractor shall make the same good at his own expense, or in edule XLV - Form No. 61 rult, the Engineer-in-charge may cause the same to be made be good by other viuit, the Engineer-in-charge may cause the same to be made be good by onto damage done and for imperfection a months which time thereafter may become due to the imperfection a months and effective the proceed of sale there of or of a sufficient tractor, or from his security deposit, or the proceed of sale there of, or of a sufficient tion there of the security deposit at the contractor shall not be refunded before the isiry of three months (six months in the case of a road-work) after the issue of the tificate final or otherwise of completion of work provided that in the case of a road work the opinion of the Engineer-in-charge behalf of the security deposit will be refundable ar three months of the issue of the said certificate of completion

Contractor liable for damage done and for

Clause 17:- The contractor shall supply at his own cost all materials (except such ecial materials) if any as may in accordance with the contract be supplied from the igineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, ckle scaffolding and temporary works requisits or proper for the proper execution of the in ork whether original, altered or substituted and whether include in the specification or fuher documents forming part of the contract or referred to in these conditions or not or eshich may be necessary for purpose of satisfying or complying with the requirement of ate Engineer-in-charge as to any matter as to which under these conditions he is entitled be satisfied which he is entitled to require together with carriage therefore to and form d e work. The contractor shall also supply without charge the requisite number of persons n ith the means and materials necessary for the purpose of setting out works, and counting, d reighing and assisting in the measurement or examination at any time and form time to me of the work or materials failing his so doing the same may be Provided by the ingineer-in-charge at the expense of the contractor and the expenses may be deducted rom any money due to the contractor under the contract from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide all necessary fencing and lights required to protect the public from accident, and shall be bound to bear to expenses of defence of every suit action or other proceeding at law that arising for non-provision may be brought by any person for injury sustained owing to neglect of the above of light fencing etc. precautions and to any such person or which may with the consent of the contractor be paid to compromise any claim by any such person.

Contractor to supply to plantladder scaffolding

Clause 18:- No female labour shall be employed within the limits of contonment. The contractor shall not employ for the purpose of his contract any person who is below the age of twelve years and shall pay to each labour for the work done by such labourer wages not less than the wages paid for similar work in the neighbourhood.

Work not to be subject

And is liable for damage

The executive Engineer shall have the right to enquire into the case and decide any complaint alleging that the wages paid by the contractor to any labourer for the work done by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer employed by contractor is below the age of twelve years and to refuse to allow any labourer whom he decided to be below the age of twelve years to be employed by the

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his contractor. contract, or attempt so to do, or become insolvent proceedings to make any composition with his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward or advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, or offered by the contractor, or any of his servant or agents to any public officer or person in the employ of Government in any way relating to his officer or employment or if any such officer or person shall become in any way directly or indirectly interested in the contract the Executive Engineer may there upon by notice in writing rescind the contract. The security deposit of the contractor shall there upon stand forfeited and be absolutely at the disposal of Government and the same consequence shall ensure asifthe contractint (Technical) had been recinded under clause 3 here of, in addition the contractorshall not be entitled on al Infrastructure to recover or be paid to any work therefore actually performed the under the paid to any work therefore actually performed the under the paid to any work therefore actually performed the under the paid to any work therefore actually performed the under the paid to any work therefore actually performed the under the paid to any work therefore actually performed the under the paid to any work therefore actually performed the under the paid to any work therefore actually performed the under the paid to any work therefore actually performed the under the paid to any work therefore actually performed the under the paid to any work therefore actually performed the under the paid to any work therefore actually performed the under the paid to any work therefore actually performed the under the paid to any work therefore actually performed the under the paid to any work therefore actually performed the under the paid to any work the paid to any work

Contract may be resinded and security deposit forfelted for subletting bribes

WW SINATHIR

such payable by way of compensation to be considered reasonable compensation without reference to actual loss

Clause 20:- All sums payable by way of compensation under any of conditions shall be considered as reasonable compensation to be applied to the the Government without reference to the actual loss or damages sustained and t not any damage shall have been sustained

Clause 21: - In the case of a sender by partners, any change in the cons of the firm shall be forthwith notified by the contractor to the Engineer-in-charge information.

Charges in constitution of firm

In case of failure to notify the change in the constitution within fifteen da Engineer-in-charge may be notice in writing rescind the contract and the security d of the contractor shall thereupon stand forfeited and be absolutely at the disposit Government and the same consequences shall ensure as if the contract has rescinded under clause 3 hereof, and in addition the contractor shall not be entirecover or be paid for any work therefore actually performed under the contractor

Works to be under direction of Suprintending Engineer

Clause 22: - All work to be executed under the contract shall be executed the direction and subject to the approval in all respect of the superintending Engin the circle for the time being who shall be entitled to direct at what point or points what manner they are to be commenced, and from time to time carried on.

Clause 23: - In case any dispute or difference shall arise between the part either of there upon any question relating to the meaning of the specifications, des drawings and instructions here before mentioned or as to the quality of workmans materials used on the work or as to the construction of any of the conditions o clause or thing there in contained or as to any question, claim, rights of the partie any matter, or things whatsoever in any way arising out of or relating to the cor designs, drawings specifications, estimates, instruction order of these condition otherwise concerning the work or the execution, or failure to execute the same who arising during the progress of the work of alter the completion or abondment there as the breach of those contract then either party shall forthwith give to the order n of such dispute or difference and such dispute or difference shall be referred to Superintending Engineer of the circle and his decision there on shall be final, conclu and binding on all the parties

Lum sum in estimate

(a) Clause 24 :- When the estimate on which a tender is made includes l sum in respect of the contract shall be entitled to payment in respect of the item work involved of the work in question the same rates as are payable under this cont such terms, for if the part of the work in question is not in the opinion of the Enginee charge, capable of measurement the Engineer-in-charge, may at his direction pay lump sum amounts entered in the estimate, and the certificate in writing of the Engine in-charge shall be final and conclusive against the contractor with regard to any s payable to him under the provision of this clause.

where Action specificaiton.

Clause 25:- In the case of any class of work for which there is no such specifical as is mentioned in rule 1, such work shall be carried out in accordance with the cir specification and in the event of there being no circle specification, then in such ca the work shall be carried out in all respects in accordance with the instructions a requirements of the Engineer-in-charge.

Definition of works

Clause 26 :- The expression "work" or "works" where used in these conditio shall unless there be something either in the subject or context repugnant to su construction be constructed and taken to mean the work by or virtue of the contra contracted to be executed whether temporary or permanent, and whether original, altere substituted or additional.

Clause 27:- The terms and conditions of the agreement have been read/explaine to me andclearly understand ther

Witness

8

dule XLV - Form No. 61

(15)

the chedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied

Particulars	will be ch	ich the material parged to the partractor	\	Plac	e of delivery
	Unit	Rs.	P.		
	3 3 3 3 2 3 3 3 3		7		
				100	
				1	
			1		
				la de la constante	
					·
				3 - 1	
			-		
		e 1.			
		100	7		
	*				
				1	
	4				

Note:-The person or firm submitting the tender should see that the rates in the above schedules are filled up by the Engineer-in-charge on the issue of the form prior to the submission of the tender

(Signature of Contrator)

Chief Consultant (Technical)

Bithar State Educational Infrastructure
Dev Signature Ob Executive Engineeria

Bihar State Educational Infrastructure Development Corporation Ltd.

AGREEMENT FOR CONSTRUCTION OF BLOCK RESOURCE CENTRE AT Naugachhia, Bhagalpur (SL. NO.-20)

TENDER FOR WORKS

I/we heredy tender for the execution for the Governor of Bihr of the work specifed in the under written memorandum at the rates specified therein within a period of years month from the date of witten order to commence and in accodance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subjects to the annexed condation of contract and with such materaials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

MEMORANDUM

- detained in the separate
- (a) If several sub-work are (A) Name of Work: CONSTRUCTION OF BLOCK RESOURCE CENTRE AT Naugachhia, Bhagalpur (SL. NO.-20)
 - (B) Estimated Cost:- Rs. 72,31,313=00 Agreement value :- Rs. 65,08,182=00
- (b) This deposit will be 5% of the estimated cost of the work.

(C)Earnest Money:-

- (c)This percentage deduction from bills will be credited to the contractors security deposits
- (D) Initial security deposits (including earnest money) to be deposited before the Commencement of the work-

Earnest Money:- Rs. 3,30,000/- (Details attached)

- (E) Percentage to be deducted from bill Rs. 5% (Rupees five percent)
- (F) Time required for the work from date of written order to commence FIFTEEN MONTH
- (G) Date of written order to commence:-
- (H) Total number of item of work tendered for :- 113

m/m 9124114

Chief Consultant (Technical) Bihar State Educational Infrastructure Development Corporation Ltd., Patna

Bihar State Educational Infrastructure Development Corporation Ltd.

AGREEMENT FOR CONSTRUCTION OF BLOCK RESOURCE CENTRE AT Naugachhia, Bhagalpur (SL. NO.-20)

TENDER FOR WORKS

I/we heredy tender for the execution for the Governor of Bihr of the work specifed in the under written memorandum at the rates specified therein within a period of years month from the date of witten order to commence and in accodance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subjects to the annexed condation of contract and with such materaials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

MEMORANDUM

- detained in the separate list
- (a) If several sub-work are (A) Name of Work :- CONSTRUCTION OF BLOCK RESOURCE CENTRE AT Naugachhia, Bhagalpur (SL. NO.-20)
 - (B) Estimated Cost:- Rs. 72,31,313=00 Agreement value :- Rs. 65,08,182=00

- (b) This deposit will be 5% of the estimated cost of the work.
- (C)Earnest Money:-
- (c)This percentage deduction from bills will be credited to the contractors security deposits
- (D) Initial security deposits (including earnest money) to be deposited before the Commencement of the work-370,000

Earnest Money:- Rs. 3,26,000/- (Details attached)

- (E) Percentage to be deducted from bill Rs. 5% (Rupees five percent)
- (F) Time required for the work from date of written order to commence FIFTEEN MONTH
- (G) Date of written order to commence:-
- (H) Total number of item of work tendered for :- 113

min 919 4119

Chief Consultant (Technical) Bihar State Educational Infrastructure Development Corporation Ltd., Patna

BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. SHIKSHA BHAWAN, SAIDPUR, PATNA.

AGREEMENT FOR BLOCK RESOURCE CENTRE IN BIHAR THE ITEM RATE BASED ON S.O.R BCD BIHAR-2016, & S.O.R (Electrical)-2016

SL. No.	DISTRI CT	NAME OF INSTITUTE		BLOCK				
1	BHAGAL PUR	BLOCK RESOURCE CENTRE	NAUGACHHIA					
		CIVIL	WORK	S				
SI. No.	SOR Item No.	Item of Work	Qty.	Unit	Rate (Rs.)	Amount (Rs.)		
1	2	3	4 .	5 .	6 .	7		
		Boring, providing and installing bored cast-in-situ reinforced cement concrete piles of grade M-25 of specified diameter and length below the pile cap, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring, with bentonite solution and temporary casing of appropriate length for setting out and removal of same and the length of the pile to be embedded in he pile cap etc. all complete, including removal of excavated earth with all lifts and leads (Length of pile for payment shall be measured 300 mm dia Piles						
	20.2.1		0.00	meter	884.70	Rs. Eight hundred eighty four and paise seventy only.		
	20.2.2	400 mm dia Piles	0.00	meter		Rs. One thousand one hundred twenty nine and paise forty only.		
	20.2.3	450 mm dia Piles	0.00	meter	1388.10	Rs. One thousand three hundred eighty eight and paise ten only.		

MIMAIZYHIL

Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

1		1500 1: 12		-		
	20.2.4	2	0.00	meter	1642.7	Rs. One thousand six hundred forty two and paise seventy only.
=	20.2.5	600 mm dia Piles	0.00	meter	2186.00	Do True thousand
	20.2.6	750 mm dia Piles	0.00	meter	3263.50	Rs. Three thousand two hundred sixty three and paise fifty only.
	20.3	D D				
2		Boring, Providing and installing cast in situ single under reamed piles of specified diameter and length below pile cap in M-25 cement concrete, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring with bentonite solution and the length of the pile to be embedded in pile cap etc. all complete. (Length of pile for payment shall be measured upto to the				
	20.3.1	300 mm dia Piles	0.00	meter	1978.90	Rs. One thousand nine hundred seventy eight and paise ninety only.
	20.3.2	400 mm dia Piles	0.00	meter	2309.00	Rs. Two thousand three hundred nine only.
	20.3.3	450 mm dia Piles	0.00	meter	2505.00	Rs. Two thousand five hundred five only.
	20.3.4	550 mm dia Piles	0.00	meter	2739.80	Rs. Two thousand seven hundred thirty nine and paise eighty only.
	20.4	Extra over item No. 20.3 for providing additional bulb in under reamed piles, under specified dia meter (Only the quantity of extra bulbs are to be paid).				
	20.4.1	300 mm dia Piles	0.00	Each	1284.50	Rs. One thousand two hundred eighty four and paise fifty only.

MIM 919 YHIL

Consultant (Tec-nical) Bihar State Educational Infrastructure Development Corporation Ltd., Patna

			3			
3	20.4.2	400 mm dia Piles	0.00	Each	1434.50	Rs. One thousand four hundred thirty four and paise fifty only.
	20.4.3	450 mm dia Piles	0.00	Each	1525.20	Rs. One thousand five hundred twenty five and paise twenty only.
	20.4.4	500 mm dia Piles	0.00	Each	1679.10	Rs. One thousand six hundred seventy nine and paise ten only.
	-	WORK IN EXCAVATION				
4	2.8.1	Earth work in excavation in foundation trenches or drains(not exceeding 1.5 m in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 m including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. All Kinds of soil=286.64cum Septic Tank=31.89cum Total Quantity=318.53cum		cum	230.50	Rs. Two hundred thirty and paise fifty only.
5	2.29.1	Surface dressing of the ground including removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5 mAll kinds of soil.All Kinds of	136.41	100 sqm	806.00	Rs. Eight hundred six only.
		EARTH FILLING				
6	2.26	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth: consolidating each deposited layer by ramming and watering lead. =188.98cum		cu.m	74.50	Rs. Seventy four and paise fifty only.
		SAND FILLING				
7	2.28	Supplying and Filling in plinth with local sand and under floors including, watering, ramming consolidating and dressing complete. = 118.79 CUM SEPTIC TANK = 1.02 CUM TOTAL QUANTITY = 119.81 CUM	119.81	cu.m	204.40	Rs. Two hundred four and paise forty only.

MIMORIZYHILY

Chief Consultant (Tecnsical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

	1	,
1	/	
1	_	ŧ-
•		r

			14			
		FLAT BRICK SOLING				
8	11.72	Providing designation 100 A one brick flat soling joints filled with local sand including cost of watering, taxes, royalty all complete as per building specification and direction of E/l, 10 + 2, BUILDING = 291.84 CUM SEPTIC TANK = 13.57 CUM TOTAL QUANTITY = 305.41 CUM		sq.m	253.80	Rs. Two hundred fifty three and paise eighty only.
	P.C.C.					
9	4.1.5	Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level 1:3:6 (1cement: 3 coarse sand : 6 graded stone aggregate 20mm nominal size) = 13 CUM		cu.m	2775.70	Rs. Two thousand seven hundred seventy five and paise seventy only.
10	4.1.4	Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level 1:2:4 (1 Cement: 2 coarse sand : 4 graded stone aggregate 40 mm nominal size)10 + 2, BUILDING = 8.74 CUM SEPTIC TANK = 2.98 CUM TOTAL QUANTITY = 11.72 CUM	11.72	cu.m	3219.70	Rs. Three thousand two hundred neneteen and paise seventy only.
		FLOORING				
11		Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturer) of ist quality conforming to IS: 15622 of approved make in colours such shades except white, Ivory, Grey, Fume Red, Brown, laid on 20 mm thick Cement motar 1:4 (1 cement: 4 coarse sand) including pointing the joints with white cement and matching pigment etc., complete. WALL TILES	46.04	sq.m	812.20	Rs. Eight hundred twelve and paise twenty only.

लाल वाय्यमप

Catef Consultant (Tecanical)

Bihar State Educational Infrastructure

Development Corporation Ltd., Patna

and dados over 12 mm thick bed of cement Motar 1:3(1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching shade complete. FLOORING & SKIRTING 11.26.1 Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with				15			
11.26.1 Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime : 1 surkhi: 1 coarse sand) / 1:4 (1 cement: 4 coarse sand) / 20 to 25 mm thick 11.27 Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm R.C.C. WORK BELOW PLINTH LVL. 5.1.1 Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing & reinforcement - all work upto plinth level. 1:1:2 (1cement: 1 coarse sand: graded stone aggregate 20mm nominal size) = 59.183 CUM	12		ceramic glazed wall tiles conforming to IS: 15622 (Thickness to be specified by the manufacture) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer in-charge in skirting, risers of steps and dados over 12 mm thick bed of cement Motar 1:3(1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching	188.87	sq.m	766.3	Rs. Seven hundred sixty six and paise thirty only
11.26.1 Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime : 1 surkhi: 1 coarse sand) / 1:4 (1 cement: 4 coarse sand) / 20 to 25 mm thick 11.27 Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm R.C.C. WORK BELOW PLINTH LVL. 5.1.1 Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing & reinforcement - all work upto plinth level. 1:1:2 (1cement: 1 coarse sand: graded stone aggregate 20mm nominal size) = 59.183 CUM			FLOORING & SKIRTING		-		
Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing & reinforcement - all work upto plinth level. 1:1:2 (1cement: 1 coarse sand: graded stone aggregate 20mm nominal size) = 59.183 CUM Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, finishing & cu.m 6035.20 Rs. Six thousand thirty five and paise twenty only.			Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime: 1 surkhi: 1 coarse sand) / 1:4 (1 cement: 4 coarse sand) 20 to 25 mm thick Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing	281.85			Rs. Nine hundred
Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing & reinforcement - all work upto plinth level. 1:1:2 (1cement: 1 coarse sand: graded stone aggregate 20mm nominal size) = 59.183 CUM Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, finishing & cu.m 6035.20 Rs. Six thousand thirty five and paise twenty only.		R.C.C.	WORK BELOW PLINTH I VI				
THE THE PART ABOVE PLINIH LVL.	15	5.1.1	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing & reinforcement - all work upto plinth level. 1:1:2 (1cement: 1 coarse sand: graded stone aggregate 20mm nominal size) = 59.183 CUM	59.18	cu.m	6035.20	five and paise twenty
		Inc.c.	WORK ADOVE PLINIH LVL.				

लाल वायु थ्राप

Chief Consultant (Tecnical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

				16			
	16	5.2.1	Reinforced cement concrete work wall (any thickness), includin attached pilasters, buttresses, plin and string courses, fillets, column pillars, piers, abutments, posts ar struts, etc. upt floor five leve excluding cost of centring, shuttering finishin and reinforcement. 1:1:2 (cement: 1 coarse sand: 2 graded ston aggregate 20 mm nominal size)	in ag th s, ad el 20.51	cu.m	6644.6	Rs. Six thousand six hundred forty four and paise sixty only.
		512			2		
	17	5.1.3	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing and reinforcement-All work puto plinth level. 1:2:4 (1 cement:2 coarse sand:4 graded stone aggregate 20 mm nominal size) SEPTIC TANK = 0.93 CUM	0.93	cum	3984.50	Rs. Three thousand nine hundred eighty four and paise fifty only.
	18	5.33B.4 + 5.33B.1	landings, balconiec, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto floor five level excludingthe cost of centring, shuttering, finishing and reinforement with 1:2:4(1 cement:2 coarse sand:4 graded stone aggregate 20 mm nominal size).	100.44	cu.m	5319.10	Rs. Five thousand three hundred nineteen and paise ten only.
	\dashv	(1111	BRICK WORK				
1	9		Brick work with bricks of class designation 100A in foundations and plinth in cement mortar 1:6 (1cement :6 coarse sand) = 39.878 CUM	39.88	cu.m	4490.60	Rs. Four thousand four hundred ninety and paise sixty only.

A. 3. 2014 Chief Consultant (Technical) Bihar State Educational Infrastructure Development Corporation Ltd., Patna

MIM 0124/14/

	_		7	
١	۲	4	4	-
ı	١	١		

			17			
	6.1.14	With blicks of class	ss		T	
	+	designation 100A in foundations an	d			
	6.3A	plinth in: Cement mortar 1:6 (1	-		
20		cement: 6 coarse sand)				D. D' d
1 20			160.08	cu.m	5003.9	Rs. Five thousand three
		superstructure above plinth level upt			and the same of th	and paise ninety only.
		floor V cum				
		= 160.082 CUM	1 0	1	1	
	6.18.4A	Half brick masonry with bricks o	f	-	-	
1	+	class designation 100A in	1			
	6.19A	foundations and plinth in : Cemen	4			
		mortar 1:4 (1 cement: 4 coarse sand)	1			
21		Extra for half Brick masonry in	124.04			Rs. Six hundred eight
		superstructure above pinth level upto	1 134.04	Sq.m.	608.40	and paise forty only.
		floor V level.				and paise forty only.
		= 134.043 SQM				
-		134.043 50101				
	6.21A	Extra for providing and placing in				
		position 2 Nos, 6 mm dia, MS bars				8
22		at every third course of half brick	134.04	0		Rs. Fifty five and paise
		masonry (with F. P. S. bricks)	134.04	Sq.m.	55.40	forty only.
		= 134.043 SQM				only.
	6.1A +	Brick work with bricks of class				
	6.1.12/1	designation 100A in foundations and				
23		plinth in : Cement mortar 1 .:4 (1	0.75			Rs. Four thousand seven
		cement: 4 coarse sand)	8.75	cum	4724.40	hundred twenty four and
		= 8.75 CUM				paise forty only.
		PLASTER WORK				
	13.13.4	20 mm cement plaster of mix; 1:6 (1)				
24		cement : 6 coarse sand)	836.66		1.40.40	Rs. One hundred forty
		= 836.658 SQM	030.00	sq.m	140.40	and paise forty only.
	13.13.1	20 mm cement Plaster 1:3 (1)				i day
	+ 13.26	cement: 3 coarse sand) with a				D. T. I.
25		floating coat of neat cement & neat	16.65			Rs. Two hundred
		cement punning	10.03	sq.m		fourteen and paise sixty
		SEPTIC TANK = 16.65 SQM				only.
	13.11.4	12mm thick Cement plaster of mix		-		
26		1.6 (1	1041.58	sa m	101.20	Rs. One hundred one
		= 1041.58 SQM	1041.50	sq.m		and paise twenty only.

(M) on a 12 4414

Chief Consultant (Tec-tical)

Bihar State Educational Infrastructure

Development Corporation Ltd., Patna

	10.45) ·	18			
27	13.17.1 +13.36.	Transition 1 laster 1.5	52.82	sq.m	166.30	Rs. One hundred sixty six and paise thirty only
28	13.24.2	6mm thick Cement plaster of Ceiling mix 1:4 (1 cement : 4 coarse sand) = 388.53 SQM	388.53	sq.m	87.40	Rs. Eighty seven and paise forty only.
29	11.3.1 + 11.8	Cement concrete flooring 1:2:4(1 cement:2 coarse:sand:4 graded stone agregate) finished with a floating coat of neat cement including cement slurry, etc. but excluding the cost of nosing of steps etc. complete.40 mm thick with 20 mm nominal size stone aggregateExtra for making chequers of approved pattern on cement concrete floors, steps, landing, pavemerts etc.	136.41	sq.m	267.70	Rs. Two hundred sixty seven and paise seventy only.
	12 46 1	FINISHING WORK				
30	13.46.1	Finishing walls with Acrylic Smooth exterior paint of required shade: New work (Two or more coat applied @ 1.67 ltr/ 10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/ 10 sqm) EXTERNAL WALL = 836.658 SQM		sq.m	71.10	Rs. Seventy one and paise ten only.
31		Providing and applying white cement based putty of average thickness 2 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	2266.77	sq.m	118.40	Rs. One hundred eighteen and paise forty only.

WIN SITTHIN

Chief Consultant (Tecnical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

A	
T	
•	

			19			
32	13.77.2	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade. New work (two or more coats) over and including priming coat with cement primer INTERNAL WALL & CEILING = 1430.11 SQM	1430.11	sq.m	69.10	Rs. Sixty nine and paise ten only.
33	13.81.1	Applying priming coat with ready mixed pink or grey primer of approved brand and manufacture on wood work (hard and softwood) = 115.68 SQM	115.68	sq.m	26.70	Rs. Twenty six and paise seventy only.
34		Applying priming coat with ready mixed zinc chromate yellow primer of approved brand and manufacture on steel galvanized iron/steel work. = 105.728 SQM		sq.m	22.80	Rs. Twenty two and paise eighty only.
35		Painting with synthetic enamel paint of approved brand and manufacture to give an even shade two or more coats on new work = 221.408 SQM		sq.m	54.10	Rs. Fifty four and paise ten only.
36		Providing and fixing T-iron frames for doors, windows and ventilators of mils steel Tee-sections, joints miltred and welded with 15x3 mm lugs 10 cm long embedded in cement concerete blocks 15x10x10cm of 1:3:6 (1 cement: 3 coarse sand: 6 graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required including	339.68	Kg.	70.90	Rs. Seventy and paise ninety only.

010001192414

Chief Consultant (Tec. nical) Bihar State Educational Infrastructure Development Corporation Ltd., Patna

	-		20			
37	9.21.1	Providing and fixing ISI marked flus door shutters conforming to IS: 220 (Part I) non-decorative type, core of bloc board construction with frame of 1 st class hard wood and well matched commercial plus veneering with vertical grains of cross bands and face veneers on both faces of shutters: 35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws	2 k s all 48.20	sq.m	1698.2	Rs. One thousand six hundred ninety eight and paise twenty only.
38	9.63.1	Providing and fixing oxidised M.S.tower bolt black finish, (barrel type) with necessary screws etc.complete 250x10mm 10 + 2, BUILDING = 44 EACH	44.00	each	65.30	Rs. Sixty five and paise thirty only.
39		Providing and fixing M.S.handles with necessary screws etc.complete 125 mm 10 + 2 . BUILDING = 44 EACH	44.00	each	27.70	Rs. Twenty seven and paise seventy only.
40	9.101.2	Providing and fixing alluminium hanging floor door stopper anodised (anodic coating not less than grade AC 10 as per IS :1868) transparent or dyed to required colour and shade with necessary screws etc.complete:Twin rubber stopper	22.00	each	83.80	Rs. Eighty three and paise eighty only.
41	9.62.1	Providing and fixing M.S. sliding door bolts bright finished or/and black enamelled, with nuts and screws etc.compelled: 300x16 mm = 22 EACH	22.00	each	166.10	Rs. One hundred sixty six and paise ten only.
		STEEL WORK				
42	10.13B	Providing and fixing steel glazed doors, windows and ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm lugs 10 cm long with steel lugs embedded in cement concrete blocks 15x10x10 cm of 1:3:6(1 cement: 3 coarse sand: 6 graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panes with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer; excluding the cost of metal beading and other fitting exceptExtra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, Ventilators and comosite units. Steel windows	95.72	sq.m	3175.00	Rs. Three thousand one hundred seventy five only.

MIM 9/24/14

Chief Consultant (Tecl-vical) Bihar State Educational Infrastructure Development Corporation Ltd., Patna

		Providing and fixing steel glaze	ed	T	1	
43	10.12.1 + 10.13C	rawl plugs and screws or with fixin	tts m gs cs 3 de or or gg 3.24	sq.m	3181.0	Rs. Three thousand one hundred eighty one only.
44	9.48.1	Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding. = 1722.87 KG		Kgs.	86.00	Rs. Eighty six only.
		Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete. TMTC-500				
		Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG	8393.00	KG	56.00	Rs. Fifty six only.
45	-	Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG	1300.00	KG		Rs. Fifty four and paise seventy only.
		Thermo-Mechanically Treated bars TMTC-500 12mm dia = 7000 KG	7000.00	KG		Rs. Fifty three and paise forty only.

MIMAILAHIL

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

			22			
	5.22.70	TMT-500 16mm dia = 700 KG	700.00	KG	54.4	Rs. Fifty four and paise forty only.
	5.22.7E	TMT-500 20mm dia = 750 KG	750.00	KG	53.6	Do Fifty Alexand
	5.22.7F	TMT-500 25mm dia = 0 KG	0.00	KG	53.60	Rs.Fifty three and paise sixty only.
46		Providing and fixing M.S.fan clamp type I of II of 16 mm dia.M.S. bar bent to shape with hooked ends in R.C.C slabs during laying including painting the exposed portion of loop, all as per standard design complete.	42.00	Each	97.00	Rs. Ninety seven only.
47	10.33.1	Providing & fixing hand rail by welding etc. to steel ladder railling & staircases railling including applying a priming coat of approved steel primer. MS tube (medium) 40mm nominal bore. = 550 KG		kg.	90.70	Rs. Ninety and paise seventy only.
48		Providing and fixing in position collapsible steel shutters with vertical channes 20x10x2 mm and braced with flat iron diagonals 20x5 mm size with top and bottom rail of T-tron 40x40x6 mm with 40 mm dia steel pulleys complete with bots.nuts locking arrangement stoppers handies including applying a priming coat of approved steel primer	4.52	sq.m	4248.20	Rs. Four thousand two hundred forty eight and paise twenty only.
	M	HSCELLANEOUS WORK				
49	4.17 (c)	Making plinth protection 50 mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20 mm nominal size) over 75 mm thick bed of dry brick ballast 40 mm nominal size, well rammed and consolidated and grouted with tine sand, including finishing the top smooth.	75.41	sq.m	359.80 r	Rs. Three hundred fifty nine and paise eighty only.

MM9194414

Chief Consultant (Tec.nical)
Bihar State Educational Infrastructure

Development Corporation Ltd., Patna

			23			
-		SHUTTERING				
50	5.9.1	Centring and shuttering including strutting, propping etc. and remova of form for foundation, footings basees of columns etc. for mass concrete. = 55.781 SQM	1	Sqm.	169.0	Rs. One hundred sixty nine only.
51	5.9.5	Centring and shuttering including strutting, propping etc. and removal of form for lintel, beams, plinth beams, griders, bressumers and contilevers. = 349.241 SQM	349 24	Sqm.	261.70	Rs. Two hundred sixty one and paise seventy only.
52	5.9.6	Centring and shuttering including strutting, propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts = 367.575 SQM	367.58	Sqm.	357.60	Rs. Three hundred fifty seven and paise sixty only.
53	5.9.3	Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 451.54 SQM	451.54	Sqm.	291.00	Rs. Two hundred ninety one only.
					Total	5,727,046.30
					Total (A)	5,727,046.00
	Plu	mbing and sanitary Work				
54	B.S.R 12.78	Providing and fixing on wall face unplastidsed PVC (working pressure 4 kgf per sqm) rain water pipes cinforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10 mm gap for thermal expansion.				
	12.78.2	110 mm diameter. = 40 MTS	40.00	MTS	212.40 t	Rs. Two hundred welve and paise forty only.

लाल वाय्यमाप

Chief Consultant (Tec:.nical)

Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

24

	10.70		24			
	12.79	The state of wall lace	е			
		unplasticised -PVC moulded fittings	/			
		accessories for unplasticised PVC				
		rainwater pipes conforming to				
	-	IS:4985 including jointing with sea	1			
		ring conforming to IS:5382 leaving	,			
		10mm gap for thermal expansion.				
		Coupler Coupler	+	-		
55	12.79.1.		-	+	-	
3.5		= 10 MTS	10.00	Each	140.20	Rs. One hundred forty
		BEND 45° 110 mm dia			-	and paise twenty only.
		= 10 EACH				
	12.79 5 2	2 110mm bend		-	-	
		= 12 MTS	12.00			Rs. One hundred sixty
-		12 WITS	12.00	Each	168.30	eight and paise thirty
	12.79.6	Chao (Disin)				only.
	THE RESERVE OF THE PERSON NAMED IN COLUMN 2 IS NOT THE OWNER.	Shoe (Plain)				
	12.77.0.2		12.00	Each	305.02	Rs. Three hundred five
	B.S.R	= 12 MTS		Lacii	303.02	and paise two only.
		Providing and fixing water closet			/	
	17.1.1	squatting pan (Indian type W.C.pan)				
		with 100 mm sand cast Iron P or S				
		trap, 10 litre low fixtures complete,				
		including cutting and making good				
		the walls andlevel white P.V.C.		-		
		flushing cistern, including flush pipe,				
56		with manually controlled device				
		(handle lever) conforming to IS:				
		7231, with all fittings and floors	1			
		wherever required:				
		White Vitreous China Orissa pattern				
		W C pan of size 580 x 440 mm with				Rs. Three thousand
		integral type foot rest.	6.00	Each	3049.30	forty nine and paise
		= 6 EACH				thirty only.
	B.S.R	Providing and fixing white vitreous				J J.
	-	china pedestal type water closet				
		(European type W.C. pan) with seat				
		and lid, 10 litre low level white				
		PVC flushing distant include				
		P.V.C. flushing cistern, including	-			
		flush pipe, with manually controlled				
57		device (handle lever), conforming to		- 1		2 / 4 /
		IS: 7231, with all fittings and				
		fixtures complete, including cutting				
		and making good the walls and floors				
	L	wherever required :				

01100119x4114

Chief Consultant (Technical)

Bihar State Educational Infrastructure

Development Corporation Ltd., Patna

25

1			25			
	B.S.R	W.C. pan with ISI marked black solid plastic seat and lid = 3 EACH	3.00	Each	2903.00	Rs. Two thousand nine hundred three only.
58	17.4.2	flat back or wall corner type lipped from urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required:				
	17.24	Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern = 3 EACH	3.00	Each	4685.90	Rs. Four thousand six hundred eighty five and paise ninety only.
59	17.34	Provding and fixing toilet paper holder				
39	SOR 17.34.2	Vitreous china	3.00	Each	296.70	Rs. Two hundred ninety six and paise
60	B.S.R 17.7.1	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:				seventy only.
	10.62	White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps. = 12 EACH	12.00	Each	2093.50	Rs. Two thousand ninety three and paise fifty only.
61	-	Providing and fixing PTMT angle stop cock 15 mm nominal bore, weighing not less than 85 gms	15,00	Each	175.30	Rs. One hundred seventy five and paise thirty only.
62	17.28	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.				
	17.28.2.1	Flexible pipe 32 mm đia = 12 EACH	12.00	Each	/() ()	Rs. Seventy six and paise ten only.

m1m 01/2 44/14

Chief Consultant (Technical)

Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

10.

210,

	TRAR		26			
63	B.S.R 17.32.2	Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing: Rectangular shape 453 x 357 mm = 12 EACH	12.00	Each	636.90	Rs. Six hundred thirty six and paise ninety only.
64	B.S.R 17.33	Providing and fixing 600 x 120 x 5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete. = 12 EACH	12.00	Each	473.70	Rs. Four hundred seventy three and paise seventy only.
65	18.8.1	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 15 mm nominal outer dia	50.00	metre	221.40	Rs. Two hundred twenty one and paise forty only.
66	B.S.R 18.9.3	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement ,trenching ,refilling & testing of joints complete as per direction of Engineer in Charge.	60.00	metre	193.60	Rs. One hundred ninety three and paise sixty only.
	18.9.4	32 mm nominal outer dia Pipes	40.00	metre	249.10	Rs. Two hundred fortynine and paise ten .only.

(NICO 91194114

Chief Consultant (Tecnnical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

,		_
_	-	

			27	_		
	18.9.2	The monimum outer dia ripes	40.00		147.30	beven and paise unity
	B.S.R 18.48	all floor levels) polyethylene water storage tank ISI:12701 marked with	r n			only.
67		cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support	4000.00	per litre	6.60	Rs. Six and paise sixty only.
68	B.S.R 18.49	= 4000 PER LITER Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931				
		15 mm nominal bore. = 12 EACH	12.00	Each	481.60	Rs. Four hundred eighty one and paise sixty only.
69	B.S.R 18.52	Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS: 8931				Sixty Omy.
	18.52.1	15 mm nominal bore. = 10 EACH	10.00	Each	650.10	Rs. Six hundred fifty and paise ten only.
70	18.58 SOR	Providing and fixing P.T.M.T. grating of approved quality & colour circular type				and paise tell only.
	18.58.1	100 mm nominal dia,	11.00	Each	46.40	Rs. Forty six and paise forty only.
	19.6.1	Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of				LONG OMY.
71		cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete: 100 mm dia R.C.C. pipe = 15 METER	15.00	metre	305.50	Rs. Three hundred five and paise fifty only.

(M) (M) (M) (M) (M)

'one soud Chief Consultant (Tecanical) Bihar State Educational Infrastructure Development Corporation Ltd., Patna

			28			
7		gully chamber 50x45x60 cm with bricks in cement mortar 1:4 (1 cement : 4 coarse sand) including 500x450 mm pre-cast R.C.C. horizontal grating with frame complete as per standard design :With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	2.00	Each	3384.80	Rs. Three thousand three hundred eighty four and paise eighty only.
73		Constructing brick masonry chamber for underground C.I. inspection chamber and bends with bricks in cement mortar 1:4 (1 cement: 4 coarse sand) C.I. cover with frame (light duty) 455x610mm internal dimensions, total weight of cover with frame to be notless than 38 kg (weight of cover 23 kg and weight of frame 15 kg),R.C.C. top slab with 1:2:4 mix (1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal size), foundation concrete 1:5:10 (1 cement: 5 fine sand: 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm thick with cement mortar 1:3 (1 cement: 3 coarse sand), finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design:		Each	4147.30	Rs. Four thousand one hundred forty seven and paise thirty only.
74	19.32.1	Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter, 1.8 m long complete as per standard design. With common burnt clay F.P.S. (non modular) bricks of class designation 7. = 1 EACH	1.00	Each	20115,50	Rs. Twenty eight thousand seven hundred seventy five and paise fifty only.

MIMORIZYHIY

Chief Consultant (Tecanical)

Bihar State Educational Infrastructure

Development Corporation Ltd., Patna

			29			
	B.S.R	Providing and fixing S.W.		T		
	19.34	intercepting trap in manholes wit	h			
		stiff mixture of cement mortar 1:1 (1			
75		cement : 1 fine sand) including				
1/3	'	testing of joints etc. complete:	g			
	19.34.1	1 100 mm dia	-			
		= 2 EACH	2.00			Rs. Two hundred eight
		2 LACII	2.00	Each	281.30	one and paise thirty
		Detailed Estimate for				only.
1		Detailed Estimate for construction of				Rs. Sixty two thousand
7	6	125 mm x 40 mm x 90 mm Tube	1.00	Each	62138.3	Jana hum day 1 11 1 1 1
		well Manual Boring	1.00	Lacii	02138.3	and paise thirty three
-	ANIATS	= 1 EACH				only.
	ANALY	I mile I mile I Unowing (III				
	SIS	uPVC Soil, Waste and vent Pipe and				
		accessories including sovent cement and other jointing material Labour etc.	1			
		other jointing material, Labour etc				
		110 mm dia	40.00	****	247.00	Rs. Three hundred forty
	1	= 40 EACH	40.00	metre	347.00	seven and only.
		DOOR TEE 110 mm dia	4.00	1	265.00	Rs. Three hundred sixty
		= 4 EACH	4.00	each	365.00	five only.
77		DOOR BEND 110 mm dia	9.00	1	202.00	Rs. Two hundred eighty
		= 8 EACH	8.00	each	283.00	three only.
		BEND 45° 110 mm dia	10.00	1	1000	Rs. One hundred eighty
	,	= 10 EACH	10.00	each	185.00	five only.
		VENT COWEL 110 mm dia	2.00			-
		= 3 EACH	3,00	each	65,00	Rs. Sixty five only.
		PIPE CLIP 110 mm dia	100.00		1	
		= 100 EACH	100.00	each	53.00	Rs. Fifty three only.
	9	FLOOR TRAP 110X110 mm dia	10.00			Rs. Four hundred thirty
		= 10 EACH	10.00	each	436.00	
	Code no.	(i) C.I. cover and frame 300 x 300	/			Six only.
78	of 1352	mm inside	1.00	Each	362.59	Rs. Three hundred sixty
		SEPTIC TANK = 1 EACH	1.00	Davii	302.39	two and paise fifty nine
					Total	only.
						334,638.85
		Electrical Works SOR-2016			rotal (R)	334,639.00
		Point Wiring in PVC Conduit, with				
	1.3	Modular type Switch:-			-	
-		JP STATULE.				

MIM 9124114

Chief Consultant (Technical) Bihar State Educational Infrastructure Development Corporation Ltd., Patna Skehovely

30

1			30			
79		Wiring for light point/ fan point exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with modular switch, modular plate, suitable GI box and earthing	1			
	1.3.3	Group C	119.00	Point	675.00	Rs. Six hundred seventy
	1.4	Twin Control Point Wiring in PVC Conduit, with Modular type Switch:				five only.
80		Wiring for twin control light point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, 2 way modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC i	3.00	Each	720.00	Rs. Seven hundred twenty only.
	1.31	Supply and Fixing Light Plug Point with Modular Type Accessories:-		-	7	
81		Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 3 pin 5/6 amps modular socket outlet and 5/6 amps modular switch, connection etc. as required. (For light plugs to be	25.00	Each	372.00	Rs. Three hundred seenty two only.
-	1.32	Supply and Fixing Power Plug Point with Modular Type Accessories:-				
82		Supply and Fixing GI box with modular plate and cover in front on surface or in recess including providing and fixing 6 pin, 15/16 amps modular socket outlet and 15/16 amps modular type switch, connection, painting etc as required.	12.00	Nos.	446.00	Rs. Four hundred forty six only.
	DSR- 2014 2.18	Supply & fixing 20A SPN MCB Industrial Socket Outlet:-				

WILL TO WILL

Chief Consultant (Iecanoal)

Bihar State Educational Infrastructure

Development Corporation Ltd., Patna

Likehoue

ì			31			
83		Supplying and fixing 20 amps, 24 volts, SPN industrial type, socket outlet, with 2 pole and earth metal enclosed plug top alongwith 20 amps "C" curve, SI MCB, in sheet steel enclosure, on surface or in recess, with chaine metal cover for the socket ou	n, 2, 12.00	Nos.	963.54	Rs. Nine hundred sixty three and paise fifty four only.
	1.5	Power Plug Wiring in PVC conduit (2x4 sq. mm):-				
-84		Wiring for light/ power plug with 2X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed mediumclass PVC conduit alongwith 1 No 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop earthing as required	420.00	Mtrs.	193.00	Rs. One hundred ninety three only.
85	1.24	Supplying and fixing following modular type switch/ socket on the existing modular plate switch box / cover including connections etc.as required				
	1.24.1	5/6 amps switch.	25.00	Each	98.00	Rs. Ninety eight only.
	1.24.4	5 pin, 5/6 amps socket outlet.	25.00	Each	120.00	Rs. One hundred twenty only.
	1.7	Circuit / Sub-main wiring in PVC Conduit:-				
86 -		Wiring for circuit / sub-main wiring along with earth wire with the following sizes of PVC insulated, copper conductor, single core cable in surface/recessed PVC conduit as required.				
	1.7.1	2x1.5 Sqmm + 1x1.5 sqmm earth wire	40.00	Mtrs.	117.00	Rs. One hundred seventeen only.
	1.7.2	2x2.5 Sqmm + 1x2.5 sq mm earth wire	350.00	Mtrs.	150.00	Rs. One hundred fifty only.
	1.7.11	4x6.0 Sqmm + 2x6.0 sqmm earth wire (to be used as sub main)	54.00	Mtrs.	451.00	Rs. Four hundred fifty one only.
	1.7.12	4 X 10 sq. mm + 2 X 10 sq. mm earth wire	10.00	Mtrs.	684.00	Rs. Six hundred eighty four only.
		S/F 'C' series SP MCB:-				- S. Oilly.

MM9124414

Chief Consultant (Tec:.nical) Bihar State Educational Infrastructure Development Corporation Ltd., Patna

			32			
87	2.12	Supplying and fixing 240 volts, 'C' series, miniature circuit breaker suitable for inductive loads of following poles in the existing MCB DB complete with connections, testing and commissioning etc, as required.				
	2.12.1	6/32A, Single Pole	36.00	Each	208.00	Rs. Two hundred eight only.
	2.13.1	6/32A ,DP	3.00	Each	632.00	Rs. Six hundred thirty two only.
	2.16	S/F TPN MCB:-				
-88		Supplying and fixing following rating, four pole, 240 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required				
	2.16.2	63 A,TPN	3.00	Each	915.00	Rs. Nine hundred fifteen only.
89	2.17	S/F TPN RCCB:-Supplying and fixing of following rating three phase and neutral, 415 volts, residual current circuit breaker (RCCB) having a sensitivity current upto 300 miliamperes in the existing MCB DB complete with connections, testing and commissionin				
	2.17.2	40 Amp.	3.00	Each	2509.00	Rs. Two thousand five hundred nine only.
	2.9	S/F TP MCB DB:-		-		- Indiana in in only.
90		Supplying and fixing of following way, horizontal type three pole and neutral, sheet steel, MCB distribution board, 415 volts, on surface/recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, detachable gland plate, interconnect				
	2.9.4	4 Ways (4+12 ways) double door	3.00	Set	2971.00	Rs. Two thousand nine hundred seventy one only.
	1.33	S/F Ceiling Rose:-			/	Jany.
91		Supplying and fixing 2 pin ceiling rose on the existing junction box/wooden block including connection etc as required.	80.00	Each	35.00	Rs. Thirty five only.

MM9124114

Chief Consultant (Tec:.nical) Bihar State Educational Infrastructure Development Corporation Ltd. Patna

	-	3	3			
	1.34	S/F Batten / Angle Holder:-	27.00	Each	48.00	Rs. Forty eight only.
92		Supplying and fixing batten / angle holder including connection etc as required.				
	1.25	S/F Modular type electronic fan regulator:-	24.00	Each	387.00	Rs. Three hundred eighty seven only.
93		Supplying and fixing stepped type fan regulator on the existing modular plate switch box including connections but excluding modular plate etc as required.				
94	1.21	S/F PVC Conduit:- Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required.				
	1.21.1	20 mm	110.00	Mtrs.	55.00	Rs. Fifty five only.
		Telephone Wiring in Existing Conduit:-				- /
95	1.16	Supplying and drawing following pair 0.5 mm dia FRLS PVC insulated annealed copper conductor, unarmored telephone cable in the existing surface/ recessed steel/ PVC conduit as required				
	1.16.2	2 pair	50.00	Mtrs.	19.00	Rs. Nineteen only.
96	1.24	S/F Modular type Switch / Socket:- Supplying and fixing following modular type switch / socket on the existing modular plate and switch box including connections but excluding modular plate etc as				
	1.24.6	Telephone socket outlet	2.00	Each	103.00	Rs. One hundred three only.
	3.6	EARTHING COPPER EARTH PLATE ELECTRODE:-				

MIMCILY YHILY

Chief Consultant (Tec..nical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

2	/
0	4

, `			34			
97		Earthing with copper earth plate 600mmx 600mmx 3mm thick including acessories and providing masonary enclosure with cover plate having locking arrangement and watering pipe of 2.7 meter long etc.	2.00	Each	11703.00	Rs. Eleven thousand seven hundred three only.
		with charcoal/cock and salt as required.	1			
	3.10	P/F 25 x 5mm copper earth strip in pipe:-				
98		Providing and fixing 25 mm X 5 mm copper strip in 40 mm dia G.I. pipe from earth electrode including connection with brass nut, bolt, spring, washer excavation and refilling etc. as required	12.00	Mtrs.	1131.00	Rs. One thousand one hundred thirty one only.
	3.14	P/F 25 x 5 mm copper earth strip in surface/ recess :-				
99		Providing and fixing 25 mm X 5 mm copper strip on surface or in recess for connections etc. as required.	24.00	Mtrs.	976.00	Rs. Nine hundred seventy six only.
		Cable Laying of 1.1 KV & 11 KV :-				
100	7.1	Laying of one number PVC insulated and PVC Sheathed / XLPE power cable of 1.1 KV grade of following size direct in ground including excavation, sand cushioning, protective covering and refilling the trench etc as required.				
	7.1.2	Above 35sq.mm and Upto 95 Sq.mm.	80.00	Mtrs.		Rs. One hundred fifty four only.
	DSR-	G.I. Pipe for Cable protection:-				
101	14.14	Providing, laying and fixing following dia RCC pipe NP2 class(light duty) in ground complete with RCC collars, joints with cement mortar 1:2 (1 cement: 2 fine sand) including trenching (75 cm) and refilling etc.as required. (Road crossing as per site c				
	14.14.2	150 mm dia	10.00	Mtr.	387.84	Rs. Three hundred eighty seven and paise eighty four only.

WIMANTARHIR

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna
Skehoud

35

			35			
	DSR-	1.1 KV Cable End Termination:		T	1	
	2014	Supplying and making indoor cable				
	9.1	end termination with brass double				
		compression gland and aluminium				
102		lugs for following size of PVC		-		
102		insulated XLPE Al. Ar. Cable of 1.1				
		KV grade as required.				
	9.1.22	3.5 Core 50 Sq.mm.			1	Rs. Two hundred
			2.00	Each	272.70	seventy two and paise
						seventy only.
		3.5 core 50 sq mm xlpe/pvc insulated			1	one, only.
	2014	sheathed				
103		(Heavy duty)armoured electric cable			08.1	
		aluminium conducter.				
		3.5C x 50 Sq.mm 1.1kV	100.00	Mtrs.	391.00	Rs. Three hundred
	0.00			IVIUS.	391.00	ninety one only.
	2.30	S/F HRC fuse type TP&N switch				
		disconnector:- Providing and fixing				
		following capacity TP&N			-	
		disconnector fuse				
104		switch unit inside the existing panel				
104		board with ISI marked HRC				
		fuses including drilling holes in				
		cubicle panel, making connections,	-	-		
		etc. as requi				
	2.5.2	63 amps,TP&N, HRC	3.00	Each	2631.00	Rs. Two thousand six
		S/F Busbar Chamber:-				hundred thirty one only.
	2.5	5/1 Busbar Chamber:-	Market Control			
	-	Providing and fixing following				
		capacity busbar chamber with 4 strips				
		of suitable size made of capper, heavy				
105		duty, complete with all accessories				D. C. d.
		including connections, earthing the	1.00	Each	6360.00	Rs. Six thousand three
		body, etc as required.				hundred sixty only.
		200 amp. TPN	-	1		1
	1	waipi II II			2	

MM 01 12/ 12/14

Chief Consultant (Tec..nical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

				-	Total (D)	
					Total	75,497.50
111		Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit.	10.00	Nos.	7549.75	Rs. Seven thousand five hundred forty nine and paise seventy five only.
		FIRE FIGHTING			Total (C)	532,131.28
			1.00	EACH	1000 department	Rs. Eleven thousand two hundred seventy five only.
110	2.4.4	Providing and fixing follwing rteing and breaking capacity MCCB in existing cubicale panel bord including drilling hole cubicale panel making connection etc as required 160 amp. 16KA				Do El-
109	2.4	Providing and fixing copper tape 20 mm X 3 mm thick on parapet or surface of wall for lightning conductor complete as required. (For vertical run)	30.00	meter	443.00	Rs. Four hundred forty three only.
108	3	Providing and fixing copper tape 20 mm X 3 mm thick on parapet or surface of wall for lightning conductor complete as required. (For horizontal run)	80.00	meter	424.00	Rs. Four hundred twenty four only.
107	4.1	Providing Lighting Conductor Finial, made of 25 mm dia 300 mm long , copper tube having single prong on top with 85 mm dia 3 mm thick copper base plate.	2.00	Each	864.00	Rs. Eight hundred sixty four only.
10	6	capacity four pole OFF-load changeover switch with side handle operation, in sheet enclosure in existing metal board, including drilling holes in metal panel, making connections etc. as required. 125 Amps, Four pole	1.00	Each	8677.00	Rs.Eight thousand six hundred seventy seven only.
	2.7.4	Providing and fixing following	36			

MM9124114

Chief Consultant (Iec.nical) Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

	Detai	ls of Sl. No. 76 (Construction of 125m of Materials	m x 40mm	x 90m	Tube well)	is given below
	(Rupe	es Seventy Two lacs Thirty One Tho	usand Thr	ee Hund	red and Ti	·
			Total Cost	in 'Re'		7,231,313.28
1	BHAGAL PUR	BLOCK RESOURCE CEI	NTRE			(Rs.)
L.	DISTRI CT	NAME OF INSTITU	ГЕ			Amount
			Grand To	tal (A+B	8+C+D+E)	7,231,313.28
						301,3332,00
					Total (E)	561,998.78
					Total	three only.
	Cement		139.57	MT	319.03	Rs. Three hundred nineteen and paise zero
	Bricks		120.25	Thous.	370.75	Rs. three hundred seventy and paise seventy five only.
113	ADD EX BHAGAI AS PER	TRA COST OF MATERIAL FOR LPUR COMM. W.R.T TO GAYA SOR				tunity only.
		Steel	18.05	MT	282.30	Rs. Two hundred eighty two and paise thirty only.
		Brick	120.25	Thous.	531.02	Rs. Five hundred thirty one and paise zero two only.
		Stone Chips	176.28	cum	1385.57	Rs. One thousand three
112	2	Local Sand	125.92	cum	178.57	Rs. One hundred seventy eight and paiso fifty seven only.
		Coarse Sand	188.46	cum	518.99	Rs. Five hundred eighteen and paise ninehty nine only.
		Cement	139.57	MT	282.30	Rs. Two hundred eightwo and paise thirty only.
		Type of materials			Rate Incl 1% Lab Cess	
-		CARRIAGE OF MATERIALS	37	T		T

MM 9119 4414

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

38

rt 'l	B' - Cost o	of Labour				
		Sub - Total "A"				47844.05
8		Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S c	1.00	Each	26446.00	Rs. Twenty six thousan four hundred forty six only.
7	B.S.R 1928	32 mm nominal bore Bross Full valve (15% C.P & 1% L.Cess)	1.00	Each	511.21	Rs. Five hundred elever and paise twenty one only.
6	18.10.4	Providing and fixing of G.I pipes complete with G.I fittings and clamps, including, cutting and making good etc 32 mm dia (15% C.P & 1% L.Cess)	18.00	mtr	319.20	Rs. Three hundred neneteen and paise twenty only.
5		Supplying all labour and materials & fitting & fixing PVC cap over the new sink T/well	1.00	Each	140.00	Rs. One hundred forty only.
4		Reducing socket 125mm x 40mm	1.00	Each	270.00	Do Tour to 1
3		40mm dia PVC ribbed strainer of approved quality	8.00	Meter	182.00	Dr. Onal 1 1 1
2	2	40mm dia UPVC pipe confirming to ISS	48.00	Meter	99.3	Do Minet 1
		125mm dia UPVC casing pipe confirming to ISS	27.00	Meter	315.0	Rs. Three hundred fifteen only.

MIMOSILY YHILY

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

				Total (C="A+B"	62,138.33
			Sec.	S	ub - Total	14,294.28
15		Supplying labour and developing the T/Well to have sand free discharge all complete as per direction of E/I	1.00	Each		Rs. Two hundred eighty and paise fifty only.
14		Providing all labour & tools and lowering 32 mm dia G.I pipe as per specificatin etc. all Complete	24.00	mtr	21.34	Rs. Twenty one and paise thirty four only.
13		a) For 40mm dia UPVC ribbed strainer of approved quality	8.00	mtr	148.79	Rs. One hundred forty eight and paise seventy nine only.
12	·	a) For 40mm dia UPVC pipe (iv) 75.00 m to above	14.00	mtr	148.79	Rs. One hundred forty eight and paise seventy nine only.
		(iii) 61.00 m to 75.00 m			- Aller of the second	
11.		(a) For 40 mm dia UPVC pipe	30.50	mtr	136.88	Rs. One hundred thirty six and paise eighty eight only.
		(ii) 30.5 m to 61.0 m				
		(i) 0 to 30.5 m	3.50	mtr	119.03	Rs. One hundred nineteen and paise three only.
10		(b) for 40 mm dia UPVC pipe				
9		(a) For 125 mm dia U.PV.C pipe	27.00	mtr	208.77	Rs. Two hundred eight and paise seventy sevently.
		standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as (i) 0 to 30.5 m		/		
		Boring by jet dheki by suitable cutter of reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of				

Tender approved in favour of Lal Babu Prasad @ 10.00% (Ten Decimal Zero Zero Percent) below i.e. total amount comes to Rs. 65,08,182=00 (Rupees Sixty Five Lacs Eight Thousand One Hundred Eighty Two Only)

MIMG19 YHIY

Bihar State Educational Infrastructure

Development Corporation Ltd., Patna

Keloudia

Performance Security

Name of Agency:- Lal Babu Prasad

"Performance Security of "BRC Naugachhia, SL.NO.-20"

NSC		DOI		AMOUNT
25EF 048161-68	1888	19.10.13	10000*8	80000.00
46EF 335799	2381	01.06.15	10000*1	10000.00
24EF 544232-35	1700	24.10.13	10000*4	40000.00
49EF 755664-68	2395	24.06.15	10000*5	50000.00
49EF 755669-83	2395	24.06.15	10000*15	150000.00
			Total -	330000.00

(Rupees Three Lacs thirty Thousand only)

निरवा पदाधिकारी
बिहार राज्य शैक्षणिक आधारभूत संरचना

विकास निगम लि०, पटना

MIM 914 4414

Chief Consultant (Tecanical) Bihar State Educational Infrastructure Development Corporation Ltd., Patna

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना-800004, दूरभाष-0612-2910314 कॉर्पोरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256,

पत्रांक:- BSEIDC/FIN/2952/2017-18/- ५७५%

प्रेषक.

ब्रजेश प्रसाद मुख्य परामशी (तकनीकी)

सेवा में

LAL BABU PRASAD At -Kuriyan, P.O - Alamgani Bazar, Dist - Bettiah

बिहार राज्य अंतर्गत "Construction of Block Resource Centre at Naugachhia, विषय:-Bhagalpur (S.LNo-20) Of Nit No-31/2016-17) के कार्य हेतु जमानत की राशि जमा कर एकरारनामा करने के संबंध में।

महाशय.

उपर्युक्त विषय के संबंध में कहना है कि विषयांकित कार्य की निविदा हेत् आपके द्वारा निविदित दर जो परिमाण विपत्र के दर से 10.00% (दस दशमलव शून्य शून्य प्रतिशत) कम है तद्नुसार निविदा की कुल राशि रू० 65,08,182/-(पैसठ लाख आठ हजार एक सौ बेरासी रूपये) मात्र आपके पक्ष में स्वीकृत की गयी है।

अतः निदेश दिया जाता है कि अग्रधन की राशि रू० 3,26,000 / - (तीन लाख छब्बीस हजार रूपये) मात्र का सावधि पासबुक / राष्ट्रीय बचत प्रमाण पत्र के रूप में प्रबंध निदेशक, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०, पटना के नाम से प्रतिज्ञिप्त हो जमा कर अविलंब एकरारनामा कर लें।

(ब्रजिश प्रसाद)

ज्ञापांक : BSEIDC/FIN/2952/2017-18/- ५७६%

मुख्य परामर्शी (तकनीकी) पटना, दिनांक 30-06 कि

प्रतिलिपि : Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC website/Senior Account Officer, BSEIDC, Patna for information & necessary action

ज्ञापाक : BSEIDC/FIN/2952/2017-18/- 4365

मुख्य यरामशी (तकनीकी) पटना, दिनांक 30-66-1 के

प्रतिलिपि : संबंधित कार्यपालक अभियंता, BSEIDC को सूचनार्थ एवं आवश्यक कार्रवाई हेत्

प्रेषित।

मुख्य परामशीं (तकनीकी)

ज्ञापांक : BSEIDC/FIN/2952/2017-18/- ५३६% पटना, दिनांक 30-06-18

प्रतिलिपि : मुख्य अभियंता, BSEIDC को सूचनार्थ एवं आवश्यक कार्रवाई हेतु समर्पित।

मुख्य परामशी (तकनीकी) पटना, दिनांक्र,

ज्ञापांक : BSEIDC/FIN/2952/2017-18/- ५७६ प्रतिलिपि : प्रबंध निदेशक महोदय, BSEIDC को सूचनार्थ समर्पित।

Chस्राञ्चा (यति कम्पीकी)

Bihar State Educational Infrastructure Development Corporation Ltd., Patna

(M)(M)(1)(4)(4)(4)

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, षिवपूजन सहाय पथ, सैदपुर, पटना—800004, दूरभाष—0612—2910314 कॉर्पोरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256,

Letter no.: BSEIDC/NIT/2016-17/- /2086

Patna, Date: 17/11/16

Corrigendum No.- 1

With reference to N.I.T. No. 31/2016-17, Dated-26.10.2016 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Construction of Block Resource Centre(B.R.C)" in the State of Bihar the following amendments have been made as mentioned below:

SL.	Existing provision	Amended provision		
1	Period of Sale of Bid document (Download) from dated 14.11.2016 to 27.11.2016, 15:00Hrs.	Period of downloading of Bid document from dated: 19.11.2016 to 02.12.2016, 15:00 Hrs.		
2	Date and Time of Pre bid Meeting – 17.11.2016, 16:00 Hrs.	Date and Time of Pre bid Meeting- 23.11.2016, 16:00 Hrs.		
3	Last date and time for receipt (Upload) of Bids on dated 28.11.2016, 15:00 Hrs.	Last date and time for receipt (Upload) of Bids on dated: 03.12.2016, 15:00 Hrs.		
4	Time and date for opening of Technical Bids on dated 30. 11.2016, 16:30 Hrs.	Time and date for opening of Technical Bids on dated 05.12.2016, 16:30 Hrs.		
5	Time and date for opening of Financial Bids on dated 07.12.2016, 15:30 Hrs.	Time and date for opening of Financial Bids on dated: 12.12.2016, 15:30 Hrs.		
6	The Cost of BOQ and EMD will be	e accepted up to 05.12.2016, 15:00 Hrs.		

The other terms and conditions shall remain unchanged.

(Brajesh Prasad)
Chief Consultant (Technical)

Chief Consultant (Technical)

Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

Zyen

MIMCHENTY

SPECIAL CONDITIONS

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes royalties and other

4. To qualify for award of work, the Bidder must possess the following:-

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of

b) DD for required value of B.O.Q. Cost.

c) Sufficient Earnest Money Deposit.

d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.

e) Certificate from EE / Concerned Authority for Experience of Similar nature (Satisfactory completed at least one Building work of value not less than 25 % of estimated value of contract) in last five years as mentioned in Technical bid.

- f) Certificate from EE / Concerned Authority for Work Experience of Minimum Quantities of work done as prime contractor in any one year during last five years as mentioned in
- g) Litigation History as mentioned in Technical bid. h) Valid Registration with Central/ State Govt. / PSU. i) Valid labour license as mentioned in Technical bid.
- j) Affidavit/Certificate "for not been debarred and required attachments are true and correct and if found fake/ forged, the undersigned will be liable to be inflicted upon the FIR and lawful punishment as well as black listing".

5. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.

6. The tender without earnest money or insufficient earnest money submitted with the tender, will be outright rejected.

7. Conditional tenders shall be outright rejected.

8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.

9. Authority shall reserve the right to reject any or all the tenders or distribute the work to more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained.

11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules prevalent in the locality.

12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the

- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-
- a. Natural calamities

(Seal & Signature of Tenderer)

Chief Consultant (Technical) Bihar State Educational Infrastructure Development Corporation Ltd., Patna

01000119 X414

- b. Act of enemies.
- c. Transport and procurement difficulties.
- d. Circumstances beyond the control of the state.
- 15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- 16. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
- 17. The contractor shall make his own arrangement for water and light at the work site.
- 18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 20. The Tenderer must not quote their rate more than 10 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
- 21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 22. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.
- 23. The Defect liability Period shall be Three (3) Years from the date of completion of the work.
- 24. The Contractor shall rectify at his own cost in case the work is found to be defective during checking in liability period.
- 25. It will be the responsibility of the contractor to pay royalty of mines materials .The Contractor shall submit form "M" and "N" duly Filled as per "Bihar" Mines and Mineral Act 1972.
- 26. The Contractor shall Display a Signboard at work site about the work as on the format prescribed by Engineer- in- Charge.
- 27. The Contractor shall Furnish his programme of construction for execution of the work within the stipulated time schedule together with methodology of construction of each item or work and obtain the approval of the Engineer- in- Charge prior to actual commencement of work .

----X-----X

(Seal & Signature of Tenderer)

mm 414 4/114

Page 2 of 2

Chief Consultant (Technical)
Bihar State Educational Infrastructure

Development Corporation Ltd., Patna

Te

बिहार राज्य शैक्षाणक आधारभूत सरचना विकास निगम लिमिटेड

(बिहार सरकार का एक उपक्रम)

शिक्षा भवन, विहार राष्ट्रभाषा परिषद् कैम्पस, आजार्य शिवपुजन सहाय पथ, सैदपुर, पटना-800004 (दूरमाय-0612-2910314)

पुनर्निविदा आमंत्रण सूचना संख्या-31 वर्ष 2016-17 प्रतिशत दर निविदा

(केवल ई-टेन्डरिंग पद्धति के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

1. बिहार राज्य के अन्तर्गत विभिन्न भवनों का निर्माण कार्य हेतु प्रतिशत दर पुनर्निविदा आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय / राज्य सरकार / सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रजिस्ट्रेशन, उक्त कार्य का लेटर ऑफ एक्सेपटेंस प्राप्त होने के बाद कराना होगा।

क्रम	कार्य का नाम	प्राक्कलित राशि (लाख रू० में)	अग्रधन का राशि (लाख रू० में)	परिमाण विपन्न का मूल्य(रू०में)	Beltron Bid Processing Fee (In Rs.)	कार्य समाप्ति की अवधि
1	BRC Baniyapur,Saran	85.2	1,70,400	10,000	5750	15 माह
2	BRC Marhowrah,Saran	85.2	1,70,400	10,000	5750	15 HE
3	BRC,Manigachhi, Darbhanga	85.2	1,70,400	10,000	5750	15 HIE
4	BRC,Ghanshyampur,Darbhanga	85.2	1,70,400	10,000	5750	THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.
5	BRC,Kiratpur,Darbhanga	85,2	1,70,400	10,000	5750	months are an experience of the second
6	BRC,Hanumannagar,Darbhanga	85.2	1,70,400	10,000	5750	
7	BRC, Lakhnaur, Madhubani	85.2	1,70,400	10,000	5750	15 माह 15 माह
8	BRC,Bisfi,Madhubani	85.2	1,70,400	10,000	5750	15 गाह
9	BRC,Rahika,Madhubani	85.2	1,70,400	10,000	5750	15 माह
10	BRC Samastipur	85.2	1,70,400	10,000	5750	
11	BRC Bankatwa, E. Champaran	85.2	1,70,400	10,000	5750	
12	BRC Bairia, W. Champaran	85.2	1,70,400	10,000	5750	15 माह 15 माह
13	BRC Chakki,Buxar	85.2	1,70,400	10,000	5750	15 माह
14	BRC Buxar	85.2	1,70,400	10,000	5750	15 माह
15	BRC, Jokihat, Araria	85.2	1,70,400	10,000	5750	AND THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.
16	BRC,Kursakata,Araria	85.2	1,70,400	10,000	5750	and the experimental players and a consist desperate that a sec-
17	BRC, Thakurganj, Kishanganj	85.2	1,70,400	10,000	5750	AND DESCRIPTION OF THE PARTY OF
18	BRC,Pothia,Kishanganj	85.2	1,70,400	10,000	-	15 HIS
19	BRC Barhat, Jamui	85.2	1,70,400	10,000	5750	15 माह
20	BRC Naugachhia,Bhagalpur	85.2	1,70,400	10,000	5750	15 HIR
21	BRC,Merajgang,Sitamarhi	85.2	1,70,400		5750	15 माह
22	BRC, Warisaliganj, Nawada	85.2	1,70,400	10,000	5750	15 माह
23	BRC, Narhat, Nawada	85.2		10,000	5750	15 माह
24	BRC Gaighat, Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह

नोटः (i) निविदाकार एक या अधिक कार्य के लिए अलग-अलग निविदा डाल सकते हैं।

(ii) प्राक्कलित राशि घट या बढ़ सकती है एवं तद्नुसार अग्रधन की राशि घट या बढ़ सकती है।

(iii) वेबसाईट-www.eproc.bihar.gov.in पर अंकित प्राक्कलित राशि, अग्रधन की राशि एवं परिमाण विपत्र की राशि अंतिम रुप से मान्य होगा।

(2) विज्ञापन निर्गत करने की तिथि

दिनांक:-26.10.2016

(3) परिमाण विपत्र प्राप्त करने(डाउनलोड) की अबधि एवं समय :— दिनांक— 14.11.2016 से 27.11.2016, 15:00 घंटा

(4) प्री बिड मीटिंग का समय, स्थान एंव तिथि

(वेबसाईट:www.eproc.bihar.gov.in पर) दिनांक:- 17.11.2016, 16:00 घंटा प्रबंध निदेशक का

(5) निविदा प्राप्ति(अपलोड) की अंतिम तिथि एवं समय:-

कार्यालय,बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम, पटना।

(6) अग्रधन जमा करने की अंतिम तिथि एवं समय (7) टेक्निकल बिंड खोलने की तिथि एवं समय

दिनांक- 28.11.2016, समय- 15:00 घंटा दिनांक- 30.11.2016, समय- 15:00 घंटा

दिनांक- 30.11.2016, समय- 16:30 घंटा (वेबसाईट-www.eproc.bihar.gov.inपर)

(8) वित्तीय बिड खोलने की तिथि एवं समय

दिनांक- 07.12.2016. समय- 15:30 घंटा

Chief Consultant (Technical)

Bihar State Educational Infrastructure Development Corporation Ltd., Patna

(10) (1) प्रभाप