Schedule XLV-Form No. 61.

Name of Nork:- Construction of Upgraded Schools

(1) 2n B2har Group. no: Uss-163c

Name of Agency: - Dzlip Kumar Mishra

BIHAR PUBLIC WORKS DEPARTMENT

Agreement No: - 283 F2 of 2014-15
[FormE-2.]

ITEM RATE TENDER AND CONTRACT FOR WORKS

General Rule and Directions for. the guidence of Contractors.

1. AH works proposed for execution by contract will be notified in a form of invitation to tender pasted on a board hung up in the office of and signed by the Subdivisional Officer, Executive Engineer.

This notice will state the work to the work to be carried Out the items and approximate quantities there of as , well as the date for submitting and opening tenders, also the amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderer" and the percentages. If any, to be deducted from bills. Copies of the specifications, design and drawings and any , other documents required in connection with the submission of tender signed for the purpose of I\identification by the SubdivisionallOfficer/ Executive 'Engineer shall also be open for -inspection by the contractor at the office of the SubdivisionallOfficer/ Executive Engineer during office hojtirs*

- In the event of the tender being submitted by a firm, it must be signed separately by each methber thereof, or, in the event of absence of any partner, it must be signed on his behalfby a person hokfing as a power attorney authorising him to do so.
- 3. Receipts for payments made on account of work when executed by firm, must also be signed by the several partners except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by sold other person having authority to give effectual receipts for the firm,
- 4. The memorandum of work tendered for, and the memorandum of materials to besupplied by the Public Works Department and their issue rates shall be filled in ~md completed in the office of the subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to an intending tenderer without having been so filled in and '~ompleted; heshall request' the office to have this done before he completes and delivers his tender.

5.'	The amount of earnest'money to be deposited will be			Rs.
	If the amount of the estimate does not exceed Rs. 2,000			50
	If the amount of the estimate exceed Rs. 2,000 bj.it does I	<u>.</u>	•	
	not ~xceed RsV 5,000	•		100
	If the amount of the estimate exceed Rs. 5,000 but does			
	not exceed Rs. 10,000			200
	For each additional Rs. 5,000 or portion of Rs. 5,000			
	additional earnest money		.*	100

Any person who submits a tender shall fill up the usual printed form stating at what rate he is willing to undertake, each item of the work. Incomplete tender and tenders which purpose any alteration in the work specified in the said form of invitation to tender, or, which contain any other conditions of any sort or omit to note the time within which the work can be finished, or which are not accompained by a treasury challan for the required earnest money will be liable to rejection. No. single tender shall include fnore than one work, but, contractors who wish to tender for two or more works shall submit a separate tender for each. Tender shall bear the name of the work to which they refer wrritten outside the envelope. Cash deposits for earnest money here in before maintained shall be made in Government Treasuries and the challan there of should be enclosed with the tender.

दिलीप कुलार निम

- 7. The Engineer or his duly authorised assistant will open the lender ir, the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders in a comparative statements in a suitable form. In the event of a lender being rejected the challan for the a earnest money forwarded therewith shall there upon be retained to the tenderer with a pay order for the amount of the earnest money.
 - 8. The Engineer shall have the right of rejecting all or any of the tenders.
- In the event of a tender being selected for acceptence the Engineer who opened the tenders will be impetant to accept the tender, inflament the tenderer of the selected tender who shall there upon sign copies of the specification and other documents mentioned in rule I and 4 for the purpose of identification and for his acceptance with the tender. The tenderer of the selected lender shall also deposit the required amount of the security money with in the prescribed time, if the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender. If the Engineer is not competent to accept the tender himselfbe will inform the tenderer of the tender which he decides to recommend for acceptance, such tenderer shall there upon sign forth with copies of the specification and other documents mentioned in rules I and 4 and shalldeposit the required amount of the security money "within the prescribed time. The tender with th>: specification and other, documents signed by the tenderer will then be forwarded for acceptance to the Engineer who is competent to accept the same if the said Engineer rejects the tender the security money deposited shall be ref ended to the tenderer.
- When a tender is selected for acceptance the tenderer shall deposit the required amount of the security m~mey in cash the treasury and shall forward the challan to the Executive Engineer in government securities may be endorsed to the Executive Engineerin lieu of a cash deposit of the required amount of the security money. No lender shall be finally accepted until I the required money of the security money has been deposited.
- The amount of security money to be deposited by the tender whose tender is select or acceptance shall be 10% of the estimated value of the work and towards the amount the earnest mone> already deposited by him shall be credited. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be not tied to him in, writling by the office opening the tender, falling which the tender shall be liable to rejection.

Any halance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance and the required amount of the security money has been deposited the Engineer shall securitinise all pages of the form of item Rate. Tender and Contractor for works ~o see the form has been properly filled up and signed by the contractor and the signature witnessed. He shall then if he is competent to accept the tender sign the acceptance of the tender if he is not so competent. shall send the form for signature of the acceptance of the office compentent to accept it.

दिलीय कला मिक

125 ans

TENDER FOR WORK

If We hereby tender for the execution for the Government of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of cars months from the date of wrillfen order to commence and in accordance in all respects with the specifications desmans drawing. And other documents referred to rule I here of and subject to the annexed conditions of contract and with such conditions so for as applicable.'

MEMORANDOM

[a] If serveral sub works are included	(a)	Name of work		
they should be detailed in a seperate list.	(b)	Estimated cost	Rs.	
	(c)	Earnest money	Rs	
Ibl This deposit will be 5% o cstmated cost of the work		Initial security deposit, (including earnest money) to be deposited. commencement of the work	before Rs	the
	(e)	Percentage to be deducted from bills Rs. 5% (Rupees live percent)		
to the contr		Time required for the work from date oil \\ritten order to commence	Mon	1h
securities deposit	(g)	Date of written order to commence		
я	(h)	Title number of item of work tendered £~r		

		RATE	TENDERED		
em No.	Item of Work	7	In Words	Per	
		In figures	III Wolds		
			A CONTRACTOR OF THE CONTRACTOR		
		,		· · · · · · · · · · · · · · · · · · ·	
3					
		-			
			,		
		- varieties			
in the second	The state of the s			06 -	

दिलीय अगर मिस

Item No.	Item of Work	RATE	RATE TENDERED		
		In figures	In words	Per	
	gring spitch in the state of a con- transport of the con- control of the con-			1:44	
			v.		
			, A		
			www.tab.com		
(A) (A) (B) (B) (B) (B) (B) (B) (B) (B) (B) (B					
the many the state of the second of the seco	the control of production of management and are already as production of the control of the cont				

द्लीप कना कि क

D.	E TENDERED	RATE	4. 9	Item No.	
Per	In words	In figures			Francisco de la constitución de
And the second s	The second se				

E0148711 (7/19

Tana N.T		RAT	TE TENDERED	D	
Item No.	Item of Work	In figures	In words	Per	
		υ (1) - Ευρών (1)		**************************************	

दिलीपका गा (मिम

Item No.	Item of Work	RATE TENDERED	n.	
item iyo.	Rem of work	In figures In words	Per	
			-	
	i de la composition della comp		•	
	and the second s			
			100	

दिजीप कुमार मिल

Should this tender be accepted I / We hereby agree to abide by the fulfill all the term and provisions of the said conditions of contract annexed here to so far as applicable or defauli there of to forfeit and pay to the Governor of Bihar or his successors in office the sum of money mentioned in the said conditions. Dated the

Signa/lire Contractor before commission of tender

20

Witness--Address--

Occupation --

senature of witness contractor 19 iature

compensation

The

not

ntill such date as the

hall certi fy as the

ate on which the vork is finished after

ectfication of defects

s pointed by the

are

onplited with by the

to the

hould

onsidered

xecutive

ecess

xecutive.

gents

ontractor

xecutive

atisfaction.

his

Work

finished

Engineer

ary

Engineer

fully

authorised

Engineer

be

The above tender is hereby accepted by me on behalf of the Governor of Bihar Dated the day of

Signature a/the Officer accepting the tender

Acceptance communicated on

Signature of the party taking the tender

CONDITION OF CONTRACT

Clause 1 -- All compensation, or other "sums of money payable by the contractor to Govefn-ment under the terms, of his contract may be deducted from . or paid by the sale of a sufficient pare his security deposit, or from the interest arising there from or from any sums which may be due or may become due to the contractor by Government on any account whatsoever, and in the event of his security deposit being reduced by reson of any such deduction or sale as afore said, the contractor shall within ten days thereafter make good in cash or Government securities endorsed as aforsaid any sum or sums which may have been deducted from or arised by sale of his security deposit or any part thereof. -

Clause 2 -- The time allowed for earring out the work as entered in the tender shall be strictly observed by the contractor and shall be reckoned from the date on which the written order to commence work is given to the contractor. The work shall throughout the stipulated period of the contract be carried on with ail due diligence(time being deemed to be the essence of the contract on the part of the contractor) and the contreactor shall pay as compension an amount equal to 112 percent on the estimate cost of the whole work as shown by the tender for. every day thaithe work remain uncommenced or unfinished after the proper dates, And further to ensure good progress during the execution of the work the contractor shall be bound. in all cases in which the time allowed for and work exceeds one month to complete one fourth of the whole of the work before one - fourth of the whole time allowed tinder the contract has elapsed one - half of the work before one half of such time, elapsed and three- fourth of the work before three - fourths of such time has elapsed. In the event of the contractor failing to comply with this condition, he shall be liable to pay as compensation an amount equal to 112 percent, on the said estimated cost of the whole work for every day that the due quantity work remains incomplete Provided converys that the entire amount of compensation to be paid under the provisions this clause shall not exceed 10 percent, on the estimated cost of the work as shown in the tender.

Clause 3 - In any case in which under any clause or clauses of this contract the contractor shall have tendered himself liable pay compensation amounting to the whole of his security deposit in the hands of Government! whether paid in one sum or deducted by instalments) the Executive Engineer on behalf of the Governor of Bihar shall have power to adopt any of the following courses, as he may deem suited to the interests of Government.

To rescid the contract (of which rescision notice in writing to the contract under the hand of the Executive Engineer shall be conclusive evidence) and in

are the security deposit of the contractor shall stand forfeited, and be absolutely

at the disposal on Government,

ction when hole security desits forfeited. ~

दिलीय कमा मिक

- To employ labour paid by the Public Works Department and to supply materials to carry out the work or any part of the works debitting the contraction with the costs of the labour and the price of the materials (of the amount of which cost and price certificate of the Executive Engineer shall be final and conclusive against the contractor) and eneditting him with the value of the work done: in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract the cerficate of tHe Executive Engineer as to the value of the work done shall final and conclusive against the contractor.
 - To measure up the work of the contractor and to take such part of the work of the contract as shal I be unexecuted out of his hands and to give it to another contractor to complete, in whichcase any expenses which maybe incurred in excess of the sum -which would have been paid to the original contractor if the whole work had been executed by him(of the amount of which excess the certificate in writing of the Executive Eng. shall be final and conclusive) shall be borne and paid by the original contractor and may be deducted from any money due to him by Government under the contractor otherwise or from his security deposit or the proceeds of sale thereo or a sufficient part thereof

In the event of any ~f trhe above course being adopted by (he Executive Engineer, the contractor shall have no claim to compensation for any losss sustained by him by reson of his have ing purchased or procured any materials, or entered into any engagement, or made and advances on account of or with a view to executions of the work or-lhe performance of the contract. And in case the contract shall be recinded under the provision aforesaid contraaetor shall not be entitle to recover or be paid any sum for any work there to-Tore actrally performed under this contract unless and-until! the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect there of and be shall only he entitled to be paid the value so. certified.

Clause 4- In any casein which any of the-powers, conferred upon the Executive Engineer by clause 3 thereof, shall have become exercisable and he same shall not be exercised, the move hable to pay non-exercise thereof shall not constitute waiver of any of the conditions hereof and such powers compensation (i) shall not with standing be exercisable in the event of any future case of default by the contractor action nor take which by any clause or clause hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain uneffected. In the event of the Executive Engineer putting in force the powers vasted in him under the proceeding clause he may if the soldesires take possession of all or any tools, plants materials and store, in orupon the works, or the site thereof belonging to the contractor, or Power to take procured by him and intended be used for the execution of the work or any part thereof paying or possession of in allowing for the same in the account at the contract rates or, in case OiThese not being applicable, required removal to at current marks rates to! be certified By the Executive Engineer whose certificate thereof shall inal otherwise the Executive Engineer may be notice inwritting to the contractor or his clerk or the vork foreman or other authorised agent require him to remove such tools plant materials, or storest rom the promises (within a£ime to specified in such notice) and the event of the contractor failing to comply with ny such requisition- the Executive Engineer may remove them at the contractor's expense or sell them by action or rivate sale on account of the contractor and at his risk in ail respect, and the certificate of the Executive Engineer as the expense of any such removal and the amount of the proceeds and expenses of any such sale shall be final and onclusive against the contractor.

ro sell contractor

Clause 5 - If the contractor shall desire and extension of the time for completion of the work, on the ground his having been unavoidable hindered in its execution or on any other ground, other than those mentioned in use, 12 (a) he shall apply in writting: to the Executive Engineer within 60 days from the date of starting of the iderence on account of which he desires SU such extension aforsaid, and the Executive Engineer shall; if in his nion (which shall be final) geasonable grounds be shown therefore, authorise.

दिलाम् उलाट निम

Such extention of time, if any, as may in his opinion in necessary or proper. The Executive Engineer shall at the same time inform the contractor whether the claim compensation for the delay.

Final Certificate

Described by the Execution Engineer (herein after called the Engineer - in - charge) of such companion by the Execution Engineer (herein after called the Engineer - in - charge) of such companion by the Execution Engineer (herein after called the Engineer - in - charge) of such companion by the entire the given, not shall the work be considered to be complete untill the contractor shall have removed from the area of the premises (to be distinctly marked by the Execution Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials and rubbish, and cleaned off the dirt from all wood work, doors, windows walls, floors or othe part of any furnishing in upon or about which the work is to be executed or of which he may have had possession for the purpose of the Execution thereof not untill the work shall have been measured by the efficient office public works Department in accordance with the rules of the department whose measurements shall be binding and conclusive against the contractor if the contractor shall fail to comply with the requirements of this clause as to removal ofscaffolding surplus materials. rubbish and disposal of the same as he thicks fit and clean of such dirt as aforesaid, and the contractor shall forthwish pay the amount of all expense so incurred and shall have no claim in respect of any scaffolding or surplus materials as aforesaid except for any sum actually realised by the sale thereof.

Payment of in a terms date cerificute to be regarded as advance and bill to be submitted monthly Clause 7 - A bill shall be submitted by the contractor each month on or before the date ixed by the Engineer-in-charge for all work executede in the previous months and the Engineer is charge or his subordiante shall take the requisit measurement for the purpose of having the same verified and the claim as for as admissible adjusted if possible before the expiry often days from the presentation of the bill. If the contractor < toes not submit the bill within the time fixed as aforsaic the Engineer- in - charge or his subordinate shall measure up the said work in the presence of the contractor whose counter signature to "the measurement list Will be sufficient warrant; and the Engin-eer- in - charge or his subordinate shall prepare a bill from such list which shall be binding on the contractor in all respects.

Provided that if any balance of the 10% security is outstanding from each such paymen shall be deducted to much, not exceeding 5% as may be necessary to make up the balance of the security, All such intermediate payments to the contractor shall be regarded as payments by way of advance against the final payment only and not as payments for work actually done and completed and shall not preclude the requiring of bad unsound and imperfect or unskilful * ork to be removed and taken away and re-constructed or re-crected or be considered as an admission of due pertormance of the contract or any part thereof in any respect or the actual of any claim not shall i conclude determine or effect in any way the powers of the Engineer-in-charge under these conditions or any of them as to the final settlement or adjustment of the accounts or otherwise, of in any other way very or affect the contract.

Stores supplied Government

Clause 8 - The Final bill shall be prepared by the officer of the Public Works Department in accordance with the miles of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Clause 9 - If the specification or estimate of the work provides for the use of any special description of materials to be supplied from the Engineer - in - charge's stores, or it is required that the contracor shall use vertain stores to be provided by the Engineer - in - charge under the conditions of this contract (such materials and 'stores, and prices to be charged therefore as therein after mentioned being so far as practiable for the convenience of the contractor but not so as in any way to control the meaning or effect of this contract are specified in the schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed schedules as are required from time to be used by him for the purpose of the contract.

Golf some Dig

1268 -2014 1268 -2014 Ltd. Paina Only an the value of the full quantity of materials and stores supplied at the rates specified in the said schedule may be set of or deducted from any sums then due or there after to become due to the contract under the contract, or otherwise, of against or from the security deposit or the proceeds of sale thereof; if the same is held in Gove-rument securities, the same or sufficient portion thereof being in the case sold for the purpose. All materials supplied to the contractor shall remain the absolute property of Government and shall not on any account be removed from the site of the work and shall at all time be open to inspections by the Engineer - in - charge. Any such materials unused and in perfectly good condition at the time of the completion or determination of the contract shall be returned to the Engineer -in - charge's, store, at the prevailing market rate or the issue rate which ever is less ifby a notice in writting under his hand he shall so require but the contractor shall not be entitled to return any such materials unless with such consent, and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid, being unused by him or for any wastage in damage to or any such materials.

Work to be executing accordance with specification, drawing other etc.

Clause 10 - The contractor shall execute the whole any every part of the work in the cost substantial any work-manlike manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to the designs, drawing and instructions in griting ralation to the work signed by the Engineer - in - charge and lodged in his office and to which the contractor be entitled to have access at such office, for the purpose of inspection during office hour, and the contractor shall ifhe so require be entitled at his own expense to make or cause to be made copies of specifications, and of all such designs drawings and instructions as aforesaid.

Alteration specifications a designation

Clause II - Engineer - in - charge shall have power to make any alteratins in for additions to the original specifications drawing designs and instruct in that may appear to him to be necessary or advisable during the progress of and the work the contractor shall be bound to carried out the work in accordance with any instructions which may be given to him in writting signed by the Engineer - in charge. We and such alteration shall not invalidate the contract and any additional work shall be carried out by the contractor on the same conditions in all respects which he agreed to do the main work and at the same rates as are specified in the tender for the main work. The time for the completion of the work shall be extended in the preportion that the additional work bears to theoriginal contract work and the certificate of Engineer - in - charge shall be conclusive as to such preporation .And it the additional work inclusive any class of work fur which no rate is specified in this contract, then such clause of work shall be carried out at the rates entered in the sanctioned Schedule or rates of the locality during the period when the work is being carried on and if such last mentioned clause of work is not entered in the schedules offates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer - in - charge rate which it is his intention to charge for such class of work and if the Engineer-in-charge does not agree this rates be shall by notice in writting be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as be may donsider Jadvisable provided always that if the contractor shall commence work or incure any expenditure in regard thereof before the rates shall have been determined as lastly herein before mentioned then and in such case he shall only be entitled to paid in respect of the work carried out or expenditure in carried by him prior to the date of the determination of the rate as afore-said according to such rate or rates as such the fixed by the Engineer - in charge. In the event of a dispute the decision of the Superintending Engineer of the circle will be final.

Do not invalcontract

Time is of alteration

Rates for works estimate schedule rates of district

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writting from the Engineer-in-charge for the additional work that the contractor shall be bound to submit his claim for any additional work done during the month on or before the 15th days offollowing month accompanied by a copy of the order in writting of the Engineer - in - charge for the additional work, and that the contractor shall not been titled to any payment in respect of such additional work ifhe fails to submit his claim within the aforesaid period.

Chief Engineer B.S.E.I.D.C. Ltd, Patna

Zh.

दिलीय क्या (क्रामा

Compensation for alteration in or resti fication of work to ~ carried out

Clause 12 - If any time after the commencement of the work the Governor of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tradict to carried out the Engineer in - charge sha give notice in writting of the fact to the contractor who shall have no claim to any payment for compensation whatsoever on account of any profit or advantage which he might have derived from the execution of the work in full, but which he did not derive in consequences of the full ament of the work not having been carried out, neither shall he gave any claim for compensation by reason of any attentions having been made in the original specification, drawings designs and instruction which shall involve and contained in G.O.No. 1929 dated 11-9-56.

Clause 12(a). The contractor shall not be entitled to claim any compensation for loss suffered by him on account of failure or delay by or on behalf of Government in the supply materials or store which the Government may have under taken to supply where such failure is due Co.

(i) natural calamities, (ii) act of anamies. (iii) transport and prosearem at difficulties or (iv) circumstances beyond the control of the State Government.

In case of such failure or delay in the supply of materials presented, on an application by the contractor within 30 days from the of such failure or delay, such extent ion of three-shall be granted to the contractor for completion of the works as shall appears to the Engineer to be reasonable in accordance with, the circumstance of the case. Hie decision of the Ex-ecutive Engineer as to the extention of time shall be accepted as final by the contractor.

-Action and com- pensation upayable. is
'case of work

Clause 13 - If it shall appear to the Engineer - in - charge or his subordinate in charge of the work that any work has been executed with unsound, imperfect or unskilled workmanship on with materials or any inferior description; or that any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contractor for or otherwise not in accordance with the acontract the contractor shall on demand in writting from the Engineer in - charge specifying the work materials of carticles complained of not with standing that the same may have been inadverently passed partified and paid for - forth with rectify or remove and reconstruct the work, so specified in whole or in part as the case require, or as the case may be remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost and in the event-of his failing to do so within a period to the specified by the Engineer-in-charge on his demandaforesaid the contractor shall be liable to pay compensation at the rate of one per eater on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer - in - charge may rectify or remove v and re-execute the work or centure and replacement to other the materials or i articles complained or as the case may be at the materials or it articles complained or as the case may be at the materials or articles complained or the contractor.

- Work to be taken to - Perporti m

Clause 14- All work under or in courses of execution in persuance of the contract shall at all time be open to the inspection and supervision of the Engineer - in - 'Change and his subordinates and the contractor shall at all times during the usual working hours and at all other times at which reasonable notice of the intention of the Engineer - in ;/charge or his subordinate to visit the works shall have been given to the contractor either himself be present to received orders and instruction, or have a responsible agent duly acredited in writting present for that purpose order given to the contractor himself.

Clause 15- The contractor shall give not less than fivedays notice in writting to the Engineer sin - charge or his subordinate in charge of the work before covering up an atherwise placing beyond the reach of measurement any "lork in order that the same may be measured and concert dimensions thereof the taken before the same is so covered up or place beyond the reach of measurement and shall not cover up or place beyond the reach of measurement any work with out the consent in writting, of the Engineer in - charge or his subordinate in charge of the work and if any work shall covered up or placed beyond the reach of measurement without such notice having been given or consent obtained the same shall be uncovered at the contractor's expences, or in default thereof to payment or allownace shall be made for such work on the materials with which the same was effected.

Samice to be taken

Medice work covered

Clause 16- If the contractor or his work people; or severants shall break deface, injure or destroy any part of a building in which they may be working or any building moad curbs fencer, closure waterpipes, cables drains, electric or telephone posts or wires, trees, grass or grassland or cultivated ground continuous to the premises on which the work or any part of it is in execute dignada or if any dashage shall happened to the work, which in progress, from any cause whatever or any imperfection

IP-become whatever or any imperfection become apperent in its its in three months (six months fine the case of a road-work after a sr certificate final or other of its completion shall have been given by the Engineer - in - charge as a for seal the contractor shall make the same good at his own species, of in default, the Engineer - in - charge may case the same or be made good by other work men and its least the expense (soft which the certificate or the Engineer - in - charge shall be final) from

Manager done and for months

स्किम् अगटिम्

126-8-2019 26-8-2019 time thereafter may become due to the contractor or from his security deposit or the proceeds of sale there of or of a sufficient portion therof. The security deposit at the contractor shall not be refunded before the expiry of three months (six months in case of a road work) after the issue of the certificate final or otherwise of completion of work. Provided that in the case of a road work if in the opinion of the Engineer - in - charge behalf of the security deposit will be refundable after three months of the issue of the said certificate of completion.

Clause, 17 - The contractor shall supply at his own cost all materials (except such special materials if any as may in accordance with the sontmef be supplied from the Engineer -in - charge's stores) plant, tools appliances implements ladders cordage tankle scaffolding and temporary works equisite or proper for the proper execution of the work whether original altered or substituted and whether included in the specifications or other documents forming partofthe contractor referred to in hese conditions or not or which may be necessary; of for the purpose of satisfy hig or complying with the requirement of the Engineer - in - charge as to any matter as to which under these conditions he s entitled to be satisfied which he [s entitled to require together with carrage therefore: to And'iYonvthe work Hve 'contract shall also supply without charge the requisite number of persons withihe means and naterials" necessary for the purpose of .setting out works and counting weighting and assisting in the neasurement of examination at any lime and from time to time of the work of rnaterials. Failing his so loing the same may be, provided by the Engineer-in -charge at the expence of the contractor and the expenses may be deducted from any money due tothe contractor under the contract from his security leposit or the proceeds of sale thereof or of a sufficient portion thereof The contractor shall also provide ill necessary fencing and light required to protect the public [from accident and shall be bound to baar he expence of defence of every suit, action or other proceeding at low that may be broought by any person for injury sustained owning of neglect of above precautions and to pay any damages and, costs, which maybe avoided in any such suit action proceedings to any such person of which may with the consent of the contractor ... be paid to compromise, any claim by any .such person.

Contractor supply plant ledder scaffoldings etc.

And is liable Damage arising by Nonprovision of lig-Fencing etc.

Clause 18 - No female labour shall be employed with in the fleimts or cantonment.

The contractor shall not employ for the purpose of this contract any person which below the igerof twelve years and shall pay to each labourer for the work done by such labourer wages not kss han the wages paid tor similer work in the neighbourhood.

The executive Engineer shall have the fight to enquire into and decide any compliments lodging hat the wages paid by the contractor any labourer for the work done by such labourer is less than the vages paid for similer work in the neighbourhood.

The officer in charge of the work shall have the right to decide whether any labourer employed our contractor to below the age of twelve vers and to refuse to allow any labourer whom he decide do to be below the age of twelve years employed the contractor.

Clause 19- The contract shall not be assigned or subject without the written approval the Executive Engineer. And if the contractor shall assign or subject his contractor or attempt so to, do or be come assolvent or commence any insolvenecy proceedings or make any composition with his creditors or attempt so do; or if any be gratuity, gift loan, perquiste reward or advantage pecuntary or otherwise hall either directly or indirectly be given, promised or offered by the contractor or any of his servants or agents to anypublic officer or person in the employ or Government fin any way relating to his officer or employment or if any-such officer or person shall become in any way directly or ndirectly in the contract, the Executive engineer may there—upon by notice, in writing escind the contract the security deposit of the contractor shall there upon stand for feited and be absolutely at the

Work not to subject

Contract may rescided and security deposit forefened for subletting ribelse of if contractor comes insolvent

*Chief Engineer B.S.E.I.D.C. Ltd, Patna

Conty anich on

disposal of Government and the same consequences shall cluase as if the contract had been reseinded under cluase (3) here of and in addition the contractor shall not be entitled to recover or the paid any work there of a actually performed under contract.

Claiise 20 - All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of Government with out reference to teh actual loss or damaged sustained and whether or not any damage shall have been sustained.

Sum payable by way of compensation to be compensation as resonable compenential without reference to entirely to the compenential without reference to entirely the compensations.

Clause 21 - In the case of a sender by partners any change in the constitution of the firm shall be forth with notified by the contractor to the Engineer - in - charge for this information. In case of failure to notify the change in the constitution within fifteen days the Engineer -in- charge may be notice in writting rescind the contract and the securi deposit of the contractor shall there upon stand forfeited and the absolutely at the disposal of Government and the same consequences shall ensure as if the contract shall be entitled to recover or be paid for any work therefore, actually per formed under the contract.

Changes i constation of him Clause 22 - All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending laigineer of the Circle for the time, being who shall be entitled to direct the time being who shall be entitled to direct at what point or points and in what manner the are to be, commenced and from time carried on.

Clause 23 - In case any dispute or di (Terenceshall arise between the parties, or either of hereupon any question relating to the meaning of the specification, designs drawing and instructions herein before mentioned ov as to the quality of workmanship, or materials used on the work vor as-be the construction of atn of the conditions or any clause or thing there in contained or as to any question, claimrights or liabilities of the parties, or any Clause or thing whatsoever in any way rising out of or relating in the contract designs drawing, specifications, estimates, instruction order, or these conditions otherwise concerning the work or the execution or failure to execute the same whether arising during the progress of the work, or after the completion or abandonment thereof or as to the breach of this contract, then either party shall forth with give to the other notice of such disputes or difference and such dispute or difference shall be referred to superintending Engineer of the circle and his decision thereof shall be final conclusive and binding on all the parties,

Works to be under direction of superinsending Engineer

Clause 24 - When the estimate on which a tenderis made includes lump sums is respect of parts of the work, the contractor shall be entitled to payment in respect of the nem of work involved of the part of the work in question at the same rates as are payable under this contract for such Items or ifthe part of the work in question is act in the opinion of the Engi - neer - in - charge capable of measurement. The Engineer- in - charge may at his discretion pay the lumpsum amount entered in the estimate, and certificate iq writting of the Engineer - in- charge shall be final conclusive against the contractor with regard the IIIYsum or sums payable to him under the provisions of this clause.

Lumpsums

estima/es

Clause 25 - In the case of any class of work for which there is no such specifications as in mentioned in rales. Such work shall be carried out in accordance with the circle specification and the cevent of there being no circle specification then in such case the work shall be carried out in all respects in accordance-with the instruction and requirements of the Engineer-in - charge.

Action where no specialistics

Clause 26 - The expression "work" or "works" where used on these condition shall unless there he something either in the subject or context repugnent to such construction be contracted and taken to mean the works by or by virtue of the contract contracted to be executed, whether temporary or permanent, and whether, original altered substituted to or additional.

(Reformation of works

Clause 27 - The terms, and conditions of the agreement have been read/explained to me and clearly understand them

Witness

Contractor

किलीम कुमार मिन्न

Chief Engineer

(15)

Schedule showing (approximately) materials to be supplied. If available the rates of which they are to be charged for and places at which they are to be supplied

Particulars	Rate at wh will be o	ich the materials charged to the ntractors		Place of delivary
	Units	Rs.	P.	
		·**		

Note: - The person or film submitting the tender should see that the rates in the above schedules are filled up by the Engineer - in - charge on the form prior to the submission of the tender.

(Signature of Contractor)

(Signature of Executive Enginner,

हिलीप क्यार के मां

PSELDE Lig Pana

Rh

Bihar State Educational Infrastructure Development Corporation Ltd. TENDER: B.O.Q OF UPGRADED SECONDARY SCHOOLS IN BIHAR

Group No.: USS-163C

S.N.	District	Block	Name of School
1	SITAMARHI	Sursand	M.S.Bhitta Bazar

THE ITEM RATES ARE BASED ON BIHAR SCHEDULE OF RATES, BCD, effective from dated: 11.08.2013 & DSR 2013

TENDER FOR WORKS

I/we heredy tender for the execution for the Governor of Bihr of the work specifed in the under written memorandum at the rates specified therein within a period of years month from the date of witten order to commence and in accodance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subjects to the annexed condation of contract and with such materaials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

MEMORANDUM

- incuded they should be detained in the separate list
- (a) If several sub-work are (A) Name of Work :- CONSTRUCTION OF UPGRADED SCHOOLS IN BIHAR Group No.: USS-163C
 - (B) Estimated Cost :- Rs. 58/,45,037=00 Agreement value :- Rs. 56,39,876=00
- (b) This deposit will be 5% of the estimated cost of the

(C)Earnest Money:-

- (c)This percentage deduction from bills will be credited to the contractors security deposits
- (D) Initial security deposits (including earnest money) to be deposited before the Commencement of the work-Earnest Money: - Rs. 2,82,000/- (Details attached)
- (E) Percentage to be deducted from bill Rs.5% (Rupees Five percent)
- (F) Time required for the work from date of written order to commence TWELVE MONTHS
- (G) Date of written order to commence :-
- (H) Total number of item of work tendered for :- 74

DILLI DIN	CWODL	70 . (0	-4'4				
CIVIL W		.5 : (Quai	ntity per School)				
SI.No.	Sub No.	SOR Ref.No.	DESCRIPTION	Quantity	Unit	Rate	Amount
			2.0 Earth Work				
1		2.8	EARTH WORK IN EXCAVATION over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including dressing of sides and ramming of bottom, lift upto 1.5m including getting out the excavated soil and disposal of surplus soil as directed, within a lead of 50m.				
		2.8.1	ALL KINDS OF SOIL	268.46	CU.M	178.40	Rs. One hundred seventy eight and pair forty only.

FAMIN SOMIL BA

2	2.26	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth: consolidating each deposited layer by ramming and watering lead of 50 m.	176.14	CU.M	57.80	Rs. Fifty seven and paise eighty only.
3	2.28	SUPPLY AND FILLING in plinth & Foundation with local sand and under floors inluding watering, ramming, consolidating and dressing and dressing complete.	183.85	CU.M	186.30	Rs. One hundred eighty six and paise thirty only.
4	2.29.1	SURFACE DRESSING of the ground including removing vegetation and in- equalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5 m	3.50	100 SQ.M	642.50	Rs. Six hundred forty two and paise fifty only.
5	4.5	4.0 Concrete Work Providing and laying of in position cement concrete of specified grade, excluding the cost of centering and shuttering all work upto plinth level.				Rs. Two thousand five hundred fifty four and paise sixty only.
	4.5.6	1:3:6 (1 Cement : 3 Coarse sand : 6 graded stone aggregate 40mm nominal size) 5.0 Reinforced Cement	29.80	CU.M	2554.60	
6	5.1	Providing 'and laying of in position, of specified mix of reinforced cement concrete, excluding the cost of centering and shuttering, finishing and reinforcement - all work upto plinth level.				
	 5.1.2	1:1½:3 (1 Cement : 1½ Coarse sand : 3 graded stone aggregate 20 mm nominal size) IN FOUNDATION.	44.30	CU.M	3851.00	Rs. Three/thousand eight hundred fifty one only.

दिलीप उन्मद् की A

Chies Englaces

3 S 5 D C 16d Same

	,					T	
7		5.2	Reinforced cement concrete work in wall (any thickness), including attached pilasters, butteresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts, etc. upto floor v level, excluding costs of centering, shuttering, finishing and reinforcement.				
·		5.2.2	Col. In plinth & superstructure 1:1½:3 (1 Cement : 1½ Coarse sand : 3 graded stone aggregate 20 mm nominal size).	24.83	CU.M	3903.40	Rs. Three thousand nine hundred three and paise forty only.
8		5.3+ 5.44.4	Reinforced cement concrete work in beams, upto five level excluding cost of centring, shuttering and finishing and reinforcement with 1:1½:3(1cement: 1½ coarse sand :3 graded stone agreagate 20 mm niminal size)	7.04	CU.M	4161.12	Rs. Four thousand one hundred sixty one and paise twelve only.
9		5.3+ 5.44.4	Reinforced cement concrete work in LINTEL BAND upto five level excluding cost of centring, shuttering and finishing and reinforcement with 1:11/2:3(1cement: 11/2 coarse sand :3 graded stone agreagate 20 mm niminal size)	32.48	CU.M	4161.12	Rs. Four thousand one hundred sixty one and paise twelve only.
10		5.3+ 5.44.4	Reinforced cement concrete work in suspended floors & roofs upto five level excluding cost of centring, shuttering and finishing and reinforcement with 1:1½:3(1cement: 1½ coarse sand :3 graded stone agreagate 20 mm niminal size)	63.27	CU.M	4161.12	Rs. Four thousand one hundred sixty one and paise twelve only.

fally some for An

Rh

11		5.3+ 5.44.4	Reinforced cement concrete work in STAIRCASE upto five level excluding cost of centring, shuttering and finishing and reinforcement with 1:1½:3(1cement: 1½ coarse sand :3 graded stone agreagate 20 mm niminal size)	8.06	CU.M	√ 4161.12	Rs. Four thousand one hundred sixty one and paise twelve only.
		1)	Centering and shuttering including struting, propping etc. and removal of form for -		-		Rs. One hundred thirty seven and paise
	12.1	L I	Foundations, footings,bases of columns etc. for mass concrete.	178.37	SQ.M.	137.78 <i>(</i>	seventy eight only.
12	12.2	5.14.6	Columns	393.96 /	SQ.M.	283.30	Rs. Two hundred eighty three and paise thirty only.
	12.3	5.14.3	ROOF SLAB	506.44	SQ.M.	229.80	Rs. Two hundred twenty nine and paise eighty only.
	12.4	5.14.5	Lintels, beams, plinth beams,-	438.63	SQ.M.	195.60	Rs. One hundred ninety five and paise sixty only.
	12.5	5.14:7	Stairs (excluding landings).	47.75	SQ.M.	296,10	Rs. Two hundred ninety six and paise ten only.
		5.29	Reinforcement for RCC work including straightening, cutting bending,placing in position and binding all complete.	1438.91	kg	63.40	Rs. Sixty Three and paise forty only.
	13.1	5.29.1	Mild steel 6.00 mm dia			·	
13	13.2	5.29.7A	Thermo- Mechanically Treated bars TMTC-500- 8mm dia.	8626.38	Kg	67.00	Rs. Sixty seven only.
10	13.3	5.29.7B	Thermo- Mechanically Treated bars TMTC-500- 10mm dia.	3079.91	Kg	65.70	Rs. Sixty five and paise seventy only.
	13.4	5.29.7C	Thermo- Mechanically Treated bars TMTC-500- 12mm dia.	957.49	Kg	65.10 <	Rs. Sixty five and paise ten only.
	13.5	5.29.7D	Thermo- Mechanically Treated bars TMTC-500- 16mm dia.	432.11 ^	Kg	65.70 ′	Rs. Sixty five and paise seventy only.
	13.6	5.29.7E	Thermo- Mechanically Treated bars TMTC-500- 20mm dia.	720.33 /	Kg	65.50	Rs. Sixty five and paise fifty only.



		·	6.0 Brick Work (A)				
	14.1	6.1 A	Brick work with bricks of class of class designation 100 A in foundations and plinth in :			,	
14		6.1.14A	Cement mortar 1: 6 (1 cement : 6 coarse sand)	25.29	CU.M	3713.5	Rs. Three thousand seven hundred thirteen and paise fifty only.
	14.2	6.1.12/1	Cement mortar 1: 4 (1 cement : 4 coarse sand)	7.03 ~	CU.M	3914.60	Rs. Three thousand nine hundred fourteen and paise sixty only.
	15.1	6.1 A	Brick work with bricks of class of class designation 100 A in superstucture upto floor V level in :				
15		i i	Cement mortar 1: 6 (1 cement : 6 coarse sand)	173.48	CU. M	4092.30	Rs. Four thousand ninety two and paise thirty only.
	15.2	6.18.4A+ 6.19A	Cement mortar 1: 4 (1 cement : 4 coarse sand)	15.28	SQ.M.	500.10	Rs. Five hundred and paise ten only.
			9.0 Wood Work				
16		9.82.1	Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc. all complete	1432.00	Kg	83.90	Rs. Eighty three and paise ninety only.
			10.0 Steel Work				
17		10.5	Providing and fixing in position collapsable steel shutters with vertical channels 20X10X2 mm and braced with flat iron ds 20X5 mm size with top and bottom rail of T-iron 40X40X6 mm with 40 mm dia steel pulleys completes with bolts-nuts locking arrangement stoppers handles including applying a priming coat of approved steel primer.	9.75	SQ.M	3634.00	Rs. Three thousand six hundred thirty four only.

Conly sonic for the

		<u> </u>	Providing and fixing 1 mm]
			thick M.S. sheet door &				
			window with frame of				
Ì			40X40X6 mm angle iron and		-		L' /
	,		3 mm gusset plates at the			<i>'</i>	Rs. Two thousand two
18		10.7	, ,	49.44	SQ.M.	2247.80	hundred forty seven
	•		junction and corners all				and paise eighty only.
			necessary fittings complete				1
			including applying a				
			primming coat of approved				
			steel primer. Providing and fixing steel	· · · · · · · · · · · · · · · · · · ·	<u> </u>		
			glazed doors, windows and				
			ventilatrs of standard rolled				
			steel sections, joints mitered				
			and welded with 15x3 mm				
}			1 1				
İ			lugs 10 cm long with steel				
			lugs embedded in cement concrete blocks 15x10x10				,
İ			1				
İ			Cm of 1:3:6 (1 Cement:3				
			coarse sand : 6 graded				
			stone aggregate 22 mm				
		,	nominal size) or with				Rs. Two thousand nine
10		40.40	woodenplugs and screws or	CC EA	CO M	2924.00	l .
19		10.12	rawl plugs and screws or	66.54	SQ.M.	2924.00	hundred twenty four
			with fixing clips or with bolts			1	only.
			and nuts as required,				,
			including providing and				
			fixing of glass panes with				
İ		İ	glazing clips and special			<u> </u>	
			metal-sash putty of				
			approved make complete				
			including applying a priming				
			coat of approved steel		·		
		1	primer; excluding the cost of		,		
		,	metal beading and other				
			fitting except necessary				
			hinges or pivots as required.			ļ	
			Providing and fixing M.S.		ł	10000	Rs. One hundred eight
20		10.19	Fan clamp type 1 of 16 mm	22.00	EACH	108.20	and paise twenty only.
							The purpose of the pu
			Steel work welded in built up				
			sections as per drawing				
			including cutting hoisting,			1	
21		10.32.2	fixing in position and	540.00	K.G.	77.10	Rs. Seventy seven and
		10.02.2	applying a priming coat of	5 10,00	'\.\\.		paise ten only.
			approved steel primer using				P
			steel in Stairs / Balcony				
			railing.				
			Providing and fixing hand				
			rail by welding etc. to steel				
			ladder railings & staircases				
		10.33	railing including applying a				
22			priming coat of approved				
			steel primer			~	
				←			
		10.33.1	MS tube (medium) 40 mm	108.00	K.G.	81.60	Rs Fighty one and
		10.00.1	nominal bore	100,00	1	01.00	paise sixty only.
B			<u> </u>			-1	ey-

क्लिय अमार कि क्र

		11.0 Flooring	[
23	11.8	52 mm thick cement concrete flooring with metallic concrete hardener topping undr layer 40 mm thick cement concrete 1:2:4(1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal Size) and top layer 12 mm thick metallic cement hardener consisting of mix 1:2 (1 cement hardenr miz: 2 stone aggregate 6 Mrr. ominal size) by volume hardning compund is mixed @ 2 litre per 50 kag of cement or as per manufacture specification. This includes cost of cement slurry, etc, but excluding the cost of nosing of steps etc. complete.	663.85	SQ.M	316.10	Rs. Three hundred sixteen and paise ten only.
24	11.14	Extra for making chequers of approved pattern on cement concrete floors, steps, landing, pavements etc.	228.28	SQ.M	16.60	Rs. Sixteen and paise sixty only.
25	11.72	Providing designation 100 - A, BRICK FLAT SOLING joints filled with local sand including cost of watering taxes and royalty all complete as per building specification and direction of Engineer Incharge.	417.80	SQ.M	212.90	Rs. Two hundred twenlve and paise ninety only.
26	11.76	Providing average 150 mm thick dry remmed Khoa beaten to 112 mm (Compacted with water) made of well burnt or Jhama bricks including ramming properly till compacted thickness is achieved. Curing and carriage of water with all leads, making proper slope and blinding the top with cement mortar, (1: 10) all complete as per building specification and direction of E/1	214.55	SQ.M	283.50	Rs. Two hundred eighty three and paise fifty only.

Egnty aprico &

			12.0 Roofing				
			Providing & fixing on wall				
			face unplasticised - Rigid	!		·	
			P.V.C. rain water pipes	4			
			1				
			, ,				
		12.78	Type A including jointing				
27			with seal ring conforming to				
			IS: 5382 leaving 10mm gap				
			for thermal expansion .				
			Single socket ed pipes. 110				
	,		mm dia	:		/	Rs. One hundred
		40.70.0	110 MM RAIN WATER	82.31	 Metre	199.60	ninety nine and paise
		12.78.2	PIPE	02.31	Metre	199.00	1
	ļ	10 -0 -0		F			sixty only.
		12.79.5.2	BEND				D. O. Investor d C.O.
28				40.00	- A O. I.	450.40	Rs. One hundred fiftty
			110 MM	10.00	EACH	153.40	three and paise forty
							onlý.
						for.	Rs. Two hundred
29		12.79.6.2	SHOE - 110MM	10.00	EACH	293.35	ninety three and paise
							thirty five only.
			13.0 Finishing				
			Cement Plaster in coarse				·
	20.4	12 11 2	sand with 12 mm cement	229.60	SQ.M.	90.70	Rs. Ninety and pasie
	30.1	13.11.2	plaster 1:4 (1 Cement : 6	223.00	J (4,1VI).	30.10	seventy only.
30			Coarse Sand)				?
			Cement Plaster in coarse			/	
	20.2	13.11.4	sand with 12 mm cement	1290.96	SQ.M.	79.10	Rs. Seventy nine and
	30.2	13.11.4	plaster 1:6 (1 Cement : 4	1230.30	J GG.1VI.	10.10	paise ten only.
			Coarse Sand)				
			20 mm thick plaster of mix				
		13.13.	:				
31		13.13.2	1 : 4 (1 Cement ; 4 Coarse				Rs. One hundred
		10.70.2	Sand	41.62	SQ.M	128.10	twenty eight and paise
			Sanu)				ten only.
		13.13.4	20 mm thick plaster of mix	. ~			
20		13.13.4	:				1
32			1 : 6 (1 Cement : 6 Coarse	662 46	SO M	110.00	Rs. One hundred ten
1		1	Sand)	663.16	SQ.M.	110.00	only.
			12 mm cement Plaster 1:3				
			1		,		Rs. One hundred
33		13.17	(1 Cement : 3 Coarse Sand)	48.53	SQ.M.	127.00	twenty seven only.
			finished with a floating coat of neat Cement				twenty seven only.
			6 mm Cement Plaster to				
34		13.24.2	Ceiling of mix -	.			
34		13.24.2	cement plaster 1:4 (1	448.06	SQ.M.	68.20	Rs. Sixty eight and
			Cement : 4 Coarse Sand)	440,00	الاز،الاز،	00.20	paise twenty only.
25		12.26	Neat Cement Punning	315.08	SQ.M	25.9	Rs. Twenty five and
35	<u></u>	13.26	ineat Cement Funning	J1J,00	J. J. W. IVI	20.8	paise ninety only.
			White washing with lime to				
36		13.70.	give an even shade			,	
30	,	13.70.1	New work (three or more	1562.77	SQ.M	9.00	Rs. Nine only.
			coats)	1002.11	الاا.پیان	9.00	No. Ivine Olly.
			Applying one coat of cement				Rs. Nile Olly.
1			primer of approved brand			,	796
		13.78	and manufacturer on wall	,		Chiel	Las Season
37	,		surface.			BSELC	C. Ltd, Patna
			Surface.			\$600C 6 -500, 5 Anne 6 8 2 5000	Pank
							H

दिलीप जागार मिर्म

						. /	
		13.78.1	cement primer on outer wall surface	730.25	SQ.M	22.10	Rs. Twenty two and paise ten only.
38		13.79	Finishing walls with water proofing cement paint of approved brand and manufacture and of required shade to give an even shade			۲	Rs. Fifty one and pasie
		13.79.1	New work (three or more coats)	730.25	SQ.M	51.70	seventy only.
39		13.93	Painting with Synthetic enamel paints of approved brand and manufacture of required color to give an even shade.				
		13.93.1	Two or more coats on new work		A	Hidean	
			Paiting over Steel surface	283.92	SQ.M	42.00	Rs. Forty two only.
		I	23.0 Pile Work				
40	40.1	23.2.5	Making 25 cm (10") dia bore up to 4 Mtr Depth below ground with hand auger of approved quality in ordinary soil (Vide classification of soil item A) true to plumb and without eccentri city in any stage of operation and disposal of gthe excavated earth up to 50 mtr. lead in eluiding all lifts. all complete as per approved disign and directions of E/I	0.00	Metre	80.40	Rs. Eighty and paise forty only.
	40.2	23.2.6	63 cm (25) UNDER REAM making 63 cm (25) dia under ream at required with hand auger of approved quality in ordinary soil (Vide classification of soil item-A) true to plumb and without iccentric city in may stage of operation and disposal of the excavated earth up to 50 mts. lead in eluding all lifts. All complete as per approved design and direction of (E/I)	0.00	Each	85.70	Rs. Eighty five and paise seventy only.

Galy somzon

			Sanitary Works				
41		D.S.R 17.1.1	Providing and fixining water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast iron P or S tap, 10 litre low white P.V.C. Flushing cistern with munally controlled device (handle level) conforming to IS:7231 Parryware/ Hindware with all fittings and fixtures complete including cutting and making good the walls and floors wherever required.				
			White Vitreous China Orissa pattern W C pan of size 580 X 440 mm with integral type foot rest.	8.00	Each	3265.25	Rs. Three thousand two hundred sixty five and paise twenty five only.
42		DSR 18.49.1	Providing and fixing C.P. brass bib cock of approved qualityconforming to IS:8931				
			15 mm nominal bore.	8.00	Each	458.40	Rs. Four hundred fifty eight and paise forty only.
43		DSR 17.7.1	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps,32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:				
			White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps.	4.00	EACH	2174.65	Rs. Two thousand one hundred seventy four and paise sixty five only.
	44.1	DSR 17.28	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.				
44		17.28.2	Flexible pipe		*		Da Canada ta
		17.28.2.1	32 mm dia	4.00	EACH	72.55	Rs. Seventy two and pasie fifty five only.
	44.2	17.28.2.2	40 mm dia	1.00	EACH	74.90	Rs. Seventy four and paise ninety only.

(7m/4.90)(6) /p

		`			-,		
45		DSR 17.11	Providing and fixing white vitreous china laboratory sink with C.I. brackets, C.P. brass chain with rubber plug 40mm C.P brass waste and including painting of fittings and brackets, cutting and making good the wall wherever required:			·	
		17.11.2	Size 600x450x200mm	1.00	EACH	2992.45	Rs. Two thousand nine hundred ninety two and paise forty five only.
46		DSR 18.52	Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS:8931.				
		18.52.1	15 mm nominal bore.	5.00	EACH	618.70	Rs. Six hundred eighteen and paise seventy only.
47		2.38A.2	Providing & fixing stailess steel jali (grating) with or without hole for waste pipe for floor / nahani trap. 100 mm dia. Weight not less			/	Rs. Twenty three and
			than 100 gms.	2.00	EACH	23.37	paise thirty seven only.
48		12.78 BSR	Providing and fixing on wall face unplastidsed PVC (working pressure 4 kgf per sqm) rain water pipes conforming to IS: 4985 including jointing with seal ring conforming to IS: 5382 leaving 10 mm gap for thermal expansion.	76.21	MTS	199.60	Rs. One hundred ninety nine and paise sixty only.
		12.78.2	110 mm diameter				
		12.79	Provinding and fixing PVC pipe fittings with all accessories				D O O D D O D O D O D O D O D O D O D O
49	49.1	12.79.5.2	1) 110mm Plain bend PVC	16.00	Each	153.40	Rs. One hundred fifty three and paise forty only.
	49.2	12.79.3.2	3) 110mm door tee PVC	12.00	EACH	294.60	Rs. Two hundred ninety four and paise sixty only.

दिली.प. उमाट कि क्ष

		p===					· · · · · · · · · · · · · · · · · · ·
			Contructing brick masonry chamber for Underground				
			C.I. Inspection Chamber and				
		, .	bend with 75 class				
			designation bricks in cement		,		
			mortar 1:4(1 cement : 4				
			coarse sand)C.I Cover with				
			frame (light duty) 455x610	•			
,			mm internal dimentions,	,			
,			total weight of cover with				
			frame to be not less than 38				
			kg.(weight of cover 23 kg.			,	
		19.30.1.1	and weight of frame 15 kg)			*	
		/DSR	RCC top slab with 1:1.5:3 mix (1 cement:1.5 coarse	,	-		
50			sand :3 graded stone			,	
			aggregate 20 mm mm				·
			nominal size) foundation				,
			concrete 1:5:10 mix (1				
			cement:5 coarse sand :10				
			graded stone aggregate 40				
		-	mmnominal size), inside				
			plastering 12 mm th. with				
			cenment mortar 1:3 (1				
			cement :3 coarse sand)				
			finished smooth with a floating coat of neat cement		*,		
			inside dimensions)	
			455x610mm and 45 mm	6.00	EVOL	4505.00	Rs. Four thousand five
			deep for single pipe with	0.00	EACH	4303.00	hundred five only.
			F.P.S. bricks				
			Providing and fixing				
			Chlorinated Polyvinyl				·
		ı	Chloride (CPVC) pipes,		,		
			having thermal stability for hot & cold water supply				
			including allCPVC plain &			,	
			brass threaded fittings	· ·	,		
		10.51	including fixing the pipe with				
		18.8/	clamps at 1.00 m spacing.			,	
		DSR	This includes joining of				
			pipes & fittings with one				
			stepCPVC solvent cement				
			and the cost of cutting				
51			chases and making good				
			the same including testing of				
, .			joints complete as per direction of E/I				
			Concealed work including				
			cutting chases and making				
			good the wall etc.	/		1	Rs. Two hundred fifty
	51.1	a)18.8.1	15mm dia	35.00	MTS	254.95	four and paise ninety
	01,1	[4, 10,0.1	TOTALL MIN	55.00	, 0		five only.
			Exposed on wall			/	16.00
	51.2	c)					Rear firee hundred
	J1.Z	18.9.5	40mm dia	75,00	MTS	343.55	forty three and paise
		10.0.0				<u>Chi</u>	tifty five only.

दिलीय अमा ति मा

B.S.E.I.D.C. Ltd, Patna

52	52.3	MR	Labour cost for preparation of BIHAR MAP on wall incuding painting all complete.	1.00	Each	15150.00	Rs. Fifteen thousand one hundred fifty only.
53		18.48/ DSR	Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI: 12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank	1000.00	LTS	. 6.30	Rs. Six and paise thirty only.
			Providing and fixing of Borewell, Handpump with Submerssible pump all complete.				
			Construction of 125 mm x 40mm dia x 75.00 mtr. Deep I.M III hand Tube Well	1.00	Each	8635.50	Rs. Eight thousand six hundred thirty five and
			Part 'A' Cost of Materials				paise fifty only.
	54.1	The state of the s	India mark III hand pump with 8 nos. Connection Rod and one cylender (With provision of force and uplift)				
	54.2		65 mm dia G.I. pipe medium quality (3mtrs length each).	8.00	Each	1072.62	Rs. One thousand seventy two and paise sixty two only.
	54.3		125 mm dia UPVC casing pipe conforming to ISS	27.00	mtr	318.15	Rs. Three hundred eighteen and paise fifteen only.
	54.4		40 mm dia length quantity G.I pipe conforming to ISS	44.00	mtr	187.86	Rs. One hundred eighty seven and paise eighty six only.
	54.5		40 mm dia x 2 long PVC RIBEED strainer of approved quality	2.00	Nos.	183.82	Rs. One hundred eighty three and paise eighty two only.
	54.6		125 mm x 40 mm UPVC reducing socket (Heavy quality)	1	Each	166.65	Rs. One hundred sixty six and paise sixty five only.
			Part - 'B' Labour Cost (Classification of soil item 'A')				

Gody some of the

Apply roll

54.7	Boring by jet dheki by suitable cutter of reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge. (i) 0 to 30.5 m (a) For 125 mm dia U.PV.C pipe	27	Metre	210.86	Rs. Two hundred ten and paise eighty six only.
54.8	(b) for 40 mm dia G.I pipe	3.5	Metre	2 105.46	Rs. One hundred five and paise forty six only.
54.9	(ii) 30.5 m to 61.0 m (a) For 40 mm dia G.I Pipe	30.5	Metre	121.28	Rs. One hundred twenty one and paise twenty eight only.
54.10	(iii) 61.00 m to 75.00 m a) For 40mm dia G.I pipe	14	Metre	131.84	Rs. One hundred thirty one and paise eighty four only.
54.11	Providing all labour & tools and fitting & fixing India mark III hand pump over newely sunk for T/Well etc. all Complete	1 ,	Each	67.38	Rs. Sixty seven and paise thirty eight only.
54.12	Supplying all labour and material and fitting and fixing G.I Cap over the new sink T/well	1	Each	65.65	Rs. Sixty five and paise sixty five only.
54.13	Providing all labour & tools and fitting & fixing Cylender with requisite suspension pipe and connection rod of India mark III hand pump etc. all complete.	1	Each	129.93	Rs. One hundred twenty nine and paise ninety three only.
. 54.14	Providing all labour & tools and lowering 65 mm dia G.I pipe as per specificatin etc. all Complete	24	P/M	21.55	Rs. Twenty one and paise fifty five only.
54.15	Supplying labour and developing the T/Well to have sand free discharge all complete as per direction of E/I	1 /	Each	283.31	Rs. Two hundred eighty three and paise thirty one only.
54.16	Providing all materials and labour and construction 1.85 dia circular P.C.C (1:2:4) UNICEF design platform with foot rest etc. all complete	1	Each	3679.43 Chie B.S.E.I.	R. Three thousand six time and paise forty three only. Since D.C. Ltd, Patna

दिलीम अभा भिर्म

54

						-
54.17		Providing all material and labour & constructing 1 P.C.C (1:2:4) UNICEF design drain for disposal of waste water etc. all complete.	3	P/M	311.08	Rs. Three hundred eleven and paise eight only.
54.18		Transportation of T/W materials, tools & plant from Store to work site and back to store if materials are surplus.	1	Each	361.28	Rs. Three hundred sixty one and paise twenty eight only.
		Part 'C' Cost for Additional Motorised system for filling overhead water-tank				
54.19		Providing and fixing of G.I pipes complete with G.I fittings and clamps, including, cutting and making good the walls etc. (internal work) 25mm dia	12	P/M	184.36	Rs. One hundred eighty four and paise thirty six only.
 54.20	,	Providing and fixing brass valve 25 mm nominal bore Fullway valve ,	2	Each	213.06	Rs. Two hundred thirteen and paise six only.
54.21		25 mm nominal bore Non- Return valve	1	Each	236.90	Rs. Two hundred thirty six and paise ninety only.
54.22		Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of E/I	1	Each	26462.00	Rs. Twenty six thousand four hundred sixty two only.

दिलीप अगट किस

	<u></u>		-	···		1	
			Internal Electrification Work				
55		1.1	Wiring for light point/fan point/exhaust fan point/ call bell poiont with 1.5 sq. mm FR PVC insulated copper conductor single core cable in surface/recessed PVC conduit, with piano type switch, phenolic laminated sheet, suitbale size PVC/ G.I box etc. as required.	153	Each	473.69	Rs. Four hundred seventy three and paise sixty nine only.
		1.1.3	Group C				
56		1.2	Wiring for twin control light point with 1.5 sq. mm FR PVC insulatd copper condctor single core cable in surface/ recessed PVC conduit, with 2way piano type switch, phinollic laminated sheet, suitable size PVC/GI box etc. as required.	2	Each	475.71	Rs. Four hundred seventy five and paise seventy one only.
57		1.5	Wiring for light/ power plug with 2x4 sq. mm. FR PVC insulated, copper conductor, signle core, cable in and surface, recessed PVC conduit along with 1 no. 4 sq. mm FR PVC insulated copper conductor single core cable for loop earthing as required.	440	Metre	171.70	Rs. One hundred seventy one and paise seventy only.
58		1.7 (b) 1.7.2	Wiring for circuit/ sub main wiring along with earth wire with the following size of PVC insulated, coppper conductor, signle core cable in surface/ recessed PVC conduit as required. 2x2.5 sq. mm + 1x2.5 sq. mm earth wire.	335	Rmt	126.25	Rs. One hundred twenty six and paise twenty five only.
59		(c)	4x6 sq. mm + 1x6 sq. mm earth wire.	25	Rmt	390.87	Rs. Three hundred ninety and paise eighty seven only.
60		1.33	Supplying and fixing 2 pin 5 amp. Ceiling rose on the existing junction box/ PVC box including connection etc as required.	40	Each	23.23	Rs. Twenty three and paise twenty three only.
61		1.34	Supplying and fixing battan/ angle holder including connection as required.	92	Each	28.28 = Chief	police twenty eight and conly on eer

दिलीप, अगाट निर्मा

B.S.E.I.D.C. Ltd, Patna

62	1.23	Supplying and fixing following piano typed switch/ socket on existing switch box/ cover including connection etc. as required. Telephone socket on shutter	153	Each	49.49	Rs. Forty nine and paise forty nine only.
<u> </u>		outlet				· · · · · · · · · · · · · · · · · · ·
63	1.22	Supplying and fixing metal box of following size (normal size) on surface or in recess with suitable size or phinollic laminated sheet cover in front of including painting etc. as required.	6	Each	59.59	Rs. Fifty nine and paise fifty nine only.
	1.22.1	75mm X 75mm X 50mm				
64	1.30.	deep (4" x 4") Supplying and fixing suitable G.I/PVC box on surface or in recess with phenolic laminated sheet cover in front including provided and fixing 6 pin, 15/16 amps socket outlet and 15/16 amps piano type switch connection, painting etc, as required.	46	Each	217.15	Rs. Two hundred seventeen and paise fifteen only.
65	2.9 (b) 2.9.5	Supplying and fixing of following way of three pole and neutral sheet steel, MCB distribution board 415 Volts, on surface/ recess, tinned, copper bus bar, neutral link, earth bar, din bar, detachable gland plate, interconnections, phosphatized and power painted including earthing etc. as required (but without MCB/ RCCB/ isolator)	2	Each	2554.29	Rs. Two thousand five hundred fifty four and paise twenty nine only.
66	(a) 2.12 (a) 2.12.1	Supplying and fixing 5 amps. to 32 amps, rating, 240 volts, 'C' series, MCB of following poles in the existing MCB DB with connections, testing and commissioning etc. as required. 6/32 single pole	35	Each	157.56	Rs. One fiundred fifty seven and paise fifty six only.
67	(b) 2.12.5	6/32 TPN	1	Each	936.27 Chief	lys Nine hundred fighy six and paise fiventy seven only.

(3074.90mic MA

B.S.E.I.D.C. Ltd. Patna

	T			1	,	<u></u>
		LT Panel & Cable				
68	6.14	Supplying and laying following size and core PVC/XLPE insulated PVC sheathed heavy duty armoured electrical cable with alluminium conductor for working voltage upto & including 1100 Volts. (Conforms to IS: 1554 part-1)	100	Metre	re 237.35	Rs. Two hundred thirty seven and paise thirty five only.
	6.14.4	16 sq.mm X 4 core alluminium armoured cable		- - - -		
69		Trench cutting in soil of suitable size 1.5 feet wide and 2 feet depth including refilling the trench with same etc. as required. (For laying the cable)	100	Rmt	22.22	Rs. Twenty two and paise twenty two only.
70	2.2	Providing and fixing following capacity double pole/ TP & N sheet metal switch disconnector fuse unit in existing metal board, with ISI marked HRC fuses, including drilling holes in metal board, making connections, etc. as required.	1	Each	ach 6034.75	Rs. Six thousand thirty four and paise seventy five only.
	2.2.2	100 amps. TP & N , HRC	*****			
71	3.15	EARTHING Providing and laying earth conection from earth electrod with 6 SWG dia GI wire in 15 mm dia GI pipe from earth electrod, as required.	3	Each	123.22	Rs. One hundred twenty three and paise twenty two only.
72	3.6	E arthing with copper earth plate 600mmx600mmx3mm thick including accessoies,and providing masonary enclosure with cover plate having locking arrangement and watering pipe etc as required	1	Set	5633.78	Ks. Five thousand six hundred thirty three and paise seventy eight only.

fanty one of

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

Ruh

		MISCE	LANEOUS WORK	The second secon			
			CARRAIGE OF MATERIALS				,
	73.1		A) LOCAL SAND ,Avg. LEAD - 3 KM.	188.09	CU.M	190.4	Rs One hundred ninety and paise forty only.
	73.2	142.5 Km	B) COARSE SAND ,Avg. LEAD from Doriganj	218.88	CU.M	1714.80	Rs. One thousand seven hundred forteen and paise eighty only.
73	73.3	352.38 Km by Rail +28.4 Km by Road	C) STONE CHIPS ,Avg. LEAD from Mirzachouki	203.65	CU.M	1883.29	Rs. One thousand eight hundred eighty three and paise twenty nine only.
	73.4		D) BRICKS ,Avg. LEAD- = 8 KM.	97.83	THOUSA ND	557.36	Rs. Five hundred fifty seven and paise thirty six only.
	73.5		E) Cement ,Avg. Lead =5 KM.	2497.00	Bags	9.88	Rs. Nine and paise eighty eight only.
	73.6		F) Steel ,Avg. Lead =5 KM.	15.26	M.T.	197.50	Rs. One hundred ninety seven and paise fifty only.
_			Add extra cost of material for				
74	74.1		Bricks	97.83	THOUSA ND	269.85	Rs. Two hundred-sixty nine and paise eighty five only.
	74.2		Cement	2497.00	Bagş	45.63	Rs. Forty Five and paise sixty three only.
			TOTAL	Cost = Rs.	5845036.61		
			Group No. ; U	SS-163C			
S.N.		trict	Block			ame of Sch	ool
1	SITAMARHI Sursand				.Bhitta Ba	ızar	58,45,036.61
						Rs	58,45,036.61
T1			of Dilin kumar Michra @ 3 519/			Say	

Tender approved in favour of Dilip kumar Mishra @ 3.51% (Zero Decimal Six Three Percent) below BOQ rates i.e. total amount comes to Rs.56,39,876=00 (Rupees Fifty Six Lacs Thirty Nine Thousand Eight Hundred Seventy Six Only)

दिलीप जगार कि मा

Chief Engineer
B.S.E.I.D.C. Utd. Paino

Performance Security

Name of Agency - "Dilip Kumar Mishra"

Performance Security of "Dilip Kumar Mishra" of "USS-163C"

FDR No. 33717317513 33981104259	DOI 11.03.14 To 10.03 21.07.14 To 20.07		USS-163C	Amount 110000.00
NSC No.	DOI	Reg No		161500.00
21BB 100737	16.03.11	10580	<u></u>	500.00
56DD 598499-500	16.03.11	10580	5000*2	10000.00
				Total 282000.00

(Rupees Two Lacs Eighty Two Thousands Only)

लेखा पदाधिकारी बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०, पटना

8074a4 25/0/14

दिलीपक्तान कि क्ष

BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

(A Govt, Of Bihar Undertaking)

Shiksha Bhawan, Bihar Rastrabhasa Parishad Campus ,Acharya Shiv Pujan Sahay Path, Saidpur, PATNA-800004. (Tel. No: 0612-2910314)

With refrence to N.I.T. Not-44/2013-14, Dated-13.02.2014 for execution of "Construction of Upgraded Secondary School buildings in Bihar" the bids have been accepted in favour of the Agencies as

		iary Scho	of buildings m 1	Bihar" the bids have be	een accepted	U III IAYOM Ox	t the riberra	
per deta Name of Groups	als below: Name of District	Name of Block	Name of School	Name of Agency	Estimated Cost (in Rs.)	Tendered Value (in Rs.)	Performance security to be deposited (in Rs.)	Time of Complet ion
ı USS-	Bhojpur Hausta	Barbara	Govt.M.S. 1 Bakhorapur 9570469585	Rau Singh, Vill- Semeia, Barhata, DisttBhojpur	51,96,715	48,50,094	2,43,000	१२ मह
2 USSA	Juxar	Dumra	, M.S.Nuaon 0939391 (44	Bablu Kumar Singh, Ram Ji Chak, School Road, Bata Ganj, Digha, Patna 18.	53,45,044	53,45,044	2,68,000	12 माह
1 185	a la Buxer	Dunira	M.S. Mathila 993 1890937	Prem Prakash Singh, Mahama Gandhi Nagar, Katha, Ara-802301	53,51,928	53,21,957	2,67,000	12 माह
dss- lien	Lik Buxar	Dumra	M.5. Ranipur 13 Mathiya 19758067 (77	Paivan Kumar Dubey, Vill+P.O Barka Dhkaich, P.S Krishnubrahm, Distt Bûxar	53,51,928	52,96,803	2,65,000	12 गाह
10sk	L J. Buxar	thuri	M.S. Barkagaon 8651239720	Man Mardan Shukla Construction Pvt. Ltd., Speaker Lanc, Naya Tola, Muzaffarpur, Billar.	53,36,156	53,33,489	2,67,000	12 गाह
USS- 1170	Buxne	Ithari	M.S. Harpur 9939590039	M/S Surbendra Kumar & Co., Civil Line. Buxar.	53,19,806	50,37,856	2,52,000	12 माह
USS- LIFE	Buxár	hijari	MS: Basavyan Killa 7739120 73	Nawunagar, Distt Buxar.	53, 19, 806	6 52,86,291	2,65,000	12 माह
USS:	Rohlhs	Karikat	MS, Delymarkand 1 18909878557	Annaith, Ard.	52,38,345	49,47,617	2,48,000	12 माह
USS 1211	Rohtas	Karakat	(1 Chris M S.Motha 916,106) 1	Krishna Pratap Sitigh, ATAP.O. (P.S Raingarh Kaimur	52,50,82	52,17,741	2,61,000	12 411
USS: [21]	St. Rolllas	Nas(g- au)	Mis. Palga 9935477596 9905271092	Krishna Pratap Siligh, AT (P.O. (P.S.) Raingaff Kaimur	h, 52 08,01		4 2,61,000	0 12 गा
	ISI Rohin	Nasrig	M.S.Payun ga 9473324921, 8298414859	Anii Ray. A1 - Vishunpu P.Q Kuruup Indirahya,DistRahtas	52 20 0	for the second) 12 H
			20.0016	Ala	. ggow.	Chief En	gineer Ltd Patra	

1540	Саун	Guraru	M.S. Manikar. 95727892 0	Mithlesh Kumar Singh, Janakpur, Buniyadeanj, Gava,	51,58 934	51,51,196	258000	१२ महि
	Aurangabad	Raphig ani-	M.S. Badhopur, 9955270100	Kaindéo Singh, Vill- Ghordaur, Bel, Obra, Aurangabad,	53,51,227	53,45,876	268000	१२ महि
USS-	Adrungabad	Madanp ;	M.S. Judahi, 9931892284	Shambhu Sharau Singh. Gyanpuri, New Area. Aurangabad, Bibar.	53,22,111	53,08,806	266000	१२ भार
USS- 1570	Aurangabad	Madanp m	M.S. Salivac 9953803641	Maa Sharda Construction New Area Ward No S Aurangabad Bihar	53,33 128	53,05,929	266000	12 相民
HSS- 157E .	Aurangabad	Raphig : anj	M.S. Danai, 9097351245	MS Mangalam Construction Sri Krishna Nagar (Ahar) Aurangabad Bihar	53,12,217	52,30,940	26 200 0	12 माह
115S- 162A	Sitamarhi	Bathou ha	M.S.Belahi Jairam 9973131925	Malti Infrastructure Pvf Ltd., Ground Floor malti Niwash, Jai Hind Colony, New Ranipur, Phulwarisarif, Patna-	58,95,955	58,22,845	29 20 00	12 मार
USS- 162F	Sitamarhi	Dumri	M.S.Pakri Sunakarit 8294843032	MS Bharti Construction Rajopatti,Ward No.26,Sitamarhi	58,43,570	57,11,505	286000	ं 12 माह
USS- 163B	Sitamarhi	Pupri	M.S.Maulanagar 9608713501	Dilip Kumar Mishra, Belshand Nagar Panchyat, ward No1, P.S Belshand, Distt Sitamadhi.	58,44,136	57,55,890	288000	12 माह
USS- 163C	Sitamarhi	Sirsand	M.S.Bhitta Bazar 8271527471	Dilip Kumar Mishra, Belshand Nagar Panchyat, ward Noj-1, P.S Belshand, Distt Sitamadhi.	58,45,037	56,39,876	282000	12 माह
USS- 166¢	Vaishali	Bidupur	M. S. Mohanpur Kajipatti 9199314551	NES Ashutosh Kumar. Vill+P.O Bithauli, P.S Bhagwanpur, Distt,- Vaishli.	55,94,932	52,56,439	263000	12 मह
USS- 173A	Siwan	Husain ganj	M. S. Hata Tola Chhata 9546660912	Star Construction & Co., Vill-Rasulpur, P.O., Chhapiyan Buzurg, Distt Siwan-841226.	56,40,665	56,28,820	282000	12 माह
USS- 1920	Darbhanga	Benipur	U. M. S. Ramouli 9931745776	Rampikar Yadav, Vill- Devna, Alinagar, Darbhanga	57,32,815	56,43,383	283000	12 मार
- USS- 192D		Biraul	U. M. S. Balha 7631905606	Rampukar Yadav, Vill- Devna, Alinagar, Darbhanga.	57,69,912	56,97,788	285000	12 40
1)\$\$- 199(A)		Narpaty	Middle School Kliabdah Duuriya 9661 (02737	Pramod-Kumar, Shivpuri, Ward No9, Araria.	57,69.637	55,30,197	277000	12 मा
uss-2	Gopalgan	Uchkay	Middle School, Kuparpura	M/S Sri Krishna Construction Company. R/O- Sushila Swami Sadan, North of Women's College, Gopalganj-841428	55,97,564	55,04,644	276000	12 मा

Agencies are hereby requested to furnish performance security as per mentioned in above

table. The Performance Security should be deposited within 10 (Ten) days of receipt of this Letter of

Any gones hi

Chief Engineer B.S.E.I.D.O. Ltd, Patna

er.

SPECIAL CONDITIONS

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes royalties and other

incidental charges.

4. To qualify for award of work, the Bidder must possess the following :-

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of signatory bid.

b) DD for required value of B.O.Q. Cost.

c) Sufficient Earnest Money Deposit.

- d) Certificate from Charted Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.
- e) Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed atleast one Building work of value not less than 25 % of estimated value of contract) in last five years and current Financial year will also be considered as mentioned in Technical bid.

f) Litigation History as mentioned in Technical bid.

g) Affidavit as mentioned in Technical bid.

h) Valid Registration with Central/ State Govt. / PSU.

i) Valid labour license as mentioned in Technical bid.

i) Valid Character Certificate as mentioned in Technical bid.

k) Affidavit/Certificate for not been debarred as mentioned in Technical bid.

- 5. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.
- 6. The tender without earnest money or insufficient earnest money submitted with the tender, will be outright rejected.

7. Conditional tenders shall be outright rejected.

- 8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.
- 9. Authority shall reserve the right to reject any or all the tenders or distribute the work to more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained.

- 11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules prevalent in the locality.
- 12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the contractor.
- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-

a. Natural calamities

(Seal & Signature of Tenderer)

दिसीप अगर मि

USS163(C)

- b. Act of enemies.
- c. Transport and procurement difficulties.
- d. Circumstances beyond the control of the state.
- 15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- 16. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
- 17. The contractor shall make his own arrangement for water and light at the work site.
- 18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 20. The Tenderer must not quote their rate more than 15 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
- 21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 22. If any departmental materials will be supplied to the contractor the cost for carriage etc. will be borne by the contractor.
- 23. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.
- 24. The Defect liability Period shall be One (1) Year from the date of completion of the work.

Λ-----

(Seal & Signature of Tenderer)

Goly 90013 67 60