Schedule XLV-Form No. 61.

Name of work: - Construction of Upgraded Schools 2n

Bihar Group. No. Uss - 117 D

(1) M.S. Basanan Kala Dist of Buxar" - 1.

Name of agency: - M/S Pragati Construction:

## BIHAR PUBLIC WORKS DEPARTMENT

Agreement No: - 288 F2 of 2014-15

### ITEM RATE TENDER AND CONTRACT FOR WORKS

## General Rule and Directions for. the guidence of Contractors.

1. AH works proposed for execution by contract will be notified in a form of invitation to tender pasted on a board hung up in the office of and signed by the Subdivisioria! Officer, Executive Engineer.

This notice will state the work to the work to be carried Out the items and approximate quantities there of as , well as the date for submitting and opening tenders, also the amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderer" and the percentages. If any, to be deducted from bills. Copies of the specifications, design and drawings and any , other documents required in connection with the submission of tender signed for the purpose of Nidentification by the SubdivisionallOfficer/ Executive Engineer shall also be open for -inspection by the contractor at the office of the SubdivisionallOfficer/

- 2. In the event of the tender being submitted by a firm, it must be signed separately by each methors thereof, or, in the event of absence of any partner, it must be signed on his behalfby a person hokfing as a power attorney authorising him to do so.
- Receipts for payments made on account of work when executed by firm, must also be signed by the several partners except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by sold other person having authority to give effectual receipts for the firm,
- 4. The memorandum of work tendered for, and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in ~md completed in the office of the subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to an intending tenderer without having been so filled in and '~ompleted; he shall request' the office to have this done before he completes and delivers his tender.
  - 5.' The amount of earnest money to be deposited will be

    If the amount of the estimate does not exceed Rs. 2,000

    If the amount of the estimate exceed Rs. 2,000 bj. it does I

    not ~xceed RsV 5,000

    If the amount of the estimate exceed Rs. 5,000 but does

    not exceed Rs. 10,000

    For each additional Rs. 5,000 or portion of Rs. 5,000

    additional earnest money

Any person who submits a tender shall fill up the usual printed form stating at what rate he is specified in the said form of invitation to tender, or, which contain any other conditions of any sort or omit to note the time within which the work can be finished, or which are not accompained by a treasury challan for the required earnest money will be liable to rejection. No. single tender shall include fnore than one work, but, contained of the work to which they refer wrritten outside the envelope. Cash deposits for earnest money here in before maintained shall be made in Government Treasuries and the challan there of should be enclosed with the tender.

- milling Outher

The sort

医乳油性病 医多类反抗 海绵蟹鱼的

Das Brighting Du

- 7. The Engineer or his duly authorised assistant will open the lender ir, the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders in a comparative statements in a suitable form. In the event of a lender being rejected the challan for the a earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.
  - 8. The Engineer shall have the right of rejecting all or any of the tenders.
- In the event of a tender being selected for acceptence the Engineer who opened the tenders will be empetant to accept the tender, inform the tenderer of the selected tender who shall there upon sign copies of the specification and other documents mentioned in rule I and 4 for the purpose of identification and for his acceptance with the tender. The tenderer of the selected lender shall also deposit the required amount of the security money within the prescribed time, if the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender. If the Engineer is not competent to accept the tender himselfbe will inform the tenderer of the tender which he decides to recommend for acceptance, such tenderer shall there upon sign forth with copies of the specification and other documents mentioned in rules I and 4 and shalldeposit the required amount of the security money "within the prescribed time. The tender with th>: specification and other, documents signed by the tenderer will then be forwarded for acceptance to the Engineer who is competent to accept the same if the said Engineer rejects the tender the security money deposited shall be ref ended to the tenderer.
- When a tender is selected for acceptance the tenderer shall deposit the required amount of the security m-mey in cash the treasury and shall forward the challan to the Executive Engineer in government securities may be endorsed to the Executive Engineerin lieu of a cash deposit of the required amount of the security money. No lender shall be finally accepted until I the required money of the security money has been deposited.
- The amount of security money to be deposited by the tender whose tender is select or acceptance shall be 10% of the estimated value of the work and towards the amount the earnest mone> already deposited by him shall be credited. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be not tied to him in. writling by the office opening the tender, falling which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

When a tender has been selected for acceptance and the required amount of the security money has been deposited the Engineer shall securitinise all pages of the form of item Rate. Tender and Contractor for works ~o see the form has been properly filled up and signed by the contractor and the signature witnessed. He shall then if he is competent to accept the tender sign the acceptance of the tender if he is not so competent. shall send the form for signature of the acceptance of the office compentent to accept it.

Ago wood

Rh

mirani Bum

[a] If serveral sub

Name of work

#### TENDER FOR WORK

If We hereby tender for the execution for the Government of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of cars months from the date of wrillfen order to commence and in accordance in all respects with the specifications desmans drawing. And other documents referred to rule I here of and subject to the annexed conditions of contract and with such conditions so for as applicable.'

#### **MEMORANDOM**

| works are in<br>they should<br>detailed in<br>seperate list  | be<br>a                | (b)             | Estimated cost       |                |                   |                     | Rs.               |  |
|--|------------------------|-----------------|----------------------|----------------|-------------------|---------------------|-------------------|--|
|  |                        | (c)             | Earnest money        |                |                   |                     | Rs                |  |
| Ibl This deposition be costroated cowork   | 5% c                   | (d)<br>of the   | Initial security de  |                | ling earnest r    | noney) to be depo   | sited, before the |  |
| IclThis per  | rcentage               | (e)             | Percentage to be de  | educted from b | ills Rs. 5% ( R   | upees live percent) |                   |  |
| deduction from the bills will be continued to the continu | om<br>redited<br>conti | (f)<br>ractor's | Time required for t  | he work from o | date oil \\ritten | order to commence   | Month             |  |
| securities de  |                        | (g)             | Date of written orde | er to commenc  | e                 |                     |                   |  |
|  |                        | (h)             | Title number of iter | n of work tend | ered £~r          |                     |                   |  |
| tem No.  |                        |                 | Item of Work         | ·              | RATE  In figures  | TENDERED In Words   | Per               |  |
|  |                        |                 |                      |                |                   |                     | 2014              |  |
| niemory) i promote pro-  |                        |                 | •                    |                |                   |                     | 37-8-2014         |  |

| Itam Na  | Item of Work | RAT  | E TENDERED | D      |  |
|----------|--------------|--|------------|--------|--|
| Item No. | item of work | In figures   | In words   | Per .  |  |
|          |              | is the second of the contract  |            | g esta |  |
|          |              |  |            |        |  |
|          |              |  |            |        |  |
|          |              |  |            |        |  |
|          |              | /  |            |        |  |
|          |              |  |            |        |  |
|          |              |  |            |        |  |
|          |              |  |            |        |  |
|          |              |  |            |        |  |
|          |              |  |            |        |  |
|          |              |  |            |        |  |
|          |              |  |            |        |  |
|          |              |  |            |        |  |
|          |              | When many the first was to be common to be c |            |        |  |

Frigeria Our

| Item No. | ter en une proper de la company | Item of Work | RAT  | ven die en |  |
|----------|---------------------------------|--------------|--|--|--|
|          |                                 |              | In figures   | In words                                       | Per  |
|          | !                               |              |  |  | The second secon |
|          |                                 |              |  |  | ~  |
|          |                                 |              | · · · · · · · · · · · · · · · · · · ·  |  |  |
|          |                                 |              |  |  | į.   |
|          |                                 |              |  |  |  |
|          |                                 |              |  |  |  |
|          |                                 |              |  |  |  |
|          |                                 |              |  |  |  |
|          |                                 |              |  |  |  |
|          |                                 |              | - 1  |  |  |
|          |                                 |              | ing the state of t | dhia   | (Figure 1)   |

 $3.5.E.l.D.C\_Ltd.$  Patha

R

| Item No. | Item of Work  | RATE       | TENDERED   |  |  |
|----------|---------------|------------|--|--|--|
|          | REIII OI WOIK | In figures | In words   | Per  |  |
|          |               |            |  |  |  |
|          |               |            |  |  |  |
|          |               |            |  |  |  |
|          |               |            |  |  |  |
|          |               |            |  |  |  |
|          |               |            |  |  |  |
|          |               |            |  |  |  |
|          |               |            |  |  |  |
|          |               |            |  | •  |  |
|          |               |            |  |  |  |
| ·        |               |            |  |  |  |
|          | <b>M</b>      |            |  |  |  |
|          |               |            | and the second s | · Comment of the Comm |  |

Sompler Ouch

BSELOC LIG PARA

MA TON

| Item No. | Item of Work   | RATE   |   |                            |
|----------|--|--|---|----------------------------|
|          | A COM OF WORK  | In figures   | In words                                      | Per                        |
|          | aties<br>The second se   | [d] Company (1997) (1997)  |   |                            |
|          |  |  | - Politica Company                            |                            |
|          |  | 2 200  |   |                            |
|          | the state of the complex of the state of the |  | ent of the state of the                       |                            |
|          |  |  |   |                            |
|          |  | and  |   |                            |
|          |  |  |   |                            |
|          |  |  |   |                            |
|          |  |  |   |                            |
|          |  |  |   |                            |
|          |  |  |   |                            |
|          |  |  |   |                            |
|          |  |  | er kom er |                            |
| Ì        |  |  |   |                            |
|          |  |  |   |                            |
|          |  |  |   |                            |
|          |  |  |   |                            |
|          |  |  |   |                            |
|          |  |  |   |                            |
| 2200     |  |  |   |                            |
|          |  | 4  |   |                            |
|          |  |  |   | •                          |
| 1        |  |  |   |                            |
|          |  |  |   |                            |
|          |  |  |   |                            |
|          |  | The second secon |   |                            |
|          |  | į.   |   |                            |
|          | . <b>!</b>   |  | n market with severe                          |                            |
|          | and the second second second second  |  |   |                            |
|          |  |  |   |                            |
|          |  |  |   | 0/                         |
|          | and the second   |  |   |                            |
|          |  |  |   | f Enginee<br>D.C. Ltd, Pat |
|          | 8  |  |   | er Liquidat                |

Should this tender be accepted I / We hereby agree to abide by the fulfill all the term and provisions of the said conditions of contract annexed here to so far as applicable or in defauli there of to forfeit and pay to the Governor of Bihar or his successors in office the sums of money mentioned in the said conditions.

Signa/lire Contractor before commission of tender

day of

20

Witness--Address--

Occupation-

inature of witness o contractor is anure

The above tender is hereby accepted by me on behalf of the Governor of Bihar Dated the

day of

Signature a/the Officer accepting the tender

Acceptance communicated on .....

Dated the

Signature of the party

#### CONDITION OF CONTRACT

taking the tender

compensation

Clause 1 -- All compensation, or other "sums of money payable by the contractor to Govefn-ment under the terms, of his contract may be deducted from. or paid by the sale of a sufficient pare his security deposit, or from the interest arising there from or from any sums which may be due or may become due to the contractor by Government on any account whatsoever, and in the event of his security deposit being reduced by reson of any such deduction or sale as afore said, the contractor shall within ten days thereafter make good in cash or Government securities endorsed as aforsaid any sum or sums which may have been deducted from or arised by sale of his security deposit or any part thereof.

Clause 2 -- The time allowed for earring out the work as entered in the tender shall be strictly observed by the contractor and .... shall be reckoned from the date on which the written order to commence work is given to the contractor. The work shall throughout the stipulated period of the contract be carried on with ail due diligence(time being deemed to be the essence of the contract on the part of the contractor) and the contreactor shall pay as compension an amount equal to 112 percent on the estimate cost of the whole work as shown by the tender for. every day thaithe work remain uncommenced or unfinished after the proper dates, And further to ensure good progress during the execution of the work the contractor shall be bound. in all cases in which the time allowed for and work exceeds one month to complete one fourth of the whole of the work before one - fourth of the whole time allowed tinder the contract has elapsed one - half of the work before one half of such time, elapsed and three- fourth of the work before three - fourths of such time has elapsed. In the event of the contractor failing to comply with this condition, he shall be liable to pay as compensation an amount equal to 112 percent, on the said estimated cost of the whole work for every day that the due quantity work remains incomplete Provided converys that the entire amount of compensation to be paid under the provisions this clause shall not exceed 10 percent, on the estimated cost of the work as shown in the tender.

Clause 3 -- In any case in which under any clause or clauses of this contract the contractor shall have tendered himself liable pay compensation amounting to the whole of his security deposit in the hands of Government! whether paid in one sum or deducted by instalments ) the Executive Engineer on behalf of the Governor of Bihar shall have power to adopt any of the following courses, as he may deem suited to the interests of Government.

To rescid the contract (of which rescision notice in writing to the contract under (a) the hand of the Executive Engineer shall be conclusive evidence) and in which

are the security deposit of the contractor shall stand forfeited, and be absolutely

at the disposal on Government,

The Work hould not be finished onsidered ntill such date as the ecutive Engineer hall certi fy as the ate on which the vork is finished after ecess ectfication of defects s pointed by the xecutive Engineer his authorised gents are fully onplited with by the ontractor to the ecutive Engineer atisfaction.

ction when hole security desits forfeited. ~

- To employ labour paid by the Public Works Department and to supply materials to carry out the work or any part of the works debitting the contraction with the costs of the labour and the price of the materials (of the amount of which cost and price certificate of the Executive Engineer shall be final and conclusive against the contractor) and enedititing him with the value of the work done: in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract the cerficate of tHe Executive Engineer as to the value of the work done shall final and conclusive against the contractor.
  - To measure up the work of the contractor and to take such part of the work of the contract as shal I be unexecuted out of his hands and to give it to another contractor to complete, in whichcase any expenses which maybe incurred in excess of the sum -which'would have been paid to the original contractor if the whole work had been executed by him( of the amount of which excess the certificate in writing of the Executive Eng. shall be final and conclusive) shall be borne and paid by the original contractor and may be deducted from any money due to him by Government under the contractor otherwise or from his security deposit or the proceeds of sale thereo or a sufficient part thereof

In the event of any ~f trhe above course being adopted by (he Executive Engineer, the contractor shall have no claim to compensation for any losss sustained by him by reson of his have ing purchased or procured any materials. or entered into any engagement, or made and advances on account of or with a view to executions of the work or-Ihe performance of the contract. And in case the contract shall be recinded under the provision aforesaid contraaetor shall not be entitle to recover or be paid any sum for any work there to-Tore actrally performed under this contract unless and-until! the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect there of and be shall only he entitled to be paid the value so certified.

Clause 4- In any casein which any of the-powers, conferred upon the Executive Engineer by clause 3 thereof, shall have become exercisable and he same shall not be exercised, the move hable to pay non-exercise thereof shall not constitute waiver of any of the conditions hereof and such powers compensation (i) shall not with standing be exercisable in the event of any future case of default by the contractor clause. which by any clause or clause hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain uneffected. In the event of the Executive Engineer putting in force the powers vasted in him under the proceeding clause he may if the soldesires take possession of all or any tools, plants materials and store, in orupon the works, or the site thereof belonging to the contractor, or Power to take procured by him and intended be used for the execution of the work or any part thereof paying or possession of in allowing for the same in the account at the contract rates or, in case OiThese not being applicable, at current marks rates to! be certified By the Executive Engineer whose certificate thereof shall final otherwise the Executive Engineer may be notice inwritting to the contractor or his clerk or the work foreman or other authorised agent require him to remove such tools plant materials, or storest from the promises (within a£ime to specified in such notice) and the event ofthe contractor failing to comply with any such requisition- the Executive Engineer may remove them at the contractor's expense or sell them by action or private sale on account of the contractor and at his risk in ail respect, and the certificate of the Executive Engineer as o the expense of any such removal and the amount of the proceeds and expenses of any such sale shall be final and onclusive against the contractor.

Contractor re-

required removal to ro sell contractor

Clause 5 - If the contractor shall desire and extension of the time for completion of the work, on the ground f his having been unavoidable hindered in its execution or on any other ground, other than those mentioned in lause, 12 (a) he shall apply in writting: to the Executive Engineer within 60 days from the date of starting of the inderence on account of which he desires SU such extension aforsaid, and the Executive Engineer shall; if in his oinion (which shall be final) geasonable grounds be shown therefore, authorise.

Extention of time S.S.E.I.D.O. Ltd. Paina

Zmiller Olimin

Such extention of time, if any, as may in his opinion in necessary or proper. The Executive Engineer shall at the same time inform the contractor whether the claim compensation for the delay.

Final Certificate

Clause 6 - On completion of the work, the contractor shall be furnished with a certificate by the Execution Engineer (herein after called the Engineer - in - charge) of such companion by no such certificate be given, not shall the work be considered to be complete untill the contractor shall have removed from the area of the premises (to be distinctly marked by the Execution Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials and rubbish, and cleaned off the dirt from all wood work, doors, windows walls, floors or othe part of any building in upon or about which the work is to be executed or of which he may have have possession for the purpose of the Execution thereof not untill the work shall have been measured by the officer of the public works Department in accordance with the rules of the department whose measurements shall be binding and conclusive against the contractor if the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding surplus materials, rubbish and disposal of the same as he thicks fit and clean of such dirt as aforesaid, and the contractor shall forthwith pay the amount of all expense so incurred and shall have no claim in respect of any scaffolding or surplus materials as aforesaid except for any sum actually realised by the sale thereof.

Payment of in terms date cerificate to be regarded as advance and bill to be submitted monthly Clause 7 - A bill shall be submitted by the contractor each month on or before the date ixed by the Engineer-in-charge for all work executede in the previous months and the Engineer in charge or his subordiante shall take the requisit measurement for the purpose of having the same verified and the claim as for as admissible adjusted if possible before the expiry often days from the presentation of the bill. If the contractor < toes not submit the bill within the time fixed as aforsaid the Engineer- in - charge or his subordinate shall measure up the said work in the presence of the contractor whose counter signature to "the measurement list Will be sufficient warrant; and the Engin-eer - in - charge or his subordinate shall prepare a bill from such list which shall be binding on the contractor in all respects.

Provided that if any balance of the 10% security is outstanding from each such paymen shall be deducted to much, not exceeding 5% as may be necessary to make up the balance of the security, All such intermediate payments to the contractor shall be regarded as payments by way of advance against the final payment only and not as payments for work actually done and completed and shall not preclude the requiring of bad unsound and imperfect or unskilful \* ork to be removed and taken away and re-constructed or re-erected or be considered as an admission of due pertermance of the contract or any part thereof in any respect or the actual of any claim not shall i conclude determine or effect in any way the powers of the Engineer-in-charge under these conditions or any of them as to the final settlement or adjustment of the accounts or otherwise, of in any other way very or affect the contract.

Stores supplied Government

Clause 8 - The Final bill shall be prepared by the officer of the Public Works Department in accordance with the niles of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Clause 9 - If the specification or estimate of the work provides for the use of any specia description of materials to be supplied from the Engineer - in - charge's stores, or it is required that the contracor shall use certain stores to be provided by the Engineer - in - charge under the conditions of this contract (such materials and 'stores, and prices to be charged therefore as therein after mentioned being so far as practiable for the convenience of the contractor but not so as in any way to control the meaning or effect of this contract are specified in the schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed schedules as are required from time to be used by him for the purpose of the contract.

B.S.E.I.D.C.

Smither Ollers

Only an the value of the full quantity of materials and stores supplied at the rates specified in the said schedule may be set of or deducted from any sums then due or there after to become due to the contract under the contract, or otherwise, of against or from the security deposit or the proceeds of sale thereof; if the same is held in Gove-rnment securities, the same or sufficient portion thereof being in the case sold for the purpose. All materials supplied to the contractor shall remain the absolute property of Government and shall not on any account be removed from the site of the work and shall at all time be open to inspections by the Engineer - in - charge. Any such materials unused and in perfectly good condition at the time of the completion or determination of the contract shall be returned to the Engineer -in - charge's, store, at the prevailing market rate or the issue rate which ever is less ifby a notice in writting under his hand he shall so require but the contractor shall not be entitled to return any such materials unless with such consent, and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid, being unused by him or for any wastage in damage to or any such materials.

.Work to be executing accordance with specification, drawing other etc.

Clause 10 - The contractor shall execute the whole any every part of the work in the cost substantial any work-manlike manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to the designs, drawing and instructions in griting ralation to the work signed by the Engineer - in charge and lodged in his office and to which the contractor be entitled to have access at such office, for the purpose of inspection during office hour, and the contractor shall ifhe so require be entitled at his own expense to make or cause to be made copies of specifications, and of all such designs drawings and instructions as aforesaid.

Alteration as a designation

Clause II - Engineer - in - charge shall have power to make any alteratins in for additions to the original specifications drawing designs and instruct in that may appear to him to be necessary or advisable during the progress of and the work the contractor shall be bound to carried out the work in accordance with any instructions which may be given to him in writting signed by the Engineer - in charge. We and such alteration shall not invalidate the contract and any additional work shall be carried out by the contractor on the same conditions in all respects which he agreed to do the main work and at the same rates as are specified in the tender for the main work. The time for the completion of the work shall be extended in the preportion that the additional work bears to theoriginal contract work and the certificate of Engineer - in - charge shall be conclusive as to such preporation .And it the additional work inclusive any class of work fur which no rate is specified in this contract, then such clause of work shall be carried out at the rates entered in the sanctioned Schedule or rates of the locality during the period when the work is being carried on and if such last mentioned clause of work is not entered in the schedules offates ofthe district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer - in - charge rate which it is his intention to charge for such class of work and if the Engineer-in-charge does not agree this rates be shall by notice in writting be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as be may donsider ladvisable provided always that if the contractor shall commence work or incure any expenditure in regard thereof before the rates shall have been determined as lastly herein before mentioned then and in such case he shall only be entitled to paid in respect of the work carried out or expenditure in carried by him prior to the date of the determination of the rate as afore-said according to such rate or rates as such he fixed by the Engineer - in - charge. In the event of a dispute the decision of the Superintending Engineer of the circle will be final.

Do not invalcontract

Time is of alteration

Rates for works estimate schedule rates of district

Provided always that the contractor shall nof be entitled to any payment for any additional work done unless he has received an order in writting from the Engineer-in-charge for the additional work that the contractor shall be bound to submit his claim for any additional work done during the month on or before the 15th days offollowing month accompanied by a copy of the order in writting of the Engineer - in - charge for the additional work, and that the contractor shall not been titled to any payment in respect of such additional work ifhe fails to submit his claim within the aforesaid period.

Chief Engineer



Patna



Compensation for alteration in or resti fication of work to ~ carried out

Clause 12 - If any time after the commencement of the work the Governor of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to carried out the Engineer - in - charge sha give notice in writting of the fact to the contractor who shall have no claim to any payment or compensation whatsoever on account of any profit or advan-tage which he might have derived from the execution of the work in full, but which he did not derive in consequences of the full amount of the work not having been carried out, neither shall he gave any claim for compensation by reason of any alteration having been made in the original specification , drawings designs and instruction which shall involve and curtailment of the work as originally contemplated clause 12 (a) As contained in G.O.No. 1929 dated 11-9-56.

Clause 12(a)- The contractor shall not be entitled to claim any compensation for loss suffered by him on account of failure or delay by or on behalf of Government in the supply materials or store which the Government may have under taken to supply where such failure is due Co

(i) natural calamities, (ii) act of anamies. (iii) transport and proearem at difficulties or (iv) circumstances beyond the control of the State Government.

In case of such failure or delay in the supply of materials or stores, on an application by the contractor within 30 days from the of such failure or delay, such extent ion of time shall be granted to the contractor for completion of the works as shall appears to the Engineer to be reasonable in accordance with, the circumstance of the case. Hic decision of the Ex -ecutive Engineer as to the extention of time shall be accepted as final by the contractor.

Action and com-

pensation payable in case of work

Clause 13 - If it shall appear to the Engineer - in - charge or his subordinate in charge of the work that any work has been executed with unsound, imperfect or unskilled workmanship or with materials or any inferior description; or that any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contractor for or otherwise not in accordance with the contract the contractor shall on demand in writting from the Engineer in - charge specifying the work materials or articles complained of not with standing that the same may have been inadverently passed certified and paid for - forth with rectify or remove and reconstruct the work, so specified in whole or in part as the case require, or as the case may be remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost and in the event of his failing to do so within a period to be specified by the Engineer-in-charge on his demand aforesaid the contractor shall be liable to pay compensation at the rate of one per eat, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer - in - charge may rectify or remove v and re-execute the work or cenove and replace with others the materials or i articles complained or as the case may be at the risk and expences in all respect of the contractor.

Work to be taken to harsetti in

Clause 14- All work under or in courses of execution in persuance of the contract shall at all time be open to the inspection and supervision of the Engineer - in - 'Charge and his subordinates and the contractor shall at all times during the usual working hours and at all other times at which reasonable notice of the intention of the Engineer - in :/charge or his subordinate to visit the works shall have been given to the contractor either himself be present to received orders and instruction, or have a responsible agent duly acredited in writting presentfor that purpose order given to the contractor himself.

Contractor or responsible Agents to be preent

Clause 15- The contractor shall give not less than five days notice in writting to the Engineer - in - charge or his subordinate in charge of the work before covering up or otherwise placing beyond the reach of measurement any "lork in order that the same may be measured and correct dimensions thereof be taken before the same is so covered up or place beyond the reach of measurement and shall not cover up or place beyond the reach of measurement any work with out the consent in writting, of the Engineer-in - charge or his subordinate in charge of the work and if any work shall covered up or placed beyond the reach of measurement without such notice having been given or consent obtained the same shall be uncovered at the contractor's expences, or in default thereof to payment or allownace shall be made for such work on the materials with which the same was effected.

Notice to be taken before work covered up,

Clause 16- If the contractor or his work people; or servants shall break deface, injure or destroy any part of a building in which they may be working or any building, road, road curbs fencer, elosure waterpipes, cables drains, electric or telephone posts or wires, trees, grass or grassland or cultivated ground continuous to the premises on which the work or any part of it is ie execute dignadn or if any damage shall happened to the work, which in progress, from any cause whatever or any imperfection

Contractor thiable fordamage done and for imperfection a months after certificate. IP- become whatever or any imperfection become apperent in it within three month (six months in the case of a road-work after a sr certificate final or other of its completion shall have been given by the Engineer - in - charge as a for seal the contractor shall make the same good at his own, expense, of in default, the Engineer - in - charge may case the same or be made good by other work men and deduct the expense (of which the certificate or the Engineer - in - charge shall be final) from

Chief Engineer
B.S.E.I.D.C. Ltd. Paina

Smith Briance

time thereafter may become due to the contractor or from his security deposit or the proceeds of sale there of or of a sufficient portion therof. The security deposit at the contractor shall not be refunded before the expiry of three months (six months in case of a road work) after the issue of the certificate final or otherwise of completion of work. Provided that in the case of a road work if in the opinion of the Engineer - in - charge behalf of the security deposit will be refundable after three months of the issue of the said certificate of completion.

Clause, 17 - The contractor shall supply at his own cost all materials ( except such special naterials if any as may in accordance with the sontmef be supplied from the Engineer in - charge's stores) plant, tools appliances implements ladders cordage tankle scaffolding and temporary works equisite or proper for the proper execution of the work whether original altered or substituted and whether included in the specifications or other documents forming partofthe contractor referred to in hese conditions or not or which may be necessary; of for the purpose of satisfy hig or complying with the requirement of the Engineer - in - charge as to any matter as to which under these conditions he s entitled to be satisfied which he [s entitled to require together with carrage therefore: to And'iYonvthe work Hve 'contract shall also supply without charge the requisite number of persons withjhe means and naterials" necessary for the purpose of .setting out works and counting weighting and assisting in the neasurement of examination at any lime and from time to time of the work of rnaterials. Failing his so loing the same may be, provided by the Engineer-in -charge at the expence of the contractor and the expenses may be deducted from any money due tothe contractor under the contract from his security leposit or the proceeds of sale thereof or of a sufficient portion thereof The contractor shall also provide ill necessary fencing and light required to protect the public [from accident and shall be bound to baar he expence of defence of every suit, action or other proceeding at low that may be broought by any person for injury sustained owning of neglect of above precautions and to pay any damages and., costs, which maybe avoided in any such suit action proceedings to any such person of which may with the consent of the contractor ... be paid to compromise, any claim by any .such person.

Contractor supply plant ledder scaffoldings etc.

And is liable Damage arising by Nonprovision of lig-Fencing etc.

Clause 18 - No female labour shall be employed with in the fleimts or cantonment.

The contractor shall not employ for the purpose of this contract any person which below the igerof twelve years and shall pay to each labourer for the work done by such labourer wages not kss han the wages paid tor similer work in the neighbourhood.

The executive Engineer shall have the fight to enquire into and decide any compliments lodging hat the wages paid by the contractor any labourer for the work done by such labourer is less than the wages paid for similer work in the neighbourhood.

The officer in charge of the work shall have the right to decide whether any labourer employed our contractor to below the age of twelve vers and to refuse to allow any labourer whom he decide do to be below the age of twelve years employed the contractor.

Clause 19- The contract shall not be assigned or subject without the written approval the Executive Engineer. And if the contractor shall assign or subject his contractor or attempt so to. do or be come insolvent or commence any insolveneey proceedings or make any composition with his creditors or ittempt so do; or if any be gratuity, gift loan perquiste reward or advantage pecuntary or otherwise hall either directly or indirectly be given, promised or offered by the contractor or any of his servants or agents to anypublic officer or person in the employ or Government fin any way relating to his officer or employment or if any-such officer or person shall become in any way directly or indirectly in the contract, the Executive engineer may there - upon by notice, in writing escind the contract the security deposit of the contractor shall there upon stand for feited and be absolutely at the

Work not to subject

Contract may rescided and security deposit forefened for subletting ribelse or if contractor comes insolvent

June O Mark

RL

disposal of Government and the same consequences shall cluase as if the contract had been reseinded under cluase (3) here of and in addition the contractor shall not be entitled to recover or the paid any work there of a actually performed under contract.

Clasise 20 - All sums payable by way of compension under any of these conditions shall be considered as reasonable compensation to be applied to the use of Government with out reference to tel actual lass or damaged sustained and whether or not any damage shall have been sustained.

Sum payable by way of compension to be considered as resonable compension without reference to actual loss

Chause 2.1 - In the case of a sender by partners any change in the constitution of the firm shall be fourth with notified by the contractor to the Engineer - in - charge for this information. In case of failure to notify the change in the constitution within fifteen days the Engineer -in- charge may be notice in withing rescind the contract and the securi deposit of the contractor shall there upon stand forfeited and be absolutely at the disposal of Government and the same consequences shall ensure as if the contract had been rescinded under clause (3) here of and in addition contractor shall I not be entitled to recover or be paid for any work therefore, actually per formed under the contract.

Changes contitution of firm

Clause 22 - All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending laigineer of the Circle for the time, being who shall be entitled to direct the time being who shall be entitled to direct at what point or points and in what manner the are to be, commenced and from time carried on.

Clause 23 - In case any dispute or di (Terenceshall arise between' the parties, or either of hereupon any question relating to the meaning of the specification, designs drawing and instructions herein before mentioned ov as to the quality of workmanship, or materials used on the work vor as-be the construction of atm of the conditions or any clause or thing there in contained or as to any question, claimrights or liabilities of the parties, or any Clause or thing whatsoever in any way rising out of or relating in the contract designs drawing, specifications, estimates, instruction order, or these conditions otherwise concerning the work or the execution or failure to execute the same whether arising during the progress of the work, or after the completion or abandonment thereof or as to the breach of this contract, then either party shall forth with give to the other notice of such disputes or difference and such dispute or difference shall be referred to superintending Engineer of the circle and his decision thereof shall be final conclusive and binding on all the parties,

Works to be under direction of superintending Engineer

Clause 24 - When the estimate on which a tenderis made includes lump sums is respect of parts of the work, the contractor shall be entitled to payment in respect of the nem of work involved of the part of the work in question at the same rates as are payable under this contract for such Items or ifthe part of the work in question is act in the opinion of the Engi - neer - in - charge capable of measurement. The Engineer- in - charge may at his discretion pay the lumpsum amount entered in the estimate, and certificate iQ writting of the Engineer - in- charge shall be final conclusive against the contractor with regard the III ysum or sums payable to him under the provisions of this clause.

Lumpsums in estimates

Clause 25 - In the case of any class of work for which there is no such specifications as in mentioned in rales. Such work shall be carried out in accordance with the circle specification and the event of there being no circle specification then in such case the work shall be carried out in all respects in accordance-with the instruction and requirements of the Engineer-in - charge.

Action where 780 specification

Clause 26 - The expression "work" or "works" where used on these condition shall unless there the works by or by virtue of the contracted to be executed, whether temporary or permanent, and whether, original altered substituted to or additional.

Defination of works

Change 27 - The terms, and conditions of the agreement have been read/explained to me and certify certify clearly understand them

Witness

A 27 16 - 20 14

Contractor

#### Schedule XLV- Form No. 61.

(15)

Schedule showing (approximately) materials to be supplied. If available the rates of which they are to be charged for and places at which they are to be supplied

| for and places at which the |  | Rate at will b | which the materials<br>e charged to the<br>contractors | Place of delivary |                        |  |
|-----------------------------|--|----------------|--|-------------------|------------------------|--|
|                             |  | Units          | Rs.  | P.                | 35                     |  |
|                             | 7 Million 200 Annual An |                |  |                   |                        |  |
|                             | - Particular or construction of construction o |                |  |                   |                        |  |
|                             |  |                |  |                   |                        |  |
|                             |  |                |  |                   |                        |  |
| Ar                          | STATE OF THE PARTY | •              |  |                   |                        |  |
|                             |  |                |  |                   |                        |  |
|                             | AT STATEMENT AND STATEMENT OF S |                |  |                   |                        |  |
|                             | Annual to the state of the stat |                | - 100  |                   |                        |  |
|                             |  |                |  |                   |                        |  |
|                             | AND PROPERTY OF THE PROPERTY O |                |  |                   | Chief Engineer         |  |
|                             |  |                |  |                   | B.S.E.I.D.C. Ltd, Patn |  |

Note: - The person or film submitting the tender should see that the rates in the above schedules are filled up by the Engineer - in - charge on the form prior to the submission of the tender.

(Signature of Contractor)

(Signature of Executive Enginner

5.5.E.I.D.C. Ltd P-4-

Ry

# Bihar State Educational Infrastructure Development Corporation Ltd. AGREEMENT FOR UPGRADED SECONDARY SCHOOLS IN BIHAR Group No.: USS-117D

S.N. District Block Name of School
1 BUXAR Ithari M.S. Basawan Kala

THE ITEM RATES ARE BASED ON BIHAR SCHEDULE OF RATES, BCD, effective from dated: 11.08.2013 & DSR 2013

#### **TENDER FOR WORKS**

I/we heredy tender for the execution for the Governor of Bihr of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of witten order to commence and in accodance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subjects to the annexed condation of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

#### **MEMORANDUM**

(a) If several sub-work are (A) Name of Work: - CONSTRUCTION OF UPGRADED SCHOOLS IN BIHAR Group No. incuded they should be detained in the separate: USS-117 D

(B) Estimated Cost :- Rs. 53,19,806=00 Agreement value :- Rs. 52,86,291=00

(b) This deposit will be5% of the estimated cost of the work.(c)This percentage deduction from bills will be credited to

the contractors security

(C)Earnest Money:-

- (D) Initial security deposits (including earnest money) to be deposited before the Commencement of the work-Earnest Money: - Rs. 2,66,000/- (Details attached)
- (E) Percentage to be deducted from bill Rs. 5% (Rupees five percent)
- (F) Time required for the work from date of written order to commence TWELVE MONTHS
- (G) Date of written order to commence :-
- (H) Total number of item of work tendered for :- 74

| BUILDING WORKS : ( Quantity per School ) |           |               |   |              |      |        |   |  |  |
|--|-----------|---------------|---|--------------|------|--------|---|--|--|
| CIVIL V                                  | VORKS     |               |   |              |      |        |   |  |  |
| S.N                                      | Sub<br>N. | SOR<br>Ref.N. | DESCRIPTION   | Quantit<br>y | Unit | Rate   | Amount  |  |  |
|  |           |               | 2.0 Earth Work  |              |      |        |   |  |  |
| 1  |           | 2.8           | EARTH WORK IN EXCAVATION over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including dressing of sides and ramming of bottom, lift upto 1.5m including getting out the excavated soil and disposal of surplus soil as directed, within a lead of 50m. | ·            |      |        |   |  |  |
|  | •         | 2.8.1         | ALL KINDS OF SOIL   | 24.06        | CU.M | 178.40 | Rs. One hundred seventy eight and paise forty only. |  |  |



|   |        |   |        |             |         | -6-  |
|---|--------|---|--------|-------------|---------|--|
| 2 | - 2.26 | Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth: consolidating each deposited layer by ramming and watering lead of 50 m.  | 0.00   | CU.M        | 57.80   | Rs. Fifty seven and paise eighty only.                         |
| 3 | 2.28   | SUPPLY AND FILLING in plinth & Foundation with local sand and under floors inluding watering, ramming, consolidating and dressing and dressing complete.  | 173.23 | CU.M        | 186.30  | Rs. One hundred eighty six and paise thirty only.              |
| 4 | 2.29.1 | SURFACE DRESSING of the ground including removing vegetation and in-equalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5 m   | 3.50   | 100<br>SQ.M | 642.50  | Rs. Six hundred forty two and paise fifty only.                |
| 5 | 4.5.6  | 4.0 Concrete Work  Providing and laying of in position cement concrete of specified grade, excluding the cost of centering and shuttering all work upto plinth level.  1:3:6 (1 Cement : 3 Coarse sand : 6 graded stone aggregate 40mm nominal size)  | ·      | CU.M        | 2554.60 | Rs. Two thousand five hundred fifty four and paise sixty only. |
| 6 | 5.1.2  | 5.0 Reinforced Cement Concrete  Providing and laying of in position, of specified mix of reinforced cement concrete, excluding the cost of centering and shuttering, finishing and reinforcement - all work upto plinth level.  1:1½:3 (1 Cement : 1½ Coarse sand : 3 graded stone aggregate 20 mm nominal size) IN FOUNDATION. | 33.68  | CU.M        | 3851.00 | Rs. Three thousand eight hundred fifty one only.               |

Chief Engineer B.S.E.I.D.C. Ltd, Patna

mirem Orien

|    | , |                | ·   |       |      |         | ,  |
|----|---|----------------|---|-------|------|---------|--|
| 7  |   | 5.2            | Reinforced cement concrete work in wall (any thickness), including attached pilasters, butteresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts, etc. upto floor v level, excluding costs of centering, shuttering, finishing and reinforcement. |       |      |         |  |
|    |   |                | Col. In plinth & superstructure   |       | •    |         |  |
|    |   | 5.2.2          | 1:1½:3 (1 Cement : 1½ Coarse sand : 3 graded stone aggregate 20 mm nominal size).   | 24.83 | CU.M | 3903.40 | Rs. Three thousand nine hundred three and paise forty only.    |
| 8  |   | 5.3+<br>5.44.4 | Reinforced cement concrete work in beams, upto five level excluding cost of centring, shuttering and finishing and reinforcement with 1:1½:3(1cement: 1½ coarse sand :3 graded stone agreagate 20 mm niminal size)  | 7.04  | CU.M | 4161.12 | Rs. Four thousand one hundred sixty one and paise twelve only. |
| 9  |   | 5.3+<br>5.44.4 | Reinforced cement concrete work in LINTEL BAND upto five level excluding cost of centring, shuttering and finishing and reinforcement with 1:1½:3(1cement: 1½ coarse sand :3 graded stone agreagate 20 mm niminal size)   | 32.48 | CU.M | 4161.12 | Rs. Four thousand one hundred sixty one and paise twelve only. |
| 10 |   | 5.3+<br>5.44.4 | Reinforced cement concrete work in suspended floors & roofs upto five level excluding cost of centring, shuttering and finishing and reinforcement with 1:1½:3(1cement: 1½ coarse sand :3 graded stone agreagate 20 mm niminal size)  | 63.27 | CU.M | 4161.12 | Rs. Four thousand one hundred sixty one and paise twelve only. |
| 11 |   | 5.3+<br>5.44.4 | Reinforced cement concrete work in STAIRCASE upto five level excluding cost of centring, shuttering and finishing and reinforcement with 1:1½:3(1cement: 1½ coarse sand :3 graded stone agreagate 20 mm niminal size)   | 8.06  | CU.M | 4161.12 | Rs. Four thousand one hundred sixty one and paise twelve only. |

Chief Engineer
B.S.E.I.D.C. Lid, Patna
Ref

Frances Olicen

٠. .

|    |      |                   |  |         |       |         | -0  |
|----|------|-------------------|--|---------|-------|---------|---|
|    |      | 5.14              | Centering and shuttering including struting, propping etc. and removal of form for -                               |         | ,     |         | Rs. One hundred thirty seven and paise seventy                  |
|    | 12.1 | 5.14.1            | Foundations, footings,bases of columns etc. for mass concrete.   | 0.00    | SQ.M. | 137.78  | eight only.   |
| 12 | 12.2 | 5.14.6            | Columns  | 393.96  | SQ.M. | 283.30  | Rs. Two hundred eighty three and paise thirty only,             |
|    | 12.3 | 5.14.3            | ROOF SLAB  | 506.44  | SQ.M. | 229.80  | Rs. Two hundred twenty nine and paise eighty                    |
|    | 12.4 | 5.14.5            | Lintels, beams, plinth beams,-   | 438.63  | SQ.M. | 195.60  | Rs. One hundred ninety five and paise sixty only.               |
|    | 12.5 | 5.14.7            | Stairs (excluding landings).   | 47.75   | SQ.M. | 296.10  | Rs. Two hundred ninety six and paise ten only.                  |
|    |      | 5.29              | Reinforcement for RCC work including straightening, cutting bending, placing in position and binding all complete. | 1584.30 | kg    | 63.40   | Rs. Sixty three and paise forty only.                           |
|    | 13.1 | 5.29.1            | Mild steel 6.00 mm dia   | i :     |       |         | ,   |
|    | 13.2 | 5.29.7A           | Thermo- Mechanically Treated bars TMTC-500- 8mm dia.   | 8462.34 | Kg    | 67.00   | Rs. Sixty seven only.   |
| 13 | 13.3 | 5.29.7B           | Thermo- Mechanically Treated bars TMTC-500- 10mm dia.  | 2702.44 | Kg    | 65.70   | Rs. Sixty five and paise seventy only.                          |
|    | 13.4 | 5.29.7C           | Thermo- Mechanically Treated bars TMTC-500- 12mm dia.  | 944.47  | Kg    | 65.10   | Rs. Sixty five and paise ten only.                              |
|    | 13.5 | 5.29.7D           | Thermo- Mechanically Treated bars TMTC-500- 16mm dia.  | 432.11  | Kg    | 65.70   | Rs. Sixty five and paise seventy only.                          |
|    | 13.6 | 5.29.7E           | Thermo- Mechanically Treated bars TMTC-500- 20mm dia.  | 720.33  | Kg    | 65.50   | Rs. Sixty five and paise fifty only.                            |
|    |      |                   | 6.0 Brick Work (A)   |         | ·     |         |   |
|    | 14.1 | 6.1 A             | Brick work with bricks of class of class designation 100 A in foundations and plinth in                            |         |       |         |   |
| 14 |      | 6.1.14A           | Cement mortar 1: 6 (1 cement : 6 coarse sand)  | 25.29   | CU.M  | 3713.5  | Rs. Three thousand seven hundred thirteen and paise fifty only. |
|    | 14.2 | 6.1.12/1          | Cement mortar 1: 4 (1 cement : 4 coarse sand)  | 7.03    | CU.M  | 3914.60 | Rs. Three thousand nine hundred fourteen and paise sixty only.  |
| 15 | 15.1 | 6.1 A             | Brick work with bricks of class of class designation 100 A in superstucture upto floor V level in:                 |         |       |         |   |
|    |      | 6.1.14<br>A+6.3A  | Cement mortar 1: 6 (1 cement: 6 coarse sand)   | 1/3.48  | CU. M | 4092.30 | Rs. Four thousand ninety two and paise thirty only.             |
|    | 15.2 | 6.18.4A+<br>6.19A | Cement mortar 1: 4 (1 cement: 4 coarse sand)   | 15.28   | SQ.M. | 500.10  | Rs. Five hundred and paise ten only.                            |

Child Engineer
B.S.E.I.D.C. Ltd, Patna

myreui Olica

|    |   |   | 9.0 Wood Work  |          |       |   |                            |
|----|---|---|--|----------|-------|---|----------------------------|
|    |   |   | Providing and fixing M.S. grills                               |          |       |   |                            |
|    |   |   | of requirement pattern in                                      |          |       |   |                            |
| 16 |   | 9.82.1                                  | frames of windows etc. with                                    | 1432 00  | Kg .  | 83.90                                   | Rs. Eighty three and paise |
|    |   | 9.02.1                                  | <b>!</b>   | 1432.00  | Ng .  | 03.90                                   | ninety only.               |
|    |   |   | M.S. flats square or round bars                                |          |       |   |                            |
|    |   | · · · · · · · · · · · · · · · · · · ·   | etc. all complete  |          |       |   |                            |
|    |   | , | 10.0 Steel Work  | ,        |       | <u>.</u>                                |                            |
|    |   | ,                                       | Providing and fixing in position                               |          |       |   |                            |
|    |   |   | collapsable steel shutters with                                |          |       |   |                            |
|    |   |   | vertical channels 20X10X2 mm                                   |          |       |   |                            |
|    |   |   | and braced with flat iron ds                                   |          |       |   |                            |
|    |   |   | 20X5 mm size with top and                                      |          |       | <u>.</u>                                |                            |
| 17 |   | 10.5                                    | bottom rail of T-iron 40X40X6                                  | 9.75     | SQ.M  | 3634.00                                 | Rs. Three thousand six     |
|    |   | 10.5                                    | mm with 40 mm dia steel  | 9.73     | SQ.M  | 3034.00                                 | hundred thirty four only.  |
|    |   |   | pulleys completes with bolts-                                  |          |       |   |                            |
|    |   |   | nuts locking arrangement                                       | *        | -     | ,                                       |                            |
|    |   |   | stoppers handles including                                     |          |       |   |                            |
|    | , |   | applying a priming coat of                                     |          |       |   | • .                        |
|    |   |   | approved steel primer.   |          |       |   |                            |
|    |   |   | Providing and fixing 1 mm                                      |          |       |   | <u> </u>                   |
|    |   |   | thick M.S. sheet door &  |          |       |   |                            |
|    |   |   | window with frame of   | l        |       |   |                            |
|    |   |   | 40X40X6 mm angle iron and 3                                    |          |       |   | Rs. Two thousand two       |
| 18 |   | 10.7                                    | _  | 49.44    | SOM   | 2247.80                                 | hundred forty seven and    |
| 10 | , | 10.7                                    | mm gusset plates at the  | 49.44    | SQ.M. | 2247.00                                 |                            |
|    |   |   | junction and corners all                                       |          |       | *************************************** | paise eighty only.         |
|    |   |   | necessary fittings complete                                    |          |       |   |                            |
|    |   |   | including applying a primming                                  |          |       |   |                            |
|    |   | -                                       | coat of approved steel primer.                                 |          |       |   |                            |
|    |   |   | Providing and fixing steel glazed                              |          |       |   |                            |
|    |   |   | doors, windows and ventilatrs of                               |          |       |   |                            |
|    |   |   | standard rolled steel sections, joints mitered and welded with |          |       |   | ,                          |
| •  |   |   | P  |          |       |   |                            |
|    |   | '                                       | 15x3 mm lugs 10 cm long with steel lugs embedded in cement     |          |       |   |                            |
|    |   |   | concrete blocks 15x10x10 Cm of                                 |          |       |   |                            |
|    |   |   | 1:3:6 (1 Cement:3 coarse sand : 6                              |          |       |   |                            |
|    | , |   | graded stone aggregate 22 mm                                   | 1        |       |   |                            |
|    |   |   | nominal size) or with  | l        |       |   |                            |
|    |   |   | woodenplugs and screws or rawl                                 | 1        |       |   |                            |
|    |   |   | plugs and screws or with fixing                                | l        | ,     |   | Rs. Two thousand nine      |
| 19 |   | 10.12                                   | clips or with bolts and nuts as                                | 1 66 51  | SQ.M. | 2924.00                                 | hundred twenty four only   |
|    |   |   | required, including providing and                              | 1        |       |   | Transfer eventy four only  |
|    |   |   | fixing of glass panes with glazing                             |          |       |   | promonent and a second     |
|    |   |   | clips and special metal-sash putty                             | 1 '      |       |   |                            |
|    |   |   | of approved make complete                                      |          |       |   |                            |
|    |   |   | including applying a priming coat                              | 1        |       |   |                            |
|    |   |   | of approved steel primer;                                      | 1        |       |   |                            |
|    |   |   | excluding the cost of metal                                    |          |       |   |                            |
|    |   | ,                                       | beading and other fitting except                               | 1        |       |   |                            |
|    |   |   | necessary hinges or pivots as                                  | ı        |       |   |                            |
|    |   |   | required.  |          |       |   |                            |
|    | , |   |  |          |       |   |                            |
|    |   | 1                                       |  | <u> </u> | .1    |   | 10/111                     |

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

muitare Ohian

| 20 | 10.19   | Providing and fixing M.S. Fan clamp type 1 of 16 mm  | 22.00  | EACH | 108.20 | Rs. One hundred eight and paise twenty only.   |
|----|---------|--|--------|------|--------|--|
| 21 | 10.32.2 | Steel work welded in built up sections as per drawing including cutting hoisting, fixing in position and applying a priming coat of approved steel primer using steel in Stairs / Balcony railing.   | 540.00 | K.G. | 77.10  | Rs. Seventy seven and paise ten only.          |
| 22 | 10.33   | Providing and fixing hand rail by welding etc. to steel ladder railings & staircases railing including applying a priming coat of approved steel primer  |        |      |        | Rs. Eighty one and paise                       |
|    | 10.33.1 | MS tube (medium) 40 mm<br>nominal bore   | 108.00 | K.G. | 81.60  | sixty only.                                    |
| 23 | 11.8    | 52 mm thick cement concrete flooring with metallic concrete hardener topping undr layer 40 mm thick cement concrete 1:2:4(1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal Size) and top layer 12 mm thick metallic cement hardener consisting of mix 1:2 (1 cement hardenr miz: 2 stone aggregate 6 Mrr. ominal size) by volume hardning compund is mixed @ 2 litre per 50 kag of cement or as per manufacture specification. This includes cost of cement slurry, etc, but excluding the cost of nosing of steps etc. complete. | 663.85 | SQ.M | 316.10 | Rs. Three hundred sixteen and paise ten only.  |
| 24 | 11.14   | Extra for making chequers of approved pattern on cement concrete floors, steps, landing, pavements etc.  | 228.28 | SQ.M | 16.60  | Rs. Sixteen and paise sixty only.              |
| 25 | 11.72   | Providing designation 100 - A, BRICK FLAT SOLING joints filled with local sand including cost of watering, taxes and royalty all complete as per building specification and direction of Engineer Incharge.  | 278.11 | SQ.M | 212.90 | Rs. Two hundred twemive and paise ninety only. |

278-2014

Chief Engineer B.S.E.D.C. Ltd. Paina **R.r** 

miller Ohm

| [  |      |           | I                                     | · · · · · · · · · · · · · · · · · · · |  |   | <del></del>  |
|----|------|-----------|---------------------------------------|---------------------------------------|--|---|--|
|    | •    |           | Providing average 150 mm              |                                       |  |   |  |
|    |      |           | thick dry remmed Khoa beaten          |                                       |  |   |  |
|    |      |           | to 112 mm (Compacted with             |                                       |  |   |  |
|    |      |           | water) made of well burnt or          |                                       |  |   |  |
|    |      |           | Jhama bricks including                |                                       |  |   |  |
|    |      |           | ramming properly till                 |                                       |  |   | Rs. Two hundred eighty                             |
| 26 |      | 11.76     | compacted thickness is                | 214.55                                | SQ.M   | 283.50                                  | three and paise fifty only.                        |
|    |      |           | achieved. Curing and carriage         |                                       |  |   | timee and palse mity only.                         |
|    |      |           | of water with all leads, making       | ·                                     |  |   |  |
|    |      |           | proper slope and blinding the         |                                       |  |   | · ·  |
|    |      | ,         | top with cement mortar, (1: 10)       | ,                                     |  |   |  |
|    |      |           | all complete as per building          |                                       |  |   |  |
|    |      |           | specification and direction of        |                                       |  |   |  |
|    |      |           | 12.0 Roofing                          |                                       |  |   | ,  |
|    |      |           | Providing & fixing on wall face       |                                       |  |   |  |
|    |      |           | unplasticised - Rigid P.V.C.          |                                       | -  |   |  |
|    |      |           | rain water pipes conforming           |                                       |  |   |  |
|    |      |           | to IS: 13592 Type A including         |                                       |  |   |  |
| 27 |      | 12.78     | jointing with seal ring               |                                       |  |   |  |
| 27 |      |           | conforming to IS: 5382 leaving        |                                       |  |   |  |
|    |      |           | 10mm gap for thermal                  |                                       |  |   |  |
|    |      |           | expansion . Single socket ed          |                                       |  |   |  |
|    |      |           | pipes. 110 mm dia                     |                                       |  |   |  |
|    |      | 12.78.2   | 110 MM RAIN WATER                     | 82.31                                 | Metre  | 199.60                                  | Rs. One hundred ninety                             |
|    |      | 12.70.2   | PIPE                                  | -02,51                                |  | 177.00                                  | nine and paise sixty only.                         |
|    | ,    | 12.79.5.2 | BEND                                  |                                       |  |   |  |
| 28 |      |           |                                       |                                       |  |   | D. O. I. J. J. C.C.                                |
|    |      |           | 110 MM                                | 10.00                                 | EACH   | 153.40                                  | Rs. One hundred fiftty three and paise forty only. |
|    |      |           |                                       | -                                     | · Andrews and Anna Anna Anna Anna Anna Anna Anna |   | three and paise forty only.                        |
|    |      |           |                                       | ,                                     |  |   | Rs. Two hundred ninety                             |
| 29 |      | 12.79.6.2 | SHOE - 110MM                          | 10.00                                 | EACH   | 293.35                                  | three and paise thirty five                        |
|    |      | -         |                                       |                                       | popularia.                                       |   | only.  |
|    |      |           | 13.0 Finishing                        |                                       |  |   |  |
|    |      |           | Cement Plaster in coarse sand         |                                       |  |   |  |
|    | 30.1 | 13,11.2   | with 12 mm cement plaster 1:4         | 229.60                                | SQ.M.  | 90.70                                   | Rs. Ninety and pasie                               |
|    | 5311 |           | (1 Cement : 6 Coarse Sand)            |                                       |  | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | seventy only.                                      |
| 30 |      |           | -,                                    |                                       |  |   |  |
|    |      |           | Cement Plaster in coarse sand         |                                       |  |   |  |
|    | 30.2 | 13.11.4   | with 12 mm cement plaster 1:6         |                                       | SQ.M.  | 79.10                                   | Rs. Seventy nine and                               |
|    |      |           | (1 Cement : 4 Coarse Sand)            |                                       | ,  |   | paise ten only.                                    |
|    |      |           | · · · · · · · · · · · · · · · · · · · | F                                     |  |   |  |
| 21 |      | 13.13.    | 20 mm thick plaster of mix:           |                                       |  |   | Do Ono lever duod terrent                          |
| 31 |      | 13.13.2   | 1:4(1 Cement; 4 Coarse                | 41.62                                 | SQ.M   | 128.10                                  | Rs. One hundred twenty                             |
|    |      | 12 12 4   | Sand)                                 |                                       |  | Semenary                                | eight and paise ten only.                          |
| 20 |      | 13.13.4   | 20 mm thick plaster of mix:           |                                       |  |   |  |
| 32 |      |           | 1:6 (1 Cement: 6 Coarse               | 663.16                                | SQ.M.  | 110.00                                  | Rs. One hundred ten only.                          |
|    | L    | <u> </u>  | Sand )                                | L                                     |  |   |  |

musters Orion -

197-8-2014 Chief Engineer B.S.E.I.D.C. Ltd, Patna

Ry

| 33   |      | 13.17             | 12 mm cement Plaster 1:3 (1 Cement : 3 Coarse Sand) finished with a floating coat of neat Cement  | 48.53   | SQ.M. | 127.00 | Rs. One hundred twenty seven only.     |
|------|------|-------------------|---|---------|-------|--------|--|
| 34 - |      | 13.24.2           | 6 mm Cement Plaster to<br>Ceiling of mix -<br>cement plaster 1:4 (1 Cement :<br>4 Coarse Sand)  | 448.06  | SQ.M. | 68.20  | Rs. Sixty eight and paise twenty only. |
| 35   |      | 13.26             | Neat Cement Punning   | 315.08  | SQ.M  | 25.90  | Rs. Twenty five and paise ninety only. |
| 36   |      | 13.70.<br>13.70.1 | White washing with lime to give an even shade  New work (three or more coats)   | 1562.77 | SQ.M  | 9.00   | Rs. Nine only.                         |
| 37   |      | 13.78             | Applying one coat of cement primer of approved brand and manufacturer on wall surface.  |         |       |        | Rs. Twenty two and paise               |
|      |      | 13.78.1           | cement primer on outer wall surface   | 730.25  | SQ.M  | 22.10  | ten only.                              |
| 38   |      | 13.79             | Finishing walls with water proofing cement paint of approved brand and manufacture and of required shade to give an even shade  | ٠.      |       |        |  |
|      |      | 13.79.1           | New work (three or more coats )   | 730.25  | SQ.M  | 51.70  | Rs. Fifty one and pasie seventy only.  |
| 39   |      | 13.93             | Painting with Synthetic enamel paints of approved brand and manufacture of required color to give an even shade.  |         |       |        |  |
|      |      | 13.93.1           | Two or more coats on new work   |         |       |        |  |
|      |      |                   | Paiting over Steel surface 23.0 Pile Work   | 283.92  | SQ.M  | 42.00  | Rs. Forty two only.                    |
| 40   | 40.1 | 23.2.5            | Making 25 cm (10") dia bore up to 4 Mtr Depth below ground with hand auger of approved quality in ordinary soil (Vide classification of soil item A) true to plumb and without eccentri city in any stage of operation and disposal of gthe excavated earth up to 50 mtr. lead in eluiding all lifts. all complete as per approved disign and directions of E/I | 346.50  | Metre | 80.40  | Rs. Eighty and paise forty only.       |

77-8-2014



|        |         | 63 cm (25) UNDER REAM           | J,     |        |  |   |
|--------|---------|---------------------------------|--------|--------|--|---|
|        |         | making 63 cm (25) dia under     |        |        |  |   |
|        | i       | ream at required with hand      |        |        |  |   |
|        | 1       | •                               |        |        |  |   |
|        |         | auger of approved quality in    |        |        |  |   |
|        |         | ordinary soil (Vide             |        |        |  |   |
|        |         | classification of soil item-A)  | 150.00 | l      | 06.70  | Rs. Eighty five and paise               |
| 40.2   |         | true to plumb and without       | 172.00 | Each   | 85.70  | seventy only.                           |
|        |         | iccentric city in may stage of  |        |        |  |   |
|        |         | operation and disposal of the   |        |        |  |   |
|        | i i     | excavated earth up to 50 mts.   |        |        |  |   |
|        |         | lead in eluding all lifts. All  |        |        |  | Į                                       |
|        |         | complete as per approved        |        |        |  |   |
|        |         | design and direction of (E/I)   |        |        |  |   |
|        |         | Sanitary Works                  |        |        |  |   |
|        |         | Providing and fixining water    |        |        |  |   |
|        |         | closet squatting pan (Indian    |        |        |  |   |
|        |         | type W.C. pan) with 100 mm      |        |        |  |   |
|        |         | sand cast iron P or S tap, 10   |        |        |  |   |
|        |         | litre low white P.V.C. Flushing |        |        |  |   |
|        | 1 1 N 1 | cistern with munally controlled |        |        |  | ·                                       |
| 1 1    | 17.1.1  | device (handle level)           |        |        |  |   |
| 41     |         | conforming to IS:7231           |        |        |  |   |
|        |         | Parryware/ Hindware with all    |        |        |  |   |
|        |         | fittings and fixtures complete  |        |        |  |   |
|        |         | including cutting and making    |        |        |  |   |
|        |         | good the walls and floors       |        |        |  |   |
|        |         | wherever required.              |        |        |  |   |
|        |         | White Vitreous China Orissa     |        |        |  | Rs. Three thousand two                  |
|        |         | pattern W C pan of size 580     | 8.00   | Each   | 3265.25  | hundred sixty five and                  |
| ·      |         | X 440 mm with integral type     | 0.00   |        | in the second of | paise twenty five only.                 |
|        |         | foot rest.                      |        |        |  | , |
|        |         | Providing and fixing C.P.       |        |        |  |   |
|        |         | brass bib cock of approved      |        | •      |  |   |
| 1 12 1 | DSR     | qualityconforming to IS:8931    |        |        |  |   |
| l I    | 18.49.1 | 1                               | :      | e.     |  |   |
|        |         | 15 mm nominal bore.             | 8.00   | Each   | 458.40   | Rs. Four hundred fifty                  |
|        |         |                                 |        |        |  | eight and paise forty only.             |
|        |         | Providing and fixing wash       |        |        |  |   |
|        |         | basin with C.I. brackets, 15 mm |        |        |  |   |
|        |         | C.P. brass pillar taps,32 mm    |        |        |  | ·                                       |
|        | DSR     | C.P. brass waste of standard    |        |        |  |   |
|        | 17.7.1  | pattern, including painting of  |        |        |  |   |
| 43     |         | fittings and brackets, cutting  |        |        |  |   |
|        |         | and making good the walls       |        |        |  |   |
|        |         | wherever require:               |        |        |  |   |
|        |         | White Vitreous China Wash       |        |        |  | Rs. Two thousand one                    |
|        |         | basin size 630x450 mm with a    | 4.00   | EACH   | 2174.65  | hundred seventy four and/               |
|        |         | pair of 15 mm C.P. brass pillar | 7,00   | LA CII | 2174.03  | paise sixty five only.                  |
| 1 !    |         | taps.                           |        |        |  | paide sixty live only.                  |

Smitger Drunn

14.

|    | 44.1 |                         | Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.   |       |      |         |   |
|----|------|-------------------------|---|-------|------|---------|---|
| 44 |      |                         | Flexible pipe   |       |      |         | Rs. Seventy two and   |
|    |      | 17.28.2.1               | 32 mm dia   | 4.00  | EACH | 72.55   | pasie fifty five only.  |
|    | 44.2 | 17.28.2.2               | 40 mm dia   | 1.00  | EACH | 74.90   | Rs. Seventy four and paise ninety only.                             |
| 45 |      | DSR<br>17.11            | Providing and fixing white vitreous china laboratory sink with C.I. brackets, C.P. brass chain with rubber plug 40mm C.P brass waste and including painting of fittings and brackets, cutting and making good the wall wherever                               |       |      |         |   |
|    |      | 17.11.2                 | Size 600x450x200mm  | 1.00  | EACH | 2992.45 | Rs. Two thousand nine hundred ninety two and paise forty five only. |
| 46 |      | DSR<br>18.52            | Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS:8931.  |       |      |         |   |
|    |      | 18.52.1                 | 15 mm nominal bore.   | 5.00  | EACH | 618.70  | Rs. Six hundred eighteen and paise seventy only.                    |
| 47 |      | 2.38A.2                 | Providing & fixing stailess steel jali (grating) with or without hole for waste pipe for floor / nahani trap.  100 mm dia. Weight not less  | 2.00  | ЕАСН | 23.37   | Rs. Twenty three and  |
| 48 |      | 12.78<br>BSR<br>12.78.2 | than 100 gms.  Providing and fixing on wall face unplastidsed PVC (working pressure 4 kgf per sqm) rain water pipes conforming to IS: 4985 including jointing with seal ring conforming to IS: 5382 leaving 10 mm gap for thermal expansion.  110 mm diameter | 76.21 | MTS  | 199.60  | Rs. One hundred ninety nine and paise sixty only                    |
|    |      | 12.79                   | Provinding and fixing PVC pipe fittings with all accessories  |       |      |         |   |
| 49 | 49.1 | 12.79.5.2               | 1) 110mm Plain bend PVC   | 16.00 | Each | 153.40  | Rs. One hundred fifty three and paise forty only                    |
|    | 49.2 | 12.79.3.2               | 3) 110mm door tee PVC   | 12.00 | EACH | 294.60  | Rs. Two hundred ninety four and paise sixty only                    |

smither Orien

| 50  |      | 19.30.1.1 s | Contructing brick masonry chamber for Underground C.I. Inspection Chamber and bend with 75 class designation bricks in cement mortar 1:4(1 cement: 4 coarse sand)C.I Cover with frame (light duty) 455x610 mm internal dimentions, total weight of cover with frame to be not less than 38 kg.(weight of cover 23 kg. and weight of frame 15 kg) RCC top slab with 1:1.5:3 mix (1 cement:1.5 coarse sand:3 graded stone aggregate 20 mm mm nominal size) foundation concrete 1:5:10 mix (1 cement:5 coarse sand:10 graded stone aggregate 40 mmnominal size), inside plastering 12 mm th. with cenment mortar 1:3 (1 cement:3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design |       |      |         |  |
|-----|------|-------------|---|-------|------|---------|--|
|     |      |             | inside dimensions 455x610mm<br>and 45 mm deep for single pipe<br>with F.P.S. bricks   | 6.00  | EACH | 4505.00 | Rs. Four thousand five hundred five only.                  |
| 51  |      |             | Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including allCPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one stepCPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I   |       |      |         |  |
|     |      |             | Concealed work including cutting chases and making good the wall etc.   |       |      |         |  |
| . } | 51.1 | a)18.8.1    | 15mm dia  | 35.00 | MTS  | 254.95  | Rs. Two hundred fifty four and paise ninety five           |
|     | 51.2 | c) 18.9.5   | Exposed on wall 40mm dia  | 75.00 | MTS  | 343.55  | Rs. Three hundred forty three and paise fifty five / only. |

|          |             |               |   | г       |          |  | 1  |
|----------|-------------|---------------|---|---------|----------|--|--|
| 52       | 52.3        | MR            | Labour cost for preparation of BIHAR MAP on wall incuding   | 1.00    | Each     | 15150.00                               | Rs. Fifteen thousand one                       |
| 32       | 72.3        | IVIIC         | painting all complete.                                      |         |          | ************************************** | hundred fifty only.                            |
|          |             |               | Providing and placing on                                    |         |          | ,                                      |  |
|          |             |               | terrace (at all floor levels)                               |         | ·        |  |  |
|          |             |               | polyethylene water storage tank                             |         |          |  |  |
|          |             | 10.40/        | ISI: 12701 marked with cover                                |         |          |  | Rs. Six and paise thirty                       |
| 53       |             | 18.48/<br>DSR | and suitable locking arrangement and making                 | 1000.00 | LTS      | 6.30                                   | only.  |
|          | Ī           | DSK           | necessary holes for inlet, outlet                           |         |          | g                                      | /  |
|          |             |               | and overflow pipes but without                              |         |          |  |  |
|          |             |               | fittings and the base support for                           |         |          |  |  |
|          |             |               | tank  |         |          |  |  |
|          |             |               | Providing and fixing of                                     |         |          |  |  |
|          |             |               | Borewell, Handpump with                                     |         |          |  | ,  |
|          |             |               | Submerssible pump all complete.                             |         |          |  |  |
|          |             |               | Construction of 125 mm x                                    |         |          |  | D. Dialet thousand six                         |
|          |             |               | 40mm dia x 75.00 mtr. Deep I.M                              | 1.00    | Each     | 8635.50                                | Rs. Eight thousand six hundred thirty five and |
|          | <del></del> |               | III hand Tube Well Part 'A' Cost of Materials               | 1.00    | Each     | 8033,30                                | paise fifty only.                              |
|          |             |               | _   |         | gamento. |  | panse may 2 mg.                                |
|          |             |               | India mark III hand pump with 8 nos. Connection Rod and one |         |          |  |  |
|          | 54.1        |               | cylender (With provision of                                 |         |          |  |  |
| i.       |             |               | force and uplift)   |         |          |  |  |
|          |             |               |   |         |          |  | Rs. One thousand seventy                       |
|          | 54.2        |               | 65 mm dia G.I. pipe medium quality (3mtrs length each).     | 8.00    | Each     | 1072.62                                | two and paise sixty two                        |
|          |             |               | quanty (Sinus length each).                                 |         |          |  | only.  |
| <b>.</b> |             |               | 125 mm dia UPVC casing pipe                                 | 27.00   |          | 318.15                                 | Rs. Three hundred eighteen and paise fifteen   |
| ľ        | 54.3        |               | conforming to ISS   | 27.00   | mtr      | 316.13                                 | only.  |
|          |             |               |   |         |          |  | Rs. One hundred eighty                         |
|          | 54.4        |               | 40 mm dia length quantity G.I                               | 44.00   | mtr      | 187.86                                 |  |
|          | 3 1         |               | pipe conforming to ISS                                      |         |          |  | only.  |
|          |             |               | 40 mm dia x 2 long PVC                                      |         |          |  | Rs. One hundred eighty                         |
|          | 54.5        |               | RIBEED strainer of approved                                 | 2.00    | nos.     | 183.82                                 | three and paise eighty two                     |
|          |             |               | quality   |         |          |  | only.  |
|          | 54.6        |               | 125 mm x 40 mm UPVC   | 1       | Each     | 166.65                                 | Rs. One hundred sixty six                      |
|          |             |               | reducing socket (Heavy quality)                             | )       |          |  | and paise sixty five only.                     |
|          |             | -             | Part - 'B' Labour Cost                                      |         |          |  |  |
|          |             |               | (Classification of soil item 'A')                           |         |          |  |  |

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

Smiller Orium

|       |   | •    |       |        | -19  |
|-------|---|------|-------|--------|--|
| 54.7  | Boring by jet dheki by suitable cutter of reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge.  (i) 0 to 30.5 m  (a) For 125 mm dia U.PV.C | 27   | mtr   | 210.86 | Rs. Two hundred ten and paise eighty six only.           |
| 54.8  | (b) for 40 mm dia G.I pipe  | 3.5  | mtr   | 105.46 | Rs. One hundred five and paise forty six only.           |
| 54.9  | (ii) 30.5 m to 61.0 m  (a) For 40 mm dia G.I Pipe   | 30.5 | mtr   | 121.28 | Rs. One hundred twenty one and paise twenty eight only.  |
| 54.10 | (iii) 61.00 m to 75.00 m  a) For 40mm dia G.I pipe  | 14   | mtr   | 131.84 | Rs. One hundred thirty one and paise eighty four only.   |
| 54.14 | Providing all labour & tools and fitting & fixing India mark III hand pump over newely sunk for T/Well etc. all Complete  | .1   | Each  | 67.38  | Rs. Sixty seven and paise thirty eight only.             |
| 54.12 | Supplying all labour and material and fitting and fixing G.I Cap over the new sink T/well   | 1    | Each  | 65.65  | Rs. Sixty five and paise sixty five only.                |
| 54.13 | Providing all labour & tools and fitting & fixing Cylender with requisite suspension pipe and connection rod of India mark III hand pump etc. all complete.   | 1    | Each  | 129.93 | Rs. One hundred twenty nine and paise ninety three only. |
| 54.14 | Providing all labour & tools and lowering 65 mm dia G.I pipe as per specificatin etc. all Complete  | 24   | p/m . | 21.55  | Rs. Twenty one and paise fifty five only.                |
| 54.15 | Supplying labour and developing the T/Well to have sand free discharge all complete as per direction of E/I   | 1    | Each  | 283.31 | Rs. Two hundred eighty three and paise thirty one only.  |

27.4.2014

Chief Engineer
B.S.E.I.D.C. Ltd, Patna
Ruy

mileur Ariene

54

| Ń | 8 |
|---|---|
|   |   |

|       |   |    | •    |          | 10  |
|-------|---|----|------|----------|---|
| 54.16 | Providing all materials and labour and construction 1.85 dia circular P.C.C (1:2:4) UNICEF design platform with foot rest etc. all complete   | 1  | Each | 3679.43  | Rs. Three thousand six hundred seventy nine and paise forty three only. |
| 54.17 | Providing all material and labour & constructing 1 P.C.C (1:2:4) UNICEF design drain for disposal of waste water etc. all complete.   | 3  | P/M  | 311.08   | Rs. Three hundred eleven and paise eight only.                          |
| 54.18 | Transportation of T/W materials, tools & plant from Store to work site and back to store if materials are surplus.  | 1  | Each | 361.28   | Rs. Three hundred sixty one and paise twenty eight only.                |
| 54.19 | Part 'C' Cost for Additional Motorised system for filling overhead water-tank Providing and fixing of G.I pipes complete with G.I fittings and clamps, including, cutting and making good the walls etc. (internal work) 25mm dia   | 12 | P/M  | 184.36   | Rs. One hundred eighty four and paise thirty six only.                  |
| 54.20 | Providing and fixing brass valve 25 mm nominal bore Fullway valve,  | 2  | Each | 213.06   | Rs. Two hundred thirteen and paise six only.                            |
| 54.21 | 25 mm nominal bore Non-<br>Return valve   | 1  | Each | 236.90   | Rs. Two hundred thirty six and paise ninety only.                       |
| 54.22 | Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of E/I | 1  | Each | 26462.00 | Rs. Twenty six thousand four hundred sixty two only.                    |
|       | Internal Electrification Work   |    |      |          |   |

mijeun ancor


Chief Engineer
B.S.E.I.D.C. Ltd, Patna

Ruh

| _  |               |  |      |      |        |   |
|----|---------------|--|------|------|--------|---|
| 55 | 1.1           | Wiring for light point/fan point/exhaust fan point/ call bell poiont with 1.5 sq. mm FR PVC insulated copper conductor single core cable in surface/recessed PVC conduit, with piano type switch, phenolic laminated sheet, suitbale size PVC/ G.I box etc. as required. | 153  | Each | 473.69 | Rs. Four hundred seventy three and paise sixty nine only. |
|    | <br>1.1.3     | Group C  |      |      |        |   |
| 56 | 1.2           | Wiring for twin control light point with 1.5 sq. mm FR PVC insulatd copper condctor single core cable in surface/ recessed PVC conduit, with 2way piano type switch, phinollic laminated sheet, suitable size PVC/GI box etc. as required.                               | 2    | Each | 475.71 | Rs. Four hundred seventy five and paise seventy one only. |
| 57 | 1.5           | Wiring for light/ power plug with 2x4 sq. mm. FR PVC insulated, copper conductor, signle core, cable in and surface, recessed PVC conduit along with 1 no. 4 sq. mm FR PVC insulated copper conductor single core cable for loop earthing as required.                   | 440  | mtr  | 171.70 | Rs. One hundred seventy one and paise seventy only.       |
| 58 | (b)<br>1.7.2  | Wiring for circuit/ sub main wiring along with earth wire with the following size of PVC insulated, coppper conductor, signle core cable in surface/ recessed PVC conduit as required.  2x2.5 sq. mm + 1x2.5 sq. mm earth wire.  | 335. | Rmt  | 126.25 | Rs. One hundred twenty six and paise twenty five only.    |
| 59 | (c)<br>1.7.11 | 4x6 sq. mm + 1x6 sq. mm earth wire.  | 25   | Rmt  | 390.87 | Rs. Three hundred ninety and paise eighty seven only.     |
| 60 | 1.33          | Supplying and fixing 2 pin 5 amp. Ceiling rose on the existing junction box/ PVC box including connection etc as required.   | 40   | Each | 23.23  | Rs. Twenty three and paise twenty three only.             |
| 61 | 1.34          | Supplying and fixing battan/<br>angle holder including<br>connection as required.  | 92   | Each | 28.28  | Rs. Twenty eight and paise twenty eight only.             |

sometimes oriener

Chief Engineer
B.S.E.I.D.C. Ltd. Paina
Ry




| Ilaminated sheet cover in front of including painting etc. as required.  | 62 | 1.23  | Supplying and fixing following piano typed switch/ socket on existing switch box/ cover including connection etc. as required.  Telephone socket on shutter outlet   | 153 | Each | 49.49   | Rs. Forty nine and paise forty nine only.                            |
|--|----|-------|--|-----|------|---------|--|
| Supplying and fixing suitable G.I/PVC box on surface or in recess with phenolic laminated sheet cover in front including 1.30. provided and fixing 6 pin, 15/16 amps socket outlet and 15/16 amps piano type switch connection, painting etc, as required.  DISTRIBUTION BOARD Supplying and fixing of following way of three pole and neutral sheet steel, MCB distribution board 415 Volts, on surface/ recess, tinned, copper bus bar, neutral link, earth bar, din bar, detachable gland plate, interconnections, phosphatized and power painted including earthing etc. as required (but without MCB/RCCB/ isolator)  (b) 2.9.5 6 way (4+18) double door  Supplying and fixing 5 amps. to 32 amps, rating, 240 volts, 'C' series MCB of following poles | 63 |       | of following size (normal size) on surface or in recess with suitable size or phinollic laminated sheet cover in front of including painting etc. as required.  75mm X 75mm X 50mm deep  | 6   | Each | 59.59   | Rs. Fifty nine and paise fifty nine only.                            |
| Supplying and fixing of following way of three pole and neutral sheet steel, MCB distribution board 415 Volts, on surface/ recess, tinned, copper bus bar, neutral link, earth bar, din bar, detachable gland plate, interconnections, phosphatized and power painted including earthing etc. as required (but without MCB/RCCB/ isolator)  (b) 2.9.5  6 way (4+18) double door  Supplying and fixing 5 amps. to 32 amps, rating, 240 volts, 'C' series MCB of following poles   | 64 | 1.30. | Supplying and fixing suitable G.I/PVC box on surface or in recess with phenolic laminated sheet cover in front including provided and fixing 6 pin, 15/16 amps socket outlet and 15/16 amps piano type switch connection, painting etc, as   | 46  | Each | 217.15  | seventeen and paise  |
| Supplying and fixing 5 amps. to 32 amps, rating, 240 volts, 'C' series MCB of following poles  | 65 | (b)   | Supplying and fixing of following way of three pole and neutral sheet steel, MCB distribution board 415 Volts, on surface/ recess, tinned, copper bus bar, neutral link, earth bar, din bar, detachable gland plate, interconnections, phosphatized and power painted including earthing etc. as required (but without MCB/RCCB/ isolator) | 2   | Each | 2554.29 | Rs. Two thousand five hundred fifty four and paise twenty nine only. |
| 2.12 in the existing MCR_DR with   | 66 | 2.12  | Supplying and fixing 5 amps. to 32 amps, rating, 240 volts, 'C' series, MCB of following poles in the existing MCB DB with connections, testing and commissioning etc. as required.  | 35  | Each | 157.56  | Rs. One hundred fifty seven and paise fifty six only.                |

Smither aniens

Chief Engineer
B.S.E.I.D.C. Lid, Patna

|     |      | <u> </u> |  |          |             |         | Rs. Nine hundred thirty                            |
|-----|------|----------|--|----------|-------------|---------|--|
| 67  |      | (b)      | 6/32 TPN   | 1        | Each        | 936.27  | six and paise twenty seven                         |
| [ " |      | 2.12.5   | OIJE IIIV  | 1<br>s:  | Dacii       | 730.21  | only.  |
|     |      |          | LT Panel & Cable   |          | - ,         | ,       |  |
|     |      |          | Supplying and laying following                                 | -<br>:   |             |         |  |
|     |      |          | size and core PVC/ XLPE  |          |             |         |  |
|     |      |          | insulated PVC sheathed heavy                                   |          |             |         | ,  |
| 68  |      | 6.14     | duty armoured electrical cable                                 | 100      |             | 027.25  | Rs. Two hundred thirty                             |
| 08  |      | ·        | with alluminium conductor for working voltage upto &           | 100      | mtr .       | 237.35  | seven and paise thirty five only.                  |
|     |      |          | including 1100 Volts.  |          |             |         | (m.).  |
|     |      |          | (Conforms to IS: 1554 part-1)                                  |          |             |         | 2  |
|     |      | 6.14.4   | 16 sq.mm X 4 core alluminium                                   |          |             |         |  |
|     |      | 0.14.4   | armoured cable   |          | <del></del> | ····    |  |
|     |      |          | Trench cutting in soil of                                      |          |             |         |  |
|     |      |          | suitable size 1.5 feet wide and 2                              |          |             |         | Rs. Twenty two and paise                           |
| 69  |      |          | feet depth including refilling                                 | 100      | Rmt         | 22.22   | twenty two only.                                   |
|     |      |          | the trench with same etc. as required. ( For laying the cable) |          |             |         |  |
|     |      |          | required. ( For laying the cable)                              | <u> </u> | . '         |         |  |
|     |      |          | Providing and fixing following                                 |          |             |         |  |
|     |      |          | capacity double pole/ TP & N                                   |          |             |         |  |
| ·   |      |          | sheet metal switch disconnector                                |          |             |         |  |
| 70  |      | 2.2      | fuse unit in existing metal board, with ISI marked HRC         | 1        | Each        | 6034.75 | Rs. Six thousand thirty four and paise seventy     |
| /0  |      |          | fuses, including drilling holes                                |          | Lacii       | 0034.73 | five only.   |
|     |      |          | in metal board, making   |          |             |         | /  |
|     |      |          | connections, etc. as required.                                 |          |             |         |  |
|     |      | 2.2.2    | 100 amps. TP & N, HRC  |          |             | e e     |  |
|     |      |          | EARTHING   |          |             |         |  |
|     |      |          | Providing and laying earth                                     |          |             |         | Rs. One hundred twenty                             |
| 71  |      | 3.15     | conection from earth electrod with 6 SWG dia GI wire in 15     | 3        | Each        | 123.22  | three and paise twenty two                         |
|     |      |          | mm dia GI pipe from earth                                      |          |             |         | only.  |
| ·   |      |          | electrod, as required.   |          |             |         |  |
|     |      |          | E arthing with copper earth                                    |          |             |         |  |
|     |      |          | plate 600mmx600mmx3mm  | ,        |             |         |  |
| 72  |      | 2.6      | thick including accessoies, and                                | 1        | 0-4         | 5622.70 | Rs. Five thousand six                              |
| 72  |      | 3.6      | providing masonary enclosure with cover plate having locking   | 1        | Set         | 5633.78 | hundred thirty three and paise seventy eight only. |
|     |      |          | arrangement and watering pipe                                  |          |             |         | paiso seventy eight only.                          |
|     |      |          | etc as required  |          |             |         |  |
|     |      | MISCEL   | LANEOUS WORK   |          |             |         |  |
|     |      |          | CARRAIGE OF  |          |             |         |  |
|     |      |          | MATERIALS  A) LOCAL SAND, Avg                                  | •        |             |         | Do One hundred ninet                               |
|     | 73.1 |          | A) LOCAL SAND ,Avg.<br>LEAD - 3 KM.                            | 177.47   | CU.M        | 190.4   | Rs. One hundred ninety and paise forty only.       |
|     |      |          | DEATE STRIPT.  | 1//-     | 00.171      | 1,70.7  | Tana paido forty offly.                            |

Chief Engineer B.S.E.I.D.C. Ltd, Patna



|      | 73.2              | 59.75<br>Km | B) COARSE SAND ,Avg.<br>LEAD from Nasriganj   | 214.48   | CU.M         | 801.24  | Rs. Eight hundred one and paise twenty four only.  |  |
|------|-------------------|-------------|---|----------|--------------|---------|--|--|
| 73   | 73.3              | 96 Km       | C) STONE CHIPS ,Avg.<br>LEAD from Karbandia   | 194.85   | CU.M         | 1356.87 | Rs. One thousand three hundred fifty six and paise eighty seven only.  |  |
|      | 73.4              |             | <b>D)</b> BRICKS ,Avg. LEAD- = 8 KM.  | 93.33    | THOUS<br>AND | 557.36  | Rs. Five hundred fifty seven and paise thirty six only.  |  |
|      | 73.5              |             | E) Cement ,Avg. Lead =5 KM.   | 2409.00  | Bags         | 9.88    | Rs. Nine and paise eighty eight only.  |  |
|      | 73.6              |             | F) Steel ,Avg. Lead =5 KM.  | 14.85    | M.T.         | 197.50  | Rs. One hundred ninety seven and paise fifty only.   |  |
| 74   |                   |             | Add extra cost of material for<br>Patna Rural Commissionary<br>w.r.t Gaya as per SOR, BCD | 93.33    | THOUS<br>AND |         |  |  |
| /4   | 74.1              |             | Bricks  |          | -            | 202.65  | Rs. Two hundred two and paise sixty five only.   |  |
|      | 74.2              |             | Cement  | 2409.00  | Bags         | 36.21   | Rs. Thirty six and paise twenty one only.  |  |
|      |                   |             |   |          | TAL Cost     | = Rs.   | 5,319,806.15   |  |
|      |                   |             | Group No. : U   | JSS-117D |              |         | •  |  |
| S.N. | I. District Block |             |   |          |              | Name of | The state of the s |  |
| 1    | BU                | XAR         | Ithari  | M.S. Ba  | sawan Ka     |         | 5,319,806.15/  |  |
|      |                   |             |   |          |              | Rs      |  |  |
| Say  |                   |             |   |          |              |         |  |  |

Tender approved in favour of M/S Pragati Construction @ 0.63% (Zero Decimal Six Three Percent) below BOQ rates i.e. total amount comes to Rs. 52,86,291=00 (Rupees Fifty Two Lacs Eighty Six Thousand Two Hundred Ninety One Only)

mileun aun

Chief Engineer

8.S.E.I.D.C. Ltd, Patna

230

## **Performance Security**

Name of Agency - "M/S Pragati Construction"

Performance Security of "M/S Pragati Construction" of "USS-117D"

| Passbook No | DOI      | Reg. No. |       | <u>Amount</u> |
|-------------|----------|----------|-------|---------------|
| 13761       | 18.03.14 |          |       | 7000.00       |
| 13757       | 14.03.14 |          |       | 51000.00      |
| 13753       | 14.03.14 |          | •     | 50000.00      |
| 13760       | 18.03.14 |          |       | 7000.00       |
| 13755       | 14.03.14 | •        |       | 50000.00      |
| 13756       | 14.03.14 |          |       | 51000.00      |
| 13754       | 14.03.14 |          |       | 50000.00      |
|             |          |          |       |               |
|             |          |          | Total | 266000.00     |
|             |          |          |       |               |

(Rupees Two Lacs Sixty Six Thousands Only)

क्रिया पदाधिकारी बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिं०, पटना

> Stringay G/8/14

Surgeni Quinni

Chief Engineer

R

## BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

(A Govt. Of Bihar Undertaking)

Shiksha Bhawan, Bihar Rastrabhasa Parishad Campus ,Acharya Shiv Pujan Sahay Path, Saidpur, PATNA-800004. (Tel. No: 0612-2910314)

Letter of Acceptance

Letter no :- BSEIDC/TECH/164/2013- 3 43

Patna, Date J. D. ... 7 ... J. ...

With reflence to N.I.T. No -44/2013-14, Dated-13.02.2014 for execution of "Construction of Upgraded Secondary School buildings in Bihar" the bids have been accepted in favour of the Agencies as

| S. N.                                   | per deta<br>Name of<br>Groups | Ils below:  Name of District | Name<br>ol          | Name of School                             | Name of Agency   | Estimated Cost (in Rs.) | Tendered<br>Value (in | Performance security to be | Time of<br>Complet |
|---|-------------------------------|------------------------------|---------------------|--|--|-------------------------|-----------------------|----------------------------|--------------------|
|   |                               |                              | Block               | 0.440                                      |  |                         | Rs.)                  | deposited (in Rs.)         | ion                |
| 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | USS-<br>FIDC :                | Bhoipur                      | Barhara             | , Odvt.M.S.<br>Bakhorapur<br>9570469585    | Ritu Singh, Vill- Semein,<br>Barhara, Distt. Bhojpur.  | 51,96,715               | 48,50,094             | 2,43,000                   | 12 माह             |
| 2                                       | USSA<br>HIGA                  | 3uxar                        | Dumra<br>Pon        | , M. S. Nuaon<br>993939 ( 144              | Babliu Kumar Singhi, Ram Ji<br>Ghak, School Road, Bata<br>Gani, Digha, Patha-18.                 | 53,45,044               | 53,45,044             | 2,68,000                   | 12 सा <b>ह</b> ्   |
|   | 7085<br>11160                 |                              | Dunira <sup>3</sup> | M.S. Mathila<br>9931890937                 | Prem Prakash Singh,<br>Mahatma Gandhi Nagar,<br>Katira, Ara-802301                               | 53,51,928               | 53,21,957             | 2,67,000                   | 12) माह            |
|   | Ø58 )[<br>  16B               | Ja Buxar                     | iDunia              | M.S. Rampur<br>761 Mathiya<br>197798067177 | Palyan Kumar Dubey,<br>VIII+P.D Barka Dhkalch,<br>P.S Krishnubrahm, Distu-<br>Buxar,             | 53,51,928               | 52,96,803             | 2,65,000                   | 12, मार्च          |
|   | 088<br>117 <b>8</b>           | Buxall                       | Ithaci              | M.S. Barkaguon<br>8651239720               | Man Mardan Shukla<br>Construction Pvt. Ltd.,<br>Speaker Lane, Naya Tola,<br>Muzaffarpur, Billar. | 53,36,156               | 53,33,489             | 2,67,000                   | 12 ніё             |
|   | USS4<br>  170<br>  18         | Buxar                        | ithari<br>(te)      | , M.S. Harpur<br>9939590039                | M/S Surbendra Kumar & Co., Civil Line, Buxar.  | 53,19,806               | 50,37,856             | 2,52,000                   | 12 माह             |
|   | USS<br>SILTO                  | Buxar                        | thari               | MIS Basawan Kal<br>7739120173              | VIII+PO-Athar P.S<br>Nawanagar, Distt. Buxar.  | 53,19,806               | 52,86,291             | 2,65,000                   | 12 माह             |
|   | Uss<br>121A                   | Rohtas                       | Karakat             | Mis, Dewmarkand                            | Annaith, Ara.  | 52,38,345               | 49,47,617             | 2,48,000                   | 12 माह             |
|   | USS<br>1211                   | Rohtas                       | Karakat             | Gir]'s M.S. Motha<br>9162106111            | AT+P,O,+P.S Ramgarh,   | 52,50,821               | 52,17,741             | 2,61,000                   | 12 माह             |
|   | ₩SS-<br>J21C                  | Rontas                       | Nasrig-<br>arti     | IIMIS. Palga<br>9955477596<br>9903271092   | Krishna Pratap Siligh,<br>AT+POi+P.SRamgath,<br>Kaimur:  | 52,08,014               | 52,08,014             | 2,61,000                   | 12 माह             |
|   | 11881<br>1210                 | Robbas                       | Masriga<br>n        | M.S. Pawan<br>9473321921<br>8298414859     | Ahill Ray, AT- Vishunpur,<br>P.O Kuruup<br>Indirahya, DistRohtas.                                | 52,20,060               | 49,17,819             | 2,46,000                   | 12 मह              |
|   |                               |                              |                     |  |  |                         | R                     |                            |                    |

|     |                        | <u> </u>     | 1                 |  | -   |           |              |          |          |
|-----|------------------------|--------------|-------------------|--|---|-----------|--------------|----------|----------|
|     | 058-<br>126B           | Bhagalpur    | Kahalg<br>aon     | M.S. Maheshmunda<br>8987170031                       | Chitragupta Construction<br>Pvt. Ltd., House No 241,<br>Thakurbari Road,<br>Jehanabad, Bihar. | 52,23,305 | 51,16,227    | 2,56,000 | , 12 माह |
|     | #{\$\$-<br>26C         | Bhagalpur    | Kuhalg<br>aon     | M.S. Ekdara<br>9961316463                            | Rupsri, Mathurpur,<br>Kahalgoan, Bhagalpur.   | 52,06,957 | 51,41,870    | 2,58,000 | 12 माह   |
|     | USS-<br>126D           | Bhagalpur    | Kahalg<br>aon     | M.S. Saur<br>9430428851                              | Sunil Kumar Mandal,<br>Chhoti Khanjarpur,<br>Bhagalpur.                                       | 52,23,305 | 51,31,897    | 2,57,000 | 12 माह   |
|     | USS-<br>127C           | Blagalpur    | Pirpaiti          | M.S.Mahadeo Tikar<br>9973648394                      | Rupsri, Mathurpur,<br>Kahalgoan, Bhagalpur.   | 52,39,859 | 51,61,261    | 2,59,000 | 12 माह   |
|     | USS,<br>127E           | Blagalpur    | Pirpaiti          | M.S.Lakshmipur<br>7549681618                         | Manoj Kumat Singh,<br>Vasantpur, Pipainti,<br>Bhagalpur                                       | 52,25,016 | 48,85,390    | 2,45,000 | 12 माह   |
|     | USS-<br>128A           | Bhagalpur    | Goradi            | M.S.Birhaugha<br>9955198006                          | Sunil Kumar Mandal,<br>Chhoti Khanjarpur,<br>Bhagalpur.                                       | 52,60,376 | 51,81,470    | 2,60,000 | 12 माह   |
|     | USS#<br>128D           | Bhagalpur    | Sabaur            | Govti M.S. Kurpat<br>9204660635<br>9931729133        | Suni) Kumar Mandal,<br>Chhoti Khanjarpur,<br>Bhagalpur.                                       | 52,51,772 | 52,12,384    | 2,61,000 | 12 भाह   |
|     | 17等级。12:11             | Lakhisarai   | Barahiy<br>  a    | Vis Pal<br>9546977875                                | Rajhish Vats, Bahpar<br>Pachammahlala, Barahiya,<br>Mokania                                   | 52,17,630 | 49,57,270    | 2,48,000 | 12 माह   |
| 2   | US9-11<br>1180         | Dakilisaral. | lalsi<br>  alsi   | M.S. Geruapursanda<br>8084044144                     | M/S Manglam<br>Construction, Sirchand,<br>Nawada, Jamui.                                      | 52,15,263 | 52, 15,263   | 2,61,000 | 12 माह   |
|     |                        | Lakhisara (  | Lakhisa<br>rai    | UMB, Kachhiyana<br>9984788038<br>9199110418          | Ashok Kumar, Vill-<br>Ramnubigha, P.O Mehus,<br>Sheikhpura.                                   | 51,99,129 | 51,15,423    | 2,56,000 | 12 मह    |
|     | U85:<br>133F           | Lakhisarai   | Pipariy<br>a      | M/87 Pawai<br>9263032826                             | Ram Naresh Sharma<br>Vill+Po-Ramchandrapur,<br>Ps-Pipariya, Lakhisarai                        | 52,10,810 | 51,84,235    | 2,60,000 | 12 माह   |
|     | USS<br>1468            | Newaria      | Röli 3            | MiS. Wara panday,<br>9931630318                      | Awadh Kishore Singh, AT-<br>Takiya Bazar, P.O.+P.S<br>Rjauli, Distt Nawada.                   | 52,01,489 | 49,96,030    | 2,50,000 | 12 用表    |
|     | US\$7<br> 46D<br> -    | Navada<br>1  | Rakriba<br>Irawan | MS Ukaorah<br>MS Naudihu                             | Khalid Aziz Siddique,<br>Şeiklipura, Bihar  | 52,24,285 | 50,79,572    | 2,54,000 | 12 刊底    |
|     | USB-1<br>149D<br>14    | Gaya         | (manig)<br>(ani   | 9135294703<br>8265212693                             | Keola Construction, Near<br>Dayal Petrol Pump, Gewal<br>Bigha, Gaya                           | 51,93,811 | 51,47,067    | 2,58,000 | 12 माह   |
|     | US\$4<br>  50A<br>  54 | Gaya         | Belaga<br>nj      | M.S. Chirala,<br>9934883794<br>9199881320            | Shyam Bihari Prasad,<br>Vill+P¦O,- Erki,P,S,-<br>Belagani, Gaya,                              | 49,59,552 | 49,47,153    | 2,48,000 | 12 मांह  |
|     |                        | Gaya         | Tokari            | M.S. Urdu<br>Bishnupur,<br>977 (12825)<br>913585003) | Mithlesh Kumar Singh,<br>Jahakbur, Buniyadgahi,<br>Gaya.                                      | 49,69,663 | 49,64,196    | 2,49,000 | 12 महि   |
|     |                        |              |                   |  | Mithlesh Kumar Singh  |           |              |          |          |
| 300 | 150D                   | Свуа (т      | Xonol.            | M.S. Ahiyarpur.<br>  1993400803()                    | Jahakour, Buniyadgani,<br>Gaya.   | 50,01,500 | .49.94,998#. | 250000   | 12) मोह  |
| 9   | JS8-1                  | Gaya         | Barachu<br>tty    | U.M.S. Barawadia<br>9631852939                       | Kepla Construction, Near<br>Dayal Petrol Pump, Gewal<br>Richa, Gava                           | 52,44,820 | 51,97,617    | 260000   | 12 मह    |
|     |                        |              |                   |  | B.S.E.  | D.C. Ltd. |              |          |          |

| 25 | • |
|----|---|
|    |   |

|                    |                | ,                      |  |  |           |           | ٠.     | 25-    |
|--------------------|----------------|------------------------|--|--|-----------|-----------|--------|--------|
| 15313              | Gaya           | Guraru                 | M.S. Manjhar,<br>9572789270                    | Mithlesh Kumar Singh,<br>Janakpur, Buniyadganj,<br>Gaya.   | 51,58,934 | 51,51,196 | 258000 | 12 माह |
| Chija              | Aurangabad     | Raphig<br>anj          | M.S. Badhopur,<br>9955270100                   | Kamdeo Singh, Vill-<br>Ghordaur, Bel, Obra,<br>Aurangabad.   | 53,51,227 | 53,45,876 | 268000 | 12 माह |
| USS-<br>157C       | Aurangabad     | Madanp<br>ur           | M.S. Judahi,<br>9931892284                     | Shambhu Sharan Singh,<br>Gyanpuri, New Area,<br>Aurangabad, Bihar.   | 53,22,111 | 53,08,806 | 266000 | 12 माह |
| USS-<br>157Ď       | Aurangabad     | Madanp<br>ur           | M.S. Saliya,<br>9955803641                     | Maa Sharda Construction<br>New Area Ward No.5<br>Aurangabad Bihar  | 53,33,128 | 53,05,929 | 266000 | 12 माह |
| USS-<br>157E       | Aurangabad     | Raphig<br>anj          | M.S. Danai,<br>9097351245                      | MS Mangalam Construction<br>Sri Krishna Nagar (Ahar)<br>Aurangabad Bihar   | 53,12,217 | 52,30,940 | 262000 | 12 माह |
| USS-<br>162À       | Sitamarhi      | Bathme<br>ha           | M.S.Belahi Jairani<br>9973 134925              | Malti Infrastructure Pyt. Lid., Ground Floor, malti Niwash, Jai Hind Colony, New Ranipur, Phul varisarif, Patna- 801505. | 58,95,955 | 58,22,845 | 292000 | 12 माह |
| US6-<br>1621       | Situmarhi      | Dumri                  | M.S.Pakri Sanakarit<br>  8294813032            | MS Bharti Construction<br>Rajopatt, Ward<br>No.26 Stamarhi   | 58,43,570 | 57,11,505 | 286000 | 12 相馬  |
| 1635<br>1638       | Siamarhi       | Pupri                  | M.S.Whulanagar<br>9608713501                   | Dillp Kumar Mishra,<br>Belshand Nagar Panchyat,<br>ward NoI, PIS- Belshand,<br>Distt / Stramadhi                         | 58,44,186 | 57,55,890 | 288000 | 12 ਸਾਲ |
| USS<br>163C u      | Sitamarni      | Sursand                | M S B)ilita Bazar<br>8271\$27471               | Dilip Kumar Mishra<br>Belshand Nagar Panchyat,<br>ward No1, P.S Belshand,<br>Distt Shamadhi                              | 58,45,037 | 56,39,876 | 282000 | 12 HIE |
| 135<br>1660        | Vaishali       | Bicupu                 | M: Si Mohanpur<br>  Kallbatti <br>  9199314551 | M/S Ashutosh Kumar,<br>VIII+POi- Bithauli, P.S<br>Bhagwanpur, Distt<br>Yaishli.  | 55,94,932 | 52,56,439 | 263000 | 12 Hig |
| 188-L<br>1734      | Sivan          | Hisain<br>Bari         | Mi S. Hilb Hola<br>Chilata<br>9546660912       | Star Construction & Co.,<br>Vill-Rasulpur, P.O.<br>Chhapiyan Buzurg, Distt<br>Siwan-841226.                              | 56,40,665 | 56,28,820 | 282000 | 12 साह |
| U88-<br>1925<br>18 | Durbhanga      | Benipur                | U. Mi.S. Ramoull<br>9931745776                 | Rainplikar Yadav, Vill-<br>Devita, Alinagar,<br>Darbhanga.   | 57,32,815 | 56,43,383 | 283000 | 12 साह |
| 1926<br>1926       | Dhrbhanga      | Biratii                | U.M.S, Balha<br>7631905606                     | Rainplikar Yaddy, Vill-<br>Devna, Alinagar,<br>Darbhanga,  | 57,69,912 | 56,97,788 | 285000 | 12 साह |
| 199(A)C            | A <b>a</b> ria | Nårpaty<br>anj         | Middle School<br>Khabdan Dumfiya<br>9661102737 | Pramod Klimar, Shlvpuri,<br>Ward No9, Araria   | 57,69,637 | 55,30,197 | 277000 | 12 माह |
| Q5 <b>5-2</b> 1)   | Gopalgani      | Uchka <u>r</u><br>Iaon | Milddle School,<br>Kaparpura                   | M/S Sri Krishna<br>Construction Company,<br>R/O- Sushila Swami Sadan<br>North of Women's Collège,<br>Gopalgani-841428.   | 55,97,564 | 55,04,644 | 276000 | 12 माह |

ted to furnish performance security as per mentioned in above table. The Performance Security should be deposited within 10 (Ten) days of receipt of this Letter of

ptance (LOA) valid up to 28 (Twenty eight) days from the date of expiry of defect liability period.

In the interest of the work Agencies are instructed to proceed with the execution of the " said work in consultation with concerned Engineer-in-Charge with immediate effect. The date of start of this work will be the date of issue of this letter. The agreement will be executed after verification of Performance Security and Registration in appropriate category in this Corporation.

> Yours faithfully (Brajesh Prasad) Chief Engineer

end hold BSEIDC/HECH 1164/20

Patha, Date ...

Copy for warded to it Executive Engineer I/C of the Project

ccolunt Officer, BSEIDG, Patna.

(Brajesh Prasad)

## USS117(D)

## SPECIAL CONDITIONS

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes royalties and other

incidental charges.

4. To qualify for award of work, the Bidder must possess the following:-

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of signatory bid.

b) DD for required value of B.O.O. Cost.

c) Sufficient Earnest Money Deposit.

- d) Certificate from Charted Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.
- e) Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed atleast one Building work of value not less than 25 % of estimated value of contract) in last five years and current Financial year will also be considered as mentioned in Technical bid.

f) Litigation History as mentioned in Technical bid.

g) Affidavit as mentioned in Technical bid.

h) Valid Registration with Central/ State Govt. / PSU.

i) Valid labour license as mentioned in Technical bid.

j) Valid Character Certificate as mentioned in Technical bid.

k) Affidavit/Certificate for not been debarred as mentioned in Technical bid.

- 5. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.
- 6. The tender without earnest money or insufficient earnest money submitted with the tender, will be outright rejected.

7. Conditional tenders shall be outright rejected.

- 8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.
- 9. Authority shall reserve the right to reject any or all the tenders or distribute the work to more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained.

- 11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules prevalent in the locality.
- 12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the contractor.
- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-

a. Natural calamities

(Seal & Signature of Tenderer)

Freiter Cherry

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

Pur

,

.

USS117(D)

- b. Act of enemies.
- c. Transport and procurement difficulties.
- d. Circumstances beyond the control of the state.
- 15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- 16. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
- 17. The contractor shall make his own arrangement for water and light at the work site.
- 18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 20. The Tenderer must not quote their rate more than 15 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
- 21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 22. If any departmental materials will be supplied to the contractor the cost for carriage etc. will be borne by the contractor.
- 23. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.
- 24. The Defect liability Period shall be One (1) Year from the date of completion of the work.

----X-----X

Julean Bying

(Seal & Signature of Tenderer)

Chief Engineer
B.S.E.I.D.C. Ltd, Patna