Name of white the	000000000000000000000000000000000000000
Name of Work - Construction Schedule XLV-Form No. 61 class (Room (2 Un	1 of Habitonia
Class from (2 un	us) in Rama
Jain Boys High Sch Block-Sasaram (M), Ro	001 (72), under
Block-Sasaram (M), Ro	htas (ACR-239)
BIHAR PUBLIC WORKS DEPA	RTMENT
Agency - [Form No. F-2] Apju	n Singh.
ITEM RATE TENDER AND CONTRACT F	
Agreement No	- 120+2019-20
General Rule and Direction for the guidance of Co	ontractors.
1 Date of Commencement - 08	-03-2019
1. All works proposed for execution by contract will be notified in	a form of invitation to tender
passed on a board hung up in the office of and signed by the Sub-divisional Of	ficer/Executive Engineer.
This notice will state the work to be carried out the items and appropriate the state of the sta	oximate quantities thereof as
well as the date for submitting and opening tenders also, amount of earnest m amount of the security deposit to be deposited by the successful tenderex an	d the percentage if any to be
deducted from bills, copies of the specifications, designs and any other docur	ments required in connection
with this submission of tender signed for the purpose of identification by the Su	b-divisional Officer/Executive
Engineer shall also be open for inspection by the contractor at the office of the Su Engineer during office hours.	D-divisional Officer/Executive
2. In the event of the tender being submitted by a firm, it must be	e signed separately by each
member there of or in the event of the absence of any partner, it must be sign	ned on his behalf by a person
holding a power-authorising him to do so.	by a firm must also be signed
3. Receipt for payments made on account of work when executed by the several partners, except where the contractors are described in their tenders.	der as a firm in which case the
receipt must be signed in the name of the firm by one of the partners, or b	y some other person having
authority to give effectual receipt for the firm.	iii. When Stande
4. The memorandum of work tendered or and the memorandum.	of materials to be supplied by
the Public Works Department and their issue rates shall be filled in and comp divisional Officer/Executive Engineer before the tender form is issued. If a form	is issued to a intending tender
without having been so filled in and completed, he shall request the office	to have this done before he
complete and delivers his tender.	
5. The amount of earnest money to be deposited will be : -	Rs.
If the amount of the estimate does not exceed Rs. 2,000	50
If the amount of the estimate exceeds Rs. 2,000 but does	100
not exceed Rs. 5,000	diya 15150 aya daya daya balka (180
not exceed Rs. 10,000	200
For each additional Rs. 5,000 or portion of Rs. 5.000	
additional earnest money	100
6. Any Person who submits a tender shall fill up the usual printed to	form stating there at what rate
he is willing to undertake each item of the work incomplete tender and tenders	which propose any alteration
in the work specified in the said form of invitation tenders, or which contain an	y other conditions of any sort,
or omit to note the time within which the work can be finished, or which are not challan for the required earnest money will be liable to rejection. No single tende	er shall include more than one
work, but contractors who will to tender for two or more works shall submit a se	parate tender for each Tender
shall bear the name of the work to which they refer written outside the envelo	p. Cash deposits for earnests
money here in before mentioned shall be made in Government Treasuries and enclosed with the tender.	CHIST ETS INCO.
0.100	S.E.I.D.C. Lid, Palma
5/537 INE -5	B 311 किसी
5-8-2019	C/

enclosed with the lenses of the second of th

Schedule XLV - Form No. 61

7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.

8. The Engineer shall have the right of rejecting all or any of the tenders

9. In the event of a tender being selected for acceptance the Engineer who opened the tenders will, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the priscribed time. The tender with the specification and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to the tenderer.

10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.

11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required amount of the security money has been deposited the Engineer shall scrutinise all pages of the form of item, rate tender & contract for works to see that the form has been properly filled up and signed by the contractor & the signature witnessed He shall then if he is competent, to accept the tender, sign the acceptance of the tender, or, if he is not so competent shall send the form for signature of the acceptance of the interest to accept it.

34457 ME

TENDER FOR WORKS

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

	MICIAIOL	MINDOIN			
				100	
ork			 		

(a) If several sub-work are actuded they should be detained in a separate list.

[b] Estimated cost

[a]

[0]

[d]

Name of w

(b) This deposit will be 5% of the estimated cost of the Work.

Earnest money

'c) . This percentage deduction from bills will be credited to the contractors security deposit.

Initial security deposits (including earnest money) to be deposited befor the commencement of the work

[e] Percentage to be deducted from bills Rs. 5% (Rupees five percent)

[g] Date of written other to commence

[h] Total number of item of work tendered for

		RATE TE	RATE TENDERED		
) Item No.	Item of work	In figures	In words	Per	
3					
)					
9					
)					
)					
5					
3					
3				19	
3				59705/08/19	
)				11.	
3			Chief	Eng neer C. Ltd, Patria	

(4)

		RATE TE	NDERED	
Item No.	Item of work	In figures	In words	
908161818303	na meta e na maza da isako malimwa di Masa	Fig. 1512 - The day to	syloponser na	1 35 T
bemalaren	stone designe, analog, and other document	Misegs of Below a	order lan	
and the state of t	na comica la archibera l'essime sittà	pelder tas to	ability of the	
	Combined to appreciate to accommon	Tuelly English		
			ADDENOUS .	
	AGUGRASIONASIN			
		ne er work		
		A STATE OF THE STA		
		Was arrest		
		A STATE OF THE STA		in the same
				100
	audu da al Water (15) tala Jamin ililal	N POPER OF THE PROPERTY OF THE		lane.
	All the second s		50	
			The said of	1 33.53
	ा हुए अपरे तक प्राप्ति। अहे अस्ति शास का होता विश्वास	D School Springs	Man with the	1818
	services of security and who side it on allow	A TOTAL STATE OF STAT		
	ylchian .			
	SOMETIME TO SE	Series Helina to	do Allerta	
			A 1-18 - ALM	Labo
				THE STATE OF
			The second secon	1
				1000
	Chiffs(MSC 1)48		Skelft Skelft	
	Reg E (Ensemble 2)		o He Mal	
	degradade 2047 sinescol associal		or Iornau	
	abrewin besterio)		o le mai	
	Rengalasia (Linguista)		o Iolaas	
	ide past and a succini			
	abrewit a participal			
	Repart English English			
	abrewell pentong			

3459 ME

3

Schedule XLV - Form No. 61

(5)

)—		RATE TENDERED			Per	
9	Item No.	Item of work	In figures	In words	rei	
3						
)						
9						
)						
)						
)						
9						
)						
)						
)						
)						
)						
9						
)						
)						
)						
)						
9						
3)						
y						
)						
5)						
9						
h						

mon me

Sch

Schedule XLV - Form No. 61

(6)

Item No.	Item of work	RATE TE	NDERED	
	A STATE OF WORK	In figures	In words	Pe
		G		
		Y		L. COROCETTA

4

Schedule XLV - Form No. 61

(7)

	la un of words	RATE TE	RATE TENDERED			
Item No.	Item of work	In figures	In words	Per		
				AUS TURNING TO		
9 218 1500	evel on it has the age into it area wh	en en en en en en	Lend - Lend	ente Va alulla consella e e succ		
d						
9		Ne rujenico co	traluate Military			
)	A DAS INCLUED REPORTED A					
)						
)						
•						
			TO TOTAL	Nasari i i		
9						
)						
)						
)						
		exist to the				
)						
9						
)						
)						
Me		Three cole is				
1	ON.					
) Territori	ALT WINGS AND SHAPE OF THE PARTY OF THE PART					
0	A TO THE PART OF THE PARTY OF					

Q

Schedule XLV - Form No. 61 Sche

inter

com

mor

earr

Wi

SI al

a

0

(8)

should this tender be accepted I/we hereby agree to abide by and fulfill all the terms and provisions of the said conditions of contract annexed hereto so. for as applicable, or in ssors in office the sums of money mentioned in the said conditions. Dated the day of

*Signature, of contractor before comission of tender

20

witness :--Address :-

Signature of witness contractor's signature

Occupation:-The above tender is hereby accepted by me on behalf of the Governor of Bihar.

Dated the day of

20 signature of the officer

Acceptances communicated on.

signature of the party taking the tender

accepting the tender.

Compensation

CONDITIONS OF CONTRACT

Clause 1:- All compensation or other sums of payable by the contractor to Government under the terms of his contract may be deducted from, paid by the sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor by Government on any account whatsoever and in the event of his security deposit being reduced by reason of any such deduction or sale as aforesaid, the contractor shall within ten days there after make good in cash or Government securities endorsed as aforesaid any sum or sums which may have been deducted from, or arised by, sale of his security deposit of any part thereof.

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which the work is finished after necessary rectification of defects as pointed by the Executive En- gineer or his authorised agents are fully contractor to the Engineer's satisfaction.

Clause 2:- The time allowed for carrying out the work as entered in the tendershall be strictly observed by the contractor and shall be reckoned from the date on which the wirtten order to comence work is given to the contractor. The work shall throughout the stipulated period of the contract be carried on with all due diligence (time being deemed to be the essence of the contract on the part of the contract or) and the contractor shall pay as compensation an amount equal to 1/2 percent on the amount of the estimated cost of the whole work as shown by the tender for every day that the work remains uncommenced or unfinished after the proper date. And further to ensure good progress during the execution of the work the contractor shall be bound in all cases in which the time allowed for any work exceeds one month to complete one fourth of the whole of the work before one - fourth of the -/ . whole time allowed under the contract has elapsed one-half of the work before onehalf of such time elapsed and three-fourths of the work, before three fourths of such time has elapsed in the event of the contractor failing to employ with this condition, I shall be liable to pay as compensation an amount equal to ½ percent on the said estimated cost of the whole work for every day that the due quantity of work remains incomplete provided always that the entire amount of compensation to be paid under the provisions the clause shall not exceed 10 percent of the estimated cost of the work as shown in the tender.

Action when persnle security deposit foreited

Clause 3:- In any case which under any clause or clauses of or this contract the contractor shall have rendered himself laible to pay compensation amounting to the whole of his security deposit in the hands of Government (where paid in one sum or deducted by instalments) the Executive Engineer on behalf on the Bihar Government shall have been powered to adopt any of the following cour may deem best suited to the enterest of Government

(a) To rescind the contract (of which rescind notice in writing to the contractor under the hand of the Executive Engineer shall be conclusive evidence) and in which case the sectitiry deposit of the contractor shall start for eited and be absolutely at the disposal of Government.

(9)

- (b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debitting the construction with 'he cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in -charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under he terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.
- (c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original contractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4: - In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding. clause he may, if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Enginee, as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

contractor remains liable to pay compensation if action not take under cause 2.

Power to take posession of or require removal of or sell contractor plant.

Clause 5 :- If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) he shall apply in writing to the Executive Engineer within 40 days from the date of starting of the hinderance on account of which be desires such extension as aforesaid and the Executive Engineer shall, if in his opinion (which shall be final) reasonable grounds be shown thereof authorised such extension of time if any, as may in his opinion be necessary proper. The Executive Engineer shall at the same time inform the contractor whether he claims compensation for the delay.

n he

Extension of time

ite. Ltd, Patna

Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certificat by the Executive Engineer (herein after called the Engineer-in-charge) of such completion, but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinct) marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-worl doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurement shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus material and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplu materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, an shall have no claim in respect of any such scaffolding or surplus materials as aforesaid, except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Stores supplied Government Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-in-charge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

1

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts or in any other way vary or affect the contract.

Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Clause 9:- If the specification or estimate of the work provides for the use of an special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-in charge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums then due or there after to become due to the contractor under the contract or otherwise, or against or form the security deposit, or the proceed of sale thereof, if the same is held in Government securit, the same or sufficient portion thereof in this case sold for the purpose. All materials

supplied to the contractor shall remain the absolute property of Government and shill not on any accounts he removed from this site of the work and shall at all times be open to

Schedule XLV - Form No. 61

(11)

nspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be eturned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied o him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: - The contractor shall executive the whole and every part of the work h the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor hall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and o which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his wn expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid.

Clause 11:- Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be lecessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the nanner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the ame rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original Contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the vork is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge Idoes not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may Consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly nerein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the Odetermination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a disputes the decision of the superintending Engineer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month accompanied by a copy of the order in witting of the Engineer-in-charge for the additional ovork and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period.

Clause 12:- If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the nender to be carried out. the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsoever on account of any profit or advantage, which he might have derived from the execution of the work in full, but which he did not derive in consequence of the full amount of the work in or restriction of ot having been carried out neither shall he have any claim for compensation by mason. of any alternation having been made in the original specification, drawing, sesigns and Ltd, Patron nstruction which shall involve any installment of the work as original contemplated clause 12 (a) As contained in G O 1929 dated 11.9.56.

Work to be executed accordance with specification drawing other etc.

Alteration in specifications and designation

Do not in validate contract

Time in consequence of alteration

Rate for work no in estimate or schedule of rates of the district

work to be carried out.

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where suci failure is due to:-

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as finally by the contractor.

Action and compensation payable in case of work.

Clause 13 :- If it shall appear to the Engineer-in-charge or his subordinate incharge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall on demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-incharge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding tendays while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and expense in all respects of the contractcor.

Work to be taken to inspection

Clause 14: All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineer-in-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be present.

Clause 15: The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up of otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given of consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which the same was effected.

Notice to be taken before work covered up

Clause 16:- If the contractor or his work-people, or servants shall break, deface injure or destroy any part of a building in which they may be working or any building road, road curves, fence enclosure water pipes, cables, drains, electric or telephone posts or wires, trees, grass or grassland or cultivated ground any guous on which the work or any part of it is being executed or if any damage shall happen to the work, while in progress from any cause whatsoever or any imperfection become apparent in if within three months (six months in progress or a road-work) after a certificate final or other of its completion shall have been given by the Engineer-in-charge

By By ne

a fore seal, the contractor shall make the same good at his own expense, or in default, the Engineer-in-charge may cause the same to be made be good by other worksmen and deduct the expense of which time thereafter may become due to the contractor, or from his security deposit, or the proceed of sale there of, or of a sufficient portion there of the security deposit at the contractor shall not be refunded before the expiry of three months (six months in the case of a road-work) after the issue of the partificate final or otherwise of completion of work provided that in the case of a road work in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable fer three months of the issue of the said certificate of completion

Contractor liable for damage done and for imperfection a months and after certificate

Clause 17:- The contractor shall supply at his own cost all materials (except such special materials) if any as may in accordance with the contract be supplied from the ingineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, tackle scaffolding and temporary works requisits or proper for the proper execution of the ork whether original, altered or substituted and whether include in the specification or other documents forming part of the contract or referred to in these conditions or not or hich may be necessary for purpose of satisfying or complying with the requirement of tne Engineer-in-charge as to any matter as to which under these conditions he is entitled be satisfied which he is entitled to require together with carriage therefore to and form the work. The contractor shall also supply without charge the requisite number of persons ith the means and materials necessary for the purpose of setting out works, and counting, weighing and assisting in the measurement or examination at any time and form time to me of the work or materials failing his so doing the same may be Provided by the Engineer-in-charge at the expense of the contractor and the expenses may be deducted om any money due to the contractor under the contract from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide necessary fencing and lights required to protect the public from accident, and shall be bound to bear to expenses of defence of every suit action or other proceeding at law that may be brought by any person for injury sustained owing to neglect of the above precautions and to any such person or which may with the consent of the contractor be aid to compromise any claim by any such person.

Contractor to supply to plantladder scaffolding etc.

And is liable for damage arising for non-provision of light fencing etc.

Clause 18:- No female labour shall be employed within the limits of contonment. The contractor shall not employ for the purpose of his contract any person who is below eage of twelve years and shall pay to each labour for the work done by such labourer wages not less than the wages paid for similar work in the neighbourhood.

Work not to be subject

The executive Engineer shall have the right to enquire into the case and decide by complaint alleging that the wages paid by the contractor to any labourer for the work done by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer mployed by contractor is below the age of twelve years and to refuse to allow any labourer whom he decided to be below the age of twelve years to be employed by the ontractor.

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his contract, or attempt so to do, or become insolvent proceedings to make any composition with his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, or offered by the contractor or any of his servant or agents to any public officer or person the employ of Government in any way relating to his officer or employment or if any such officer or person shall become in any way directly or indirectly interested in the contract the Executive Engineer may there upon by notice in writing rescind the contract. The security deposit of the contractor shall there upon stand forfeited and be absolutely at the disposal of Government and the same consequence shall ensure as if the contract had been recinded under clause 3 here of, in addition the contractor shall not be contract.

Contract may be resinded and security deposit forfelted for subletting bribes or if contractor become insolvant

Eng neer

34650 ME

such payable by way of compensation to be considered reasonable compensation without reference to actual loss Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained.

Clause 21:- In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this information.

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal or Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer

Clause 22: All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23:- In case any dispute or difference shall arise between the parties of either of there upon any question relating to the meaning of the specifications, designs drawings and instructions here before mentioned or as to the quality of workmanship or materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, or any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions or otherwise concerning the work or the execution, or failure to execute the same whether as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

(a) Clause 24: When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items or work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-in charge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineer in-charge shall be final and conclusive against the contractor with regard to any sum payable to him under the provision of this clause.

Action where specification.

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circ. specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions are requirements of the Engineer-in-charge.

Definition of works

Clause 26: The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to succonstruction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered substituted or additional.

Witness.

Contractor.

Shedule XLV - Form No. 61

(15)

Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied

0	Particulars	Rates at wh	nich the materia narged to the ntractor	Place of delivery		
0		Unit	Rs.	P.		
0						
.0.						
0						
0						
0						
0						
0						
0						
0						
0						
0						
0						
0						
0						
0						
0						
3						
)						
)						
0						
)						
5					1.8	

Note: The person or firm submitting the tender should see that the rates in the above schedules are led up by the Engineer-in-charge on the issue of the form prior to the submission of the tender.

346 Me

Chief Eng neer
B.S.E.I.D.C. Ltd, Patrva

(Signature of Executive Engineer)

Bihar State Educational Infrastructure Development Corporation Ltd.

AGREEMENT FOR CONSTRUCTION OF ADDITIONAL CLASS ROOM (82 Unit) AT RAMA JAIN BOYS HIGH SCHOOL (+2), BLOCK- SASARAM(M),

TENDER FOR WORKS

I/we heredy tender for the execution for the Governor of Bihr of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of winen order to commence and in accodance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subjects to the annexed condation of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

MEMORANDHIM

(A) Name of Work: - CONSTRUCTION OF ADDITIONAL CLASS ROOM (02 Unit) AT RAMA JAIN BOYS HIGH SCHOOL (+2),
BLOCK-SASARAM(M), DISTRICT-ROHTAS, (ACR-239)

Estimated Cost :- Rs. 22,65,120=00
 Agreement value :- Rs. 20,38,668=00

(b) This deposit will be 5% of the estimated cost (C)Earnest Mone

(c) This percentage deduction from bills will be credited to the contractors seemily deposits

the work-

Earnest Money :- Rs. 1,03,000/- (Details attached

(£) Forcentage to be deducted from bill Rs. 5% (Rupees five percent)

(E) Time required for the work from date of written order to commence SIX MONTH

(47) hate of written order to commence;

(H) Fotal number of item of work tandered for :- (a)

317 RUNO

BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD., SHIKSHA BHAWAN, SAIDPUR, PATNA

BILL OF QUANTITIES FOR CONSTRUCTION OF 2 ADDITIONAL CLASS ROOM IN RAMA JAIN BOYS HIGH
SCHOOL (+2)
DISTRICT- ROHTAS

Based on SOR FOR BCD BIHAR- 2018, B.S.R. (ELECTRICAL)2018

· · · · ·	GROUP NO.					
	GROUP NO.	NAME OF SCHEME	BLO	CK	D)	ISTRICT
	ACR-239	रमा जैन बाо उठ विठ (+2)	SASAR	AM(M)	F	ROHTAS
SI. No.	SOR Item No.	Item Of Work	Quantity	Unit	Rate (Rs.)	Amount (Rs.)
	Below Plinth					
	Earth Work					
1	2.8.1	Earthwork in excavation in areas (exceeding 30cm in depth. 1.5m in width as well as 10 sqm on plan) including dressing of sides and ramming of bottom, lift upto 1.5 including getting out the excavated soil and disposal of surplus soil as directed within a lead of 50m. All Kind of soil.	99.09	Cum	319.60	Rupees three hundred nineteen paise sixty only.
	Brick Soling					
2	11.72	Providing designation 100A one blrick flat soling joints filled with local sand including cost of watering taxes royalty all complete as per building specification and direction of E/I.		sq.m	277.50	Rupees two hundred seventy seven & paise fif only.
	Sand Fillin	g			3	
3	2.28	Supplying and Filling in plinth with local sand and under floors including, watering, ramming consolidating and dressing complete.		cum	238.60	Rupees two hundred thirty eig & paise sixty only
	D.C.C.					
	P.C.C in F	Providing and laying in position cement				
4	4.1.8	concrete of specified grade 1.4.8 (1 Cement :4 coarse sand :8 graded stone agregate 40 mm nominal size) exluding the cost of centring and shuttering-all work upto plinth level.		Cum	2940.80	Rupees two thousand nine hundred forty & paise eighty only

BYUSH ME

Chief Eng neer

B.S.E.I.D.C. Ltd., Patro

	MILLIO VICTORIA		CTURE DEVELO			DISTATE HA	
		LNA	IN, SAIBPUR, PA	KSHA BHAW			
HOIR			DDITIONALCL	CTION OF 2.4	R CONSTRE	ANTITIES FO	BILL OF QU
			OOL (+2)	SCH			
				DISTRIC			
		ARTERIOR TOTAL		TATELY PRODU			

	NAME OF SCHEME BLOCK DIE		GROUP NO.			
				रसा जैन बाठ स्ठ विठ (+2) SAS		
Amonut (Rs.)				liem Of Work		
					Below Plimb,	
Rupees three hundred nineteen & paise sixty only.		Cum	99.09	Earthwork in excavation in areas (exceeding 30cm in depth, 1.5m in width as well as 10 sqm on plan) including dressing of sides and ramming of bottom. In upto 1.5 including getting out the excavated soil and disposal of surplus soil as directed within a lead of 50m. All Kind of soil.	2.8.1	
					Brick Soling	
	277.50			Providing designation 100A one blrick flat soling joints filled with local sand including cost of watering taxes royalty all complete as per building specification and direction of EA.	11.72	
					Sand Fillin	
				Supplying and Filling in plinth with local sand and under floors including, watering, ramming consolidating and dressing complete.	2.28	
				poiton	P.C.C in F	
Rupees two thousand nine hundred forty & paise eighty only				Providing and laying in position cement concrete of specified grade 1.4.8 (1 Cement :4 coarse sand :8 graded stone agregate 40 mm nominal size) exhaing the cost of centring and shuttering-all work upto plinth level.	4.1.8	

	P.C.C in F	loor				T
5	4.1.8	Providing and laying in position cement concrete of specified grade 1.4.8 (1 Cement :4 coarse sand :8 graded stone agregate 40 mm nominal size) exluding the cost of centring and shuttering-all work upto plinth level.	9 37	Cum	2940.80	Rupees two thousand nine hundred forty & paise eighty only
	RCC Worl	k in Footing				
6	5.1.1	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centering, shuttering, finishing and reinforcement-All work upto plinth level 1:1:2(1 cement: 1 coarse sand: 2 graded stone aggregate 20mm nominal size)		cum	6434.40	Rupees six thousand four hundred thirty for & paise forty only
7	6.1.14A	Brick work with bricks of class designation 100A in foundations and plinth in cement mortar 1:6(1cement:6coarse sand)	24.90	cum	4799.20	Rupees four thousand seven hundred ninety nine & paise twenty only
	Back Fillin	ıg	A			
8	2.26	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth: consolidating each deposited layer by ramming and watering lead	135.65	cum	103.30	Rupees one hundred three & paise thirty only
9	16.3.9	Supplying and Stacking of Good Earth by mechanical transport including loading, unloading including royalty & carriage up to 5 KM complete.	36.56	cum	156.70	Rupees one hundred fifty six & paise seventy only
10	2.29.1	Surface dressing of the ground including removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5m All kinds of soil.	183.49	100 sqn	1126.90	Rupees one thousand one hundred twenty six & paise ninety only.
	Above Plin					
	61144	Brick work above Plinth Brick work with bricks of class designation 100A in superstructure above plinth level upto				Rupees five
11	6.1.14A + 6.3A	three floor cement mortar 1:6(1cement:6coarse sand)	45.85	cum	5501.40	thousand five hundred one & paise forty only.

34USA ME

 \bigcirc

Ò

Ò

Chief Eng neer

B.S.E.I.D.C. Ltd. Patro

Signature

Sig

Rupees two thousand nine hundred forty & paise eighty only	2940.80				
				BCC Work in Footing	
Rupees six thousand four funnired thirty four & paise forty only	6434.40	cum	06.61	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centering shuttering finishing and feinforcement-All work upto plinth level 1:1:261 cement: 1 coarse sand: 2 graded stone aggregate 20mm nominal size)	0
Rupees four thousand seven hundred ninefy nine & paise twenty only				Brick work with bricks of class designation 100A in foundations and plinth in cement 6.1.14A mortar 1:6(1cement:6coarse sand)	
Rupees one humbee & paise thirty only.	103.30		63.65	Eilling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth consolidating each deposited layer by ramming and watering lead	8
Rupices one hundred fifty six & paise seventy only	156.70			Supplying and Stacking of Good Earth by mechanical transport including loading. 16.3.9 unloading including royalty & carriage up to 5 KM complete.	9
Rupees one thousand one hundred twenty size ainety enty.	1126.90	mps 001		Surface dressing of the ground including removing vegetation and inequalities not 2.29.1 exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5m All lands of soil.	01
				Chove Plinth	
				Brick work above Plinth	
Rupees five thousand five bundred one & paise forty only.				Brick work with bricks of class designation 6.1.14A+ 100A in superstructure above planth level upto three floor cement mortar 1.6 (Teament: Scoarse sand)	11

SUL GUE

Cellipito Te

12	6.21A	Extra for providing and placing in position 2 nos., 6dia MS bars at every third course of half brick masonary (with F.P.S. brick)	3.68	sq.m	87.70	Rupees eighty seven & paise seventy only.
13	6.18.4A+6. 19A	Half brick Masonary with bricks of class designation 100A in superstructures above plinth level upto five floor cement mortar 1:4 (1 cement :4 coarse sand)	3.68	sq.m	671.50	Rupees six hundre seventy one & paise fifty only.
		above Plinth.		-7		/
14	5.3+ 5.33B.4+ 5.33B1	Reinforced cement concrete work in wall (any thickness), including attached pilasters, buttresses, plinth and struts etc upto floor five level excluding the cost of centering, shuttering, finishing & reinforcement all work upto plinth level. 1:1:2 (1cement:1 coarse sand: 2 graded stone aggregate 20mm nominal size) (Extra for providing M-15 grade RCC instead of M-20 grade) (Extra for providing M-15 grade RCC instead of M-20 grade)	29.91	cum	5917.30	Rupees five thousand nine hundred sevented & paise thirty on
15	5.2.1	Reinforced cement concrete work in wall (any thickness), including attached pilasters, buttresses, plinth and struts etc upto floor five level excluding the cost of centring, shuttering, finishing & reinforcement - all work upto plinth level. 1:1:2 (1cement: 1 coarse sand: 2 graded stone aggregate 20mm nominal size)	6.94	sqm	7255.40	Rupees seven thousand two hundred fifty five & paise forty on
	Flooring					
16	11.3.1+11.8	Cement concrete flooring 1:2:4(1 cement:2 coarse:sand:4 graded stone agregate) finished with a floating coat of neat cement including cement slurry, etc. but excluding the cost of nosing of steps etc. complete. 40 mm thick with 20 mm nominal size stone aggregate Extra for making chequers of approved pattern on cement concrete floors, steps, landing, pavemerts etc.	113.61	sqm	312.80	Rupees three hundred twelve paise eighty onl
17	11.6	Cement plaster skirting (upto 30 cm hieght) with cement mortar 1:3 (1 cement:3 coarse sand) finished with a floating coat of neat cement.				

BUGA ME

Ó

 \bigcirc

0 0 0

Chief Eng neer

8.5.E.I.D.C. Lind, Patria

State of the s

Rupees eighty seven & paíse seventy only.	87,70		3.68	Extra for providing and placing in position 2 nos., 6dia MS bars at every third course of half brick masonary (with F.P.S. brick)	6,21A	12
Rupees six hundred seventy one & paise fifty only.		ля.ра	3,68	Half brick Masonary with bricks of class designation 100A in superstructures above plinth level upto five floor cement mortar 1:4 (1 cement:4 coarse sand)		13
				above Photh.		
Rupces five thousand nine hundred seventeen & paise thirty only.	5917:30	cum	29.91	Reinforced cement concrete work in wall (any thickness), including artached pilasters, buttresses, plinth and struts etc upto floor five level excluding the cost of centering, shuttering, finishing & reinforcement all work upto plinth level. 1:1:2 (1cement:1 coarse sand: 2 graded stone aggregate 20nun nominal size) (Extra for providing M-15 grade RCC instead of M-20 grade) (Extra for providing M-15 grade RCC instead of M-20 grade)	5,3+ 5,33B,4+ 5,33B1	14
Rupees seven thousand (wo hundred fifty five & paise forty only.	7255.40	sqm		Reinforced cement concrete work in wall (any thickness), including attached pilasters, buttresses, pinth and struts etc upto floor five level excluding the cost of centring, shuttering, finishing & reinforcement - all work upto plinth level, 1:1:2 (Lement: Level, 2 graded stone aggregate 20mn nominal size)	5.2.1	15
					Palitoofil	
Ripces three hundred twelve & paise eighty only.	312.80	uabs	113.61	Coment concrete flooring 1:2:4(1 cement: 2 coarse:sand:4 graded stone agregate) finished with a floating coat of neat cement including cement slury, etc. but excluding the cost of nosing of steps etc. complete. 40 mm thick with 20 mm nominal size stone aggregate Extra for making chequers of approved pattern on cement concrete floors, steps, landing, pavements etc.	11.3.1+11.	91
				Cement plaster skirting (upto 30 cm hieght) with cement mortar 1:3 (1 cement:3 coarse sand) finished with a floating coat of neat cement.	11.6	17

But Little

P

	11.6.1	18 mm thick	22.21	sqm	284.86	Rupees two hundred eighty fou & paise eighty six only.
	Plaster Wo					oniv.
18	13.11.4	12 mm cement plaster of mix; 1:6 (1 cement: 6 coarse sand)	196.45	sq.m	126.20	Rupees one hundred twenty six & paise twenty only.
19	13.24.2	6mm cement mix plaster of mix 1:4 (1 cement :4 coarse sand) Roof	111.57	Sqm	110.90	Rupees one hundred ten & paise ninety only
	Outer Side	Plaster				
20	13.13.4	20mm Plaster 1:6(1 cement : 6 coarse sand)	309.71	sq.m	173.00	Rupees one hundred seventy three only.
٠	FINISHIN	G WORK				
21	13.78.1	Applying one coat of cement primer of approved brand and manufacture on wall surface: Cement primer.		sqm.	31.00	Rupees thirty on only.
22	13.79.1	Finishing walls with water proofing cement paint of approved brand and manufacture and of required shade to give an even shade New work (three or more coats)		sqm.	68.30	Rupees sixty eight & paise thirty onl
23	13.78.2	Applying one coat of cement primer of approved brand and manufacture on wall surface: Distemper primer.		sqm.	31.70	Rupees thirty on & paise seventy only.
24	13.77A.1	Distempering with 1st quality washable distemper (ready made) of approved manufacturer and of required shade and colour complete. As per manufacture's specifications. Two or more coats on new work		sqm.	46.50	Rupees forty six paise fifty only.
25	13.81.1	Applying priming coat with ready mixed pink or grey primer of approved brand and manufacture on wood work (hard and softwood)		sqm.	32.20	Rupees thirty tw & paise twenty only.
26	13.81.3	Applying priming coat with ready mixed zinc chromate yellow primer of approved brand and manufacture on steel galvanized iron/steel work.		sqm.	27.50	Rupees twenty seven & paise fif only.
27	13.93.1	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade two or more coats on new work		sqm.	70.40	Rupees seventy paise forty only

Brugh ME

 \bigcirc

 \bigcirc

 \circ

0 0 0

Chief Eng neer

B.S.E.I.D.C. Lid, Patra

Kehour

			1	July 2011		
huridred cighty four & paise cighty six ouly.	284.86	mps	22.21	18 mm thick 6.1	11	
				r Work	Plaste	
Rupeus one hundred twenty six & paise twenty only.	126.20	m.ps	196.45	12 mm coment plaster of mix: 1:6 (1 cement: 6 coarse sand)	13.	
Rupees one hundred ten & gaise ninety only	110,90	Sqm	111.57	6 from cement mix plaster of mix 1:4 (1 cement 24.2 :4 coarse sand) Roof	13.	
				Side Plaster	Oute	
Rupees one hundred seventy three only.	173.00		309.71	20mm Plaster 1:6(1 cement : 6 coarse sand) 13.4	.81	20
				SHING WORK	FINE	
Rupees thirty one only.	31.00		309.71	Applying one coat of cement primer of 78.1 approved brand and manufacture on wall surface: Cement primer.	13.	21
Rupees sixty eight & paise thirty only	68.30	sqm.		Finishing walls with water proofing coment paint of approved brand and manufacture and of required shade to give an even shade New work (three or more coats)	.81	22
Rupees thirty one & paise seventy only.		sqm.	.308.02	Applying one coat of cement printer of 78.2 approved brand and manufacture on wall surface: Distemper printer.	13.	
Rupees forty six & paise lifty only.		sqm	308.02	Distempering with 1st quality washable distemper (ready made) of approved reaming the complete. As per manufacture's specifications. Two or more coats on new work.	13.1	24
Rupees thirty two & paise twenty : only.	32.20	squt.		Applying primaig coat with ready mixed pink or grey primer of approved brand and inanufacture on wood work (hard and softwood)	13	
Rupees twenty seven & paise fifty only.				Applying priming coat with ready mixed zinc chromate yellow primer of approved brand and manufacture on steel galvanized iron/steel work.	13	26
Rupees seventy & paise forty only.	70.40			Painting with synthetic enamel paint of approved brand and manufacture to give an even shade two or more coals on new work.	13	

30 House

Ö

CHAIR ENG SAST

	Shuttering					
28	5.9.1	Footing Centring and shuttering including strutting, proping etc. and removal of form for foundation, footings, bases of columns etc. for mass concrete. Pedestal	47.43	sqm.	186.30	Rupees one hundred eighty six & paise thirty only.
29	5.9.5	Tie Beam at NGL. Centring and shuttering including strutting, proping etc. and removal of form for foundation, footings, bases of columns etc. for mass concrete.	129.57	sqm.	335.30	Rupees three hundred thirty five & paise thirty only
30	5.9.6	Stiffner upto Plinth Centring and shuttering including strutting, Propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts.	106.78	sqm	425.80	Rupees four hundred twenty five & paise eighty only.
31	5.9.3	Roof Shuttering Centering and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform.	168.59	sqm.	362.60	Rupees three hundred sixty two & paise sixty only
		Doors				
32	9.21.1	Providing and fixing flush door shutters conforming to IS: 2202 (Part-I) non-decorative type.core of block board construction with frame of 1st class tiard wood and well mathched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters. 35 mm thick including anodized aluminum butt hinges with necessary screws	9.45	sqm.	1602.70	Rupees one thousand six hundred two & paise seventy on
33	10.1	Steel Door Frame Structural steel work in singal section fixed without connecting plate including cutting.hoisting,fixing in position and applying a priming coat of approved steel primer all complete.	74.55	Kgs.	68.20	Rupees sixty eig & paise twenty only.
34	9.66.1	Providing and fixing M.S.handles with necessary screws etc.complete 125 mm	12.00	each	29.90	Rupees twenty n & paise ninety only.

By So ME

.0

Chief Eng neer

B.S.E.I.D.C. Lid, Patria

J. S. J. S.

					Shuttering	
				Footing		
Rupees one hundred eighty six. & passe thirty only.		sqm	47.43	Centring and shuttering including struting, proping etc. and removal of form for foundation, footings, bases of columns etc. for mass concrete. Pedestai		
				Tre Beam at NGL		
Rupees three hundred thirty five & paise thirty only.	335,30	sqm.	129.57	Centring and shuttering including strutting, proping etc. and removal of form for foundation, footings, bases of columns etc. for mass concrete.		
				Stiffner upto Plinth		
Eupees four hundred twenty five & paise eighty only.		mps	106.78	Centring and shuttering including strutting . Propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts.	5.9.6	
				Roof Shuttering		
		sqm.	168.59	Centering and shuttering including strutting propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform.	5,9.3	
				Doors		
Rupees one thousand six hundred two & paise seventy only	1602.70	.mps	9,45	Providing and fixing flush door shutters conforming to IS: 2202 (Part-I) non-decorative type.core of block, board construction with frame of 1st class tiard wood and well mathched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters. 35 mm thick including anodized aluminum but huges with necessary screws	9.21.1	32
				Steel Door Frame		
Rupees sixty eight & paise twenty only.		Kgs.	74.55	Structural steel work in singal section fixed without connecting plate including cutting hoisting, fixing in position and applying a priming coat of approved steel primer also complete.		33
Rupees twemy nin & paise ninoty only		each		Providing and fixing M.S.handles with necessary screws etc complete 125 mm	9,66,1	34

इंतर होगर

Ö

Ó

CHIEF SEED OF PETER

Montes 24

35	9.101.2	Providing and fixing alluminium hanging floor door stopper anodised (anodic coating not less than grade AC 10 as per IS :1868) transparent or dyed to required colour and shade with necessary screws etc.complete:Twin rubber stopper	6.00	each	40.40	Rupees forty & paise forty only.
36	9.63.1	Providing and fixing oxidised M.S.tower bolt black finish,(barrel type) with necessary screws etc.complete 250x10mm		each	67.20	Rupees sixty seven & paise twenty only.
37	9.62.1	Providing and fixing oxidised M.S. sliding door bolts with nuts and screws etc. complete 300x16xmm		each	162.40	Rupees one hundred sixty two & paise forty only.
38	10.12.1 + 10.13B	Providing and fixing glazed steel doors, windows or ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm M.S. lugs10cm long with steel legs embedded in cement concrete blocks 15x10x10cm.of (1:3:6) (1cement: 3coarse sand: 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units.	23.40	sq.m	3340.30	Rupees three thousand three hundred forty & paise thirty only.
39	9.48.1	Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete Fixed to steel windows by welding.	280.80	Kgs.	114.20	Rupees one hundred fourteen & paise twenty only.
40	10.17	Providing & fixing M.S. Fan hook of 16 mm. dia. M.S. bar 1 Mtr. Long bent to required size and shape, placed in position and fixed in Truss Frame / RCC Slab / beam at the time of casting all complete as per building specification and direction of E/I. (Where materials is not supplied by deptt.)	2.00	each	137.70	Rupees one hundred thirty seven & paise seventy only.

Bruga Mré

Chief Eng neer

B.S.E.I.D.C. Lid, Patros

Flackly


	40.40	each		Providing and fixing alluminum hanging floor door stopper anodised (anodic coating not less than grade AC 10 as per 1S:1868) transparent or dyed to required colour and shade with necessary screws etc.complete:Twin rubber stopper	9.101.2	
Rupees sixty seven & paise,twenty only.	67.20	doae		Providing and fixing oxidised M.S.tower bolt black finish, (barrel type) with necessary screws erc.complete 250x10mm	9.63.1	36
	162.40		4.00	Providing and fixing oxidised M.S. sliding door bolts with nuts and screws etc. complete 300x16xmm		37
Rapces three thousand three hundred forty & paise thirty only.	3340.30	m.pa.	23.40	Providing and fixing glazed steel doors, windows or ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm M.S. Jugs10cm long with steel Jegs embedded in cement concrete blocks 15x10x10cm of (1:3:6) (1cement: 3coarse sand: 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass pamels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding a priming coat of approved steel primer excluding the cost of metal beading and other fitting except nuccessary hinges or pivots as required. Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units.	10.12.1	86
Rupees one hundred fourteen & paise twenty only.	114.20	Kgs.	280.80	Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete Fixed to steel windows by welding.	9.48.1	
Rupees one bundred thirty seven & paise seventy only.	137,70	each	2.00	Providing & fixing M.S. Fan hook of 16 mm. dia, M.S. bar I Mir Long bent to required size and shape, placed in position and fixed in Truss Frame / RCC Slab / beam at the time of casting all complete as per building specification and direction of E/I. (Where materials is not supplied by deptt.)	10.17	40

Ö

Ó

		Providing & fixing hand rail by welding etc. to				
41	10.33.1	steel ladder railling & staircases railling including applying a priming coat of approved steel primer. MS tube (medium) 40mm nominal bore. Steel Hand Rail		kg	87.80	Rupees eighty seven & paise eighty only.
42	10.5	Providing and fixing in position collapsible steel shutters with vertical channes 20x10x2 mm and braced with flat iron diagonals 20x5 mm size with top and bottom rail of T-tron 40x40x6 mm with 40 mm dia steel pulleys complete with bots.nuts locking arrangement stoppers handies including applying a priming coat of approved steel primer.	4.6725	Sqm	5089.50	Rupees five thousand eighty nine & paise fifty only.
43	5.22	Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.				
		TMTC-500				
	5.22.1B	Mild steel 6.0 mm dia	56.06	kg	75.90	Rupees seventy five & paise ninety only.
1	5.22.7A	TMTC-500 8mm dia	1401.50	kg	77.40	Rupees seventy seven & paise fort
	5.22.7B	TMTC-500 10mm dia	1457.56	kg	76.70	Rupees seventy six & paise seventy only.
	5.22.7C	TMTC-500 12mm dia	1457.56	kg	75.20	Rupees seventy five & paise twenty only.
	5.22.7D	TMT-500 16mm dia	840.90	kg	76.00	Rupees seventy size only.
	5.22.7E	TMT-500 20mm dia	392.42	kg	76.00	Rupees seventy six only.
	/	Micelanapus Wouls		-/		
44	4.17	Micslaneous Work Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth.	30.73	sq.m	417.60	Rupees four hundred seventeer & paise sixty only

34 USO ME



Rupees eighty seven & paise eighty only.			96.00	Providing & fixing band rail by welding etc. to steel ladder railling & staircases railling including applying a priming coat of approved steel primer. MS tabe (medium) 40mm nominal bore. Steel Hand Rail		14
Rapees five thousand eighty nine & paise fifty only.	5089.30		4,6725	Providing and fixing in position collapsible steel shutters with vertical channes 20x10x2 mm and braced with flat iron diagonals 20x5 mm size with top and bottom rail of T-tron 40x40x6 mm with 40 mm dia steel pulleys complete with bottom arrangement stoppers handies including applying a priming cost of approved steel primer.	10.5	42
				Reinforcement for RCC work including straightening, outling, bending, placing in position and bonding all complete.		43
		gal	56,06	Mild steel 6.0 mm dia	5.22.18	
				TMTC-500 8mm dia	5.22.7A	
Rupees seventy six & paise seventy only.					5.22.7B	
			1457.56	TNITC-500 12mm dia	5.22.7C	
Rupees seventy six only.	76,00			TMT-500 16mm dia		
Rupees seventy six only,	76,00			TMT-500 20mm dia	5.22.7E	
				Micslancous Work		
Rupees four hundred seventeen. & paise sixty only.		m.pz		Making plinth protection 50mm thick of cement concrete 1.3.6 (1 cement :3 coarse sand : 6 graded stone segregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth.		44

300 PLAN

 Θ

Manager Land

					1335	
	7	Terrace Waterproofing				
45	11.3.1	Cement concrete flooring 1:2:4(1 cement:2 coarse:sand:4 graded stone agregate) finished with a floating coat of neat cement including cement slurry, etc. but excluding the cost of nosing of steps etc. complete. 40 mm thick with 20 mm nominal size stone aggregate.	94.33	Sqm	282.60	Rupees two hundred eighty two & paise sixty only.
V.					Total (A) =	1,859,796.72
	Electrical V	Vorks(SOR'18)				
46	1.1	Wiring for light point /fan point / exhaust fan point / call bell point with 1.5 sq.mm FR PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with modular switch, modular plate, suitable size G.I. box etc as req	-			
	1.1.3	Group C	46.00	Nos.	681.00	Rupees six hundred eighty one only.
		Wiring for light/ power plug with 2x4 sq.mm FR				
47	1.5	PVC insulated copper conductor single core cable in surface/ recessed medium class PVC conduit along with 1 No 4 sq. mm FR PVC insulated copper conductor single core cable for loop earthing as required.	30.00	meter	200.00	Rupees two hundred only.
	1.7	Wiring for circuit / submain wiring alongwith earth wire with the following sizes of FR PVC insulated copper conductor, single core cable in surface / recessed medium class PVC conduit as required.				
48	1.7.2	2 x 2.5 sq.mm + 1 x 2.5 sq. mm earth wire	100.00	meter	161.00	Rupees one hundred sixty one only.
	1.7.4	2 x 6 sq.mm + 1 x 6 sq.mm earth wire.	30.00	meter	271.00	Rupees two hundred seventy one only.
49	1.29	Supplying and fixing metal/pvc of 150mm x 75mm x 60mm deep (nominal size) on surface or in recess with suitable size of phenolic laminated sheet cover in front including providing and fixing 5 pin 5/6 amps socket outlet and 5/6 amps piano type switch, connections, painting etc. as required.	4.00	nos.	187.00	Rupees one hundred eighty seven only.

BARSO PUE

0.

O

Chief Eng meer

3.S.E.I.D.C. Ltd. Patrice

S.S. E.I.D.C. L

				Terrace Waterproofing		
Rupees two hundred eighty two & paise sixty only.			94.33	Cement concrete (looring 1;2:4(1 cement:2 coarse:sand:4 graded stone agregate) finished with a floating coat of neat cement including cement slurry, etc. but excluding the cost of nosing of steps etc. complete. 40 mm thick with 20 mm nominal size stone aggregate.	11.3.1	
1,859,796.72	= (A) intel-					
				Works(SOR'18)	Electrical	
				Wiring for light point /fan point / exhaust fan point / call bell point with 1.5 sq.mm FR PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with modular switch, modular plate, suitable size G.I. box etc as req	1.1	
	200.00	roton		Wiring for light' power plug with 2x4 sq.num.FR PVC insulated copper conductor single core cable in surface! recessed medium class PVC conduit along with 1 No 4 sq. mm FR PVC insulated copper conductor single core cable for loop earthing as required.		
				Wiring for circuit / submain wiring alongwith earth wire with the following sizes of FR PVC insulated copper conductor, single core cable in surface / recessed medium class PVC conduct as required.	1.7	
				2×2.5 sq.nm + 1×2.5 sq. mm earth wire		48
Rupees two hundred seventy one only.				2 x 6 sq.mm + 1 x 6 sq.mm earth wire.		
		.eon		Supplying and fixing metal/pvc of 150mm x 75mm x 60mm deep (nominal size) on surface or in recess with suitable size of phenohe laminated sheet cover in front including providing and fixing 5 pin 5/6 amps socket outlet and 5/6 amps piano type switch, connections, painting etc. as required.		

300 Com

0.

Ó

Cold Eng Man

		Supplying and fixing metal/pvc box of 180mm x			•	P
50	1.30	100mm x 60mm deep (nominal size) on surface or in recess with suitable size of phenolic laminated sheet cover in front including providing and fixing 6 pin 5/6 & 15/16 amps socket outlet and 15/16 amps piano type switch, connections, painting etc. as required.	2.00	nos.	286.00	Rupees two hundred eighty six only.
51	1.23	Supplying and fixing following piano type switch/ socket on the existing switch box / cover including connections etc.as required				
	1.23.1	5/6 amps switch.	4.00	Each	39.00	Rupees thirty nine only.
	1.23.4	3 pin, 5/6 amps socket outlet.	4.00	Each	52.00	Rupees fifty two only.
52	1.25	Supplying and fixing stepped type electronic fan regulator on the existing modular plate switch box including connections but excluding modular plate etc. as required	8.00	Each	359.00	Rupees three hundred fifty nine only.
53	1.33	suppling and fixing fixing 2 pin, 6 amp ceiling rose on the existing junction box/ wooden block including connection etc as required.	7.00	Each	42.00	Rupees forty two only.
54	1.34	Supplying and fixing batten / angle holder including connection etc as required.	10.00	Each	46.00	Rupees forty six only.
55	2.8	Supplying and fixing following way, single pole & neutral, sheet steel, MCB distribution board, 240 volts, on surface / recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted, including earthing etc as required. (But without MCB/RCCB/Isolator)				
	2.8.8	2 + 8way,Double door,	1.00	Each	1242.00	Rupees one thousand two hundred forty two
						only.

34 USA ME

Ö

Ö

Chief Eng neer

3.S.E.I.D.C. Lid, Petro

State

ST/98/19

Rupees two hundred eighty six only.	286,00		2,00	Supplying and fixing metal/pyc box of 180mm x 100mm x 60mm deep (nominal size) on surface or in recess with suitable size of phenolic laminated sheet cover in front including providing and tixing 6 pin 5/6 & 15/16 amps socket outlet and 15/16 amps piano type switch connections, painting etc. as required.	1.30	50
				Supplying and fixing following piano type switch/ socket on the existing switch box / cover including connections etc. as required	1.23	15
Rupees thirty nine only.			.4.00	5/6 amps switch.	1.23.1	
Rupees fifty two only.	52.00	Each	4.00	3 pin, 5/6 amps socket outlet.	1.23,4	
Rupees three hundred lifty nine only		Each	8.00	Supplying and fixing stepped type electronic fan regulator on the existing modular plate switch hox including connections but excluding modular plate etc. as required	1,25	52
Rupees forty two		Each	7.00	suppling and fixing fixing 2 pin, 6 amp ceiling rose on the existing junction box/ wooden block including connection etc as required.	1.33	53
Rupees forty six only.	46.00			Supplying and fixing batten / angle holder including connection etc as required.	1,34	54
				Supplying and fixing following way, single pole & neutral, sheet steel, MCB distribution board 240 volts, on surface / recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted, including earthing etc as required. (But without MCB/RCCB/Jsolator)	2.8	35
Rupees one thousand two hundred forty two only.	1242.00	Each		2 + 8way, Pouble door,	2,8.8	

					Total (C)	15,099.50
59		Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit.	2.00	Nos.	7549.75	Rupees seven thousand five hundred forty nine & paise seventy five only.
				Total	Cost (B) =	96,456.00
58	3.8	Supplying and laying 25 mm X 5 mm copper strip at 0.50 metre below ground as strip earth electrode, including connection/ terminating with nut, bolt, spring, washer etc. as required. (Jointing shall be done by overlapping and with 2 sets of brass nut bolt & spring washer spaced at 50mm)	15.00	meter	898.00	Rupees eight hundred ninety eight only.
57	3.6	Earthing with copper earth plate 600 mm X 600 mm X 3 mm thick including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe of 2.7 metre long etc. with charcoal/ coke and salt as required.	1.00	Each	12831.00	Rupees twelve thousand eight hundred thirty one only.
	2.12.1	6/32 amps, Single Pole 6/32 amps, SPN	1.00	Each	192.00 511.00	Rupees one hundred ninety two only. Rupees five hundred eleven only.
56	2.12	Supplying and fixing following rating, 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in existing MCB DB completed with connections, testing and commissioning etc. as required.				

Brugan Me

Ó

Chief Eng neer

B.S.E.I.D.C. Ltd. Patra

S/8

S/9//9

				Supplying and fixing following rating, 240/415 volts, "C" curve, miniature, circuit breaker suitable for inductive load of following poles in existing MCB DB completed with connections, testing and commissioning etc. as required.	2,12	
Rupees one hundred ninety tw	192.00	Each				
only. Rupaes five lumdred eleven only.	.511,00			6/32 amps, SPN	2.12.2	
Rupeçs twelve				Earthing with copper earth plate 600 mm X 800 mm X 3-mm thick including accessories, and providing masonry enclosure with cover plate		
thousand eight hundred thirty on only	12831.00	Each.	1.00	having locking arrangement and watering pipe of 2.7 metre long etc. with charcoal coke and salt as required.	3,6	57
Rupees eight hundred ninety eight only:	898,00	meter	15.00	Supplying and laying 25 mm X 5 mm copper strip at 0.50 metre below ground as strip earth electrode, including connection/ terminating with nut, bolt, spring, washer etc. as required. Joining shall be done by overlapping and with 2 sets of brass aut bolt & spring washer spaced at 50mm)		38.
96,456.00	Cost (B) =	latoT				
Rupecs seven thousand five hundred forty nine & paise seventy five only.	7549.75	Nos.	2.00	Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete mall respects, ready to use, complete installation kit.	awsoa,	59
	Total (C)					
15,099,50	Contract of					

Chief Estal mesor

		Type of materials			e Incl. 1% ab. Cess	7-1-
60		Carriage of Materials				
	F	Cement	115.96	MT	328.25	Rupees three hundred twenty eight & paise twenty five only.
		Sand	60.80	cum	453.07	Rupees four hundred fifty thre & paise seven only
		Local Sand	23.11	cum	262.05	Rupees two hundred sixty two & paise five only
		Stone Chips	61.09	cum	2245.53	Rupees two thousand two hundred forty fiv & paise fifty thre only.
		Brick	40.31	Nos.	767.68	Rupees seven hundred sixty seven & paise six eight only.
		Steel	5.61	МТ	328.25	Rupees three hundred twenty eight & paise twenty five only.
61		Difference Cost of Material w.r.t Magadh Division				
		Brick	40.31	Thous.	249.72	Rupees two hundred forty nine & paise seventy two only.
		Cement	115.96	MT	362.76	Rupees three hundred sixty two & paise seventy si only.
-		Grand Total	Total (A) + (B) -	Total (D) =	293,767.31 - 2,265,119.5

(Rupees Twenty Two Lacs Sixty Five Thousand One Hundred Twenty Only)

Tender approved in favour of Arjun Singh @ 10.00% (Ten Decimal Zero Zero Percent) below BOQ Rate i.e. total amount comes to Rs. 20,38,608=00 (Rupees Twenty Lacs Thirty Eight Thousand Six Hundred Eight Only)

Brugn ME

0

0

0

0

Chief Eng neer

B.S.E.I.D.C. Lid, Patra

				e Incl. 1% nh, Cess	
	Carriage of Materials				
	Cement	115,96		328.25	Rupces three hundred twenty eight & paise twenty five only.
	Sand	60.80	cura	453.07	
		23.11		262.05	
	Stone Chips		nmo	2245,53	Rupces two thousand two hundred forty five & paise fifty three only
			Nos.	767.68	Rupecs seven hundred sixty seven & paise sixty
	Steel		TM		cight only Rupees three hundred twenty eight & paise twenty five only.
	Difference Cost of Material w.r.t Magadh Division				A110 3591 X111350
	Brick	40.31		249.72	Rupees two hundred forty nine & paist seventy
		115.96	Thous	362,76	
7	Grand Total	A) istoT	+ (a) + (= (0) latoT =(0) + (0)=	293,767,31 2,265,119,63

(Rupees Twenty Two Lacs Sixty Five Thousand One Hundred Twenty Only)

Tender approved in favour of Arjun Singh @ 10.00% (Ten Decimal Zero Zero Percent) below BOQ Enter i.e. total amount comes to Rs. 20,38,608=00 (Rupees Twenty Lacs Thirty Eight Thousand Six Hundred Eight Only)

30 Bro

.0

Chief East mest a.s. 8.10.0.1140. Pampa Chief Land Campa

Performance Security

Name of Agency:- "Arjun Singh"

Performance Security of Regarding "Construction of Additional Class Room at Ramajain Uchchaya Vidhalaya+2, Sasaram(ACR-239) (NIT-90/18-19, SL No. -08)

FDR /TD/B.G. No.	D.O.I	AMOUNT
4033866862	05.05.18	6,000.00
3959792132	07.03.18	5,000.00
4033871644	05.05.18	8,000.00
4255591948	12.01.19	3,000.00
4033862802	05.05.18	8,000.00
4056224793	04.06.18	10,000.00
4033887461	05.05.18	2,000.00
4033842118	05.05.18	7,000.00
4033863847	05.05.18	7,000.00
3894438324	18.01.18	1,000.00
4255616108	12.01.19	15,000.00
425649361	14.01.19	1,000.00
4255585824	12.01.19	5,000.00
4255601678	12.01.19	10,000.00
4255607120	12.01.19	15,000.00
	Total-	1,03,000.00

(Rupees One Lakh Three Thousand only)

0

0

0

0

0

0

0

0

0

0

0

0

0

mlen f

लेखा पदाधिकारी विद्या रोक्षणिक आधारभूत संरक्षा विकास मिगम लि०, पटना

31 US DE

Chief Eng neer

S.S.E.I.D.C. Ltd, Patras

रोज्या पदाक्षिकारी क्षित्र मान्य श्रीमित्र कार्याम् । विश्व विकास मित्रा हिंत, पटना he had been a second as a seco



िवहार राज्य शेक्षणिक आधारभूत संरचना विकास निगम लिमिटेड BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

(A Govt. of Bihar Undertaking) ISO 9001:14001; OHSAS 18001

Shiksha Bhawan, Bihar Rashtrabhasha Parishad Campus, Acharya Shivpujan Sahay Path, Saidpur, Patna - 800 004 Tel. No.: 0612 - 2660850 • Fax No.: 0612 - 2660256

E-mail: bseidc@gmail.com • Website: http://www.bseidc.in • CIN: U80301BR2010SGC015859

Letter of Acceptance

पत्रांकः- BSEIDC/FIN/3518/2018-19/- 1597 सेवा में. पटना, दिनांक <u>08-63-19</u>

Arjun Singh Village- West Bhelari, Po-East Bhelari, Ps- Natwar, Rohtas

विषय:— बिहार राज्य अंतर्गत "Construction of Additional Class Room at Ramajain Balika
Uchchaya Vidyalaya (+2), Block-Sasaram (M), Distt.- Rohtas, (ACR-239), N.I.T. No.90/(2018-19), Sl. No.: 08 हेतु Performance Security जमा कर एकरारनामा करने
के संबंध में।

महाशय,

उपर्युक्त विषय के संबंध में कहना है कि विषयांकित कार्य हेतु आपके द्वारा उद्धृत दर BOQ से 10% कम यानि कुल राशि रू० 20,38,608 / — (बीस लाख अड़तीस हजार छः सौ आठ रूपये) मात्र पर आपके पक्ष में निविदा की स्वीकृति प्रदान की गई है।

अतः निदेश दिया जाता है कि उक्त कार्य के एकरारनामा हेतु Performance Security की राशि रू० 1,02,000/— (एक लाख दो हजार रूपये) मात्र का पोस्ट ऑफिस सावधि जमा पासबुक/1, 2, 3 वर्षीय पोस्ट ऑफिस टाईम डिपोजिट/राष्ट्रीय बचत प्रमाण पत्र/किसान विकास पत्र, जो प्रबंध निदेशक, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०, पटना के नाम से प्रतिज्ञिप्त (Pledged) हो अथवा फिक्सड डिपोजिट रसीद जो बिहार राज्य में स्थित Nationalized/Scheduled बैंक से निर्गत हो एवं प्रबंध निदेशक, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि० पटना के नाम से प्रतिज्ञिप्त (Pledged) हो, जमा कर एकरारनामा कर लें।

कार्य हित में यह निदेश दिया जाता है कि आप तत्काल संबंधित कार्यपालक अभियंता से संपर्क कर कार्य प्रारंभ करें। इस पत्र की निर्गत की तिथि को कार्य प्रारंभ की तिथि माना जाएगा। Performance Security की राशि के सत्यापन के उपरांत एकरारनामा किया जाएगा।

विश्वासभाजन

पुष्ट्य अभियंता गुरु अभियंता

ज्ञापांक : BSEIDC/FIN/3518/2018-19/-1597 पटना, दिनांक 0.8-0.3-19

प्रतिलिपि :Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC website/Senior Account Officer/ All Executive Engineer/ Suprintending Engineer BSEIDC for information & necessary action.

BUSO DE

असी 1994 के स्वाहरण एक्कार हा क्षेत्रकार काणीतांक प्रकार प्रताती का शांकी अंका के कार कि असे असे ही



बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

(A Govt, of Bihar Undertaking) ISO 9001:14001; 0HSAS 18001

Shiksha Bhawan, Bihar Rashtrabhasha Parishad Campus, Acharya Shivpujan Sahay Path, Saidpur, Patna - 800 004 Tel. No.: 0612 - 2660850 • Fax No.: 0612 - 2660256

E-mail: bseidc@gmail.com • Website: http://www.bseidc.in • CIN: U80301BR2010SGC015859

Letter No-BSEIDC/NIT/2018-19/-

00000

093

Date:-

04.01.2019

शुद्धि-पत्र-02

इस कार्यालय के पुनर्निविदा आमंत्रण सूचना संo-90, वर्ष 2018-19 through e-tendering website: www.eproc.bihar.gov.in/www.bseidc.in के क्रम संo-01 से 05 पर अंकित कार्य की निविदा को अपरिहार्य कारणवश रद्द किया जाता है।

मुख्य अभियंता भिक्ताना अभियंता

wow wer

Chief Eng neer

B.S.E.I.D.C. Ltd, Patrea

REGIN STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LID.

guidaviska k uniili la trektri Trentskuns Lubritsetsku

on the blue was the second of the second

ering progress possible of officials in a machinal powers progress at technical many material bless declaratio

Letter No-BSEIDC NIT 2018-195 e q. q

0

0

0

0

0

0

0

. 0

0

0

0

0

0

0

0

0

0

0

0

0

৪০-৮৮-জী

इस कार्यालय के मुनानीयिदा आमंत्रण सूचना जंग-धाः वर्ष 2015-19 acough e-tendering websitet www.eproc.bituir.cov.un'www.bseidc.in को कम पर- 01 से 05 पर अंकित कार्य की निविद्या को अपरिद्याय कारणावश यह किया जाता

mande mak

Constitution of the consti

300 Pers



बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

(A Govt. of Bihar Undertaking) ISO 9001:14001; OHSAS 18001

Shiksha Bhawan, Bihar Rashtrabhasha Parishad Campus, Acharya Shivpujan Sahay Path, Saidpur, Patna - 800 004 Tel. No.: 0612 - 2660850 • Fax No.: 0612 - 2660256

E-mail: bseidc@gmail.com • Website: http://www.bseidc.in • CIN: U80301BR2010SGC015859

Letter No-BSEIDC/NIT/2018-19/-

8730

Date: 27'12'18

शुद्धि-पत्र-1

इस कार्यालय के पुनर्निविदा आमंत्रण सूचना सं०–90, वर्ष 2018–19 through e-tendering website: www.eproc.bihar.gov.in/bseidc.in के क्रम सं०–01 से 05 एवं क्रम सं०– 07 से 08 पर अंकित कार्यों के लिए यह पुनर्निविदा नहीं है, बल्कि प्रथम बार प्राप्त की जाने वाली निविदा है।

मुख्य अभियंता १९७४ अभियंता

anish The

S.S.E.I.D.C. Ltd, Petra

STATES FOR THE STATES STATES TO STATE TO STATE STATES STAT

The Anti-State State States and sense of suppose Authors States States States States States States and States Stat

Personal Countries and Countries of the Countries of the

Dates 2 V 19118

OF A NO-BERDONITIZOR OF A SO

1-101-1011

हर जायांत्राय के पुनर्निविदा आवश्रण स्वान्त सं0-90 वह 2018-19 सिप्टवाई के कार्यात के सम्बद्ध सिप्टवाई के सम्बद्ध से कार्य से कार्य से 55 में 55 मे 55 में 55 मे 55 में 55 मे 55 में 55

क्ष्म अनेपता क्षम्

Objet Sugares S.S.Bil.D.C. Liet. Petra

SM RELAD



त्रिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

(A Govt. of Bihar Undertaking) ISO 9001:14001; OHSAS 18001

Shiksha Bhawan, Bihar Rashtrabhasha Parishad Campus, Acharya Shivpujan Sahay Path, Saidpur, Patna - 800 004 Tel, No.: 0612 - 2660850 • Fax No.: 0612 - 2660256 E-mail: bseidc@gmail.com • Website: http://www.bseidc.ln • CIN: U80301BR2010SGC015859

पुनर्निविदा आमंत्रण सूचना सं०-90 वर्ष 2018-19

प्रतिशत दर निविदा (F2 Single Bid)

किवल ई-टेन्डरिंग पद्धित के अनुसार वेबसाइट www.eproc.bihar.gov.inपर)

बिहार राज्य अंतर्गत विभिन्न विद्यालयों में अतिरिक्त वर्ग कक्ष (ACR) के भवनों के निर्माण कार्य हेतु प्रतिशत दर निविदा आमंत्रित की जाती है। इस निविदा में संबंधित जिला में निबंधित सिर्फ स्थानीय अभिकर्त्ता (श्रेणी-4) संवेदक ही भाग ले सकते हैं।

क्रम सं०	ग्रुप का नाम	जिला का नाम	प्रखण्ड का नाम	विद्यालय का नाम	इकाई	प्राक्कलित राशि (लाख रू० में)	अग्रघन की राशि (लाख रू० में)	परिमाण विपन्न का मूल्य (रू०म)	Beltron Bid Processing Fee (In Rs.)	कार्य समाप्रि की अवधि
1	ACR- 223	अररिया	अररिया	उत्क्रमित माध्यमिक विद्यालय, पैकटोला (गर्ल्स कॉमन रूम शौचालय सहित)	1	14.00	0.28	5,000/-	As appeared on e- tendering website	06माह
2	ACR- 224	अररिया	अररिया	उत्क्रमित माध्यमिक विद्यालय, गैयारी (गर्ल्स कॉमन रूम शौचालय सहित)	1	14.00	0.28	5,000/-	As appeared on e- tendering website	06 माह
3	ACR- 225	अररिया	अररिया	उत्क्रमित माध्यमिक विद्यालय, अरिया बस्ती (गर्ल्स कॉमन रूम शौचालय सहित)	1	14.00	0.28	5,000/-	As appeared on e- tendering website	06माह
4	ACR- 226	अररिया	अररिया	उत्क्रमित माध्यमिक विद्यालय, बलवात (गर्ल्स कॉमन रूम शौचालय सहित)	1	14.00	0.28	5,000/-	As appeared on e- tendering website	06माह
5	ACR- 227	अररिया	अररिया	उच्च विद्यालय, पटेगना पलासी (गर्ल्स कॉमन रूम शौचालय सहित)	1	14.00	0.28	5,000/-	As appeared on e- tendering website	06माह
6	ACR- 234	मधुबनी	रहिका	नागेन्द्र झा बालिका उच्च विद्यालय, बसौली	3	20.64	0.413	5,000/-	As appeared on e- tendering website	06माह
7	ACR- 238	रोहतास	सासाराम (एम)	उ•म•(+2) विद्यालय रामेश्वरगंज	2	13.40	0.27	5,000/-	As appeared on e- tendering website	06माह
8	ACR- 239	रोहतास	सासाराम (एम)	रमा जैन बा॰उ॰वि॰(+2)	2 .	13.40	0.27	5,000/-	As appeared on e- tendering website	06माह
9	ACR- 240	पश्चमी चम्पारण	सिकटा	उच्चतर माध्यमिक विद्यालय बरगनिया	2	13.40	0.27	5,000/-	As appeared on e-tendering website	06माह
10	ACR- 241	पश्चमी चम्पारण	सिकटा	उच्चतर माध्यमिक विद्यालय पुरनिया	2	13,40	0.27	5,000/-	As appeared on e- tendering website	06माह

anogn Me

O

Chief Eng neer E.I.D.C. Ltd, P 3.S.E.I.D.C. Ltd, Patrea

2.0

Ò

0.

THE CHARLES WE WAS AN AREA OF THE STATE OF THE STATE OF THE STATES OF TH

remarks a suit to read a

and the same of the second section of the second section of the second s

the state of the s

er-eng in or-or must men uplitude

that make the same as the same

Courses dupor contract the party and the contract of the contr

as the market of the party of the second of

						Pill -
			14.00			
-						
	5,000	82.0				

Chief Eng ness Size E.D.C. Lett. Payer

3W of the

नोट:–(i) प्राक्कलित राशि घट या बढ़ सकती है एवं तद्नुसार अग्रधन की राशि घट या बढ़ सकती है। (ii) वेबसाईट:www.eproc.bihar.gov.in पर अंकित प्राक्कलित राशि, अग्रधन की राशि एवं परिमाण विपन्न की राशि अंतिम रुप से मान्य होगा।

(1) विज्ञापन निर्गत करने की तिथि

·- दिनाक:-13.12.2018 परिमाण विपन्न प्राप्त करने(डाउनलोड) की अवधि एवं समय :- दिनाक- 04.01.2019 से 13.01.2019. 15:00 घंटा तक

(3) निविदा प्राप्ति (अपलोड) की अंतिम तिथि एवं समय

(4) अग्रधन जमा करने की अतिम तिथि एवं समय

निविदा खोलने की तिथि एवं समय

(6) निविदा खोलने का स्थान

(7) निविदा की वैधता की अविध

(वेबसाईट:www.eproc.bihar.gov.in पर)

:- दिनाक- 14.01.2019, समय- 15:00 घटा तक

- दिनाक- 15.01.2019 (अवकाश धोषित होने पर अगला कार्य दिवस), समय- 15:00 घंटा तक

:- दिनांक- 15.01.2019, समय- 16:30 घंटा तक

(वेबसाईट-www.eproc.bihar.gov.inपर)

:- वेबसाईट-www.eproc.bihar.gov.inपर

-- 120 दिन

(8) ई-टेन्डरिंग की प्रकिया में भाग लेने हेतु संवेदकों को पंजीकृत होना होगा. जिससे कि उन्हें उपयोगकर्ता का नाम (user ID) (Password) अंकीय हस्ताक्षर (Digital Signature) निर्गत की जायेगी। यह उन्हें वेबसाईट www.eproc.bihar.gov.in से डाउनलोड करने / टेन्डर की प्रक्रिया में भाग लेने की योग्यता प्रदान करेगा।

(9) ई-निविदा पत्र बेवसाईट www.eproc.bihar.gov.in से प्राप्त किया जा सकता है। संवेदक द्वारा सिर्फ उपर्युक्त वेबसाईट से ही परिमाण विपन्न प्राप्त करने के उपरांत वेबसाईट पर ही इलेक्ट्रानिक निविदा पत्र को भरकर भेजना है। अन्य सभी महत्वपूर्ण कागजात / बैंक ड्राफ्ट / अग्रधन की राशि / सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को स्कैन कर ई-निविदा के साथ

(10) (क) Beltron Bid Processing Fee as appeared on the e-tendering website:- www.eproc.bihar.gov.in & BOQ cost as mentioned is mandatory to be paid through e-payment mode i.e. Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS"

Bids along with necessary online payments must be submitted through e-procurement portal www.eproc.bihar.gov.in before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffic/ Holidays or any other reason.

(ख) वांछित अग्रधन की राशि राष्ट्रीय बचत पत्र/किसान विकास पत्र/डाकघर सावधि जमा पासबुक/ 1, 2, 3 वर्षीय पोस्ट ऑफिस टाईम डिपोजिट जो बिहार राज्य से क्रय या जमा किया हो तथा प्रबंध निदेशक, BSEIDC Ltd.. पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा विहार वित्त नियमावली के अनुसार प्रबंध निदेशक, BSEIDC Ltd. के नाम से प्रतिज्ञिप्त (Pledged) बिहार राज्य में स्थित Nationlised/Scheduled बैंक का फिक्सड डिपोजिट रिसिप्ट के रूप में प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड, पटना में दिनाक:— 15.01.2019 के 15:00 घंटे तक स्वयं/निबंधित डाक ⁄स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना आवश्यक है अथवा EMD can also be paid through e-payment mode i.e. "Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS". ऐसा नहीं करने पर निविदा मान्य

(11) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर लें। ताकि अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से बच सकें।

(12) निविदाकार निविदा डालने से पहले अपने स्तर से भी प्रस्तावित कार्य स्थल पर भूमि उपलब्धता के संबंध में आश्वरत हो लेगे।

(13) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायंगा। बिना कारण बताये निविदा या उसके अश को अस्वीकृत करने / रदद करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।

(14) विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्य अवधि में सम्पर्क किया जा सकता है। ई-टेन्डरिंग की प्रक्रिया से संबंधित किसी भी प्रकार की जानकारी/सूचना हेतु सहायता कक्ष, ई—टेन्डरिंग कक्ष, प्रथत तल्ला, M/22, बैंक ऑफ इण्डिया भयन, रोड न० 25, श्री कृष्णा नगर, पटना-800001, दूरभाष स० 0612-2523006/9939035696.

Chief Eng neer
E.I.D.C. Lid. P B.S.E.I.D.C. Ltd, Patria

anofn ME

26

through an more than the country of the country of

The state of the second of the state of the

ROQ cast as mentioned is numerically to be part income a parently mode i.v. Internal payment polaries (see part of polaries).

organization of the description of the parameter of the approximated through representation to a very superior of the department does to take any adaptional for the description of the

the life, e.g., suggest an expectation which is a powerful to the man the color of the color of

The A line of the work and the line of the line of the state of the first the state of the state

The state of the s

the print of the p

of Signature responses

Child Englares B.S.E.L.D.C. List, Patric Pur C EW Long

0

0

0

0

0

0

0