Schedule XLV-Form No. 61 Resource centre at Charpokhn,
Bhojpur. (SL No. - 159). RIHAR PUBLIC WORKS DEPARTMENT [Form No. F-2] Ram Sigasan. Singh. gency - [Form No. F-2], with Signal of the state tender and contract for works forcement No. - 33 F2 of 2017-18 General Rule and Direction for the guidance of Contractors. Date of Commencement - 03-05-2017 1. All works proposed for execution by contract will be notified in a form of invitation to tender -passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer. This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours. 2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so. 3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm

4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender.

	등의 시민들은 아이는 아이를 내려가 있는 것이 없는 것이 없는 것이 없는 것이 없는 것이 없는 것이 없는 것이 없다.
5. The amount of earnest money to be deposited will be : -	Rs.
If the amount of the estimate does not exceed Rs. 2,000	50
If the amount of the estimate exceeds Rs. 2,000 but does	
not exceed Rs. 5,000	100
If the amount of the estimate exceeds Rs. 5,000 but does	
not exceed Rs. 10,000	200
For each additional Rs. 5,000 or portion of Rs. 5.000	
additional earnest money	100

6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompanied by the treasury challan for the required earnest money will be liable to rejection. No single tender shall include more than one work, but contractors who will to tender for two or more works shall submit a separate tender treasure shall bear the name of the work to which they refer written outside the envelop. Cash deposits for teamests noney here in before mentioned shall be made in Government Treasuring and the challan there of should be enclosed with the tender.

03/03

- 7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.
 - 8. The Engineer shall have the right of rejecting all or any of the tenders
- 9. In the event of a tender being selected for acceptance the Engineer who opened the tenders will, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupor sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount or the security money within the priscribed time. The tender with the specilication and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to the tenderer.

- 10. When a tender is selected for acceptance the tender shall deposit the required amount c the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.
- 11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required amount of the security money has been deposited the Engineer shall scrutinise all pages of the form of item, rate tender & contract for works to see that the form has been properly filled up and signed by the contracted witnessed He shall then if he is competent, to accept the tender, sign the acceptance of the tender, or, if he is not so competent shall send the form for signature of the acceptance of the officer competent to accept it.

2 1 3 12 7 6 12 7 6 03 5

10	Schedule
Schedu	Item No
intendi	10 1969/g
compa	12000
money	
earnes	
A FIRST	
will, if	
sign c	
and fo	
amou	
of the	
tende	
of the	
the si	
by the	
the te	
the te	
	1
the s	
secu	
secu	
depo	
acci	
alre	
dep	
faili	
TOIL	
2081	
ma	
the	
	1 1200
	1 2 3 4

for wit is r

Item No.	Item of work		RATE T	ENDERED	
item No.	item of w	Ork	In figures	In words	Per
		aic nathry to act	Without theory	n surface and a	
			Compact and resident	Transport And St.	
			4 - Unique bas	STATES AND	
			deutigente mi	Another drop	
			La Mow to se	7 24 4 (21)	
7				2 2 2 2 2 1	Hopkie († 565). Stanstansk fran
			If I fens balan	199	
Property Control			1.	2 2 2 3 8 9	i best timber:
35 Feb.			6, 36,000 to 189	103	
Start Ball (196)					
			de Georgiano de la Torresta amenda		
· Ones led as			treder etwanes		
			100		
40 to (4)			Mark Lightnering		
			A TERROR WOOD	10	
			SUITO ISOMETE	Pt diff	
60					
		washing a second		· · · · · · · · · · · · · · · · · · ·	
				The state of the s	
real man at the			,		
Line Control					
130					
			4.4	The Wind	
iglaver	Light)		5.74.3		
snish bil	S.S.E.L.D.C				
	540			7	

Schedule XLV - Form No. 61

(5)

	response to 1984		RATE TENDERED			Dest
m No.	Item of work	and of the	In figures	In words	7	Per
	112000000000000000000000000000000000000					
		- 1			,	
			i i	1		
					* ·	
12		120-200				
					1	
	March 1981			,		

11	1
C	;
r	٢
6	9

Si

In figures In words	Item No.	Item of work		NDERED	Per	
		ADMINIT SOUGHN	In figures	In words	101	
			2			
			*		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	4					
	/					
					47	
					Carl San	
	- Dr. 19					
				9		
				13. 14. 14. 14.		
				100		
				1		
			1			
	_					
					and the second	
				100		
	the South					
		- Annual Control of the Control of t	19.26			

hedule XLV - Form No. 61

4,

	Linguisting water to be a second	NDERED	Per	
Item No.	Item of work	In figures	In words	
			SN: 68/60	reposition to entitlement
	and the same	SERVICE		
Daniel and Car	1 × 0.500 120 1.9			
		. A corter labored ev	SACRET CONTRACTOR	Signature of ministrative
		had a second to		
		gis trout sacre a Grand the partition		
0		- Haramara nab a	enrs : 1905 A ^{TRE}	
One of the last			and there is	
•		0	100000000000000000000000000000000000000	
	HONS OF CONTRACT AT	Living the same		contagning no.
		The second second	again again	
			DESTRUCTION A	
0		the source of a no	A SHITTING STATE	
•	en a la comprese de la compresión de la	ente stant avan n	of Judge Loads	
•		min you was a told		
		100	et something of	on tileness from to
•				estigna entre est d
.0		e-toon of b-stationer		soft resident to any of the season
0		e vest torra notamble	open velous	par of mission as election by Spanip as mission
e	nd weeps of the 1900 well of the sea belonging the best entities	NEW YORK AND ADDRESS.		erne por 7 or 11 total 2
e				
	A province of the world province of the control of		7-12	
		of one disselve to see	电影 医加克斯氏病	
0		erios po es unife		
0		Manage Lange Self 101	THE COLUMN TWO AND	
0	A STATE OF THE STA		act of salada	
0				
mattheory	en e			A STATE OF THE STA
		e propagation (1995) del a propagation (1994)		
O				
0	A STATE OF THE PROPERTY OF THE			
0		Pengled Adams		
e) sms	State Line Communication of the Control of the Cont	Charles Villians		

should this tender be accepted I/we hereby agree to abide by and fulfill all the terms and provisions of the said conditions of contract annexed hereto so. for a applicable, or in ssors in office the sums of money mentioned in the said conditions.

Dated the

*Signature, of contractor before comission of tender

Signature of witness to contractor's signature

The above tender is hereby accepted by me on behalf of the Governor of Biharday of Dated the

signature of the office accepting the tender

Acceptances communicated on.....

signature of the part taking the tender

CONDITIONS OF CONTRACT

Compensation

Clause 1:- All compensation or other sums of payable by the contractor to Government under the terms of his contract may be deducted from, paid by the sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor by Government on any account whatsoever and in the event of his security depositbeing reduced by reason of any such deduction or sale as aforesaid, the contractor shall within ten days there after make good in cash or Government securities endorsed as aforesaid any sum or sums which may have been deducted from, or arised by, sale of his security deposit of any part thereof.

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which the work is finished after necessary rectification of defects as pointed by the contractor to the Engineer's

Clause 2:- The time allowed for carrying out the work as entered in the tender shall be strictly observed by the contractor and shall be reckoned from the date on which the wirtten order to comence work is given to the contractor. The work share throughout the stipulated period of the contract be carried on with all due diligence (time being deemed to be the essence of the contract on the part of the contract or) and the contractor shall pay as compensation an amount equal to 1/2 percent authorised agents are fully on the amount of the estimated cost of the whole work as shown by the tender for every day that the work remains uncommenced or unfinished after the proper date. And further to ensure good progress during the execution of the work the contractor shall be bound in all cases in which the time allowed for any work exceeds one month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before onehalf of such time elapsed and three-fourths of the work, before three fourths of such time has elapsed in the event of the contractor failing to employ with this condition I shall be liable to pay as compensation an amount equal to 1/2 percent on the said estimated cost of the whole work for every day that the due quantity of work remains incomplete provided always that the entire amount of compensation to be paid under the provisions the clause shall not exceed 10 percent of the estimated cost of the work as shown in the tender.

Action when persnle security deposit foreited

Clause 3:- In any case which under any clause or clauses of or this contract the contractor shall have rendered himself laible to pay compensation amounting the whole of his security deposit in the hands of Government (where paid in one sum or deducted by instalments) the Executive Engineer on behalf on the Biha Government shall have been powered to adopt any of the following courses, as he may deem best suited to the enterest of Government -

(a) To rescind the contract (of which rescind notice in writing to the contracto under the hand of the Executive Engineer shall be conclusive evidence) and in which case the sectitiry deposit of the contractor absolutely at the disposal of Government.

(b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debitting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in -charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.

(c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original contractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4: - In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may, if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Engineer as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

Clause 5:- If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) his shall apply in writing to the Executive Engineer within 40 days from the date of starting of the hinderance on account of which be desires such extension as aforesaid and the Executive Engineer shall, if in his opinion (which shall be final) reasonable grounds be shown thereof authorised such extension of time, if any, as may in his opinion be necessary or proper. The Executive Engineer shall at the same time inform the contractor whether hereof

claims compensation for the delay.

contractor remains liable to pay compensation if action not take under cause 2.

Power to take posession of or require removal of or sell contractor plant.

Extension of time

herner Here C. Ltd, Patna

Final certificate

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Clause 6:- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion, but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinctly marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-work, doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurements shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus materials and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid, except for any sum actually realised by the sale thereof.

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible, before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-in-charge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts or in any other way vary or affect the contract.

*Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Clause 9:- If the specification or estimate of the work provides for the use of any special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-incharge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums then due on there after to become due to the contractor under the contract or otherwise, or against or form the security deposit, or the proceed of sale thereof, if the same is held in Government security the same or sufficient portion thereof in this case sold for the particle of the same of sufficient portion thereof in this case sold for the same of sufficient portion thereof in this case sold for the same of sufficient portion thereof in this case sold for the same of sufficient portion thereof in this case sold for the same of sufficient portion thereof in this case sold for the same of sufficient portion thereof in this case sold for the same of sufficient portion thereof in this case sold for the same of sufficient portion thereof in this case sold for the same of sufficient portion thereof in this case sold for the same of sufficient portion thereof in the same of sufficient portion the supplied to the contractor shall remain the absolute property of Governmen Panthshall not on any accounts he removed from this site of the wartend shall at all times be open to 4K101121814

Stores supplied Government

0

(11)

inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: - The contractor shall executive the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such

designs, drawings and instructions as aforesaid.

Clause 11:- Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the Do not in validate contract work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the Time in consequence of determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a disputes the decision of the superintending Engineer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month Rate for work no in accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such

additional work if be other submit his claim within date afore said period.

Clause 12:- If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out. the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsoever on account of any profit or advantage, which he might have derived from the execution of the work in full, but which he did not derive in consequence of the full amount of the work ation in or restriction not having been carried out neither shall he have any claim for compensation by reason. of any alternation having been made in the original specification, arowing, designs and patna instruction which shall involve and in the original specification, are wind and in the original specification instruction which shall involve any installment of the work as of paally contemplated clause 12 (a) As contained in G O 1929 dated 11.9.56. 718/2011240/45

Work to be executed accordance with specification drawing other etc.

Alteration in specifications and designation.

rates of the district.

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such failure is due to:

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as finally by the contractor.

Action and compens ation payable in case of work

Clause 13:- If it shall appear to the Engineer-in-charge or his subordinate incharge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall on demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-incharge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and expense in all respects of the contractcor.

Work to be taken to inspection

Clause 14:-All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineer-in-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be present.

Clause 15: The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which the same was effected.

Notice to be taken before work covered up

Clause 16:- If the contractor or his work-people, or servants shall break, deface injure or destroy any part of a building in which they may be working or any building, road, road curves, fence enclosure water pipes, cables, drains, electric or telephone posts or wires, trees, grass or grassland or cultivated ground contiguous on which the work or any part of it is being executed or if any damage shall happen to the work, while in progress from any cause whatsoever or any imperfection become apparent in if within three months (six months in the case of a foad-work) after a certificate final or other of its completion shall have been given by the Engineer-in-charge

Schedule XLV - Form No. 61

as a fore seal, the contractor shall make the same good at his own expense, or in default, the Engineer-in-charge may cause the same to be made be good by other worksmen and deduct the expense of which time thereafter may become due to the contractor, or from his security deposit, or the proceed of sale there of, or of a sufficient portion there of the security deposit at the contractor shall not be refunded before the expiry of three months (six months in the case of a road-work) after the issue of the certificate final or otherwise of completion of work provided that in the case of a road work if in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable after three months of the issue of the said certificate of completion

Contractor liable for damage done and for imperfection a months and after certificate

Clause 17:- The contractor shall supply at his own cost all materials (except such Special materials) if any as may in accordance with the contract be supplied from the Engineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, Lackle scaffolding and temporary works requisits or proper for the proper execution of the work whether original, altered or substituted and whether include in the specification or Uother documents forming part of the contract or referred to in these conditions or not or which may be necessary for purpose of satisfying or complying with the requirement of Uthe Engineer-in-charge as to any matter as to which under these conditions he is entitled to be satisfied which he is entitled to require together with carriage therefore to and form the work. The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting, weighing and assisting in the measurement or examination at any time and form time to time of the work or materials failing his so doing the same may be Provided by the Engineer-in-charge at the expense of the contractor and the expenses may be deducted from any money due to the contractor under the contract from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide all necessary fencing and lights required to protect the public from accident, and shall be bound to bear to expenses of defence of every suit action or other proceeding at law that may be brought by any person for injury sustained owing to neglect of the above of light fencing etc. precautions and to any such person or which may with the consent of the contractor be paid to compromise any claim by any such person.

Contractor to supply to plantladder scaffolding

And is liable for damage arising for non-provision

Work not to be subject

Clause 18:- No female labour shall be employed within the limits of contonment. The contractor shall not employ for the purpose of his contract any person who is below the age of twelve years and shall pay to each labour for the work done by such labourer wages not less than the wages paid for similar work in the neighbourhood.

The executive Engineer shall have the right to enquire into the case and decide any complaint alleging that the wages paid by the contractor to any labourer for the work done by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer employed by contractor is below the age of twelve years and to refuse to allow any labourer whom he decided to be below the age of twelve years to be employed by the contractor.

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his contract, or attempt so to do, or become insolvent proceedings to make any composition with his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward Usr advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, or offered by the contractor, or any of his servant or agents to any public officer or person on the employ of Government in any way relating to his officer or employment or if all the control of the contr such officer or person shall become in any way directly or indirectly interested in the

Contract the Executive Engineer may there upon by notice in writing rescind the contract The security deposit of the contractor shall there upon stand forfeited and be absoluted Lat the disposal of Government and the same consequence shall ensure as Chief tragineer had been recinded under clause 3 here of, in addition the contractor spus to the contractor

Lo recover or be paid to any work therefore actually performed the under the contract.

and security deposit forfelted for subletting bribes

or if contractor become

7179 At E RED112406

such payable by way of compensation to be considered reasonable compensation without reference to actual loss Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained.

Clause 21: In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this information.

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal of Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer

Clause 22:- All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23:- In case any dispute or difference shall arise between the parties or either of there upon any question relating to the meaning of the specifications, designs, drawings and instructions here before mentioned or as to the quality of workmanship or materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, or any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions or otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof or as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

(a) Clause 24:- When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items or work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-in-charge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineer-in-charge shall be final and conclusive against the contractor with regard to any sum payable to him under the provision of this clause.

Action where specification.

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Definition of works

Clause 26: The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to succonstruction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered substituted or additional.

Witness.

03° 05.2017

3181843112481845 Contracto.

(15)Schedule showing (Approximately) materials to be supplied, it available the rates of

Particulars	will be o	hich the materi harged to the entractor	al	Place of delivery
Salar car and	Unit	Rs.	P.	
		7		
			36	
	The Share			
				was a second por
	to residence of			

Note:-The person or firm submitting the tender should see that the rates in the above schedules are filled up by the Engineer-in-charge on the issue of the form prior to the submission of the tender.

71212401245/R18

(Signature of Contrator)

Chief Engineer
BishEule Do Carbediv Patoneer)

Chief Engineer B.S.E.I.D.C. Ltd. Pains

Bihar State Educational Infrastructure Development Corporation Ltd.

AGREEMENT for Construction of Block Resource Centre at Charpokri, Bhojpur

TENDER FOR WORKS

I/we heredy tender for the execution for the Governor of Bihr of the work specifed in the under written memorandum at the rates specified therein within a period of years month from the date of witten order to commence and in accodance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subjects to the annexed condation of contract and with such materaials as are provided for by and in other respects in accordance with,

MEMORANDUM

- (a) If several sub-work are incuded they should be detained in the separate list
- (A) Name of Work :- Construction of Block Resource Centre at Charpokri, Bhojpur(Sl. No-159)
- (B) Estimated Cost :- Rs. 73,22,233=00 Agreement value :- Rs. 65,90,010=00
- (b) This deposit will be 5% of the estimated cost of the work
- (C)Earnest Money:-
- (c)This percentage deduction from bills will be credited to the contractors security deposits
- (D) Initial security deposits (including earnest money) to be deposited before the Commencement of

Earnest Money :- Rs. 3,80,000/- (Details attached)

- (E) Percentage to be deducted from bill Rs. 5% (Rupees five percent)
- (F) Time required for the work from date of written order to commence **FIFTEEN MONTHS**
- (G) Date of written order to commence :-
- (H) Total number of item of work tendered for :- 116

2121211210/215

Chief Engineer B.S.E.I.D.C. L

BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. SHIKSHA BHAWAN, SAIDPUR, PATNA. B.O.Q. FOR BLOCK RESOURCE CENTRE IN BIHAR

THE	E ITEM RATE BASED ON S.O.R BCD BIHAR, I	DATE - 15-09-2014, & D.S.R (ELECTRICAL) 2014
I DIGT	TDIOT	D.S.R (ELECTRICAL) 2014
No.	NAME OF INSTITUTE	BLOCK

Bhojpur BLOCK RESOURCE CENTRE 1 Charpokri

		<u>CIVIL W</u>	ORK	S		
SI. No.	SOR				D	
1	Item No		Qty.	Unit	Rate (Rs.)	Amount (Rs.)
P	ILE WOR	3 RKS	4	5	6	7
1	20.2	Boring, providing and installing bored cast-in-situ reinforced cement concrete piles of grade M-25 of specified diameter and length below the pile cap, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring, with bentonite solution and temporary casing of appropriate length for setting out and removal of same and the length of the pile to be embedded in the pile cap etc. all complete, including removal of excavated earth with all lifts and leads (Length of pile for payment shall be measured upto bottom of pile cap).				
	20.2.1	300 mm dia Piles	0.000			Rs. One thousand three hundred nine and paise
	20.2.2	400 mm dia Piles	0.000	meter		Rs. One thousand five hundred twenty three and
	20.2.3	450 mm dia Piles	0.000	meter		Rs. One thousand nine hundred seventy eight
	20.2.4	500 mm dia Piles	0.000	meter	1978.80	and paise eighty only. Rs. Two thousand three hundred six and paise
	20.2.5	600 mm dia Piles	0.000	meter	2306.60	sixty only. Rs. Two thousand nine
			0.000	meter		nundred ninety six and paise ten only.

214Re2112401818

Chief Engineer B.S.E.I.D.C. Ltd, Pa

	20.2.	750 mm dia Piles				
			0.000) meter	4219.70	Rs. Four thousand two hundred nineteen and paise seventy only.
2	20.3	Boring, Providing and installing				
		Boring, Providing and installing cast in single under reamed piles of specific diameter and length below pile cap in M-cement concrete, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring with bentonite solution are the length of the pile to be embedded in picapete. all complete. (Length of pile for payment shall be measured upto to the bottom of pile cap):	ed 25 ng he he he			
	20.3.1	300 mm dia Piles	0.000	meter	h	Rs. One thousand nine nundred thirty four and
	20.3.2	400 mm dia Piles 450 mm dia Piles	0.000	meter	R	as twenty only. as. Two thousand two undred twenty five and asse thirty only.
	20.3.4	550 mm dia Piles	0.000	meter	R	s. Two thousand three undred ninety seven and aise fifty only.
		and thes	0.000	meter	R	s. Two thousand six
3	20.4	Extra over item No. 23.3 for providing additional bulb in under reamed piles, under specified dia meter (Only the quantity of extra bulbs are to be paid).				
	20.4.1	300 mm dia Piles			Rs.	One thousand two ndred forty and paise
	20.4.2	400 mm dia Piles	0.000	Each	1240.10 ten Rs.	only. One thousand three dred seventy three
	20.4.3	450 mm dia Piles	0.000	Each	1373.80 and Rs.	paise eighty only. One thousand four dred fifty four and
	20.4.4	500 mm dia Piles	0.000	Each	1454.80 pais Rs.	e eighty only. One thousand five dred ninety seven and

314R101) 210R1E

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Hehoushay

2/15/17

1 /	ARTHWO	RK IN EXCAVATION	12			
1	4 2.8	Earthwork in excavation in as(excee	11			
		30cm in depth. 1.5m in width as we	eding			
		10sam on plan) install	ll es			
		10sqm on plan) incloding dressing of s	sides			
		and ramming of bottom, lift upto	1.5			
		including getting out the excavated soil	and			
		disposal of Surplus soil as directed with	in a			D T
		read of Join.				Rs. Two hundred five
		All Kind of soil				and paise twenty only.
		= 286.64 CUM				
		SEPTIC TANK = 31.89 CUM				
		TOTAL QUANTITY = 318.53 CUM		1		
5	2.29.		318.530) Cum	205.5	
5	2.29.	The diessing of the ground includ		cum	205.2	00
		removing vegetation and inequalities				
		caceding 15 cm deen and diamonal	C			
		radousti, lead upto 50 m and lift upto 1.5m	OI			Rs. Seven hundred
		All kinds of soil.				eighteen and paise eigh
		= 136.41 CUM				only.
			126 410	100		
\mathbf{E}_{A}	ARTH FIL	LING	136.410	100 sqm	718.800	
6	2.26					
	1 2.20	Filling available excavated earth (excluding	ng			
		In trenches plinth sides	C			
		foundations etc. in layers not exceeding 2	20	1 1		
		consolidating each denosite	ed			Do Ci .
		layer by ramming and watering lead				Rs. Sixty six and paise
		= 188.98 CUM				forty only.
SA	ND FILL	INC	188.980	cu.m	66.40	
7	2.28	Supplying and Filling in plinth with loca	1			
		sand and under floors including, watering				
		ramming consolidating and dressing				
		complete.	5			
		= 118.79 CUM				Rs. One hundred ninety
		SEPTIC TANK = 1.02 CUM			1	two and paise fifty only.
		TOTAL QUANTITY = 119.81 CUM				
			119.810	cu.m	192.50	
AT.	BRICK SO	DLING		o di i i i	192.30	
T	11.72	Providing do				
1		Providing designation 100 A one brick flat				
		soming Johns filled with local sand including				
		cost of watering, taxes royalty all complete	1			
		as per building specification and direction				
		of E/I.			R	s. Two hundred twenty
		10 + 2 , BUILDING = 291 84 CHM			Se	even and paise sixty
		10 + 2 , BUILDING = 291.84 CUM SEPTIC TANK = 13.57 CUM			Se	even and paise sixty
		10 + 2 , BUILDING = 291.84 CUM SEPTIC TANK = 13.57 CUM			Se	even and paise sixty
		10 + 2 , BUILDING = 291 84 CHM			Se	even and paise sixty

31 H RAD112481 RE

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

A...

Ols/12

A	0
ľ	0

_				13			
		P.C.C.					
	9	4.1.5	Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level 1:3:6 (1cement: 3 coarse sand : 6 graded stone aggregate 20mm nominal size) = 13 CUM				Rs. Two thousand seven hundred seventy five and paise seventy only.
	10	4.1.4	Providing and laying in position cement	13.000	cu.m	2775.70	
			concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level 1:2:4 (1 Cement: 2 coarse sand : 4 graded stone aggregate 40 mm nominal size)10 + 2 , BUILDING = 8.74 CUM SEPTIC TANK = 2.98 CUM TOTAL QUANTITY = 11.72 CUM		cu.m	3219.70	Rs. Three thousand two hundred nineteen and paise seventy only.
		FLOORING				3217.70	
	11		Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturer) of ist quality conforming to IS: 15622 of approved make in colours such shades except white, Ivory, Grey, Fume Red, Brown, laid on 20 mm thick Cement motar 1:4 (1 cement: 4 coarse sand) including pointing the joints with white cement and matching pigment etc., complete. TOILET PORTION = 46.04 SQM				Rs. Eight hundred one and paise eighty only.
				46.040	sq.m	801.800	
	W	ALL TILES	S		1		

राभित्रिजासनिर्मह

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Lipon

Skinow Top

12	2 11.3	Providing and for	14	_		
		I loviding and fixing 1st quality and	ramic			
		glazed wall tiles conforming to IS: 1	5622			
		(Thickness to be specified by	the			
		manufacture) of approved make in	all			
		colours, shades except burgundy, b	ottle			
		ISICCII, DIACK OF any size as approved by				
		Engineer-in-charge in skirting, riser	s of			
		steps and dados over 12 mm thick ha	1 - 0			Rs. Seven hundred fi
		cement Motar 1:3(1 cement: 3 coarse sa	nd)			four and paise twenty
		and Jointing With grev cement chum.	2 2			only.
		Ing per sym including pointing in	1			
		With pigment of motal	ning			
		shade complete.				
		TOILET PORTION = 188.874 SQM				
00	RING & G	SKIRTING	188.874	4 sq.m	754.20	00
13	11.26.	Kota stone alal G		59.111	734.20	00
		Stolle Slab Hooring over 20	nm			
		(average) thick base laid				
		over and jointed with grey cement slu mixed with pigment to	rry			
		match the shade of the				
		match the shade of the slab includi	ng			
		complete Rose with 1.1.1				Rs. Nine hundred sixty
		complete . Base with 1:1:1 (1 lime :	1			eight only.
		surkhi: 1 coarse sand) / 1:4 (20 TO 25M THICK)	M			
		= 281.852 SQM				
		50111				
1	11.27	Kota stone slabs 20 mm thick in risers	281.852	sq.m	968.00	
		steps skirting. Dado &	of			
		pillars laid on 12 mm (average (thic	.			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		cement mortar 1:3 (1 cement:	k			
		3 coarse sand) and jointed with grey cemer				
		slurry mixed with	nt			Rs. Nine hundred twenty
		pigment to match the shade of the sla				seven and paise fifty
		including rubbing and	1 1			only.
		polishing complete. Details of cost for 10				
		sqm	"			
+			74.27			
	8.3.2	Extra for providing edge moulding to 18	74.37	sq.m	927.50	
		marble stone counters Vanities			. /	
		letc. over item no. 8.2 including mochine				
		pullshing to edge to give high gloss finish				
		cic. complete as per design approved by				Two Hundred Thirty
		Engineer -in -charge. Granite work			1	Nine and paise ten only

0.00

M

714R211240/218

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

03/5 9/65/17

239.10

	-	
- 1	-	
- 1		
- 1		

WOR	K BELOW	PLINTH LVL.	15			
16	5.1.1	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing & reinforcement - all work upto plinth level. 1:1:2 (1cement: 1 coarse sand : graded stone aggregate 20mm nominal size) = 59.183 CUM	59.183	cu.m	5110.70	Rs. Five thousand one hundred ten and paise seventy only.
R.C.C	. WORK A	ABOVE PLINTH LVL.				
17	5.2.1	Reinforced cement concrete work in wall (any thickness), including attached plasters, buttresses, plinth and struts etc upto floor five level excluding the cost of centring, shuttering, finishing & reinforcement 1:1:2 (1cement: 1 coarse sand: 2 graded stone aggregate 20mm nominal size) $10 + 2$, BUILDING = 20.51 SQM				Rs. Five thousand six hundred sixty six and paise twenty only.
18	5.1.3	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing and reinforcement-All work puto plinth level. 1:2:4 (1 cement:2 coarse sand:4 graded stone aggregate 20 mm nominal size) SEPTIC TANK = 0.93 CUM	20.510	cu.m	5666.20	Rs. Three thousand four hundred thirty eight and paise ninety only.
			0.930	cum	3438.90	

214RA2112401RE

Chief Engineer
B.S.E.I.D.C. Ltd. Patna

03/5

23/05/13

	5.3	Reinforced cement conrete worl	16			
	5.33B. + 5.33B.	beams, suspended floors, roofs having upto 15, landings, balconiec, she chajjas, lintels, bands plain window.	slope elves, sills, floor tring, parse mm			Rs. Four thousand five hundred eighty one an paise twenty only.
BF	RICK WO	RK	100.440	cu.m	4581.20	0
20	6.1.14A	Brick work with bricks of class designat	:			
		100A in foundations and plinth in cemmortar 1:6 (1cement :6 coarse sand) = 39.878 CUM	ent			Rs. Three thousand nine hundred ninety two and paise ninety only.
21	6.1.14A +	Brick work with bricks of class designati	39.878 on	cu.m	3992.90	
	6.3A	100A in foundations and plinth in : Cememortar 1:6 (1 cement: 6 coarse sand)	ent			
		Extra for Brick work in superstructuabove plinth level upto floor V cum = 160.082 CUM	re			Rs. Four thousand four hundred twenty seven and paise fifty only.
2	6.18.4A	Extra for Brick work in superstructuabove plinth level upto floor V cum = 160.082 CUM	160.002	cu.m		hundred twenty seven
2	+ 6.19A	Extra for Brick work in superstructulabove plinth level upto floor V cum	160.082	cu.m	4427.50	hundred twenty seven

214/A011240/A8

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Library 199

03/5

23	6.21	A Extra for providing and placing in position Nos, 6 mm dia, MS bars at every course of half brick masonry (with F. bricks)		7		
		= 134.043 SQM				Rs. Seventy five and paise ninety only.
24	6.1A - 6.1.12/	TOR WOLL WILL DEICKS of 1	134.04	43 Sq.n	n. 75.	90
		plinth in: Cement mortar 1 .:4 (1 cemer coarse sand) = 8.75 CUM	nt: 4			Rs. Four thousand one hundred eighty four on
PL	ASTER V	VORK	8.750	cum	4184.0	
25	13.13.4	20 mm cement plaster of mix; 1:6 cement: 6 coarse sand) = 836.658 SQM	(1			Rs. One hundred twent
26	13.13.1 + 13.26	20 mm cement Plaster 1:3 (1 cement: coarse sand) with a floating coat of necement & neat cement punning	836.658 3 eat	3 sq.m	123.50	three and paise fifty onl
7	13.11.4	SEPTIC TANK = 16.65 SQM 12mm thick Cement plaster of mix 1:6 (cement : 6 coarse sand)	16.650	sq.m	185.60	Rs. One hundred eighty five and paise sixty only
8	13.17.1	12 mm cement Plaster 1:3 (1 car	1041.580	sq.m	89.30	Rs. Eighty nine and paiso thirty only.
	+13.36.1	coarse sand) with a floating coat of near cement & Extra for providing and mixing water proofing material in proportion recommended by the manufacturers: 12 mm cement plaster 1:3(1 cement :3 sand) SEPTIC TANK = 52.82 SQM	at g		I	Rs. One hundred forty ive and paise fifty only.
	1	6mm thick Cement plaster of Ceiling mix 1:4 (1 cement : 4 coarse sand) = 388.53 SQM	52.820	sq.m	145.50	s Savantu
			388.530	sq.m	77.40 pa	s. Seventy seven and aise forty only.

ZIHR1011216) REÉ

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

School he

30 11.3	Cement concrete flooring 1:2:4(1 cement:2	18			
+					
11.	8 finished with a floating				
	finished with a floating coat of neat cement				
	including cement slurry, etc. but excluding				
	The cost of flosing of stens ata			1	
	mm unick with 20 mm nominal size stone				
	assicgate.				Rs. Two hundred this
	Extra for making chequers of approved				two and paise ninety
	pattern on cellent concrete floors				only.
	landing, pavemerts etc.				
	= 136.41 SQM				
FINICIUM		136.410	sq.m	232.9	0
FINISHING V	/ORK				
31 13.46.	Finishing walls with Acrylic Smooth				
	exterior paint of exterior paint of				
	required shade :New				
	required shade :New work (Two or more				
	coat applied @ 1.67 ltr/ 10				
	sqm over and including priming coat of exterior				Do Cint
	CATCHOI				Rs. Sixty eight and paid
	primer applied @ 2.20 kg/ 10 sqm)				eighty only.
	EXTERNAL WALL = 836.658 SQM				
32 13.80A.2	Providing and applying 1:	36.658	sq.m	68.80	
	I will dilliving White come - 1			00.00	
	Party of average thickness 2				
	approved braild and manufacturer aver at				D. O
	prastered wall surface to prepare the surface				Rs. One hundred
	even and				eighteen and paise
	smooth complete.			5	seventy only.
33 13.77.2	Distance: 226	6.768	sq.m	110.70	
13.77.2	bistempering with oil bound washa ble		34.111	118.70	
	distelliper of approved broad				
	manufacture to give an even shade				
	INEW WORK (two or more coats) over and				
	merading				
	priming coat with cement primer		-	R	s. Sixty four only.
	INTERNAL WALL & CEILING =				or oracy four only.
	1430.11 SQM CEILING =				
4 13.81.1	Applying priming coat with ready mixed	.110 s	sq.m	64.00	
	pink or grey primer of approved brand and				
	manufacture on wood		1. "		
	manufacture on wood work (hard and softwood)			Rs	. Twenty five and
	= 115.68 SQM			na	ise twenty only.
			1	Pa	of twellty offly.
	115.6	(00	q.m		

31 A RADIISAN RA &

Chief Engineer

Chief Engineer

B.S.E.I.D.C. Ltd. Patrix

10. Skeloully

35 63125/17

35	13.81.3	Applying priming coat with ready mixed	19	T		
		zinc chromate yellow primer of approved brand and manufacture on steel galvanized iron/steel work. = 105.728 SQM				Rs. Twenty one and paise thirty only.
36	1	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade two or more coats on new work	105.728	sq.m	21.30	

even shade two or more coats on new work Rs. Fifty and paise ninety = 221.408 SQMonly. 37 221.408 10.14.1 Providing and fixing T-iron frames for sq.m 50.90 doors. windows and ventilators of mils steel Tee-sections, joints miltred and welded with 15x3 mm lugs 10 cm long embedded in cement concerete blocks 15x10x10 cm of 1:3:6 (1 cement : 3 coarse sand: 6 graded stone aggregate 20 Rs. Seventy five and mm nominal size) paise ten only. or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required including = 339.675 KG 38 339.675 9.21.1 Providing and fixing flush door shutters Kg. 75.10 conforming to IS: 2202 (Part-I) nondecorative type.core of block board construction with frame of 1st class tiard wood and well mathched commercial 3 ply veneering wiih vertical grains or cross bands and face veneers on both faces of shutters. Rs. One thousand eight 35 mm thick including anodized aluminum hundred twenty three and butt hinges paise eighty only. with necessary screws =48.195 SQM39 48.195 9.119.1 Providing and fixing oxidised M.S.tower sq.m 1823.80 bolt black finish,(barrel type) with necessary screws etc.complete 250x10mm Rs. Sixty six and paise 10 + 2, BUILDING = 44 EACH fifty only. 44.000 each 66.50

312/01/21/21/21/2

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

9.223.2	Providing and fixing M.S.handles with necessary screws etc.complete 125 mm 10 + 2, BUILDING = 44 EACH Providing and fixing alluminium hanging floor door stopper anodised (anodic coating not less than grade AC 10 as per IS:1868)	44.000	each	27.50	Rs. Twenty seven and paise fifty only.
9.223.2	not less than grade AC 10 as per IS (1969)		each	27.50	parse mity omy.
9.223.2	not less than grade AC 10 as per IS (1969)		Cacii) / 5()	
	Hot less than grade AC 10 as per IS . 1969)	1		27.30	
	transparent or dyed to required colour and shade with necessary screws etc.complete:Twin rubber stopper = 22 EACH				Rs. Eighty two and pai seventy only.
9.100.1	Providing and full N.S.	22.000	each	82.70	
	Providing and fixing M.S. sliding door bolts bright finished or/and black enamelled, with nuts and screws etc.compelled: 300x16 mm = 22 EACH			I s	Rs. One hundred seven seven and paise forty only.
EL WOR	K	22.000	each	177.40	
0.12.1	Providing and fixing glazed start I				
a ff rog g mr co of ne D Ex	steel legs embedded in cement concrete blocks 15x10x10cm.of (1:3:6) (1cement: 3coarse sand: 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with ixing clips or with bolts and nuts as equired, including providing and fixing of glass panels with glazing clips and special netal-sash putty of approved make omplete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except eccessary hinges or pivots as required. For approved shape and section with screws stread of glaxing clips and met. Sash putty steel doors, windows, ventilators and mposite units. Steel Windows			hui	Three thousand two ndred seventy and ise sixty only.
(0.12.1 + 0.13B	Dright finished or/and black enamelled, with nuts and screws etc.compelled: 300x16 mm = 22 EACH Providing and fixing glazed steel doors, windows or ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm M.S. lugs10cm long with steel legs embedded in cement concrete blocks 15x10x10cm.of (1:3:6) (1cement : 3coarse sand : 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special	CL WORK 22.000 CL WORK 0.12.1 Providing and fixing glazed steel doors, windows or ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm M.S. lugs10cm long with steel legs embedded in cement concrete blocks 15x10x10cm.of (1:3:6) (1cement : 3coarse sand : 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required. Doors Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel Windows	CL WORK 0.12.1 Providing and fixing glazed steel doors, windows or ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm M.S. lugs10cm long with steel legs embedded in cement concrete blocks 15x10x10cm.of (1:3:6) (1cement : 3coarse sand : 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required. Doors Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel Windows	CL WORK 0.12.1 Providing and fixing glazed steel doors, windows or ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm M.S. lugs10cm long with steel legs embedded in cement concrete blocks 15x10x10cm.of (1:3:6) (1cement : 3coarse sand : 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required. Doors Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel Windows

31412411240 RSE

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Webrush

OTION

O

	44 10	.12.1 Providing	g and fiving		21		
		+ windows	g and fixing glazed s	4 1 4			
	10						
		with 15x	etions, joints mitered a	nd welded			
		1011	IIIII VI IIIII VI	1			
		105	o childed in acces-	,			
		1	$2\Delta IUXIUCM of (1.2.6)$	1			
		1	sully . Doraded stone				
		1101	minal SIZE or with was	1			
		Jet Selevy	out taw hillog and come				
		5 011	PS UI WITH holto - 1				
		1 - oquitcu, 1	meluding providing and	C .			
		18 Paric	is with glazing clips an	d special			
		Tour Susin	Pully of annuaria	1 .			
		complete in	ncluding applying a mi				Rs. Three thousand to
		1 - approve	u Steel hrimer evaluation	.1			hundred seventy seven
		- metal 0	cauling and other fix:				and paise sixty only.
		1 Cobuity II	miges or nivote ac vo-	1.5			omy.
		pi	UVIUIII9 and tiving of a-1	1 11			
		1 appiore	1 Slidne and coot:				
		instread of o	playing cline and section with	1 screws			
		in steel de	glaxing clips and met. Sa	sh putty			
			OUIS. WINDOWS Wantil	ors and			
		= 3.24 SQM	IIII. Sieel Ventilatore				
		3.24 SQIV	1				
	1			1			
15	0.02						
45	9.82.1	Providing a	and fixing MS asi	3.240	sq.m	3277.6	50
45	9.82.1	requirement	pattern in frames of	lls of	sq.m	3277.6	60
45	9.82.1	requirement	pattern in frames of	lls of	sq.m	3277.6	50
45	9.82.1	requirement etc. with M.S	and fixing M.S. gri pattern in frames of w S. flats square or round b	lls of	sq.m	3277.6	50
45	9.82.1	requirement etc. with M.S all complete	pattern in frames of w. 5. flats square or round b	lls of	sq.m	3277.6	
45	9.82.1	requirement etc. with M.S all complete fixed to steel	pattern in frames of w. S. flats square or round b	lls of	sq.m	3277.6	Rs. Ninety one and paice
45	9.82.1	requirement etc. with M.S all complete	pattern in frames of w. S. flats square or round b	lls of	sq.m	3277.6	
45	9.82.1	requirement etc. with M.S all complete fixed to steel = 1722.87 KG	pattern in frames of w. S. flats square or round b windows by welding.	lls of indows ars etc			Rs. Ninety one and paise fifty only.
		requirement etc. with M.S all complete fixed to steel = 1722.87 K.C	pattern in frames of w. S. flats square or round b windows by welding.	lls of indows ars etc		3277.6 91.50	Rs. Ninety one and paise fifty only.
		requirement etc. with M.S all complete fixed to steel = 1722.87 K(Reinforcement straightening,	pattern in frames of with the second by windows by welding. It for RCC work including bending bending bending.	lls of indows ars etc			Rs. Ninety one and paise fifty only.
		requirement etc. with M.S all complete fixed to steel = 1722.87 K(Reinforcement straightening,	pattern in frames of w. S. flats square or round b windows by welding.	lls of indows ars etc			Rs. Ninety one and paise fifty only.
		requirement etc. with M.S all complete fixed to steel = 1722.87 K.C. Reinforcement straightening, position and be	pattern in frames of with the second by windows by welding. It for RCC work including bending bending bending.	lls of indows ars etc			Rs. Ninety one and paise fifty only.
		requirement etc. with M.S all complete fixed to steel = 1722.87 K(Reinforcement straightening,	pattern in frames of with the second by windows by welding. It for RCC work including bending bending bending.	lls of indows ars etc			Rs. Ninety one and paise fifty only.
	5.22	requirement etc. with M.S all complete fixed to steel = 1722.87 K.C Reinforcement straightening, position and both TMTC-500	pattern in frames of wards. Grant square or round be windows by welding. It for RCC work including, bending, placification on the complete.	lls of indows ars etc 1722.870 uding ng in			Rs. Ninety one and paise fifty only.
		requirement etc. with M.S all complete fixed to steel = 1722.87 KG Reinforcement straightening, position and both TMTC-500 Thermo-Mecha	pattern in frames of wards. Grant square or round be windows by welding. It for RCC work including, bending, placification on the complete.	lls of indows ars etc 1722.870 uding ng in			Rs. Ninety one and paise fifty only.
	5.22	requirement etc. with M.S all complete fixed to steel = 1722.87 KG Reinforcement straightening, position and both TMTC-500 Thermo-Mecha 500 8mm dia	pattern in frames of with the second by windows by welding. It for RCC work including bending bending bending.	lls of indows ars etc 1722.870 uding ng in			Rs. Ninety one and paise fifty only.
	5.22	requirement etc. with M.S all complete fixed to steel services = 1722.87 KG Reinforcement straightening, position and both TMTC-500 Thermo-Mechal 500 8mm dia = 8300 KG	pattern in frames of w. S. flats square or round be windows by welding. It for RCC work including, bending, placification all complete.	lls of indows ars etc 1722.870 uding ng in		91.50	Rs. Ninety one and paise fifty only.
	5.22	requirement etc. with M.S all complete fixed to steel = 1722.87 KG Reinforcement straightening, position and both TMTC-500 Thermo-Mecha 500 8mm dia = 8300 KG SEPTIC TANK	pattern in frames of w. S. flats square or round be windows by welding. It for RCC work including, bending, placificating, bending, placificating all complete.	lls of indows ars etc 1722.870 uding ng in		91.50	Rs. Ninety one and paise fifty only.
	5.22	requirement etc. with M.S all complete fixed to steel = 1722.87 KG Reinforcement straightening, position and both TMTC-500 Thermo-Mecha 500 8mm dia = 8300 KG SEPTIC TANK	pattern in frames of w. S. flats square or round be windows by welding. It for RCC work including, bending, placificating, bending, placificating all complete.	lls of indows ars etc 1722.870 uding ng in		91.50	Rs. Ninety one and paise fifty only. Rs. Seventy four and
46	5.22 5.22.7A	requirement etc. with M.S all complete fixed to steel = 1722.87 KG Reinforcement straightening, position and both TMTC-500 Thermo-Mecha 500 8mm dia = 8300 KG SEPTIC TANK TOTAL QUAN	pattern in frames of w. S. flats square or round b. flats square or round b. windows by welding. G. t for RCC work including, bending, placifonding all complete. Annically Treated bars TM. TITY = 8393 KG	Ils of indows ars etc 1722.870 uding ng in	Kgs.	91.50	Rs. Ninety one and paise fifty only.
46	5.22	requirement etc. with M.S all complete fixed to steel = 1722.87 KG Reinforcement straightening, position and both TMTC-500 Thermo-Mecha 500 8mm dia = 8300 KG SEPTIC TANK TOTAL QUAN	pattern in frames of w. S. flats square or round b. flats square or round b. windows by welding. G. t for RCC work including, bending, placifonding all complete. Annically Treated bars TM. TITY = 8393 KG	Ils of indows ars etc 1722.870 uding ng in		91.50	Rs. Ninety one and paise fifty only. Rs. Seventy four and
46	5.22 5.22.7A	requirement etc. with M.S all complete fixed to steel second and the straightening, position and both the straightening, position and both the straightening and straightening, position and both the straightening and straightening, position and both the straightening, position and both the straightening and straightening, position and both the straightening and straighte	pattern in frames of w. S. flats square or round be windows by welding. It for RCC work including, bending, placificating, bending, placificating all complete.	Ils of indows ars etc 1722.870 uding ng in	Kgs.	74.40	Rs. Ninety one and paise fifty only. Rs. Seventy four and paise forty only.
46	5.22 5.22.7A	requirement etc. with M.S all complete fixed to steel = 1722.87 KG Reinforcement straightening, position and both TMTC-500 Thermo-Mecha 500 8mm dia = 8300 KG SEPTIC TANK TOTAL QUAN	pattern in frames of w. S. flats square or round b. flats square or round b. windows by welding. G. t for RCC work including, bending, placifonding all complete. Annically Treated bars TM. TITY = 8393 KG	Ils of indows ars etc 1722.870 uding ng in	Kgs.	74.40	Rs. Ninety one and paise fifty only. Rs. Seventy four and

714/2011210 PAE

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Kehaulty

B315

Slocky

	5.22.70	Thermo-Mechanically T	22	-		
		Thermo-Mechanically Treated bars TMT 500 12mm dia = 7000 KG		-		Rs. Seventy one and paise eighty only.
	5.22.7D	Thermo-Mechanically Treated bars TM 500 16mm dia = 700 KG	7000.00	0 KG	71.8	Rs. Seventy two and
	5.22.7E	Thermo-Mechanically Treated bars TMT 500 20mm dia	700.000	KG	72.8	paise eighty only.
	5.22.7F	= 750 KG Thermo-Mechanically Treated bars TMT	750.000	KG	72.2	Rs. Seventy two and paise twenty only.
47	10.19	= 0 KG	0.000	KG	72.20	Rs. Seventy two and paise twenty only.
		Providing & fixing M.S. Fan hook of 16 mm. dia. M.S. bar 1 Mtr. Long bent to required size and shape, placed in position and fixed in Truss Frame / RCC Slab / beam at the time of casting all complete as per building specification and direction of E/I. (Where materials is not supplied by deptt.) = 42 EACH				Rs. One hundred twent one and paise eighty only.
48	10.33.1	Providing & fixing hand rail by welding etc.	42.000	Each	121.80	
		to steel ladder railling & staircases railling including applying a priming coat of approved steel primer. MS tube (medium) 40mm nominal bore. = 550 KG				Rs. Ninety one and pais ten only.
19	; ;	Providing and fixingin position collapsibble steel shutters with vertical channes 20x10x2mm and braced with flat iron diagonals 20x5mm size with top and bottom rail of T-iron 40x40x6mm with 40mm diasteel pulleys complete with bolts nuts ocking arrangement stoppers handles including applying a priming coat of pproved steel primer.	550.000	kg.	l s	Rs. Four thousand one nundred fifteen and paise ixty only.
	ANEOUS V		4.52	sq.m	4115.60	

212/A011210/AE

Chief Engineer

S.S.E.I.D.C. Ltd, Patna

O. Kehrul

03/5

50	4.17	Making plinth protection 50mm th	2	_3		
		cement concrete 1.2.6 (1)	nick of			
		cement concrete 1:3:6 (1 cement :3	coarse			
		sand . O graded stone aggregate	20			
		monthla size) over /5mm had by day	. 1			
		ballast 40mm nominal size well rar	y UTICK			Do Ti
		and consolidated and great 1	nmend			Rs. Three hundred
		and consolidated and grouted with fin	e sand			nineteen and paise th
		including finishing the top smooth.				only.
		= 75.414 SQM			7/1	
(NAME OF THE PROPERTY OF THE PR	75.41	4 sq.m	319.	30
	SHUTTE	RING				
51	5.9.1	Centring and shuttering including stru	ittin a		~	
		propping etc. and removal of form	itting,			
		foundation footings have	n for			
		foundation, footings, basees of column for mass concrete.	s etc.	1		Rs One hundred
		nor mass concrete.				Rs. One hundred sixty
		= 55.781 SQM				and paise seventy only
52	5.9.5	Centring and about	55.781	Sqm.	166.7	0
		Centring and shuttering including structure	tting,		100.7	0
		propping etc. and removal of form for the	7 1			
		beams, griders breeze	mers			
		and continevers.	incis			Rs. Two hundred fifty
		= 349.241 SQM		1		one and paise thirty onl
						paide tility offi
53	5.9.6	Centring and shuttering including strutt	349.241	Sqm.	251.30	
		propping etc. and	ting,		==1.3	
		propping etc. and removal of form	for			
		posts, pillars, piers, abutments, posts	and			
		Struts				Rs. Three hundred forty
		= 367.575 SQM				four and paise forty only
						land paise forty only
4	5.9.3	Contring	367.575	Sqm.	211 10	
	5.7.5	Centring and shuttering including strutti		Sqiii.	344.40	
		propping etc. and removal of farms	C			
		suspended floors, roofs, landings, balcon	:			
		and access platform.	ies			Rs. Two hundred seventy
		= 451.54 SQM			11	five and mainted seventy
		1.51.54 SQIVI				five and paise sixty only.
			451.540	Sqm.	275.60	Approximation of the second
				~ q.111.	273.00	The state of the s
					Total	5,716,706.85
Im	hing	nd '			Total (A)	
	unig al	nd sanitary Work			()	5,716,707.00
+	B.S.R	Providing and fixing on well c				
	12.78	Providing and fixing on wall fac	ce			
		unplastidsed PVC (working pressure 4 kg	gf			
		per squil) falli Water nines sinformi	1			
	1		~			
		13.4903 including jointing with and	1			
		13.4903 including jointing with and	1			
		18:4985 including jointing with seal rin conforming to IS:5382 leaving 10 mm ga for thermal expansion.	1			

2121/4/11/210/215

	12.78.	2 110 mm diameter.	2	4		
56	SOR	Providing	40.0	00 MT	S 214.20	Rs. Two hundred fourteen and paise two only.
	12.79	Providing and fixing on wand unplasticised -PVC moulded accessories for unplasticised PVC pipes conforming to IS:4985 jointing with seal ring confor IS:5382 leaving 10mm gap for expansion.	fittings/ rainwater including		214.20	0 omy.
	SOR 12.79.1	Coupler				
ŀ	SOR	110mm				
	12.79.1.2					Rs. One hundred forty four and paise seventy
	SOR 12.79.5	Bend 87.50°	10.000) Each	144.700	only.
	SOR	110mm bend				
	12.79.5.2 SOR	= 12 MTS Shoe (Plain)	12.000	Each	173.700	Rs. One hundred sevent three and paise seventy
	12.79.6	Shoe (Flain)			173.700	only.
	SOR	110mm Shoe				
	12.79.6.2	= 12 MTS	12,000			Rs. Three hundred fourteen and paise
57		Providing and fixining water squatting pan (Indian type W.C. pan) ***:41.	Each	314.730	seventy three only.
		100 mm sand cast iron P or S tap, 1 low white P.V.C. Flushing cistern munally controlled device (handle conforming to IS:	with level)			
	ı	Parryware/Hindware with all fittings in the state of the	- 1			
	[P	White Vitreous China Orissa pattern an of size 580 x 440 mm with integral pot rest.	W C type			
		= 6 EACH			R	s. Three thousand thirty ve and paise forty only.

2121240125

Chief Engineer

B.S.E.I.D.C. Ltd., Patna

58	B.S.R	Providing and from	25			
	17.2.2	The family white vitrous ob-	pe ow rn, lly r), ad			
59	B.S.R	W.C. pan with ISI marked black soli plastic seat and lid = 3 EACH	2,000	Each	2928.300	Rs. Two thousand nine hundred twenty eight a paise thirty only.
	17.4.2	Providing and fixing white vitreous chin flat back or wall corner type lipped from urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I. clamps complete including painting of fittings and brackets cutting and making good the walls and floors wherever required:	t d d d			
		Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern = 3 EACH				Rs. Four thousand six hundred eighty eight and paise ninety only.
50	SOR 17.34 SOR	Provding and fixing toilet paper holder Vitreous china	3.000	Each	4688.900	
1		Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:	3	Each	304.2	Rs. Three hundred four and paise twenty only.
		White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps.	12.000	Each	1	Rs. Two thousand one hundred twenty and paise thirty only.

214 R1017461 RE

Chief Engineer
B.S.E.I.D.C. Ltd., Patna

62	18.63	Providing and fixing PTMT angle stop c	26			
		13 IIIm nominal	OCK			
		bore, weighing not less than 85 gms				Rs. One hundred eigh and paise ninety only.
63	B.S.R	Providing and fixing P.V.C. waste pipe	15.000	0 Eac	h 180.90	0
	17.28	sink or wash basin including P.V.C. waste pipe fittings complete.	for			
	17.28.2	pipe 32 min dia				
		= 12 EACH	12.000			Rs. Seventy eight and paise sixty only.
64	B.S.R	Providing and fixing mirror of superi	12.000	Each	78.600	omy.
	17.32.2	glass (of approved quality) and of require shape and size with plastic moulded fran of approved make and shade with 6 m	ed			
		thick hard board backing: Rectangular shape 453 x 357 mm = 12 EACH	m			Rs. Six hundred forty three and paise forty only.
65	B.S.R	Providing and fixing 600 x 120 x 5 mm	12.000	Each	643.400	
	17.33	glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl pluggetc., complete. = 12 EACH	h			Rs. Four hundred sevent eight and paise thirty only.
56	B.S.R		12.000	Each	470.200	
	18.8.1	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I Concealed work including cutting chases and making good the wall etc. 15 mm nominal outer dia Pipes = 50 METER			478.300	Rs. Two hundred forty one only.
			50.000	metre	241.000	

712/A01240/215

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Man.

67	B.S.F	Providing and finite of the	2	7		
	18.9.	I will mail Chlorinated Polyvin	hallyed &			Rs. One hundred ninety three and paise eighty only.
	18.9.4	32 mm nominal outer dia Pipes	60.000		193.800	Rs. Two hundred fifty
	18.9.2	20 mm nominal outer dia Pipes	40.000) metre	251.100	one only. Rs. One hundred forty s
68	B.S.R 18.48	Providing and placing on terrace (at all floor	40.000) metre	146.400	and paise forty only.
		levels) polyethylene water storage tank IS: 12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. = 4000 PER LITER		per		Rs. Six and paise eighty only.
69	B.S.R 18.49	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931	4000.000	0 litre	6.800	
		15 mm nominal bore. = 12 EACH				Rs. Four hundred ninety
70	B.S.R 18.52	Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS: 8931	12.000	Each	497.000	seven only.
1	18.52.1 SOR	15 mm nominal bore. = 10 EACH	10.000	Each	670.700	Rs. Six hundred seventy and paise seventy only.
	18.58	Providing and fixing P.T.M.T. grating of approved quality & colour			3,31,00	
	SOR 18.58.1	circular type				
	SOR 18.58.1.1	100 mm nominal dia, 1	1	Each	47.90	Rs. Forty seven and paise ninety only.

214/2/11240/AS

Chief Engineer

8.S.E.I.D.C. Ltd, Patna

112

1215

Olumnia

0	
9	×
/	

72	B.S.R	Providing and 1.	28			
	19.2.1	Providing and laying cement concrete 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size) allround S.W. pipes including bed concrete as per standard design : 100 mm diameter S.W. pipe = 50 METER				Rs. Three hundred twelv and paise fifty only.
73	B.S.R	Providing and laying non-pressure NP2	50.000	metre	312.500	
	19.6.1	class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete: 100 mm dia R.C.C. pipe = 15 METER				Rs. Three hundred twelve and paise ninety only.
74	B.S.R	Constructing brick masonry road gully	15.000	metre	312.900	
	19.27.1	chamber 50x45x60 cm with bricks in cement mortar 1:4 (1cement : 4 coarse sand) including 500x450 mm pre-cast R.C.C. horizontal grating with frame complete as per standard design : With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 2 EACH				Rs. Three thousand one hundred seventeen and paise thirty only.
			2.000	Each	3117.300	

21 H R 311210/218

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

June

03 5 9511

75	B.S.R	Contraction	29			
"	19.30.1.	The details office illustrict chamber for	or			
	19.30.1.	Underground C.I. Inspection Chamber ar	nd			
		bend with 75 class designation bricks	in			7
		cement mortar 1:4 (1 cement : 4 coars				
		sand) C.I. Cover with frame (light duty				
		455x610 mm internal di	Y)			
		455x610 mm internal dimentions, total	al			
		weight of cover with frame to be not les	SS			
		than 38 kg. (weight of cover 23 kg. an	d			
		Weight of frame 15 kg.) RCC top slab wit	h			
		1:1.5:3 mix (1 cement: 1.5 coarse sand ·	3			
		graded stone aggregate 20 mm nomina	1			
		size) foundation concrete 1:5:10 mix (1			
		cement:5 coarse sand : 10 graded stone				Rs. Three thousand ni
		aggregate 40 graded stone	e	163		
		aggregate 40 mm nominal size), inside	e			hundred forty nine and
		plastering 12 mm th. with cement mortar 1:3	3		A	paise ten only.
		(Icement:3 coarse sand) finished smooth				
1		with a floating coat of neat cement on walls	,			
		and bed concrete etc. complete as per				
		standard design.				
		Inside dimensions 466x610 mm and 45cm				
		deep for single pipe line :				
		With same 1				
		With common burnt clay F.P.S. (non				
		modular) bricks of class designation 7.5				
		= 6 EACH				
			6.000			
76	B.S.R	Making soak pit 2.5 m diameter 3.0 metre	6.000	Each	3949.100	
	19.32.1	deep with 45 x 45 cm dry brick honey comb				
		shaft with brief and C.W.				
		shaft with brick and S.W. drain pipe 100				
		mm diameter, 1.8 m long complete as per				
		standard design.				
		With common burnt clay F.P.S. (non				Rs. Twenty five thousar
		modular) bricks of class designation 7.5				ning hundred to the
		= 1 EACH				nine hundred and paise
						ten only.
77	DCD	D I	1.000	Each	25900.100	
/ /	B.S.R	Providing and fixing S.W. intercepting trap		_3011	23700.100	
	19.34	in mannoles with stiff mixture of cement	-			
		mortar 1:1 (1 cement : 1 fine sand)				
		including testing of joints etc. complete:				
		o Jonito etc. complete:				
						4 - 7
	10.0	100			-	
	19.34.1	100 mm dia				
	19.34.1	100 mm dia = 2 EACH				Rs. Two hundred eighty
	19.34.1	= 2 EACH	2.000			Rs. Two hundred eighty three and paise eighty

3124/A011240/218

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

03/5

3/01/13

	78	Detailed Estimate for construction of	30			
	79 ANALY	Boring = 1 FACH	nual	0 5		Rs. Sixty thousand for hundred thirty two and
'	ANAL	YSIS NON SCHEDULED ITEMS(MARK	ET 1.000	0 Eac	ch 60432.	650 paise sixty five only
		RATE) = EACH				
		P.V.C. PIPE				
		= EACH				
		Provding and fixing soil, waste and ve	nt			
		pipes = EACH				
		110 mm dia				
		= 40 EACH P.V.C. FITTINGS	40.000	metre	347.00	Rs. Three hundred forty seven and only.
		= EACH DOOR TEE 110 mm dia				
		= 4 EACH DOOR BEND 110 mm dia	4.000	each	365.000	Rs. Three hundred sixty five only.
		= 8 EACH BEND 45° 110 mm dia	8.000	each	283.000	Rs. Two hundred eighty
		= 10 EACH VENT COWEL 110 mm dia	10.000	each	185.000	Rs. One hundred eighty five only.
		= 3 EACH PIPE CLIP 110 mm dia	3.000	each	65.000	Rs. Sixty five only.
		= 100 EACH FLOOR TRAP 110X110 mm dia	100.000	each	53.000	Rs. Fifty three only.
30	Code no. o	f (i) C.I. cover and frame 300 x 300 mm	10.000	each	436.000	Rs. Four hundred thirty six only.
		SEPTIC TANK = 1 EACH				Rs. Three hundred seventy four and paise six
1	Code no. of 1621	(ii) S.C.I. plain bend 100 mm dia SEPTIC TANK = 1 EACH	1.000	Each	374.060	only.
2	Code no. of 7087	(iii) S.C.I. Tee 150 mm dia	1.000	Each	436.400	Rs. Four hundred thirty six and paise forty only.
	, 507	SEPTIC TANK = 1 EACH	1.000	Each	748.110	Rs. Seven hundred forty eight and paise eleven only.
					Total	348,404.98
					Total (B)	348,405.00

714 RA21/218 RAS

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Junary

Slosin

1.10	Electrical Works (1% labour cess has been added on current DSR-2014) Point Wiring in PVC Conduit, with Modula type Switch:- Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor				
1.10	Point Wiring in PVC Conduit, with Modula type Switch:- Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor				
	with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor	h n			
	single core cable etc as required.				
1.10.3	Twin Control Point Wining in Pure 5	119.000	Nos.	725.180	Rs. Seven hundred twenty five and paise eighteen only.
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	with Modular type Switch:-				signature only.
	insulated copper conductor single core cable in surface / recessed medium class PVC conduit, 2 way modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc as required	3,000			Rs. Seven hundred seventy seven and pais seventy only.
1.31	Supply and Fixing Light Plug Point with Modular Type Accessories:-	3.000	INOS.	///./00	
	switch, connection etc. as required. (For light plugs to be used in				Rs. Three hundred six and paise three only.
	1.11	1.11 Twin Control Point Wiring in PVC Conduit, with Modular type Switch:- Wiring for twin control light point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, 2 way modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc as required 1.31 Supply and Fixing Light Plug Point with Modular Type Accessories:- Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 3 pin 5/6 amps modular socket outlet and 5/6 amps modular switch, connection etc. as required. (For light plugs to be used in non residential buildings).	1.11 Twin Control Point Wiring in PVC Conduit, with Modular type Switch:- Wiring for twin control light point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, 2 way modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc as required 1.31 Supply and Fixing Light Plug Point with Modular Type Accessories:- Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 3 pin 5/6 amps modular socket outlet and 5/6 amps modular switch, connection etc. as required. (For light plugs to be used in	1.11 Twin Control Point Wiring in PVC Conduit, with Modular type Switch:- Wiring for twin control light point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, 2 way modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc as required 1.31 Supply and Fixing Light Plug Point with Modular Type Accessories:- Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 3 pin 5/6 amps modular socket outlet and 5/6 amps modular switch, connection etc. as required. (For light plugs to be used in non residential buildings).	1.11 Twin Control Point Wiring in PVC Conduit, with Modular type Switch:- Wiring for twin control light point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, 2 way modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc as required 1.31 Supply and Fixing Light Plug Point with Modular Type Accessories:- Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 3 pin 5/6 amps modular socket outlet and 5/6 amps modular switch, connection etc. as required. (For light plugs to be used in non residential buildings).

2121211216)6218

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

The Share of the second of the

03/5

esperly (

86	1.32	Supply and Fixing Power Plug Point with	32			
		Modular Type Accessories:-				
		Supply and Fixing GI box with modular plate and cover in front on surface or in recess including providing and fixing 6 pin, 15/16 amps modular socket outlet and 15/16 amps modular type switch, connection, painting etc as required.				Rs. Five hundred ninet only.
87	2.18	Supply & fixing 20A SPN MCB Industrial Socket Outlet:-	12.000	Nos.	590.000	
		Supplying and fixing 20 amps, 240 volts, SPN industrial type, socket outlet, with 2 pole and earth, metal enclosed plug top alongwith 20 amps "C" curve, SP, MCB, in sheet steel enclosure, on surface or in recess, with chained metal cover for the socket out let and complete with connections, testing and commissioning etc. as required	12.000	Nos.		Rs. Nine hundred sixty three and paise fifty four only.
88	1.12	Power Plug Wiring in PVC conduit (2x4 sq. mm):-	12.000	INOS.	963.540	
		Wiring for light/ power plug with 2X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed mediumclass PVC conduit alongwith 1 No 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop earthing as required				Rs. One hundred sixty three and paise sixty two only.
9		Supplying and fixing following modular type switch/ socket on the existing modular plate switch box / cover including connections etc.as required	20.000	Mtrs.	163.620	

214/2011210/215

Chief Engineer

S.S.E.I.D.C. Ltd, Patna

<u>110</u> 53 5

03/05/17

	1.24.	5/6 amps switch.	33			
	1.24.4	ero umpo switch.	25.000	Each	81.810	Rs. Eighty one and pa
90	1.14	pm, 576 amps socket outlet.	25.000	Each		Rs. Seventy nine and
70	1.14	Circuit / Sub-main wiring in PVC Conduit:	-	Buen	79.790	paise seventy nine onl
		Wiring for circuit / sub-main wiring along with earth wire with the following sizes of PVC insulated, copper conductor, single core cable in surface/recessed PVC conduit as required.	of			
	1.14.1	2x1.5 Sqmm + 1x1.5 sqmm earth wire				Rs. One hundred seven
	1.14.2	2x2.5 Sqmm + 1x2.5 sq mm earth wire	40.000	Mtrs.	107.060	and paise six only. Rs. One hundred thirty
	1.14.9	4x6.0 Sqmm + 2x6.0 sqmm earth wire (to be used as sub main)	350.000	Mtrs.	132.310	two and paise thirty one only. Rs. Three hundred nine
	1.14.10	4 X 10 sq. mm + 2 X 10 sq. mm earth wire	54.000	Mtrs.	392.890	two and paise eighty nin only.
		S/F 'C' series SP MCB:-	10.000	Mtrs.	602.970	Rs. Six hundred two and paise ninety seven only.
91		Supplying and fixing 240 volts, 'C' series, miniature circuit breaker suitable for inductive loads of following poles in the existing MCB DB complete with connections, testing and commissioning etc, as required.				
	2.10.1	6/32A, Single Pole	36.000	Each	170.000	Rs. One hundred seventy and paise sixty nine only.
	2.10.3	6/32A ,DP		Each	170.690	Rs. Four hundred sixty three and paise fifty nine
2	2.13	S/F TPN MCB:-	3.000	Each	463.590	only.
	*	Supplying and fixing following rating, four pole, 240 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required				

212 RADI/210 PAE

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

03/05/17

	2.13	.2 63 A,TPN	3	4			
93	2.1		3.0	00	Each	676.70	Rs. Six hundred seven six and paise seventy only.
		S/F TPN RCCB:-Supplying and fixing following rating three phase and net 415 volts, residual current circuit by (RCCB) having a sensitivity current 300 miliamperes in the existing MCE complete with connections, testing commissioning etc. as required.	eaker upto			070.70	only.
	2.15.	2 40 Amp.		_			
94	2.8	S/F TP MCB DB:-	3.000	0	Each	2144.23	Rs. Two thousand one hundred forty four and paise twenty three only.
	2.8.5	Supplying and fixing of follow way, horizontal type three pole and neursheet steel, MCB distribution board, volts, on surface/recess, complete with tinned copper bus bar, neutral bus bar, eabar, din bar, detachable gland plainterconnections, phosphatized and pow painted including earthing etc. as requi (Without MCB/RCCB/ISOLATOR). Make Legrand/Anchor/Havells/HPL.	tral, 415 vith arth ate, der				
5			2,000				Rs. Seven thousand four hundred thirty and paise fifty seven only.
5	1.33	S/F Ceiling Rose:-	3.000		Set	7430.570	
	1.34	Supplying and fixing 2 pin ceiling rose of the existing junction box/ wooden block including connection etc as required. S/F Batten / Angle Holder:-	80.000	Ea	ach	43.430	Rs. Forty three and paise forty three only.
		Supplying and fixing batten / angle holder	27.000				Rs. Seventy four and paise seventy four only.
		including connection etc as required.					severity four only.

214/H211240/H3 E

including connection etc as required.

97	1.25	S/F Modular type alactronic for	35			
		S/F Modular type electronic fan regulator:- Supplying and fixing stepped type fa	24,000	Each	286.84	Rs. Two hundred eight six and paise eighty four only.
3		regulator on the existing modular plat switch box including connections bu excluding modular plate etc as required.				
98	1.21	S/F PVC Conduit:-				
		Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required.	1			
	1.21.1	20 mm				
99		Tolonkara William	110.000	Mtrs.	53.530	Rs. Fifty three and paise fifty three only.
		Telephone Wiring in Existing Conduit:-				
	1.18	Supplying and drawing following pair 0.5 mm dia FRLS PVC insulated annealed copper conductor, unarmored telephone cable in the existing surface/ recessed steel/ PVC conduit as required				
	1.18.2	2 pair				Re Eighteen and :
100	1.24	S/F Modular type Switch / Socket:- Supplying and fixing following modular	50.000	Mtrs.	18.180	Rs. Eighteen and paise eighteen only.
		type switch / socket on the existing modular plate and switch box including connections but excluding modular plate etc as required.				
	1.24.6	Telephone socket outlet	2.000	Each	95.950	Rs. Ninety five and paise
01	5.6	EARTHING		Lacii	73.930	ninety five only.
01	5.0	COPPER EARTH PLATE ELECTRODE:-				7

2124/A21/246/AE

Chief Engineer

		Couthing	36			
		Earthing with copper earth plate 600mr 600mmx 3mm thick including acessoriand providing masonary enclosure with cover plate having locking arrangement at watering pipe of 2.7 meter long etc with charcoal/cock and salt as required.	es th			Rs. Nine thousand thre hundred eighty four an paise ninety two only.
102	5.10	P/F 25 x 5mm copper earth strip in pipe:-	2.000	Each	9384.920	
		Providing and fixing 25 mm X 5 mm copper strip in 40 mm dia G.I. pipe from earth electrode includin connection with brass nut, bolt, spring, washer excavation and refilling etc. as required.	g			Rs. One thousand nine two and paise eighty two only.
103	5.14	P/F 25 x 5 mm copper earth strip in surface	12.000	Mtrs.	1092.820	
		recess:-				
104		Providing and fixing 25 mm X 5 mm copper strip on surface or in recess for connections etc. as required.	24.000	Mtrs.	864.560	Rs. Eight hundred sixty four and paise fifty six only.
-	7.1	Cable Laying of 1.1 KV & 11 KV :-			1	
		Laying of one number PVC insulated and PVC Sheathed / XLPE power cable of 1.1 KV grade of following size direct in ground including excavation, sand cushioning, protective covering and refilling the trench etc as required.				
	7.1.2	Above 35sq.mm and Upto 95 Sq.mm.				Rs. Two hundred four
05	14.14	G.I. Pipe for Cable protection:-	80.000	Mtrs.	204.020	and paise two only.
		Providing, laying and fixing following dia RCC pipe NP2 class(light duty) in ground complete with RCC collars, joints with cement mortar 1:2 (1 cement : 2 fine sand) including trenching (75 cm) and refilling etc.as required. (Road crossing as per site condition)				

21 21/201/215

	14.14.2	150 mm dia	77			
106			10.000	Mtr.	387.840	Rs. Three hundred eight seven and paise eighty four only.
100	9.1	1.1 KV Cable End Termination: Supplying and making indoor cable end termination with brass double compression gland and aluminium lugs for following size of PVC insulated XLPE Al. Ar. Cable of 1.1 KV grade as required.	d n			
107	9.1.22	3.5 Core 50 Sq.mm.	2.000	Each	272.700	Rs. Two hundred sevent two and paise seventy
107	1908 JSR 2014	sheathed (Heavy duty)armoured electric cable aluminium conducter.		34011	272.700	only.
108		3.5C x 50 Sq.mm 1.1kV S/F HRC fuse type TP&N switch	100.000	Mtrs.	391.000	Rs. Three hundred ninety one only.
	2.1	S/F HRC fuse type TP&N switch disconnector:- Providing and fixing following capacity TP&N disconnector fuse switch unit inside the existing panel board with ISI marked HRC fuses including drilling holes in cubicle panel, making connections, etc. as required.				
	2.1.2	63 amps,TP&N, HRC	3.000	F1	22 (0. 200	Rs. Two thousand two hundred sixty and paise
09	2.5	S/F Busbar Chamber:-	3.000	Each	2260.380	thirty eight only.
	2009	Providing and fixing following capacity busbar chamber with 4 strips of suitable size made of capper,heavy duty,complete with all accessories including connections,earthing the body,etc as required. 200 amp.TPN				Rs. Six thousand two hundred twenty two and paise sixty one only.
			1.000	Each	6222.610	

717 RISH RISH 218

Chief Engineer

3.S.E.I.D.C. Ltd, Patna

1100

3101/17

11	10 2.7	4 Providing and fixing fall.		38			
	B.S	1 To viding and fixing tollowing con-	city four				
	200	IF of the load Changeover cruitals	vith side				
		mariare operation, in sheet analy					The second secon
		calsung metal board including	J:11:			1	
		holes in metal panel, making con	noot:				Do Commit
		etc. as required.	nections			1	Rs. Seven thousand i
		125 Amps, Four pole					hundred seven only.
		Timps, I our pole					
11	1 6.5	Providing and fixing copper tape 20		1.000	Eac	ch 7907.0	00
		3 mm thick on parapet	mm X			1	00
		or surface of parapet					
		or surface of wall for lightning cor	nductor				D
		redifficte as required.					Rs. Three hundred
		(For horizontal run)					seventy nine and paise
							seventy six only.
112	((7		80.000			
112	6.6	Providing and fixing copper tape 20	mm V	30.000	mete	er 379.76	0
		13 mill ulick on paranet					
		or surface of wall for lightning con-	1				Re Form 1
		complete as required.	auctor				Rs. Four hundred ten a
13	2.2			30.000			paise six only.
15	2.2	Providing and fixing follwing rteing		30.000	mete	r 410.060)
		capacity MCCR in					
		cubicale panel bord including drilling	asung				
		cubicale panel making connection e	g hole				
		required required	etc as				
		required		100			
-	2.2.3	1.60	7 - 7				
	2.2.3	160 amp. 16KA					
							Rs. Four thousand five
						-	hundred sixty five and
			1	.000	EACH	1565 200	named sixty five and
					Liteli	1.200	J - 111 J .
		FIRE FIGHTING				Total (C	503,812.7
4	DGS&D	Brand new ISI marked Life Guard A)===;
		type multipurpose Fire F	ABC				
		type multipurpose Fire Extinguishers 4	Kgs.				
		capacity, littled with pressure					Rs. Seven thousand five
		complete in all respects, ready to	use.				hundred feets
		complete installation kit.	7				hundred forty nine and
							paise seventy five only.
			10.	.000	Nos.	7549.750	
						Total	
		CAPPHAGE				Total (D)	75,497.50
		CARRIAGE OF MATERIALS				Total (D)	75,498.00
		Type of materials				Rate Incl.	
5		- JPC OF Materials				1% Lab.	
		Type of materials					
,		Type of materials					
5						Cess	Rs. Two home !
		Cement	139.	566	MT	Cess	Rs. Two hundred eighty
			139.	566	MT	Cess 289.87	Rs. Two hundred eighty nine and paise eighty seven only.

214/401/40/26

Chief Engineer

3.S.E.I.D.C. Ltd. Patna

Zija.

03/2/19

	Бпојриг	BLOCK RESOURCE CEN	7,322,232.73 Total Cost in 'Rs' 7 322,232.73			
1	Bhojpur	NAME OF INSTITUT				Amount (Rs.)
L.	DISTRICT			otai (A+I	B+C+D+E)	7,322,232.73
			Grand T	otal (A 13	Total (E)	677,810.00
					Total	677,809.76
						Only.
	Cement		139.566	MT	798.89	Rs. Seven hundred ninet eighty paise Eighty nine Only.
			-5.255	Tilous.	250.34	and paise thirty four onl
	Bricks		120.253	Thous.	250.34	Rs. Two hundred fifty
	Patna(Rur SOR	al) COMM. W.R.T TO GAYA AS PER				
116	6 ADD EXT	RA COST OF MATERIAL FOR	18.050	MT	289.87	Rs. Two hundred eighty nine and paise eighty seven only.
		Steel	120.253	Thous.	601.67	paise sixty seven only.
		Brick	176.279	cum	1461.52	Hundred sixty one and paise fifty two only.
	,	Stone Chips		Cum	205.29	paise Twenty Nine onl Rs. One Thousand for
		Local Sand	125.918	cum	205.0	T
		Sand	188.457	cum	714.6	Rs. Seven hundred Fourteen and paise six Six Only.
			39			

214 RO11246) ASE

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

2/1en 03/15 Kehouly Ollasty

	(Run	ees Savanty Thursday	40			
	"Deta	ees Seventy Three lacs Twenty Two Tl	nousand	Two Hur	idred Thir	ty Three Only)
Part		ils of Sl. No. 78 (Construction of 125m st of Materials	m x 40m	ım x 90m	Tube well	l) is given below
1		125mm dia UPVC casing pipe confirming to ISS	27	Meter	315.0	Rs. Three hundred fiftee only.
2		40mm dia UPVC pipe confirming to ISS	48	Meter	99.3	Rs. Ninety nine and pais
3		40mm dia PVC ribbed strainer of approved quality	8	Meter	182.00	thirty eight only. Rs. One hundred eighty
4		Reducing socket 125mm x 40mm	1	Each	-270.00	Rs. Two hundred seventy only.
5		Supplying all labour and materials & fitting & fixing PVC cap over the new sink T/well	1	Each	140.00	Rs. One hundred forty only.
6	B.S.R 1548	Providing and fixing of G.I pipes complete with G.I fittings and clamps, including, cutting and making good etc 32 mm dia (15% C.P & 1% L.Cess)	18	mtr	224.44	Rs. Two hundred twenty four and paise forty four only.
7	B.S.R 1928	32 mm nominal bore Bross Full valve (15% C.P & 1% L.Cess)	1	Each	511.21	Rs. Five hundred eleven and paise twenty one only.
8		Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of E/I	1	Each	26,446.00	Rs. Twenty six thousand four hundred forty six only.
		Sub - Total "A"				
						46138.37

314 R1211210/K15

Pa	rt 'B	- Cost of Labo	ur	41				
		x U.P.V. of standa etc. all co	y jet dheki by suitable cutter of the case may be lowering 12: C x 40 mm dia G.I pipe & strard quality iron, shoe, plug & symplete including providing al plants required for the job as plant and direction of the engine	5 mm liner ocket				
		(i) 0 to 3	0.5 m					
	9	(a) For 12	5 mm dia U.PV.C pipe	2	27	mtr	208.	Rs. Two hundred eig and paise seventy sev
10)	(b) for	40 mm dia UPVC pipe					only.
		(i) 0 to 30		3.	5	mtr	119.0	Rs. One hundred nineteen and paise thro
		(ii) 30.5 m	to 61.0 m	1			/	only.
11			nm dia UPVC pipe	30.5	5	mtr	136.8	Rs. One hundred thirt
-		(iii) 61.00 n	to 75.00 m					only.
12			m dia UPVC pipe	14		mtr	148.79	Rs. One hundred forty eight and paise seventy
		(iv) 75.00 m	to above	e de la companya de l			April 1	nine only.
13		approved dus		of 8		mtr	148.79	Rs. One hundred forty eight and paise seventy nine only.
14		all Complete	labour & tools and lowering I pipe as per specificatin etc.		1	mtr	21.34	Rs. Twenty one and paise thirty four only.
15		Supplying lab to have sand f per direction of	our and developing the T/Wel ree discharge all complete as of E/I	1	E	ach	280.50	Rs. Two hundred eighty and paise fifty only.
						Sub	- Total	14,294.28
F	lone	11 0	ur of Ram Sigasan Sing		T		"A+B"	60,432.65

Tender approved in favour of Ram Sigasan Singh @ 10.00% (Ten Decimal Zero Zero Percent) below BOQ rates i.e. total amount comes to Rs. 65,90,010=00 (Rupees Sixty Five Lacs Ninety Thousand Ten Only)

714/20124012E

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Performance Security

Name of Agency - "Ram Sigasan Singh"

Performance Security of "Ram Sigasan Singh" of "BRC-Charpokhri(SL. No.-159)"

Passbook No 3490963596 3273366491	<u>DOI</u> 23.01.17 16.05.16	Reg. No.	BRC-Charpokhri(SL. No.	Amount 110000.00 270000.00
			Total	380000.00

(Rupees Three Lacs Eighty Thousands Only)

र्ने प्रतिकारी 15/2/14

बिहार राज्य शैक्षणिक आधारभूत संरचना

विकास निगम लि॰, पटना

29mylay

212/2011210/215

Chief Engineer 8.S.E.I.D.C. Ltd, Patna

13/5

BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

(A Govt. Of Bihar Undertaking)

Shiksha Bhawan, Bihar Rastrabhasa Parishad Campus ,Acharya Shiv Pujan Sahay Path, Saidpur, PATNA-800004. (Tel. No: 0612-2910314)

Cor. ID. No.: U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bscidc.in, Fax No.: 0612-2660256

Letter of Acceptance

Letter no :- BSEIDC/FIN/2605/2016-17/-To.

Ram Sigasan Singh, Vill- Khorwan, P.O.-Tenduni, P.S.-Jagdishpur, Distt.-Bhojpur.

Dear Sir.

This is to notify you that your Bid dt. 11.06.2016 for execution of "Construction of Block Resource Centre at Charpokhri, Bhojpur (SL. No.-159 of NIT No.-40/ 2015-16) in the State of Bihar" has been accepted by the Corporation at your quoted rate of 10.00% (Ten Decimal Zero Zero Percent) below BOQ rates amounting to total contract price of Rs. 65,90,010=00 (Rs. Sixty Five Lacs Ninety Thousand Ten Only)

You are hereby requested to furnish performance security including additional security in the form detailed in I.T.B. para 31.1, 27.4 and clarification issued thereon by RCD, Govt. of Bihar, vide letter no. 3376 (E) dt. 17.08.2010, for an amount equivalent to Rs. 3,79,000=00 (Rs. Three Lacs Seventy Nine Thousand Only) within ten days of receipt of this letter of acceptance valid upto 28 days from the date of expiry of defects liability period and sign the contract, failing which action as stated in Para 31.3 of ITB will be taken.

Yours faithfully

25-10-2016 (Brajesh Prasad)

Memo no: BSEIDC/FIN/2605/2016-17/-10145

Chief Consultant (Technical)

Copy forwarded to: Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC website/Senior Account Officer, BSEIDC, Patna for information & necessary action

Memo no: BSEIDC/FIN/2605/2016-17/-10145 Chief Consultant (Technical)

Date: .. 26.12.16

Copy forwarded to: Chief Engineer, BSEIDC, Patna for information Please.

Memo no: BSEIDC/FIN/2605/2016-17/-10145

RIHA 211210/25

Chief Consultant (Technical)

Date: .2.6: .10.11.6

Copy forwarded to :Managing Director, BSEIDC, Patna for information Please.

Chief Consultant (Technical)

बिहार राज्य शैक्षणिक आधारभूत संरवना विकास निगम नि०

(बिहार सरकार का एक उपक्रम)

शिक्षा भवन, बिहार राष्ट्रमाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना-८००००४, दूरमाष-०६12—2910314 कॉर्पोरेट पहचान संख्या: U80301BR2011SGC015859, e-mail. bseide@gmail.com. website; www.bseidc.in, Fax No.; 0612-2660256,

Letter no.: BSEIDC/NIT/2015-16/- 3 950

Patna, Date: Too oy 16

Corrigendum No.- 3

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "हिन्दुस्तान" on dated 10,02,2016 vide P.R.-12943 (नि०नि०)15—16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below :-

eting – 25.04.2016, eting – 25.04.2016, (Upload) of Bids Irs. Technical Bids on s.	10.	Existing provision	Amended provision
eting – 25.04.2016, (Upload) of Bids Irs. Technical Bids on s.	werkening.	Period of Sale of Bid document (Download) from dated 16.04.2016 to 10.05.2016,	3 S
(Upload) of Bids Irs. Technical Bids on S.	CI	Date and Time of Pre bid Meeting – 25.04.2016, 14:30 Hrs.	Date and Time of Pre bid Meeting – 25.05.2016,
Technical Bids on 6.	m	Last date and time for receipt (Upload) of Bids on dated 11.05.2016, 15:00 Hrs.	Last date and time for receipt (Upload) of Bids on
Financial Bids on	- Commission	Time and date for opening of Technical Bids on dated 13. 05.2016, 16:30 Hrs.	Time and date for opening of Technical Bids on
	1.5	Time and date for opening of Financial Bids on dated 27.05.2016, 15:30 Hrs.	Time and date for opening of Financial Bids on

The other terms and conditions shall remain unchanged.

Brajesh Prasad)

Chief Consultant (Technical)

212/20112/01/2015

बिहार राज्य शैक्षणिक आधारमत संरवना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

रिक्षा भवन, विहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना–800004, दूरभाष–0612–2910314 कॉपोरेट पहचान संस्था: U80301BR2011SGC015859, e-mail: bseide@gmail.com, website; www.bseide.in, Fax No.: 0612-2660256,

Letter no.: BSEIDC/NIT/2015-16/- 2937

Patna, Date: 28-03-2016

Corrigendum No.-2

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "हिन्दुस्तान" on dated 10.02.2016 vide P.R.-12943 (नि०नि०)15—16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below:-

Period of Sale of Bid document (Download) from dated 03.03.2016 to 28.03.2016, 15:00 Hrs. Date and Time of Pre bid Meeting – 15.03.2016, Last date and time for receipt (Upload) of Bids on dated 29.03.2016, 15:00 Hrs. Time and date for opening of Technical Bids on dated 31. 03.2016, 15:30 Hrs. Time and date for opening of Financial Bids on dated 11.04.2016, 15:30 Hrs. The Cost of BOQ and EMD will be accounted to the date of Bod and EMD will be accounted to the dated 27.05.2016, 15:30 Hrs.	S		
Period of Sale of Bid document (Download) from dated 03.03.2016 to 28.03.2016, 15:00 Hrs. Date and Time of Pre bid Meeting – 15.03.2016, 14:30 Hrs. Last date and time for receipt (Upload) of Bids on dated 29.03.2016, 15:00 Hrs. Time and date for opening of Technical Bids on dated 31. 03.2016, 16:30 Hrs. Time and date for opening of Financial Bids on dated 11.04.2016, 15:30 Hrs.	no.	Existing provision	A A
from dated 03.03.2016 to 28.03.2016, 15:00 Hrs. Date and Time of Pre bid Meeting – 15.03.2016, 14:30 Hrs. Last date and time for receipt (Upload) of Bids on dated 29.03.2016, 15:00 Hrs. Time and date for opening of Technical Bids on dated 31. 03.2016, 16:30 Hrs. Time and date for opening of Financial Bids on dated 11.04.2016, 15:30 Hrs.		Period of Sala of Dia a	Amended provision
Date and Time of Pre bid Meeting – 15.03.2016, 14:30 Hrs. Last date and time for receipt (Upload) of Bids on dated 29.03.2016, 15:00 Hrs. Time and date for opening of Technical Bids on dated 31. 03.2016, 16:30 Hrs. Time and date for opening of Financial Bids on dated 11.04.2016, 15:30 Hrs.	-	from dated 03.03.2016 to 28.03.2016,	Period of Sale of Bid document (Download) from dated 16.04.2016 to 10.05.2016.
Last date and time for receipt (Upload) of Bids on dated 29.03.2016, 15:00 Hrs. Time and date for opening of Technical Bids on dated 31. 03.2016, 16:30 Hrs. Time and date for opening of Financial Bids on dated 11.04.2016, 15:30 Hrs.	-	Date and Time of Pre hid Mooting 15 03 2011	15:00 Hrs.
Last date and time for receipt (Upload) of Bids on dated 29.03.2016, 15:00 Hrs. Time and date for opening of Technical Bids on dated 31. 03.2016, 16:30 Hrs. Time and date for opening of Financial Bids on dated 11.04.2016, 15:30 Hrs.	- Anna	14:30 Hrs.	Date and Time of Pre bid Meeting - 25.04.2016
On dated 29.03.2016 ,15:00 Hrs. Time and date for opening of Technical Bids on dated 31. 03.2016 , 16:30 Hrs. Time and date for opening of Financial Bids on dated 11.04.2016, 15:30 Hrs.	ζ.	Last date and time for recoiled in the	16:00 Hrs.
Time and date for opening of Technical Bids on dated 31. 03.2016, 16:30 Hrs. Time and date for opening of Financial Bids on dated 11.04.2016, 15:30 Hrs. The Cost of BOQ and EMD will be as	2	on dated 29.03.2016 .15:00 Hrs	Last date and time for receipt (Upload) of Rids and
dated 31. 03.2016, 16:30 Hrs. Time and date for opening of Financial Bids on dated 11.04.2016, 15:30 Hrs. The Cost of BOQ and EMD will be a	***	Time and date for opening of T	dated 11.05,2016,15:00 Hrs.
Time and date for opening of Financial Bids on dated 11.04.2016, 15:30 Hrs. The Cost of BOQ and EMD will be as	-f-	dated 31, 03.2016, 16:30 Hrs	Time and date for opening of Technical Bids on
dated 11.04.2016, 15:30 Hrs. The Cost of BOQ and EMD will be a	l ₄	Time and date for opening of Eigen	dated 13, 05,2016, 16;30 Hrs.
The Cost of BOQ and EMD will be a	5	dated 11.04.2016, 15:30 Hrs.	Time and date for opening of Financial Bids on
	7		dated 27.05.2016, 15:30 Hrs.
	0	The Cost of BOQ and EMD will be a	TO DESTRUCTION OF THE RESERVE TO SERVE THE SER

The other terms and conditions shall remain unchanged.

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

(Brajesh Prasad)

Chief Consultant (Technical)

21 H (451) 21 01 KPS

बिहार राज्य शेक्षाणिक आधारभूत संरवना विकास निगम लि०

बिहार सरकार का एक उपक्रम)

कॉर्पोरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseide@gmail.com, website; www.bseide.in, Fax No.: 0612-2660256, शिक्षा भवन, विहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना-800004, दूरभाष-0612-2910314

Letter no.: BSEIDC/NIT/2015-16/- 2638

Patna, Date: 17.03.16

Corrigendum No.- 1

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below:-

(451) AN/HE

no.	Existing provision	Amonda
	PATION OF SALAS AT D. 1.1.1	Amended provision
	from dated 03.03.2016 to 28.03.2016,	Period of Sale of Bid document (Download) from dated 03,03,2016 to 30.04,2016.
	1 3st date and time E	15:00 Hrs.
6.1	on dated 29.03.2016, 15:00 Hrs	Last date and time for receipt (Upload) of Bids on
	Time and date for opening of Tool.	dated 01.05.2016,15:00 Hrs.
-	dated 31, 03.2016, 16:30 Hrs.	Time and date for opening of Technical Bids on
	Time and date for opening of Figure 11 P. 1	dated 04. 05.2016, 16:30 Hrs.
	dated 11.04.2016, 15:30 Hrs	Time and date for opening of Financial Bids on
	* C + 4 + 5 + 5 + 5 + 5 + 5 + 5 + 5 + 5 + 5	dated 17.05.2016, 15:30 Hrs.
	The Cost of BOQ and EMD will be	The Cost of BOQ and EMD will be accepted up to 04 or 2000

The other terms and conditions shall remain unchanged.

(Brajesh Prasad)

Chief Consultant (Technical)

SPECIAL CONDITIONS

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes royalties and other

4. To qualify for award of work, the Bidder must possess the following :-

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of

b) DD for required value of B.O.Q. Cost.

c) Sufficient Earnest Money Deposit.

- d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.
- Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed at least one Building work of value not less than 25 % of estimated value of contract) in last five years as mentioned in Technical bid.

f) Litigation History as mentioned in Technical bid.

g) Affidavit as mentioned in Technical bid.

h) Valid Registration with Central/State Govt. / PSU.

i) Valid labour license as mentioned in Technical bid.

j) Affidavit/Certificate for not been debarred as mentioned in Technical bid.

5. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.

6. The tender without earnest money or insufficient earnest money submitted with the 7. Conditional tenders shall be outright rejected.

8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.

9. Authority shall reserve the right to reject any or all the tenders or distribute the work to more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained.

- 11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules
- 12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the
- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss
- a. Natural calamities

b. Act of enemies.

(Seal & Signature of Tenderer)

Page 1 of

- c. Transport and procurement difficulties.
- d. Circumstances beyond the control of the state.
- 15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- 16. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
- 17. The contractor shall make his own arrangement for water and light at the work site.
- 18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 20. The Tenderer must not quote their rate more than 10 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
- 21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 22. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.

----X-----X

23. The Defect liability Period shall be Three (3) Years from the date of completion of the work.

RIHRONIUM RES

(Seal & Signature of Tenderer)

Page 2 of 2

Chief Engineer B.S.E.I.D.C. Ltd, Patna

03/5

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड

(बिहार सरकार का एक उपक्रम) 49 शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् कैम्पस, आचार्य शिवपुजन सहाय पथ, सैदपुर, पटना–800004 (दूरभाष:–0612–2910314)

निविदा आमंत्रण सूचना संख्या- 40 वर्ष 2015-16 किवल ई-टेन्डरिंग पद्धति के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

बिहार राज्य के भवन निर्माण कार्य हेतु निम्नांकित निविदायें आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार/सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रिजस्ट्रेशन, उक्त कार्य का लेटर ऑफ

	कार्यका नाम	प्राक्का राष्टि (लाख	T	अग्रधन की राशि (रू० में	श विपत्र	की Beltron E Processia	ng	का समा
-	The Little, Salah	85.2			(रू० में		s.)	की उ
-	Saran	85.2		1,70,40	-,	0,00		15
4		85.2		1,70,40	- 0,00	0,00		15
5	- Wallowiall, Saran	85.2		1,70,400	- 0,00	0,00		15
6	- Tulloui, Salali	85.2		1,70,400	10,000	0,00		15
7	,Sarryapur,Saran	85.2		1,70,400	- 0,000	0,00		15
8	, Garkila, Saraii	85.2		1,70,400	- 9,000	2,00		15
9	Darbhanga Ulli, Darbhanga	85.2	-	1,70,400	, , , ,	2,20		15
10	Dite, Reou, Daronanga	85.2		1,70,400	-0,000	0,00		15
-	- Jarhhanga	85.2		1,70,400	- 0,000	2,20		15
11	BRC, Ghanshyampur Darbhanga	85.2		1,70,400	-,000	2,00		15 1
12	BRC, Kiratpur, Darbhanga	85.2		1,70,400	-,000			15 1
13	- Le, Ballell, Dalbilanga			1,70,400	10,000	5750		15 I
14	- Jarhanga Jarhanga	85.2		1,70,400	10,000	5750		5 F
15	BRC, Lakhnaur, Madhuhani	85.2		1,70,400	10,000	5750		5 म
16	BRC, Jhanjharpur, Madhubani	85.2		1,70,400	10,000	5750		5 म
17	BRC, Phulparas, Madhubani	85.2		1,70,400	10,000	5750	1	
18	BRC,Khutauna,Madhubani	85.2		1,70,400	10,000	5750	1:	
19	BRC, Khajouli, Madhubani	85.2		1,70,400	10,000	5750	1:	
20	BRC, Bisfi, Madhubani	85.2		1,70,400	10,000	5750	1:	
21	BRC,Rahika,Madhubani	85.2		1,70,400	10,000	5750	15	
22	BRC, Harlakhi, Madhubani	85.2		,70,400	10,000	5750	15	
3	BRC,Babubarhi,Madhubani	85.2		,70,400	10,000	5750	15	
4	BRC Rosada, Samastinur	85.2		,70,400	10,000	5750	15	
5	BRC Samastipur	85.2		,70,400	10,000	5750	15	
6	BRC, Khanpur,Samastipur	85.2		,70,400	10,000	5750	_	माह
7	BRC, Hasanpur, Samastipur	85.2	1.	,70,400	10,000	5750	15	
8	BRC, Mohanpur, Samastipur	85.2	1,	,70,400	10,000	5750	15	
9	BRC, Patori, Samastinur	85.2		70,400	10,000	5750	-	माह
)	BRC, Shivajinagar, Samastipur	85.2	1,	70,400	10,000	5750	15	
L	DRC, Sangrampur, E. Champaran	85.2	1,	70,400	10,000	5750	15	
)	BRC, Kalyanpur, E. Champaran	85.2	1,	70,400	10,000	5750	15	माह माह
	BRC Chakia, E. Champaran	85.2	1,	70,400	10,000	5750	15	
	BRC Sugauli, E. Champaran	85.2	1,	70,400	10,000	5750		माह
	BRC Madhuban, E. Champaran	85.2	1,7	70,400	10,000	5750		माह
	BRC Patahi, E. Champaran	85.2	1,7	70,400	10,000	5750		माह
	BRC Raxaul, E. Champaran	85.2	1,7	70,400	10,000	5750		माह
	BRC Adapur, E. Champaran	85.2	1,7	0,400	10,000	5750		माह
	BRC Bankatwa, E. Champaran	85.2	1,7	0,400	10,000	5750		माह
	BRC Dhaka, E. Champaran	85.2		0,400	10,000	5750		माह
	BRC Bairia, W.Champaran	85.2		0,400	10,000	5750	15	
	BRC Narkatiaganj, W. Champaran	85.2		0,400	10,000	5750		माह
	BRC Sikta, W. Champaran	85.2		0,400	10,000		./	माह
	BRC Bhithan, W. Champaran	85.2		0,400	10,000			माह
	Zinthan, w.Champaran	85.2		0,400	10,000	5750	15	माह

21 HR1011218 RAE

B.S.E.I.D.C. Ltd, Patna



	45 BRC Lauriya, W.Champaran						
	46 BRC, Piprasi, W. Champaran			70,400	10,000	5750	15 माह
	47 BRC, Majhaulia, W. Champaran	0		70,400	10,000	5750	
	46 BRC Darauli, Siwan			70,400	10,000	5750	15 माह 15 माह
	49 BRC Hussainganj, Siwan	85			10,000	5750	
\bigcirc	50 BRC Mairwa, Siwan	85	- 9 /	70,400	10,000	5750	
	51 BRC Basantpur, Siwan	85		70,400	10,000	5750	
\bigcirc	52 BRC Maharajgani Siwan	85	- 7 .	0,400	10,000	5750	
	53 BRC,Bhagwanpur,Siwan	85	- 7 '		10,000	5750	
	54 BRC, Hasanpur, Siwan	85.	- 7'	0,400	0,000	5750	15 माह 15 माह
~	55 BRC Uchkagaon, Gonalgani	85.		0,400	0,000	5750	15 माह
	36 BRC Sidhwalia, Gopalgani	85.	- , .	0,400 1	0,000	5750	15 माह
	37 BRC Bhorey, Gonalgani	85.		0,400 1	0,000	5750	15 माह
	58 BRC, Bijaipur, Gopalgani	85.		0,400 1	0,000	5750	15 माह
	39 BRC Pachdeuri, Gonalgani	85.	-,,,		0,000	5750	15 माह
	BRC Kuchaikot Gonalgani	85.2	- 9 / 0	0,400 1	0,000	5750	15 माह
	BRC,Ramgarh,Kaimur	85.2	- 9.0	,400 1	0,000	5750	15 माह
	62 BRC Chainpur, Kaimur	85.2	- 7. 0		0,000	5750	15 गाह
	63 BRC Bhagwanpur, Kaimur	85.2	-,, 0		0,000	5750	15 माह
	64 BRC Chakki, Buxar	85.2	- 7.0	,400 10	0,000	5750	15 माह
	65 BRC Buxar	85.2	- ,		,000	5750	15 माह
	66 BRC,Chausa,Buxar	85.2	- 9. 0		,000	5750	15 माह
-	67 BRC Dinara, Rohtas	85.2	1,70,	400 10	,000	5750	15 माह
-	68 BRC Karahgar, Rohtas	85.2	1,70,		,000	5750	15 माह
_	69 BRC Kochas, Rohtas	85.2	1,70,	400 10	,000	5750	15 माह
	70 BRC Tilauthu, Rohtas	85.2	1,70,	400 10	,000	5750	
	/1 BRC Karakat, Rohtas	85.2	1,70,	400 10.	000	5750	
	72 BRC Dawat, Rohtas	85.2	1,70,		000	5750	
_	73 BRC, Mansahi, Katihar	85.2	1,70,4	100 10,	000	5750	
	74 BRC,Manihar,Katihar	85.2	1,70,4		000	5750	
-	75 BRC, Pranpur, Katihar	85.2	1,70,4	100 10,		5750	
	76 BRC, Kadwa,Katihar	85.2	1,70,4	00 10,	000	5750	
	77 BRC,Barsoi,Katihar	85.2	1,70,4	00 10,0		5750	
	78 BRC, Azamnagar, Katihar	85.2	1,70,4			5750	15 माह 15 माह
	79 BRC, Narpatgani, Araria	85.2	1,70,4	00 10,0		5750	
	80 BRC, Araria	85.2	1,70,4			5750	15 माह
\	81 BRC, Jokihat, Araria	85.2	1,70,40	00 10,0		5750	15 माह
	82 BRC,Bhargama,Araria	85.2	1,70,40	00 10,0		5750	15 माह
	83 BRC,Kursakata,Araria	85.2	1,70,40			5750	15 माह
	84 BRC,Purnea East,	85.2	1,70,40			5750	15 माह
	85 BRC, Baisi, Purnea	85.2	1,70,40			5750	15 माह
	86 BRC,Amour,Purnea	85.2	1,70,40			5750	15 माह 15 माह
	87 BRC, Dhamdaha, Purnea	85.2	1,70,40			5750	
	88 BRC,Banmankhi,Purnea	85.2	1,70,40			5750	
	BRC, Tarhagach, Kishangani	85.2	1,70,40			5750	15 माह
9	BRC, Thakurgani, Kishangani	85.2	1,70,40			5750	15 माह 15 माह
9	BRC,Pothia,Kishanganj	85.2	1,70,400				
9	2 BRC Katoria,Banka	85.2	1,70,400				15 माह
9	3 BRC Rajaun,Banka	85.2	1,70,400	- 0,00			15 माह
9	4 BRC,Barhat,Banka	85.2	1,70,400	-,			15 माह
9.	5 BRC Belhar,Banka	85.2	1,70,400	-0,00			15 माह
90	Belliai, Dalika	85.2	1,70,400	- 0,00			15 माह
97		85.2	1,70,400	,00			15 माह
98	BRC Chakai, Jamui	85.2	1,70,400	,000	-		15 माह
99	- Chakai, Janiul	85.2	1,70,400	,000			15 माह
100	0 BRC Sikandra, Jamui	85.2	1,70,400		1		5 माह
	- 1.0 omandra, Jain III	85.2	1,70,400	10,000			5 माह
			-,. 0,100		-		5 माह
				Chi	ef Eng	moor	

31 HBA211 210 REE

	101 BRC Asharganj, Munger					
	102 BRC Naugachhia, Bhagalpur	85.2	-,, 0, 10	0 10,00	5750	15 F
	103 BRC Pirpainti.Bhagalpur	85.2	-,, 0, 10			15 H
$\overline{}$	104 BRC Shahkund, Bhagalpur	85.2	-9.0910			15 н
	105 BRC Puraini, Madhenura	85.2	-,, 0, 10			15 म
$\overline{}$	106 BRC Gwalpada Madhenura	85.2	-,. 0, 10			15 म
	107 BRC Kumarkhand, Madhenura	85.2	-,. 0,10		2,20	15 म
	108 BRC Gailarh, Madhenura	85.2	-,. 0,10	10,000	-,00	15 甲
	109 BRC Saurbazar, Saharsa	85.2 85.2	-,, 0,100	-	0,00	15 मा
	110 BRC,Navhatta,Saharsa	85.2	-,. 0, 100	- 0,000	0,00	15 मा
$\overline{}$	111 BRC Mahensi, Saharsa 112 BRC Sonbarsa Saharsa	85.2	1,70,400	- 5,000	2,20	15 मा
	Soliouisa, Saliaisa	85.2	1,70,400	-,000	2,20	15 मा
	January Shares	85.2	1,70,400	, , , ,	0,00	15 मा
		85.2	1,70,400	,	0,00	15 मार
	- ipia, Supaul	85.2	1,70,400 1,70,400	,-00	0,00	15 माह
	- Tatapgaiii. Supaiii	85.2		9000	0.00	15 माह
		85.2	1,70,400 1,70,400	10,000		15 माह
		85.2	1,70,400	10,000	5750	15 माह
	- Truit, Java	85.2	1,70,400	10,000	5750	15 माह
	- Tooliiciak. (1474	85.2	1,70,400	10,000	5750	15 माह
-	, wazirgani, Oava	85.2	1,70,400	10,000	5750	15 माह
	- Trondipul, Gaya	85.2	1,70,400	10,000	5750	15 माह
	, manigani, Java	85.2	1,70,400	10,000	5750	15 माह
-	- 10 mas, Java	85.2	1,70,400	10,000	5750	15 माह
_	, roch, daya	85.2	1,70,400	10,000	5750	15 माह
-		85.2	1,70,400	10,000	5750	15 माह
	- 10,1 tako,5 chanaba()	85.2	1,70,400	10,000	5750	15 माह
-	128 BRC,Ghosi,Jehanabad 129 BRC Arwal	85.2	1,70,400	10,000	5750	15 माह
	- Thirtai	85.2	1,70,400	10,000	5750	15 माह
-	- Ital pi, ili wal	85.2	1,70,400	10,000	5750	15 माह
-		85.2	1,70,400	10,000	5750	15 माह
-	- Tes, Bev, Aurangabath	85.2	1,70,400	10,000	5750	15 माह
	- Tradanpur, Aurangapad	85.2	1,70,400	10,000	5750	15 माह
-	Trattumba, Aurangapad	85.2	1,70,400	10,000	5750	15 माह
	- tega, Sitalia III	85.2	1,70,400	10,000	5750	15 माह
	-10, merajgang, Sitamarni	85.2	1,70,400	10,000	5750	15 माह
	-10,1 apri,5ttamami	85.2	1,70,400	10,000	5750	15 माह
	-10,8artimana,Sitamarni	85.2	1,70,400	10,000	5750	15 माह
	-10, Kumsalupui, Sitamarni	85.2	1,70,400	10,000	5750	15 माह
	-1.0,5uppi,5italijaliji	85.2	1,70,400	10,000	5750	15 माह
	, raki ibalawali, Nawana	85.2	1,70,400	10,000	5750	15 माह
	, warisangani, Nawada	85.2	1,70,400	10,000	5750	15 माह
	43 BRC, Akabarpur, Nawada 44 BRC, Narhat, Nawada	85.2	1,70,400	10,000	5750	15 माह
	BRC, Chandi, Nalanda	85.2	1,70,400	10,000	5750	15 माह
14	, Chandi, Nalanda	85.2	1,70,400	10,000	5750	15 माह
14	BRC, Rahui, Nalanda BRC, Rahui, Nalanda	85.2	1,70,400	10,000	5750	15 माह
14	BRC, Ekangarsarai, Nalanda	85.2	1,70,400	10,000	5750	15 माह
14	- 10, Ekungarsarai, Najanda	85.2	1,70,400	10,000	5750	15 माह
15	, Shaw, Nalahua	85.2		10,000	5750	15 माह
15	ere, Katrisarai, Nalanda	85.2		10,000	5750	15 माह
15	2 BRC,Motipur,Muzaffarpur	85.2	1 =0	10,000	5750	15 माह
153	orte, wietpui, wiuzalfarpur	85.2	1 =0	10,000	5750	15 माह
154	Bre Gaignat, Muzaffarpur	85.2	4 - 0	10,000		15 माह
155	Bree, rural, wuzarrarpur		1 =0	10,000		15 माह
	Bree, Bandra, Widzarrarpur	0 = -	4	10,000	1. LA /	15 माह
156			, -,	10,000	XIDIOII	15 माह

21 H RO11 210 RE

Chief Engineer

3.S.E.I.D.C. Ltd, Patna

03/5

157	BRC,Bhagwanpur,Muzaffarpur					
158	B BRC, Jagdishpur, Bhojpur	85.2	1,70,400	10,000	5750	15 मा
159	BRC ,Charpokhri,Bhojpur	85.2	1,70,400	10,000	5750	15 मा
160		85.2	1,70,400	10,000	5750	15 मा
161	BRC,Garhani,Bhojpur	85.2	1,70,400	10,000	5750	15 मा
162	BRC ,Koilwar,Bhojpur	85.2	1,70,400	10,000	5750	15 मार
163	BRC, Fatuhan, Patna	85.2	1,70,400	10,000	5750	15 माह
164	BRC, Bakhtiyarpur,Patna	85.2	1,70,400	10,000	5750	15 माह
165	BRC,Naubatpur,Patna	85.2	1,70,400	10,000	5750	15 माह
166	BRC,Maner,Patna	85.2	1,70,400	10,000	5750	
167	BRC,Begusarai	85.2	1,70,400	10,000	5750	
168	BRC,Matihani,Begusarai	85.2	1,70,400	10,000	5750	
169	BRC, Bhagwanpur, Begusarai	85.2	1,70,400	10,000	5750	15 माह
170	BRC, Bakhri,Begusarai	85.2	1,70,400	10,000	5750	15 माह 15 माह
171	BRC, Mansoorchak, Begusarai	85.2	1,70,400	10,000	5750	
172	BRC, Cheria Bariyarpur,Begusarai	85.2	1,70,400	10,000	5750	
173	BRC ,Chuatham,Khagaria	85.2	1,70,400	10,000	5750	
174	BRC ,Gogari,Khagaria	85.2	1,70,400	10,000	5750	15 माह 15 माह
175	BRC, Beldour, Khagaria	85.2	1,70,400	10,000	5750	15 माह
176	BRC,Parbatta,Khagaria	85.2	1,70,400	10,000	5750	15 माह
177	BRC,Raghopur,Vaishali	85.2	1,70,400	10,000	5750	15 माह
178	BRC ,Desari, Vaishali	85.2	1,70,400	10,000	5750	15 माह
179	BRC, Bidupur, Vaishali	85.2	1,70,400	10,000	5750	15 माह
180	BRC, Jandaha, Vaishali	85.2	1,70,400	10,000	5750	15 माह
181	BRC ,Mahua, Vaishali	85.2	1,70,400	10,000	5750	15 माह
182	BRC, Garoul, Vaishali	85.2	1,70,400	10,000	5750	
183	BRC,Chewada,Shekhpura	85.2	1,70,400	10,000	5750	
184	BRC,Barhiya,Lakhisarai	85.2	1,70,400	10,000	5750	
185	BRC ,Alinagar, Suryagarha,Lakhisarai	85.2	1,70,400	10,000	5750	
	gar, suryagarna,Laknisarai	85.2	1,70,400	10,000	5750	15 माह 15 माह

नोटः (i). निविदाकार एक या अधिक कार्य के लिए अलग-अलग निविदा डाल सकते हैं।

(ii). प्राक्कलित राशि घट या बढ़ सकती है एवं तद्नुसार अग्रधन की राशि घट या बढ़ सकती है।

(iii) वेबसाईट—www.eproc.bihar.gov.in पर अंकित प्राक्कलित राशि, अग्रधन की राशि एवं परिमाण विपत्र की राशि अंतिम रुप से (2) विज्ञापन निर्गत करने की तिथि

दिनांक:-03.02 .2016 (3) परिमाण विपत्र प्राप्त करने(डाउनलोड) की अवधि एवं समय :— दिनांक— 03.03.2016 से 28.03.2016, 15:00 घंटा

(वेबसाईट:www.eproc.bihar.gov.in पर)

(4) प्री बिड मीटिंग का समय, स्थान एंव तिथि

दिनांक:— 15.03.2016, 14:30 घंटा प्रबंध निदेशक का

कार्यालय,बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम, पटना।

(5) निविदा प्राप्ति(अपलोड) की अंतिम तिथि एवं समय:—

दिनांक- 29.03.2016, समय- 15:00 घंटा

(6) अग्रधन जमा करने की अंतिम तिथि एवं समय

दिनांक- 31.03.2016, समय- 15:00 घंटा

(7) टेक्निकल बिड खोलने की तिथि एवं समय

दिनांक- 31.03.2016, समय- 16:30 घंटा

(8) वित्तीय बिड खोलने की तिथि एवं समय

(वेबसाईट-www.eproc.bihar.gov.inपर)

(9) निविदा खोलने का स्थान

दिनांक- 11.04.2016, समय- 15:30 घंटा

वेबसाईट-www.eproc.bihar.gov.inपर

(10) निविदा की वैधता की अवधि

120 दिन

(11) ई—टेन्डरिंग की प्रक्रिया में भाग लेने हेतु संवेदकों को पंजीकृत होना होगा, जिससे कि उन्हें उपयोगकर्ता का नाम (user ID) पासवर्ड (Password) अंकीय हस्ताक्षर (Digital Signature) निर्गत की जायेगी। यह उन्हें वेबसाईट

www.eproc.bihar.gov.in से डाउनलोड करने / टेन्डर की प्रक्रिया में भाग लेने की योग्यता प्रदान करेगा।

(12) ई—निविदा पत्र बेवसाईट www.eproc.bihar.gov.in से प्राप्त किया जा सकता है। संवेदक द्वारा सिर्फ उपर्युक्त वेबसाईट से ही परिमाण विपत्र प्राप्त करने के उपरांत वेबसाईट पर ही इलेक्ट्रानिक निविदा पत्र को भरकर भेजना है। अन्य सभी महत्वपूर्ण कागजात / बैंक ड्राफ्ट / अग्रधन की राशि / सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को स्कैन कर ई-निविदा के साथ

(13) परिमाण विपन्न के दर से कम दर उद्धृत करने पर बीड डाक्यूमेंट की शर्तों एवं सरकारी निर्णयानुसार अतिरिक्त Performance Guarantee एकरारनामा के पूर्व जमा करना होगा।

314 KA211210/48

(14) (क) प्रत्येक परिमाण विपत्र का मूल्य जो प्रत्येक निविदा के सामने उपर किण्डका (1) में अंकित है (जो लौटाया नहीं जाएगा) किसी भी राष्ट्रीयकृत बैंक द्वारा निर्गत एवं BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. के नाम से एवं पटना में भुगतेय हो, स्वीकार किया जायेगा। मूल बैंक 53. ड्राफ्ट "बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड" पटना के कार्यालय में दिनांक 31.03.2016 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना है। ऐसा नहीं करने पर निविदा मान्य नहीं

(ख) Beltron Bid Processing Fee is mandatory to be paid through online mode i.e. Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS" Bids along with necessary online payments must be submitted through e-procurement portal www.eproc.bihar.gov.in before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffic/ Holidays or

(ग) वांछित अग्रधन की राशि राष्ट्रीय बचत पत्र/डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक जो बिहार राज्य से क्रय या जमा किया हो, प्रबंध निदेशक, BSEIDC Ltd., पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा बिहार वित्त नियमावली के अनुसार BSEIDC Ltd. के नाम से फिक्सड डिपोजिट रिसिप्ट अथवा बैंक गारन्टी जो बिड के मान्य अविध तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत/अनुसूचित बैंक से निर्गत हो (अगर बिहार प्रान्त के बाहर के बैंक से निर्गत बैंक गारन्टी दिया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड, पटना में दिनांक 31.03.2016 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना आवश्यक है। ऐसा नहीं करने पर निविदा

(15) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर लें। ताकि अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से बच सकें।

(16) निविदाकार निविदा डालने से पहले अपने स्तर से भी प्रस्तावित कार्य स्थल पर भूमि उपलब्धता के संबंध में आश्वस्त हो

(17) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। बिना कारण बताये निविदा या उसके अंश को अस्वीकृत करने / रद्द करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।

(18) विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्य अविध में सम्पर्क किया जा सकता है। ई–टेन्डरिंग की प्रकिया से संबंधित किसी भी प्रकार की जानकारी / सूचना हेतु सहायता कक्ष, ई—टेन्डरिंग कक्ष, प्रथत तल्ला, M / 22, बैंक ऑफ इण्डिया भवन, रोड न० २५, श्री कृष्णा नगर, पटना—800001, दूरभाष सं० 0612—2523006/9939035696.

> ब्रजेश प्रसाद म्ख्य अभियंता

Chief Engineer 3.S.E.I.D.C. Ltd, Patna

31 HR 211240/28