Schedule XLV-Form No. 61 Resource Centre at Sugauli, East Champaran. (SL No. - 34).

RIHAR PUBLIC WORKS DEPARTMENT

Agreement No. — [Form No. F-2] Keshav Kumaz Keshai ITEM RATE TENDER AND CONTRACT FOR WORKS

Agreement No. — 39 F2 of 2017-18.

General Rule and Direction for the guidance of Contractors.

Date of Commencement - 08.05-2017

1. All works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer.

This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours.

2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so.

3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm.

4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Sub-divisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender.

6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any same or omit to note the time within which the work can be finished, or which are not accompanied by the treasury challan for the required earnest money will be liable to rejection. No single tender shall include more than one work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the envelop. Cash deposits for earnests money here in before mentioned shall be made in Severnment Treasuries and the challan there of should be enclosed with the tender.

7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.

8. The Engineer shall have the right of rejecting all or any of the tenders.

9. In the event of a tender being selected for acceptance the Engineer who opened the tenders will, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the priscribed time. The tender with the specilication and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to the tenderer.

10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.

11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required annount of the security money has been deposited the Engineer shall scrutinise all pages of the form of item, rate, tender & contract for works to see that the form has been properly filled up and signed by the contraction witnessed. He shall then if he is competent, to accept the tender, sign the acceptance of the tender ar, if he is not so competent shall send the form for signature of the acceptance of the officer competent to accept it.

श्रीया

[h]

TENDER FOR WORKS

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

		MEMORANDUM
(a) If several sub-work are cluded they should be detained in a separate list.	[a]	Name of work
0	[b]	Estimated cost
(b) This deposit will be 5%		e de la companya de l
If the estimated cost of the Work.	[c]	Earnest money
9		
'a) This percentage deduction from bills will be credited to the contractors	[d]	Initial security deposits (including earnest money) to be deposited befor the commencement of the work
ecurity deposit.	[e]	Percentage to be deducted from bills Rs. 5% (Rupees five percent)
	[0]	reformage to be deducted from sine rice of a (respect five percent)
	[f]	Time required for the work from date of written order to commence
• un		monthly
	[g]	Date of written other to commence

Total number of item of work tendered for

Hom No	thouse of smooth	RATE TE	ENDERED	
Item No.	Item of work	In figures	in words	Per
		*		
		H-Y	N.	12/11
	19 \$15 562			19/08/05/1
73	19 \$1(500		CL. OF	-1001
	21417		Chief Er	igin s er

Item No.	Item of work	RATE TE	Per	
item No.	item of work	In figures	In words	
rvispiasai	in the sone no color abro geney to stan	off seed of the more as	Syle Barren	1
iai kaja Laki	array designs, areking, and prinsi docume		Danish Bar ou	
	THE THE RESERVE CONDITIONS AS THE SAME OF S	of and Subject.	aladiction of	
	e and interviewing and a department of the Mila Affilia			
		HATELE THE	6,111,111,151,151	blacks yets
				it a pagarate for
		La teoa bolisti		
		Common Page	ga and the first	To use of the ord
MENT EN TIME	ne a construction and a second second	A 354 3.65		
noted below	s autorioliyano trisames grabiloviti ata	eget kilosekib	Deliver Mark	
	TO A BRIEF WOUNDLING SHOW BROWN IN			Water Thomas
				Banis a did di
- Coppa	econod from pille Rs. 5% (Rupeus five pe	dentage to be d		
	प्रकार विकास के किया है। स्थान किया है। स्थान स्थान के स्थान	as sail to survival tel		
	cup, in the UNISON OF THE PERSON DUST.		e de la formation	
	arth a statistic transfer out to the			
	e remarca o	. A tathy or		
	18 Christinet stowers	istide askimunit		
	A SECTION OF THE SECT	to have or		
	The Property of the Service of the S	30.5		
			-	
	oder franchischer steetwork			
	经现代的证据 集员 1000000000000000000000000000000000000			
	WWW.			
		102		
		1784	The E	O Cartin
1997	Chief Taga		12 1 3 7 3 7 B	

Item No.	Item of work	THE RESIDENCE OF THE PARTY OF T	RATE TENDERED			
item No.	Reiff of Work	In figures	In words	Per		
				147		
			4 F ₁₀			
		The second second				

Item No.	Item of work	RATE TE			
	item of work		In figures	In words	Per
		0.4			

O	Itom of work	RATE TE	Per	
Item No.	Item of work	In figures		
0				
0				POTORYILOZOFI, MAGURIO POTORIO CARROLLE TOLO
0				
0				alterative of the second
0				
)				
		neo na misaka h		
9				
9				
J				
0	Cate salar to the accept the area can	7		
9				
9				
)				
	Most late that the state of the end	Jega (46 - 65) 5.55		
)		Chinepu ianiti		
)				
)				
	I have been a seen as the first access year			
			1000	
)				
)				
4		**************************************		
)				
				,
- 10	Control of National States			
6/0/-4	Chief 1914Q B. B. B. B. D. C. 1664,		4. 1	

should this tender be accepted I/we hereby agree to abide by and fulfill all the terms and provisions of the said conditions of contract annexed hereto so, for a applicable, or in ssors in office the sums of money mentioned in the said conditions

Dated the

day of

*Signature, of contractor before comission of tender

witness

Occupation

Address

Signature of witness to contractor's signature

The above tender is hereby accepted by me on behalf of the Governor of Bihar Dated the day of

20

signature of the office accepting the tender

Acceptances communicated on.....

signature of the part taking the tender

CONDITIONS OF CONTRACT

Compensation

Clause 1:- All compensation or other sums of payable by the contractor to Government under the terms of his contract may be deducted from, paid by the sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor by Government on any account whatsoever and in the event of his security deposit being reduced by reason of any such deduction or sale as aforesaid, the contractor shall within ten days there after make good in cash or Government securities endorsed as aforesaid any sum or sums which may have been deducted from, or arised by, sale of his security deposit of any part thereof.

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which the work is finished after necessary rectification of defects as pointed by the Executive En- gineer or his authorised agents are fully contractor to the Engineer's satisfaction.

Clause 2:- The time allowed for carrying out the work as entered in the tender shall be strictly observed by the contractor and shall be reckoned from the date on which the wirtten order to comence work is given to the contractor. The work shall throughout the stipulated period of the contract be carried on with all due diligence (time being deemed to be the essence of the contract on the part of the contract or) and the contractor shall pay as compensation an amount equal to 1/2 percent on the amount of the estimated cost of the whole work as shown by the tender for every day that the work remains uncommenced or unfinished after the proper date. And further to ensure good progress during the execution of the work the contractor shall be bound in all cases in which the time allowed for any work exceeds one month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before onehalf of such time elapsed and three-fourths of the work, before three fourths of such time has elapsed in the event of the contractor failing to employ with this condition, I shall be liable to pay as compensation an amount equal to 1/2 percent on the said estimated cost of the whole work for every day that the due quantity of work remains incomplete provided always that the entire amount of compensation to be paid under the provisions the clause shall not exceed 10 percent of the estimated cost of the work as shown in the tender.

Action when persnle security deposit foreited

Clause 3:- In any case which under any clause or clauses of or this contract the contractor shall have rendered himself laible to pay compensation amounting to the whole of his security deposit in the hands of Government (where paid in one sum or deducted by instalments) the Executive Engineer on behalf on the Bihar Government shall have been powered to adopt any of the following courses, as he may deem best suited to the enterest of Government -

(a) To rescind the contract (of which rescind notice in writing to the contractor under the hand of the Executive Engineer shall be Chicks Fergineere) and in which ase the sectifity deposit of the contragions shall be total total total total absolutely at the disposal of Government.

- (b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debitting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in -charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.
- (c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by'him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original ontractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4:- In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may, if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Engineer as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

contractor remains liable to pay compensation if action not take under cause 2.

Power to take posession of or require removal of or sell contractor plant.

Clause 5 :- If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) he shall apply in writing to the Executive Engineer within 40 days from the date of starting of the hinderance on account of which be desires such extension as aforesaid and the Executive Engineer shall, Him his opinion (which shall be final) reasonable grounds be showing thereof authorised such extension of time, if any, as may in his opinion be neces proper. The Executive Engineer shall at the same time inform the contractor whether he claims compensation for the delay. claims compensation for the delay.

Extension of time

Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion, but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinctly marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-work, doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurements shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus materials and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid, except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible, before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-in-charge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts or in any other way vary or affect the contract.

• Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Clause 9:- If the specification or estimate of the work provides for the use of any special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-incharge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums then due or there after to become due to the contractor under the contract or otherwise, or applied to the security deposit, or the proceed of sale thereof, if the same is held in Government security the same or sufficient portion thereof in this case sold for the purpose. All materials supplied to the contractor shall remain the absolute prepart of Government and shall not on any accounts he removed from this site of the work and shall at all times be open to

Stores supplied Government

inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: - The contractor shall executive the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid.

Clause 11: - Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the Do not in validate contract work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a disputes the decision of the superintending Engineer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period.

Clause 12:- If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out, the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsoever on account of any profit or advantage, which he might have derived from the execution of the work in full, but which he did not derive in consequence of the full amount of the work, ation in or restriction of not having been carried out neither shall be have any claim for compensation by reason. Ltd, Patna of any alternation having been made in the original specification, drawing designs and instruction which shall involve any installment of the work as originally contemplated clause 12 (a) As contained in G O 1929 dated 11.9.56.

Work to be executed accordance with specification drawing other etc.

Alteration in specifications and designation.

Time in consequence of alteration

Rate for work no in estimate or schedule of rates of the district.

Fina

P

CE 25

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such failure is due to :-

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as finally by the contractor.

on and compensation payable in case of work

Clause 13 :- If it shall appear to the Engineer-in-charge or his subordinate incharge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall on demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-incharge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and expense in all respects of the contractcor.

0

D

D

0

5

Work to be taken to inspection

Clause 14: - All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineerin-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be present

Clause 15:- The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which the same was effected.

Notice to be taken before work covered up

Clause 16:- If the contractor or his work-people, or servants hall break, deface injure or destroy any part of a building in which they may be working or any building, road, road curves, fence enclosure water pipes, cables, drains, electric or telephone posts or wires, trees, grass or grassland or cultivated ground contiguous on which the work and any part wit is being executed or if any damage shall happen to the work, while in progress from any cause whatsoever or any imperfection become apparent in if within three months (six months in the case of a road-work) after a certificate final or other of its completion shall have been given by the Engineer-in-charge

as a fore seal, the contractor shall make the same good at his own expense, or in default, the Engineer-in-charge may cause the same to be made be good by other worksmen and deduct the expense of which time thereafter may become due to the contractor, or from his security deposit, or the proceed of sale there of, or of a sufficient portion there of the security deposit at the contractor shall not be refunded before the expiry of three months (six months in the case of a road-work) after the issue of the certificate final or otherwise of completion of work provided that in the case of a road work if in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable after three months of the issue of the said certificate of completion

Contractor liable for damage done and for imperfection a months and after certificate

Clause 17:- The contractor shall supply at his own cost all materials (except such special materials) if any as may in accordance with the contract be supplied from the Engineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, tackle scaffolding and temporary works requisits or proper for the proper execution of the work whether original, altered or substituted and whether include in the specification or other documents forming part of the contract or referred to in these conditions or not or which may be necessary for purpose of satisfying or complying with the requirement of the Engineer-in-charge as to any matter as to which under these conditions he is entitled to be satisfied which he is entitled to require together with carriage therefore to and form the work. The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting, weighing and assisting in the measurement or examination at any time and form time to time of the work or materials failing his so doing the same may be Provided by the Engineer-in-charge at the expense of the contractor and the expenses may be deducted from any money due to the contractor under the contract from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide all necessary fencing and lights required to protect the public from accident, and shall be bound to bear to expenses of defence of every suit action or other proceeding at law that may be brought by any person for injury sustained owing to neglect of the above precautions and to any such person or which may with the consent of the contractor be paid to compromise any claim by any such person.

Contractor to supply to plantladder scaffolding

And is liable for damage arising for non-provision of light fencing etc.

Clause 18:- No female labour shall be employed within the limits of contonment. The contractor shall not employ for the purpose of his contract any person who is below the age of twelve years and shall pay to each labour for the work done by such labourer wages not less than the wages paid for similar work in the neighbourhood.

Work not to be subject

The executive Engineer shall have the right to enquire into the case and decide any complaint alleging that the wages paid by the contractor to any labourer for the work done by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer employed by contractor is below the age of twelve years and to refuse to allow any labourer whom he decided to be below the age of twelve years to be employed by the contractor.

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his contract, or attempt so to do, or become insolvent proceedings to make any composition with his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward or advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, or offered by the contractor, or any of his servant or agents to any public officer or person in the employ of Government in any way relating to his officer or employment or if any such officer or person shall become in any way directly or indirectly interested in the contract the Executive Engineer may there upon by notice in writing rescind the contract. The security deposit of the contractor shall there upon stand forfeited and be absolutely at the disposal of Government and the same consequence shall ensure as if the parties in the lause of the same consequence shall ensure as if the parties in the lause of the same consequence shall ensure as if the parties in the lause of the same consequence shall ensure as if the parties in the lause of the same consequence shall ensure as if the parties in the lause of the same consequence shall ensure as if the parties in the lause of the same consequence shall ensure as if the parties in the lause of th

Contract may be resinded and security deposit forfelted for subletting bribes or if contractor become insolvant

to recover or be paid to any work therefore actually performed the under the contract.

Fir

C

such payable by way of compensation to be considered reasonable compensation without reference to actual loss

Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained.

Clause 21: - In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this information.

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal of Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer

Clause 22:- All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23: - In case any dispute or difference shall arise between the parties or either of there upon any question relating to the meaning of the specifications, designs, drawings and instructions here before mentioned or as to the quality of workmanship or materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, or any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions or otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof or as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

(a) Clause 24 :- When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items or work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-incharge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineerin-charge shall be final and conclusive against the contractor with regard to any sum payable to him under the provision of this clause.

where Action specification.

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Definition of works

Clause 26 :- The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to such construction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered, substituted or additional.

Clause 27:- The terms and conditions of the agreement have been read/explained certify.....

Witness.

No

C

D

Schedule showing (Approximately) materials to be supplied, it available the rates of ed for and the places at which they are to be supplied

	edule showing (App nich they are to be cl Particulars	will be ch	ich the material narged to the ntractor		Place of delivery
		Unit	Rs.	P.	
		Carlo Sept.			
)					
)					
)					
)					
9		and the state of the second			
n'					
)					acted after such a little
			E TO BE VEN BOOK		
si)		49 (41)			
מר					
)					
)					

Note:-The person or firm submitting the tender should see that the rates in the above schedules are filled up by the Engineer-in-charge on the issue of the form prior to the submission of the tender.

ork or

(Signature of Contrator)

10

Chief Engineer (Signatule Of Executive Latinger)

		10		TT ODA	ENT COL	DOD ATION LTD
BIH	AR STATE	EDUCATIONAL INFRASTRUCTU				RPORATION LID.
		SHIKSHA BHAWAN, S. B.O.Q. FOR BLOCK RESOUR	AIDPUR CE CENT	RE IN BII	HAR	
	THE ITEM	RATE BASED ON S.O.R BCD BIHAR, DA				CTRICAL) 2014
SL.	DISTRICT	NAME OF INSTITUTE			BLOCK	
1	EAST CHAMPAR AN	BLOCK RESOURCE CENTRE			SUGAU	LI
	I do a la	<u>CIVIL WO</u>	<u>ORKS</u>			
Sl. No.	SOR Item No.	Item of Work	Qty.	Unit	Rate (Rs.)	Amount (Rs.)
1	2	3	4	5	6	7
	PILE WORK	S				
	20.2	Boring, providing and installing bored cast-in-situ reinforced cement concrete piles of grade M-25 of specified diameter and length below the pile cap, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring, with bentonite solution and temporary casing of appropriate length for setting out and removal of same and the length of the pile to be embedded in the pile cap etc. all complete, including removal of excavated earth with all lifts and leads (Length of pile for payment shall be measured upto bottom of pile cap).				
	20.2.1	300 mm dia Piles	0.000	meter	1309.30	Rs. One thousand three hundred nine and paise thirty only.
	20.2.2	400 mm dia Piles	0.000	meter	1523.20	Rs. One thousand five hundred twenty three and paise twenty only.
	20.2.3	450 mm dia Piles	0.000	meter	1978.80	Rs. One thousand nine hundred seventy eight and paise eighty only.
	20.2.4	500 mm dia Piles	0,000	meter	2306.60	Rs. Two thousand three hundred six and paise sixty only.
20.2.5 600 mm dia Piles Rs. 7 hund						

\$319 In Sad

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

2996.10 paise ten only.

2/5

0.000

meter

Chief Engineer R.S.E.L.D.C. Ltd, Patne

3.S.E

Say Just wet

	20.2.6	750 mm dia Piles				Rs. Four thousand two hundred nineteen and
			0.000	meter	4219.70	paise seventy only.
2	20.3	Boring, Providing and installing cast in situ single under reamed piles of specified diameter and length below pile cap in M-25 cement concrete, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring with bentonite solution and the length of the pile to be embedded in pile cap etc. all complete. (Length of pile for payment shall be measured upto to the bottom of pile cap):				
	20.3.1	300 mm dia Piles	0.000	meter	1934.20	Rs. One thousand nine hundred thirty four and paise twenty only.
	20.3.2	400 mm dia Piles	0.000	meter		Rs. Two thousand two hundred twenty five and paise thirty only.
	20.3.3	450 mm dia Piles	0.000	meter		Rs. Two thousand three hundred ninety seven and paise fifty only.
	20.3.4	550 mm dia Piles	0.000	meter	2605.10	Rs. Two thousand six hundred five and paise ten only.
	20.1		33-25			
3	20.4	Extra over item No. 23.3 for providing additional bulb in under reamed piles, under specified dia meter (Only the quantity of extra bulbs are to be paid).				
	20.4.1	300 mm dia Piles	0.000	Each		Rs. One thousand two hundred forty and paise ten only.
	20.4.2	400 mm dia Piles	0.000	Each		Rs. One thousand three hundred seventy three and paise eighty only.
	20.4.3	450 mm dia Piles	0.000	Each	1	Rs. One thousand four hundred fifty four and paise eighty only.
	20,4.4	500 mm dia Piles				Rs. One thousand five hundred ninety seven and
			0.000	Each	1597.20	paise twenty only.

139 3711 B 69

Chief Engineer

B.S.E.I.D.C. Ltd. Patna.

Solarita

815

			likaj kaj si lak ora lipaka ĝindi	
			The region of some the girls of the good	
. I i consumed with				
		Gly 75		
. Say La North Jan 14				

Chief Engineer

Harallet . Est

 \bigcirc

Ü

DAR	MINNOST	12				
		IN EXCAVATION				
4	2.8.1	Earthwork in excavation in as(exceeding 30cm in depth. 1.5m in width as well es 10sqm on plan) incloding dressing of sides				
		and ramming of bottom, lift upto 1.5 including getting out the excavated soil and				Do Tour hand of C
		disposal of surplus soil as directed within a lead of 50m. All Kind of soil				Rs. Two hundred five and paise twenty only.
		= 286.64 CUM SEPTIC TANK = 31.89 CUM				
		TOTAL QUANTITY = 318.53 CUM	318.530	cum	205.20	
5	2.29.1	Surface dressing of the ground including removing vegetation and inequalities not		Cum		
		exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5m All kinds of soil.				Rs. Seven hundred eighteen and paise eiglonly.
		= 136.41 CUM	136.410	100 sqm	718.800	
E	ARTH FILL	LING	/			
6	2.26	Filling available excavated earth (excluding rock) in trenches, plinth, sides of				
		foundations etc. in layers not exceeding 20 cm in depth: consolidating each deposited layer by ramming and watering lead = 188.98 CUM				Rs. Sixty six and paise forty only.
	- 1		188.980	cu.m	66.40	
S.	AND FILLI	NG	100.700	Cuini	00.40	
7	2.28	Supplying and Filling in plinth with local sand and under floors including, watering,			*	
		ramming consolidating and dressing complete. = 118.79 CUM				Rs. One hundred ninet two and paise fifty only
		SEPTIC TANK = 1.02 CUM TOTAL QUANTITY = 119.81 CUM	110.010			
FLAT	Γ BRICK SO		119.810	cu.m	192.50	
8	11.72	Providing designation 100 A one brick flat soling joints filled with local sand including cost of watering, taxes, royalty all complete				
		as per building specification and direction of E/I, 10 + 2, BUILDING = 291.84 CUM SEPTIC TANK = 13.57 CUM				Rs. Two hundred twent seven and paise sixty only.
		TOTAL QUANTITY = 305.41 CUM				
			305.410	sq.m	227.600	

\$ 919 851136L

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

PLAN

OF 195/13

		please the first black and the second
		Additional and Committee and C

Chief Engineer B.S.E.I.D.C. Ltd. Patno, Day Death wat

Ö

0

		The state of the s	3			
	P.C.C.					
9	4.1.5	Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level 1:3:6 (1cement: 3 coarse sand : 6 graded stone aggregate 20mm nominal size) = 13 CUM	13.000	au m	2775 70	Rs. Two thousand sever hundred seventy five an paise seventy only.
10	4.1.4	Providing and laying in position cement	13.000	cu.m	2775.70	
		concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level 1:2:4 (1 Cement: 2 coarse sand : 4 graded stone aggregate 40 mm nominal size)10 + 2 , BUILDING = 8.74 CUM SEPTIC TANK = 2.98 CUM TOTAL QUANTITY = 11.72 CUM	11.720	cu.m	3219.70	Rs. Three thousand two hundred nineteen and paise seventy only.
	FLOORING					
11	11.38	Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturer) of ist quality conforming to IS: 15622 of approved make in colours such shades except white, Ivory, Grey, Fume Red, Brown, laid on 20 mm thick Cement motar 1:4 (1 cement: 4 coarse sand) including pointing the joints with white cement and matching pigment etc., complete. TOILET PORTION = 46.04 SQM				Rs. Eight hundred one and paise eighty only.
				15.431		
	WALL THE	C	46.040	sq.m	801.800	
1	WALL TILE	0				

\$717 271C 4602

 Θ

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

		particular per estren es un stador stato de la constitución de la cons	

Chief Enginect e.S.E.I.D.C. Ltd., Pathe 产44年 100年20年 李

0

	A
-	
- 1	4

12 LOOF 13	11.36 RING & SK 11.26.1	Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including	188.874	sq.m		Rs. Seven hundred fifty four and paise twenty only.
		Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including		sq.m	754.200	
		Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including				
		rubbing and polishing complete. Base with 1:1:1 (1 lime: 1 surkhi: 1 coarse sand) / 1:4 (20 TO 25MM THICK) = 281.852 SQM				Rs. Nine hundred sixty eight only.
		2011002 0 2.11	281.852	sq.m	968.00	
14	11.27	Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm		sq.m	927.50	Rs. Nine hundred twent seven and paise fifty only.
15	8.3.2	Extra for providing edge moulding to 18	7 11.57	54	727.00	
		mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge. Granite work	0.00	M	239.10	Two Hundred Thirty Nine and paise ten only

\$319 \$716 Sal

 \bigcirc

 \bigcirc

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

M. Michaell

Off-5//

with any bestructure can be associated		
allind , vinapput up men antiqui antiqui		
will conjust to a service to make near		
i dinama minak		
Like Visite		
men its rest printed have spire and		

124 200 Seep

 \bigcirc

0

0

0

0

0

Chiof Engineer 8.8.E.I.D.C. Ltd. Pätria

VUKI	K BELOW	PLINTH LVL.				
16	5.1.1	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing & reinforcement - all work upto plinth level. 1:1:2 (1cement: 1 coarse sand : graded stone aggregate 20mm nominal size) = 59.183 CUM	59.183	cu.m	5110.70	Rs. Five thousand one hundred ten and paise seventy only.
R.C.C	. WORK A	BOVE PLINTH LVL.				
17	5.2.1	Reinforced cement concrete work in wall (any thickness), including attached plasters, buttresses, plinth and struts etc upto floor five level excluding the cost of centring, shuttering, finishing & reinforcement 1:1:2 (1cement: 1 coarse sand: 2 graded stone aggregate 20mm nominal size) 10 + 2, BUILDING = 20.51 SQM				Rs. Five thousand six hundred sixty six and paise twenty only.
			20.510	cu.m	5666.20	
18	5.1.3	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing and reinforcement-All work puto				Rs. Three thousand for hundred thirty eight an
		plinth level. 1:2:4 (1 cement:2 coarse sand:4 graded stone aggregate 20 mm nominal size) SEPTIC TANK = 0.93 CUM				paise ninety only.

\$319 3512 fel

 Θ

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Skelbourt

Skelbourt

Skelbourt

		Heliphia nick acide Lance of Lance of Lance
		His A, and storm of the latter to the natural light of the latter to the

Chief Engineer

9.3.6.1.0.C. Ltd. Pains

41/5/2 12/47 SEP 0.

0

0

0

0

١	
•	1
,	~)

			16			
19	5.3 + 5.33B.4 + 5.33B.1	Reinforced cement conrete work in beams, suspended floors, roofs having slope upto 15, landings, balconiec, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto floor five level excludingthe cost of centring, shuttering, finishing and reinforement with 1:2:4(1 cement:2 coarse sand:4 graded stone aggregate 20 mm nominal size). Add or deduct for providing richer or leaner mixes respectively at all floor levels. Providing M-15grade R.C.C instead of M-20 grade R.C.C. Proiding M-25 grade R.C.C. instead of M-20 grade R.C.C.				Rs. Four thousand five hundred eighty one and paise twenty only.
	1		100.440	cu.m	4581.20	
В	RICK WOR	K				
20	6.1.14A	Brick work with bricks of class designation 100A in foundations and plinth in cement mortar 1:6 (1cement :6 coarse sand) = 39.878 CUM				Rs. Three thousand nine hundred ninety two and paise ninety only.
			39.878	cu.m	3992.90	
21	6.1.14A + 6.3A	Brick work with bricks of class designation 100A in foundations and plinth in : Cement mortar 1:6 (1 cement: 6 coarse sand) Extra for Brick work in superstructure above plinth level upto floor V cum = 160.082 CUM	160.082	cu.m		Rs. Four thousand four hundred twenty seven and paise fifty only.
22	6.18.4A + 6.19A	Half brick masonry with bricks of class designation 100A in foundations and plinth in: Cement mortar 1:4 (1 cement: 4 coarse sand) Extra for half Brick masonry in superstructure above pinth level upto floor V level. = 134.043 SQM	134.043	Sq.m.	538.30	Rs. Five hundred thirty eight and paise thirty only.

549 501 8 6 W

Ó

 Θ

Chief Engineer
B.S.E.I.D.C. Ltd. Patna

		123
AND		
The second Part of the second Pa		
A SALE AND		1
The second of th		
The state of the s		
The second of th		(
DESCRIPTION OF THE STATE OF THE		
The rest of the section of the secti		
The largest transport to the largest transport to the largest transport tran		
The largest transport to the largest transport to the largest transport tran		
to the second small and the se		
to the source and sour		
The best arm and best are and a supplementations of the supplementation of the supplementat		
to be seen and the seed of the		
The base of the property of th		
And street and an analysis of the street analysis of the street analysis of the street and an an		
The state of the s		
That was opinion in the same and the same an		
That exceptions I and the many production of		
	the state of the s	
그 사람들은 사람들은 사람들이 되었다. 그리고 아이들이 하는 사람들이 다른 사람들이 되었다.		
		. (

Chief Engineer 9.S.E.I.D.C. Ltd. Parms - Constant

 \bigcirc

0

0

0

Ö

			17			
23	6.21A	Extra for providing and placing in position 2 Nos, 6 mm dia, MS bars at every third course of half brick masonry (with F. P. S. bricks) = 134.043 SQM				Rs. Seventy five and paise ninety only.
			134.043	Sq.m.	75.90	
24	6.1A + 6.1.12/1	Brick work with bricks of class designation 100A in foundations and plinth in: Cement mortar 1::4 (1 cement: 4 coarse sand) = 8.75 CUM	0.750		4184.00	Rs. Four thousand one hundred eighty four only.
Dr	A COURT NA	NPV.	8.750	cum	4184.00	
	ASTER WO		/			
25	13.13.4	20 mm cement plaster of mix; 1:6 (1 cement: 6 coarse sand) = 836.658 SQM	836.658	sq.m	123.50	Rs. One hundred twenty three and paise fifty only.
26	13.13.1 + 13.26	20 mm cement Plaster 1:3 (1 cement: 3 coarse sand) with a floating coat of neat cement & neat cement punning SEPTIC TANK = 16.65 SQM	16.650	ag m	185.60	Rs. One hundred eighty five and paise sixty only.
27	13.11.4	12mm thick Cement plaster of mix 1:6 (1 cement : 6 coarse sand) = 1041.58 SQM	1041.580	sq.m	89.30	Rs. Eighty nine and paise thirty only.
28	13.17.1 +13.36.1	12 mm cement Plaster 1:3 (1 cement: 3 coarse sand) with a floating coat of neat cement & Extra for providing and mixing water proofing material in proportion recommended by the manufacturers: 12 mm cement plaster 1:3(1 cement :3 sand) SEPTIC TANK = 52.82 SQM		34	0,100	Rs. One hundred forty five and paise fifty only.
		52. 110 11111 52.02 5QM	52.820	sq.m	145.50	
29	13.24.2	6mm thick Cement plaster of Ceiling mix 1:4 (1 cement : 4 coarse sand) = 388.53 SQM	388.530	sq.m	77.40	Rs. Seventy seven and paise forty only.

\$15/12 8/5/12

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Skimult

	,			
as Cignophic and as			in, million to sulling remove a sulli realist	
	Ł			
			Sing to the country to make the second of th	

			18			
30	11.3.1 + 11.8	Cement concrete flooring 1:2:4(1 cement:2 coarse:sand:4 graded stone agregate) finished with a floating coat of neat cement including cement slurry, etc. but excluding the cost of nosing of steps etc. complete. 40 mm thick with 20 mm nominal size stone aggregate. Extra for making chequers of approved pattern on cement concrete floors, steps, landing, pavemerts etc. = 136.41 SQM	136.410	sq.m	232.90	Rs. Two hundred thirty two and paise ninety only.
FINIS	HING WOI	RK				
31	13.46.1	Finishing walls with Acrylic Smooth exterior paint of required shade :New work (Two or more coat applied @ 1.67 ltr/ 10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/ 10 sqm) EXTERNAL WALL = 836.658 SQM				Rs. Sixty eight and paise eighty only.
			836.658	sq.m	68.80	
32	13.80A.2	Providing and applying white cement based putty of average thickness 2 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	2266.768	sq.m	118.70	Rs. One hundred eighteen and paise seventy only.
33	13.77.2	Distempering with oil bound washa ble distemper of approved brand and manufacture to give an even shade. New work (two or more coats) over and including priming coat with cement primer INTERNAL WALL & CEILING = 1430.11 SQM			64.00	Rs. Sixty four only.
34	13.81.1	Applying priming coat with ready mixed pink or grey primer of approved brand and manufacture on wood work (hard and softwood) = 115.68 SQM		sq.m	25.20	Rs. Twenty five and paise twenty only.

\$19 25T 260

 Θ

 Θ

O

Chief Engineer

S.S.E.I.D.C. Ltd, Patnay

Steriously

Steriously

Steriously

	12
	0
en plante de la companya de la comp La companya de la co	
	0
	0
	0
	0
	\bigcirc
	0

		har on the charge of the spine property of the contract of	
		lage bank is engage to finding over a likely	
		lone under their layer on the remail to a re-	

Chtef Engineer

9. S.E.I.D.C. Lid. Patna/

210.0. Lid. Patna/

210.0. Lid. Patna/

682 mic-one

 \bigcirc

O

		19				
35	13.81.3	Applying priming coat with ready mixed zinc chromate yellow primer of approved brand and manufacture on steel galvanized iron/steel work. = 105.728 SQM	105.728	sq.m		Rs. Twenty one and paise thirty only.
36	13.93.1	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade two or more coats on new work = 221.408 SQM	221.408	sq.m	50.90	Rs. Fifty and paise ninety only.
37	10.14.1	Providing and fixing T-iron frames for doors, windows and ventilators of mils steel Tee-sections, joints miltred and welded with 15x3 mm lugs 10 cm long embedded in cement concerete blocks 15x10x10 cm of 1:3:6 (1 cement: 3 coarse sand: 6 graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required including	221.408	SQ.III	30.70	Rs. Seventy five and paise ten only.
		= 339.675 KG	339.675	Kg.	75.10	
38	9.21.1	Providing and fixing flush door shutters conforming to IS: 2202 (Part-I) non-decorative type.core of block board construction with frame of 1st class tiard wood and well mathched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters. 35 mm thick including anodized aluminum butt hinges with necessary screws = 48.195 SQM				Rs. One thousand eight hundred twenty three and paise eighty only.
			48.195	sq.m	1823.80	

\$319 JUN 36/1

Providing and fixing oxidised M.S.tower

type) with necessary screws etc.complete

10 + 2, BUILDING = 44 EACH

bolt black finish,(barrel

250x10mm

0

0

0

0

0

39

9.119.1

0800)

Rs. Sixty six and paise

fifty only.

66.50

44.000

each

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Skinousky

815

		The distribution of the state o
		All the best opening upon the property of the second
		manue mode diste qui si bassinab milli 1000
		The second secon

Child Engineer

S.E.L.B.C. L2d. Philosophical

A. C. L. C. L

HOSPIE ORS

0

Ó

		2	-0			
10	9.104.1	Providing and fixing M.S.handles with necessary screws etc.complete 125 mm 10 + 2, BUILDING = 44 EACH	44.000	each		Rs. Twenty seven and paise fifty only.
11	9.223.2	Providing and fixing alluminium hanging floor door stopper anodised (anodic coating not less than grade AC 10 as per IS :1868) transparent or dyed to required colour and shade with necessary screws etc.complete:Twin rubber stopper = 22 EACH	22.000	each	82.70	Rs. Eighty two and pais seventy only.
12	9.100.1	Providing and fixing M.S. sliding door bolts bright finished or/and black enamelled, with nuts and screws etc.compelled: 300x16 mm = 22 EACH	22.000	each	177.40	Rs. One hundred sevent seven and paise forty only.
S	L TEEL WO	RK	22.000	Cacii	177.10	
43	10.12.1 + 10.13B	Providing and fixing glazed steel doors, windows or ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm M.S. lugs10cm long with steel legs embedded in cement concrete blocks 15x10x10cm.of (1:3:6) (1cement: 3coarse sand: 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required. Doors Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel Windows. = 95.715 SQM				Rs. Three thousand two hundred seventy and paise sixty only.
			95.715	sq.m	3270.60	

\$315 200 36D 815/17

Chief Engineer

3.S.E.I.D.C. Ltd. Patna

Sk. hawlee

815

	0		
		440	

Chief Engineer
a.s.E.L.O.C. Ltd. Pains

0

Ü

Ö

T.Y.		2	21			
44	10.12.1	Providing and fixing glazed steel doors,				
	+	windows or ventilators of standard rolled				
	10.13C	steel sections, joints mitered and welded	The Way			
	F154 557	with 15x3 mm M.S. lugs10cm long with				
1 1 1		steel legs embedded in cement concrete				
		blocks 15x10x10cm.of (1:3:6) (1cement :				
	24.76	3coarse sand : 6graded stone aggregate		- 577		
		20mm nominal size) or with wooden plugs				
		and screws or rawl plugs and screws or with				
		fixing clips or with bolts and nuts as				
		required, including providing and fixing of				
		glass panels with glazing clips and special		ter tree.		
		metal-sash putty of approved make				Rs. Three thousand two
	100	complete including applying a priming coat		- 14-74		hundred seventy seven
		of approved steel primer excluding the cost				and paise sixty only.
		of metal beading and other fitting except				
		necessary hinges or pivots as required. Doors			to the district	
		Extra for providing and fixing steel beading				
		of approved shape and section with screws				
		instread of glaxing clips and met. Sash putty				471
		in steel doors, windows, ventilators and				
		composite units. Steel ventilators				
		= 3.24 SQM				
		- 3.24 3QW				
			3.240	sq.m	3277.60	
45	9.82.1	Providing and fixing M.S. grills of				
		requirement pattern in frames of windows				
		etc. with M.S. flats square or round bars etc				Rs. Ninety one and paise
		all complete				fifty only.
		fixed to steel windows by welding.				inty only.
		= 1722.87 KG				
			1722.870	Kgs.	91.50	
46	5.22	Reinforcement for RCC work including				
		straightening, cutting, bending, placing in				
		position and bonding all complete.			7.3 5.1	
	*	TMTC-500	3			
	5.22.7A	Thermo-Mechanically Treated bars TMTC-				
		500 8mm dia				
		= 8300 KG			14.56	Rs. Seventy four and
		SEPTIC TANK = 93 CUM				paise forty only.
		TOTAL QUANTITY = 8393 KG				Fso forty only.
		101/12 QUANTITI 1 - 0393 KU	8393.000	KG	74.40	
	5.22.7B	Thermo-Mechanically Treated bars TMTC-				
	5.22.7B	Thermo-Mechanically Treated bars TMTC-500 10mm dia				Rs. Seventy three and
	5.22.7B	Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG	1300.000	KG	73.10	Rs. Seventy three and paise ten only.

\$319 311361

 Θ

 Θ

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Sk.hou h

			tergelsicher seinlicher gebaken mei ist i	
			inches to be by the said that the said	
			the amount of well-may provide from the	
	00155			
			and the second s	
and the state of t				

Chief Engineer

Chief Engineer 8.5.E.I.D.C. 1.jd. Patha 一个五年111年11日

 Θ

 \bigcirc

 Θ

Ō

Ü

T	5.22.7C	Thermo-Mechanically Treated bars TMTC-	12			
	3.22.70	500 12mm dia = 7000 KG	7000 000	V.C	71.80	Rs. Seventy one and paise eighty only.
	5.22.7D	Thermo-Mechanically Treated bars TMT-500 16mm dia = 700 KG	7000.000	KG		Rs. Seventy two and paise eighty only.
			700.000	KG	72.80	
	5.22.7E	Thermo-Mechanically Treated bars TMT-500 20mm dia = 750 KG	750.000	KG	72.20	Rs. Seventy two and paise twenty only.
	5.22.7F	Thermo-Mechanically Treated bars TMT-500 25mm dia	730.000	KG	72.20	Rs. Seventy two and paise twenty only.
		= 0 KG	0.000	KG	72.20	
47	10.19	Providing & fixing M.S. Fan hook of 16 mm. dia. M.S. bar 1 Mtr. Long bent to required size and shape, placed in position				
		and fixed in Truss Frame / RCC Slab / beam at the time of casting all complete as per building specification and direction of E/I. (Where materials is not supplied by deptt.) = 42 EACH				Rs. One hundred twenty one and paise eighty only.
			42.000	Each	121.80	
48	10.33.1	Providing & fixing hand rail by welding etc. to steel ladder railling & staircases railling including applying a priming coat of approved steel primer. MS tube (medium) 40mm nominal bore. = 550 KG		kα	91.10	Rs. Ninety one and pais ten only.
49	10.5	Providing and fixingin position collapsibble steel shutters with vertical channes 20x10x2mm and braced with flat iron diagonals 20x5mm size with top and bottom rail of T-iron 40x40x6mm with 40mm dia steel pulleys complete with bolts nuts locking arrangemant stoppers handles including applying a priming coat of		kg.	51.10	Rs. Four thousand one hundred fifteen and pais sixty only.
		approved steel primer.	4.52	sq.m	4115.60	
SCE	LLANEOU	S WORK				

\$17 m 36d

Chief Engineer
B.S.E.I.D.C. Ltd., Patna

		nation of health David New on the	
		manda ilan 1230 anni 1 se an Cara ma	
		i popured inskipurence aktorine scotlett	
	(

Chief Englands
9.5.6.1.9.0 (14. Palmin

11/2/38 TO 1/2/2

 \bigcirc

Ó

Ü

Ö

()

1	0
~)	~
_	

4.17	Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth.				Rs. Three hundred
	= 75.414 SQM	75 414			nineteen and paise thirty only.
TTERIN	NG	75.414	sq.m	319.30	
5.9.1	Centring and shuttering including strutting, propping etc. and removal of form for foundation, footings, basees of columns etc. for mass concrete. = 55.781 SQM	55.781	Sam.		Rs. One hundred sixty six and paise seventy only.
5.9.5	Centring and shuttering including strutting, propping etc. and removal of form for lintel, beams, plinth beams, griders, bressumers and contilevers. = 349.241 SQM				Rs. Two hundred fifty one and paise thirty only
5.9.6	Centring and shuttering including strutting, propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts = 367.575 SOM	347.241	5qm.	231.33	Rs. Three hundred forty four and paise forty only
	307.575 52	367.575	Sqm.	344.40	
5.9.3	Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 451.54 SQM				Rs. Two hundred sevent five and paise sixty only
		451.540	Sqm.	275.60	
					= =1 (=0 ()
1					
1 4 -				Total (A)	5,716,707.0
bing a	nd sanitary Work				
B.S.R 12.78					
b	5.9.5 5.9.6 5.9.3 B.S.R	propping etc. and removal of form for foundation, footings, basees of columns etc. for mass concrete. = 55.781 SQM 5.9.5 Centring and shuttering including strutting, propping etc. and removal of form for lintel, beams, plinth beams, griders, bressumers and contilevers. = 349.241 SQM 5.9.6 Centring and shuttering including strutting, propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts = 367.575 SQM 5.9.3 Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 451.54 SQM B.S.R Providing and fixing on wall face unplastidsed PVC (working pressure 4 kgf per sqm) rain water pipes cinforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10 mm gap	propping etc. and removal of form for foundation, footings, basees of columns etc. for mass concrete. = 55.781 SQM 5.9.5 Centring and shuttering including strutting, propping etc. and removal of form for lintel, beams, plinth beams, griders, bressumers and contilevers. = 349.241 SQM 349.241 5.9.6 Centring and shuttering including strutting, propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts = 367.575 SQM 367.575 5.9.3 Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 451.54 SQM 451.540 Ding and sanitary Work B.S.R Providing and fixing on wall face unplastidsed PVC (working pressure 4 kgf per sqm) rain water pipes cinforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10 mm gap	propping etc. and removal of form for foundation, footings, basees of columns etc. for mass concrete. = 55.781 SQM 5.9.5 Centring and shuttering including strutting, propping etc. and removal of form for lintel, beams, plinth beams, griders, bressumers and contilevers. = 349.241 SQM 5.9.6 Centring and shuttering including strutting, propping etc. and removal of form for columns, pillars, piers, abutments, posts and strutts = 367.575 SQM 5.9.3 Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 451.54 SQM 451.540 Sqm. Ding and sanitary Work B.S.R Providing and fixing on wall face unplastidsed PVC (working pressure 4 kgf per sqm) rain water pipes cinforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10 mm gap	propping etc. and removal of form for foundation, footings, basees of columns etc. for mass concrete. = 55.781 SQM 5.9.5 Centring and shuttering including strutting, propping etc. and removal of form for lintel, beams, plinth beams, griders, bressumers and contilevers. = 349.241 SQM 349.241 Sqm. 251.30 5.9.6 Centring and shuttering including strutting, propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts = 367.575 SQM 367.575 Sqm. 344.40 5.9.3 Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 451.54 SQM 451.540 Sqm. 275.60 Total Total (A) Ding and sanitary Work B.S.R Providing and fixing on wall face unplastidsed PVC (working pressure 4 kgf per sqm) rain water pipes cinforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10 mm gap

\$ 5117

 \bigcirc

808/05

Chief Engineer

3.S.E.I.D.C. Ltd, Patna

8/5

		for the state of the new manifest
		Le limit Reporter d'ils dians avante avisco.
		rescured in communication of the
	the W	
	OF STATE OF	
		ntermit ik salaksi setimbi se kompatusi
		The state of the s

Chief Engineer
9.9.E.I.D.C. Lid. Palna



70.7	A
9	_/
1	4
-	-

		2	+			
	12.78.2	110 mm diameter. = 40 MTS	40.000	MTS	214.200	Rs. Two hundred fourteen and paise twenty only.
56	SOR 12.79	Providing and fixing on wall face unplasticised -PVC moulded fittings/accessories for unplasticised PVC rainwater pipes conforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10mm gap for thermal expansion.				
	SOR 12.79.1	Coupler				
	SOR 12.79.1.2	110mm = 10 MTS				Rs. One hundred forty four and paise seventy only.
			10.000	Each	144.700	oj.
	SOR 12.79.5	Bend 87.50 ^o				
	SOR 12.79.5.2	110mm bend = 12 MTS	12.000	Each	173.700	Rs. One hundred seventy three and paise seventy only.
	SOR 12.79.6	Shoe (Plain)				
	SOR 12.79.6.2	110mm Shoe = 12 MTS	12.000	Each	314.730	Rs. Three hundred fourteen and paise seventy three only.
57	B.S.R 17.1.1	Providing and fixining water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast iron P or S tap, 10 litre low white P.V.C. Flushing cistern with munally controlled device (handle level) conforming to IS: 7231 Parryware/Hindware with all fittings and fixtures complete including cutting and making good the walls and floors wherever required.	12.000	Baon	511.730	
		White Vitreous China Orissa pattern W C pan of size 580 x 440 mm with integral type foot rest. = 6 EACH	6.000	Each	3035.400	Rs. Three thousand thirty five and paise forty only.

\$515 5416 sad

Chief Engineer

8.S.E.I.D.C. Ltd, Patna

815

815

		/
Pered fillings " that more Plant Store As in the second		

Section of the Person of the P

 \bigcirc

58	B.S.R	Providing and fixing white vitreous china				
	17.2.2	pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required:				
		W.C. pan with ISI marked black solid plastic seat and lid = 3 EACH				Rs. Two thousand nine hundred twenty eight and paise thirty only.
7.0	B.S.R		3.000	Each	2928.300	
59	17.4.2	Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I. clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required:				
		Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern = 3 EACH	3.000	Each	4688.900	Rs. Four thousand six hundred eighty eight and paise ninety only.
60	SOR 17.34	Provding and fixing toilet paper holder	3.000	Buen	1000.500	
	SOR 17.34.2	Vitreous china	3	Each	304.2	Rs. Three hundred four and paise twenty only.
61	B.S.R 17.7.1	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:				
		White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps. = 12 EACH	1	Each	2120.300	Rs. Two thousand one hundred twenty and pais thirty only.

\$ \$ 10 \$ 500 \$ 618 10 B

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Whoult

		to the line of the content of the second of the second of	

415 Det 654

62	18.63	Providing and fixing PTMT angle stop cock				
02	18.03	15 mm nominal bore, weighing not less than 85 gms	15.000	Each	180.900	Rs. One hundred eighty and paise ninety only.
63	B.S.R 17.28	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.				
	17.28.2.1	Flexible pipe 32 mm dia = 12 EACH	12.000	Each	78.600	Rs. Seventy eight and paise sixty only.
64	B.S.R 17.32.2	Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing: Rectangular shape 453 x 357 mm = 12 EACH				Rs. Six hundred forty three and paise forty only.
			12.000	Each	643.400	
65	B.S.R 17.33	Providing and fixing 600 x 120 x 5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete. = 12 EACH				Rs. Four hundred sever eight and paise thirty only.
			12.000	Each	478.300	
666	B.S.R 18.8.1	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I Concealed work including cutting chases and making good the wall etc. 15 mm nominal outer dia Pipes = 50 METER				Rs. Two hundred forty one only.
			50.000	metre	241.000	

\$313 3m ded

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

		Statement of the State of the Statement	

Chief Engineer

1115 B

0

	18.58.1.1	100 mm nommar dia,		Ducii	47.90	Rs. Forty seven and paisoninety only.
	SOR 18.58.1	circular type 100 mm nominal dia,	11	Each		
71	SOR 18.58	Providing and fixing P.T.M.T. grating of approved quality & colour				
71	18.52.1	15 mm nominal bore. = 10 EACH	10.000	Each	670.700	Rs. Six hundred seventy and paise seventy only.
70	B.S.R 18.52	Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS: 8931				
		15 mm nominal bore. = 12 EACH	12.000	Each	497.000	Rs. Four hundred ninety seven only.
69	B.S.R 18.49	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931				
		locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. = 4000 PER LITER	4000.000	per litre	6.800	Rs. Six and paise eighty only.
68	B.S.R 18.48	Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI:12701 marked with cover and suitable				
	18.9.2	20 mm nominal outer dia Pipes	40.000	metre	146.400	Rs. One hundred forty si and paise forty only.
	18.9.4	32 mm nominal outer dia Pipes	40.000	metre	251.100	Rs. Two hundred fifty one only.
		Charge. 25 mm nominal inner dia Pipes = 60 METER	60.000	metre	193.800	
		fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in				Rs. One hundred ninety three and paise eighty only.
	18.9.3	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes &				

\$919 3hm 36d

 \bigcirc

Ō

Q

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Michaell

Signature

Official Signature

Offi

		provide pulling to expensive Memory to the State of the S	
		transfer to the selection of the selecti	
		Mathematic receives and provide the form one for	
	1		
		have districted by providing limbs cost,	
		La sun comerción,	
		Company of the substitute of t	

Chief Englaser

2. S.E.1.D.C. Litt. Fatur

ASTRIE TORK

72	B.S.R	Providing and laying cement concrete	28			
	19.2.1	1:5:10 (1 cement : 5 coarse sand : 10 graded				
		stone aggregate 40 mm nominal size) all-				
		round S.W. pipes including bed concrete as				Rs. Three hundred twelv
		per standard design:				and paise fifty only.
		100 mm diameter S.W. pipe				
		= 50 METER				
			50.000	metre	312.500	
73	B.S.R	Providing and laying non-pressure NP2				
-	19.6.1	class (light duty) R.C.C. pipes with collars				
		jointed with stiff mixture of cement mortar				
		in the proportion of 1:2 (1 cement : 2 fine				Rs. Three hundred twelv
		sand) including testing of joints etc. complete:				and paise ninety only.
		100 mm dia R.C.C. pipe				
		= 15 METER				
		TO METER	15.000	metre	312.900	
74	B.S.R	Constructing brick masonry road gully				
	19.27.1	chamber 50x45x60 cm with bricks in			Land of the same o	
		cement mortar 1:4 (1cement : 4 coarse sand)				
		including 500x450 mm pre-cast R.C.C.				Rs. Three thousand one
		horizontal grating with frame complete as				hundred seventeen and
		per standard design:				paise thirty only.
- /		With common burnt clay F.P.S. (non				
		modular) bricks of class designation 7.5				
		= 2 EACH	2.000	Each	3117.300	

\$39 33LL26L

Ó

 \bigcirc

Ō

Def 10518

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Plan

8517

081911

		84	
			Francis and Commission of the
	1		

Chief Engineer
p. S. E. I. D. C. Lyd, Paths

40岁月10年

Ó

Ö

0			2	9			
0	75	B.S.R	Contructing brick masonry chamber for				
		19.30.1.1	Underground C.I. Inspection Chamber and				
0			bend with 75 class designation bricks in			4	
0			cement mortar 1:4 (1 cement : 4 coarse				
0			sand) C.I. Cover with frame (light duty)				
0			455x610 mm internal dimentions, total weight of cover with frame to be not less		- 1		
			than 38 kg. (weight of cover 23 kg. and				
0			weight of frame 15 kg.) RCC top slab with		100		
0			1:1.5:3 mix (1 cement: 1.5 coarse sand :3				
	3.52		graded stone aggregate 20 mm nominal				
0			size) foundation concrete 1:5:10 mix (1				Rs. Three thousand nine
			cement:5 coarse sand : 10 graded stone				hundred forty nine and
0			aggregate 40 mm nominal size), inside			1 S. N. W.	paise ten only.
0			plastering 12 mm th. with cement mortar 1:3				
			(1cement:3 coarse sand) finished smooth				
0			with a floating coat of neat cement on walls				
			and bed concrete etc. complete as per				
0			standard design. Inside dimensions 466x610 mm and 45cm				
0			deep for single pipe line:				
			With common burnt clay F.P.S. (non				
0			modular) bricks of class designation 7.5		976.5		
			= 6 EACH				
0				6.000			
0	76	B.S.R	Making soak pit 2.5 m diameter 3.0 metre	6.000	Each	3949.100	
	70	19.32.1	deep with 45 x 45 cm dry brick honey comb		K 1.6	La company of the com	
0		17.32.1	shaft with brick and S.W. drain pipe 100				
			mm diameter, 1.8 m long complete as per			4.44	
0			standard design.				
0			With common burnt clay F.P.S. (non			14 9 14	Rs. Twenty five thousand
	1.14		modular) bricks of class designation 7.5		- 110		nine hundred and paise
0			= 1 EACH				ten only.
	- 1/1=						
0							
0							
				1.000	Each	25900.100	
0	77	B.S.R	Providing and fixing S.W. intercepting trap				
		19.34	in manholes with stiff mixture of cement				
			mortar 1:1 (1 cement : 1 fine sand)	Harry -			
0			including testing of joints etc. complete:				
			_				
0							
		19.34.1	100 mm dia				Rs. Two hundred eighty
0			= 2 EACH				three and paise eighty
0				2.000	Each		only.

\$49 Jant of 612

0

Q

0

Chief Engineer

P.S.E.I.D.C. Ltd. Patna

A. Osley

				0
				0
				0
				0
				0
				0
				0
				0
				0
		disant Lighting the street Change III		. 0
				0
		reg to the street street committee of the		
				U
				0
				-
				0
				0
				0
				. 0
		that was mind of a first way was a gray flate.		
		the street paying the street with the track with		0
		San And Seks must styling at the		0
		the example is and the dead more and		
				0
				0
				0
				0
				0
				0
				. 0
				a
				U
				0

C

(a)

78						
		Detailed Estimate for construction of 125 mm x 40 mm x 90 mm Tube well Manual Boring = 1 EACH	1.000	Each	60432.650	Rs. Sixty thousand four hundred thirty two and paise sixty five only
79	ANALYSIS	NON SCHEDULED ITEMS(MARKET RATE) = EACH				
		P.V.C. PIPE = EACH				
		Provding and fixing soil,waste and vent pipes = EACH				
V - 1		110 mm dia = 40 EACH	40.000	metre	347.000	Rs. Three hundred forty seven and only.
		P.V.C. FITTINGS = EACH				
		DOOR TEE 110 mm dia = 4 EACH	4.000	each	365.000	Rs. Three hundred sixty five only.
		DOOR BEND 110 mm dia = 8 EACH		Z. Z.	202.000	Rs. Two hundred eighty three only.
		BEND 45 ^o 110 mm dia = 10 EACH	8.000	each	283.000 185.000	Rs. One hundred eighty five only.
		VENT COWEL 110 mm dia = 3 EACH	3.000	each each	65.000	Rs. Sixty five only.
		PIPE CLIP 110 mm dia = 100 EACH	100.000	each	53.000	Rs. Fifty three only,
		FLOOR TRAP 110X110 mm dia = 10 EACH	10.000		436.000	Rs. Four hundred thirty six only.
30	Code no. of	(i) C.I. cover and frame 300 x 300 mm inside		each	430.000	Rs. Three hundred seventy four and paise
		SEPTIC TANK = 1 EACH	1.000	Each	374.060	only.
31	Code no. of 1621	(ii) S.C.I. plain bend 100 mm dia SEPTIC TANK = 1 EACH	1.000	Each	436.400	Rs. Four hundred thirty six and paise forty only
32	Code no. of 7087	(iii) S.C.I. Tee 150 mm dia SEPTIC TANK = 1 EACH				Rs. Seven hundred fort eight and paise eleven
		×	1.000	Each	748.110 Total	only. 348,404.
					Total (B)	

\$317 \$3173 God

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

		0		
			bayani et 1000 pa 1000	
				1
The aside				
			permental midga Cottaes (f	
	1 duna			

Chief Englaser
9.5.E.1.D.C. Lid. Patna

2.112

Collection

Collection

NOTONE THE

		31.	•			
4		Electrical Works (1% labour cess has been added on current DSR-2014)				
83	1.10	Point Wiring in PVC Conduit, with Modular type Switch:-				
		Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc as required.				
	1.10.3	Group C	119.000	Nos.	725.180	Rs. Seven hundred twenty five and paise eighteen only.
84	1.11	Twin Control Point Wiring in PVC Conduit, with Modular type Switch:-				
		Wiring for twin control light point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, 2 way modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc as required		Nos.	777.700	Rs. Seven hundred seventy seven and paise seventy only.
85	1.31	Supply and Fixing Light Plug Point with Modular Type Accessories:-		1,00		
		Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 3 pin 5/6 amps modular socket outlet and 5/6 amps modular switch, connection etc. as required. (For light plugs to be used in non residential buildings).		Nos.	306.030	Rs. Three hundred six and paise three only.
	ALC: NO.		25.000	Nos.	306.030	

मार्गार केर

 \bigcirc

 \bigcirc

Chief Engineer

B.S.E.I.D.C. Ltd., Patna

21100.

ORI 97/17

		178 Section of the first that the section of the se	

Chief Engineer
S.S.E.I.D.C. Ltd. Pains

Ó

		2	2			
86	1.32	Supply and Fixing Power Plug Point with Modular Type Accessories:-				
		Supply and Fixing GI box with modular plate and cover in front on surface or in recess including providing and fixing 6 pin, 15/16 amps modular socket outlet and 15/16 amps modular type switch, connection, painting etc as required.				Rs. Five hundred ninety only.
			12.000	Nos.	590.000	
87	2.18	Supply & fixing 20A SPN MCB Industrial Socket Outlet:-				
		Supplying and fixing 20 amps, 240 volts, SPN industrial type, socket outlet, with 2 pole and earth, metal enclosed plug top alongwith 20 amps "C" curve, SP, MCB, in sheet steel enclosure, on surface or in recess, with chained metal cover for the socket out let and complete with connections, testing and commissioning etc. as required			0.62.540	Rs. Nine hundred sixty three and paise fifty four only.
88	1.12	Power Plug Wiring in PVC conduit (2x4 sq.	12.000	Nos.	963.540	
		mm):-				
		Wiring for light/ power plug with 2X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed mediumclass PVC conduit alongwith 1 No 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop earthing as required	420.000	Mtrs.	163.620	Rs. One hundred sixty three and paise sixty two only.
89	1.24	Supplying and fixing following modular type switch/ socket on the existing modular plate switch box / cover including connections etc.as required	120,000		.55.025	

\$15112

 \bigcirc

 \bigcirc

Chief Engineer

3.S.E.I.D.C. Ltd. Patna

29. Seport

			0
			0
			0
			0
Secretary in the second			0.
			0
			0
			0
			0
			0
			0
			0
to American and a South			0
Sales and a second agent			
			0
		Company of any	9
			0
		AND SECTION THE MANAGEMENT AND SOUTH AND SECTION AND S	0
			0
		and the control of th	
			0
		Disease - V.S. z. plantillari Planty and Million March 1997. (1997). DV: D. S. Disease - Transaction - Million March 1997. (1997).	0
			0
			0
No. of the state o			U
			0
		Co FIRST	

Cidel Engineer
9 S.E.L.O.C. Ltd. Patha

COSTRA HELL

Ü

			33			
	1.24.1	5/6 amps switch.	25.000	Each	81.810	Rs. Eighty one and paise eighty one only.
	1.24.4	5 pin, 5/6 amps socket outlet.	25.000	Each	79.790	Rs. Seventy nine and paise seventy nine only.
90	1.14	Circuit / Sub-main wiring in PVC Conduit:-				
		Wiring for circuit / sub-main wiring along with earth wire with the following sizes of PVC insulated, copper conductor, single core cable in surface/recessed PVC conduit as required.				
	1.14.1	2x1.5 Sqmm + 1x1.5 sqmm earth wire	40.000	Mtrs.	107.060	Rs. One hundred seven and paise six only.
	1.14.2	2x2.5 Sqmm + 1x2.5 sq mm earth wire	2.70.200		122 210	Rs. One hundred thirty two and paise thirty one
	1.14.9	4x6.0 Sqmm + 2x6.0 sqmm earth wire (to be used as sub main)	350.000 54.000	Mtrs.	392.890	Rs. Three hundred ninety two and paise eighty nine only.
	1.14.10	4 X 10 sq. mm + 2 X 10 sq. mm earth wire	10.000	Mtrs.	602.970	Rs. Six hundred two and paise ninety seven only.
		S/F 'C' series SP MCB:-				
91		Supplying and fixing 240 volts, 'C' series, miniature circuit breaker suitable for inductive loads of following poles in the existing MCB DB complete with connections, testing and commissioning etc, as required.				
	2.10.1	6/32A, Single Pole	36.000	Each	170.690	Rs. One hundred seventy and paise sixty nine only.
	2.10.3	6/32A ,DP	3.000	Each	463.590	Rs. Four hundred sixty three and paise fifty nine only.
92	2.13	S/F TPN MCB:-	5.000	Davis	103.370	Olly.
	*	Supplying and fixing following rating, four pole, 240 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required				
1		- I this can be a selected and the selec				

1999 Donald

Chief Engineer
B.S.E.I.D.C. Ltd, Patne

of or

palester terminent traper Karangali na		in to the constitution of the

Chief Espirent 8.5 ELD.C. Ltd. Falsa

O

Γ	2.13.2	63 A,TPN				Rs. Six hundred seventy
	2.13.2		3.000	Each	676.700	six and paise seventy only.
93	2.15	S/F TPN RCCB:-Supplying and fixing of following rating three phase and neutral, 415 volts, residual current circuit breaker (RCCB) having a sensitivity current upto 300 miliamperes in the existing MCB DB complete with connections, testing and commissioning etc. as required.				
	2.15.2	40 Amp.	3.000	Each	2144.230	Rs. Two thousand one hundred forty four and paise twenty three only.
)4	2.8	S/F TP MCB DB:-	3.000	Lacii	2144.230	paise twenty tince only.
	2.0	Supplying and fixing of following way, horizontal type three pole and neutral, sheet steel, MCB distribution board, 415				
		volts, on surface/recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, detachable gland plate, interconnections, phosphatized and powder painted including earthing etc. as required (Without MCB/RCCB/ISOLATOR). Make: Legrand/Anchor/Havells/HPL.				
	2.8.5	4 Ways (4+12 ways) double door				
					4	Rs. Seven thousand for hundred thirty and pais fifty seven only.
			3.000	Set	7430.570	
05	1.33	S/F Ceiling Rose:-				
	7	Supplying and fixing 2 pin ceiling rose on the existing junction box/ wooden block including connection etc as required.	80.000	Each	43.430	Rs. Forty three and pair forty three only.
06	1.34	S/F Batten / Angle Holder:-	00.000	Lacii	43.430	Rs. Seventy four and
	1.57	S.I. Button / Italgio Holder.	27.000	Each	74.740	paise seventy four only

479 30112 (04)

 \bigcirc

 \bigcirc

B.S.E.I.D.C. Ltd, Patna

		philadel supersulty tests we be share 2001
,		
		December 1981 - State of the Control
		The state of the s

Ó

O

07	1.05	C/C M - 1 1 · · · · · · · · · · · · · · · · ·	35			
97	1.25	S/F Modular type electronic fan regulator:-	24.000	Each	286.840	Rs. Two hundred eight six and paise eighty four only.
		Supplying and fixing stepped type fan regulator on the existing modular plate switch box including connections but excluding modular plate etc as required.				
98	1.21	S/F PVC Conduit:-				
		Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required.				
	1.21.1	20 mm	110.000	Mtrs.	53.530	Rs. Fifty three and paise fifty three only.
99		Telephone Wiring in Existing Conduit:-				
v	1.18	Supplying and drawing following pair 0.5 mm dia FRLS PVC insulated annealed copper conductor, unarmored telephone cable in the existing surface/ recessed steel/ PVC conduit as required				
	1.18.2	2 pair	50.000	Mtrs.	18.180	Rs. Eighteen and paise eighteen only.
100	1.24	S/F Modular type Switch / Socket:- Supplying and fixing following modular type switch / socket on the existing modular plate and switch box including connections but excluding modular plate etc as required.				
	1.24.6	Telephone socket outlet	2.000	Each	95.950	Rs. Ninety five and paise ninety five only.
1		EARTHING		6.5%		1
101	5.6	COPPER EARTH PLATE ELECTRODE:-				/

\$ 319 357 LGC

 Θ

Chief Engineer

3.S.E.I.D.C. Ltd. Patna

HAn

	26		
pay or war with her greatest daily has well			
Sold then the serve will not getter to all our			
efuntálist telep 12			

Chief Paniness 9.S.E.I.D.C. Lid Paina THE FULLED

0

			4	
-	`	-		
_	4		-	

<u> </u>			36			
		Earthing with copper earth plate 600mmx 600mmx 3mm thick including acessories and providing masonary enclosure with cover plate having locking arrangement and watering pipe of 2.7 meter long etc with charcoal/cock and salt as required.	2.000	Each	9384.920	Rs. Nine thousand three hundred eighty four an paise ninety two only.
102	5.10	P/F 25 x 5mm copper earth strip in pipe :-				
		Providing and fixing 25 mm X 5 mm copper strip in 40 mm dia G.I. pipe from earth electrode including connection with brass nut, bolt, spring, washer excavation and refilling etc. as required.	12,000	Maria	1002.820	Rs. One thousand ninet two and paise eighty two only.
103	5.14	D/E 25 - 5	12.000	Mtrs.	1092.820	
103	3.14	P/F 25 x 5 mm copper earth strip in surface/recess:-				
		Providing and fixing 25 mm X 5 mm copper strip on surface or in recess for connections etc. as required.	24.000	Mtrs.	864.560	Rs. Eight hundred sixty four and paise fifty six only.
104		Cable Laying of 1.1 KV & 11 KV :-	211000	1710.51		
	7.1	Laying of one number PVC insulated and PVC Sheathed / XLPE power cable of 1.1 KV grade of following size direct in ground including excavation, sand cushioning, protective covering and refilling the trench etc as required.				
	7.1.2	Above 35sq.mm and Upto 95 Sq.mm.	80.000	Mtrs.	204.020	Rs. Two hundred four and paise two only.
105		G.I. Pipe for Cable protection:-				
	14.14	Providing, laying and fixing following dia RCC pipe NP2 class(light duty) in ground complete with RCC collars, joints with cement mortar 1:2 (1 cement: 2 fine sand) including trenching (75 cm) and refilling etc.as required. (Road crossing as per site condition)				

1919 Intales

, 0

Jul (08/2)

S.S.E.I.D.C. Ltd. Patna B.S.E.I.D.C. Ltd. Patna Offosilly

		which an more and provided the
pinicosimen toll and		
All the property of these		
		The Herrimon of the control and the first the control of
		The second of th

0

0

 \bigcirc

0

Chief Engineer
S.S.E.J.D.C. Ltd. Paina

	14140	1150	37			
	14.14.2	150 mm dia	10.000	Mtr.	387.840	Rs. Three hundred eight seven and paise eighty four only.
106	9.1	1.1 KV Cable End Termination:-Supplying and making indoor cable end termination with brass double compression gland and aluminium lugs for following size of PVC insulated XLPE Al. Ar. Cable of 1.1 KV grade as required.				
	9.1.22	3.5 Core 50 Sq.mm.	2.000	Each	272 700	Rs. Two hundred seven two and paise seventy
107	1908 JSR 2014	3.5 core 50 sq mm xlpe/pvc insulated sheathed (Heavy duty)armoured electric cable aluminium conducter.	2.000	Each	272.700	only.
		3.5C x 50 Sq.mm 1.1kV	100.000	Mtrs.	391.000	Rs. Three hundred nine one only.
108	2.1	S/F HRC fuse type TP&N switch disconnector:- Providing and fixing following capacity TP&N disconnector fuse switch unit inside the existing panel board with ISI marked HRC fuses including drilling holes in cubicle panel, making connections, etc. as required.				one only.
	2.1.2	63 amps,TP&N, HRC	3.000	Each	2260.380	Rs. Two thousand two hundred sixty and paise thirty eight only.
109	2.5	S/F Busbar Chamber:-				
	2.5.3 B.S.R	Providing and fixing following capacity busbar chamber with 4 strips of suitable size				
	2009	made of capper,heavy duty,complete with all accessories including connections,earthing the body,etc as required. 200 amp.TPN				Rs. Six thousand two hundred twenty two and paise sixty one only.
			1.000	Each	6222.610	

\$ 319 Jan 569

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Plan

OSIPJII)

	to commit a copyrigation of the period of the first of the copyrigation of the copyrig	
	Land Control of the C	

Chief Englisher

Sabje 100 +

110	274		38			
110	2.7.4 B.S.R 2009	Providing and fixing following capacity four pole OFF-load changeover switch with side handle operation, in sheet enclosure in existing metal board, including drilling holes in metal panel, making connections etc. as required. 125 Amps, Four pole				Rs. Seven thousand nine hundred seven only.
			1.000	Each	7907.000	
111	6.5	Providing and fixing copper tape 20 mm X 3 mm thick on parapet or surface of wall for lightning conductor complete as required. (For horizontal run)				Rs. Three hundred seventy nine and paise seventy six only.
			80.000	meter	379.760	
112	6.6	Providing and fixing copper tape 20 mm X 3 mm thick on parapet or surface of wall for lightning conductor				Rs. Four hundred ten and paise six only.
		complete as required.	30.000	meter	410.060	
113	2.2	Providing and fixing follwing rteing and breaking capacity MCCB in existing cubicale panel bord including drilling hole cubicale panel making connection etc as required				
	2.2.3	160 amp. 16KA	1.000	EACH	4565.200	Rs. Four thousand five hundred sixty five and paise twenty only.
			1.000	Enem	Total (C)	
		FIRE FIGHTING				
114	DGS&D	Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit.	10.000	Nos.	7549.750	Rs. Seven thousand five hundred forty nine and paise seventy five only.
1					Total	75,497.5
					Total (D)	75,498.0
115		Type of materials			Rate Incl. 1% Lab. Cess	
4		Cement	139.566	МТ		Rs. Two hundred eighty nine and paise eighty seven only.

\$ 319 3ml sud

 \bigcirc

8/08/03

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Patna

OSUSIA

			(
			•
ore and an modern			
all the select			
		we see the parties were a see a second	
			(
			(
THE HOLD TO SELECT			
		Jude Jak gelecht zuber gereitst july Stefender	
			. (

Chief Engineer

9.5.E.I.D.C. Lid Paina

0//clip

Cod just the #

O

0

	-
2	0
9	7
	/

	39				
Sand	188.457	cum	1874.62	Rs. One Thousand eight Hundred seventy four and paise sixty two only.	
Local Sand	125.918	cum	205.29	Two Hundred Five and paise Twenty Nine only	
Stone Chips	176.279	cum	1841.99	Rs. One Thousand eight Hundred forty one and paise ninety nine only.	
Brick	120.253	Thous.	601.67	Rs. Six hundred one and paise sixty seven only.	
Steel	18.050	МТ	289.87	Rs. Two hundred eighty nine and paise eighty seven only.	
ADD EXTRA COST OF MATERIAL FOR TIRHUT COMM. W.R.T TO GAYA AS PER SOR					
Bricks	120.253	Thous.	333.36	Rs. three hundred thirty three and paise thirty six only	
Cement	139.566	МТ	1007.18	Rs. One Thousand seven and paise eighteen only.	
			Total	1,002,535.19	
			Total (E)	1,002,535.00	
	Grand	Total (A+	B+C+D+E)	7,646,957.73	
SL. No. DISTRICT NAME OF INSTITUT	TE		Amount (Rs.)		
EAST 1 CHAMPAR BLOCK RESOURCE CE AN	BLOCK RESOURCE CENTRE				
	Γotal Cos	t in 'Rs'		7,646,958.00	
(Rupees Seventy Six lacs Forty Six Thou	isand Nine	e Hundr	ed Fifty Ei	ght Only)	


Chief Engineer B.S.E.I.D.C. Ltd, Patna

	22	
A STATE OF THE STA		
		+1
In lineage (-		
	pá	

Tours Ta

Chlof Engineer

9. S.E.I.D.C. Ltd. Patna



			40	and t		
Dout		s of Sl. No. 78 (Construction of 125mm of Materials	x 40mm	x 90m 7	Tube well)	is given below
Part 1	A - Cost	125mm dia UPVC casing pipe confirming to ISS	27	Meter	315.00	Rs. Three hundred fifteen only.
2		40mm dia UPVC pipe confirming to ISS	48	Meter	99.38	Rs. Ninety nine and pais thirty eight only.
3		40mm dia PVC ribbed strainer of approved quality	8	Meter	182.00	Rs. One hundred eighty two only.
4		Reducing socket 125mm x 40mm	1	Each	270.00	Rs. Two hundred seventy only.
5		Supplying all labour and materials & fitting & fixing PVC cap over the new sink T/well	1	Each	140.00	Rs. One hundred forty only.
6	B.S.R 1548	Providing and fixing of G.I pipes complete with G.I fittings and clamps, including, cutting and making good etc 32 mm dia (15% C.P & 1% L.Cess)	18	mtr	224.44	Rs. Two hundred twenty four and paise forty four only.
7	B.S.R 1928	32 mm nominal bore Bross Full valve (15% C.P & 1% L.Cess)	1	Each	511.21	Rs. Five hundred eleven and paise twenty one only.
8		Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of E/I	1	Each	26,446.00	Rs. Twenty six thousand four hundred forty six only.
		Sub - Total "A"				46138.3

 \bigcirc

Chief Engineer

B.S.E.I.D.C. Ltd, Patnay

		(15 24).	
			gair ghi timber to n ET 1470 to 1870. The
evilyo, derberchill sond bedinsch onto Si America (2011) Diskerio			

Chief Engineer, 9.S.E.I.O.C. Ltd. Pater

Ö

tools and plants required for the job as per specification and direction of the engineer in charge. (i) 0 to 30.5 m (a) For 125 mm dia U.PV.C pipe 27 (b) for 40 mm dia UPVC pipe 3.5 (ii) 30.5 m to 61.0 m (a) For 40 mm dia UPVC pipe 30.5 (iii) 61.00 m to 75.00 m 2 a) For 40mm dia UPVC pipe 14 (iv) 75.00 m to above 3 a) For 40mm dia UPVC ribbed strainer of approved quality 8 Providing all labour & tools and lowering 32 mm dia G.I pipe as per specificatin etc. 24 all Complete Supplying labour and developing the T/Well		Each S	280.5 ub - Tot a	and paise fifty only.
tools and plants required for the job as per specification and direction of the engineer in charge. (i) 0 to 30.5 m (a) For 125 mm dia U.PV.C pipe 27 (b) for 40 mm dia UPVC pipe 3.5 (ii) 30.5 m 3.5 (iii) 30.5 m to 61.0 m (a) For 40 mm dia UPVC pipe 30.5 (iii) 61.00 m to 75.00 m 2 a) For 40mm dia UPVC pipe 14 (iv) 75.00 m to above 3 a) For 40mm dia UPVC ribbed strainer of approved quality 8 Providing all labour & tools and lowering 32 mm dia G.I pipe as per specificatin etc. all Complete 5 Supplying labour and developing the T/Well to have sand free discharge all complete as 1				and paise fifty only.
tools and plants required for the job as per specification and direction of the engineer in charge. (i) 0 to 30.5 m (a) For 125 mm dia U.PV.C pipe 27 (b) for 40 mm dia UPVC pipe (i) 0 to 30.5 m 3.5 (ii) 30.5 m to 61.0 m (a) For 40 mm dia UPVC pipe 30.5 (iii) 61.00 m to 75.00 m 2 a) For 40mm dia UPVC pipe 14 (iv) 75.00 m to above 3 a) For 40mm dia UPVC ribbed strainer of approved quality 8 Providing all labour & tools and lowering 32 mm dia G.I pipe as per specificatin etc. 24				Rs. Two hundred eigh
tools and plants required for the job as per specification and direction of the engineer in charge. (i) 0 to 30.5 m (a) For 125 mm dia U.PV.C pipe 27 (b) for 40 mm dia UPVC pipe 3.5 (ii) 30.5 m 3.5 (iii) 30.5 m to 61.0 m (a) For 40 mm dia UPVC pipe 30.5 (iiii) 61.00 m to 75.00 m 2 a) For 40mm dia UPVC pipe 14 (iv) 75.00 m to above 3		mtr	21.3	Rs. Twenty one and paise thirty four only.
tools and plants required for the job as per specification and direction of the engineer in charge. (i) 0 to 30.5 m (a) For 125 mm dia U.PV.C pipe 27 (b) for 40 mm dia UPVC pipe (i) 0 to 30.5 m 3.5 (ii) 30.5 m to 61.0 m (a) For 40 mm dia UPVC pipe 30.5 (iii) 61.00 m to 75.00 m 2 a) For 40mm dia UPVC pipe		mtr	148.7	Rs. One hundred forty eight and paise seventy nine only.
tools and plants required for the job as per specification and direction of the engineer in charge. (i) 0 to 30.5 m (a) For 125 mm dia U.PV.C pipe 27 (b) for 40 mm dia UPVC pipe (i) 0 to 30.5 m 3.5 (ii) 30.5 m to 61.0 m (a) For 40 mm dia UPVC pipe 30.5 (iii) 61.00 m to 75.00 m	į			
tools and plants required for the job as per specification and direction of the engineer in charge. (i) 0 to 30.5 m (a) For 125 mm dia U.PV.C pipe 27 (b) for 40 mm dia UPVC pipe (i) 0 to 30.5 m 3.5 (ii) 30.5 m to 61.0 m (a) For 40 mm dia UPVC pipe 30.5		mtr	148.7	Rs. One hundred forty 9 eight and paise seventy nine only.
tools and plants required for the job as per specification and direction of the engineer in charge. (i) 0 to 30.5 m (a) For 125 mm dia U.PV.C pipe 27 (b) for 40 mm dia UPVC pipe (i) 0 to 30.5 m 3.5 (ii) 30.5 m to 61.0 m			1	
tools and plants required for the job as per specification and direction of the engineer in charge. (i) 0 to 30.5 m (a) For 125 mm dia U.PV.C pipe 27 (b) for 40 mm dia UPVC pipe 3.5		mtr	136.8	Rs. One hundred thirt six and paise eighty eigonly.
tools and plants required for the job as per specification and direction of the engineer in charge. (i) 0 to 30.5 m (a) For 125 mm dia U.PV.C pipe 27 (b) for 40 mm dia UPVC pipe			A STATE OF THE STA	
tools and plants required for the job as per specification and direction of the engineer in charge. (i) 0 to 30.5 m (a) For 125 mm dia U.PV.C pipe 27		mtr	119.0	Rs. One hundred nineteen and paise thre only.
tools and plants required for the job as per specification and direction of the engineer in charge. (i) 0 to 30.5 m				
tools and plants required for the job as per specification and direction of the engineer in charge.		mtr	208.7	Rs. Two hundred eight and paise seventy seve only.
tools and plants required for the job as per specification and direction of the engineer				
Boring by jet dheki by suitable cutter of reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all				

Tender approved in favour of Keshav Kumar keshri @ 10.00% (Ten Decimal Zero Zero Percent) below BOQ Rate i.e. total amount comes to Rs. 68,82,262=00 (Rupees Sixty eight Lacs Eighty Two Thousand Two Hundred Sixty Two Only)

\$319 EM 501

0

0

Chief Engineer B.S.E.I.D.C. Ltd. Patn

		0.00.24 (0.00.00)	
		in For symmetical IBVC pipe	
	8		
		tis VIII udi-gangetavia ban miretukan siggudi ga etsigmoo liin aguslis ili man bang uvalad isa le ard panis, pan	
		dent tagin il radio d'a di la rima il discorqu	
er older Lace Fights in		Si Hall sampe tellerine leini di uteW() Sirenial avel dimeseral	

Performance Security

Name of Agency - "Keshav Kumar Keshri"

Performance Security of "Keshav Kumar Keshri" of "BRC-Sugauli(SL. No.-34)"

Passbook No.	DOI	Reg No.		<u>Amount</u>
1345292	22.03.16		BRC-34	200000.00
1345291	22.03.16		BRC-34	190000.00

Total 390000.00

(Rupees Three Lacs Ninety Thousands Only)

Anix Kr. Sor 7/3/17 लेखा पदाधिकारी

बिहार राज्य शैक्षणिक आधारभूत संरचना

0

0

0

0

0

विकास निगम लि०, पटना ठुकाप्यक ०२०३/

\$ 919 5m 262 4517

Chief Engineer B.S.E.I.D.C. Ltd, Patna

Performance Security

Name of Agency - "Keshay Kumar Resint"

Title-ord . Wildiagner Style to Title of month order Mr. In which a second to the

(Rosses These Lars Vinety Thousands Only)

. 0

हो हम प्रदेश पद्धा है जिस्स के स्थान है जिस्स के स्थान के स्था के स्थान के

No de production de la constante de la constan

Chief Engineer 8.8.6.LD.C. Ltd. Patne

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना—800004, दूरभाष—0612—2910314 कॉर्पोरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256,

पत्रांकः- BSEIDC/FIN/2522/2016-17/- 💆 🤊 🕞

पटना, दिनांक ७२-७-१६

प्रेषक,

ब्रजेश प्रसाद मुख्य परामर्शी (तकनीकी)

सेवा में.

Keshav Kumar Keshri Vill+P.O.-Khairimal, P.S.-Pipra, East Champaran.

विषय:— बिहार राज्य अंतर्गत "Construction of Block Resource Centre at Sugauli, East Champaran (SL. No.-34)" के कार्य हेतु जमानत की राशि जमा कर एकरारनामा करने के संबंध में।

महाशय,

0

0

0

उपर्युक्त विषय के संबंध में कहना है कि विषयांकित कार्य की निविदा हेतु आपके द्वारा निविदित दर जो परिमाण विपत्र के दर से 10.00% (दस दशमलव शून्य शून्य प्रतिशत) कम है तद्नुसार निविदा की कुल राशि रू० 68,82,262 / —(अड़सठ लाख बेरासी हजार दो सौ बासठ रूपये) मात्र आपके पक्ष में स्वीकृत की गयी है।

अतः निदेश दिया जाता है कि अग्रधन की राशि **रू० 3,45,000/— (तीन लाख पैंतालीस हजार रूपये)** मात्र का साविध पासबुक/राष्ट्रीय बचत प्रमाण पत्र के रूप में प्रबंध निदेशक, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०, पटना के नाम से प्रतिज्ञिप्त हो जमा कर अविलंब एकरारनामा कर लें।

(ब्रजेश प्रसाद) मुख्य परामर्शी (तकनीकी)

ज्ञापांक : BSEIDC/FIN/2522/2016—17/— 33 79 पटना, दिनांक 3 10 10 पटना, दिनांक 3 10 पटनांक 3 10 पटना

मुख्य परामर्शी (तकनीकी)

\$ 21 17 BOLD

Chief Engineer 9.S.E.I.D.C. Ltd, Patna

8/5

विहार राज्य शैक्षणिक आधारमूत संरचना विकास निगम लि

(बिडार सरकार का एक उपक्रम)

शिक्षा नवान, विहार राष्ट्रवाया परिवद् परिसर, शिवपूजन, सक्षाय पथा, शैदपुर, पटना-800004, दरमाय-0612-2910314 : वर्तपाँचेट पहचान संख्या (1803011872011862015859, o-mail: bseld@gmail.com, website; www.bseldc.in, fax No.: 0612-2800256.

TRITO- BSEIDC/FIN/2522/2016-17/- 03395

किष्ठ

0

0

0

0

0

0

0

0

0

0

0

0

वजेश प्रसाद मुख्य परामर्शी (तकनीकी

सेवा में.

Keshav Kumar Keshri Vill+P.O.-Khairimal, P.S.-Pipra East Champaran,

विषय:- विहार राज्य अंतर्गत "Construction of Block Resource Centre at Suganti, East Champaran (SL. No.-34)" के कार्य हेतु जमानल की राशि जमा कर एकरारनाया करने के संबंध में।

महाष्ट्राय,

-उपर्युक्त विषय के संबंध में कहना है कि विषयांकित कार्य की निविदा हेतु आपके द्वारा निविदित दर जो परिमाण बिपन्न के दर से 10.00% (दस दशमलव शून्य शून्य प्रतिशत) कम है तद्नुसार निविदा की कुल राशि रू० 68,82,262 / -(अड्सठ लाख बेरासी हजार दो सौ बासठ रूपये) नान आपके पहा में स्वीकृत की गयी है।

अतः निदेश दिया जाता है कि अग्रधन की राशि कo 3,45,000/- (तीन लाख पैतालीस हजार कपये) मात्र का सावधि पासबुक/राष्ट्रीय बचत प्रमाण पत्र के रूप में प्रबंध निदेशक, विहार राज्य शैक्षणिक आधारभूत संस्थना विकास निगम लिं०, पटना के नाम से प्रतिक्षिपत हो जमा कर अविलंब एकरारनामा कर लें।

(अजेश प्रसाद)

मख्य परामशी (तकनीकी)

ज्ञापांक : BSEIDC/FIN/2522/2016-17/- 93 न 9 पटना, दिनांक इंटि के प्रतिनिधि : वरीय लेखा पताधिकारी, BSEIDC को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित।

मुख्य परामशी (तकतीकी

Collis Leg

Chief Enginect

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

कॉपरिट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseido@gmail.com, website; www.bseido.in, Fax No.: 0612-2660256, शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथा, सैदपुर, पटना–800004, दूरमाष–0612–2910314

Letter no.: BSEIDC/NIT/2015-16/- 3 950

Patna, Date: 30.04.16

Corrigendum No.- 3

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "हिन्दुस्तान" on dated 10.02.2016 vide P.R.-12943 (नि०नि०)15—16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below :-

SL.	Existing provision	Amended provision
	Period of Sale of Bid document (Download) from dated 16.04.2016 to 10.05.2016,	Period of Sale of Bid document (Download) from dated 16.05.2016 to 05.06.2016, 15:00 Hrs.
2	Date and Time of Pre bid Meeting – 25.04.2016, 14:30 Hrs.	Date and Time of Pre bid Meeting – 25.05.2016, 16:00 Hrs.
0	Last date and time for receipt (Upload) of Bids on dated 11.05.2016,15:00 Hrs.	Last date and time for receipt (Upload) of Bids on dated 06.06.2016,15:00 Hrs.
4	Time and date for opening of Technical Bids on dated 13. 05.2016, 16:30 Hrs.	Time and date for opening of Technical Bids on dated 08. 06.2016, 16:30 Hrs.
S	Time and date for opening of Financial Bids on dated 27.05.2016, 15:30 Hrs.	Time and date for opening of Financial Bids on dated 24.06.2016, 15:30 Hrs.
9	The Cost of BOQ and EMD will be	The Cost of BOQ and EMD will be accepted up to 08.06,2016, 15:00 Hrs.

The other terms and conditions shall remain unchanged.

(Brajesh Prasad)

Chief Consultant (Technical)

\$ 319 In \$602

Chief Engineer

3.S.E.I.D.C. Ltd, Patna

242

875

U

O

राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

कॉपॉरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseide@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256, शिक्षा भवन, विहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ्थ, सैदपुर, पटना—800004, दूरभाष—0612—2910314

Letter no.: BSEIDC/NIT/2015-16/- 2937

Patna, Date: 28-03-2016

Corrigendum No.-2

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "हिन्दुस्तान" on dated 10.02.2016 vide P.R.-12943 (नि०नि०)15—16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below :-

SL. no.	Existing provision	Amended provision
-	Period of Sale of Bid document (Download) from dated 03.03.2016 to 28.03.2016, 15:00 Hrs.	Period of Sale of Bid document (Download) from dated 16.04.2016 to 10.05.2016,
2	Date and Time of Pre bid Meeting - 15.03.2016, 14:30 Hrs.	Date and Time of Pre bid Meeting – 25.04.2016, 16:00 Hrs.
0	Last date and time for receipt (Upload) of Bids on dated 29.03.2016, 15:00 Hrs.	Last date and time for receipt (Upload) of Bids on dated 11.05.2016, 15:00 Hrs.
4	Time and date for opening of Technical Bids on dated 31. 03.2016, 16:30 Hrs.	Time and date for opening of Technical Bids on dated 13. 05.2016, 16:30 Hrs.
50	Time and date for opening of Financial Bids on dated 11.04.2016, 15:30 Hrs.	Time and date for opening of Financial Bids on dated 27.05.2016, 15:30 Hrs.
9	The Cost of BOQ and EMD will be	The Cost of BOQ and EMD will be accepted up to 13.05.2016. 15:00 Hrs.

The other terms and conditions shall remain unchanged.

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

(Brajesh Prasad)

Chief Consultant (Technical)

\$ 319 3m/36l 815/17 Chief Engineer
B.S.E.J.D.C. Ltd. Patna
2114

0 0

0 0 0

0 0 0

बिहार राज्य शैक्षणिक आधारभूत संरवना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

कॉर्पोरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256, शिक्षा भवन, विहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना—800004, दूरभाष—0612—2910314

Letter no.: BSEIDC/NIT/2015-16/- 2638

Patna, Date: 1年63.16

Corrigendum No.- 1

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below:-

SL.	Existing provision	Amended provision
	Period of Sale of Bid document (Download) from dated 03.03.2016 to 28.03.2016,	Period of Sale of Bid document (Download) from dated 03.03.2016 to 30.04.2016, 15:00 Hrs.
7	Last date and time for receipt (Upload) of Bids on dated 29.03.2016,15:00 Hrs.	Last date and time for receipt (Upload) of Bids on dated 01 .05.2016 ,15:00 Hrs.
m	Time and date for opening of Technical Bids on dated 31. 03.2016, 16:30 Hrs.	Time and date for opening of Technical Bids on dated 04. 05.2016, 16:30 Hrs.
4	Time and date for opening of Financial Bids on dated 11.04.2016, 15:30 Hrs.	Time and date for opening of Financial Bids on dated 17.05.2016, 15:30 Hrs.
5	The Cost of BOO and EMD will be	The Cost of BOO and EMD will be accepted up to 04.05.2016, 15:00 Hrs.

The other terms and conditions shall remain unchanged.

(Brajesh Prasad) Chief Consultant (Technical)

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

SPECIAL CONDITIONS

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes royalties and other

incidental charges.

4. To qualify for award of work, the Bidder must possess the following:-

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of signatory bid.

b) DD for required value of B.O.Q. Cost.

c) Sufficient Earnest Money Deposit.

d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.

e) Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed at least one Building work of value not less than 25 % of estimated

value of contract) in last five years as mentioned in Technical bid.

f) Litigation History as mentioned in Technical bid.

g) Affidavit as mentioned in Technical bid.

h) Valid Registration with Central/ State Govt. / PSU.i) Valid labour license as mentioned in Technical bid.

j) Affidavit/Certificate for not been debarred as mentioned in Technical bid.

5. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.

6. The tender without earnest money or insufficient earnest money submitted with the tender, will be outright rejected.

7. Conditional tenders shall be outright rejected.

8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.

9. Authority shall reserve the right to reject any or all the tenders or distribute the work to

more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained.

11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules prevalent in the locality.

12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the

contractor.

- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-
- a. Natural calamities
- b. Act of enemies.

(Seal & Signature of Tenderer)

Page 1 of 2

Chief Engineer B.S.E.I.D.C. Ltd, Patna

- c. Transport and procurement difficulties.
- d. Circumstances beyond the control of the state.
- 15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer -in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- 16. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
- 17. The contractor shall make his own arrangement for water and light at the work site.
- 18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 20. The Tenderer must not quote their rate more than 10 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
- 21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 22. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.

----X-----X

23. The Defect liability Period shall be Three (3) Years from the date of completion of the work.

(Seal & Signature of Tenderer

Chief Engineer B.S.E.I.D.C. Ltd, Patna

बिहार राज्य शैक्षणिक आधारमूत संरचना विकास निगम लिमिटेड

(बिहार सरकार का एक उपक्रम) 49 शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् कैम्पस, आचार्य शिवपुजन सहाय पथ, सैदपुर, पटना—800004 (दूरभाष:—0612—2910314)

निविदा आमंत्रण सूचना संख्या- 40 वर्ष 2015-16 (केवल ई-टेन्डरिंग पद्धति के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

बिहार राज्य के भवन निर्माण कार्य हेतु निम्नांकित निविदायें आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य 1. सरकार / सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रजिस्ट्रेशन, उक्त कार्य का लेटर ऑफ एक्सेपटेंस प्राप्त होने के बाद कराना होगा।

क्रम	कार्य का नाम	प्राक्कलित राशि (लाख में)	अग्रधन की राशि (रू० में)	परिमाण विपत्र की राशि	Beltron Bid Processing Fee (In Rs.)	कार्य समाप्ति की अर्वा
1	DDC Elema Carray			(रू० में)	The second secon	
1	BRC Ekma,Saran	85.2	1,70,400	10,000	5750	15 मा 15 मा
2	BRC Baniyapur,Saran	85.2	1,70,400	10,000	5750	15 मा
3	BRC Masrak,Saran	85.2	1,70,400	10,000	5750	15 中
4	BRC Marhowrah, Saran	85.2	1,70,400	10,000	5750	15 म
5	BRC Amnour,Saran	85.2	1,70,400	10,000	5750	15 म
6	BRC,Dariyapur,Saran	85.2	1,70,400	10,000	5750	15 म
7	BRC,Garkha,Saran	85.2	1,70,400	10,000	5750	15 म
8	BRC, Manigachhi, Darbhanga	85.2	1,70,400	10,000	5750	15 H
9	BRC, Keoti, Darbhanga	85.2	1,70,400	10,000	5750	15 H
10	BRC,kusheshwarsthan,Darbhanga	85.2	1,70,400	10,000	5750	15 म
11	BRC,Ghanshyampur,Darbhanga	85.2	1,70,400	10,000	5750	15 म
12	BRC,Kiratpur,Darbhanga	85.2	1,70,400	10,000	5750	15 F
13	BRC,Baheri,Darbhanga	85.2	1,70,400	10,000	5750	15 F
14	BRC,Hanumannagar,Darbhanga	85.2	1,70,400	10,000	5750	15 F
15	BRC, Lakhnaur, Madhubani	85.2	1,70,400	10,000	5750	15 F
16	BRC,Jhanjharpur,Madhubani	85.2	1,70,400	10,000	5750	15 F
17	BRC,Phulparas,Madhubani	85.2	1,70,400	10,000	5750	15 F
18	BRC,Khutauna,Madhubani	85.2	1,70,400	10,000	5750	15 F
19	BRC, Khajouli,Madhubani	85.2	1,70,400	10,000	5750	15 F
20	BRC,Bisfi,Madhubani	85.2	1,70,400	10,000	5750	15 F
21	BRC,Rahika,Madhubani	85.2	1,70,400	10,000	5750	15 F
22	BRC, Harlakhi, Madhubani	85.2	1,70,400	10,000	5750	15 F
23	BRC,Babubarhi,Madhubani	85.2	1,70,400	10,000	5750	15 F
24	BRC Rosada,Samastipur	85.2	1,70,400	10,000	5750	15 F
25	BRC Samastipur	85.2	1,70,400	10,000	5750	15 F
26	BRC, Khanpur,Samastipur	85.2	1,70,400	10,000	5750	15 F
27	BRC, Hasanpur, Samastipur	85.2	1,70,400	10,000	5750	15 F
28	BRC, Mohanpur, Samastipur	85.2	1,70,400	10,000	5750	15 F
29	BRC, Patori, Samastipur	85.2	1,70,400	10,000	5750	15 T
30	BRC, Shivajinagar, Samastipur	85.2	1,70,400	10,000	5750	15 F
31	BRC,Sangrampur,E.Champaran	85.2	1,70,400	10,000	5750	15 F
32	BRC,Kalyanpur,E.Champaran	85.2	1,70,400	10,000	5750	15 F
33	BRC Chakia, E. Champaran	85.2	1,70,400	10,000	5750	15 F
34	BRC Sugauli, E. Champaran	85.2	1,70,400	10,000	5750	15 F
35	BRC Madhuban, E. Champaran	85.2	1,70,400	10,000	5750	15 1
36	BRC Patahi, E. Champaran	85.2	1,70,400	10,000	5750	15 F
37	BRC Raxaul, E. Champaran	85.2	1,70,400	10,000	5750	15 F
38	BRC Adapur,E.Champaran	85.2	1,70,400	10,000	5750	15 Ŧ
39	BRC Bankatwa,E.Champaran	85.2	1,70,400	10,000	/5 750	15 F
40	BRC Dhaka,E.Champaran	85.2	1,70,400	10,000	5750	15 T
41	BRC Bairia, W.Champaran	85.2	1,70,400	10,000	5750	15 I
42	BRC Narkatiaganj, W.Champaran	85.2	1,70,400	10,000	5750	15 F
43	BRC Sikta, W.Champaran	85.2	1,70,400	10,000	5750	15 F
-t-)	DIC Sikia, w .Champaran	03.4	1,/0,400	10,000	ef Engineer	15 F

5	BRC Lauriya, W. Champaran	85.2	1,70,400	10,000	5750	15 T
6	BRC, Piprasi, W. Champaran	85.2	1,70,400	10,000	5750	15 7
7	BRC, Majhaulia, W. Champaran	85.2	1,70,400	10,000	5750	15 1
8	BRC Darauli,Siwan	85.2	1,70,400	10,000	5750	-
9	BRC Hussainganj,Siwan	85.2	1,70,400	10,000	5750	15
0	BRC Mairwa,Siwan	85.2	1,70,400	10,000	5750	15
1	BRC Basantpur,Siwan	85.2	1,70,400	10,000	5750	15
2	BRC Maharajganj,Siwan	85.2	1,70,400	10,000	5750	15
3	BRC,Bhagwanpur,Siwan	85.2	1,70,400	10,000	5750	15
4	BRC,Hasanpur,Siwan	85.2	1,70,400	10,000	5750	15
5	BRC Uchkagaon, Gopalganj	85.2	1,70,400	10,000	5750	15
6	BRC Sidhwalia,Gopalganj	85.2	1,70,400	10,000	5750	15
7	BRC Bhorey,Gopalganj	85.2	1,70,400	10,000	5750	15
8	BRC,Bijaipur,Gopalganj	85.2	1,70,400	10,000	5750	15
9	BRC Pachdeuri, Gopalganj	85.2	1,70,400	10,000	5750	15
0	BRC Kuchaikot,Gopalganj	85.2	1,70,400	10,000	5750	15
1	BRC,Ramgarh,Kaimur	85.2	1,70,400	10,000	5750	15
2	BRC Chainpur,Kaimur	85.2	1,70,400	10,000	5750	15
3	BRC Bhagwanpur,Kaimur	85.2	1,70,400	10,000	5750	15
4	BRC Chakki,Buxar	85.2	1,70,400	10,000	5750	15
5	BRC Buxar	85.2	1,70,400	10,000	5750	15
6	BRC,Chausa,Buxar	85.2	1,70,400	10,000	5750	15
7	BRC Dinara, Rohtas	85.2	1,70,400	10,000	5750	15
8	BRC Karahgar,Rohtas	85.2	1,70,400	10,000	5750	15
9	BRC Kochas, Rohtas	85.2	1,70,400	10,000	5750	15
0	BRC Tilauthu,Rohtas	85.2	1,70,400	10,000	5750	15
1	BRC Karakat,Rohtas	85.2	1,70,400	10,000	5750	15
2	BRC Dawat,Rohtas	85.2	1,70,400	10,000	5750	15
3	BRC,Mansahi,Katihar	85.2	1,70,400	10,000	5750	15
4	BRC,Manihar,Katihar	85.2	1,70,400	10,000	5750	15
5	BRC,Pranpur,Katihar	85.2	1,70,400	10,000	5750	15
6	BRC, Kadwa, Katihar	85.2	1,70,400	10,000	5750	15
7	BRC,Barsoi,Katihar	85.2	1,70,400	10,000	5750	15
8	BRC,Azamnagar,Katihar	85.2	1,70,400	10,000	5750	15
9						15
-	BRC, Narpatganj, Araria	85.2	1,70,400	10,000	5750	-
0	BRC, Araria	85.2	1,70,400	10,000	5750	15
1	BRC, Jokihat, Araria	85.2	1,70,400	10,000	5750	15
2	BRC,Bhargama,Araria	85.2	1,70,400	10,000	5750	15
3	BRC,Kursakata,Araria	85.2	1,70,400	10,000	5750	15
4	BRC,Purnea East,	85.2	1,70,400	10,000	5750	15
5	BRC, Baisi, Purnea	85.2	1,70,400	10,000	5750	15
6	BRC,Amour,Purnea	85.2	1,70,400	10,000	5750	15
7	BRC, Dhamdaha, Purnea	85.2	1,70,400	10,000	5750	15
8	BRC,Banmankhi,Purnea	85.2	1,70,400	10,000	5750	15
9	BRC, Tarhagach, Kishanganj	85.2	1,70,400	10,000	5750	15
0	BRC, Thakurganj, Kishanganj	85.2	1,70,400	10,000	5750	15
1	BRC,Pothia,Kishanganj	85.2	1,70,400	10,000	5750	15
2	BRC Katoria,Banka	85.2	1,70,400	10,000	5750	15
3	BRC Rajaun,Banka	85.2	1,70,400	10,000	5750	15
4	BRC,Barhat,Banka	85.2	1,70,400	10,000	5750	15
5	BRC Belhar,Banka	85.2	1,70,400	10,000	5750	15
6	BRC Jamui	85.2	1,70,400	10,000	↑ 5750	15
					1	15
7	BRC Barhat, Jamui	85.2	1,70,400	10,000	5750	
8	BRC Chakai, Jamui	85.2	1,70,400	10,000	5750	15
9	BRC Gidhour, Jamui	85.2	1,70,400	10,000	5750	15
00	BRC Sikandra, Jamui	85.2	1,70,400	10,000	5750 ef Engineer	15
1	49 5307 3 Gol			BSEL	D.C. Ltd, P	atna

 \bigcirc


 Θ



1	101	BRC Asharganj, Munger	85.2	1,70,400	10,000	<i>575</i> 0	15 777
0	102	BRC Naugachhia,Bhagalpur	85.2	1,70,400	10,000	5750 5750	15 माह 15 माह
	103	BRC Pirpainti,Bhagalpur	85.2	1,70,400	10,000	5750	
0	104	BRC Shahkund,Bhagalpur	85.2	1,70,400	10,000	5750	
0	105	BRC Puraini, Madhepura	85.2	1,70,400	10,000		
U	106	BRC Gwalpada, Madhepura	85.2	1,70,400	10,000	5750	15 माह
0	107	BRC Kumarkhand,Madhepura	85.2	1,70,400	10,000	5750	15 माह
	108	BRC Gailarh, Madhepura	85.2			5750	15 माह
0	109	BRC Saurbazar, Saharsa	85.2	1,70,400	10,000	5750	15 माह
7	110	BRC,Navhatta,Saharsa	85.2	1,70,400	10,000	5750	15 माह
0	111	BRC Mahensi, Saharsa	85.2	1,70,400	10,000	5750	15 माह
	112	BRC Sonbarsa, Saharsa	85.2	1,70,400	10,000	5750	15 माह
0	113	BRC Simri, Bakhtiyarpur Saharsa	85.2		10,000	5750	15 माह
0	114	BRC Supaul	85.2	1,70,400	10,000	5750	15 माह
0	115	BRC Pipra, Supaul		1,70,400	10,000	5750	15 माह
	116	BRC Pratapganj, Supaul	85.2	1,70,400	10,000	5750	15 माह
U	117	BRC Nirmali, Supaul	85.2	1,70,400	10,000	5750	15 माह
0	118	BRC Raghopur, Supaul	85.2	1,70,400	10,000	5750	15 माह
	119	BRC, Atari, Gaya	85.2	1,70,400	10,000	5750	15 माह
\bigcirc	120	BRC, Neemchak, Gaya	85.2	1,70,400	10,000	5750	15 माह
	121	DRC, Neemenak, Gaya	85.2	1,70,400	10,000	5750	15 माह
0	122	BRC, Wazirganj, Gaya	85.2	1,70,400	10,000	5750	15 माह
		BRC, Mohanpur, Gaya	85.2	1,70,400	10,000	5750	15 माह
	123	BRC, Imamganj, Gaya	85.2	1,70,400	10,000	5750	15 माह
	124	BRC Amas, Gaya	85.2	1,70,400	10,000	5750	15 माह
0	125	BRC, Koch,Gaya	85.2	1,70,400	10,000	5750	15 माह
0	126	BRC,Jehanabad	85.2	1,70,400	10,000	5750	15 माह
0	1.27	BRC,Kako,Jehanabad	85.2	1,70,400	10,000	5750	15 माह
0	128	BRC,Ghosi,Jehanabad	85.2	1,70,400	10,000	5750	15 माह
	129	BRC Arwal	85.2	1,70,400	10,000	5750	15 माह
0	130	BRC Karpi, Arwal	85.2	1,70,400	10,000	5750	15 माह
	131	BRC,Obra,Aurangabad	85.2	1,70,400	10,000	5750	15 माह
0	132	BRC,Dev,Aurangabad	85.2	1,70,400	10,000	5750	15 माह
	133	BRC Madanpur, Aurangabad	85.2	1,70,400	10,000	5750	15 माह
0	134	BRC Kutumba, Aurangabad	85.2	1,70,400	10,000	5750	15 माह
0	135	BRC, Rega,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
0	136	BRC,Merajgang,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
	137	BRC,Pupri,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
	138	BRC,Barthnaha,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
0	139	BRC,Runisaidpur,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
	140	BRC,Suppi,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
0	141	BRC, Pakribarawan, Nawada	85.2	1,70,400	10,000	5750	15 माह
	142	BRC, Warisaliganj, Nawada	85.2	1,70,400	10,000	5750	15 माह
0	143	BRC, Akabarpur, Nawada	85.2	1,70,400	10,000	5750	15 माह
	144	BRC, Narhat, Nawada	85.2	1,70,400	10,000	5750	15 माह
U	145	BRC, Chandi, Nalanda	85.2	1,70,400	10,000	5750	15 माह
0	146	BRC, Austhawan ,Nalanda	85.2	1,70,400	10,000	5750	15 माह
9	147	BRC, Rahui, Nalanda	85.2	1,70,400	10,000	5750	
0	148	BRC, Ekangarsarai, Nalanda	85.2	1,70,400	10,000	5750	
	149	BRC,Silaw,Nalanda	85.2	1,70,400	10,000	5750	
	150	BRC, Katrisarai, Nalanda	85.2	1,70,400			15 माह
	151	BRC, Karaiparsurai, Nalanda	85.2		10,000	5750	15 माह
	152	BRC, Motipur, Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह
				1,70,400	10,000	5750	15 माह
	153	BRC Galghat Muzattarnur					. THE THE
0	153 154	BRC Aurai Muzaffarpur	85.2	1,70,400	10,000	5750	1 5 माह
0	154	BRC, Aurai, Muzaffarpur	85.2	1,70,400	10,000	5750	्ठ माह
0						5750 5750	1

क्रिश्च क्रिका ने दिशी

Chief Engineer¹⁵ मा उ.S.E.I.D.C. Ltd, Patna



157	BRC,Bhagwanpur,Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह
158	BRC, Jagdishpur, Bhojpur	85.2	1,70,400	10,000	5750	15 माह
159	BRC ,Charpokhri,Bhojpur 52	85.2	1,70,400	10,000	5750	15 माह
160	BRC, Udwantnagar, Bhojpur	85.2	1,70,400	10,000	5750	15 माह
161	BRC,Garhani,Bhojpur	85.2	1,70,400	10,000	5750	15 माह
162	BRC ,Koilwar,Bhojpur	85.2	1,70,400	10,000	5750	15 माह
163	BRC, Fatuhan, Patna	85.2	1,70,400	10,000	5750	15 माह
164	BRC, Bakhtiyarpur, Patna	85.2	1,70,400	10,000	5750	15 माह
165	BRC,Naubatpur,Patna	85.2	1,70,400	10,000	5750	15 माह
166	BRC,Maner,Patna	85.2	1,70,400	10,000	5750	15 माह
167	BRC,Begusarai	85.2	1,70,400	10,000	5750	15 माह
168	BRC,Matihani,Begusarai	85.2	1,70,400	10,000	5750	15 माह
169	BRC, Bhagwanpur, Begusarai	85.2	1,70,400	10,000	5750	15 माह
170	BRC, Bakhri,Begusarai	85.2	1,70,400	10,000	5750	15 माह
171	BRC, Mansoorchak, Begusarai	85.2	1,70,400	10,000	5750	15 माह
172	BRC, Cheria Bariyarpur, Begusarai	85.2	1,70,400	10,000	5750	15 माह
173	BRC ,Chuatham,Khagaria	85.2	1,70,400	10,000	5750	15 माह
174	BRC ,Gogari,Khagaria	85.2	1,70,400	10,000	5750	15 माह
175	BRC, Beldour,Khagaria	85.2	1,70,400	10,000	5750	15 माह
176	BRC,Parbatta,Khagaria	85.2	1,70,400	10,000	5750	15 माह
177	BRC,Raghopur,Vaishali	85.2	1,70,400	10,000	5750	15 माह
17.8	BRC ,Desari,Vaishali	85.2	1,70,400	10,000	5750	15 माह
179	BRC, Bidupur, Vaishali	85.2	1,70,400	10,000	5750	15 माह
180	BRC, Jandaha, Vaishali	85.2	1,70,400	10,000	5750	15 माह
181	BRC ,Mahua,Vaishali	85.2	1,70,400	10,000	5750	15 माह
182	BRC, Garoul, Vaishali	85.2	1,70,400	10,000	5750	15 माह
183	BRC,Chewada,Shekhpura	85.2	1,70,400	10,000	5750	15 माह
184	BRC,Barhiya,Lakhisarai	85.2	1,70,400	10,000	5750	15 माह
185	BRC ,Alinagar, Suryagarha,Lakhisarai	85.2	1,70,400	10,000	5750	15 माह

नोटः (i). निविदाकार एक या अधिक कार्य के लिए अलग-अलग निविदा डाल सकते हैं।

(ii). प्राक्कलित राशि घट या बढ़ सकती है एवं तदनुसार अग्रधन की राशि घट या बढ़ सकती है।

(iii).वेबसाईट—www.eproc.bihar.gov.in पर अंकित प्राक्कलित राशि, अग्रधन की राशि एवं परिमाण विपत्र की राशि अंतिम रुप से

(2) विज्ञापन निर्गत करने की तिथि दिनांक:-03.02 .2016

(3) परिमाण विपत्र प्राप्त करने(डाउनलोड) की अवधि एवं समय :— दिनांक— 03.03.2016 से 28.03.2016, 15:00 घंटा

(वेबसाईट:www.eproc.bihar.gov.in पर)

दिनांक:— 15.03.2016, 14:30 घंटा प्रबंध निदेशक का (4) प्री बिड मीटिंग का समय, स्थान एवं तिथि

कार्यालय,बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम, पटना।

(5) निविदा प्राप्ति(अपलोड) की अंतिम तिथि एवं समय:-

अग्रधन जमा करने की अंतिम तिथि एवं समय

टेक्निकल बिड खोलने की तिथि एवं समय

दिनांक- 29.03.2016, समय- 15:00 घंटा

दिनांक- 31.03.2016, समय- 15:00 घंटा दिनांक— 31.03.2016, समय— 16:30 घंटा

(वेबसाईट-www.eproc.bihar.gov.inपर)

(8) वित्तीय बिड खोलने की तिथि एवं समय निविदा खोलने का स्थान

दिनांक- 11.04.2016, समय- 15:30 घंटा

वेबसाईट–www.eproc.bihar.gov.inपर

(10) निविदा की वैधता की अवधि 120 दिन

(11) ई-टेन्डरिंग की प्रकिया में भाग लेने हेतु संवेदकों को पंजीकृत होना होगा, जिससे कि उन्हें उपयोगकर्ता का नाम (user

ID) पासवर्ड (Password) अंकीय हस्ताक्षर (Digital Signature) निर्गत की जायेगी। यह उन्हें वेबसाईट www.eproc.bihar.gov.in से डाउनलोड करने / टेन्डर की प्रक्रिया में भाग लेने की योग्यता प्रदान करेगा।

(12) ई—निविदा पत्र बेवसाईट www.eproc.bihar.gov.in से प्राप्त किया जा सकता है। संवेदक द्वारा सिर्फ उपर्युक्त वेबसाईट से ही परिमाण विपत्र प्राप्त करने के उपरांत वेबसाईट पर ही इलेक्ट्रानिक निविदा पत्र को भरकर भेजना है। अन्य सभी कागजात / बैंक ड्राफ्ट / अग्रधन की राशि / सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को स्कैन कर ई-निविद संलग्न करना अनिवार्य है।

परिमाण विपन्न के दर से कम दर उद्धृत करने पर बीड डाक्यूमेंट की शत्तों एवं सरकारी निर्णयानुसार अतिरिक्त Chief Engineer Performance Guarantee एकरारनामा के पूर्व जमा करना होगा।

3 S.E.I.D.C. Ltd, Patna

, 219 En1360

	Part			
Street S				The state of the s
	1			
	1972			
	A CONTROL DESCRIPTION OF THE PROPERTY OF THE P			
	Fig. 1912 Sci. 11 (ag. 1) (ag.			
The control of the co	The state of the s			
The color of the	The state of the s			
The control of the co	The control of the co			
The control of the co	The state of the s			
The control of the co	The state of the s			
Here one of the control of the contr	The second control of			
Here one of the control of the contr	The second control of			
The second secon	The state of the s			
The series of th	The state of the s			
Part of the control o				
Tander Variation, 1988 Tander	The party of the p			
The series of th				
And the second control of the second control	The state of the s			
The state of the s	The state of the s			
The first property of the control of				
The second secon	The second secon			
The state of the s	The state of the s			
APAC Street South Company Comp	instantial property of the second sec			
the state of the s	And the second of the second o			

 \bigcirc

The scale in the second second

The regarding terms of the second sec

Chief Engliser

(14) (क) प्रत्येक परिमाण विपन्न का मूल्य जो प्रत्येक निविदा के सामने उपर किण्डका (1) में अंकित है (जो लौटाया नहीं जाएगा) किसी भी राष्ट्रीयकृत बैंक द्वारा निर्गत एवं BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. के नाम से एवं पटना में भुगतेय हो, स्वीकार किया जायेगा। मूल बैंक इापट "बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड" पटना के कार्यालय में दिनांक 31.03.2016 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना है। ऐसा नहीं करने पर निविदा मान्य नहीं होगा।

(ख) Beltron Bid Processing Fee is mandatory to be paid through online mode i.e. Internet

payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS"

Bids along with necessary online payments must be submitted through e-procurement portal www.eproc.bihar.gov.in before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffic/ Holidays or

any other reason.

(ग) वांछित अग्रधन की राशि राष्ट्रीय बचत पत्र/डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक जो बिहार राज्य से क्रय या जमा किया हो, प्रबंध निदेशक, BSEIDC Ltd., पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा बिहार वित्त नियमावली के अनुसार BSEIDC Ltd. के नाम से फिक्सड डिपोजिट रिसिप्ट अथवा बैंक गारन्टी जो बिड के मान्य अवधि तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत/अनुसूचित बैंक से निर्गत हो (अगर बिहार प्रान्त के बाहर के बैंक से निर्गत बैंक गारन्टी दिया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड, पटना में दिनांक 31.03.2016 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रूप से जमा किया जाना आवश्यक है। ऐसा नहीं करने पर निविदा मान्य नहीं होगा।

(15) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर लें।

ताकि अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से बच सकें।

(16) निविदाकार निविदा डालने से पहले अपने स्तर से भी प्रस्तावित कार्य स्थल पर भूमि उपलब्धता के संबंध में आश्वस्त हो लेगे।

(17) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। बिना कारण बताये निवेदा या उसके अंश को अस्वीकृत करने / रदद करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।

(18) विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्य अविध में सम्पर्क किया जा सकता है। ई—टेन्डिरंग की प्रकिया से संबंधित किसी भी प्रकार की जानकारी/सूचना हेतु सहायता कक्ष, ई—टेन्डिरंग कक्ष, प्रथत तल्ला, M/22, बैंक ऑफ इण्डिया भवन, रोड न० 25, श्री कृष्णा नगर, पटना—800001, दूरभाष सं० 0612—2523006/9939035696.

ब्रजेश प्रसाद मुख्य अभियंता

\$ 219 EM 360

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

8/5