Name of Work-Construction of Block Schedule XLV-Form No. 61 Resource Contra at Udwantnagan, Bhojpun, (SL No 160)
11 Jantagas Bhoipuns
161 No 160)
BIHAR PUBLIC WORKS DEPARTMENT
Agency - [Form No. F-2] Many Kuman Singh ITEM RATE TENDER AND CONTRACT FOR WORKS
ITEM RATE TENDER AND CONTRACT FOR WORKS
Agreement NB. 43 Fz of 2017-18
General Rule and Direction for the guidance of Contractors.
Date of Commencement - 15-05-2017
1. All works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer.
This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours.
2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so.
3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm.
4. The memorandum of work tendered or and the memorandum of materials to be supplied by

4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he

complete and delivers his tender.

		PRINCE OF THE REAL PRINCES
5. The amount of earnest money to be deposited will be: -	Rs.	
If the amount of the estimate does not exceed Rs. 2,000		50
If the amount of the estimate exceeds Rs. 2,000 but does		10500
not exceed Rs. 5,000	1 60 17 38	100
If the amount of the estimate exceeds Rs. 5,000 but does		
not exceed Rs. 10,000	,	200
For each additional Rs. 5,000 or portion of Rs. 5.000		
additional earnest money	Janes	100

6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompanied by the treasury challan for the required earnest money will be liable to rejection. No single tender shall include more than one work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the envelop. Cash deposits for earnests money here in before mentioned shall be made in Government Treasuries and the challan there of should be enclosed with the tender.

FIG1213 3 SHICKE RITOR 15

7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.

8. The Engineer shall have the right of rejecting all or any of the tenders.

9. In the event of a tender being selected for acceptance the Engineer who opened the tenders ill, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

1)

0-)

0

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the priscribed time. The tender with the specification and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to the tenderer.

10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.

11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required amount of the security money has been deposited the Engineer shall scrutinise all pages of the form of item, rate, tender & contract for works to see that the form has been properly filled up and signed by the contract witnessed He shall then it he is competent to accept the tender, sign the acceptance of the is not so competent shall send the form for signature of the acceptance of the officer competent to accept it.

715

# TENDER FOR WORKS

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

		MEMORANDUM
(a) If several sub-work are included they should be tained in a separate list.	[a]	Name of work
	[b]	Estimated cost
(b) This deposit will be 5% of the estimated cost of the lork.	[c]	Earnest money
Ouk.		
(c) This percentage deduction from bills will be	[d]	Initial security deposits (including earnest money) to be deposited befor the commencement of the work
Dedited to the contractors		
security deposit.	[e]	Percentage to be deducted from bills Rs. 5% (Rupees five percent)
3	r.co	Time and the distance of the second s
	[f]	Time required for the work from date of written order to commence
ə.		
Э	[g]	Date of written other to commence
	[h]	Total number of item of work tendered for

· O Home Nie	thoma of more	RATE TE	D-	
Item No.	Item of work	In figures	In words	Per
0				
0				
0				
0				
0				
				0
				No.
0				may 30
0			$\Delta$	
0			Chief	Engineer
0			B.S.E.I.D.	C. Ltd, Patna
9 F1-	15/5/0/7		210	
	15/5/017		)   >	

		RATE TE	NDERED	Per
em No.	lo. Item of work	In figures In words		
1861-0	MANUAL MEDICAL DESCRIPTIONS	nja gitabili s		
		sections significant	FOR THE STA	
	A THE RESIDENCE			
				one unicopy of
		- 200 5313		
		ton the		
		end Starting		
196	to professional and the month state.	no series and the		
	processor at an Artiful Management of the States	The second of		
	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1			
	A PROPERTY OF THE RESERVE OF THE RES	and the shiftening	Part of the	
	u? ti≘rabiti diki waki	TEN SERVICE		
			Walter Walter	
				1
4	XXX			
	Most work			
4				

(5)

0		RATE TE	NDERED	Per
Item No.	Item of work	In figures	In words	Pel
0				
0				
0				
0				
0				
0	<u> </u>			
0				
0				
0				- <b></b> -
0				
0				
0				
D				
0				
0				
9				
D				
)				
)				
		\$		
)				
)				

Item No.	Item of work	RATE T	ENDERED		
itemino.	nem of work	In figures	In words	Per	
		STATEMENT PROCESSION TO THE PROPERTY OF THE PR		7004	
			×		
-					
			·c/		
	•				
		-			

4

Shedule XLV - Form No. 61

(7)

Item No.	lhow: - f I	RATE TE	NDERED	Dor
Item No.	Item of work	In figures	In words	Per
0				
D				
3	valiti og fødleken a folkhalar			each ray in a source
9				
D.				
0				
0 0	*			
		10 10 10 12 12		
)				
)				
		THE PERSON VAND		
)				
	There is a distance of a possible	arran and a secondary	and received	
)				
			Z. Z. Sandara	
6				
	7			J. 1
18049	C3467 Eng			10 7 7
	J.S.6.1≘9,n			

should this tender be accepted I/we hereby agree to abide by and fulfill all the terms and provisions of the said conditions of contract annexed hereto so, for as applicable, or in ssors in office the sums of money mentioned in the said conditions,

Dated the

day of

20

\*Signature, of contractor before comission of tender

witness

Address :-

.Occupation :-

Signature of witness to contractor's signature

The above tender is hereby accepted by me on behalf of the Governor of Biha Dated the

20

signature of the officer accepting the tende

Acceptances communicated on.....

signature of the party taking the tender

CONDITIONS OF CONTRACT

## Compensation

Clause 1:- All compensation or other sums of payable by the contractor to Government under the terms of his contract may be deducted from, paid by the sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor be Government on any account whatsoever and in the event of his security deposit being reduced by reason of any such deduction or sale as aforesaid, the contractor shall within ten days there after make good in cash or Government securities endorsed as aforesaid any sum or sums which may have been deducted from, ca

arised by, sale of his security deposit of any part thereof.

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which the work is finished after necessary rectification of defects as pointed by the Executive En- gineer or his authorised agents are fully contractor to the Engineer's satisfaction.

Clause 2:- The time allowed for carrying out the work as entered in the tend shall be strictly observed by the contractor and shall be reckoned from the date on which the wirtten order to comence work is given to the contractor. The work sha throughout the stipulated period of the contract be carried on with all due diligence (time being deemed to be the essence of the contract on the part of the contract or) and the contractor shall pay as compensation an amount equal to 1/2 percent on the amount of the estimated cost of the whole work as shown by the tender fc every day that the work remains uncommenced or unfinished after the proper date. And further to ensure good progress during the execution of the work the contractor shall be bound in all cases in which the time allowed for any work exceeds one month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before onehalf of such time elapsed and three-fourths of the work, before three fourths of suc. time has elapsed in the event of the contractor failing to employ with this condition, I shall be liable to pay as compensation an amount equal to ½ percent on the sai estimated cost of the whole work for every day that the due quantity of work remains incomplete provided always that the entire amount of compensation to be paid under the provisions the clause shall not exceed 10 percent of the estimated cost of the work as shown in the tender.

Action when persnle security deposit foreited

Clause 3:- In any case which under any clause or clauses of or this contract. the contractor shall have rendered himself laible to pay compensation amounting to the whole of his security deposit in the hands of Government where paid in one sum or deducted by instalments) the Executive Engineer on behalf on the Bihar Government shall have been powered to adopt any of the following courses, as ho may deem best suited to the enterest of Government -

(a) To reseind the contract (of which rescind notice in writing to the contractor under the hand of the Executive Engineer shall be bandus we sveethee) and in which case the sectitiry deposit of the contractor shall start to felled and to absolutely at the disposal of Government. 21

(b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debitting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in -charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.

(c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by'him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original contractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4: - In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may. if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Engineer as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

contractor remains liable to pay compensation if action not take under d

er

15

10

e

n

/e

ve

ch

on

ed

ne

ng

by

Ib-

ler

he

50

00

00

00

ate

on

ort,

Power to take posession of or require removal of or sell contractor plant.

Clause 5 :- If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) he shall apply in writing to the Executive Engineer within 40 days from the date of starting of the hinderance on account of which be desires such extension as aforesaid and the Executive Engineer shall, if in his opinion (which shall be final) reasonable grounds be shown thereof authorised such extension of time, if any, as may in his opinion be necessefy congineer proper. The Executive Engineer shall at the same time inform the contractor whether the Ltd, Patna

claims compensation for the delay.

Extension of time

ury ne der

sts be

Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion. but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinctly marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-work, doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurements shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus materials and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid, except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible, before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-in-charge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts or in any other way vary or affect the contract.

\*Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

1

9

1

.

0

D

Stores supplied Government

Clause 9:- If the specification or estimate of the work provides for the use of any special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-incharge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the lates specified in the said schedule may be set off or deducted from any sums then due or there after to become due to the contractor under the contract or otherwise, or against or form the security deposit of the proceed of sale thereof, if the same is held in Government security the same or sufficient portion thereof in this case sold for the past of the case and the case and the case are considered to the case and the case are case are case and the case are case are case are case and the case are case ar supplied to the contractor shall remain the absolute property of Governmentandshall not on any accounts he removed from this site of the work and shall at all times be open to

6

0

0

10

inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: - The contractor shall executive the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid.

Clause 11:- Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a disputes the decision of the superintending Engineer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period.

Clause 12:- If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out. the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsoever of account of any profit or advantage, which he might have derived from the execution of the work in full, but which he did not derive in consequence of the full amount of the work ation in or restriction of not having been carried out neither shall he have any claim for compensation by reason work to of any alternation having been made in the original specification, drawing, designs and instruction which shall involve any installment of the work as originally contemplated d, Patna clause 12 (a) As contained in G O 1929 dated 11.9.56.

Work to be executed accordance with specification drawing other etc.

Alteration in specifications and designation.

IS

ie

e

n

**/e** 

ve

ch

on

ed

he

ng

by

Ib-

der

he

50

00

200

00

ate

ion

ort,

ury

ne

der

sts

Do not in validate contract

Time in consequence of alteration

Rate for work no in estimate or schedule of rates of the district.

ation in or restriction of

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such failure is due to:-

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as finally by the contractor.

Action and compensation payable in case of work.

Clause 13 :- If it shall appear to the Engineer-in-charge or his subordinate incharge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall on demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-incharge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and expense in all respects of the contractcor.

Work to be taken to inspection

Clause 14: All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineer-in-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be present.

Clause 15:- The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which the same was effected.

Notice to be taken before work covered up Clause 16:- If the contractor or his work-people, or servants shall break, deface injure or destroy any part of a building in which they may be working or any building, road, road curves, fence enclosure water pipes, cables, drains, electric or telephone posts or wires, trees, glass or grassland or cultivated ground contiguous on which the work of any part of the being executed or if any dankers shall happen to the work, white in progress from any cause whatsoever or any imperfection become apparent in if within three months (six months in the case of a road-work) after a certificate final or other of its completion shall have been siven by the Engineer-in-charge

as a fore seal, the contractor shall make the same good at his own expense, or in default, the Engineer-in-charge may cause the same to be made be good by other Contractor liable for worksmen and deduct the expense of which time thereafter may become due to the contractor, or from his security deposit, or the proceed of sale there of, or of a sufficient portion there of the security deposit at the contractor shall not be refunded before the expiry of three months (six months in the case of a road-work) after the issue of the certificate final or otherwise of completion of work provided that in the case of a road work if in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable after three months of the issue of the said certificate of completion

damage done and for imperfection a months and after certificate

Clause 17:- The contractor shall supply at his own cost all materials (except such special materials) if any as may in accordance with the contract be supplied from the Engineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, tackle scaffolding and temporary works requisits or proper for the proper execution of the work whether original, altered or substituted and whether include in the specification or other documents forming part of the contract or referred to in these conditions or not or which may be necessary for purpose of satisfying or complying with the requirement of the Engineer-in-charge as to any matter as to which under these conditions he is entitled to be satisfied which he is entitled to require together with carriage therefore to and form the work. The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting, weighing and assisting in the measurement or examination at any time and form time to time of the work or materials failing his so doing the same may be Provided by the Engineer-in-charge at the expense of the contractor and the expenses may be deducted from any money due to the contractor under the contract from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide all necessary fencing and lights required to protect the public from accident, and shall be bound to bear to expenses of defence of every suit action or other proceeding at law that may be brought by any person for injury sustained owing to neglect of the above precautions and to any such person or which may with the consent of the contractor be paid to compromise any claim by any such person.

Contractor to supply to plantladder scaffolding

er

IS

1e

e

nc

10

/e

ch

on

ed he

ng

by

Ib-

ler

he

50

00

100

00

ate

ion

ort.

ury

ne

der

sts be

And is liable for damage arising for non-provision of light fencing etc.

Clause 18: - No female labour shall be employed within the limits of contonment. The contractor shall not employ for the purpose of his contract any person who is below the age of twelve years and shall pay to each labour for the work done by such labourer wages not less than the wages paid for similar work in the neighbourhood.

Work not to be subject

The executive Engineer shall have the right to enquire into the case and decide any complaint alleging that the wages paid by the contractor to any labourer for the work done by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer employed by contractor is below the age of twelve years and to refuse to allow any labourer whom he decided to be below the age of twelve years to be employed by the contractor.

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his contract, or attempt so to do, or become insolvent proceedings to make any composition with his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward or advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, or offered by the contractor, or any of his servant or agents to any public officer or person in the employ of Government in any way relating to his officer or employment or if any such officer or person shall become in any way directly or indirectly interested in the contract the Executive Engineer may there upon by notice in writing rescind the contract. The security deposit of the contractor shall there upon stand forfeited and be absolutely at the disposal of Government and the same consequence shall ensure as if the contract had been recinded under clause 3 here of, in addition the contractor shall not be entitled in the contractor shall not be enti to recover or be paid to any work therefore actually performed the under the contract. Ltd, Patna

Contract may be resinded and security deposit forfelted for subletting bribes or if contractor become insolvant

such payable by way of compensation to be considered reasonable compensation without reference to actual loss Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained.

Clause 21: In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this information.

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal of Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer Clause 22: All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23:- In case any dispute or difference shall arise between the parties or either of there upon any question relating to the meaning of the specifications, designs, drawings and instructions here before mentioned or as to the quality of workmanship or materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, or any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions or otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof or as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

(a) Clause 24:- When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items or work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-incharge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineer-in-charge shall be final and conclusive against the contractor with regard to any sum payable to him under the provision of this clause.

Action where no specification.

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Definition of works

Clause 26: The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to such construction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered, substituted or additional.

Clause 27:- The terms and conditions of the agreement have been read/explained to me and......certify......clearly understand them.

Witness.

Contractor.

Schedule XLV - Form No. 61

(15)

Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied

0.	Particulars	Rates at wh will be ch cor	nich the materia narged to the ntractor	al	Place of	The state of the s
		Unit	Rs.	P.		
		A COMET				100000000000000000000000000000000000000
0						2.00
		22 JE				
0						
0						
		1 200 210				
48.0	4.					
)						
Diserv						
Display						
he fos						
) sni ci	Property of the second					antique, selector
			<b>.</b>			
N						
		19.00				

Note:-The person or firm submitting the tender should see that the rates in the above schedules are filled up by the Engineer-in-charge on the issue of the form prior to the submission of the tender.

मानाम देशार किंह

(Signature of Contrator)

Chief Engineer
Sphatch D Exelutive Pagmaer)

be

er

ne be on ve

ch on

ed he ng

by lbder he

50

00

100

ate ion ort,

ury one der sts

Chief Engineer

X =		10				
BIH	AR STATI	E EDUCATIONAL INFRASTRUCT				PRPORATION LTD
	***	SHIKSHA BHAWAN, S B.O.Q. FOR BLOCK RESOUR				Q1
	THE TOTAL		5			ECTDICAL) 2014
	THETTEM	RATE BASED ON S.O.R BCD BIHAR, D	AIE - 15-	09-2014, 6	v D.S.R (EL	ECTRICAL) 2014
SL. No.	DISTRICT	NAME OF INSTITUTE	,		BLOCK	ζ
1	Bhojpur	BLOCK RESOURCE CENTRE			Udwantna	agar
	N	<u>CIVIL W</u>	<u>ORKS</u>		,*	
			4	TO TO		
SI. No.	SOR Item No.	Item of Work	Qty.	Unit	Rate (Rs.)	Amount (Rs.)
1	2	3	4	5	6	7
. ]	PILE WORK	XS .				
1	20.2	Boring, providing and installing bored cast- in-situ reinforced cement concrete piles of grade M-25 of specified diameter and length below the pile cap, to carry a safe working		-	ÿ V	
		load not less than specified, excluding the cost of steel reinforcement but including the cost of boring, with bentonite solution and temporary casing of appropriate length for		All a	-	
		setting out and removal of same and the length of the pile to be embedded in the pile cap etc. all complete, including removal of excavated earth with all lifts and leads (Length of pile for payment shall be measured upto bottom of pile cap).				
				F		¥
	20.2.1	300 mm dia Piles	0.000	meter	1309.30	Rs. One thousand three hundred nine and paise thirty only.
	20.2.2	400 mm dia Piles	0.000	meter		Rs. One thousand five hundred twenty three an paise twenty only.
	20.2.3	450 mm dia Piles	0.000	motor	/323.20	Rs. One thousand nine hundred seventy eight
			0.000	meter	1978.80	and paise eighty only.
	20.2.4	500 mm dia Piles		1	/	Rs. Two thousand three hundred six and paise
	20.2.5	600 mm dia Piles	0.000	meter	2306.60	sixty only.  Rs. Two thousand nine
	,	j	0.000		2006 10	hundred ninety six and

0.000

meter

अन्तिम कुमारिकेट

 $\Theta$ 

 $\bigcirc$ 

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

15/5/17

2996.10 paise ten only.

		FORTH FOURTHIT SIGN		
			tugjeri3	
		Jan W to soul		
		conversed some with all lifts and leads through of pile for payment shall be interpreted upon bettern alpha cape.		
		2069 ais min 303.		
		: अभी : ili : 1970 :		

Chief Engineer a S.E.I.D.C. Ltd. Patria HOMES RIVERS

Ó

O

0

: 0

	- 1
- 1	

	20.2.6	750 mm dia Piles				Rs. Four thousand two hundred nineteen and
1			0.000	meter	4219.70	paise seventy only.
2	20.3	Boring, Providing and installing cast in situ				
	· ·	single under reamed piles of specified diameter and length below pile cap in M-25		-		
	-	cement concrete, to carry a safe working load not less than specified, excluding the				
	*	cost of steel reinforcement but including the cost of boring with bentonite solution and the length of the pile to be embedded in pile	e.		2	· · ·
	ÿ	cap etc. all complete. (Length of pile for payment shall be measured upto to the				
	3	bottom of pile cap):				> ~
	20.3.1	300 mm dia Piles			7 7	Rs. One thousand nine hundred thirty four and
			0.000	meter	1934.20	paise twenty only.
	20.3.2	400 mm dia Piles				Rs. Two thousand two hundred twenty five ar
	20.3.3	450 mm dia Piles	0.000	meter		paise thirty only.
	20.3.3	430 mm dia Fries	0.000	meter		Rs. Two thousand three hundred ninety seven a paise fifty only.
	20.3.4	550 mm dia Piles	0.000	meter		Rs. Two thousand six hundred five and paise
, : Y			0.000	meter	2605.10	
3	20.4	Extra over item No. 23.3 for providing additional bulb in under reamed piles, under specified dia meter				, ,= 
		(Only the quantity of extra bulbs are to be paid).		× .		
(*)	20.4.1	300 mm dia Piles				Rs. One thousand two hundred forty and pais
	20.4.2	400 mm dia Piles	0.000	Each	1240.10	ten only. Rs. One thousand three
			0.000	Each		hundred seventy three and paise eighty only.
	20.4.3	450 mm dia Piles		20011		Rs. One thousand four hundred fifty four and
9.0	20.4.4	500 11 011	0.000	Each		paise eighty only.
5.	20.4.4	500 mm dia Piles	0.00-			Rs. One thousand five hundred ninety seven a
			0.000	Each	1597.20	paise twenty only.

उत्भेज समार क्षेट

 $\bigcirc$ 

 $\Theta$ 

 $\bigcirc$ 

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Jechowly

Style

	1			
e tron'r allefr				
				$\ominus$
		had and study to a gingal can including the		$\odot$
				0
				0
				0
				0
				0
			p. Pige	
				0
				0
		autici mai bulb in tinder reamoù pifes, under specified dia meter		0
				U
or halosa da sali) 128 200 - 201 de denimad				
				0
in a sur para vid esti				
				0
		120 gan dia 179e	1 - 1	0
				U
				0

Chai Equiser 8.5.5.10.0.11d.Pama 34014827676

0

0

 $\Theta$ 

0

	У		12			
EART	HWORK I	N EXCAVATION				
4	2.8.1	Earthwork in excavation in as(exceeding 30cm in depth. 1.5m in width as well es 10sqm on plan) incloding dressing of sides and ramming of bottom,lift upto 1.5 including getting out the excavated soil and disposal of surplus soil as directed within a lead of 50m.  All Kind of soil = 286.64 CUM	e general de la companya de la compa			Rs. Two hundred five and paise twenty only.
a)		SEPTIC TANK = 31.89 CUM TOTAL QUANTITY = 318.53 CUM	318.530	cum	205.20	
5	2.29.1	Surface dressing of the ground including removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5m All kinds of soil.  = 136.41 CUM				Rs. Seven hundred eighteen and paise eigh only.
			136.410	100 sqm	718.800	· · · · · · · · · · · · · · · · · · ·
EA	RTH FILL	ING			. /	1
6	2.26	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth: consolidating each deposited layer by ramming and watering lead = 188.98 CUM	3 3 3			Rs. Sixty six and paise forty only.
		- 188.98 COM	188.980	cu.m	66.40	
SA	ND FILLI	NG	/			
7	2.28	Supplying and Filling in plinth with local sand and under floors including, watering, ramming consolidating and dressing complete.  = 118.79 CUM SEPTIC TANK = 1.02 CUM TOTAL QUANTITY = 119.81 CUM	119.810	cu.m	192.50	Rs. One hundred ninety two and paise fifty only
FLAT	Γ BRICK S	OLING			-	
8	11.72	Providing designation 100 A one brick flat soling joints filled with local sand including cost of watering, taxes, royalty all complete as per building specification and direction of E/I, 10 + 2, BUILDING = 291.84 CUM SEPTIC TANK = 13.57 CUM TOTAL QUANTITY = 305.41 CUM				Rs. Two hundred twent seven and paise sixty only.
			305.410	sq.m	227.600	

उद्योगित कार्या

 $\bigcirc$ 

 $\bigcirc$ 

Q

Chief Engineer

B.S.E.I.D.C. Ltd Patna

15/5

A STEAM OF THE SECOND STATE OF THE SECOND STAT	
- productive of transporters to show that I is a	
in illustrate de la compacta del la compacta de la	
20° Cu ett. (** 20) year 20 (**)	
ethnoving valuration and massiculars unit	
The description than quality may be particularly and	0
	0
	- 0
feandations are, in layer not excepting 20	0
to the in depth consolidating each denomical	
	0
SWITHERNS	
the of this duality in graffs the sai squad 1835 185	
A. Artherica, application around relices being base.	
anisana tine gaimbilezator anisanan	
miniming could during and account	
anisana tine gaimbilezator anisanan	0
manning consolidating and accessing complete.	
mmndrig copsolidating and consider coppidate and consider coppidate.	0

 $\bigcirc$ 

Ö

Ö

collections been reaching brills word scales	
nisconile bus naturalizade parblind regizar	

12	50	-
	1	2
	•	

0				13			
Ó							
$\bigcirc$							
0	1	P.C.C.					
<u> </u>					-		.,
	100						2 "
	9	4.1.5	Providing and laying in position cement	= y/ 3			
0		ė	concrete of specified grade excluding the				
0			cost of centring and shuttering- all work upto plinth level				Rs. Two thousand seven
$\Theta$			1:3:6 (1cement: 3 coarse sand : 6 graded	-	2		hundred seventy five and paise seventy only.
			stone aggregate 20mm nominal size) = 13 CUM	U.	,		paise seventy only.
				13.000	cu.m	2775.70	
	10	4.1.4	Providing and laying in position cement concrete of specified grade excluding the				
			cost of centring and shuttering- all work				a 1
Q			upto plinth level				
0			1:2:4 (1 Cement: 2 coarse sand : 4 graded stone aggregate 40			-	Rs. Three thousand two hundred nineteen and
0 -	-		mm nominal size)10 + 2 , BUILDING =				paise seventy only.
$\bigcirc$			8.74 CUM SEPTIC TANK = 2.98 CUM				
5			TOTAL QUANTITY = 11.72 CUM				
0		LOORING	3	11.720	cu.m	3219.70	
0	11	11.38	Providing and laying Ceramic glazed floor			/	
0	1		tiles 300x300 mm (thickness to be specified		8.9	3.	
0			by the manufacturer) of ist quality conforming to IS: 15622 of approved make				x " " x"
		4	in colours such shades				*
U	2.5		except white, Ivory, Grey, Fume Red, Brown, laid on 20 mm thick Cement motar				Rs. Eight hundred one
0			1:4 (1 cement: 4 coarse sand) including				and paise eighty only.
0			pointing the joints with white cement and				,
. 0			matching pigment etc., complete.  TOILET PORTION = 46.04 SQM		1, "	(	
	*			16.010		001.005	· · · · · · · · · · · · · · · · · · ·
$\Theta$	V	VALL TILES	S	46.040	sq.m	801.800	
0							

Elega 22/15 /2E

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Jehnull

LS/05/12

		A STATE OF THE STA		
			*	
		KOYA CURI		
65 O.L.				
		anibatani donas gancia I menica II vi		
		the transle with white concert of		
		TOP 11 PORTION = 4504 SOM		
		The second secon		
		1		

38 TITE TO TO THE

O

.0

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

O

Chief Engineer B.S.E.LD.C. Ltd. Pares

	1
١	/1
	2

0				14			
	12	11.36	Providing and fixing 1st quality ceramic		e e	<u>u</u>	
			glazed wall tiles conforming to IS: 15622	8	x		* * * 2
			(Thickness to be specified by the			,	`
			manufacture) of approved make in all				
9	-		colours, shades except burgundy, bottle	*			
0			green, black of any size as approved by		-		Rs. Seven hundred fifty
			Engineer-in-charge in skirting, risers of				four and paise twenty
			steps and dados over 12 mm thick bed of	-			only.
			cement Motar 1:3(1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3			,	only.
U			kg per sqm including pointing in white		17		<del>-</del>
0	7		cement mixed with pigment of matching				
			shade complete.				
			TOILET PORTION = 188.874 SQM				5
			TOILET TOILTIEN.	188.874	sq.m	754.200	
0	LOOI	RING & SK	TIDTING	1001011			
	13	11.26.1	Kota stone slab flooring over 20 mm			/	
	13	11.20.1	(average ) thick base laid				
			over and jointed with grey cement slurry				
			mixed with pigment to				4
			match the shade of the slab including				Rs. Nine hundred sixty
			rubbing and polishing				eight only.
			complete . Base with 1:1:1 (1 lime : 1		v		eight only.
		7.	surkhi: 1 coarse sand ) / 1:4 (20 TO 25MM			v	0
			THICK)				70
			= 281.852 SQM		n +	N N	
0		ř.		281.852	sq.m	968.00	
	14	11.27	Kota stone slabs 20 mm thick in risers of				
			steps skirting. Dado &		= (7.		
			pillars laid on 12 mm (average (thick		v.		40
			cement mortar 1:3 (1 cement:				D. Nine hundred twenty
0			3 coarse sand ) and jointed with grey cement		1		Rs. Nine hundred twenty seven and paise fifty
			slurry mixed with				only.
			pigment to match the shade of the slab			х.	only.
			including rubbing and				,
0			polishing complete. Details of cost for 10	_			
A			sqm	74.37	sq.m	927.50	
0	1.5	0.2.2	Extra for providing edge moulding to 18	74.57	Sq.m		
	15	8.3.2	mm thick marble stone counters, Vanities				
			etc. over item no. 8.2 including machine				
0		Ψ.	polishing to edge to give high gloss finish				Two Hundred Thirty
			etc. complete as per design approved by				Nine and paise ten only
			Engineer -in -charge.				Trille and paide ten only
		9	Granite work	к.			100
	,			0.00	3.4	220.10	
			7	0.00	M	239.10	

अन्त्रेय क्रिया क्रिक्स

16				
(				
				· · ·
		This or thing galleine type in the		
(		Bridster Iv rengil, dile teda ingmed		
	* .			
(				
-				
0				
(				
. (				
. (				
		erement in match the staile of the state		i alim
		bata bataldan mabaland		
			10,68	
			oft, tres	
(			ill, ber	
			idt, t/e -	
		The second of the provided of the monderne to TR committee committee committee of the commi	nti, ter -	
(		It sum the plant division of the mondaine to Ut can the plant to the control of t	10,62	
		It ams for providing while mondaine to Ut can third contain beneathaniars. Viminas one men it in the first Archating machine pair from melige on give high gloss fasials one generates as per design approved by tagineer in duty.	10,67	
		It sum the plant division of the mondaine to Ut can the plant to the control of t	rill, ter	

Ö

Ü

Chief Engineer
B.S.E.I.D.C. Ltd. Paina

)	WOR	K BELOW I	PLINTH LVL.	ä			
)	16	5.1.1	Providing and laying in position specified grade of reinforced cement concrete	E 190		2	
			excluding the cost of centring, shuttering, finishing & reinforcement - all work upto	* · · · · · · · · · · · · · · · · · · ·		,	Rs. Five thousand one hundred ten and paise
			plinth level. 1:1:2 (1cement: 1 coarse sand : graded stone aggregate 20mm nominal size)				seventy only.
		¥	= 59.183 CUM	59.183	cu.m	5110.70	
	R.C.C	. WORK A	BOVE PLINTH LVL.				
)	17	5.2.1	Reinforced cement concrete work in wall (any thickness), including attached plasters,	4			
)			buttresses, plinth and struts etc upto floor five level excluding the cost of centring,	~	=	. *	Rs. Five thousand six
	×	٧	shuttering, finishing & reinforcement 1:1:2 (1cement: 1 coarse sand : 2 graded	*			hundred sixty six and paise twenty only.
	e.		stone aggregate 20mm nominal size) 10 + 2 , BUILDING = 20.51 SQM		-	± ±	paise twenty only.
				20.510	cu.m	5666.20	, , , , , , , , , , , , , , , , , , ,
	18	5.1.3	Providing and laying in position specified grade of reinforced	20.310	cu.iii	3000.20	
)			cement concrete excluding the cost of centring, shuttering, finishing and			6 2	
	ē		reinforcement-All work puto plinth level. 1:2:4 (1 cement:2 coarse sand:4		8	2	Rs. Three thousand four hundred thirty eight and
	a .		graded stone aggregate 20 mm nominal size)				paise ninety only.
			SEPTIC TANK = 0.93 CUM	1	i i		
)				0.930	cum	3438.90	

असीजाइक क्रिक्ट

Chief Engineer

B.S.E.I.D.C. Ltd, Patnal

State of State

	The State of the ordered and serious in pricinion specifical to the control of th

*			
		grounds for accounting that seem of changes	
		destaria. Bakking & combosemen	
		builtings add to keep in position againful.	
		la gaz ad umbalaya diengapo indimis	
		bro guidant quatches gazare	
		FOR TANK = 0.05 COM	

JASTER TO PER

 $\bigcirc$ 

-0

 $\bigcirc$ 

 $\Theta$ 

Chief Engineer
S.S.F.13 C. 144, Pains

9			^	10			
О Г	19	5.3	Reinforced cement conrete work in				, "
	17	+	beams, suspended floors, roofs having slope		1		
0		5.33B.4	lupto 15, landings, balconiec, shelves,				
		+	chajjas, lintels, bands, plain window sills,				
9		5.33B.1	staircases and spiral stair cases upto floor				
0			five level excludingthe cost of centring,				· .
			shuttering, finishing and reinforement with 1:2:4(1 cement:2 coarse				
$\Theta$			sand:4 graded stone aggregate 20 mm				Rs. Four thousand five
0			nominal size).				nundred eighty one and
			Add or deduct for providing richer or leaner			^ ^	paise twenty only.
0		i i	mixes respectively at all floor levels.				
			Providing M-15grade R.C.C instead of M-				
			20 grade R.C.C.	- " " " " " " " " " " " " " " " " " " "	2		
0			Proiding M-25 grade R.C.C. instead of M-		**		
	=		20 grade R.C.C. = 100.44 CUM				3
0			- 100.44 COW		·	*	7
$\bigcirc$		,		100.440	cu.m	4581.20	
		9		100.440	Cu.iii		
0			,	Contract of the second			
0	В	RICK WO	RK	,		λ.	* *
				¥.		,	N1 2
	20	6.1.14A	Brick work with bricks of class designation				
			100A in foundations and plinth in cement			-	Rs. Three thousand nine
$\bigcirc$		.*	mortar 1:6 (1cement :6 coarse sand)			,	hundred ninety two and
0		-	= 39.878 CUM			× -	paise ninety only.
		v v	7			3992.90	
		~		39.878	cu.m	3992.90	
	21	6.1.14A	Brick work with bricks of class designation		*		
$\Theta$		+	100A in foundations and plinth in: Cement				Rs. Four thousand four
0		6.3A	mortar 1:6 (1 cement: 6 coarse sand)	1			hundred twenty seven
	>		Extra for Brick work in superstructure above plinth level upto floor V cum				and paise fifty only.
			= 160.082 CUM		*		and paids may
$\Theta$			- 100.062 COM			4407.5	
			2 2	160.082	cu.m	4427.50	)
0	22	6.18.4	Half brick masonry with bricks of class				
		+	designation 100A in foundations and plinth				
0	×	6.19A	in : Cement mortar 1:4 (1 cement: 4 coarse				Rs. Five hundred thirty
			sand)	,			eight and paise thirty
9			Extra for half Brick masonry in			· ·	only.
0		140	superstructure above pinth level upto floo	`		-	× ×
A		*	V level. = 134.043 SQM	2 3	-	-	
0			- 134.043 SQWI	134.043	3 Sq.m.	538.3	[0]

मनीय हमार शह

1/3/10

Chief Engineer

B.S.E.I.D.C. Ltd., Patna

Page Stering

195 512119

	3.1.			0
		Semifered coment contest work in negative theories roofs leaving slope type 2.5 (anthogs, balconice, shelves,		0
			i Alfri	
		et ej terlæy. Brosnning and geleffærelæste e left. I 2341 rænkentsk e-terest		0
r - 1 Mil 1 - Gar 1 self (1979 A - 20) - 2 Mel - 1 see - 2 Meg (technology (1971 )				0
				0
				0
				0
				0
				0
				0
	-			0
				0
				$\Theta$
ri gerkini ugi ma				$\odot$
		Armed Salle Sa		
				$\bigcirc$
	i i	busines i from comment 6 course cond ) [Extra for their work in superfections		0
				$\odot$
				0
				0

 $\bigcirc$ 

		1 2 2 2	17			
23		Extra for providing and placing in position 2 Nos, 6 mm dia, MS bars at every third course of half brick masonry (with F. P. S. bricks) = 134.043 SQM		, , ,		Rs. Seventy five and paise ninety only.
£ .		= 134.043 SQM	*			
			134.043	Sq.m.	75.90	
24	6.1A + 6.1.12/1	Brick work with bricks of class designation 100A in foundations and plinth in : Cement mortar 1 .:4 (1 cement: 4 coarse sand)				Rs. Four thousand one hundred eighty four only.
		= 8.75 CUM	8.750	cum	4184.00	
PL	ASTER WO	RK				X
25	13.13.4	20 mm cement plaster of mix; 1:6 (1 cement: 6 coarse sand) = 836.658 SQM	836.658	sq.m	123.50	Rs. One hundred twenty three and paise fifty only.
26	13.13.1	20 mm cement Plaster 1:3 (1 cement: 3				Λ
20	+ 13.26	coarse sand) with a floating coat of neat cement & neat cement punning SEPTIC TANK = 16.65 SQM		100 m 2 m 100 m 10		Rs. One hundred eighty five and paise sixty only.
	z.		16.650	sq.m	185.60	
27	13.11.4	12mm thick Cement plaster of mix 1:6 (1 cement : 6 coarse sand) = 1041.58 SQM		-		Rs. Eighty nine and paise thirty only.
		a control of the cont	1041.580	sq.m	89.30	
28	13.17.1 +13.36.1	12 mm cement Plaster 1:3 (1 cement: 3 coarse sand) with a floating coat of neat cement & Extra for providing and mixing				
		water proofing material in proportion recommended by the manufacturers: 12 mm cement plaster 1:3(1	2 2		\$	Rs. One hundred forty five and paise fifty only.
		cement :3 sand) SEPTIC TANK = 52.82 SQM	Ĭ.		1 V 1 V 1	· · · · · · · · · · · · · · · · · · ·
	9		52.820	sq.m	145.50	)
				1		1

388.530

sq.m

असीप क्रमार्किट

6mm thick Cement plaster of Ceiling mix

1:4 (1 cement : 4 coarse sand)

= 388.53 SQM

0

0

29

13.24.2

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

Rs. Seventy seven and

paise forty only.

77.40

15/5

				The second production and procine or position 2.	
				The state of the s	
			1		
	2			The state of the s	
		-			
				· , · · · · · · · · · · · · · · · · · ·	
			-2.237		
				3.36.1 coarse sands with a Healing cont of near	
				all of bulliamintary monagoni	
				- 38K30 8004	

345114 65 10/2014

Ö

 $\bigcirc$ 

 $\bigcirc$ 

Ò

Chief Engineer B.S.E.I.D.C. Ltd, Patna

	0	
١	6	>

30	+ 11.8	Cement concrete flooring 1:2:4(1 cement:2 coarse:sand:4 graded stone agregate) finished with a floating coat of neat cement including cement slurry, etc. but excluding the cost of nosing of steps etc. complete. 40 mm thick with 20 mm nominal size stone aggregate.  Extra for making chequers of approved pattern on cement concrete floors, steps, landing, pavemerts etc.  = 136.41 SQM				Rs. Two hundred thirty two and paise ninety only.
			136.410	sq.m	232.90	
FINIS	SHING WO	RK				
31	13.46.1	Finishing walls with Acrylic Smooth exterior paint of required shade: New work (Two or more coat applied @ 1.67 ltr/ 10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/ 10 sqm)  EXTERNAL WALL = 836.658 SQM	836.658	sq.m	68.80	Rs. Sixty eight and paiso eighty only.
32	13.80A.2	Providing and applying white cement based putty of average thickness 2 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.			110.70	Rs. One hundred eighteen and paise seventy only.
33	13.77.2	Distempering with oil bound washa ble distemper of approved brand and manufacture to give an even shade.  New work (two or more coats ) over and including priming coat with cement primer  INTERNAL WALL & CEILING = 1430.11 SQM		sq.m	64.00	Rs. Sixty four only.
34	13.81.1	Applying priming coat with ready mixed pink or grey primer of approved brand and manufacture on wood work (hard and softwood) = 115.68 SQM	-	sq.m	25.20	Rs. Twenty five and paise twenty only.

उद्ये जाम्द किल्पि

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

15/5

Skihoulty 15/05/12

Compare struct tembers atoms methods considered the struct compare to the struct constant to the struct to the s	
	Consequently orning states orners  Consequently states or took as a consequent orners or took as a consequent orners or took as a consequent or took as a consequent or took and a consequent or took as a consequent or

	Finalities with Arciplic Sensetts excesses paint at consider the New work (Two or name constraint in Lat had 10 constraint and including printing ever of	
/ Chand-said : 1919		
Serventsyon'y.		

Conf. Indiana.

( )
$ \sim $
_

			19			
35	13.81.3	Applying priming coat with ready mixed zinc chromate yellow primer of approved brand and manufacture on steel galvanized iron/steel work.  = 105.728 SQM	105.728	sq.m		Rs. Twenty one and pais thirty only.
36	13.93.1	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade two or more coats on new work = 221.408 SQM			1	Rs. Fifty and paise ninet only.
		221.400 5QM	221.408	sq.m	50.90	=
37	10.14.1	Providing and fixing T-iron frames for doors. windows and ventilators of mils steel Tee-sections, joints miltred and welded with 15x3 mm lugs 10 cm long embedded in cement concerete				
		blocks 15x10x10 cm of 1:3:6 (1 cement: 3 coarse sand: 6 graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or rawl		·		Rs. Seventy five and paise ten only.
20	0.21.1	plugs and screws or with fixing clips or with bolts and nuts as required including = 339.675 KG Providing and fixing flush door shutters	339.675	Kg.	75.10	. ,
38	9.21.1	conforming to IS: 2202 (Part-I) non- decorative type.core of block board construction with frame of 1st class tiard wood and well mathched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters.	-			Rs. One thousand eight hundred twenty three a
,	2	35 mm thick including anodized aluminum butt hinges with necessary screws = 48.195 SQM	*			paise eighty only.
-	-		48.195	sq.m	1823.80	
39	9.119.1	Providing and fixing oxidised M.S.tower bolt black finish,(barrel type) with necessary screws etc.complete 250x10mm 10 + 2, BUILDING = 44 EACH	15.175	24		Rs. Sixty six and paise fifty only.
			44.000	each	66.50	

उद्यामिट स्टिन्स

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Jish. Jishouly

1515 15191

				9
		Caxing ybers they been country as stopped as the control of appearance of the control of appearance of the control of the cont		0
		deline pychrinige not be sell in		0
				0
				0
				0
				0
				0
		both and note to respine including  - Fig. 679-633		0
				0
		insolt stolid to mexager evinencely dend stable la to commit this majoreteness did this committee and the later of the committee of the commit		0
Part Control of the C				
				0
				0
				0
				Ü

30 1788 20 10176

0

0

Chief Engineer
B.S.E.I.D.C. Ltd, Pama

				70			
	40	9.104.1	Providing and fixing M.S.handles with				9
-			necessary screws etc.complete				D
			125 mm	9			Rs. Twenty seven and
	5		10 + 2, BUILDING = 44 EACH				paise fifty only.
9				44.000	each	27.50	
$\Theta$	41	9.223.2	Providing and fixing alluminium hanging		2	and the second	<i>t</i>
			floor door stopper anodised (anodic coating				
0			not less than grade AC 10 as per IS:1868)				
			transparent or dyed to required colour and	r.			Rs. Eighty two and paise
	Ť		shade with necessary screws				seventy only.
0			etc.complete:Twin rubber stopper	22			
			= 22 EACH	22 000	1	00.70	* *
	40	0.100.1	D	22.000	each	82.70	
	42	9.100.1	Providing and fixing M.S. sliding door bolts				5
0			bright finished or/and black enamelled, with	5			D 0 1 1 1 1 1 1 1
0			nuts and screws etc.compelled: 300x16 mm				Rs. One hundred seventy
			= 22 EACH			e e	seven and paise forty
			- ZZ EACH	a		£	only.
2.				22.000	each	177.40	
0		TEEL WO	DV	22.000	Cacii	177.40	
0							,
	43	10.12.1	Providing and fixing glazed steel doors,		1 1	h _	2 .
		+ 10.12D	windows or ventilators of standard rolled	* .			
		10.13B	steel sections, joints mitered and welded		E.		
0			with 15x3 mm M.S. lugs10cm long with steel legs embedded in cement concrete		6		
			blocks 15x10x10cm.of (1:3:6) (1cement :		1 0 0		
			3coarse sand : 6graded stone aggregate		-	a '"	
$\circ$			20mm nominal size) or with wooden plugs	,			
			and screws or rawl plugs and screws or with				
			fixing clips or with bolts and nuts as				
			required, including providing and fixing of				
0			glass panels with glazing clips and special			n n	- A
			metal-sash putty of approved make			*	Rs. Three thousand two
			complete including applying a priming coat		1		hundred seventy and
$\bigcirc$	100		of approved steel primer excluding the cost	1			paise sixty only.
Year	, a .		of metal beading and other fitting except		a a	r =	, , , , , , , , , , , , , , , , , , ,
			necessary hinges or pivots as required.				
0			Doors				· ·
$\cup$			Extra for providing and fixing steel beading		,		
	32		of approved shape and section with screws				
			instread of glaxing clips and met. Sash putty	11			
0			in steel doors, windows, ventilators and	2			
			composite units.Steel Windows.			,	
$\bigcirc$			= 95.715 SQM				
				95.715	sq.m	3270.60	1 4

असीय क्रमार्विष्ट

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

Application of the control of the co				
According to the control of the cont				
According to the control of the cont				
Action of the control		-		
Applies to address "station," wongsto's, is worth   Likelit virtum in 10 127 with young of the station of the s				
Appell of the control				
AND W. LEATE STATE OF THE STATE				
becomed in the content of the conten				
Account of the control of the contro				
And the season produces the special content of the season produces and the special content of the season produces are special of the special content of the spec	i paragogia			
The second parties P. M. prized hum grifferents   1 (iii)   22- 100 to the second parties P. M. prized hum grifferents   1 (iii)   22- 100 to the second parties of the second edge of t				
The leading and the property of the second s				
AND				
AND				
STEEL WORDS  27 00 12   Providing and facing glazar med Alean  10 12   Providing and facing glazar med Alean  10 12   Providing and facing glazar med Alean  10 12   Providing and Alean and Alean  10 12   Providing and Alean and Alean  10 12   Providing and Alean  11   Providing and Alean  12   Providing and Alean  13   Providing and Alean  14   Providing and Alean  15   Providing and Alean  16   Providing and Alean  17   Providing and Alean  18   Providing and Alean  19   Providing and Alean  19   Providing and Alean  10   Providing and Alean  10   Providing and Alean  10   Providing and Alean  11   Providing and Alean  12   Providing and Alean  13   Providing and Alean  14   Providing and Alean  15   Providing and Alean  16   Providing and Alean  17   Providing and Alean  18   Providing and Alean  19   Providing and Alean  19   Providing and Alean  10   Providing and Alean  10   Providing and Alean  10   Providing and Alean  10   Providing and Alean  11   Providing and Alean  12   Providing and Alean  13   Providing and Alean  14   Providing and Alean  15   Providing and Alean  16   Providing and Alean  17   Providing and Alean  18   Provi				
ACT 18 (12) A CONTROL OF THE PROPERTY OF THE P	v.			
Action to the property of the				
STEEL WORKS  10. 10. 10. 10. 10. 10. 10. 10. 10. 10.	n i i i i i i i i i i i i i i i i i i i			
As a many soft all the property of the propert				
Providing and bring glacet meel board  statement or ventilating of consulted while the second particles which the second and webled with the second concerns the secon				
As a many soft all the property of the propert				
Interest personne, jetera voirened and vertical and vertical and vertical and vertical and vertical and vertical and event ingestion tone with the ingestion of (1819) (Tennest beecks 1810 (Bennest and agency agency agency and agency agency agency and agency				
destroy per consistency of sending with the legal per consol and selded with 15xx mm, Mx. ingsittan long with the legal may be selded an consol analysis the seld of the land				
discrete processes and vestions of the control of t				
Interest to the common consense of the common consense of the common consense of the common consense of the control of the con				
service in the common of the c				
blacks: Stillering (1934) (1934) (1934) Joseph Stone aggregate Joseph Gerock or with weather place to strock or data place and strock or with stiller of the stiller place and strock or with required varieties and race or glass panets vails glassing eller and traing of moral-last, plats, of aggregat which complete including agglying a primare com of aggregate including and other fining data to moral booting and other fining except to an moral booting and other fining except to an except to an except of the fact of the stiller of the stiller to an except of the fact of the stiller of the stiller to a fact on the stiller of the stiller to a fact on the stiller of the stiller to a fact on the stiller of the stiller to a fact on the stiller of the stiller to a fact on the stiller of the stiller to a fact on the stiller of the stiller to a fact on the stiller of the stiller to a fact on the stiller of the stiller to a fact on the stiller of the stiller to a fact on the stiller of the stiller to a fact on the stiller of the stiller to a fact on the stiller of the stiller to a fact on the stiller of the stiller to a fact on the stiller of the stiller to a fact on the stiller of the stiller to a fact on the stiller of the stiller to a stiller of the still				
Direct control of cold by the second cold cold by the second cold cold by the second cold				
product creek or with bully and now as grant of the party				
derion, clips or with bulls and rause as also panels with giowing files and enseigh and fixing of allows panels with giowing files and enseigh and beauting and fixing exactly and enseigh and beauting the fixing exactly and enseigh and beauting and fixing exactly and enseight and enseighbors and enseig				
respirate materials grains and fining off the provided materials grains and approved minter and approved minter complete including applying a priming domination and color of approved start primer established the cold materials beauting and color faring except from the cold materials and color faring except from the cold materials and color faring except from the cold form the cold materials and faring and form with account from the faring for the color of the faring and a faring an			three or search bus again take in Come buy	
The first party of approved and serviced for the control of approved and approved				
complete incinding applying a uninning and primary continues and continues incinding applying a uninning and primary applying a uninning and continues the continue incinues and colors finding areas from the continues and colors finding areas breaking and finding areas breaking and action with screens a finding and actions with screens and areas for applying and actions with screens and areas putty and actions and areas areas and areas and areas areas and areas areas and areas areas areas and areas areas areas and areas				
complete incinding replying a primate, dead complete incinding replying a primate, dead of inputs of succi primar escluding the cost of ment beathing and offer lining except frequency image of pivot at requied.  If the for providing and the screen of the for providing and the screen beathing of pivote, and the screen instrumed of pivote, and the screen			class panets with greating dies and arrestall	
The control of argument to the control of argument beauting and to the control of argument of argument argument argument of argum				
recovered start primar excluding the continuous fitting except from the continuous of the continuous fitting except from the continuous of the fortunal testing and fitting and fitting and at the continuous fitting and at the continuous of the continuous electrons and at the continuous electrons with across the continuous electrons wentless and at the continuous electrons are continuous electrons.				
Constraint thought of the problem of				
Control (ding and francial)  (i) the for providing and francial heading  (i) aspended allege of a section with screens  (ii) the steel ones, wenders, wentless ind  (iii) the steel ones, wenders, wenders				
The form white the first section with screens to the section with screens to the section with screens to the section of the section and one Section with the section of the section wouldn't the section wouldn't wouldn't wouldness wouldn't the section of the sect				

34 JAG Z GA

Ó

 $\Theta$ 

Colet Engineer

PSELD C. Ltd. Patna

-	
<b>(</b> )	- 1
1	- 1

				21	*		x
	44	10.12.1	Providing and fixing glazed steel doors,		,		
-		+	windows or ventilators of standard rolled			a	
	1.	10.13C	steel sections, joints mitered and welded				
			with 15x3 mm M.S. lugs10cm long with				
(_)			steel legs embedded in cement concrete	3			
			blocks 15x10x10cm.of (1:3:6) (1cement :				
			3coarse sand : 6graded stone aggregate			ρ.	
0			20mm nominal size) or with wooden plugs	-			
			and screws or rawl plugs and screws or with				
	- 1	940	fixing clips or with bolts and nuts as	¥.			
	9.		required, including providing and fixing of	*			
0			glass panels with glazing clips and special			-	
			metal-sash putty of approved make				Rs. Three thousand two
$\Theta$			complete including applying a priming coat				hundred seventy seven
			of approved steel primer excluding the cost			- *	and paise sixty only.
			of metal beading and other fitting except				
			necessary hinges or pivots as required. Doors		-	æ	
			Extra for providing and fixing steel beading	1	*		Υ,
0			of approved shape and section with screws		ū.	_ =	
	9 9		instread of glaxing clips and met. Sash putty				THE SECOND SECON
0				9			
			in steel doors, windows, ventilators and		- ,	=	
0			composite units. Steel ventilators		4.		ir i
			= 3.24  SQM		P 45		
0	-			5 N			
	_					į.	
0	1	le i		3.240	sq.m	3277.60	
	45	9.82.1	Providing and fixing M.S. grills of			^	
9			requirement pattern in frames of windows			Parameter	
			etc. with M.S. flats square or round bars etc				Rs. Ninety one and paise
			all complete	-			
			fixed to steel windows by welding.				fifty only.
			= 1722.87 KG	8	11		
0			<u>.</u>	1722.870	Kgs.	91.50	
	46	5.22	Reinforcement for RCC work including			San	
			straightening, cutting, bending, placing in				
0			position and bonding all complete.				- 1
			The state of the s				
			TMTC-500				
	}	5.22.7A	Thermo-Mechanically Treated bars TMTC-			\\	
		J.22.1A	500 8mm dia		10		
			The second secon	A			Rs. Seventy four and
			= 8300 KG	_		-	paise forty only.
	-		SEPTIC TANK = 93 CUM		. II II	=	paise forty offig.
			TOTAL QUANTITY = 8393 KG	8393.000	KG	74.40	, ,
	- 1			0093.000	NO	/4.40	
0	,	5 22 7D	Thomas Machanically Treated I TMTC	- 12		THE PARTY OF THE P	
0		5.22.7B	Thermo-Mechanically Treated bars TMTC-				Rs. Seventy three and
		5.22.7B	Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG				Rs. Seventy three and paise ten only.
0		5.22.7B	500 10mm dia				

अन्तिय द्वार्य

			Lord for previding and thing steel brading	
			Program from more born arenda Lagrange to	
			electric to semant it many minimalisper	
			als are permit a line strains on amend pers six	
			are with W.S. fluis square or raised bar- are	
Alau ing an anaka Al maryiki				
Alcohol in chase of the				
Alao e na caso. Al	DE. 10	29.1		
Alexander in commercial R	98-10	22.3		
elevies, in chases i R	52.10	29/4	oll complete  Alteri to size! windows by welding  The EXT K.C.  Reinforgement for REC work Mehaling	
eko es in caso, A	98.19	29.3	all complete discript which with the state of the state o	
elawies, na chance. A	QE. 10	29.4	oll complete  Alteri to size! windows by welding  The EXT K.C.  Reinforgement for REC work Mehaling	
elevies, in control of the state of the stat	98.10		oll complete discrete vised windows by webling results and service for Resulting sural ghening, gamen, benefits, pineing of position and sanding all requires	
elevies, in casos : R	92.10	29.4	all complete discriptions by welding recent size windows by welding recent size win Recent particles and factualing subjection, graphs; benefice, pincing or	
elevine, in mass. A	58.10	29.1	off complete  Alterd white windows by welding  FIELEST K.C.  Actimizations for R.C. work fictuiting kuraightening stateng to bendies, placing at position and banding all morphies.  Total C-500	
elawie, maranis, i A	98.19	25.4	oll complete  discolor start windows by welding  real Statement for Rig work Melading  sustightening, coloring benefits, placing of  position and banding all complete.  Texts C-Shu	
	08.10		oll complete  If the dead windows by welding  Reimforgeneral for REC work feducing swaightening, grapher, benefits, pincing or position and banding all congress.  Thermo-Elechanically Treated this TAUC:	
Ann gill	92.10	29.3	oll complete  Alter I which windows by welding  Frankly K.C.  Referring graphs: Next work Melading  Suraightening, graphs; benefits, placing of  position and transling all translate.  Thermo-Literhanically Treated bais TMPC-  Side Kram dis	
	92.10		oll complete  Alect which windows by welding  The Till Street of the Rect work Melming  Suraightening, entong: benefits, pineing of  Total C-500  Them of the horizontal in respicted  Sign Street of the Till C-500  Sig	
	5210		oll complete  Alter I which windows by welding  Frankly K.C.  Referring graphs: Next work Melading  Suraightening, graphs; benefits, placing of  position and transling all translate.  Thermo-Literhanically Treated bais TMPC-  Side Kram dis	
	58.10		oll complete  Alter I which windows by welding  Francesprace for Rig work feducing swaightening graphe, benefits pinning or position and tanding oil croppies.  Thermo-literapping oil cropping oil	
	92.10	29.3	oll complete  Alterd which windows by welding  Francesprace in Rig work februing  Reintersprace in Rig work februing  Straightening games; benefics pincing of  position and banding oil congles.  Themo-liteshanisally Treated bars TMITC-  SOO Samudia  SO	
	92.10	29.3	off complete  Alterd which windows by welding  Free Street in Rus work fictualing  Reinforspring strong; bendies placing of  Position and banding off confide.  Thermodification continues  Thermodification free in Street  Street Street in Street  LOTAL CASH STREET  LOTAL STREET  Alternationally freehold birs TAUC-  LOTAL STREET  LOTAL ST	
	92.10		oll complete  Alterd which windows by welding  Francesprace in Rig work februing  Reintersprace in Rig work februing  Straightening games; benefics pincing of  position and banding oil congles.  Themo-liteshanisally Treated bars TMITC-  SOO Samudia  SO	

3000 20100

 $\bigcirc$ 

Ó

 $\Theta$ 

Ü

Chief Engineer

F.S.E.I.D.C. Ltd. Paign

0	0
-)	-/

			22			, L
	5.22.7C	Thermo-Mechanically Treated bars TMTC-500 12mm dia = 7000 KG	7000.000	KG		Rs. Seventy one and paise eighty only.
2	5.22.7D	Thermo-Mechanically Treated bars TMT-500 16mm dia = 700 KG	700.000	KG		Rs. Seventy two and paise eighty only.
	5.22.7E	Thermo-Mechanically Treated bars TMT-500 20mm dia = 750 KG	750.000	KG	72.20	Rs. Seventy two and paise twenty only.
	5.22.7F	Thermo-Mechanically Treated bars TMT-500 25mm dia = 0 KG	0.000	KG	72.20	Rs. Seventy two and paise twenty only.
47	10.19	Providing & fixing M.S. Fan hook of 16 mm. dia. M.S. bar 1 Mtr. Long bent to required size and shape, placed in position and fixed in Truss Frame / RCC Slab / beam at the time of casting all complete as per building specification and direction of E/I. (Where materials is not supplied by deptt.) = 42 EACH				Rs. One hundred twenty one and paise eighty only.
	У		42.000	Each	121.80	* *
48,	10.33.1	Providing & fixing hand rail by welding etc. to steel ladder railling & staircases railling including applying a priming coat of approved steel primer.  MS tube (medium) 40mm nominal bore.  = 550 KG		kg.	91.10	Rs. Ninety one and paise ten only.
49	10.5	Providing and fixingin position collapsibble steel shutters with vertical channes 20x10x2mm and braced with flat iror diagonals 20x5mm size with top and bottom rail of T-iron 40x40x6mm with 40mm diagonals 20x5mm size with top and bottom rail of the complete with bolts nutricking arrangement stoppers handle including applying a priming coat of approved steel primer.	s s s s f			Rs. Four thousand one hundred fifteen and paissixty only.
ISCE	LLANEOU	JS WORK	4.52	sq.m	4115.60	J

मानीय क्रमार्

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

 $\Theta$ 

 $\Theta$ 

 $\Theta$ 

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

	22		
		n la gam (1) (10)	
The second second second			
		colored are and stage, placed in position	
		heiding specification and direction of Eff.	
		Where materials is not supplied by depth.)	

76 March 12 1/2 1/6

 $\Theta$ 

Chief Engineer

			23			
50	4.17	Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement :3 coarse	4	X u	-	
		sand: 6 graded stone aggregate 20mm				
		nominal size ) over 75mm bad by dry brick			r	Rs. Three hundred
		ballast 40mm nominal size well rammend	9			nineteen and paise thirty
	ē 😞	and consolidated and grouted with fine sand including finishing the top smooth.	9	3		only.
		= 75.414 SQM		100		× •
	1	73.414 5Q.11	75.414	sq.m	319.30	
	SHUTTERI	NG		7		). • •
	P	).				
5	5.9.1	Centring and shuttering including strutting,				
		propping etc. and removal of form for foundation, footings, basees of columns etc.				Rs. One hundred sixty si
	-	for mass concrete.				and paise seventy only.
		= 55.781 SQM	55 501		166.70	
_			55.781	Sqm.	166.70	
5	2 5.9.5	Centring and shuttering including strutting,				
		propping etc. and removal of form for lintel, beams, plinth beams, griders, bressumers				Rs. Two hundred fifty
		and contilevers.		*		one and paise thirty only
	-	= 349.241 SQM				
		547.241 SQW	349.241	Sqm.	251.30	
5	5.9.6	Centring and shuttering including strutting,				2
		propping etc. and removal of form for	P. Comments	Į.		
	-	columns, pillars, piers, abutments, posts and	,			Rs. Three hundred forty
	- 4	struts				four and paise forty only
	*.	= 367.575 SQM	0.00.000		244.40	
	,		367.575	Sqm.	344.40	)
5	5.9.3	Centring and shuttering including strutting,				9.
		propping etc. and removal of form for suspended floors, roofs, landings, balconies				Rs. Two hundred seven
		and access platform.		=		five and paise sixty only
	1	= 451.54 SQM	,	4		
		431.34 5011	451.540	Sqm.	275.60	)
_	*	n y ==				
			-		Total	
	3				Total (A	5,716,707.
D	lumbing	and sanitary Work				
	Tumbing	and Sanitary Work				
	55 B.S.R	Providing and fixing on wall face	<u> </u>			
٠	55 B.S.R 12.78	unplastidsed PVC (working pressure 4 kg		3		
	12.78	per sqm) rain water pipes cinforming to				
		IS:4985 including jointing with seal ring			-	
		conforming to IS:5382 leaving 10 mm gap				3
		for thermal expansion.		8		

उद्योगिट मिश्टि

0

July 1

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

15/5

Ste5/126)

						0
						0
						. 0
						0
						0
						0
. The bound of Last						0
due your large bearing						0
	08.14.1					0
			columns, pillus, piets, absuments, poets and			
			NOS cra tat =			0
						0
						0
						0
	0A.215	ONE LEB				$\bigcirc$
						0
			A STATE OF THE STA			
				R Alliant	UES.	$\bigcirc$
						Ď.
			tpl - media goldowy JVI, b. sweigne			
						0
						. •

Ö

Ō

Dist Engineer ELD C. Lie, Potos

			24	2		
	12.78.2	110 mm diameter. = 40 MTS	40.000	MTS	214.200	Rs. Two hundred fourteen and paise twenty only.
56	SOR 12.79	Providing and fixing on wall face unplasticised -PVC moulded fittings/accessories for unplasticised PVC rainwater pipes conforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10mm gap for thermal expansion.				
	SOR 12.79.1	Coupler	8	of and a second		
*	SOR 12.79.1.2	110mm = 10 MTS	10.000	Each	144.700	Rs. One hundred forty four and paise seventy only.
	SOR 12.79.5	Bend 87.50°	10.000	Lacii	144.700	- · · · -
	SOR 12.79.5.2	110mm bend = 12 MTS	12.000	Each	173.700	Rs. One hundred seventy three and paise seventy only.
	SOR 12.79.6	Shoe (Plain)				
a S	SOR 12.79.6.2	110mm Shoe = 12 MTS	12.000	Each	314.730	Rs. Three hundred fourteen and paise seventy three only.
57	B.S.R 17.1.1	Providing and fixining water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast iron P or S tap, 10 litre low white P.V.C. Flushing cistern with munally controlled device (handle level) conforming to IS: 7231 Parryware/Hindware with all fittings and fixtures complete including cutting and making good the walls and floors wherever required.				
	-	White Vitreous China Orissa pattern W C pan of size 580 x 440 mm with integral type foot rest.  = 6 EACH		Each	3035.400	Rs. Three thousand thir five and paise forty only

उद्योगमन हमार विहास

 $\bigcirc$ 

 $\bigcirc$ 

Ò

Ó

Chief Engineer

S.S.E.I.D.C. Ltd. Patna

Skelvous

15/15

		han salt of your halpton for the salt		
		78 790 170		
	SOR "			
-				
		accide man O feb		
		SIM EAST		
		Personne and fishibit trade chief		
		this can The age the thin is a state of		
				*
		LoSayim		

Chief Engineer

				25			
0	58	B.S.R	Providing and fixing white vitreous china				.2
		17.2.2	pedestal type water closet (European type				
		17.2.2	W.C. pan) with seat and lid, 10 litre low		= 8		
			level white P.V.C. flushing cistern,				
0			including flush pipe, with manually				
			controlled device (handle lever),				
0			conforming to IS: 7231, with all fittings and				ŧ
			fixtures complete, including cutting and	.5			-
			making good the walls and floors wherever				
$\Theta$	- 7		required:				^
			<u> </u>	19			*
0	- 1		W.C. pan with ISI marked black solid		y.	4	D. T. the second nine
$\bigcirc$			plastic seat and lid				Rs. Two thousand nine
			= 3 EACH				hundred twenty eight and
			,	3.000	Each	2928.300	paise thirty only.
		- 17		3.000	Each	2920.300	,
$\bigcirc$	59	B.S.R	Providing and fixing white vitreous china				e
		17.4.2	flat back or wall corner type lipped front				*
0			urinal basin of 430x260x350 mm and				χ .
			340x410x265 mm sizes respectively with				
	-		automatic flushing cistern with standard			-	
			flush pipe and C.P. brass spreaders with			-	
0			brass unions and G.I. clamps complete,				
		D.	including painting of fittings and brackets,				
$A \ominus A$			cutting and making good the walls and				
0			floors wherever required:		-		
$\bigcirc$					7	==	
0			Range of two urinal basins with 5 litre white	1.2			
9			P.V.C.			÷.	Rs. Four thousand six
$\bigcirc$	. =		automatic flushing cistern				hundred eighty eight and
			= 3 EACH				paise ninety only.
			- 3 EACH	3.000	Each	4688.900	
		200	D 1 1 C 1 1 C 1 1 1 1 1 1 1 1 1 1 1 1 1	3.000	Lacii	4000.700	
0	60	SOR	Provding and fixing toilet paper holder	and the same of th		The state of the s	,
		17.34		2	Darat.	304.2	Rs. Three hundred four
0	5.	SOR	Vitreous china	3	Each	304.2	miles of the second sec
0		17.34.2		G (8)			and paise twenty only.
0	61	B.S.R	Providing and fixing wash basin with C.I.				, ž
		17.7.1	brackets, 15 mm C.P. brass pillar taps, 32				
			mm C.P. brass waste of standard pattern,	-		-	· · · · · ·
$\Theta$			including painting of fittings and brackets,			*	
	3-		cutting and making good the walls wherever			7	
0		YI.	require:				
0			White Vitreous China Wash basin size	1 1	, ·		y .
			630x450 mm with a pair of 15 mm C.P.	1		1	Rs. Two thousand one
0			brass pillar taps.			,	hundred twenty and paise
			= 12 EACH				thirty only.
			12 Di Cii	12.000	Each	2120.300	
		1					

अध्येत स्मार्थिह

0

0

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

July

LJEILY

LJEILY

			State According States and bac guidents		1.77
7					
			Life John may be the range Life		
				5 1-51	
					~
			bushense store musero gradente un bombe		
	1		Oheli piet and C.P. Seen speculors with		
			brise gainer and G.L. climing countries.		
			Mill the CL to many a disk man disk this. 		

Marie Carlon

				26			
0	62	18.63	Providing and fixing PTMT angle stop cock 15 mm nominal bore,weighing not less than 85 gms	15,000	Each	180.900	Rs. One hundred eighty and paise ninety only.
0.	63	B.S.R 17.28	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.	15.000	Each	180.900	
		17.28.2.1	Flexible pipe 32 mm dia	λ.		è	
			= 12 EACH	12.000	Each	78.600	Rs. Seventy eight and paise sixty only.
)	64	B.S.R 17.32.2	Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame				
	\$		of approved make and shade with 6 mm thick hard board backing:  Rectangular shape 453 x 357 mm  = 12 EACH		,		Rs. Six hundred forty three and paise forty only.
)			7	12.000	Each	643.400	
	65	B.S.R 17.33	Providing and fixing 600 x 120 x 5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with				
			C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete.  = 12 EACH				Rs. Four hundred seventy eight and paise thirty only.
)			- 12 LACII	12.000	Each	478.300	7
)	66	B.S.R 18.8.1	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings including fixing the pipe with				
)	-		clamps at 1.00 m spacing. This includes joining of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per			#	Rs. Two hundred forty one only.
)	*		direction of E/I Concealed work including cutting chases and making good the wall etc. 15 mm nominal outer dia Pipes = 50 METER	*		4	
				50.000	metre	241.000	

सनोत कुमारिक्ट

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

				10
		Providing and Sound PT III angle of the problem		0
			1	
				.0
		had only the end of Arthur all Constitutions		
1				
				0
				$\Theta$
				0
		heliopo la motine enerit toccigation di licelater la une collega leverage lui scale		
		small hobits on any stay of the one form required		
		of appeared make and shiple with a near		
				0
				0
				0
				J.
				0
				<b>O</b> .
		etccomplen = 12 E.oC.H		
				0
				O
		bihazati sand 2 nina 9V9J its shina instalia		0
		letterny chases and making good the sense		
		lucturing testing of forms complete as par		$\Theta$
				9
				$\bigcirc$
		· Charles		
				$\Theta$

363719 WAR

0

Ö

0

				27			
0	67	B.S.R	Providing and fixing Chlorinated Polyvinyl		* ×		
		18.9.3	Chloride (CPVC) pipes, having thermal				-
			stability for hot & cold water supply				
			including all CPVC plain & brass threaded	e ti			
0	1 "		fittings This includes jointing of pipes &			,	D. O. I. Jane J. Jane J.
			fittings with one step CPVC solvent cement,			1	Rs. One hundred ninety
0			trenching, refilling & testing of joints		(90)		three and paise eighty
0			complete as per direction of Engineer in			-	only.
0			Charge.			=	
			25 mm nominal inner dia Pipes		b		
			= 60 METER	2			
0	*		OU METER	60.000	metre	193.800	
		18.9.4	32 mm nominal outer dia Pipes				Rs. Two hundred fifty
$\odot$		10.5.1		40.000	metre	251.100	one only.
	-	18.9.2	20 mm nominal outer dia Pipes				Rs. One hundred forty six
0	п	10.7.2	Tomas data dia riped	40.000	metre	146.400	and paise forty only.
	68	B.S.R	Providing and placing on terrace (at all floor	.5.555		2.00.100	The party and
	00	18.48	levels) polyethylene water storage tank ISI				
		10.40	:12701 marked with cover and suitable				
			locking arrangement and making necessary			9	
	-		holes for inlet, outlet and overflow pipes but	*		,	Rs. Six and paise eighty
						*	only.
			without fittings and the base support for				
			tank.		ner		
0			= 4000 PER LITER	4000.000	per litre	6.800	,
	(0	DCD	Durviding and fiving C.D. hwas his assle of	4000.000	nuc	0.800	
<b>O</b>	69	B.S.R	Providing and fixing C.P. brass bib cock of		a a		
0		18.49	approved quality conforming to IS:8931				
			15 mm nominal bore.				B E I I I I I
$\bigcirc$							Rs. Four hundred ninety
			= 12 EACH	12.000	Each	497.000	seven only.
	70	B.S.R	Providing and fixing C.P. brass stop cock				
		18.52	(concealed of standard design and of		=		
0	- 1		approved make conforming to IS: 8931				
0							
0		18.52.1	15 mm nominal bore.				Rs. Six hundred seventy
0			= 10 EACH			·	
				10.000	Each	670.700	and paise seventy only.
0.	71	SOR	Providing and fixing P.T.M.T. grating of	10.000	Laon	570.700	
	/ 1	18.58	approved quality & colour	No. of the last of		Contract of the Contract of th	
$\odot$		10.30	approved quanty & colour	4		1 1 5	
	-	SOR	circular type				
0		18.58.1	Circulal type	3	ş <sup>8</sup>		
		10.38.1		-		81	
0							
0		SOR	100 mm nominal dia,	11	Each		
		18.58.1.1				47.90	Rs. Forty seven and paise
$\Theta$			1,2			17.50	ninety only.
	1.	(6)	*				

उने जिल्ला के स्ट्रिस्ट

0

 $\bigcirc$ 

	gringer rigger blob & and after allighers		
	halvesty all First sign it bias threshol		0.
			O
			$\Theta$
	Providing and placing on terror, (et all door		
			. 0
	hole. To infer, outlet and overflow pipes but		
	hat reiduly assig squ pus saunt medical		
1 1			
			0
			0 -
	HAATS		0
	Providing and Using C.P. Irras store cock		
			10
was selected and Sale.			
			0
			- (-)
			0

Ó

Chief Enginess B.S.E.L.D.C. Lid, Pally

			20			
72	B.S.R 19.2.1	Providing and laying cement concrete 1:5:10 (1 cement : 5 coarse sand : 10 graded	3			-
		stone aggregate 40 mm nominal size) all-round S.W. pipes including bed concrete as per standard design:		,		Rs. Three hundred twelve and paise fifty only.
		100 mm diameter S.W. pipe = 50 METER				
			50.000	metre	312.500	
73	B.S.R 19.6.1	Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars				
	19.0.1	jointed with stiff mixture of cement mortar				
1		in the proportion of 1:2 (1 cement : 2 fine	21			Rs. Three hundred twelv
R 2		sand) including testing of joints etc.	r y:			and paise ninety only.
		complete:		~		
		100 mm dia R.C.C. pipe = 15 METER				
-		- 15 METER	15.000	metre	312.900	N
74	B.S.R 19.27.1	Constructing brick masonry road gully chamber 50x45x60 cm with bricks in				7
	17.27.1	cement mortar 1:4 (1cement : 4 coarse sand)		=	n	*
		including 500x450 mm pre-cast R.C.C.				Rs. Three thousand one
		horizontal grating with frame complete as		e	* .	hundred seventeen and
		per standard design :				paise thirty only.
		With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	9 =		2	
		= 2 EACH	2.000	Fook	3117.300	- A
		9	2.000	Each	3117.300	

उद्योगार हारित हिलाड

0

0

W 105

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Jichaud Stranger

1915

		Digities destrois I'm michiles Wille dilly beschaff	
		formieri enten 13 (toenem - + coarge smith	
	2,080		

34 JASE A. 17213

 $\Theta$ 

 $\Theta$ 

Ö

Chief Engineer

3.S.E.L.D.C. Ltd, Patna

(V)

		_
9	•	_
•	•	ー)
1	-	/

				29			
$\bigcirc$	75	B.S.R	Contructing brick masonry chamber for	,		II V	(
		19.30.1.1	Underground C.I. Inspection Chamber and			6 F	,
			bend with 75 class designation bricks in				
0		al.	cement mortar 1:4 (1 cement : 4 coarse			5	1
			sand) C.I. Cover with frame (light duty)				X .
			455x610 mm internal dimentions, total				18
			weight of cover with frame to be not less			4	ii .
0			than 38 kg. (weight of cover 23 kg. and				
		v	weight of frame 15 kg.) RCC top slab with			, ·	
0	* s		1:1.5:3 mix (1 cement: 1.5 coarse sand :3		2:		
()			graded stone aggregate 20 mm nominal				-
			size) foundation concrete 1:5:10 mix (1				Rs. Three thousand nine
$\bigcirc$	+)		cement:5 coarse sand : 10 graded stone			14	hundred forty nine and
			aggregate 40 mm nominal size), inside			-	paise ten only.
0		-	plastering 12 mm th. with cement mortar 1:3 (1cement:3 coarse sand) finished smooth				
			with a floating coat of neat cement on walls		1 7		2
0		£.	and bed concrete etc. complete as per				
0	*		standard design.				
			Inside dimensions 466x610 mm and 45cm				8
0	a in		deep for single pipe line :			1	e
-	v		With common burnt clay F.P.S. (non				,
0			modular) bricks of class designation 7.5			, N	
0			= 6 EACH				, se
$\cup$		14		6.000	Б. 1	2040 100	i
0	76	B.S.R	Making and wit 2.5 m diameter 2.0 meter	6.000	Each	3949.100	
	76	19.32.1	Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb				
0.		19.32.1	shaft with brick and S.W. drain pipe 100				a 0 0
0			mm diameter, 1.8 m long complete as per	, 4		4	, <u>,</u>
0			standard design.				
0	= 0		With common burnt clay F.P.S. (non				Rs. Twenty five thousand
			modular) bricks of class designation 7.5				nine hundred and paise
0		-	= 1 EACH			1 .	ten only.
					ş	,	
U				-			
			v v				i
				1.000	Each	25900.100	= 1
0	77	B.S.R	Providing and fixing S.W. intercepting trap	1,000	Lacii	23700.100	
0	-	19.34	in manholes with stiff mixture of cement				, ,
9	_	=	mortar 1:1 (1 cement : 1 fine sand)		-		- x
0			including testing of joints etc. complete:	1			2 U
9			, and the same same same same same same same sam	Ų		7	1
	1					E.	1 ***
0			· · · · · · · · · · · · · · · · · · ·			1	
0		19.34.1	100 mm dia				Rs. Two hundred eighty
0		19.34.1	1		×		Rs. Two hundred eighty three and paise eighty
0	= ;	19.34.1	100 mm dia = 2 EACH	2.000	Each	283.800	Rs. Two hundred eighty three and paise eighty only.

318 DELIGIE

0

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Jk.houd

,				
		The reference making of LD benchmatch		_
				C
				-
				0
		led so a maining core regret		
				0
		An been section 8 to beauty 11 agent 1991		
				0
				-
				6
		plaster on I min the with names of class of		0
				G
7				C
				.0
				-C
				-0
				-0
				-0
				.0
				-0

300 JIME Z. TROPE

0

Chief Engineer
B.S.E.L.D.C. Ltd. Paths

			30			
78		Detailed Estimate for construction of 125 mm x 40 mm x 90 mm Tube well Manual Boring = 1 EACH	1.000	Each	60432.650	Rs. Sixty thousand four hundred thirty two and paise sixty five only
79	ANALYSIS	NON SCHEDULED ITEMS(MARKET RATE)	1.000	Buen		3
		= EACH				· · · · · · · · · · · · · · · · · · ·
	~	P.V.C. PIPE = EACH				T at
		Provding and fixing soil, waste and vent pipes		e.		
		= EACH		140	- 7	D. T. I. I. I. C.
	=	= 40 EACH	40.000	metre	347.000	Rs. Three hundred forty seven and only.
		P.V.C. FITTINGS = EACH		(3a		l.
		DOOR TEE 110 mm dia = 4 EACH	4.000	each	365.000	Rs. Three hundred sixt five only.
		DOOR BEND 110 mm dia = 8 EACH				Rs. Two hundred eight three only.
ĸ		BEND 45 <sup>0</sup> 110 mm dia	8.000	each	283.000	Rs. One hundred eighty
		= 10 EACH VENT COWEL 110 mm dia	10.000	each	185.000	five only.
		= 3 EACH PIPE CLIP 110 mm dia	3.000	each	65.000	Rs. Sixty five only.
		= 100 EACH	100.000	each	53.000	Rs. Fifty three only.
	-	FLOOR TRAP 110X110 mm dia = 10 EACH	10.000	each	436.000	Rs. Four hundred thirty six only.
80		(i) C.I. cover and frame 300 x 300 mm inside				Rs. Three hundred seventy four and paise
0.1	0.1	SEPTIC TANK = 1 EACH	1.000	Each	374.060	only.
81	1621	(ii) S.C.I. plain bend 100 mm dia SEPTIC TANK = 1 EACH	1.000	Each	436.400	Rs. Four hundred thirty six and paise forty only
82	Code no. of 7087	(iii) S.C.I. Tee 150 mm dia SEPTIC TANK = 1 EACH		e		Rs. Seven hundred fort eight and paise eleven
	-		1.000	Each	748.110 <b>Total</b>	only. 348,404.
		ı	2			

मनीय जमार शिंह

0

0

0

0

 $\bigcirc$ 

0

11/108

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Jkehou H

Compared to the compared to				
A				
The control of the				
1   1   1   1   1   1   1   1   1   1				
The color of the				
Compared to the compared to				
1				
1			Landard Control of the Control of th	
10   10   10   10   10   10   10   10			*	
10 a.s.   11 a.s.   12 a.s.   13 a.s.   13 a.s.   13 a.s.   14 a.s.   15 a				
12				
150,000   150,				
100   100				
Description of the content of the				
10   10   10   10   10   10   10   10				
Section of the control of the cont				
RATE   10 man of   RATE   10 m				
10   10   10   10   10   10   10   10				
10   10   10   10   10   10   10   10				
Note to be considered and the constant of th				
SLAVING   SLAV				
#### CAR AND TO TAKE TO THE STATE OF THE STA				
100 Local   100				
10.00   10.0				
10.800   10.000   1				
1332   1332   1660   17   17   17   18   18   18   18   18				
4332 FOREST CLARK LEACH  1.000 Each Strang control strang control strange cont				
1.000   1.00				
ven la second manda set   2				
The standard of the standard o				
TOWALL WINESE THE STATE OF THE				
Entropy of the many of the state of the stat				
droces. Programme and the second seco				

Chief Discourse at the Police

 $\Theta$ 

21	31	
----	----	--

			31			
		,				
		Electrical Works (1% labour cess has been added on current DSR-2014)				
83	1.10	Point Wiring in PVC Conduit, with Modular				
,,	1,10	type Switch:-				
-	2	Wiring for light point/ fan point/ exhaust fan	d:	-	,	
		point/ call bell point		-		
		with 1.5 sq.mm FRLS PVC insulated				
		copper conductor single core cable in surface / recessed medium				
		class PVC conduit,				
		with modular switch, modular plate, suitable GI box and earthing				
		the point with 1.5 sq.mm. FRLS PVC				
-		insulated copper conductor	.* x	*		1
		single core cable etc as required.				
*,						Rs. Seven hundred
	1.10.3	Group C	A so			twenty five and paise
	, s		119.000	Nos.	725.180	eighteen only.
84	1.11	Twin Control Point Wiring in PVC Conduit,	Marie Contract of the Contract		-	ř
	1	with Modular type Switch:-				
		Wiring for twin control light point with 1.5			<u>v I</u>	
		sq.mm FRLS PVC insulated copper conductor single core cable				
		in surface / recessed		-		Rs. Seven hundred
		medium class PVC conduit, 2 way modular				seventy seven and paise
		switch, modular plate, suitable GI box and earthing the point with	. , , -		3	seventy only.
		1.5 sq.mm. FRLS	4	9		
		PVC insulated copper conductor single core		-		
		cable etc as required	3.000	Nos.	777.700	,
85	1.31	Supply and Fixing Light Plug Point with	1		de la constante de la constant	
		Modular Type Accessories:-		4	- v	
		Supplying and fixing suitable size GI box	X			
	,	with modular plate and		, .		
		cover in front on surface or in recess	5,			
		including providing and fixing 3 pin 5/6 amps modular socket outle	et		^	Rs. Three hundred six and paise three only.
		and 5/6 amps modular				and paise three only.
		switch, connection etc. as required. (Fo	or			*
		light plugs to be used in non residential buildings).	0.7.000	NI	306.030	
			25.000	Nos.	300.030	0

उक्ने जामर्ट र्हान्टार

 $\odot$ 

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

July Status 1995

		*		
				0
				0
				0
		ming and for the many		0
		bandarii 179 8 191 megarah daw		
		Croup 2		
				0
				. 0
		Twin Control Point Wining in Plyt. Creduit.		
				0
		insulated expige conductor single core cal to		0
				0
			1	
				0
				0
				$\Theta$
		See in the account of heart is the con-		0
				-3
				0
a e e poper i			1	
				$\bigcirc$

3到16台汇标品

Supply and Fixing Power Plug Point with Modular Type Accessories:-  Supply and Fixing GI box with modular plate and cover in front on surface or in recess including providing and fixing 6 pin, 15/16 amps modular socket outlet and 15/16 amps modular type switch, connection, painting etc as required.  Rs. Five hund only.  87 2.18 Supply & fixing 20A SPN MCB Industrial Socket Outlet:-  Supplying and fixing 20 amps, 240 volts, SPN industrial type, socket outlet, with 2 pole and earth, metal enclosed plug top alongwith 20 amps "C" curve, SP, MCB, in	red ninety
plate and cover in front on surface or in recess including providing and fixing 6 pin, 15/16 amps modular socket outlet and 15/16 amps modular type switch, connection, painting etc as required.  87 2.18 Supply & fixing 20A SPN MCB Industrial Socket Outlet:-  Supplying and fixing 20 amps, 240 volts, SPN industrial type, socket outlet, with 2 pole and earth, metal enclosed plug top	red ninety
plate and cover in front on surface or in recess including providing and fixing 6 pin, 15/16 amps modular socket outlet and 15/16 amps modular type switch, connection, painting etc as required.  87 2.18 Supply & fixing 20A SPN MCB Industrial Socket Outlet:-  Supplying and fixing 20 amps, 240 volts, SPN industrial type, socket outlet, with 2 pole and earth, metal enclosed plug top	red ninety
plate and cover in front on surface or in recess including providing and fixing 6 pin, 15/16 amps modular socket outlet and 15/16 amps modular type switch, connection, painting etc as required.  87 2.18 Supply & fixing 20A SPN MCB Industrial Socket Outlet:-  Supplying and fixing 20 amps, 240 volts, SPN industrial type, socket outlet, with 2 pole and earth, metal enclosed plug top	red ninety
painting etc as required.  12.000 Nos. 590.000  87 2.18 Supply & fixing 20A SPN MCB Industrial Socket Outlet:-  Supplying and fixing 20 amps, 240 volts, SPN industrial type, socket outlet, with 2 pole and earth, metal enclosed plug top	. "
Supply & fixing 20A SPN MCB Industrial Socket Outlet:-  Supplying and fixing 20 amps, 240 volts, SPN industrial type, socket outlet, with 2 pole and earth, metal enclosed plug top	
SPN industrial type, socket outlet, with 2 pole and earth, metal enclosed plug top	
	duad aivty
sheet steel enclosure, on surface or in recess, with chained metal cover for the socket out let and complete with connections, testing and commissioning etc. as required	
12.000 Nos. 963.540	,
88 1.12 Power Plug Wiring in PVC conduit (2x4 sq. mm):-	
Wiring for light/ power plug with 2X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed mediumclass PVC conduit Rs. One hund	
alongwith 1 No 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop earthing as required	se sixty tw
89 1.24 Supplying and fixing following modular 1.24 Supplying following	
type switch/ socket on the existing modular plate switch box / cover including	

अंदी महिस हिल्लि

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

5105/1)

			0
			0
			1
	Note that the second means are a trail		
	mojigamas shiftes and nadana mine		
			$\bigcirc$
			. ()
			0
			9
			0
			0
	on surface or in recess, with chained include cover for the sucket.		
	and let mis complete with connections.		
			$\cap$
		1	
			9
	mm FRI SarVC insulated core calle in		0
doa sedimilado á	copper transmin single the condu-		
			$\Theta$
			-
			0

30 376 8 75 76 78

0

0

0

0

Ü

0

Ü

Chief Engineer
B.S.E.I.D.C. Ltd. Paths

				33			
C		1.24.1	5/6 amps switch.				Rs. Eighty one and paise eighty one only.
	*		9	25.000	Each	81.810	D. Communing and
		1.24.4	5 pin, 5/6 amps socket outlet.	25.000	Each	79.790	Rs. Seventy nine and paise seventy nine only.
	90	1.14	Circuit / Sub-main wiring in PVC Conduit:-				
)		*	Wiring for circuit / sub-main wiring along with earth wire with the following sizes of			4	
			PVC insulated, copper conductor, single core cable in surface/recessed PVC conduit as required.		ul.		
)			as required.				
	× -	1.14.1	2x1.5 Sqmm + 1x1.5 sqmm earth wire	40.000	Mtrs.	107.060	Rs. One hundred seven and paise six only.
	-	1.14.2	2x2.5 Sqmm + 1x2.5 sq mm earth wire		. (		Rs. One hundred thirty two and paise thirty one
				350.000	Mtrs.	132.310	only.
		1.14.9	4x6.0 Sqmm + $2x6.0$ sqmm earth wire (to be used as sub main)				Rs. Three hundred ninety two and paise eighty nine
)				54.000	Mtrs.	392.890	only.  Rs. Six hundred two and
	e E	1.14.10	4 X 10 sq. mm + 2 X 10 sq. mm earth wire	10.000	Mtrs.	602.970	paise ninety seven only.
			S/F 'C' series SP MCB:-				
	91		Supplying and fixing 240 volts, 'C' series, miniature circuit breaker suitable for				
			inductive loads of following poles in the existing MCB DB complete with	ı l	* x		
		-	connections, testing and commissioning etc. as required.		. ·		
)		2.10.1	6/32A, Single Pole	25,000	Eb	170.690	Rs. One hundred seventy and paise sixty nine only.
	- Y	2.10.3	6/32A ,DP	36.000	Each	170.090	Rs. Four hundred sixty three and paise fifty nine
)		_,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		3.000	Each	463.590	
)	92	2.13	S/F TPN MCB:-				
)			Supplying and fixing following rating, for pole, 240 volts, isolator in the existing MC DB complete with connections, testing an	В			
	-		commissioning etc. as required				,

अंद्रीम के मार्टिस

0

0

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

15/5

	nduo je Sporeljija Mel ma e 1811.			
	Acadupar sal			
				ote i esendennis (d) me es se alaphorisade
	Sometying and fixing 240 vills, 'C' series			
	nomenue circuit breaker autable fen			
	catating with DB complete, with commissioning etc.			
	kendupar as			
Ču-				
			- 74	

Chief Englager e s.E.L.D.C. Ltd. Patre

Γ	2.13.2	63 A,TPN	· 1			Rs. Six hundred seventy
A.		1 '	3.000	Each		six and paise seventy only.
93	2.15	S/F TPN RCCB:-Supplying and fixing of following rating three phase and neutral, 415 volts, residual current circuit breaker	/		/.	
-		(RCCB) having a sensitivity current upto 300 miliamperes in the existing MCB DB complete with connections, testing and commissioning etc. as required.				* * * * * * * * * * * * * * * * * * *
-	2.15.2	40 Amp.			2144 220	Rs. Two thousand one hundred forty four and
0.4	2.0	OVE TER MODERA	3.000	Each	2144.230	paise twenty three only.
94	2.8	S/F TP MCB DB:- Supplying and fixing of following way, horizontal type three pole and neutral,				
8	*	sheet steel, MCB distribution board, 415 volts, on surface/recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, detachable gland plate,		£	,	
¥	9	interconnections, phosphatized and powder painted including earthing etc. as required (Without MCB/RCCB/ISOLATOR). Make:		e e		
		Legrand/Anchor/Havells/HPL.		*		
	2.8.5	4 Ways (4+12 ways) double door				
	5.			ŕ	,	Rs. Seven thousand fou hundred thirty and paise fifty seven only.
			3.000	Set	7430.570	r i
95	1.33	S/F Ceiling Rose:-				
		Supplying and fixing 2 pin ceiling rose on the existing junction box/ wooden block including connection etc as required.	-			Rs. Forty three and pair forty three only.
96	1.34	S/F Batten / Angle Holder:-	80.000	Each	43.430	Rs. Seventy four and
		Supplying and fixing batten / angle holder including connection etc as required.	27.000	Each	74.740	paise seventy four only

अध्येत क्रमार्डिह

 $\bigcirc$ 

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Rehousely

15/5

15/05/12

		60		
	1.6.670			
			To participate	
			S stand to a story sent to a successful and the stands of the	
			Just alkingment scan can care The	
			nowb ofdeab segas (1964), grW =	
in the first of the second				
Let be night most all				
			aldell digna manuf 15	
			land by Au at Son Columb	

3首77年在石港市

O

Chief Engineer
B.S.E.LD.C. Lid. Patha

	And the second
-	-
•	_

			35			
97	1.25	S/F Modular type electronic fan regulator:-	24.000	Each	286.840	Rs. Two hundred eighty six and paise eighty four only.
		Supplying and fixing stepped type fan regulator on the existing modular plate switch box including connections but excluding modular plate etc as required.				
98	1.21	S/F PVC Conduit:-				,
- VS		Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required.				
	1.21.1	20 mm	110.000	Mtrs.	53.530	Rs. Fifty three and paise fifty three only.
99	· ·	Telephone Wiring in Existing Conduit:-				
	1.18	Supplying and drawing following pair 0.5 mm dia FRLS PVC insulated annealed copper conductor, unarmored telephone cable in the existing surface/ recessed steel/ PVC conduit as required	,			
	1.18.2	2 pair	50.000	Mtrs.	18.180	Rs. Eighteen and paise eighteen only.
100	1.24	S/F Modular type Switch / Socket:- Supplying and fixing following modular type switch / socket on the existing modular plate and switch box including connections but excluding modular plate etc as required.				
	1.24.6	Telephone socket outlet	2.000	Each	95.950	Rs. Ninety five and paininety five only.
101		EARTHING COPPER EARTH PLATE ELECTRODE:-			and the same of th	
101	5.6	COPPER EARTH PLATE ELECTRODE.				

उद्योगान हमार्थेह

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

June June

,					
		ton continuing randular plate etc. o required			
			ann à		

Charl Entrance - che

 $\bigcirc$ 

1000	1
മ	6

			36			
		Earthing with copper earth plate 600mmx 600mmx 3mm thick including acessories and providing masonary enclosure with cover plate having locking arrangement and watering pipe of 2.7 meter long etc with charcoal/cock and salt as required.	2.000	Each		Rs. Nine thousand three hundred eighty four and paise ninety two only.
	5.10	P/F 25 x 5mm copper earth strip in pipe :-	2.000	Buch		
102	5.10	Providing and fixing 25 mm X 5 mm copper				
		strip in 40 mm dia G.I. pipe from earth electrode including connection with brass nut, bolt, spring, washer excavation and re-				Rs. One thousand ninety two and paise eighty two only.
	8	filling etc. as required.	12.000	Mtrs.	1092.820	
103	5.14	P/F 25 x 5 mm copper earth strip in surface/recess:-	12.000	TYTERST		
		Providing and fixing 25 mm X 5 mm copper strip on surface or in recess for connections etc. as required.	24.000	Mtrs.	864.560	Rs. Eight hundred sixty four and paise fifty six only.
104	1	Cable Laying of 1.1 KV & 11 KV :-			-	
,	7.1	Laying of one number PVC insulated and PVC Sheathed / XLPE power cable of 1.1 KV grade of following size direct in ground including excavation, sand cushioning protective covering and refilling the trenchetc as required.	,			Rs. Two hundred four
	7.1.2	Above 35sq.mm and Upto 95 Sq.mm.	80.000	Mtrs	. 204.020	1
10	14.14	G.I. Pipe for Cable protection:-  Providing, laying and fixing following di RCC pipe NP2 class(light duty) in groun complete with RCC collars, joints wit cement mortar 1:2 (1 cement : 2 fine sand including trenching (75 cm) and refilling etc.as required. (Road crossing as per si condition)	a h )			

36A SIFE E FROTE

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

21/s

15/esty

				S .	
*					
		aim au	Alcore 35 quam and Lipla 95 Sq.mm.		

364 STER TO THOSE

O

Chief Englaser
B.S.E.L.D.C. Ltd. Pains

		· · · · · · · · · · · · · · · · · · ·	37			
	14.14.2	150 mm dia	10.000	Mtr.		Rs. Three hundred eighty seven and paise eighty four only.
106	9.1	1.1 KV Cable End Termination:- Supplying and making indoor cable end termination with brass double compression	10.000		1	
,		gland and aluminium lugs for following size of PVC insulated XLPE Al. Ar. Cable of 1.1 KV grade as required.	~ .			
					1	Rs. Two hundred sevent
	9.1.22	3.5 Core 50 Sq.mm.				two and paise seventy
			2.000	Each	272.700	only.
107	1908 JSR 2014	3.5 core 50 sq mm xlpe/pvc insulated sheathed				
(e)	2011	(Heavy duty)armoured electric cable aluminium conducter.		" s ,	- *	,
-						D. The hounded single
,		3.5C x 50 Sq.mm 1.1kV	100.000	Mtrs.	391.000	Rs. Three hundred ninet one only.
108	2.1	S/F HRC fuse type TP&N switch disconnector:- Providing and fixing	· ·			
	2.1	following capacity TP&N disconnector fuse switch unit inside the existing panel board		5		-
	-	with ISI marked HRC				- X
P		fuses including drilling holes in cubicle panel, making connections,		, %		
	5	etc. as required.	e e			
,	2.1.2	63 amps,TP&N, HRC				Rs. Two thousand two hundred sixty and paise
			3.000	Each	2260,380	
109	i i	S/F Busbar Chamber:-	and the same of th			
	2.5					
	2.5.3 B.S.R 2009	Providing and fixing following capacity busbar chamber with 4 strips of suitable size made of capper, heavy duty, complete with				Rs. Six thousand two
		all accessories including connections, earthing the body, etc as required.	5	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		hundred twenty two an paise sixty one only.
		200 amp.TPN	1.000	Each	6222.610	

उछ प्राष्ट्र करिला

 $\bigcirc$ 

Chief Engineer
B.S.E.I.D.C. Ltd. Patna
War. Michaell

				,
			,	
	. Walanti Para 11			
		I want to		
	Calabaga and say the care of the care			
	touchest			F a
	When virtuals Lemmonran gub : vanish			
	Nontribute เรียกระยา			
	SI HILL that 'ope This sould			
	lens as required.			

36 S/FE & TO 17018

 $\Theta$ 

0

0

0

0

Chief Engineer

B. B. D. C. Ltd. Patna

Color (Color)

			38			
110	2.7.4	Providing and fixing following capacity four	9			
110		pole OFF-load changeover switch with side		4 1	£	
		handle operation, in sheet enclosure in		š		
	2009	existing metal board, including drilling				Rs. Seven thousand nine
-		holes in metal panel, making connections				hundred seven only.
		etc. as required.		*	e e	nundred seven only.
= 1		125 Amps, Four pole				
	-		1.000	Each	7907.000	
.111	6.5	Providing and fixing copper tape 20 mm X				
		3 mm thick on parapet			Table 1	
		or surface of wall for lightning conductor				Rs. Three hundred
		complete as required.			20	seventy nine and paise
,		(For horizontal run)				seventy six only.
	1-	(For nonzoniai run)			-	
	5		80.000	meter	379.760	2 a
112	6.6	Providing and fixing copper tape 20 mm X				
		3 mm thick on parapet				Rs. Four hundred ten and
,		or surface of wall for lightning conductor				paise six only.
2		complete as required.	30.000	meter	410.060	
112	2.2	Providing and fixing follwing rteing and	30.000	Hieror	110.000	
113	2.2				And the second	
	=	breaking capacity MCCB in existing			5	
		cubicale panel bord including drilling hole				
		cubicale panel making connection etc as		9		
100		required	20	*		
		· /				
	2.2.3	160 amp. 16KA			1	Rs. Four thousand five
						hundred sixty five and
			1.000	EACH	4565.200	paise twenty only.
	-		1.000	Literi	Total (C)	503,812.7
		FIRE FIGHTING			10001(0)	8
114	DCCCD	Brand new ISI marked Life Guard ABC				
114	DGS&D	type multipurpose Fire Extinguishers 4 Kgs.				
		If the multinumose Fire Eximplishers 4 Ngs.1				Rs. Seven thousand five
	1					E-E-E-D-L-MAN AND AND AND AND AND AND AND AND AND A
	10 <sub>0</sub> =	Capacity, fitted with pressure guage		l.,		hundred forty nine and
	e_ = ,	Capacity, fitted with pressure guage complete in all respects, ready to use,		·	.1	hundred forty nine and
		Capacity, fitted with pressure guage	/.			hundred forty nine and
	A	Capacity, fitted with pressure guage complete in all respects, ready to use,	10.000	Nos.	7549.750	hundred forty nine and
		Capacity, fitted with pressure guage complete in all respects, ready to use,	10.000	Nos.	7549.750 Total	hundred forty nine and paise seventy five only.
		Capacity, fitted with pressure guage complete in all respects, ready to use,	10.000	Nos.		hundred forty nine and paise seventy five only.
		Capacity, fitted with pressure guage complete in all respects, ready to use,	10.000	Nos.	Total	hundred forty nine and paise seventy five only.
115		Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit.	10.000	Nos.	Total	hundred forty nine and paise seventy five only.
115		Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit.  CARRIAGE OF MATERIALS	10.000	Nos.	Total Total (D)	hundred forty nine and paise seventy five only.
115		Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit.	10.000	Nos.	Total Total (D) Rate Incl.	hundred forty nine and paise seventy five only.
115		Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit.  CARRIAGE OF MATERIALS	10.000	Nos.	Total Total (D)  Rate Incl. 1% Lab.	hundred forty nine and paise seventy five only.  75,497.5
115		Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit.  CARRIAGE OF MATERIALS	139.566	Nos.	Total Total (D)  Rate Incl. 1% Lab. Cess	hundred forty nine and paise seventy five only.

उद्योगित है मिलिस

 $\Theta$ 

0

 $\bigcirc$ 

0

 $\Theta$ 

0

 $\bigcirc$ 

0

Chief Engineer
S.E.I.D.C. Ltd, Patna

B. Mehaul

S 15/95/13

		may distribe supported steels that helps and		
0				
0				
0				
		* African congreta de despriso		
0				
0				
-				
0				
0				
0				
10				
0				
			15.00	
0				
0				
0				
0		38A brand stid befrom Rel you the B		· .
_				
		Unperty title with pressure mage		
~				
U				
. 0				a right of the
-				
0				
700		example of Materialis		
. ()				
U				

3 AS THE ZOTA AS

0

Chief Engineer
p. S.E.I. O.C. Lip., Pains

			39			
4		Sand	188.457	cum	439.61	Rs. four hundred Thirty Nine and paise sixty one Only.
	-	Local Sand	125.918	cum	205.29	Two Hundred Five and paise Twenty Nine only
		Stone Chips	176.279	cum	1186.48	Rs. One Thousand one Hundred eighty six and paise forty eight only.
		Brick	120.253	Thous.	601.67	Rs. Six hundred one and paise sixty seven only.
	ži.	Steel	18.050	МТ	289.87	Rs. Two hundred eighty nine and paise eighty seven only.
116		A COST OF MATERIAL FOR ) COMM. W.R.T TO GAYA AS PER				
	Bricks		120.253	Thous.	250.34	Rs. Two hundred fifty and paise thirty four only
	Cement		139.566	МТ	798.89	Rs. Seven hundred ninety eight paise Eighty nine Only.
	10				Total	577,491.6
	* I				Total (E)	577,492.0
	9		Grand	Total (A+	B+C+D+E)	7,221,914.73
SL.	DISTRICT	NAME OF INSTITUT	'E		8	Amount (Rs.)
1	Bhojpur	BLOCK RESOURCE CE	ENTRE			7,221,914.7
	a * 9		Γotal Cos	t in 'Rs'	-	7,221,915.00

उसे प्रसद क्रिक्ट

0

 $\bigcirc$ 

0

0

0

0

0

 $\cdot \bigcirc$ 

0

MALLION

Chief Engineer
B.S.E.I.D.C. Ltd, Patne

15/5

			. 68			
			,			
		l ago				
	0.163					
					*.	
	net					
7, 221, 914, 73 <sup>1</sup>						
				BLOCK RESOURCE CE		

37 MB & AS FROM

Chief Engineer R.S.E.J.D.C. Ltd. Patrin

	(Ru	pees Seventy Two lacs Twenty One T	housand	Nine Hu	ndred Fift	een Only)
		of Sl. No. 78 (Construction of 125mm				
Part	'A' - Cost	of Materials			,	
1		125mm dia UPVC casing pipe confirming to ISS	27	Meter	315.00	Rs. Three hundred fiftee only.
2	,	40mm dia UPVC pipe confirming to ISS	48	Meter	99.38	Rs. Ninety nine and pais thirty eight only.
3	e e	40mm dia PVC ribbed strainer of approved quality	8	Meter	182.00	Rs. One hundred eighty two only.
4		Reducing socket 125mm x 40mm	1	Each	270.00	Rs. Two hundred sevent only.
5	N. N	Supplying all labour and materials & fitting & fixing PVC cap over the new sink T/well	1	Each	140.00	Rs. One hundred forty only.
- 6	B.S.R 1548	Providing and fixing of G.I pipes complete with G.I fittings and clamps, including, cutting and making good etc 32 mm dia (15% C.P & 1% L.Cess)	18	mtr	224.44	Rs. Two hundred twenty four and paise forty fou only.
7	B.S.R 1928	32 mm nominal bore Bross Full valve (15% C.P & 1% L.Cess)	1	Each	511.21	Rs. Five hundred elever and paise twenty one only.
8		Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of E/I	1	Each	26,446.00	Rs. Twenty six thousan four hundred forty six only.
		Sub - Total "A"				46138.3

अमी किस क्रिक्स

 $\Theta$ 

(3/8)

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Slehouth

19/5

15/05/1)

(Approxis Security Total Land Tenning Chris Tenning Chris Share Sh

湖水色之外的

The Clips of the state of the country of the countr

14		Providing all labour & tools and lowering 32 mm dia G.I pipe as per specificatin etc. all Complete  Supplying labour and developing the T/Well to have sand free discharge all complete as per direction of E/I	24	mtr	21.34 280.50 <b>ub - Total</b>	Rs. Twenty one and paise thirty four only.  Rs. Two hundred eighty and paise fifty only.  14,294.2
		Providing all labour & tools and lowering 32 mm dia G.I pipe as per specificatin etc. all Complete  Supplying labour and developing the T/Well to have sand free discharge all complete as	24	mtr	21.34	Rs. Twenty one and paise thirty four only.  Rs. Two hundred eighty and paise fifty only.
14		Providing all labour & tools and lowering 32 mm dia G.I pipe as per specificatin etc.	24			Rs. Twenty one and
	· .	approved quality				nine only.
13		a) For 40mm dia UPVC ribbed strainer of	8	mtr	148 79	Rs. One hundred forty eight and paise seventy
		(iv) 75.00 m to above		41		
12		a) For 40mm dia UPVC pipe	14	mtr	148.79	Rs. One hundred forty eight and paise seventy nine only.
		(iii) 61.00 m to 75.00 m	A STATE OF THE STA			
11		(a) For 40 mm dia UPVC pipe	30.5	mtr	136.88	Rs. One hundred thirty six and paise eighty eigonly.
		(ii) 30.5 m to 61.0 m				s =
		(i) 0 to 30.5 m	3.5	mtr	119.03	Rs. One hundred nineteen and paise three only.
10	-	(b) for 40 mm dia UPVC pipe				
9	4	(a) For 125 mm dia U.PV.C pipe	27	mtr	208.77	Rs. Two hundred eight and paise seventy seven only.
	-	(i) 0 to 30.5 m				() ·
		Boring by jet dheki by suitable cutter of reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge.				
Part	'B' - Cost	of Labour	,			

Tender approved in favour of Manoj Kumar Singh @ 10.00% (Ten Decimal Zero Zero Percent) below i.e. total amount comes to Rs. 64,99,724=00 (Rupees Sixty Four Lacs Ninety Nine Thousand Seven hundred Twenty four Only)

अन्तेत क्रमार्केट

0

Chief Engineer B.S.E.I.D.C. Ltd, Patn

21g

Shehow 1 15/9/14

	The contact and mine of the his et al. 1997 to the contact of the man addenders are seen and addenders are seen are seen are seen and addenders are seen are se		
	And a series of the series of		
1			
	to For Aburn the UT's a chood engineered		
	Providing ale tenore as tenis and levering First din C. Leyer as no socidication etc. all Camplele		

## **Performance Security**

Name of Agency – "Manoj Kumar Singh"

Performance Security of "Manoj Kumar Singh" of "BRC-Udwant Nagar(SL. No.-160)"

	1.419				
NSC No.		DOI	Reg No.		Amount
25EF 020574-79		02.05.13	90784-85	10000*6	60000.00
06EF 124731-32		05.12.11	76628	10000*2	20000.00
25EF 021105-07		08.05.13	90959	10000*3	30000.00
06EF 132715	Nus	27.01.12	77824		10000.00
87DD 841980-85	i	17.08.13	93035	5000*6	30000.00
21BB 256920-21		02.05.13	90784	500*2	1000.00
30CC 183862-63		05.12.11	76628	1000*2	2000.00
64CC 958169-72		27.01.12	77824	1000*4	4000.00
85DD 155171		08.05.13	90959	5000*1	5000.00
85DD155128-30		02.05.13	90784	5000*3	15000.00
25EF 020403-04		29.04.13	90728	10000*2	20000.00
Passbook No.					20000.00
60011487		08.03.14			1200.00
60440572	70204	18.06.16			20000.00
60440571		18.06.16			6000.00
3455535752		21.12.16			50000.00
3455533147		21.12.16			16000.00
3455529607		21.12.16			50000.00
3554226933		08.03.17			20000.00
3552499834		07.03.17			15000.00
					13000.00
					T . 1 075000 00

Total 375200.00

(Rupees Three Lacs Seventy Five Thousands Two Hundred Only)

लेखा पदाधिकारी

बिहार राज्य शैक्षणिक आधारभूत संरचना

विकास निगम लि०, पटना

00/00/17

उद्योगस्ट र्यादाह

W W

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

		mood someonivi.
	0.13.0	
	17824	
armie l'espeta		
		787 (1000)
		57201409
	· 1	
	re II	

BROKERS INFO विहार राज्य शंक्षणिक आधारभूत संरक्षना विकास-निगम किं0, पर्टमा

Chief Engineer 8. 8. E.1.E. C. 'Etd.' Patna BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. (A Govt. Of Bihar Undertaking)

Shiksha Bhawan, Bihar Rastrabhasa Parishad Campus ,Acharya Shiv Pujan Sahay Path, Saidpur, PATNA-800004. (Tel. No: 0612-2910314)

Cor. ID. No.: U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256

Letter of Acceptance

Letter no :- BSEIDC/FIN/2606/2016-17/- 10458

29.1016

To,

Manoj Kumar Singh, Vill+P.O.-Ekawana, P.S.-Barahara.

Dear Sir.

This is to notify you that your Bid dt. 11.06.2016 for execution of "Construction of Block Resource Centre at Udwant Nagar, Bhojpur (SL. No.-160 of NIT No.-40/ 2015-16) in the State of Bihar" has been accepted by the Corporation at your quoted rate of 10.00% (Ten Decimal Zero Zero Percent) below BOQ rates amounting to total contract price of Rs. 64,99,724=00 (Rs. Sixty Four Lacs Ninety Nine Thousand Seven Hundred Twenty Four Only)

You are hereby requested to furnish performance security including additional security in the form detailed in I.T.B. para 31.1, 27.4 and clarification issued thereon by RCD, Govt. of Bihar, vide letter no. 3376 (E) dt. 17.08.2010, for an amount equivalent to Rs. 3,74,000=00 (Rs. Three Lacs Seventy Four Thousand Only) within ten days of receipt of this letter of acceptance valid upto 28 days from the date of expiry of defects liability period and sign the contract, failing which action as stated in Para 31.3 of ITB will be taken.

Yours faithfully

(Brajesh Prasad)

82401 Memo no: BSEIDC/FIN/2606/2016-17/-

**Chief Consultant (Technical)** 

Date: ... 2 9:10:16

Copy forwarded to: Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC website/Senior Account Officer, BSEIDC, Patna for information & necessary action

Memo no: BSEIDC/FIN/2606/2016-17/-

THE RETIFIED

82401

Chief Consultant (Technical)

Copy forwarded to: Chief Engineer, BSEIDC, Patna for information Please.

Memo no: BSEIDC/FIN/2606/2016-17/- 1045 &

129-10-2016 Chief Consultant (Technical)

Date: .. 2 . Q . .. 1.0 . 16

Copy forwarded to : Managing Director, BSEIDC, Patna for information Please.

29-10-2 Chief Consultant (Technical)

> Chief Engineer E.I.D.C. Ltd, Patna

L INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. (A Govt. Of Bihar Undertaking) (B Govt. Of Bihar Undertaking) (B Govt. Of Bihar Undertaking) (B Govt. Of Bihar Undertaking) (Tal. No: 1812-2910314)  TNA-800004. (Tal. No: 1812-2910314)  113829. e-mail: bseideigemail.com (weissie: www.tseide.in. For too (1812-26502)6	Shiksha Bhawan, Biltar Rastro
Letter of Acceptance	
	Cetter no :- RSERDE / FIN /2
1806/2016-17/= 1048/8 Date T	
Surgh, wana, P.SBarahara:	Manoj Kumar Vill+P.OEka
	Dear Sir.
notify you that your Bid dt. 11.06.2016 for execution of	
ource Centre at Udwant Nagar, Bhojpur (Sl., No160) of NIT No	"Construction of Block Res
Bihar" has been accepted by the Corporation at your quoted rate of	40/ 2015-16) in the State of
Zero Percent) below BGQ rates amounting to total contract price of	10.00% (Ten Decimal Zero
Four Lacs Ninety Nine Thousand Seven Hundred Twenty Four	Only)
by requested to furnish performance security including additional.	
1 I.T.B. para 31.1, 27.4 and clarification issued thereon by RCD, Govt.	security in the form detailed in
5 (E) dt. 17.08.2010, for an amount equivalent to Rs. 3,74,000=00	of Bihar, vide letter no. 3370
our Thousand Only) within ten days of receipt of this letter of	(its. Three Lacs Seventy F
ays from the date of expiry of defects liability period and sign the as stated in Para 31.3 of ITB will be taken.	20 97 Ordin paper, manufactor
as stated in rata 21.5 of 11 B will be taken. Yours faithfully	
Joe of the state o	
1 py 5 8 Chief Consultant (Technical)	Memo no: BSEIDC/FIN/2606
ai Kumar Singh, Computer Programmer for unloading on BSEHVC	O Copy forwarded to: Sri Pank
r, BSEIDC, Patna for information & necessary action	O website/Senior Account Office
Omington D. mathama & Inid ?	· · · · · · · · · · · · · · · · · · ·
2016-17/- Dates Dates 2.7. (p. 7) to ugincer. BSEIDC, Patna for information Please.	Memo no: BSEIDC/FIN/2606/
2016-174 Pays & Chief Consultant (Technical)	Menio no: BSEIDO FINZene.
g Director, BSEIDC, Patna for information Please.	
Chief Caosumant (Technical)	0
therefore the same of the same	1 1/2 1 7 1/2 7 O
Catagoria Bright	0

## बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

0

0 0

(बिहार सरकार का एक उपक्रम)

कॉपिरेट पहचान संख्याः U80301BR2011SGC015859, e-mail bseide@gmail.com. website; www.bseidc.in, Fax No.: 0612-2660256, शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथा, सैदपुर, पटना-800004, दुरभाष-0612-2910314

Letter no.: BSEIDC/NIT/2015-16/- 3 950

Patna, Date: 30.04.16

## Corrigendum No.- 3

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "हिन्दुस्तान" on dated 10.02.2016 vide P.R.-12943 (नि०नि०)15—16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below:

SL. no.	Existing provision	Amended provision
	Period of Sale of Bid document (Download) from dated 16.04.2016 to 10.05.2016, 15:00 Hrs.	Period of Sale of Bid document (Download) from dated 16.05.2016 to 05.06.2016, 15:00 Hrs.
2	Date and Time of Pre bid Meeting – 25.04.2016. 14:30 Hrs.	Date and Time of Pre bid Meeting – 25.05.2016, 16:00 Hrs.
5	Last date and time for receipt (Upload) of Bids on dated 11.05.2016,15:00 Hrs.	Last date and time for receipt (Upload) of Bids on dated 06.06.2016, 15:00 Hrs.
4	Time and date for opening of Technical Bids on dated 13. 05.2016, 16:30 Hrs.	Time and date for opening of Technical Bids on dated 08. 06.2016, 16:30 Hrs.
5	Time and date for opening of Financial Bids on dated 27.05.2016, 15:30 Hrs.	Time and date for opening of Financial Bids on dated 24.06.2016, 15:30 Hrs.
9	The Cost of BOQ and EMD will be	The Cost of BOQ and EMD will be accepted up to 08.06.2016, 15:00 Hrs.

The other terms and conditions shall remain unchanged.

Chief Engineer S.E.I.D.C. Ltd, Patna

(Brajesh Prasad)

Chief Consultant (Technical)

सन्ते में हैं हैं।

 $\bigcirc$ 

Chief Engineer
S.S.E.I.D.C. Ltd. Patna

# बिहार राज्य शैक्षणिक आधारभृत संरचना विकास निगम लि०

बिहार सरकार का एक उपक्रम)

कॉपोरेंट पहचान संख्या: U80301BR2011SGC015859, e-mail: bseide@gmail.com, website, www.bseide.in, Fax No.: 0612-2660256, शिक्षा भवन, विहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना—800004, दूरभाष—0612—2910314

Letter no.: BSEIDC/NIT/2015-16/- 2937

Patna, Date: 28-03-2016

## Corrigendum No.-2

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "हिन्दुस्तान" on dated 10.02.2016 vide P.R.-12943 (नि०नि०)15—16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below:

SL.	Existing provision	Amended provision
_	Period of Sale of Bid document (Download) from dated 03.03.2016 to 28.03.2016, 15:00 Hrs.	Period of Sale of Bid document (Download) from dated 16.04.2016 to 10.05.2016, 15:00 Hrs.
0	Date and Time of Pre bid Meeting – 15.03.2016, Date and Time of Pre bid Meeting – 25.04.2016, 14:30 Hrs.	Date and Time of Pre bid Meeting – 25.04.2016. 16:00 Hrs.
m	Last date and time for receipt (Upload) of Bids on dated 29.03.2016, 15:00 Hrs.	Last date and time for receipt (Upload) of Bids on dated 11.05.2016, 15:00 Hrs.
-	Time and date for opening of Technical Bids on dated 31, 03.2016, 16:30 Hrs.	Time and date for opening of Technical Bids on dated 13, 05.2016, 16:30 Hrs.
V.	Time and date for opening of Financial Bids on dated 11,04,2016, 15:30 Hrs.	Time and date for opening of Financial Bids on dated 27.05.2016, 15:30 Hrs.
9	The Cost of BOQ and EMD will be	The Cost of BOQ and EMD will be accepted up to 13.05.2016, 15:00 Hrs.

The other terms and conditions shall remain unchanged.

Chief Engineer S.E.I.D.C. Ltd, Patna

(Brajesh Prasad)

Chief Consultant (Technical)

उद्योगस्य हमार् केर

Ó

Ō

Ü

Ü

Ö

.

Chief Engineer

S. B. E. L. D. C. Lid, Pains

1 2 | S

# बेहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

0

0

0

0

0

0

0

0

0

0

(बिहार सरकार का एक उपक्रम)

कॉपॉरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseide@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256, शिक्षा भवन, विहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथा, सैदपुर, पटना—800004, दूरभाष—0612—2910314

Letter no.: BSEIDC/NIT/2015-16/- 2638

Patna, Date: 1年6316

## Corrigendum No.- 1

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below:

SL.	Existing provision	Amended provision
011	Period of Sale of Bid document (Download)	Period of Sale of Bid document (Download) from
_	from dated 03.03.2016 to 28.03.2016,	dated 03.03.2016 to 30.04.2016,
	15:00 Hrs.	15:00 Hrs.
C	Last date and time for receipt (Upload) of Bids	Last date and time for receipt (Upload) of Bids on-
٦	on dated 29.03.2016,15:00 Hrs.	dated 01.05.2016,15:00 Hrs.
-	Time and date for opening of Technical Bids on	Time and date for opening of Technical Bids on
2	dated 31. 03.2016, 16:30 Hrs.	dated 04. 05.2016, 16:30 Hrs.
	Time and date for opening of Financial Bids on	Time and date for opening of Financial Bids on
4	dated 11.04.2016, 15:30 Hrs.	dated 17.05.2016, 15:30 Hrs.
	The COO to the DATE AND LINE	The Cost of BOO and EMD will be accepted in to 04 05 2016, 15:00 Hzs
<b>n</b>	THE COST OF DOOR AND EIVED WILL DE	accepted up to 04:00:4010; 10:00 1110.

The other terms and conditions shall remain unchanged.

Chief Engineer S.E.I.D.C. Ltd, Patna

(Brajesh Prasad)

Chief Consultant (Technical)

अनीय हमाद्विष्ट

 $\bigcirc$ 

 $\Theta$ 

Chief Engineer

## **SPECIAL CONDITIONS**

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes royalties and other

incidental charges.

4. To qualify for award of work, the Bidder must possess the following:-

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of signatory bid.

b) DD for required value of B.O.Q. Cost.

c) Sufficient Earnest Money Deposit.

d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.

e) Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed at least one Building work of value not less than 25 % of estimated

value of contract) in last five years as mentioned in Technical bid.

f) Litigation History as mentioned in Technical bid.

g) Affidavit as mentioned in Technical bid.

h) Valid Registration with Central/ State Govt. / PSU.

i) Valid labour license as mentioned in Technical bid.

j) Affidavit/Certificate for not been debarred as mentioned in Technical bid.

5. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.

6. The tender without earnest money or insufficient earnest money submitted with the

tender, will be outright rejected.

7. Conditional tenders shall be outright rejected.

8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.

9. Authority shall reserve the right to reject any or all the tenders or distribute the work to

more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained.

11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules prevalent in the locality.

12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the

contractor.

- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-
- a. Natural calamities
- b. Act of enemies.

(Seal & Signature of Tenderer)

उद्धे अस्ट र

Page 1

Chief Engineer .S.E.I.D.C. Ltd, Patna

15/5

## SPECIAL COMPTIONS

- The sentiarely are regulard to deposit the engineer money, and are lead in the fill?.
- Outen page should the signed by pleffundered by the event of custor but, submitted or a firm, the render thought be signed by the parten holder, wanter parten of their cand the copy of the same should also by submitted.
- s. The cates quesed to the optioneries specificae inclusive or all being engalished and other interestal proved in destrict charges.
  - 4. For qualify for an area of years, the binker or as governed fre follower r
  - ng Toggel School, Poposof Registera con Penergan (1967) at Pixal See & Velice of enforces or
    - In DD for againstickness of the CO. of
      - thought panel based freezeway
  - (i) Significancilium Civarierio Acecogniției of Arnonii Liu arrical Decembro et acello cut lessoria beg. 20° à office est intited eost of weeks for which had into hear irretarbre are one peut en in loca peut en la deput de la confect libit.
  - er Certificate from 18E Concerned Authority for Work Expense or Simular to de Established completed at loss, one Building work of value but less than 25 for discretant Value of contract in less thoughts a mentioned in Technoal bir
    - I. Liggiga Higher, as mentioned in Techniqui Inff.
      - iad lasindas I mitanoitas as sizabilits sy
    - [4] Valid Registration on the Central State Covi. 1950.
    - Villid Indiger begins as greenboard in Tackmitch bits.
    - A first Weight for an love a beginned as manned in 1 echnical bid.
- Contractor should sudsfy them alves fully about the nature, site of work helpre offer in their tender and place of any ignorance afromwards shall not be considered.
- The Lender without carnest money or insufficient earnest money submitted with the London will be confight rejected.
  - A. Conditional tendors shall be petright rejected.
- After approval of reter by the competent authority the contractor shall have to depose
  the initial account anone's within 10 days of the receipt of the written worker der taking
  which his tender shall be rejected and carnest money forficited.
- Authority shall reserve the right to reject any or all the tenders of distribute the work is more than one contractor will jour assenting the reason.
  - I.U. Any staim foculie labours of any account shall not be entertained.
- The contractor shall an ange necessary site for accommodation and other facilities whe
  medical acc. For his ladour on his own cost and mitially will comply with labour necessary
  prevalent in the locality.
- 12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the contractor.
  - 13. It will be obligatory on the part of the tenderer to leap his tender often for 1-0 days from the date of apening of tender
- LET the construction from the restated to any claim or comparisation on account of the first of
  - and the light tent

THE TO THOUSE

insophed a waterphylical

Chief Engineer E.S.E.I.D.C. Ltd, Patna

- c. Transport and procurement difficulties.
- d. Circumstances beyond the control of the state.
- 15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- 16. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
- 17. The contractor shall make his own arrangement for water and light at the work site.
- 18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 20. The Tenderer must not quote their rate more than 10 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
- 21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 22. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.
- 23. The Defect liability Period shall be Three (3) Years from the date of completion of the work.

उद्वासिट र्हास्वार

(Seal & Signature of Tenderer)

Page 2 of

Chief Engineer B.S.E.I.D.C. Ltd, Patna

0

11/2

in Maintain and pro-

d. Cuttation to be would the countries of the sister.

Li. No vous barrandens fra entrefrai for expanded by the indicate and expendent services. The distribution of the distribution.

lti, hisaans Fax ib takes, kus vali be dedected troin. On the Sill of Farim. I'm as ver preveiling. Topyethmens bucket

– po li providir po prime paga raje pi pili promegnome no e sid refere ligipa concrimio dell'A E

As, The confination should after all fadilizes to the deport messual oblicant. For supermeting, it is considered to the fall large, and damage occur red mading this, we result by made according to the partie occur.

12. Items ordered and done if not lectuded to sancitioned river will be produce river approval of rates by the computerity.

20. Tigal endered must not quote thair care more man 10 % balow Bit or (acertity rates otherwise their tender will be outright, rejected being inwarkable to: our seads.

24. The Heatrical work-roust comply with helian Electronity rules 195 as well as the general specification for electrical works, 1972 for up to date specification etc.

22. The Contractor shall be solely responsible for supply and use of sub-standard material. The contractor's Engineer will also an held resoundby for execution of such such substandard works. This will form Part of F-2 A creenism and supply Course no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.

23. The Defect Inhility Period shall be Three St. Years from the dairy of consolution

wrow sits to

7 6 314 B ESTIBILITIES

female of publications which

Chlef Engineer c.c.t.b.C. 1:d. Pates

## बिहार राज्य शैक्षणिक आधारमूत संरचना विकास निगम लिमिटेड

(बिहार सरकार का एक उपक्रम) 49 शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् कैम्पस, आचार्य शिवपुजन सहाय पथ, सैदपुर, पटना–800004 (दूरभाष:–0612–2910314)

## निविदा आमंत्रण सूचना संख्या— 40 वर्ष 2015—16 (केवल ई—टेन्डरिंग पद्धति के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

1. बिहार राज्य के भवन निर्माण कार्य हेतु निम्नांकित निविदायें आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार/सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रजिस्ट्रेशन, उक्त कार्य का लेटर ऑफ एक्सेपटेंस प्राप्त होने के बाद कराना होगा।

क्रम	कार्य का नाम	प्राक्कलित राशि (लाख में )	अग्रधन की राशि (रू० में)	परिमाण विपत्र की राशि (रू० में )	Beltron Bid Processing Fee (In Rs.)	कार्य समाप्ति की अवधि
1	BRC Ekma,Saran	85.2	1,70,400	10,000	5750	15 मा
2	BRC Baniyapur, Saran	85.2	1,70,400	10,000	5750	15 मा
3	BRC Masrak,Saran	85.2	1,70,400	10,000	5750	15 मा
4	BRC Marhowrah, Saran	85.2	1,70,400	10,000	5750	15 मा
5	BRC Amnour, Saran	85.2	1,70,400	10,000	5750	15 मा
6	BRC,Dariyapur,Saran	85.2	1,70,400	10,000	5750	15 मा
7	BRC,Garkha,Saran	85.2	1,70,400	10,000	5750	15 मा
8	BRC,Manigachhi, Darbhanga	85.2	1,70,400	10,000	5750	15 मा
9	BRC, Keoti, Darbhanga	85.2	1,70,400	10,000	5750	15 मा
10	BRC,kusheshwarsthan,Darbhanga	85.2	1,70,400	10,000	5750	15 मा
11	BRC,Ghanshyampur,Darbhanga	85.2	1,70,400	10,000	5750	15 मा
12	BRC,Kiratpur,Darbhanga	85.2	1,70,400	10,000	5750	15 मा
13	BRC,Baheri,Darbhanga	85.2	1,70,400	10,000	5750	15 म
14	BRC,Hanumannagar,Darbhanga	85.2	1,70,400	10,000	5750	15 म
15	BRC, Lakhnaur, Madhubani	85.2	1,70,400	10,000	5750	15 म
16	BRC,Jhanjharpur,Madhubani	85.2	1,70,400	10,000	5750	15 म
17	BRC,Phulparas,Madhubani	85.2	1,70,400	10,000	5750	15 म
18	BRC,Khutauna,Madhubani	85.2	1,70,400	10,000	5750	15 म
19	BRC, Khajouli, Madhubani	85.2	1,70,400	10,000	5750	15 म
20	BRC,Bisfi,Madhubani	85.2	1,70,400	10,000	5750	15 म
21	BRC,Rahika,Madhubani	85.2	1,70,400	10,000	5750	15 म
22	BRC, Harlakhi, Madhubani	85.2	1,70,400	10,000	5750	15 म
23	BRC,Babubarhi,Madhubani	85.2	1,70,400	10,000	5750	15 म
24	BRC Rosada, Samastipur	85.2	1,70,400	10,000	5750	15 म
25	BRC Samastipur	85.2	1,70,400	10,000	5750	15 म
26	BRC, Khanpur,Samastipur	85.2	1,70,400	10,000	5750	15 F
27	BRC, Hasanpur, Samastipur	85.2	1,70,400	10,000	5750	15 F
28	BRC, Mohanpur, Samastipur	85.2	1,70,400	10,000	5750	15 म
29	BRC, Patori, Samastipur	85.2	1,70,400	10,000	5750	15 म
30	BRC, Shivajinagar, Samastipur	85.2	1,70,400	10,000	5750	15 म
31	BRC,Sangrampur,E.Champaran	85.2	1,70,400	10,000	5750	15 म
32	BRC,Kalyanpur,E.Champaran	85.2	1,70,400	10,000	5750	15 F
33	BRC Chakia, E. Champaran	85.2	1,70,400	10,000	5750	15 F
34	BRC Sugauli,E.Champaran	85.2	1,70,400	10,000	5750	15 F
35	BRC Madhuban,E.Champaran	85.2	1,70,400	10,000	5750	15 F
36	BRC Patahi,E.Champaran	85.2	1,70,400	10,000	5750	15 F
37	BRC Raxaul, E. Champaran	85.2	1,70,400	10,000	5750	15 T
38	BRC Adapur, E. Champaran	85.2	1,70,400	10,000	5750	15 F
39	BRC Bankatwa, E. Champaran	85.2	1,70,400	10,000	5750	15 म
40	BRC Dhaka,E.Champaran	85.2	1,70,400	10,000	5750	15
41	BRC Bairia, W.Champaran	85.2	1,70,400	10,000	5750	15 1
42	BRC Narkatiaganj, W.Champaran	85.2	1,70,400	10,000	5750	15 F
43	BRC Sikta, W. Champaran	85.2	1,70,400	10,000	5750	15 F
44	BRC Bhithan, W. Champaran	85.2	1,70,400	10,000	5750	15 H

अक्रीत कुमारिक्ट

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

2 par.

अर्थानी समन्त्र सम्बद्धी <del>स्थापन सुर्थायात</del> कार्गक्षि प्रयाप प्राहत

terr carefully through month after the any stage angular busine same particular to be for some some man

at the Pulm street with other many

the parties of many or statute that the serious post of manager product, which execuse objects of

the factor of the property of the past

				likus dannopindi banan	
110.71				illift (Lark)m. Sarest	
	lara l				
				W.C. Cindush stangar Darkinsten	
				BIC Handhamagai Darbranga	
				J DRC Johnna Madhibhan	
				midialinis inhungipa. Hill	
	- 1812			HRC Rosard Surroustipur	
				RRC Sangrampur L'Unampuran	
		1513			

S.E.L.D.C. Ltd. Patna

36016 E E19216

	PRGI I WGI .		T . = 0 . 10 0 T	10.000		
45	BRC Lauriya, W. Champaran	85.2	1,70,400	10,000	5750	15 <b>मा</b> ह
46	BRC,Piprasi,W.Champaran 50	85.2	1,70,400	10,000	5750	15 <b>मा</b> ह
47	BRC,Majhaulia,W.Champaran	85.2	1,70,400	10,000	5750	15 माह
48	BRC Darauli, Siwan	85.2	1,70,400	10,000	5750	15 माह
49	BRC Hussainganj,Siwan	85.2	1,70,400	10,000	5750	15 माह
50	BRC Mairwa,Siwan	85.2	1,70,400	10,000	5750	15 माह
51	BRC Basantpur,Siwan	85.2	1,70,400	10,000	5750	15 माह
52	BRC Maharajganj,Siwan	85.2	1,70,400	10,000	5750	15 माह
53	BRC,Bhagwanpur,Siwan	85.2	1,70,400	10,000	5750	15 माह
54	BRC,Hasanpur,Siwan	85.2	1,70,400	10,000	5750	15 माह
55	BRC Uchkagaon,Gopalganj	85.2	1,70,400	10,000	5750	15 माह
56	BRC Sidhwalia,Gopalganj	85.2	1,70,400	10,000	5750	15 माह
57	BRC Bhorey, Gopalganj	85.2	1,70,400	10,000	5750	15 माह
58	BRC,Bijaipur,Gopalganj	85.2	1,70,400	10,000	5750	15 माह
59	BRC Pachdeuri, Gopalganj	85.2	1,70,400	10,000	5750	15 माह
60	BRC Kuchaikot, Gopalganj	85.2	1,70,400	10,000	5750	15 माह
61	BRC,Ramgarh,Kaimur	85.2	1,70,400	10,000	5750	15 माह
62	BRC Chainpur, Kaimur	85.2	1,70,400	10,000	5750	15 माह
63	BRC Bhagwanpur,Kaimur	85.2	1,70,400	10,000	5750	15 माह
64	BRC Chakki,Buxar	85.2	1,70,400	10,000	5750	15 माह
65	BRC Buxar	85.2	1,70,400	10,000	5750	15 माह
66	BRC,Chausa,Buxar	85.2	1,70,400	10,000	5750	15 माह
67	BRC Dinara,Rohtas	85.2	1,70,400	10,000	5750	15 माह
68	BRC Karahgar,Rohtas	85.2	1,70,400	10,000		
					5750	
69	BRC Kochas,Rohtas	85.2	1,70,400	10,000	5750	15 माह
70	BRC Tilauthu,Rohtas	85.2	1,70,400	10,000	5750	15 माह
71	BRC Karakat,Rohtas	85.2	1,70,400	10,000	. 5750	15 माह
72	BRC Dawat,Rohtas	85.2	1,70,400	10,000	5750	15 माह
73	BRC,Mansahi,Katihar	85.2	1,70,400	10,000	5750	15 माह
74	BRC,Manihar,Katihar	85.2	1,70,400	10,000	5750	15 माह
75	BRC,Pranpur,Katihar	85.2	1,70,400	10,000	5750	15 माह
76	BRC, Kadwa,Katihar	85.2	1,70,400	10,000	5750	15 माह
77	BRC,Barsoi,Katihar	85.2	1,70,400	10,000	5750	15 माह
78	BRC,Azamnagar,Katihar	85.2	1,70,400	10,000	5750	15 माह
79	BRC,Narpatganj,Araria	85.2	1,70,400	10,000	5750	15 माह
80	BRC, Araria	85.2	1,70,400	10,000	5750	15 माह
81	BRC, Jokihat, Araria	85.2	1,70,400	10,000	5750	15 माह
82	BRC,Bhargama,Araria	85.2	1,70,400	10,000	5750	15 माह
83	BRC,Kursakata,Araria	85.2	1,70,400	10,000	5750	15 माह
84	BRC,Purnea East,	85.2	1,70,400	10,000	5750	15 माह
85	BRC, Baisi, Purnea	85.2	1,70,400	10,000	5750	15 माह
86	BRC, Amour, Purnea	85.2	1,70,400	10,000	5750	15 माह
87	BRC, Dhamdaha, Purnea	85.2	1,70,400	10,000	5750	15 माह
88	BRC,Banmankhi,Purnea	85.2	1,70,400	10,000	5750	15 माह
89	BRC, Tarhagach, Kishanganj	85.2	1,70,400	10,000	5750	15 माह
90	BRC, Thakurganj, Kishanganj	85.2	1,70,400	10,000	5750	15 माह
91	BRC,Pothia,Kishanganj	85.2	1,70,400	10,000	5750	15 माह
92	BRC Katoria,Banka	85.2	1,70,400	10,000	5750	15 माह
93	BRC Rajaun,Banka	85.2	1,70,400	10,000	5750	15 माह
94	BRC,Barhat,Banka	85.2	1,70,400	10,000	5750	15 माह
95	BRC Belhar,Banka	85.2	1,70,400	10,000	5750	15 माह
	BRC Jamui	85.2	1,70,400	10,000	5750	15 माह
96		85.2	1,70,400	10,000	5750	15 माह
96 97	BRC Barhat, Jamui	03.2	19/04700			
97	BRC Barhat, Jamui BRC Chakai. Jamui					
	BRC Barhat, Jamui BRC Chakai, Jamui BRC Gidhour, Jamui	85.2 85.2	1,70,400 1,70,400	10,000	5750 5750	15 माह 15 माह

सच्यय स्मारिश्वह

Chief Engineer B.S.E.I.D.C. Ltd, Patna

					anxiv.nugar-sti, Mili	
			1,711,460			
			1007/107/1		tel daglacide black file	
	10.00					
				122	PRC TiSuthal entre	O.A.
11						
					on flooling angex A. 1911	88
		00200				
			1,70,400			
			8m-,0°,1			
		0.000				
	f Engineer				A rest in the same	
500	a9 Bil Dr	11000			at had the some to stop for	

Chief Engineer
S.S.Ellick, Lid, Patna

36 378 B TO FOR

Ó

	101	IDDC 4.1					
0	101	BRC Asharganj, Munger	85.2	1,70,400	10,000	5750	15 माह
	102	BRC Naugachhia,Bhagalpur 51	85.2	1,70,400	10,000	5750	15 माह
	103	BRC Pirpainti,Bhagalpur	85.2	1,70,400	10,000	5750	15 माह
	104	BRC Shahkund,Bhagalpur	85.2	1,70,400	10,000	5750	15 माह
	105	BRC Puraini,Madhepura	85.2	1,70,400	10,000	5750	15 माह
	106	BRC Gwalpada,Madhepura	85.2	1,70,400	10,000	5750	15 माह
.0	107	BRC Kumarkhand, Madhepura	85.2	1,70,400	10,000	5750	15 माह
	108	BRC Gailarh, Madhepura	85.2	1,70,400	10,000	5750	15 माह
0	109	BRC Saurbazar, Saharsa	85.2	1,70,400	10,000	5750	15 माह
10	110	BRC,Navhatta,Saharsa	85.2	1,70,400	10,000	5750	15 माह
	111	BRC Mahensi, Saharsa	85.2	1,70,400	10,000	5750	15 माह
	112	BRC Sonbarsa, Saharsa	85.2	1,70,400	10,000	5750	15 माह
	113	BRC Simri, Bakhtiyarpur Saharsa	85.2	1,70,400	10,000	5750	15 माह
- 0	114	BRC Supaul	85.2	1,70,400	10,000	5750	15 माह
	115	BRC Pipra, Supaul	85.2	1,70,400	10,000	5750	15 माह
	116	BRC Pratapganj, Supaul	85.2	1,70,400	10,000	5750	15 माह
	117	BRC Nirmali, Supaul	85.2	1,70,400	10,000	5750	15 माह
0	118	BRC Raghopur, Supaul	85.2	1,70,400	10,000	5750	15 माह
	119	BRC, Atari, Gaya	85.2	1,70,400	10,000	5750	15 माह
0	120	BRC, Neemchak, Gaya	85.2	1,70,400	10,000	5750	
	121	BRC, Wazirganj, Gaya		-			
0	122	BRC, Mohanpur, Gaya	85.2	1,70,400	10,000	5750	15 माह
			85.2	1,70,400	10,000	5750	15 माह
0	123	BRC, Imamganj, Gaya	85.2	1,70,400	10,000	5750	15 माह
0	124	BRC Amas, Gaya	85.2	1,70,400	10,000	5750	15 माह
0	125	BRC, Koch, Gaya	85.2	1,70,400	10,000	5750	15 माह
	126	BRC,Jehanabad	85.2	1,70,400	10,000	5750	15 माह
	127	BRC,Kako,Jehanabad	85.2	1,70,400	10,000	5750	15 माह
	128	BRC,Ghosi,Jehanabad	85.2	1,70,400	10,000	5750	15 माह
$\Theta$	129	BRC Arwal	85.2	1,70,400	10,000	5750	15 माह
	130	BRC Karpi, Arwal	85.2	1,70,400	10,000	5750	15 माह
	131	BRC,Obra,Aurangabad	85.2	1,70,400	10,000	5750	15 माह
	132	BRC,Dev,Aurangabad	85.2	1,70,400	10,000	5750	15 माह
	133	BRC Madanpur, Aurangabad	85.2	1,70,400	10,000	5750	15 माह
0	134	BRC Kutumba, Aurangabad	85.2	1,70,400	10,000	5750	15 माह
	135	BRC, Rega, Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
0	136	BRC,Merajgang,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
	137	BRC, Pupri, Sitamarhi	85.2	1,70,400	10,000	5750	15 गाह
	138	BRC,Barthnaha,Sitamarhi	85.2	1,70,400	10,000	5750	
	139	BRC,Runisaidpur,Sitamarhi					15 माह
0	140	BRC,Suppi,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
0	141	BRC, Pakribarawan, Nawada	85.2	1,70,400	10,000	5750	15 माह
0		The state of the s	85.2	1,70,400	10,000	5750	15 माह
	142	BRC, Warisaliganj, Nawada	85.2	1,70,400	10,000	5750	15 माह
	143	BRC, Akabarpur, Nawada	85.2	1,70,400	10,000	5750	15 माह
0	144	BRC, Narhat, Nawada	85.2	1,70,400	10,000	5750	15 माह
	145	BRC, Chandi,Nalanda	85.2	1,70,400	10,000	5750	15 माह
	146	BRC, Austhawan ,Nalanda	85.2	1,70,400	10,000	5750	15 माह
	147	BRC, Rahui, Nalanda	85.2	1,70,400	10,000	5750	15 माह
0	148	BRC, Ekangarsarai, Nalanda	85.2	1,70,400	10,000	5750	15 माह
	149	BRC,Silaw,Nalanda	85.2	1,70,400	10,000	5750	15 माह
	150	BRC, Katrisarai, Nalanda	85.2	1,70,400	10,000	5750	15 माह
	151	BRC, Karaiparsurai, Nalanda	85.2	1,70,400	10,000	5750	15 माह
0	152	BRC, Motipur, Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह
	153	BRC Gaighat, Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह
0	154	BRC, Aurai, Muzaffarpur	85.2	1,70,400	10,000	5750	15 नाह 15 माह
	155	BRC,Bandra,Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह 15 माह
0	156	BRC,Minapur,Muzaffarpur	85.2			100	
	130	Dr. Givinapui, iviuzariai pui	03.4	1,70,400	10,000	5750	15 माह

3 SAILE ETIONS

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

15/5

								Page of Association (1981)		0
								Like Makes Lindagan		
										. 0
										0
			57.50					UNC. b. spir. cla. Madinenna.		0
								mit published a state of the		
										0
								Samuel and American		
								raight and the same		
										0
										0
										U
										0
										0
										0
										0
										. 🗸
								Little lengthing with the		, 0
								Lingtonesis 2, 1948 Lintelesio aliki 1843, 3, 1948	a sala	
									DET.	0
										0
					179,400					0
			5750							9
										0
										0
					1,70,460					
										0
										0
			37.50							
	100							Hart C. Mallamar and Sandala		0
								Marin Assessment Law etc.		
										0
										0
										0
										0
										0
										0
				000.01						0
										0
		21	DAK A							
Child Engineer										0
			C. Ltd. Pat	8.S.E.I.D.				361) 196 Chellotte		0
				· / 6/12	_					
			1		37.					
										0

157	BRC,Bhagwanpur,Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह
.58	BRC, Jagdishpur, Bhojpur 52	85.2	1,70,400	10,000	5750	15 माह
159	BRC ,Charpokhri,Bhojpur	85.2	1,70,400	10,000	5750	15 माह
160	BRC, Udwantnagar, Bhojpur	85.2	1,70,400	10,000	5750	15 माह
161	BRC,Garhani,Bhojpur	85.2	1,70,400	10,000	5750	15 मार
162	BRC ,Koilwar,Bhojpur	85.2	1,70,400	10,000	5750	15 मा
163	BRC, Fatuhan, Patna	85.2	1,70,400	10,000	5750	15 मा
164	BRC, Bakhtiyarpur,Patna	85.2	1,70,400	10,000	5750	15 मा
165	BRC,Naubatpur,Patna	85.2	1,70,400	10,000	5750	15 मा
166	BRC,Maner,Patna	85.2	1,70,400	10,000	5750	15 मा
167	BRC,Begusarai	85.2	1,70,400	10,000	5750	15 मा
168	BRC,Matihani,Begusarai	85.2	1,70,400	10,000	5750	15 मा
169	BRC, Bhagwanpur, Begusarai	85.2	1,70,400	10,000	5750	15 मा
170	BRC, Bakhri, Begusarai	85.2	1,70,400	10,000	5750	15 मा
171	BRC, Mansoorchak, Begusarai	85.2	1,70,400	10,000	5750	15 मा
172	BRC, Cheria Bariyarpur,Begusarai	85.2	1,70,400	10,000	5750	15 मा
173	BRC ,Chuatham,Khagaria	85.2	1,70,400	10,000	5750	15 मा
174	BRC ,Gogari,Khagaria	85.2	1,70,400	10,000	5750	15 मा
175	BRC, Beldour,Khagaria	85.2	1,70,400	10,000	5750	15 म
176	BRC,Parbatta,Khagaria	85.2	1,70,400	10,000	5750	15 मा
177	BRC,Raghopur,Vaishali	85.2	1,70,400	10,000	5750	15 मा
178	BRC ,Desari,Vaishali	85.2	1,70,400	10,000	5750	15 म
179	BRC, Bidupur, Vaishali	85.2	1,70,400	10,000	5750	15 म
180	BRC,Jandaha,Vaishali	85.2	1,70,400	10,000	5750	15 म
181	BRC ,Mahua,Vaishali	85.2	1,70,400	10,000	5750	15 म
182	BRC, Garoul, Vaishali	85.2	1,70,400	10,000	5750	15 मा
183	BRC,Chewada,Shekhpura	85.2	1,70,400	10,000	5750	15 मा
184	BRC,Barhiya,Lakhisarai	85.2	1,70,400	10,000	5750	15 म
185	BRC ,Alinagar, Suryagarha,Lakhisarai	85.2	1,70,400	10,000	5750	15 म

नोटः (i). निविदाकार एक या अधिक कार्य के लिए अलग-अलग निविदा डाल सकते हैं।

(ii). प्राक्कलित राशि घट या बढ़ सकती है एवं तदनुसार अग्रधन की राशि घट या बढ़ सकती है।

(iii).वेबसाईट—www.eproc.bihar.gov.in पर अंकित प्राक्कलित राशि, अग्रधन की राशि एवं परिमाण विपत्र की राशि अंतिम रुप से मान्य होगा।

(2) विज्ञापन निर्गत करने की तिथि

0

दिनांक:-03.02 .2016

(3) परिमाण विपत्र प्राप्त करने(डाउनलोड) की अवधि एवं समय :— दिनांक— 03.03.2016 से 28.03.2016, 15:00 घंटा

(वेबसाईट:www.eproc.bihar.gov.in पर)

(4) प्री बिड मीटिंग का समय, स्थान एंव तिथि :--

दिनांक:— 15.03.2016, 14:30 घंटा प्रबंध निदेशक का

कार्यालय,बिहार राज्य शैक्षणिक आधारभूत

(5) निविदा प्राप्ति(अपलोड) की अंतिम तिथि एवं समय:— दिनां

संरचना विकास निगम, पटना। दिनांक— **29.03.2016**, समय— 15:00 घंटा

(6) अग्रधन जमा करने की अंतिम तिथि एवं समय :-

दिनांक- 31.03.2016, समय- 15:00 घंटा

(७) टेक्निकल बिड खोलने की तिथि एवं समय :-

दिनांक- 31.03.2016, समय- 16:30 घंटा

(i) sittivitie sixti vi kii i şi kii i

(वेबसाईट-www.eproc.bihar.gov.inपर)

(8) वित्तीय बिड खोलने की तिथि एवं समय :-

दिनांक- 11.04.2016, समय- 15:30 घंटा

(9) निविदा खोलने का स्थान :--

वेबसाईट-www.eproc.bihar.gov.inपर

(10) निविदा की वैधता की अवधि

120 दिन

(11) ई-टेन्डरिंग की प्रक्रिया में भाग लेने हेतु संवेदकों को पंजीकृत होना होगा, जिससे कि उन्हें उपयोगकर्ता का नाम (user

ID) पासवर्ड (Password) अंकीय हस्ताक्षर (Digital Signature) निर्गत की जायेगी। यह उन्हें वेबसाईट www.eproc.bihar.gov.in से डाउनलोड करने / टेन्डर की प्रक्रिया में भाग लेने की योग्यता प्रदान करेगा।

(12) ई—निविदा पत्र बेवसाईट www.eproc.bihar.gov.in से प्राप्त किया जा सकता है। संवेदक द्वारा सिर्फ उपर्युक्त वेबसाईट से ही परिमाण विपत्र प्राप्त करने के उपरांत वेबसाईट पर ही इलेक्ट्रानिक निविदा पत्र को भरकर भेजना है। अन्य सभी महत्वपूर्ण कागजात/बैंक ड्राफ्ट/अग्रधन की राशि/सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को स्कैन कर ई—निविदा के साथ संलग्न करना अनिवार्य है।

(13) परिमाण विपन्न के दर से कम दर उद्धृत करने पर बीड डाक्यूमेंट की शर्त्तों एवं सरकारी निर्णयानुसार अतिरिक्त

Performance Guarantee एकरारनामा के पूर्व जमा करना होगा।

अध्ये के आर्षिट

Chief Engineer B.S.E.I.D.C. Ltd, Patna

15/5

			2.2R	
		Constitution		
				And the first spin and the first shall be a
				English William Co.
	6359			
				Istantolis Legisland P. Male
7770				

tale ones across residentes and across and across and across the second across across selected and across and across acro

ाक समझाने तरेक एक बच्चा अभिन्याकोत्तर — वेक्सी सुरक्षिक कार्यकोत्तर स्वरूप कार्यकार्यकार

The first and the second secon

ente propieta en esta de la magazione architetta de la mantaj de la mantaj de la caste de la caste de la caste A propieta del la compania de la caste de la caste

345176 E. To 61-619

 $\bigcirc$ 

(14) (क) प्रत्येक परिमाण विपन्न का मूल्य जो प्रत्येक निविदा के सामने उपर किण्डका (1) में अंकित है (जो लौटाया नहीं जाएगा) किसी भी राष्ट्रीयकृत बैंक द्वारा निर्गत एवं BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. के नाम से एवं पटना में भुगतेय हो, स्वीकार किया जायेगा। मूल बैंक ड्राफ्ट "बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड" पटना के कार्यालय में दिनांक 31.03.2016 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना है। ऐसा नहीं करने पर निविदा मान्य नहीं होगा।

(ख) Beltron Bid Processing Fee is mandatory to be paid through online mode i.e. Internet

payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS"

Bids along with necessary online payments must be submitted through e-procurement portal <a href="www.eproc.bihar.gov.in">www.eproc.bihar.gov.in</a> before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffic/ Holidays or

any other reason.

0

0

0

0

(ग) वांछित अग्रधन की राशि राष्ट्रीय बचत पत्र/डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक जो बिहार राज्य से क्रय या जमा किया हो, प्रबंध निदेशक, BSEIDC Ltd., पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा बिहार वित्त नियमावली के अनुसार BSEIDC Ltd. के नाम से फिक्सड डिपोजिट रिसिप्ट अथवा बैंक गारन्टी जो बिड के मान्य अवधि तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत/अनुसूचित बैंक से निर्गत हो (अगर बिहार प्रान्त के बाहर के बैंक से निर्गत बैंक गारन्टी दिया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड, पटना में दिनांक 31.03.2016 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना आवश्यक है। ऐसा नहीं करने पर निविदा मान्य नहीं होगा।

(15) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर लें।

ताकि अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से बच सकें।

(16) निविदाकार निविदा डालने से पहले अपने स्तर से भी प्रस्तावित कार्य स्थल पर भूमि उपलब्धता के संबंध में आश्वस्त हो लेगे।

(17) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। बिना कारण बताये निविदा या उसके अंश को अस्वीकृत करने / रदद करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।

(18) विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्य अविध में सम्पर्क किया जा सकता है। ई—टेन्डिरंग की प्रकिया से संबंधित किसी भी प्रकार की जानकारी/सूचना हेतु सहायता कक्ष, ई—टेन्डिरंग कक्ष, प्रथत तल्ला, M/22, बैंक ऑफ इण्डिया भवन, रोड न० 25, श्री कृष्णा नगर, पटना—800001, दूरभाष सं० 0612—2523006/9939035696.

ब्रजेश प्रसाद मुख्य अभियंता

मन्त्रेय दे मा ८ वृह

Chief Engineer B.S.E.I.D.C. Ltd, Patna

18/5

Chief Engineer