Schedule XLV-Form No. 61 Pupi, Sitamarhi (SI No.-137)

# BIHAR PUBLIC WORKS DEPARTMENT

Agency - [Form No. F-2] Rajeer Kumar Singh.
ITEM RATE TENDER AND CONTRACT FOR WORKS

Agreement No. 44 Fz of 2017-18.

General Rule and Direction for the guidance of Contractors.

Date of Commencement - 15-05-2017

1. All works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer.

This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours.

- 2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so.
- 3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm.
- 4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender.

5. The amount of earnest money to be deposited will be : -	Rs.
If the amount of the estimate does not exceed Rs. 2,000	50
If the amount of the estimate exceeds Rs. 2,000 but does	
not exceed Rs. 5,000	100
If the amount of the estimate exceeds Rs. 5,000 but does	
not exceed Rs. 10,000	200
For each additional Rs. 5,000 or portion of Rs. 5.000	
additional earnest money	100

6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompanied by the treasury challan for the required earnest money will be liable to rejection. No single tender shall include more than one work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the envelop. Cash deposits for earnests money here in before mentioned shall be made in Government Treasuries and the challan there of should be enclosed with the tender.

enclosed with the tender of my

7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.

8. The Engineer shall have the right of rejecting all or any of the tenders.

9. In the event of a tender being selected for acceptance the Engineer who opened the tenders ill, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the priscribed time. The tender with the specilication and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to the tenderer.

10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.

11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required amount of the security money has been deposited the Engineer shall scrutinise all pages of the form of item, rate tender & contract for works to see that the form has been properly filled up and signed by the contractor & the signature witnessed He shall then if he is competent, to accept the tender, sign the acceptance of the tender, or, if he is not so competent shall send the form for signature of the acceptance of the officer competent to accept it.

## TENDER FOR WORKS

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

#### **MEMORANDUM**

	[[사람이 그리고 보고 사람이 되고 있는 그리	100	MILIMOTATEON
	(a) If several sub-work are included they should be tained in a separate list.	[a]	Name of work
		[b]	Estimated cost
	(c) This deposit will be 5% of the estimated cost of the lork.	[c]	Earnest money
	(c) This percentage deduction from bills will be wedited to the contractors	[d]	Initial security deposits (including earnest money) to be deposited befor the commencement of the work
	security deposit.	[e]	Percentage to be deducted from bills Rs. 5% (Rupees five percent)
	0	[f]	Time required for the work from date of written order to commence
	0		monthly
	P	[9]	Date of written other to commence
1	9	[h]	Total number of item of work tendered for
	1		

ut)		RATE TE	NDERED	Per	
Item No.	Item of work	In figures	In words	rei	
۵					
0		7			
0					
0			7		
0					
9			^	0	
æ				105/17	
0				15	
0			Chief I	ngineer	
c)			B.S.E.I.D.C	. Ltd, Patna	

Agoes Der Singh 15/05/2017 210.

N.	Ham of work	The second secon	ENDERED	Per	
tem No.	Item of work	In figures	In words		
	and means to the All of Arterior (2000) and the		30360		
		i den milaa			
We all	recept to mancing percentage of the				
6 - 81 A j 44	make it the fall and a second decision of				
				The said of	
		Y.			
	Selection in participation in				
7					
		t			
			The second		
	, C				
			ALL SHAPE		
<b>N</b>					
159					
			A Maria		
34	Chica Chicange B.S.E.I.D.O. Ltd. P		THE STATE OF THE S		
note:	bs.1.0 G1.3.24				

3

Schedule XLV - Form No. 61

(5)

0			RATE TE	Por	
Ite	m No.	Item of work	In figures	In words	Per
0					
0					
0					
)					
0					
)					
a)					
)					
)					
)	A				
13					
) .					
n)					
th					
)				•	
)					
)					
)					
)					
).					
)					
)					
)					
)					
3	W				,

Item No.	Item of work	RATE TE	RATE TENDERED		
nem No.	item of work	In figures	In words	Per	
			2		
		•			
		P. Beres			

(7) 4

MItem No.	the street	RATE TE	Per	
	Item of work	In figures	In words	Per
				edessinos sa encorrente
0				
0				
0				Parameter to entropy
0				
0	A SECTION AND			
		17		
0				
<b>a</b> )				
۵	2003 (102 (4) 200 (102)			
0	a por serverantes despetar certal company managera de social de la companya d	NAME OF THE PARTY.		dodeni iz be
0				
as a second	ne a si si succi ambitatio year are so le sid ye.			
			Sharroist 151	
3				
				as blooms of number
0	934) turkker – Turk tils kaptelies och Stationer i streme i Sameria			t it slock that the obtains to case sign is not account to
ith .				
2	Trisposition in the relation of the second			
2				27 1 1 1 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1
9		s in von en moste al.		
)				
0				
0				
9				
9				
9				
9	A STATE OF THE STA			
0				
0				
The same of the same of the	LENGTON OF THE COLUMN			

should this tender be accepted I/we hereby agree to abide by and fulfill all the terms and provisions of the said conditions of contract annexed hereto so, for as applicable, or in ssors in office the sums of money mentioned in the said conditions.

Dated the

day of

20

\*Signature, of contractor before comission of tender

witness:

Address :-

Occupation:

Signature of witness to contractor's signature

The above tender is hereby accepted by me on behalf of the Governor of Bihar. Dated the day of

signature of the office accepting the tender.

Acceptances communicated on 26 - 09 - 16

signature of the party

taking the tender

### CONDITIONS OF CONTRACT

Clause 1:- All compensation or other sums of payable by the contractor tcl) Government under the terms of his contract may be deducted from, paid by the sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor by Government on any account whatsoever and in the event of his security deposi being reduced by reason of any such deduction or sale as aforesaid, the contractor shall within ten days there after make good in cash or Government securities endorsed as aforesaid any sum or sums which may have been deducted from, or arised by, sale of his security deposit of any part thereof.

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which the work is finished after necessary rectification of defects as pointed by the Executive En- gineer or his authorised agents are fully contractor to the Engineer's satisfaction.

Compensation

Clause 2 :- The time allowed for carrying out the work as entered in the tender shall be strictly observed by the contractor and shall be reckoned from the date on which the wirtten order to comence work is given to the contractor. The work shall throughout the stipulated period of the contract be carried on with all due diligence. (time being deemed to be the essence of the contract on the part of the contract or) and the contractor shall pay as compensation an amount equal to ½ percent on the amount of the estimated cost of the whole work as shown by the tender for every day that the work remains uncommenced or unfinished after the proper date. And further to ensure good progress during the execution of the work the contractor shall be bound in all cases in which the time allowed for any work exceeds one month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before onehalf of such time elapsed and three-fourths of the work, before three fourths of such time has elapsed in the event of the contractor failing to employ with this condition, I shall be liable to pay as compensation an amount equal to ½ percent on the said estimated cost of the whole work for every day that the due quantity of work remains incomplete provided always that the entire amount of compensation to be paid under the provisions the clause shall not exceed 10 percent of the estimated cost of the work as shown in the tender.

Action when persnle security deposit foreited

Clause 3:- In any case which under any clause or clauses of or this contract the contractor shall have rendered himself laible to pay compensation amounting to the whole of his security deposit in the hands of Government (where paid in one sum or deducted by instalments) the Executive Engineer on behalf on the Bihar Government shall have been powered to adopt any of the following courses, as he may deem best suited to the enterest of Government -

(a) To rescind the contract (of which rescind notice in writing to the contractor under the hand of the Executive Engineer shall be conclusive evidence) and in which case the sectitiry deposit of the contractor shall ster absolutely at the disposal of Government.

Jour that South

- (b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debitting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in -charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.
- (c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by'him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original contractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4:- In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may. if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Engineer as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

contractor remains liable to pay compensation if action not take under 0

e

:h n

ed

ne

ng

by

19-

der

he

50

100

200

100

rate

ation

Power to take posession of or require removal of or sell contractor plant.

Extension of time

Clause 5 :- If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) he shall apply in writing to the Executive Engineer within 40 days from the date of starting of the hinderance on account of which be desires such extension as aforesaid and the Executive Engineer shall, if in his opinion (which shall be final) reasonable grounds be shown thereof authorised such extension of time, if any, as may in his opinion be necessary or proper. The Executive Engineer shall at the same time inform the contractor whether Reneer claims compensation for the delay.

B.S.E.I.D.C. Ltd, Patna

Hour Las Bugh

lone nder iests

id be

Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion, but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete. until the contractor shall have removed from the area of the premises (to be distinctly marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-work, doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurements shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus materials and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid, except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible, before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-in-charge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts or in any other way vary or affect the contract.

• Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Stores supplied Government

Clause 9:- If the specification or estimate of the work provides for the use of any special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-incharge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums then due of there after to become due to the contractor under the contract or otherwise, or against or form the security deposit, or the proceed of sale thereof, if the same is held in Government security the same or sufficient portion thereof in this case sold for the purpose. All materials supplied to the contractor shall remain the absolute property of covernment and shall not on any accounts he removed from this site of the work and shall all these be open to

Asie Aus Brigh

Schedule XLV - Form No. 61 inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be neturned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage to or any such materials. Clause 10: - The contractor shall executive the whole and every part of the work Work to be executed n the most substantial and workman like manner, and both as regards materials and accordance with specifiotherwise in every respect in strict accordance with the specifications. The contractor cation drawing other etc. shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid. Clause 11:- Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound Alteration in specifications to carry out the work in accordance with any instructions which may be given to him in and designation. writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the Do not in validate contract work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date ut of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the Time in consequence of alteration determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a disputes the decision of the superintending Engineer of the circle will be final. Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any Rate for work no in additional work done during any month on or before the 15th days other following month estimate or schedule of accompanied by a copy of the order in witting of the Engineer-in-charge for the additional rates of the district. work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period. Clause 12:- If at any time after the commencement of the wok the Government of Biliar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out, the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsoever do account of any profit or advantage, which he might have derived from the execution of compensation for alterthe work in full, but which he did not derive in consequence of the full amount of the work ation in or restriction of not having been carried out neither shall he have any claim for compensation by feasing need to be carried out. of any alternation having been made in the original specification, drawing, des Docaldd, Patna instruction which shall involve any installment of the work as originally contemplated clause 12 (a) As contained in G O 1929 dated 11.9.56. Freier Her Kingle

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such failure is due to:

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as finally by the contractor.

Action and compensation payable in case of work.

Clause 13 :- If it shall appear to the Engineer-in-charge or his subordinate incharge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall on demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-incharge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and expense in all respects of the contractcor.

Work to be taken to inspection.

Clause 14:-All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineer-in-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be present.

Clause 15:- The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which the same was effected.

Notice to be taken before work covered up Clause 16:- If the contractor or his work-people, or servants shall break, deface injure or destroy any part of a building in which they may be working or any building, road, road curves, fence enclosure water pipes, cables, drains, electric or telephone posts or wires, trees, grass or grassland or cultivated ground contiguous on which the work or any part of it is being executed or if any damage shall happen to the work, while in progress from any cause whatsoever or any imperiection become apparent in if within three months (six months in the case of a road-work) after a certificate final or other of its completion shall have been given by the Engineer-in-charge

Ague Ris Bish

y to

as a fore seal, the contractor shall make the same good at his own expense, or in default, the Engineer-in-charge may cause the same to be made be good by other worksmen and deduct the expense of which time thereafter may become due to the contractor, or from his security deposit, or the proceed of sale there of, or of a sufficient portion there of the security deposit at the contractor shall not be refunded before the expiry of three months (six months in the case of a road-work) after the issue of the certificate final or otherwise of completion of work provided that in the case of a road work if in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable after three months of the issue of the said certificate of completion

Contractor liable for damage done and for imperfection a months and after certificate

Contractor to supply to

plantladder scaffolding

Clause 17:- The contractor shall supply at his own cost all materials (except such special materials) if any as may in accordance with the contract be supplied from the Engineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, tackle scaffolding and temporary works requisits or proper for the proper execution of the work whether original, altered or substituted and whether include in the specification or other documents forming part of the contract or referred to in these conditions or not or which may be necessary for purpose of satisfying or complying with the requirement of pahe Engineer-in-charge as to any matter as to which under these conditions he is entitled to be satisfied which he is entitled to require together with carriage therefore to and form the work. The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting, weighing and assisting in the measurement or examination at any time and form time to time of the work or materials failing his so doing the same may be Provided by the Engineer-in-charge at the expense of the contractor and the expenses may be deducted from any money due to the contractor under the contract from his security deposit or the approceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide all necessary fencing and lights required to protect the public from accident, and shall be bound to bear to expenses of defence of every suit action or other proceeding at law that may be brought by any person for injury sustained owing to neglect of the above precautions and to any such person or which may with the consent of the contractor be paid to compromise any claim by any such person.

And is liable for damage arising for non-provision-

of light fencing etc.

Clause 18:- No female labour shall be employed within the limits of contonment. Uth the contractor shall not employ for the purpose of his contract any person who is below the age of twelve years and shall pay to each labour for the work done by such labourer wages not less than the wages paid for similar work in the neighbourhood.

Work not to be subject

The executive Engineer shall have the right to enquire into the case and decide any complaint alleging that the wages paid by the contractor to any labourer for the work done by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer employed by contractor is below the age of twelve years and to refuse to allow any labourer whom he decided to be below the age of twelve years to be employed by the contractor.

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his contract, or attempt so to do, or become insolvent proceedings to make any composition with his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward or advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, or offered by the contractor, or any of his servant or agents to any public officer or person in the employ of Government in any way relating to his officer or employment or if any such officer or person shall become in any way directly or indirectly interested in the contract the Executive Engineer may there upon by notice in writing rescind the contract. The security deposit of the contractor shall there upon stand forfeited and be absoluted at the disposal of Government and the same consequence shall ensure as if the contract

had been recinded under clause 3 here of, in addition the contractor shall not **Chief Langineer**The property of the contractor of the contractor shall not **Chief Langineer**The property of the contractor of

Ajour Ar Sigh

135

Contract may be resinded and security deposit forfelted for subletting bribes or if contractor become insolvant. such payable by way of compensation to be considered reasonable compensation without reference to actual loss Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained.

Clause 21: In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this information.

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal of Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer Clause 22: All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23: In case any dispute or difference shall arise between the parties or either of there upon any question relating to the meaning of the specifications, designs, drawings and instructions here before mentioned or as to the quality of workmanship or materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, or any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions or otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof or as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

(a) Clause 24:- When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items or work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-incharge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineer-in-charge shall be final and conclusive against the contractor with regard to any sum payable to him under the provision of this clause.

Action where no specification.

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Definition of works

Clause 26: The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to such construction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered, substituted or additional.

Witness, 2 B

Contractor.

Not befo

si

Schedule XLV - Form No. 61

(15)

Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied

0	Particulars		Rates at which the material will be charged to the contractor				Place of delivery	
9)			Unit		Rs.	P.		
0								
0								
0								
D.				( -				
7								
0)								
)								
)	and the same							
No. To State of		de est						
			1 1					

Note:-The person or firm submitting the tender should see that the rates in the above schedules are filled up by the Engineer-in-charge on the issue of the form prior to the submission of the tender.

(Signature of Contrator)

Chief Engineer paters of Executive Easinaer)

has a consequence a speciment are the mission as well be contained in the short and of

at a program and the first the state of the

#### ENDOW FOR DECIDE

ter in the second of the product of action of the collision of the collisi

#### M. MORELINE

h. villes Lemensell Montif to antiquitions F as Mally by Smith (A)

The transfer of the second of

and committee of the More More.

int self

0

0

0

0

0

 $\bigcirc$ 

0

0

0

0

0

0

0

0

0

the first entered in the relativistic form but the second content of the con-

a bassaignis all bill traditions in \$150.

2014 - Ley Legissiyaya atayai ka milkita madinine landdi sabil k

Chief-Engineer B.S.E.I.D.C. Ltd, Patni your south south

# BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. SHIKSHA BHAWAN, SAIDPUR, PATNA.

B.O.Q. FOR BLOCK RESOURCE CENTRE IN BIHAR

THE ITEM RATE BASED ON S.O.R BCD BIHAR, DATE - 15-09-2014, & D.S.R (ELECTRICAL) 2014

SL. No.	DISTRICT	NAME OF INSTITUTE	BLOCK
1	Sitama rhi	BLOCK RESOURCE CENTRE	Pupri

**CIVIL WORKS** 

PI	2 ILE WORK 20.2	Boring, providing and installing bored cast- in-situ reinforced cement concrete piles of grade M-25 of specified diameter and length below the pile cap, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring, with bentonite solution and temporary casing of appropriate length for	4	5	(Rs.) 6	7
		Boring, providing and installing bored cast- in-situ reinforced cement concrete piles of grade M-25 of specified diameter and length below the pile cap, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring, with bentonite solution and				
1	20.2	in-situ reinforced cement concrete piles of grade M-25 of specified diameter and length below the pile cap, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring, with bentonite solution and				
		setting out and removal of same and the length of the pile to be embedded in the pile cap etc. all complete, including removal of excavated earth with all lifts and leads (Length of pile for payment shall be measured upto bottom of pile cap).				
	20.2.1	300 mm dia Piles	0.000	meter		Rs. One thousand three hundred nine and paise thirty only.
	20.2.2	400 mm dia Piles	0.000	meter		Rs. One thousand five hundred twenty three and paise twenty only.
	20.2.3	450 mm dia Piles	0.000	meter		Rs. One thousand nine hundred seventy eight and paise eighty only.
	20.2.4	500 mm dia Piles	0.000	meter		Rs. Two thousand three hundred six and paise sixty only.
	20.2.5	600 mm dia Piles	0.000	meter		Rs. Two thousand nine hundred ninety six and paise ten only.

Ageer Der Singh. 15/05/2017.

0

0

0

0

0

0

0

Chief Engineer 3.S.E.I.D.C. Ltd., Pat

BISTIA

S.S.E.I.D.C. Ltd., Patns

	20.2.6	750 mm dia Piles	0.000	meter		Rs. Four thousand two hundred nineteen and paise seventy only.
2	20.3	Boring, Providing and installing cast in situ single under reamed piles of specified diameter and length below pile cap in M-25 cement concrete, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring with bentonite solution and the length of the pile to be embedded in pile cap etc. all complete. (Length of pile for payment shall be measured upto to the bottom of pile cap):				
	20.2.1	300 mm dia Piles				Rs. One thousand nine
	20.3.1	300 mm dia 1 nes	0.000	meter	1934.20	hundred thirty four and paise twenty only.
	20.3.2	400 mm dia Piles	0.000	meter	2225.3	Rs. Two thousand two hundred twenty five and paise thirty only.
	20.3.3	450 mm dia Piles	0.000	meter	2397.5	Rs. Two thousand three hundred ninety seven and paise fifty only.
	20.3.4	550 mm dia Piles	0.000	meter	2605.1	Rs. Two thousand six hundred five and paise 0 ten only.
3	20.4	Extra over item No. 23.3 for providing additional bulb in under reamed piles, under specified dia meter (Only the quantity of extra bulbs are to be paid).				
	20.4.1	300 mm dia Piles	0.000	Each	1240.	Rs. One thousand two hundred forty and paise 10 ten only.
	20.4.2	400 mm dia Piles	0.000	Each	1373.	Rs. One thousand three hundred seventy three and paise eighty only.
	20.4.3	450 mm dia Piles	0.000	Each	1454	Rs. One thousand four hundred fifty four and paise eighty only.
	20.4.4	500 mm dia Piles	3.000			Rs. One thousand five hundred ninety seven an
			0.000	Each	1597	.20 paise twenty only.

Agent Dos/2017

 $\Theta$ 

Chief Engineer
B.S.E.I.D.C. Ltd. Patna

110 15/

B.S.E.I.D.C. Ltd, Patna

Ever froles and

 $\Theta$ 

ARTI	HWORK IN	NEXCAVATION				
4	2.8.1	Earthwork in excavation in as(exceeding 30cm in depth. 1.5m in width as well es 10sqm on plan) incloding dressing of sides and ramming of bottom, lift upto 1.5 including getting out the excavated soil and disposal of surplus soil as directed within a lead of 50m.  All Kind of soil = 286.64 CUM SEPTIC TANK = 31.89 CUM TOTAL QUANTITY = 318.53 CUM	318.530	cum		Rs. Two hundred five and paise twenty only.
5	2.29.1	Surface dressing of the ground including removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5m All kinds of soil.  = 136.41 CUM	136.410	100 sqm	718.800	Rs. Seven hundred eighteen and paise eighty only.
EA	RTH FILL					
6	2.26	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth: consolidating each deposited layer by ramming and watering lead = 188.98 CUM			66.10	Rs. Sixty six and paise forty only.
,			188.980	cu.m	66.40	1
S	AND FILL					
7	2.28	Supplying and Filling in plinth with local sand and under floors including, watering, ramming consolidating and dressing complete.  = 118.79 CUM SEPTIC TANK = 1.02 CUM TOTAL QUANTITY = 119.81 CUM		cu.m	192.5	Rs. One hundred ninety two and paise fifty only
FLA	T BRICK S	SOLING				
8	11.72	Providing designation 100 A one brick flat soling joints filled with local sand including cost of watering, taxes, royalty all complete as per building specification and direction of E/I, 10 + 2, BUILDING = 291.84 CUM SEPTIC TANK = 13.57 CUM TOTAL QUANTITY = 305.41 CUM	g e n			Rs. Two hundred twen seven and paise sixty only.
			305.410	sq.m	227.60	001

Agine Ku Sough

 $\bigcirc$ 

 $\Theta$ 

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

JA.

US SIJA

the second secon		,	
		princetan pare Europephosica Formania	
		Maid come always and english	

Chief Engineer B.S.E.I.D.C. Ltd. Pains Have my with

Ó

 $\Theta$ 

 $\bigcirc$ 

 $\Theta$ 

 $\bigcirc$ 

 $\Theta$ 

1			13				
) [							
)							
		P.C.C.					
			Providing and laying in position cement				
)	9	4.1.5	concrete of specified grade excluding the cost of centring and shuttering- all work				Rs. Two thousand seven hundred seventy five and
			upto plinth level 1:3:6 (1cement: 3 coarse sand : 6 graded stone aggregate 20mm nominal size)				paise seventy only.
			= 13 CUM	13.000	cu.m	2775.70	
)	10	4.1.4	Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering- all work				
			upto plinth level 1:2:4 (1 Cement: 2 coarse sand : 4 graded stone aggregate 40				Rs. Three thousand two hundred nineteen and paise seventy only.
			mm nominal size)10 + 2 , BUILDING = 8.74 CUM				paise seventy only.
			SEPTIC TANK = 2.98 CUM TOTAL QUANTITY = 11.72 CUM	11.720	cu.m	3219.70	
3		FLOORIN	IG				
	11	11.38	Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturer) of ist quality conforming to IS: 15622 of approved make				
			in colours such shades except white, Ivory, Grey, Fume Red,				Rs. Eight hundred one
			Brown, laid on 20 mm thick Cement motar 1:4 (1 cement: 4 coarse sand) including pointing the joints with white cement and				and paise eighty only.
			matching pigment etc., complete. TOILET PORTION = 46.04 SQM				
	1			46.040	sq.m	801.80	0
				40.040	34.111	001100	

Spice Her bigh

Chief Engineer B.S.E.I.D.C. Ltd, Patna

			orb. grabulace white bullboard is arrivinged	
		WELLIN !		
AT III AB SELECTION				
			Hard Hum - Southblood Hardcon	
* * * * * * * * * * * * * * * * * * * *				

Chief Engineer S.S.E.I.D.C. Ltd., Patna April No 2 Stray

 $\bigcirc$ 

)			LZ LZ	†			
	12		Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (Thickness to be specified by the manufacture) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-charge in skirting, risers of steps and dados over 12 mm thick bed of cement Motar 1:3(1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching shade complete.  TOILET PORTION = 188.874 SQM			f	Rs. Seven hundred fifty our and paise twenty only.
0				188.874	sq.m	734.200	
	13 14	11.26.1	Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime: 1 surkhi: 1 coarse sand) / 1:4 (20 TO 25MM THICK) = 281.852 SQM  Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm			968.00	Rs. Nine hundred twenty seven and paise fifty only.
		1		74.37	sq.m	927.5	
	15	8.3.2	Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge.  Granite work	0.00	) M	239.10	Two Hundred Thirty Nine and paise ten only

Agree for bugh

0

0

Chief Engineer

B.S.E.I.D.C. Ltd. Patna 15/25/17

VORK	BELOW P	LINTH LVL.				
16	5.1.1	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing & reinforcement - all work upto plinth level.  1:1:2 (1cement: 1 coarse sand : graded stone aggregate 20mm nominal size)  = 59.183 CUM	59.183	cu.m	S 1	Rs. Five thousand one hundred ten and paise seventy only.
R.C.C	. WORK Al	BOVE PLINTH LVL.				
17	5.2.1	Reinforced cement concrete work in wall (any thickness), including attached plasters, buttresses, plinth and struts etc upto floor five level excluding the cost of centring, shuttering, finishing & reinforcement 1:1:2 (1cement: 1 coarse sand : 2 graded stone aggregate 20mm nominal size) $10 + 2$ , BUILDING = 20.51 SQM				Rs. Five thousand six hundred sixty six and paise twenty only.
			20.510	cu.m	5666.20	
18	5.1.3	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing and reinforcement-All work puto plinth level. 1:2:4 (1 cement:2 coarse sand:4 graded stone aggregate 20 mm nominal size)  SEPTIC TANK = 0.93 CUM	1			Rs. Three thousand fou hundred thirty eight and paise ninety only.
		SEI HE PAINE 0.55 COM	0.930	cum	3438.90	

Agreed La Sough

0

0

Chief Engineer
B.S.E.I.D.C. Ltd. Patna

5 15/25/17

Chief Eugineer 8.S.E.I.D.C. Ltd, Patha [[Ver]]] years and south

			6		The State of the	
19	5.3	Reinforced cement conrete work in				
	+	beams, suspended floors, roofs having slope upto 15, landings, balconiec, shelves,				
	5.33B.4 +	upto 15, landings,balconiec, shelves, chajjas, lintels, bands, plain window sills,				
	5.33B.1	staircases and spiral stair cases upto floor				
		five level excludingthe cost of centring,				
		shuttering, finishing and reinforement with 1:2:4(1 cement:2 coarse				
		sand:4 graded stone aggregate 20 mm				Rs. Four thousand five
		nominal size).				hundred eighty one and
		Add or deduct for providing richer or leaner mixes respectively at all floor levels.				paise twenty only.
		Providing M-15grade R.C.C instead of M-				
		20 grade R.C.C.				
		Proiding M-25 grade R.C.C. instead of M-20 grade R.C.C.				
7		= 100.44 CUM				
			100.440	cu.m	4581.20	
					- Andrews	
В	RICK WOI	RK				
	1	Brick work with bricks of class designation				
20	6.1.14A	100A in foundations and plinth in cement				
		mortar 1:6 (1cement :6 coarse sand)				Rs. Three thousand nin hundred ninety two and
		= 39.878 CUM				paise ninety only.
					2002.00	
		- to the title Color designation	39.878	cu.m	3992.90	
21	6.1.14A +	Brick work with bricks of class designation 100A in foundations and plinth in : Cement				
	6.3A	mortar 1:6 (1 cement: 6 coarse sand)		Mar 0		Rs. Four thousand four
		Extra for Brick work in superstructure				hundred twenty seven
		above plinth level upto floor V cum = 160.082 CUM		1.		and paise fifty only.
ĺ	. 9	= 100.082 COW				
			160.082	cu.m	4427.50	)
22	6.18.4A	Half brick masonry with bricks of class designation 100A in foundations and plinth				
	6.19A	in : Cement mortar 1:4 (1 cement: 4 coarse				D D' 1 1 1 1 1 1 1
		sand)		- 1		Rs. Five hundred thirty eight and paise thirty
		Extra for half Brick masonry in superstructure above pinth level upto floor				only.
		V level.				
		= 134.043 SQM	124.042	Ca m	538.30	
			134.043	Sq.m.	336.3	۷ <u> </u>

Ajou Lez bigl

Chief Engineer
B.S.E.I.D.C. Ltd, Patna 15/25/1

		The prints		
A CONTRACT OF			ACS I	
northebash.				

Chief Engineer B.S.E.I.D.C. Ltd. Patna

 $\bigcirc$ 

			17			
23		Extra for providing and placing in position 2 Nos, 6 mm dia, MS bars at every third course of half brick masonry (with F. P. S. bricks) = 134.043 SQM		Sa. wa		Rs. Seventy five and paise ninety only.
		The last last and along designation	134.043	Sq.m.	73.90	
24	6.1A + 6.1.12/1	Brick work with bricks of class designation 100A in foundations and plinth in : Cement mortar 1 .:4 (1 cement: 4 coarse sand)	/			Rs. Four thousand one hundred eighty four only.
		= 8.75 CUM	8.750	cum	4184.00	
PI	ASTER WO	RK				
25	13.13.4	20 mm cement plaster of mix; 1:6 (1 cement: 6 coarse sand)				Rs. One hundred twenty three and paise fifty only.
	i	= 836.658 SQM	836.658	sq.m	123.50	•
26	13.13.1 + 13.26	20 mm cement Plaster 1:3 (1 cement: 3 coarse sand) with a floating coat of neat cement & neat cement punning SEPTIC TANK = 16.65 SQM	16.650	sq.m	185.60	Rs. One hundred eighty five and paise sixty only.
27	13.11.4	12mm thick Cement plaster of mix 1:6 (1 cement : 6 coarse sand) = 1041.58 SQM	10.030	Sqiii		Rs. Eighty nine and paise thirty only.
			1041.580	sq.m	89.30	
28	13.17.1 +13.36.1	12 mm cement Plaster 1:3 (1 cement: 3 coarse sand) with a floating coat of neat cement & Extra for providing and mixing water proofing material in proportion recommended by the				Rs. One hundred forty five and paise fifty only.
		manufacturers: 12 mm cement plaster 1:3(1 cement :3 sand) SEPTIC TANK = 52.82 SQM		sq.m	145.5	
29	13.24.2	6mm thick Cement plaster of Ceiling mix 1:4 (1 cement : 4 coarse sand)				Rs. Seventy seven and paise forty only.

388.530

sq.m

Hous Rar Sough

= 388.53 SQM

 $\Theta$ 

0

0

0

0

0

 $\Theta$ 

0

0

0

0

0

 $\Theta$ 

0

0

**Chief Engineer** B.S.E.I.D.C. Ltd, Patna

77.40

		$\bigcirc$
		0
		O
	water, lish said to clothe this real beauty. I want	$\Theta$
		0
		U
		0
		0
		$\Theta$
		0,
	III I salvala standa etar 11 salvaladanga .	0
		0

Chief Engineer B.S.E.I.D.C. Ltd. Patha

,				18			
	30	11.3.1	Cement concrete flooring 1:2:4(1 cement:2				
		+	coarse:sand:4 graded stone agregate)				
) .		11.8	finished with a floating coat of neat cement				
			including cement slurry, etc. but excluding				
1			the cost of nosing of steps etc. complete. 40				
)-			mm thick with 20 mm nominal size stone				Rs. Two hundred thirty
			aggregate.				two and paise ninety
			Extra for making chequers of approved				only.
			pattern on cement concrete floors, steps,				
			landing, pavemerts etc.				
			= 136.41 SQM				
				136.410	sq.m	232.90	
	TITLIFE	******			- X - 17		
1	FINIS	SHING WOI	RK				
ł	31	13.46.1	Finishing walls with Acrylic Smooth				
	31	13.40.1	Finishing walls with Acrylic Smooth exterior paint of				
			required shade :New work (Two or more				
			coat applied @ 1.67 ltr/ 10				
			sqm over and including priming coat of				Rs. Sixty eight and paise
			exterior				eighty only.
			primer applied @ 2.20 kg/ 10 sqm)				
1			EXTERNAL WALL = 836.658 SQM				
				926.659		60.00	
ŀ	32	13.80A.2	Providing and applying white cement based	836.658	sq.m	68.80	
	32	13.0071.2	putty of average thickness 2 mm, of				
			approved brand and manufacturer, over the				Rs. One hundred
	-/		plastered wall surface to prepare the surface				eighteen and paise
			even and				seventy only.
			smooth complete.				
-	22	10.55.0		2266.768	sq.m	118.70	
	33	13.77.2	Distempering with oil bound washa ble				
			distemper of approved brand and				
			manufacture to give an even shade .			4-7-3	
			New work (two or more coats ) over and including				
			priming coat with cement primer				Rs. Sixty four only.
			INTERNAL WALL & CEILING =				
			1430.11 SQM				
			1.50.11 5QM	1430.110	ag m	64.00	
F	34	13.81.1	Applying priming coat with ready mixed	1430.110	sq.m	64.00	
	,	10.01.1	pink or grey primer of approved brand and	/			
			manufacture on wood work (hard and				Rs. Twenty five and
			softwood)	min S al			paise twenty only.
			= 115.68 SQM	115 (00			
L				115.680	sq.m	25.20	

Ajew Der Birgh

0

0

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

15/15

Skehouly 1519/12

					0
					0
					Ç
					0
					O
					0
					0
					0
					0
					0
					0
					0
					0
					0
					0
			alplanes rational		
					0
					0
					0
					9
					0
					0
					0
					0
					0
iei Engineer	Chi				
the state of the state of the state of					

Chief Engineer

8. S.E.I.D.C. Lid, Paina

200.

200.

200.

200.

	_
	_

			19			
35	13.81.3	Applying priming coat with ready mixed zinc chromate yellow primer of approved brand and manufacture on steel galvanized iron/steel work.  = 105.728 SQM	105.728	sq.m	21.30	Rs. Twenty one and pais thirty only.
36	13.93.1	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade two or more coats on new work = 221.408 SQM				Rs. Fifty and paise ninet only.
37	10.14.1	Providing and fixing T-iron frames for doors. windows and ventilators of mils steel Tee-sections, joints miltred and welded with 15x3 mm lugs 10 cm long embedded in cement concerete blocks 15x10x10 cm of 1:3:6 (1 cement: 3	221.408	sq.m	50.90	Rs. Seventy five and
		coarse sand: 6 graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required including = 339.675 KG	339.675	Kg.	75.10	paise ten only.
38	9.21.1	Providing and fixing flush door shutters conforming to IS: 2202 (Part-I) non-decorative type.core of block board construction with frame of 1st class tiard wood and well mathched commercial 3 ply veneering wiih vertical grains or cross bands and face veneers on both faces of shutters.  35 mm thick including anodized aluminum butt hinges with necessary screws  = 48.195 SQM	337.013	****	73.10	Rs. One thousand eight hundred twenty three an paise eighty only.
39	9.119.1	Providing and fixing oxidised M.S.tower bolt black finish,(barrel type) with necessary screws etc.complete 250x10mm 10 + 2, BUILDING = 44 EACH	48.195	sq.m	1823.80	Rs. Sixty six and paise fifty only.
			44.000	each	66.50	

Agree Resold

0

Chief Engineer
B.S.E.I.D.C. Ltd. Patna

Chief Engineer B.S.E.I.D.C. Ltd, Pathe

				20			
	40	9.104.1	Providing and fixing M.S.handles with necessary screws etc.complete 125 mm 10 + 2, BUILDING = 44 EACH	44.000	each	27.50	Rs. Twenty seven and paise fifty only.
	41	9.223.2	Providing and fixing alluminium hanging floor door stopper anodised (anodic coating not less than grade AC 10 as per IS:1868)	1			
			transparent or dyed to required colour and shade with necessary screws etc.complete:Twin rubber stopper = 22 EACH				Rs. Eighty two and paise seventy only.
L		<del>- 15 (155</del>		22.000	each	82.70	
	42	9.100.1	Providing and fixing M.S. sliding door bolts bright finished or/and black enamelled, with nuts and screws etc.compelled:  300x16 mm				Rs. One hundred seventy seven and paise forty
			= 22 EACH	6 4	8		only.
				22.000	each	177.40	
	S	TEEL WO	RK	/			
	43	10.12.1	Providing and fixing glazed steel doors,			/	
		+	windows or ventilators of standard rolled	1			
		10.13B	steel sections, joints mitered and welded with 15x3 mm M.S. lugs10cm long with				
			steel legs embedded in cement concrete		8 h 1 i		
			blocks 15x10x10cm.of (1:3:6) (1cement :				
	-		3coarse sand : 6graded stone aggregate			1	
	- 1		20mm nominal size) or with wooden plugs				
			and screws or rawl plugs and screws or with				
			fixing clips or with bolts and nuts as				
	1		required, including providing and fixing of				
			glass panels with glazing clips and special metal-sash putty of approved make				Rs. Three thousand two
			complete including applying a priming coat				hundred seventy and
	3		of approved steel primer excluding the cost				paise sixty only.
1			of metal beading and other fitting except				
	1		of metal beating and other many except			l .	
			necessary hinges or pivots as required.				
			necessary hinges or pivots as required. Doors				
	,		necessary hinges or pivots as required.  Doors  Extra for providing and fixing steel beading				
	i		necessary hinges or pivots as required. Doors Extra for providing and fixing steel beading of approved shape and section with screws				
	,		necessary hinges or pivots as required. Doors Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty				
	i i		necessary hinges or pivots as required. Doors Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and				
			necessary hinges or pivots as required. Doors Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty				

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

				0
				9
				0
				()
		The control and the second of		
The state of the s		man for each 2		0
				(,)
				0
				Ò
				0
				O
				-0
				0
				0
				0

Chief Logineer B.S.E.LD.C. Ltd. Patne

Judy - A

moleto

0

			21			
44	10.12.1	Providing and fixing glazed steel doors,				
	+	windows or ventilators of standard rolled				
	10.13C	steel sections, joints mitered and welded				
		with 15x3 mm M.S. lugs10cm long with				
1		steel legs embedded in cement concrete				
	100	blocks 15x10x10cm.of (1:3:6) (1cement :				
113	× .					
		3coarse sand : 6graded stone aggregate				
		20mm nominal size) or with wooden plugs				
		and screws or rawl plugs and screws or with				
		fixing clips or with bolts and nuts as				
		required, including providing and fixing of				
		glass panels with glazing clips and special	W			Do Three thousand two
	P. P. S. S. S.	metal-sash putty of approved make				Rs. Three thousand two
		complete including applying a priming coat				hundred seventy seven
		of approved steel primer excluding the cost	T 1 1 1 1 1 1			and paise sixty only.
		of metal beading and other fitting except	h. 1.1			
		necessary hinges or pivots as required. Doors				
		Extra for providing and fixing steel beading				
		of approved shape and section with screws	S 2 1 1			
			F: 11 3			
	ha.	instread of glaxing clips and met. Sash putty				
		in steel doors, windows, ventilators and		1.00	H	
		composite units.Steel ventilators				
		= 3.24 SQM				
- N-						
	1		3.240	sq.m	3277.60	
45	9.82.1	Providing and fixing M.S. grills of				
		requirement pattern in frames of windows				
		etc. with M.S. flats square or round bars etc				
		all complete				Rs. Ninety one and paise
						fifty only.
	Bar 27					inty only.
		fixed to steel windows by welding.				inty only.
			1722.870	Kgs.	91.50	
46	5 22	fixed to steel windows by welding. = 1722.87 KG	1722.870	Kgs.	91.50	
46	5.22	fixed to steel windows by welding. = 1722.87 KG  Reinforcement for RCC work including	1722.870	Kgs.	91.50	
46	5.22	fixed to steel windows by welding. = 1722.87 KG  Reinforcement for RCC work including straightening, cutting, bending, placing in	1722.870	Kgs.	91.50	
46	5.22	fixed to steel windows by welding. = 1722.87 KG  Reinforcement for RCC work including	1722.870	Kgs.	91.50	
46	5.22	fixed to steel windows by welding. = 1722.87 KG  Reinforcement for RCC work including straightening, cutting, bending, placing in	1722.870	Kgs.	91.50	
46		fixed to steel windows by welding. = 1722.87 KG  Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500	1722.870	Kgs.	91.50	
46	5.22 5.22.7A	fixed to steel windows by welding. = 1722.87 KG  Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  Thermo-Mechanically Treated bars TMTC-	1722.870	Kgs.	91.50	
46		fixed to steel windows by welding. = 1722.87 KG  Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  Thermo-Mechanically Treated bars TMTC-500 8mm dia	1722.870	Kgs.	91.50	
46		fixed to steel windows by welding. = 1722.87 KG  Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG	1722.870	Kgs.	91.50	Rs. Seventy four and
46		fixed to steel windows by welding. = 1722.87 KG  Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM	1722.870	Kgs.	91.50	
46		fixed to steel windows by welding. = 1722.87 KG  Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG		Kgs.	74.40	Rs. Seventy four and paise forty only.
46	5.22.7A	fixed to steel windows by welding. = 1722.87 KG  Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG	8393.000			Rs. Seventy four and paise forty only.
46		fixed to steel windows by welding. = 1722.87 KG  Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG  Thermo-Mechanically Treated bars TMTC-				Rs. Seventy four and paise forty only.
46	5.22.7A	fixed to steel windows by welding. = 1722.87 KG  Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete.  TMTC-500  Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG				Rs. Seventy four and paise forty only.  Rs. Seventy three and paise ten only.

 $\Theta$ 

 $\Theta$ 

 $\Theta$ 

Chief Engineer

B.S.E.I.D.C. Ltd. Paina

| A. Jk.hoully

515

				22			
		5.22.7C	Thermo-Mechanically Treated bars TMTC-		X y		
	7. 1		500 12mm dia = 7000 KG	$\Gamma$			Rs. Seventy one and
				7000.000	KG	71.80	paise eighty only.
0		5.22.7D	Thermo-Mechanically Treated bars TMT-500 16mm dia				Rs. Seventy two and
0			= 700 KG	700.000	KG	72.80	paise eighty only.
		5.22.7E	Thermo-Mechanically Treated bars TMT-	700.000	KU	72.80	D. C.
			500 20mm dia = 750 KG	750,000	N.C.	70.00	Rs. Seventy two and paise twenty only.
.0		5.22.7F	Thermo-Mechanically Treated bars TMT-	750.000	KG	72.20	
0			500 25mm dia = 0 KG				Rs. Seventy two and
				0.000	KG	72.20	paise twenty only.
	47	10.19	Providing & fixing M.S. Fan hook of 16 mm. dia. M.S. bar 1 Mtr. Long bent to				
			required size and shape, placed in position				
			and fixed in Truss Frame / RCC Slab / beam				Rs. One hundred twenty
0			at the time of casting all complete as per building specification and direction of E/I.				one and paise eighty
			(Where materials is not supplied by deptt.)			be. El	only.
0			= 42 EACH				
	10	10.00.1		42.000	Each	121.80	
0	48	10.33.1	Providing & fixing hand rail by welding etc. to steel ladder railling & staircases railling				
$\Theta$			including applying a priming coat of				Rs. Ninety one and paise
0			approved steel primer.				ten only.
			MS tube (medium) 40mm nominal bore. = 550 KG	550,000	1	01.10	
	49	10.5	Providing and fixingin position collapsibble	550.000	kg.	91.10	
			steel shutters with vertical channes				
0			20x10x2mm and braced with flat iron diagonals 20x5mm size with top and bottom				
0			rail of T-iron 40x40x6mm with 40mm dia				Rs. Four thousand one hundred fifteen and paise
0			steel pulleys complete with bolts nuts locking arrangement stoppers handles				sixty only.
	1		including applying a priming coat of				
			approved steel primer.	4.52	ea m	1115 60	
				7.32	sq.m	4115.60	
	ISCEI	LANEOUS	WORK				
					7		

Agrees for sough

0

0

0

Chief Engineer

B.S.E.I.D.C. Ltd. Patnay

				0
				0
				0
				U
			1 1	0
				0
				$\odot$
				9
				0
				0
				0
				0
				0
		willin exercise 2 guiller each feath of		
		to note guinnin a small pur constitut		- 20
				0
				0
				0
				9
				0
				9
				0
				0
				0
				0
				0
				0
				0 0

50	4.17	Making plinth protection 50mm thick of	23			
30	4.17	cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size ) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth.  = 75.414 SQM	4			Rs. Three hundred nineteen and paise thirty only.
			75.414	sq.m	319.30	
S	HUTTERI	NG				
51	5.9.1	Centring and shuttering including strutting, propping etc. and removal of form for foundation, footings, basees of columns etc. for mass concrete.  = 55.781 SQM	55.781	Sqm.	166.70	Rs. One hundred sixty six and paise seventy only.
52	5.9.5	Centring and shuttering including strutting, propping etc. and removal of form for lintel, beams, plinth beams, griders, bressumers and contilevers.  = 349.241 SQM			251 20	Rs. Two hundred fifty one and paise thirty only.
53	5.9.6	Centring and shuttering including strutting,	349.241	Sqm.	251.30	
	3.5.0	propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts = 367.575 SQM	267.575		244.40	Rs. Three hundred forty four and paise forty only.
54	5.9.3	Centring and shuttering including strutting,	367.575	Sqm.	344.40	
34	3.7.3	propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform.				Rs. Two hundred seventy five and paise sixty only.
		= 451.54 SQM	451.540	Sqm.	275.60	
			And the second			# #1 C #0 C O
					Total Total (A)	
 Plu	mbing a	and sanitary Work			2 3 3 3 2 2	
55	B.S.R 12.78	Providing and fixing on wall face unplastidsed PVC (working pressure 4 kgf per sqm) rain water pipes cinforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10 mm gap				

Agene star Singh

**Chief Engineer** B.S.E.I.D.C. Ltd. Patna

	Landinga pribatika sainan la san yahir D		

April 1. So Ja

-	
-,	
	/ 1

			24			
	12.78.2	110 mm diameter. = 40 MTS	40.000	MTS		Rs. Two hundred fourteen and paise twenty only.
56	SOR 12.79	Providing and fixing on wall face unplasticised -PVC moulded fittings/accessories for unplasticised PVC rainwater pipes conforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10mm gap for thermal expansion.		1		
	SOR 12.79.1	Coupler	-			
	SOR 12.79.1.2	110mm = 10 MTS	10,000	Fach	144.700	Rs. One hundred forty four and paise seventy only.
-	SOR 12.79.5	Bend 87.50°	10.000	Each	144.700	
	SOR 12.79.5.2	110mm bend = 12 MTS	12.000	Each	173.700	Rs. One hundred seventy three and paise seventy only.
	SOR 12.79.6	Shoe (Plain)				
	SOR 12.79.6.2	110mm Shoe = 12 MTS	12.000	Each	314.730	Rs. Three hundred fourteen and paise seventy three only.
57	B.S.R 17.1.1	Providing and fixining water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast iron P or S tap, 10 litre low white P.V.C. Flushing cistern with munally controlled device (handle level) conforming to IS: 7231 Parryware/Hindware with all fittings and fixtures complete including cutting and making good the walls and floors wherever required.	t n n ) l d d			
		White Vitreous China Orissa pattern W C pan of size 580 x 440 mm with integral type foot rest.  = 6 EACH		Each	3035.400	Rs. Three thousand thirty five and paise forty only.

Agent the short

 $\Theta$ 

 $\bigcirc$ 

 $\bigcirc$ 

 $\bigcirc$ 

 $\Theta$ 

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

July

ISIS

| Starting |

B.S.E.I.O.C. Ltd. Patnay

-	~
4	-
,	

				22			
0	58	B.S.R 17.2.2	Providing and fixing white vitreous china pedestal type water closet (European type				
0			W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern,				
0			including flush pipe, with manually controlled device (handle lever),				
0			conforming to IS: 7231, with all fittings and fixtures complete, including cutting and				
0	- 4		making good the walls and floors wherever required:				
			required.				
0			W.C. pan with ISI marked black solid plastic seat and lid				Rs. Two thousand nine hundred twenty eight and
0			= 3 EACH	3.000	Each	2928.300	paise thirty only.
$\circ$	59	B.S.R 17.4.2	Providing and fixing white vitreous china flat back or wall corner type lipped front				
		17.1.2	urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with				
			automatic flushing cistern with standard flush pipe and C.P. brass spreaders with				
0			brass unions and G.I. clamps complete,				
<u> </u>			including painting of fittings and brackets, cutting and making good the walls and floors wherever required:				
0			Range of two urinal basins with 5 litre white P.V.C.				Rs. Four thousand six
0			automatic flushing cistern = 3 EACH			× f.	hundred eighty eight and paise ninety only.
$\Theta$				3.000	Each	4688.900	
0	60	SOR 17.34	Provding and fixing toilet paper holder				
0		SOR 17.34.2	Vitreous china	3	Each	304.2	Rs. Three hundred four and paise twenty only.
0	61	B.S.R 17.7.1	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including pointing of fittings and brackets.				
0			including painting of fittings and brackets, cutting and making good the walls wherever require:				
0			White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps. = 12 EACH				Rs. Two thousand one hundred twenty and paise thirty only.
			- 12 Ditori	12.000	Each	2120.300	

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Jen.

Methousky

	placed and completely end objects		
	Line and Letters 10 and and 5250		

Chief Engineer
B.S.E.I.D.C. Ltd. Patna

of participation of the

0

			26			
62	18.63	Providing and fixing PTMT angle stop cock 15 mm nominal bore, weighing not less than 85 gms	15.000	Each	180.900	Rs. One hundred eighty and paise ninety only.
63	B.S.R 17.28	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.				
	17.28.2.1	Flexible pipe 32 mm dia = 12 EACH	12.000	Each	78.600	Rs. Seventy eight and paise sixty only.
64	B.S.R 17.32.2	Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing:  Rectangular shape 453 x 357 mm  = 12 EACH				Rs. Six hundred forty three and paise forty only.
			12.000	Each	643.400	
65	B.S.R 17.33	Providing and fixing 600 x 120 x 5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete.  = 12 EACH				Rs. Four hundred sever eight and paise thirty only.
			12.000	Each	478.300	
66	B.S.R 18.8.1	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I Concealed work including cutting chases and making good the wall etc. 15 mm nominal outer dia Pipes = 50 METER				Rs. Two hundred forty one only.
			50.000	metre	241.000	

Agues Dez Sough

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Kehwulh

2jer.

				0
		principal significación de la companya de la compan		
		and Waldings sky paragraph		0
				0
				0
				$\cup$
				0
				0
				0
		Jeanly Area was some many services and planed		$\Theta$
				0
2.7.5				
A TOTAL DOUBLE HEAD				$\cup$
				0
35				
				0
				0
				0
				$\bigcirc$
	-44			
	· ·			
				0

Chief Engineer B.S.E.I.D.C. Ltd. Patna an

67	B.S.R	Providing and fixing Chlorinated Polyvinyl				
	18.9.3	Chloride (CPVC) pipes, having thermal				
		stability for hot & cold water supply			8	
		including all CPVC plain & brass threaded			i i	)
		fittings This includes jointing of pipes &		-, -		
						Rs. One hundred ninety
		fittings with one step CPVC solvent cement,		-		three and paise eighty
		trenching, refilling & testing of joints				only.
		complete as per direction of Engineer in				
		Charge.				
		25 mm nominal inner dia Pipes				
		= 60 METER		1 8	-	
-			60.000	metre	193.800	11
- 1	18.9.4	32 mm nominal outer dia Pipes	Familia	4		Rs. Two hundred fifty
		, , , , , , , , , , , , , , , , , , ,	40.000	metre	251.100	one only.
	18.9.2	20 mm nominal outer dia Pipes	101000			Rs. One hundred forty si
	10.7.2	20 mm nommar outer dia 1 ipes	40.000	matra	146.400	and paise forty only.
	D.C.D.	D '1' 1 1 ' ( 11 C	40.000	metre	140.400	and paise forty only.
68	B.S.R	Providing and placing on terrace (at all floor				
	18.48	levels) polyethylene water storage tank ISI			,	
-		:12701 marked with cover and suitable				
-		locking arrangement and making necessary		~		Rs. Six and paise eighty
		holes for inlet, outlet and overflow pipes but				only.
		without fittings and the base support for				only.
		tank.		,		
		= 4000 PER LITER		per		9.5
1			4000.000	litre	6.800	
69	B.S.R	Providing and fixing C.P. brass bib cock of				
	18.49	approved quality conforming to IS:8931				
	10.17	approved quanty comorning to 1919991	-			
-		15 mm nominal bore.				Rs. Four hundred ninety
		= 12 EACH	10.000	г. 1	107.000	1
			12.000	Each	497.000	seven only.
70	B.S.R	Providing and fixing C.P. brass stop cock				
	18.52	(concealed of standard design and of				
		approved make conforming to IS: 8931				
						4
	18.52.1	15 mm nominal bore.				
		= 10 EACH				Rs. Six hundred seventy
					ental and a	and paise seventy only.
-			10.000	Each	670.700	
71	SOR	Providing and fixing P.T.M.T. grating of				
-	18.58	approved quality & colour				
ř.						
	SOR	circular type			71	
	18.58.1	71				
	10.50.1			-		
	30 11 2	100		D 1		
	0.5-	1100	11	Each	1	1 .
	SOR	100 mm nominal dia,	11	Lacii		
	SOR 18.58.1.1	100 mm nominai dia,	11	Baon	47 00	Rs. Forty seven and pais
		100 mm nominai dia,		Lacii	47.90	Rs. Forty seven and pais ninety only.

Agin La Sough

 $\Theta$ 

 $\Theta$ 

Chief Engineer

B.S.E.I.D.C. Ltd, Patnay

Kehwulk

151=5/17()

		principle grounding societies at the office	
Transfer of the second			
		bandon and the line to the second	
		het een gewolf van Brei Kisten, saking als oak it	
		ETHER STREET	
		DATE:	
* *			

Chief Engineer

B.S.E.LD.C. Ltd. Pama

your server

-	
-,	_
	/ \

			28			
72	B.S.R 19.2.1	Providing and laying cement concrete 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size) allround S.W. pipes including bed concrete as per standard design : 100 mm diameter S.W. pipe = 50 METER				Rs. Three hundred twel and paise fifty only.
		Bullian Bullian Said Co. Scill	50.000	metre	312.500	
73	B.S.R 19.6.1	Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar	*			
		in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete:				Rs. Three hundred twel and paise ninety only.
	la L	100 mm dia R.C.C. pipe = 15 METER	15.000			/
74	B.S.R		15.000	metre	312.900	
74	19.27.1	Constructing brick masonry road gully chamber 50x45x60 cm with bricks in cement mortar 1:4 (1cement : 4 coarse sand) including 500x450 mm pre-cast R.C.C. horizontal grating with frame complete as per standard design :  With common burnt clay F.P.S. (non modular) bricks of class designation 7.5				Rs. Three thousand one hundred seventeen and paise thirty only.
		= 2 EACH	2.000	Each	3117.300	

Ajoes star singh

0

0

(170s

	20
State of the state	
m which the my theorem consider the property of the constant of the man of the constant of the man of the constant of the cons	
	in minist dies in the state worden. The state of the stat

 $\Theta$ 

			29			
75	B.S.R	Contructing brick masonry chamber for				
	19.30.1.1	Underground C.I. Inspection Chamber and				
		bend with 75 class designation bricks in	Sec. 32			
		cement mortar 1:4 (1 cement : 4 coarse				
		sand) C.I. Cover with frame (light duty)				
		455x610 mm internal dimentions, total				
				S		
		weight of cover with frame to be not less				
		than 38 kg. (weight of cover 23 kg. and				
		weight of frame 15 kg.) RCC top slab with		1.3		
		1:1.5:3 mix (1 cement: 1.5 coarse sand :3	1	7.56		
		graded stone aggregate 20 mm nominal				
		size) foundation concrete 1:5:10 mix (1				Rs. Three thousand nin
		cement:5 coarse sand : 10 graded stone				hundred forty nine and
		aggregate 40 mm nominal size), inside			7 1 1	paise ten only.
	1	plastering 12 mm th. with cement mortar 1:3				paise ten omy.
21		(1cement:3 coarse sand) finished smooth				
		with a floating coat of neat cement on walls				
	-	and bed concrete etc. complete as per				
	-	standard design.				
		Inside dimensions 466x610 mm and 45cm	· ,			
		deep for single pipe line :				
		With common burnt clay F.P.S. (non				
		modular) bricks of class designation 7.5				
		= 6 EACH				
			6.000	Each	3949.100	Probat in
76	B.S.R	Making soak pit 2.5 m diameter 3.0 metre				
	19.32.1	deep with 45 x 45 cm dry brick honey comb				
	1710211	shaft with brick and S.W. drain pipe 100				
	¥	mm diameter, 1.8 m long complete as per				
	_	standard design.				
		_				Rs. Twenty five thousand
		With common burnt clay F.P.S. (non		3 - F		nine hundred and paise
		modular) bricks of class designation 7.5			100	ten only.
		= 1 EACH			Beer 13 a	ton only.
		production of the second section (1)				
			¥			
			10	. Tar		B. N. S. State
			1.000	Each	25900.100	
77	B.S.R	Providing and fixing S.W. intercepting trap				)
	19.34	in manholes with stiff mixture of cement				
-		mortar 1:1 (1 cement : 1 fine sand)				
/		including testing of joints etc. complete:	4			
		morading testing of joints etc. complete.			-	
	19.34.1	100 mm dia				Rs. Two hundred eighty
		= 2 EACH				three and paise eighty
		1			1	1 0 7

Again Lough

 $\bigcirc$ 

Chief Engineer
B.S.E.I.D.C. Ltd. Patna

15/25/17/

Chief Engineer B.S.E.I.D.C. Ltd, Patna

May or of wall

1	^
3	U

			30			
78	F 4 1	Detailed Estimate for construction of 125 mm x 40 mm x 90 mm Tube well Manual Boring = 1 EACH	1.000	Each	60432.650	Rs. Sixty thousand four hundred thirty two and paise sixty five only
79	ANALYSIS	NON SCHEDULED ITEMS(MARKET RATE) = EACH				
	=	P.V.C. PIPE = EACH Provding and fixing soil, waste and vent				
	l <sub>y</sub>	pipes = EACH				
		110 mm dia = 40 EACH	40.000	metre	347.000	Rs. Three hundred forty seven and only.
	-	P.V.C. FITTINGS = EACH				
	4.	DOOR TEE 110 mm dia = 4 EACH	4.000	each	365.000	Rs. Three hundred sixty five only.
		DOOR BEND 110 mm dia = 8 EACH	8.000	each	283.000	Rs. Two hundred eighty three only.
		BEND 45 <sup>o</sup> 110 mm dia = 10 EACH	10.000	each	185.000	Rs. One hundred eighty five only.
		VENT COWEL 110 mm dia = 3 EACH	3.000	each	65.000	Rs. Sixty five only.
, i		PIPE CLIP 110 mm dia = 100 EACH	100.000	each	53.000	Rs. Fifty three only.
		FLOOR TRAP 110X110 mm dia = 10 EACH	10.000	each	436.000	Rs. Four hundred thirty six only.
80	Code no. of 1352	(i) C.I. cover and frame 300 x 300 mm inside SEPTIC TANK = 1 EACH	1,000	F 1		Rs. Three hundred seventy four and paise s only.
81	Code no. of 1621	(ii) S.C.I. plain bend 100 mm dia SEPTIC TANK = 1 EACH	1.000	Each Each	374.060 436.400	Rs. Four hundred thirty six and paise forty only.
82		(iii) S.C.I. Tee 150 mm dia SEPTIC TANK = 1 EACH	1.000	Eacil	430.400	Rs. Seven hundred forty eight and paise eleven
			1.000	Each	748.110 <b>Total</b>	only. 348,404.9
1			-		Total (B)	348,405.0

Ajues De Sough

B.S.E.I.D.C. Ltd, Patna

1990....

Cines ....s. acer B.S.E.I.D.C. Ltd, Patra April Mary

 $\bigcirc$ 

			31			
		Electrical Works (1% labour cess has been added on current DSR-2014)				
83	1.10	Point Wiring in PVC Conduit, with Modular type Switch:-			,	
		Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor				
	1.10.3	Single core cable etc as required.  Group C			P	Rs. Seven hundred twenty five and paise
84	1.11	Twin Control Point Wiring in PVC Conduit, with Modular type Switch:-	119.000	Nos.	725.180	eighteen only.
	Y	Wiring for twin control light point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed				D. Complex local
		medium class PVC conduit, 2 way modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core				Rs. Seven hundred seventy seven and pais seventy only.
		cable etc as required	3.000	Nos.	777.700	
85	1.31	Supply and Fixing Light Plug Point with Modular Type Accessories:-				
		Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 3 pin 5/6 amps modular socket outlet and 5/6 amps modular switch, connection etc. as required. (For				Rs. Three hundred six and paise three only.
		light plugs to be used in non residential buildings).	25.000	Nos.	306.030	

Ajour Lingh

 $\bigcirc$ 

 $\bigcirc$ 

 $\Theta$ 

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Jiga.

15/5/1/2

	18		
		picenta antiquitte a santre bijahan dili gaidemetripa ere 12 1744 k 191 angan 11 desi -jang sili	

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

-	-	
7		
	•	

			32			
86	1.32	Supply and Fixing Power Plug Point with Modular Type Accessories:-				
		Supply and Fixing GI box with modular plate and cover in front on surface or in recess including providing and fixing 6 pin, 15/16 amps modular socket outlet and 15/16 amps modular type switch, connection, painting etc as required.				Rs. Five hundred ninety only.
			12.000	Nos.	590.000	
87	2.18	Supply & fixing 20A SPN MCB Industrial Socket Outlet:-				
		Supplying and fixing 20 amps, 240 volts, SPN industrial type, socket outlet, with 2 pole and earth, metal enclosed plug top alongwith 20 amps "C" curve, SP, MCB, in sheet steel enclosure, on surface or in recess, with chained metal cover for the socket out let and complete with connections, testing and commissioning etc. as required				Rs. Nine hundred sixty three and paise fifty four only.
88	1.12	Power Plug Wiring in PVC conduit (2x4 sq. mm):-	12.000	Nos.	963.540	
		Wiring for light/ power plug with 2X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed mediumclass PVC conduit alongwith 1 No 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop earthing as required	420.000	Mtrs.	163.620	Rs. One hundred sixty three and paise sixty two only.
89	1.24	Supplying and fixing following modular	420.000	ivitrs.	103.020	
09	1.24	type switch/ socket on the existing modular plate switch box / cover including connections etc.as required				

Agine sour sough

 $\Theta$ 

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

119.

5kehou 15/05/17

	.08		
		in the first and a second of the second of the last of the second of the	

Chief Engineer B.S.E.I.D.C. Ltd. Rates In Co.

			33			
	1.24.1	5/6 amps switch.	25.000	Each	81.810	Rs. Eighty one and paise eighty one only.
	1.24.4	5 pin, 5/6 amps socket outlet.	25.000	Васп	01.010	Rs. Seventy nine and
7			25.000	Each	79.790	paise seventy nine only.
90	1.14	Circuit / Sub-main wiring in PVC Conduit:-				
		Wiring for circuit / sub-main wiring along with earth wire with the following sizes of PVC insulated, copper conductor, single core cable in surface/recessed PVC conduit as required.	F-10 ()			
	1.14.1	2x1.5 Sqmm + 1x1.5 sqmm earth wire	45			Rs. One hundred seven
	1.1.1.0		40.000	Mtrs.	107.060	and paise six only.
1	1.14.2	2x2.5 Sqmm + 1x2.5 sq mm earth wire				Rs. One hundred thirty two and paise thirty one
	1.14.9	4.60 Samuel 2260 alama and alama	350.000	Mtrs.	132.310	only.
	1.14.9	4x6.0 Sqmm + 2x6.0 sqmm earth wire (to be used as sub main)	5.1.000			Rs. Three hundred ninet two and paise eighty nin
	1.14.10	4 V 10 ag mm + 2 V 10 ag mm couth wins	54.000	Mtrs.	392.890	only.
	1.14.10	4 X 10 sq. mm + 2 X 10 sq. mm earth wire	10.000	Mtrs.	602.970	Rs. Six hundred two and paise ninety seven only.
		S/F 'C' series SP MCB:-	10.000	MILIS.	002.970	paise innety seven only.
91		Supplying and fixing 240 volts, 'C' series, miniature circuit breaker suitable for inductive loads of following poles in the existing MCB DB complete with connections, testing and commissioning etc, as required.				
, 1	2.10.1	6/32A, Single Pole	36.000	Each	170.690	Rs. One hundred sevent
	2.10.3	6/32A ,DP	30.000	Lacii	170.090	Rs. Four hundred sixty
			3.000	Each	463.590	three and paise fifty nine only.
92	2.13	S/F TPN MCB:-	3.000	Duon	103.370	oiny.
		Supplying and fixing following rating, four pole, 240 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required				

Agens fore Sough

Ō

 $\bigcirc$ 

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Jkehousher

				0
				0
Lairise as is, jall				
14.000				
the state of the state of				
1				
,				0
				0
10,000				0
			Salve diese mar på 2 Sal + minus i Zast. U	0
				0
September 1987 A				
frederick in a my base styll				0
				0
e s met ey hinn det deit. De den isk es attanimentin				
	1			0
1 ×				0
ene-self in teleprine ski				0
the second as a second bin				
Test Committee of the Committee of				
and the explanation				
4"				

Chief Engineer
B.S.E.i.D.C. Ltd, Patna

			24			
	2.13.2	63 A,TPN	3.000	Each	676.700	Rs. Six hundred seventy six and paise seventy only.
93	2.15	S/F TPN RCCB:-Supplying and fixing of following rating three phase and neutral, 415 volts, residual current circuit breaker (RCCB) having a sensitivity current upto 300 miliamperes in the existing MCB DB complete with connections, testing and commissioning etc. as required.				
	2.15.2	40 Amp.	3.000	Each	2144.230	Rs. Two thousand one hundred forty four and paise twenty three only.
94	2.8	S/F TP MCB DB:-	5.000	Buen	21111250	panet the state of
		Supplying and fixing of following way, horizontal type three pole and neutral, sheet steel, MCB distribution board, 415 volts, on surface/recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, detachable gland plate, interconnections, phosphatized and powder painted including earthing etc. as required (Without MCB/RCCB/ISOLATOR). Make: Legrand/Anchor/Havells/HPL.				
	2.8.5	4 Ways (4+12 ways) double door	3.000	Set	7430.570	Rs. Seven thousand four hundred thirty and paise fifty seven only.
95	1.33	S/F Ceiling Rose:-		\		
		Supplying and fixing 2 pin ceiling rose on the existing junction box/ wooden block including connection etc as required.	80.000	Each	43.430	Rs. Forty three and paise forty three only.
96	1.34	S/F Batten / Angle Holder:-	27.000	Each	74.740	Rs. Seventy four and paise seventy four only.
		Supplying and fixing batten / angle holder including connection etc as required.				/
1						

Agues Dar Sigh

 $\Theta$ 

 $\bigcirc$ 

 $\bigcirc$ 

0 -

 $\bigcirc$ 

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Shapaulhen

Slessif

			35			
97	1.25	S/F Modular type electronic fan regulator:-	24.000	Each	286.840	Rs. Two hundred eighty six and paise eighty four only.
		Supplying and fixing stepped type fan regulator on the existing modular plate switch box including connections but excluding modular plate etc as required.			~	
		excitating modular plate etc as required.				
98	1.21	S/F PVC Conduit:-				
		Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required.				
	1.21.1	20 mm	110.000	Mtrs.	53.530	Rs. Fifty three and paise fifty three only.
99		Telephone Wiring in Existing Conduit:-				
	1.18	Supplying and drawing following pair 0.5 mm dia FRLS PVC insulated annealed copper conductor, unarmored telephone cable in the existing surface/ recessed steel/ PVC conduit as required				
	1.18.2	2 pair	50.000	Mtrs.	18.180	Rs. Eighteen and paise eighteen only.
100	1.24	S/F Modular type Switch / Socket:- Supplying and fixing following modular type switch / socket on the existing modular plate and switch box including connections				
		but excluding modular plate etc as required.				
	1.24.6	Telephone socket outlet	2.000	Each	95.950	Rs. Ninety five and paisoninety five only.
101	5.6	EARTHING COPPER EARTH PLATE ELECTRODE:-				

Agree Aur Sough

 $\ominus$ 

 $\bigcirc$ 

Chief Engineer
B.S.E.I.D.C. Ltd. Patna

Chief angineer
B.S.E.I.D.C. Ltd, Patns
Tyre

Syr:

Syr

ye is in your south

			3	5		
		Earthing with copper earth plate 600mmx 600mmx 3mm thick including acessories and providing masonary enclosure with cover plate having locking arrangement and watering pipe of 2.7 meter long etc with charcoal/cock and salt as required.		Each	9384.920	Rs. Nine thousand three hundred eighty four and paise ninety two only.
102	5.10	P/F 25 x 5mm copper earth strip in pipe :-				
		Providing and fixing 25 mm X 5 mm copper strip in 40 mm dia G.I. pipe from earth electrode including connection with brass nut, bolt, spring, washer excavation and refilling etc. as required.				Rs. One thousand ninety two and paise eighty two only.
103	5.14	P/F 25 x 5 mm copper earth strip in surface/	12.000	Mtrs.	1092.820	
		recess:-				
		Providing and fixing 25 mm X 5 mm copper strip on surface or in recess for connections etc. as required.	24.000	Mtrs.	864.560	Rs. Eight hundred sixty four and paise fifty six only.
104		Cable Laying of 1.1 KV & 11 KV :-				
	7.1	Laying of one number PVC insulated and PVC Sheathed / XLPE power cable of 1.1 KV grade of following size direct in ground including excavation, sand cushioning, protective covering and refilling the trench etc as required.				
	7.1.2	Above 35sq.mm and Upto 95 Sq.mm.	80.000	Mtrs.	204.020	Rs. Two hundred four and paise two only.
105	14.14	G.I. Pipe for Cable protection:- Providing, laying and fixing following dia	-			paloe the only.
		RCC pipe NP2 class(light duty) in ground complete with RCC collars, joints with cement mortar 1:2 (1 cement : 2 fine sand) including trenching (75 cm) and refilling etc.as required. (Road crossing as per site condition)				

Agree the sugh

 $\bigcirc$ 

 $\Theta$ 

Chief Engineer
B.S.E.I.D.C. Ltd. Patna

15/05/17

	38.		
		places of entire or	
Chief			

Chief Engineer
B.S.E.I.D.C. Ltd, Patma

The offer out

			37			
	14.14.2	150 mm dia	10.000	Mtr.	387.840	Rs. Three hundred eighty seven and paise eighty four only.
106	9.1	1.1 KV Cable End Termination:- Supplying and making indoor cable end termination with brass double compression gland and aluminium lugs for following size of PVC insulated XLPE Al. Ar. Cable of		Witt.	387.840	rour only.
		1.1 KV grade as required.				
	9.1.22	3.5 Core 50 Sq.mm.	2.000	Each	272 700	Rs. Two hundred seventy two and paise seventy
107	1908 JSR 2014	3.5 core 50 sq mm xlpe/pvc insulated sheathed (Heavy duty)armoured electric cable aluminium conducter.	2.000	Each	272.700	only.
		3.5C x 50 Sq.mm 1.1kV	100.000	Mtrs.	391.000	Rs. Three hundred ninety one only.
108	2.1	S/F HRC fuse type TP&N switch disconnector:- Providing and fixing following capacity TP&N disconnector fuse switch unit inside the existing panel board with ISI marked HRC fuses including drilling holes in cubicle panel, making connections, etc. as required.		V		
	2.1.2	63 amps,TP&N, HRC	3.000	Each	2260.380	Rs. Two thousand two hundred sixty and paise thirty eight only.
109	2.5	S/F Busbar Chamber:-		Buen	2200.300	unity eight only.
	2.5.3 B.S.R 2009	Providing and fixing following capacity busbar chamber with 4 strips of suitable size made of capper,heavy duty,complete with all accessories including connections,earthing the body,etc as required.  200 amp.TPN	1.000	Each	6222.610	Rs. Six thousand two hundred twenty two and paise sixty one only.

Agues Ser Sugh

 $\bigcirc$ 

 $\Theta$ 

 $\Theta$ 

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Jill.

15105/14

		Appring a superior of the supe	
		arrie vister and make built the	
torte multiple 1, 25		a the second control of	
state by 100 tilling kill			
		the manner of the stand	

Chief Engineer B.S.E.I.D.C. Ltd. Patna

			38			
110	2.7.4 B.S.R 2009	Providing and fixing following capacity four pole OFF-load changeover switch with side handle operation, in sheet enclosure in existing metal board, including drilling holes in metal panel, making connections etc. as required.  125 Amps, Four pole				Rs. Seven thousand nine hundred seven only.
111	6.5	Providing and fixing copper tape 20 mm X	1.000	Each	7907.000	
		3 mm thick on parapet or surface of wall for lightning conductor complete as required.  (For horizontal run)	/			Rs. Three hundred seventy nine and paise seventy six only.
110		D. H. J. G. J.	80.000	meter	379.760	
112	6.6	Providing and fixing copper tape 20 mm X 3 mm thick on parapet or surface of wall for lightning conductor				Rs. Four hundred ten and paise six only.
113	2.2	complete as required.	30.000	meter	410.060	
113	2.2	Providing and fixing follwing rteing and breaking capacity MCCB in existing cubicale panel bord including drilling hole cubicale panel making connection etc as required				
	2.2.3	160 amp. 16KA				Rs. Four thousand five hundred sixty five and
-			1.000	EACH	4565.200	paise twenty only.
		FIRE FIGHTING			Total (C)	503,812.73
114	DGS&D	Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit.	10.000	Nos.	7549.750	Rs. Seven thousand five hundred forty nine and paise seventy five only.
		7	10.000	1405.	Total	75,497.50
					Total (D)	75,498.00
		CARRIAGE OF MATERIALS		hit, je		
115		Type of materials			Rate Incl. 1% Lab. Cess	
		Cement	139.566	МТ		Rs. Two hundred eighty nine and paise eighty seven only.

Agiere Desporph

 $\Theta$ 

 $\bigcirc$ 

 $\Theta$ 

Chief Lugineer

B.S.E.I.D.C. Ltd, Patna

Rehoully

15105/13

		a minima with a principle blood		
	141			
		The state of the state of the state of		
		Superior of		

Chief L. gmest B.S.E.I.D.C. Ltd. Patna April 1 Margh

-	3	9	>
_		_	

		39			
	Sand	188.457	cum		Rs. One Thousand eight Hundred twenty six and paise seventy nine only.
, ,	Local Sand	125.918	cum	205.29	Two Hundred Five and paise Twenty Nine only
	Stone Chips	176.279	cum	1900.59	Rs. One Thousand nine Hundred and paise fifty nine only.
	Brick	120.253	Thous.	601.67	Rs. Six hundred one and paise sixty seven only.
	Steel	18.050	МТ	289.87	Rs. Two hundred eighty nine and paise eighty seven only.
Bricks		120.253	Thous.	333.36	Rs. three hundred thirty three and paise thirty six only
Cement		139.566	МТ	1007.18	Rs. One Thousand sever and paise eighteen only.
				Total	1,003,851.57
				Total (E)	1,003,852.00
		Grand '	Total (A+	B+C+D+E)	7,648,274.73
DISTRICT	NAME OF INSTITUTI	E			Amount (Rs.)
Sitama rhi	BLOCK RESOURCE CEN		7,648,274.73		
	T	otal Cost	in 'Rs'		7,648,275.00
	COMM. W. Bricks  Cement  DISTRICT  Sitama	Local Sand  Stone Chips  Brick  Steel  ADD EXTRA COST OF MATERIAL FOR TIRHUT COMM. W.R.T TO GAYA AS PER SOR  Bricks  Cement  DISTRICT  NAME OF INSTITUTE  Sitama rhi  BLOCK RESOURCE CEN	Local Sand 125.918  Stone Chips 176.279  Brick 120.253  Steel 18.050  ADD EXTRA COST OF MATERIAL FOR TIRHUT COMM. W.R.T TO GAYA AS PER SOR  Bricks 120.253  Cement 139.566  DISTRICT NAME OF INSTITUTE  Sitama rhi BLOCK RESOURCE CENTRE	Local Sand  Local Sand  125.918 cum  Stone Chips  176.279 cum  Brick  120.253 Thous.  Steel  18.050 MT  ADD EXTRA COST OF MATERIAL FOR TIRHUT COMM. W.R.T TO GAYA AS PER SOR  Bricks  120.253 Thous.  Cement  139.566 MT  Grand Total (A+	Local Sand   125.918   cum   205.29     Stone Chips   176.279   cum   1900.59     Brick   120.253   Thous.   601.67     Steel   18.050   MT   289.87     ADD EXTRA COST OF MATERIAL FOR TIRHUT COMM. W.R.T TO GAYA AS PER SOR     Bricks   120.253   Thous.   333.36     Cement   139.566   MT   1007.18     Total (E)   Grand Total (A+B+C+D+E)     DISTRICT   NAME OF INSTITUTE     Sitama rhi   BLOCK RESOURCE CENTRE

 $\Theta$ 

 $\bigcirc$ 

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

Jk.houdh

(Rupees Seventy Six lacs Forty Eight Thousand Two Hundred Seventy Five Only) "Details of Sl. No. 78 (Construction of 125mm x 40mm x 90m Tube well) is given below Part 'A' - Cost of Materials Rs. Three hundred fifteen 125mm dia UPVC casing pipe confirming 315.00 27 Meter 1 only. to ISS Rs. Ninety nine and paise 99.38 Meter 40mm dia UPVC pipe confirming to ISS 48 2 thirty eight only. Rs. One hundred eighty 40mm dia PVC ribbed strainer of approved 8 Meter 182.00 3 two only. quality Rs. Two hundred seventy 270.00 1 Each Reducing socket 125mm x 40mm 4 only. Supplying all labour and materials & fitting Rs. One hundred forty 140.00 1 Each 5 only. & fixing PVC cap over the new sink T/well Providing and fixing of G.I pipes complete Rs. Two hundred twenty with G.I fittings and clamps, including, B.S.R 18 224.44 four and paise forty four mtr 6 cutting and making good etc 1548 only. 32 mm dia (15% C.P & 1% L.Cess) Rs. Five hundred eleven B.S.R 32 mm nominal bore Bross Full valve 511.21 and paise twenty one 7 1 Each 1928 (15% C.P & 1% L.Cess) only. Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 Rs. Twenty six thousand LPH at 45 Mtr head with all necessary riser 26,446.00 four hundred forty six 1 Each 8 pipe, starter control panel, 1.25" Full way only. valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I

Ague for Sough

Nipple etc. all complete as per direction of

E/I

Sub - Total "A"

B.S.E.I.D.C. Ltd, Patna

Shehousty

1515

15125/176

46138.37

		La yaqqadi sənidər təridir. Vu allabi ing	
nes et de la constant en constant en exista breed s elso			

199mg...

S.S.E.LO.C. Ltd. Patns

I found the found

 $\Theta$ 

9 (a) For 125 mm dia U.PV.C pipe 27 mtr 208.77 and paise seventy sevently s						
reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge.  (i) 0 to 30.5 m  (a) For 125 mm dia U.PV.C pipe  27 mtr  208.77  Rs. Two hundred eight and paise seventy seven only.  (b) for 40 mm dia U.PV.C pipe  (i) 0 to 30.5 m  (ii) 30.5 m to 61.0 m  (a) For 40 mm dia U.PV.C pipe  10 (a) For 40 mm dia U.PV.C pipe  11 (a) For 40 mm dia U.PV.C pipe  12 a) For 40mm dia U.PV.C pipe  13 a) For 40mm dia U.PV.C pipe  14 mtr  15 Rs. One hundred this six and paise eighty only.  (iv) 75.00 m to above  1 a) For 40mm dia U.PV.C ribbed strainer of approved quality  1 a) For 40mm dia U.PV.C ribbed strainer of approved quality  1 a) For 40mm dia U.PV.C ribbed strainer of approved quality  1 a) For 40mm dia U.PV.C ribbed strainer of approved quality  1 a) For 40mm dia U.PV.C ribbed strainer of approved quality  1 a) For 40mm dia U.PV.C ribbed strainer of approved quality  1 a) For 40mm dia U.PV.C ribbed strainer of approved quality  1 a) For 40mm dia U.PV.C ribbed strainer of approved quality  1 a) For 40mm dia U.PV.C ribbed strainer of approved quality  1 a) For 40mm dia U.PV.C ribbed strainer of approved quality  1 a) For 40mm dia U.PV.C ribbed strainer of approved quality  1 a) For 40mm dia U.PV.C ribbed strainer of approved quality  1 a) For 40mm dia U.PV.C ribbed strainer of approved quality  1 a) For 40mm dia U.PV.C ribbed strainer of approved quality  1 a) For 40mm dia U.PV.C ribbed strainer of approved quality  2 b) For 40mm dia U.PV.C ribbed strainer of approved quality  3 c) For 40mm dia U.PV.C ribbed strainer of approved quality  3 c) For 40mm dia U.PV.C ribbed strainer of approved quality  3 c) For 40mm dia U.PV.C ribbed strainer of approved quality	15	to have sand free discharge all complete as	1			and paise fifty only.
reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge.  (i) 0 to 30.5 m  (a) For 125 mm dia U.P.V.C pipe  27 mtr  208.77 and paise seventy seven only.  (b) for 40 mm dia U.P.V.C pipe  (i) 0 to 30.5 m  3.5 mtr  119.03 nineteen and paise the only.  (ii) 30.5 m to 61.0 m  (iii) 30.5 m to 61.0 m  11 (a) For 40 mm dia U.P.V.C pipe  30.5 mtr  136.88 six and paise eighty only.  (iii) 61.00 m to 75.00 m  12 a) For 40mm dia U.P.V.C pipe  14 mtr  148.79 eight and paise seven inine only.  Rs. One hundred for eight and paise seven inine only.  Rs. One hundred for eight and paise seven inine only.  Rs. One hundred for eight and paise seven inine only.  Rs. One hundred for eight and paise seven inine only.  Rs. One hundred for eight and paise seven inine only.  Rs. One hundred for eight and paise seven inine only.	14	32 mm dia G.I pipe as per specificatin etc. all Complete	24	mtr	21.34	Rs. Twenty one and paise thirty four only.
reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge.  (i) 0 to 30.5 m  (a) For 125 mm dia U.PV.C pipe  27 mtr  208.77 and paise seventy sevently.  (b) for 40 mm dia UPVC pipe  (i) 0 to 30.5 m  3.5 mtr  119.03 nineteen and paise the only.  (ii) 30.5 m to 61.0 m  (a) For 40 mm dia UPVC pipe  30.5 mtr  136.88 six and paise eighty only.  (iii) 61.00 m to 75.00 m  Rs. One hundred this six and paise eighty only.  Rs. One hundred for eight and paise severnly.	13		8	mtr	148.79	
reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge.  (i) 0 to 30.5 m  (a) For 125 mm dia U.PV.C pipe  27 mtr  208.77 and paise seventy sevently		(iv) 75.00 m to above			- 141	
reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge.  (i) 0 to 30.5 m  Rs. Two hundred eig and paise seventy seven only.  (i) 0 to 30.5 m  (i) 0 to 30.5 m  The seventy seven only.  Rs. One hundred nineteen and paise the only.  (ii) 30.5 m to 61.0 m  Rs. One hundred this six and paise eighty only.	12		14	mtr	148.79	
reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge.  (i) 0 to 30.5 m  (a) For 125 mm dia U.PV.C pipe  27 mtr 208.77  Rs. Two hundred eig and paise seventy seven only.  (b) for 40 mm dia UPVC pipe  (i) 0 to 30.5 m  3.5 mtr 119.03 nineteen and paise the only.  (ii) 30.5 m to 61.0 m  Rs. One hundred this six and paise eighty of the paise is given by the only.		(iii) 61.00 m to 75.00 m				
reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge.  (i) 0 to 30.5 m  Rs. Two hundred eig and paise seventy seven only.  (b) for 40 mm dia UPVC pipe  (i) 0 to 30.5 m  3.5 mtr 119.03 Rs. One hundred nineteen and paise the only.	11	(a) For 40 mm dia UPVC pipe	30.5	mtr	136.88	
reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge.  (i) 0 to 30.5 m  Rs. Two hundred eig and paise seventy seven only.  (b) for 40 mm dia UPVC pipe  Rs. One hundred (i) 0 to 30.5 m  Rs. One hundred nineteen and paise the	, 1	(ii) 30.5 m to 61.0 m				
reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge.  (i) 0 to 30.5 m  Rs. Two hundred eig and paise seventy sev only.		(i) 0 to 30.5 m	3.5	mtr	119.03	nineteen and paise thr
reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge.  (i) 0 to 30.5 m  Rs. Two hundred eig and paise seventy sev	10	(b) for 40 mm dia UPVC pipe				
reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge.	9	(a) For 125 mm dia U.PV.C pipe	27	mtr	208.77	
reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer		(i) 0 to 30.5 m				
		reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer				

Tender approved in favour of Rajeev Kumar Singh @ 10.00% (Ten Decimal Zero Zero Percent) below BOQ rates i.e. total amount comes to Rs. 68,83,447=00 (Rupees Sixty Eight Lacs Eighty Three Thousand Four Hundred Forty Seven Only)

Ague Laz Sough

0

Chief Engineer

3.S.E.I.D.C. Ltd. Patna

Kehaulhi

21/a 15/5

			0
			0
			O
			0
			0
			0
			0
			0
			0
			0
			0
			0
			0
			0
· · · · · · · · · · · · · · · · · · ·			0
			0
		to a special allowing the second second	0
			0
			0
			0
			0
			0
		The Arthur and the second and the se	0
			0
			0
			0
			0
			0
			0

Chief ...gineer 3.S.E.I.D.C. Ltd, Pama

How Alexander

## **Performance Security**

Name of Agency - "Rajeev Kumar Singh"

Performance Security of "Rajeev Kumar Singh" of "BRC-Pupri(SL. No.-137)"

NS	C No.	DOI	Reg. No.			Amount
51H	EF 171713-20	15.02.16	10595233	10000*8		80000.00
57I	DD 984912-21	16.01.13	11876	5000*10		50000.00
94E	EE 934636-37	20.01.11	01777	10000*2		20000.00
39E	EF 643984-90	21.07.14	18432-33	10000*7		70000.00
51E	EF 175818-19	04.06.16	11977366	10000*2		20000.00
Pas	sbook No.					
329	01374775	04.06.16				160000.00
					Total	400000.00

(Rupees Four Lacs Only)

0

0

Amit Kn Sak 24/1/17 लेखा पदाधिकारी

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०, पटना

Chief Ligineer B.S.E.I.D.C. Ltd, Patna

Agree De Singh

Name of Arimore Veget to a Sugar Annual Security of Tairer Samue of the County Secure 100 DOI RESERVED TO SECURE TO SECURE SEC

(Paper Foir Lags Chip)

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

Remotes a rest

लेखा पदाधिकारी बिहार राज्य रोक्षणिक आधारभूत संरचना विकास निगम हिंा०, पटना

and name

100000

646436

Chlei mighteer

Latinopoliti, latell

Chief Lighteer 8.S.E.I.D.C. Ltd, Pains

7274 X

BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. (A Govt. Of Bihar Undertaking) 43
Shiksha Bhawan, Bihar Rastrabhasa Parishad Campus ,Acharya Shiv Pujan Sahay Path, Saidpur, PATNA-800004. (Tel. No: 0612-2910314) Cor. ID. No.: U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256 Letter of Acceptance Date 29:10:16 Letter no :- BSEIDC/FIN/2677/2016-17/- 10456 To, Rajeev Kumar Singh, Shahpur, Benipatti, Madhubani.

Dear Sir,

This is to notify you that your Bid dt. 11.06.2016 for execution of "Construction of Block Resource Centre at Pupri, Sitamarhi (SL. No.-137 of NIT No.-40/ 2015-16) in the State of Bihar" has been accepted by the Corporation at your quoted rate of 10.00% (Ten Decimal Zero Zero Percent) below BOQ rates amounting to total contract price of Rs. 68,83,447=00 (Rs. Sixty Eight Lacs Eighty Three Thousand Four Hundred Forty Seven Only)

You are hereby requested to furnish performance security including additional security in the form detailed in I.T.B. para 31.1, 27.4 and clarification issued thereon by RCD, Govt. of Bihar, vide letter no. 3376 (E) dt. 17.08.2010, for an amount equivalent to Rs. 3,96,000=00 (Rs. Three Lacs Ninety Six Thousand Only) within ten days of receipt of this letter of acceptance valid upto 28 days from the date of expiry of defects liability period and sign the contract, failing which action as stated in Para 31.3 of ITB will be taken.

Yours faithfully

29-10-2016 (Brajesh Prasad)

10456 Memo no: BSEIDC/FIN/2677/2016-17/-

**Chief Consultant (Technical)** 

Date: 29:10:16

Copy forwarded to: Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC website/Senior Account Officer, BSEIDC, Patna for information & necessary action

10456 Memo no: BSEIDC/FIN/2677/2016-17/-

29-10-2016 Chief Consultant (Technical)

Date: ... 2 9 1016

Copy forwarded to: Chief Engineer, BSEIDC, Patna for information Please.

Memo no: BSEIDC/FIN/2677/2016-17/- 104 56

20.3016 Chief Consultant (Technical)

Date: 29:10:16

Copy forwarded to : Managing Director, BSEIDC, Patna for information Please.

Chief Consultant (Technical)

Chief Engineer B.S.E.I.D.C. Ltd, Patna

Agene Kir Sough

## बिहार राज्य शैक्षणिक आधारभूत संरवना विकास निगम लि०

0

000000

0

0

0

0

0

0

0

(बिहार सरकार का

कॉपॉस्ट पहचान संख्या: U80301BR2011SGC015859, e-mail: bscide@gmail.com. website; www.bseidc.in, Fax No.: 0612-2660256, शिक्षा भवन, विहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथा, सैदपुर, पटना—800004, दुरभाष—0612—2910314

Patna, Date: 30.04.16

Letter no.: BSEIDC/NIT/2015-16/- 3950

## Corrigendum No.- 3

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "हिन्दुस्तान" on dated 10.02.2016 vide P.R.-12943 (नि०नि०)15—16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below :-

	Existing provision	Amended provision
no.	Period of Sale of Bid document (Download) from dated 16.04.2016 to 10.05.2016,	Period of Sale of Bid document (Download) from dated 16.05.2016 to 05.06.2016,
	ime of Pre bid Meeting – 25.04,2016,	Date and Time of Pre bid Meeting – 25.05.2016, 16:00 Hrs.
	Last date and time for receipt (Upload) of Bids	Last date and time for receipt (Upload) of Bids on dated 06.06.2016, 15:00 Hrs.
	Time and date for opening of Technical Bids on	Time and date for opening of Technical Bids on dated 08, 06.2016, 16:30 Hrs.
	Time and date for opening of Financial Bids on	Time and date for opening of Financial Bids on dated 24.06.2016, 15:30 Hrs.
	dated 27.05.2016, 15:50 1115.  The Cost of BOQ and EMD will be	The Cost of BOQ and EMD will be accepted up to 08.06.2016, 15:00 Hrs.

The other terms and conditions shall remain unchanged.

Chief Engineer B.S.E.I.D.C. Ltd, Patna

(Brajesh Prasad)

Chief Consultant (Technical)

Agent Dar South

Chief Engineer 9.S.E.I.D.C. Utd, Patna संरवना विकास निगम लि० बिहार राज्य शैक्षणिक आधारभूत

0

0

(बिहार सरकार का एक उपक्रम)

कॉपोरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseide@gmail.com, website; www.bseidelin, Fax No.: 0612-2660256, शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना–800004, दूरमाष-0612–2910314

Letter no.: BSEIDC/NIT/2015-16/- 2937

Patna, Date: 28-03-2016

## Corrigendum No.- 2.

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "हिन्दुस्तान" on dated 10.02.2016 vide P.R.-12943 (नि०नि०)15—16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below :-

Period of Sale of Bid document (Download) from dated 03.03.2016 to 28.03.2016, 15:00 Hrs.  Date and Time of Pre bid Meeting – 15.03.2016, 14:30 Hrs.  Last date and time for receipt (Upload) of Bids on dated 29.03.2016, 15:00 Hrs.  Time and date for opening of Technical Bids on dated 31. 03.2016, 16:30 Hrs.  Time and date for opening of Financial Bids on dated 11.04.2016, 15:30 Hrs.	SL.	Existing provision	Amended provision
Date and Time of Pre bid Meeting – 15.03.2016, 14:30 Hrs.  Last date and time for receipt (Upload) of Bids on dated 29.03.2016, 15:00 Hrs.  Time and date for opening of Technical Bids on dated 31. 03.2016, 16:30 Hrs.  Time and date for opening of Financial Bids on dated 11.04.2016, 15:30 Hrs.  The Cost of BOQ and EMD will be accepted up to 13.05.2016, 15:00 Hrs.	_	Period of Sale of Bid document (Download) from dated 03.03.2016 to 28.03.2016, 15:00 Hrs.	Period of Sale of Bid document (Download) from dated 16.04.2016 to 10.05.2016, 15:00 Hrs.
pe a	2	Date and Time of Pre bid Meeting – 15.03.2016, 14:30 Hrs.	Date and Time of Pre bid Meeting – 25.04.2016, 16:00 Hrs.
Financial Bids on Financial Bids on Q and EMD will be a	3	Last date and time for receipt (Upload) of Bids on dated 29.03.2016, 15:00 Hrs.	Last date and time for receipt (Upload) of Bids on dated 11 .05.2016 ,15:00 Hrs.
Financial Bids on Q and EMD will be a	4	Time and date for opening of Technical Bids on dated 31. 03.2016, 16:30 Hrs.	Time and date for opening of Technical Bids on dated 13. 05.2016, 16:30 Hrs.
6 The Cost of BOQ and EMD will be accepted up to 13.05.2016, 15:00 Hrs.	10	Time and date for opening of Financial Bids on dated 11.04.2016, 15:30 Hrs.	Time and date for opening of Financial Bids on dated 27.05.2016, 15:30 Hrs.
	9	The Cost of BOQ and EMD will be	accepted up to 13.05.2016, 15:00 Hrs.

The other terms and conditions shall remain unchanged.

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

(Brajesh Prasad)

Chief Consultant (Technical)

Jane Liz Jangh

Chief Lingineer S.S.E.I.D.C. Ltd, Patna

Mich and wife

 $\odot$ 

 $\Theta$ 

. 0

Ó

# बिहार राज्य शैक्षणिक आधारभूत संरवना विकास निगम लि०

0

0

0

0

0

0

0

0

0

0

0

0

बिहार सरकार का एक उपक्रम)

कॉपॉरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256, शिक्षा भवन, विहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथा, सैदपुर, पटना–800004, दूरभाष–0612—2910314

26900 Letter no.: BSEIDC/NIT/2015-16/-

Patna, Date: 17:03:16

## Corrigendum No.- 1

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below:

SL.	Existing provision	Amended provision
_	Period of Sale of Bid document (Download) from dated 03.03.2016 to 28.03.2016,	Period of Sale of Bid document (Download) from dated 03.03.2016 to 30.04.2016, 15:00 Hrs.
2	Last date and time for receipt (Upload) of Bids on dated 29.03.2016,15:00 Hrs.	Last date and time for receipt (Upload) of Bids on dated 01 .05.2016 ,15:00 Hrs.
60	Time and date for opening of Technical Bids on dated 31. 03.2016, 16:30 Hrs.	Time and date for opening of Technical Bids on dated 04. 05.2016, 16:30 Hrs.
4	Time and date for opening of Financial Bids on dated 11.04.2016, 15:30 Hrs.	Time and date for opening of Financial Bids on dated 17.05,2016, 15:30 Hrs.
S	The Cost of BOQ and EMD will be	The Cost of BOQ and EMD will be accepted up to 04.05.2016, 15:00 Hrs.

The other terms and conditions shall remain unchanged.

Chief Engineer S.E.I.D.C. Ltd, Patna

(Brajesh Prasad)

Chief Consultant (Technical)

free for sugl

### **SPECIAL CONDITIONS**

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes royalties and other

incidental charges.

4. To qualify for award of work, the Bidder must possess the following :-

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of signatory bid.

b) DD for required value of B.O.Q. Cost.

c) Sufficient Earnest Money Deposit.

d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.

e) Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed at least one Building work of value not less than 25 % of estimated

value of contract) in last five years as mentioned in Technical bid.

f) Litigation History as mentioned in Technical bid.

g) Affidavit as mentioned in Technical bid.

h) Valid Registration with Central/ State Govt. / PSU.i) Valid labour license as mentioned in Technical bid.

Affidavit/Certificate for not been debarred as mentioned in Technical bid.

5. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.

6. The tender without earnest money or insufficient earnest money submitted with the

tender, will be outright rejected.

7. Conditional tenders shall be outright rejected.

8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.

9. Authority shall reserve the right to reject any or all the tenders or distribute the work to

more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained.

11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules prevalent in the locality.

12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the

contractor.

- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-
- a. Natural calamities

b. Act of enemies.

(Şeal & Signature of Tenderer)

Page 1

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

B.S.E.I.D.C. Ltd, Patna

- c. Transport and procurement difficulties.
- d. Circumstances beyond the control of the state.
- 15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- 16. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
- 17. The contractor shall make his own arrangement for water and light at the work site.
- 18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 20. The Tenderer must not quote their rate more than 10 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
- 21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 22. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.

-----X-----X

23. The Defect liability Period shall be Three (3) Years from the date of completion of the work.

Agrees Har brugh

(Seal & Signature of Tenderer)

Page 2 of 2

Chief Engineer B.S.E.I.D.C. Ltd, Patna

15 5

area and tepfologies of tempologies are being for

Transport, well to have a transport in the property of the content of the content

Naveter require formation to the distribution bits relative to Employ the Aband Aband Aband and the state of the control of th

and the control of the control of the administration of the section of the first participation and the control of the control

18. The contradict should offer all facilities to the dept. unique on extreme for entermied on a later of the fall and severage on many this present the facilities of the fall and severage on many this present the facilities and the fall of the f

1.3 sterins and executed date it not maturage preparationed reter will be people after the board of cares by the consequent such many.

as year and it is this works to a fine manager was their the property of the property of the last of the contract of the contr

. The file of the control of the state of th

At the Cartisetor shall be solely respondent a mappy, and use of substitution dength in the England ength in the England State of the William Part of Cartise of State of the William Part of Cartise of State of Cartise of State of Cartise of C

12. The Delect Inhality Pelint and Lea Harre C. Years' falm and the companies

Annual to 1940

0

0

0

0

0

0

0

0

0

0

April of an Bry

Chief Engineer. 8.S.E.I.D.C. Ltd, Patna

## बिहार राज्य शैक्षणिक आधारमूत संरचना विकास निगम लिमिटेड

(बिहार सरकार का एक उपक्रम) 49 शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् कैम्पस, आचार्य शिवपुजन सहाय पथ, सैदपुर, पटना—800004 (दूरभाष:—0612—2910314)

### निविदा आमंत्रण सूचना संख्या— 40 वर्ष 2015—16 (केवल ई–टेन्डरिंग पद्धति के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

बिहार राज्य के भवन निर्माण कार्य हेतु निम्नांकित निविदायें आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार / सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रजिस्ट्रेशन, उक्त कार्य का लेटर ऑफ एक्सेपटेंस प्राप्त होने के बाद कराना होगा।

क्रम	कार्य का नाम	प्राक्कलित राशि (लाख में )	अग्रधन की राशि (रू० में)	परिमाण विपत्र की राशि (रू० में )	Beltron Bid Processing Fee (In Rs.)	कार्य समाप्ति की अवर्षि
1	BRC Ekma,Saran	85.2	1,70,400	10,000	5750	15 मा
2	BRC Baniyapur,Saran	85.2	1,70,400	10,000	5750	15 म
3	BRC Masrak,Saran	85.2	1,70,400	10,000	5750	15 म
4	BRC Marhowrah, Saran	85.2	1,70,400	10,000	5750	15 म
5	BRC Amnour,Saran	85.2	1,70,400	10,000	5750	15 म
6	BRC,Dariyapur,Saran	85.2	1,70,400	10,000	5750	15 म
7	BRC,Garkha,Saran	85.2	1,70,400	10,000	5750	15 F
	BRC,Manigachhi, Darbhanga	85.2	1,70,400	10,000	5750	15 F
8	BRC, Keoti, Darbhanga	85.2	1,70,400	10,000	5750	15 F
9	BRC, keoti, barbhanga BRC, kusheshwarsthan, Darbhanga	85.2	1,70,400	10,000	5750	15 F
10	BRC,Ghanshyampur,Darbhanga	85.2	1,70,400	10,000	5750	15 F
11	BRC, Kiratpur, Darbhanga	85.2	1,70,400	10,000	5750	15 F
12	BRC,Baheri,Darbhanga	85.2	1,70,400	10,000	5750	15 म
13	BRC, Hanumannagar, Darbhanga	85.2	1,70,400	10,000	5750	15 1
14	BRC, Lakhnaur, Madhubani	85.2	1,70,400	10,000	5750	15 7
15		85.2	1,70,400	10,000	5750	15 7
16	BRC, Jhanjharpur, Madhubani	85.2	1,70,400	10,000	5750	15
17	BRC,Phulparas,Madhubani	85.2	1,70,400	10,000	5750	15
18	BRC,Khutauna,Madhubani	85.2	1,70,400	10,000	5750	15
19	BRC, Khajouli, Madhubani	85.2	1,70,400	10,000	5750	15
20	BRC,Bisfi,Madhubani	85.2	1,70,400	10,000	5750	15
21	BRC,Rahika,Madhubani	85.2	1,70,400	10,000	5750	15
22	BRC, Harlakhi, Madhubani	85.2	1,70,400	10,000	5750	15
23	BRC,Babubarhi,Madhubani	85.2	1,70,400	10,000	5750	15
24	BRC Rosada, Samastipur	85.2	1,70,400	10,000	5750	15
25	BRC Samastipur	85.2	1,70,400	10,000	5750	15
26	BRC, Khanpur, Samastipur	85.2	1,70,400	10,000	5750	15
27	BRC, Hasanpur, Samastipur	85.2	1,70,400	10,000	5750	15
28	BRC, Mohanpur, Samastipur	85.2	1,70,400	10,000	5750	15
29	BRC, Patori, Samastipur	85.2	1,70,400	10,000	5750	15
30	BRC, Shivajinagar, Samastipur		1,70,400	10,000	5750	15
31	BRC,Sangrampur,E.Champaran	85.2 85.2	1,70,400	10,000	5750	15
32	BRC,Kalyanpur,E.Champaran		1,70,400	10,000	5750	15
33	BRC Chakia, E. Champaran	85.2		10,000	5750	15
34	BRC Sugauli, E. Champaran	85.2	1,70,400	10,000	5750	15
35	BRC Madhuban, E. Champaran	85.2	1,70,400	10,000	5750	15
36	BRC Patahi,E.Champaran	85.2	1,70,400	10,000	5750	15
37	BRC Raxaul,E.Champaran	85.2	1,70,400		5750	15
38	BRC Adapur, E. Champaran	85.2	1,70,400	10,000	5750	15
39	BRC Bankatwa, E. Champaran	85.2	1,70,400	10,000	5750	15
40	BRC Dhaka, E. Champaran	85.2	1,70,400		11	15
41	BRC Bairia, W. Champaran	85.2	1,70,400		5750	
42	BRC Narkatiaganj, W. Champaran	85.2	1,70,400		\$750	15
43	BRC Sikta, W. Champaran	85.2	1,70,400		3750	15
44	BRC Bhithan, W. Champaran	85.2	1,70,400	8.S.E.I.D	Enga76er	15

Agreed Ser Sough

			(Nachmingly) mandate 1 (2011)
		1114-117-1	
19 W			
	11.		Communication of Control of the Control of C
	Section in the second		

Citief Engineer B.S.E.LD.C. Ltd, Pains

. April Ale Delle

			85.2	1,70,400	10,000	5750	15 माह
0	45	BRC Lauriya, W. Champaran	85.2	1,70,400	10,000	5750	15 माह
	46	BRC,Piprasi,W.Champaran 50	85.2	1,70,400	10,000	5750	15 माह
0	47	BRC,Majhaulia,W.Champaran	85.2	1,70,400	10,000	5750	15 माह
	48	BRC Darauli, Siwan	85.2	1,70,400	10,000	5750	15 माह
.9	49	BRC Hussainganj,Siwan	85.2	1,70,400	10,000	5750	15 माह
	50	BRC Mairwa, Siwan	85.2	1,70,400	10,000	5750	15 माह
	51	BRC Basantpur,Siwan		1,70,400	10,000	5750	15 माह
0	52	BRC Maharajganj,Siwan	85.2	1,70,400	10,000	5750	15 माह
	53	BRC,Bhagwanpur,Siwan	85.2		10,000	5750	15 माह
	54	BRC,Hasanpur,Siwan	85.2	1,70,400	10,000	5750	15 माह
-	55	BRC Uchkagaon, Gopalganj	85.2	, ,	10,000	5750	15 माह
0	56	BRC Sidhwalia,Gopalganj	85.2	1,70,400	10,000	5750	15 माह
	57	BRC Bhorey, Gopalganj	85.2	1,70,400		5750	15 माह
	58	BRC,Bijaipur,Gopalganj	85.2	1,70,400	10,000	5750	15 माह
	59	BRC Pachdeuri,Gopalganj	85.2	1,70,400	10,000		15 माह
0	60	BRC Kuchaikot, Gopalganj	85.2	1,70,400	10,000	5750	
	61	BRC,Ramgarh,Kaimur	85.2	1,70,400	10,000	5750	15 माह
0	62	BRC Chainpur, Kaimur	85.2	1,70,400	10,000	5750	15 माह
0	63	BRC Bhagwanpur,Kaimur	85.2	1,70,400	10,000	5750	15 माह
	64	BRC Chakki,Buxar	85.2	1,70,400	10,000	5750	15 माह
0	65	BRC Buxar	85.2	1,70,400	10,000	5750	15 माह
9	66	BRC,Chausa,Buxar	85.2	1,70,400	10,000	5750	15 माह
0	67	BRC Dinara, Rohtas	85.2	1,70,400	10,000	5750	15 माह
9		BRC Karahgar,Rohtas	85.2	1,70,400	10,000	5750	15 माह
0	68		85.2	1,70,400	10,000	5750	15 माह
	69	BRC Kochas, Rohtas	85.2	1,70,400	10,000	5750	15 माह
$\Theta$	70	BRC Tilauthu, Rohtas	85.2	1,70,400	10,000	5750	15 माह
	71	BRC Karakat, Rohtas	85.2	1,70,400	10,000	5750	15 माह
$\Theta$	72	BRC Dawat,Rohtas	85.2	1,70,400	10,000	5750	15 माह
_	73	BRC,Mansahi,Katihar		1,70,400	10,000	5750	15 माह
0	74	BRC,Manihar,Katihar	85.2		10,000	5750	15 माह
	75	BRC,Pranpur,Katihar	85.2	1,70,400		5750	15 माह
0	76	BRC, Kadwa,Katihar	85.2	1,70,400	10,000	5750	15 माह
	77	BRC,Barsoi,Katihar	85.2	1,70,400	10,000		15 माह
	78	BRC,Azamnagar,Katihar	85.2	1,70,400	10,000	5750	
0	79	BRC,Narpatganj,Araria	85.2	1,70,400	10,000	5750	15 माह
	80	BRC, Araria	85.2	1,70,400	10,000	5750	15 माह
0	81	BRC, Jokihat, Araria	85.2	1,70,400	10,000	5750	15 माह
	82	BRC,Bhargama,Araria	85.2	1,70,400	10,000	5750	15 माह
0	83	BRC,Kursakata,Araria	85.2	1,70,400	10,000	5750	15 माह
	84	BRC, Purnea East,	85.2	1,70,400	10,000	5750	15 माह
0	85	BRC, Baisi, Purnea	85.2	1,70,400	10,000	5750	15 माह
		BRC, Amour, Purnea	85.2	1,70,400	10,000	5750	15 माह
$\Theta$	86	BRC, Dhamdaha, Purnea	85.2	1,70,400	10,000	5750	15 माह
	87		85.2	1,70,400	10,000	5750	15 माह
0	88	BRC,Banmankhi,Purnea	85.2	1,70,400	10,000	5750	15 माह
	89	BRC, Tarhagach, Kishanganj	85.2	1,70,400	10,000	5750	15 माह
0	90	BRC, Thakurganj, Kishanganj			10,000	5750	15 माह
0	91	BRC,Pothia,Kishanganj	85.2	1,70,400			
0	92	BRC Katoria,Banka	85.2	1,70,400	10,000	5750	15 माह
	93	BRC Rajaun,Banka	85.2	1,70,400	10,000	5750	15 माह
	94		85.2	1,70,400	10,000	5750	15 माह
0	95		85.2	1,70,400	10,000	5750	15 माह
	96		85.2	1,70,400	10,000	5750	15 माह
0	97	· · · · · · · · · · · · · · · · · · ·	85.2	1,70,400	10,000	5750	15 माह
			85.2	1,70,400	10,000	5750	15 माह
0	98		85.2	1,70,400		5750	15 माह
	99		85.2	1,70,400	10,000	5750	15 माह
	100	BRC Sikandra, Jamui	00.2	1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Chief	Engineer C. Ltd. Pa	

B.S.E.I.D.C. Ltd, Patna

F. 197 37 1 1033				1
			nendmed) A direct Hill St. (C	)
			manufacture of the control of the co	)
			The state of the s	
				J
				)
				,
				)
			Company of the second s	)
Test in				,
1.17				
Me of the Otto 1.1			Comment of the Commen	)
100				
STATE OF STA			The control of the co	)
1 1 1500				)
			1620 F 3 102 1 102 1 102 1 102 1 102 1 102 1 102 1 102 1 102 1 102 1 102 1 102 1 102 1 102 1 102 1 102 1 102 1	J
The state of the s				)
6.9				
1818 B. 1818				)
· 39/ Pl. 18/2			Plantam and But and	
19-11-11-11-11-11-11			Example of the Constant Profession	)
			The state of the s	
			made of alcohol the	3
				)
			material switch and services are services and services are services are services and services are services ar	$\circ$
The state of the s			A HALL Has such suffici	3
			The Wall of the Control of the Contr	)
		1.58	Belley, diagnoral V. S. Hiller He	
The state of the s		1.69	men bill comp	
			the second of th	) ,
			mus Auto is made 2011 (1911)	0
				O
100			ELLER DIVINE TO MAKE THE THE PARTY OF THE PA	)
			parmit salidate (All Jews January	
			complete bases of the ac-	
			manufacture and the state of th	0
			the was chaptered all alies risks a	
TA 11 PRE				
			The state of the s	0
				9
				0
				0
			anni wa marini wa marini	0
Englacer	Chie			
.C. Ltd, Patna	01729			
Total 1971				
			April de de sugar	2014
	V (27)			0

$\cap$	101	BRC Asharganj, Munger	85.2	1,70,400	10,000	5750	15 माह
	102	BRC Naugachhia, Bhagalpur	85.2	1,70,400	10,000	5750	15 माह
0	103	BRC Pirpainti, Bhagalpur	85.2	1,70,400	10,000	5750	15 माह
	104	BRC Shahkund,Bhagalpur	85.2	1,70,400	10,000	5750	15 माह
0	105	BRC Puraini, Madhepura	85.2	1,70,400	10,000	5750	15 माह
	106	BRC Gwalpada, Madhepura	85.2	1,70,400	10,000	5750	15 माह
	107	BRC Kumarkhand, Madhepura	85.2	1,70,400	10,000	5750	15 माह
	108	BRC Gailarh, Madhepura	85.2	1,70,400	10,000	5750	15 माह
	109	BRC Saurbazar, Saharsa	85.2	1,70,400	10,000	5750	15 माह
	110	BRC,Navhatta,Saharsa	85.2	1,70,400	10,000	5750	15 माह
	111	BRC Mahensi, Saharsa	85.2	1,70,400	10,000	5750	15 माह
0	112	BRC Sonbarsa, Saharsa	85.2	1,70,400	10,000	5750	15 माह
	113	BRC Simri, Bakhtiyarpur Saharsa	85.2	1,70,400	10,000	5750	15 माह
0	114	BRC Supaul	85.2	1,70,400	10,000	5750	15 माह
	115	BRC Pipra, Supaul	85.2	1,70,400	10,000	5750	15 माह
0	116	BRC Pratapganj, Supaul	85.2	1,70,400	10,000	5750	15 माह
	117	BRC Nirmali, Supaul	85.2	1,70,400	10,000	5750	15 माह
0	118	BRC Raghopur, Supaul	85.2	1,70,400	10,000	5750	15 माह
	119	BRC, Atari, Gaya	85.2	1,70,400	10,000	5750	15 माह
9	120	BRC, Neemchak, Gaya	85.2	1,70,400	10,000	5750	15 माह
$\cap$	121	BRC, Wazirganj, Gaya	85.2	1,70,400	10,000	5750	15 माह
9	122	BRC, Mohanpur, Gaya	85.2	1,70,400	10,000	5750	15 माह
0	123	BRC, Imamganj, Gaya	85.2	1,70,400	10,000	5750	15 माह
	124	BRC Amas, Gaya	85.2	1,70,400	10,000	5750	15 माह
0	125	BRC, Koch,Gaya	85.2	1,70,400	10,000	5750	15 माह
	126	BRC, Jehanabad	85.2	1,70,400	10,000	5750	15 माह
0	127	BRC,Kako,Jehanabad	85.2	1,70,400	10,000	5750	15 माह
	128	BRC,Ghosi,Jehanabad	85.2	1,70,400	10,000	5750	15 माह
$\cup$	129	BRC Arwal	85.2	1,70,400	10,000	5750	15 माह
	130	BRC Karpi, Arwal	85.2	1,70,400	10,000	5750	15 माह
	131	BRC,Obra,Aurangabad	85.2	1,70,400	10,000	5750	15 माह
	132	BRC,Dev,Aurangabad	85.2	1,70,400	10,000	5750	15 माह
9	133	BRC Madanpur, Aurangabad	85.2	1,70,400	10,000	5750	15 माह
0		BRC Kutumba, Aurangabad	85.2	1,70,400	10,000	5750	15 माह
	134		85.2	1,70,400	10,000	5750	15 माह
0	135	BRC, Rega, Sitamarhi			10,000	5750	15 ····································
	136	BRC, Merajgang, Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
$\bigcirc$	137	BRC,Pupri,Sitamarhi	85.2	1,70,400			
_	138	BRC,Barthnaha,Sitamarhi	85.2	1,70,400	10,000	5750	
)	139	BRC,Runisaidpur,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
	140	BRC,Suppi,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
J	141	BRC, Pakribarawan, Nawada	85.2	1,70,400	10,000	5750	15 माह
)	142	BRC, Warisaliganj, Nawada	85.2	1,70,400	10,000	5750	15 माह
	143	BRC, Akabarpur, Nawada	85.2	1,70,400	10,000	5750	15 माह
	144	BRC, Narhat, Nawada	85.2	1,70,400	10,000	5750	15 माह
	145	BRC, Chandi,Nalanda	85.2	1,70,400	10,000	5750	15 माह
	146	BRC, Austhawan ,Nalanda	85.2	1,70,400	10,000	5750	15 माह
	147	BRC, Rahui, Nalanda	85.2	1,70,400	10,000	5750	15 माह
	148	BRC, Ekangarsarai, Nalanda	85.2	1,70,400	10,000	5750	15 माह
	149	BRC,Silaw,Nalanda	85.2	1,70,400	10,000	5750	15 माह
	150	BRC, Katrisarai, Nalanda	85.2	1,70,400	10,000	5750	15 माह
	151	BRC, Karaiparsurai, Nalanda	85.2	1,70,400	10,000	5750	15 माह
	152	BRC,Motipur,Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह
	153	BRC Gaighat, Muzaffarpur	85.2	1,70,400	10,000	5750	15 <b>班</b>
1	154	BRC, Aurai, Muzaffarpur	85.2	1,70,400	10,000	5750	15 मार
	155	BRC,Bandra,Muzaffarpur	85.2	1,70,400	10,000	3750	15 माह
	156	BRC, Minapur, Muzaffarpur	85.2	1,70,400		Engineer	15 माह
		LI CALLING MIGHT MEMILIN PMI	0011				

Agous Dr. Sugh

Zyan

						O ME INC
				19		
						0
						0
						0
						0
						0
						0
						0
						0
						Oper - Bath
						0
						0
						0
						0
						Water State
						0
					promise and antiquest	0
	11.5					0
						0
						0
						0
						0
						0
						0
						0
						0
						0
Parent.	ngineer	Chief Er				0
SHI	LIG, Fa	3.S.E.I.D.C.				0
					the standard of	who have
						0

V	157	BRC,Bhagwanpur,Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह
1	158	BRC, Jagdishpur, Bhojpur 52	85.2	1,70,400	10,000	5750	15 माह
)	159	BRC ,Charpokhri,Bhojpur	85.2	1,70,400	10,000	5750	15 माह
	160	BRC, Udwantnagar, Bhojpur	85.2	1,70,400	10,000	5750	15 माह
)	161	BRC,Garhani,Bhojpur	85.2	1,70,400	10,000	5750	15 माह
	162	BRC ,Koilwar,Bhojpur	85.2	1,70,400	10,000	5750	15 माह
) [	163	BRC, Fatuhan, Patna	85.2	1,70,400	10,000	5750	15 माह
	164	BRC, Bakhtiyarpur, Patna	85.2	1,70,400	10,000	5750	15 माह
1	165	BRC,Naubatpur,Patna	85.2	1,70,400	10,000	5750	15 माह
	166	BRC,Maner,Patna	85.2	1,70,400	10,000	5750	15 माह
	167	BRC,Begusarai	85.2	1,70,400	10,000	5750	15 माह
)	168	BRC,Matihani,Begusarai	85.2	1,70,400	10,000	5750	15 माह
-	169	BRC, Bhagwanpur, Begusarai	85.2	1,70,400	10,000	5750	15 माह
)	170	BRC, Bakhri, Begusarai	85.2	1,70,400	10,000	5750	15 माह
	171	BRC, Mansoorchak, Begusarai	85.2	1,70,400	10,000	5750	15 माह
)	172	BRC, Cheria Bariyarpur, Begusarai	85.2	1,70,400	10,000	5750	15 माह
	173	BRC ,Chuatham,Khagaria	85.2	1,70,400	10,000	5750	15 माह
1	174	BRC, Gogari, Khagaria	85.2	1,70,400	10,000	5750	15 माह
	175	BRC, Beldour, Khagaria	85.2	1,70,400	10,000	5750	15 माह
1	176	BRC,Parbatta,Khagaria	85.2	1,70,400	10,000	5750	15 माह
	177	BRC,Raghopur,Vaishali	85.2	1,70,400	10,000	5750	15 माह
r	178	BRC ,Desari,Vaishali	85.2	1,70,400	10,000	5750	15 माह
	179	BRC, Bidupur, Vaishali	85.2	1,70,400	10,000	5750	15 माह
t	180	BRC, Jandaha, Vaishali	85.2	1,70,400	10,000	5750	15 माह
1	181	BRC ,Mahua, Vaishali	85.2	1,70,400	10,000	5750	15 माह
1	182	BRC, Garoul, Vaishali	85.2	1,70,400	10,000	5750	15 माह
	183	BRC,Chewada,Shekhpura	85.2	1,70,400	10,000	5750	15 माह
-	184	BRC,Barhiya,Lakhisarai	85.2	1,70,400	10,000	5750	15 माह
	185	BRC ,Alinagar, Suryagarha,Lakhisarai	85.2	1,70,400	10,000	5750	15 माह

नोटः (i). निविदाकार एक या अधिक कार्य के लिए अलग-अलग निविदा डाल सकते हैं।

(ii). प्राक्कलित राशि घट या बढ़ सकती है एवं तद्नुसार अग्रधन की राशि घट या बढ़ सकती है।

(iii) वेबसाईट—www.eproc.bihar.gov.in पर अंकित प्राक्कलित राशि, अग्रधन की राशि एवं परिमाण विपन्न की राशि अंतिम रुप से मान्य होगा।

(2) विज्ञापन निर्गत करने की तिथि

- दिनांक:-03.02 .2016

(3) परिमाण विपत्र प्राप्त करने(डाउनलोड) की अवधि एवं समय :- दिनांक- 03.03.2016 से 28.03.2016, 15:00 घंटा

(वेबसाईट:www.eproc.bihar.gov.in पर)

(4) प्री बिड मीटिंग का समय, स्थान एंव तिथि :- दिन

दिनांक:— 15.03.2016, 14:30 घंटा प्रबंध निदेशक का

कार्यालय,बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम, पटना।

(5) निविदा प्राप्ति(अपलोड) की अंतिम तिथि एवं समय:-

दिनांक- 29.03.2016, समय- 15:00 घंटा

(६) अग्रधन जमा करने की अंतिम तिथि एवं समय :-

दिनांक- 31.03.2016, समय- 15:00 घंटा

(7) टेक्निकल बिड खोलने की तिथि एवं समय :-

दिनांक- 31.03.2016, समय- 16:30 घंटा (वेबसाईट-www.eproc.bihar.gov.inपर)

(8) वित्तीय बिड खोलने की तिथि एवं समय :-

दिनांक- 11.04.2016, समय- 15:30 घंटा

(9) निविदा खोलने का स्थान :-

वेबसाईट-www.eproc.bihar.gov.inपर

(10) निविदा की वैधता की अवधि

120 दिन

(11) ई—टेन्डरिंग की प्रक्रिया में भाग लेने हेतु संवेदकों को पंजीकृत होना होगा, जिससे कि उन्हें उपयोगकर्ता का नाम (user

ID) पासवर्ड (Password) अंकीय हस्ताक्षर (Digital Signature) निर्गत की जायेगी। यह उन्हें वेबसाईट www.eproc.bihar.gov.in से डाउनलोड करने / टेन्डर की प्रक्रिया में भाग लेने की योग्यता प्रदान करेगा।

(12) ई—निविदा पत्र बेवसाईट www.eproc.bihar.gov.in से प्राप्त किया जा सकता है। संवेदक द्वारा सिर्फ उपर्युक्त वेबसाईट से ही परिमाण विपत्र प्राप्त करने के उपरांत वेबसाईट पर ही इलेक्ट्रानिक निविदा पत्र को भरकर भेजना है। अन्य सभी महत्वपूर्ण कागजात/बैंक ड्राफ्ट/अग्रधन की राशि/सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को स्कैन कर ई—निविदा के साथ

संलग्न करना अनिवार्य है।

(13) परिमाण विपन्न के दर से कम दर उद्धृत करने पर बीड डाक्यूमेंट की शर्तों एवं सरकारी निर्णयानुसार अतिरिक्त Performance Guarantee एकरारनामा के पूर्व जमा करना होगा।

Chief Engineer

Ajus Ser Bugh

Chief Engineer B.S.E.I.D.C. Ltd, Patna

12/2

				1	
					,
and Carry and					

r in their man individuent, man only in both and in the property (i) which we have the contract of the contrac

the state of the s

The first control of the control of

and and many factor — province and early to recome and and the second and the sec

(13) were distributed and residual (Higgin) Signatures ( ...

e de la companya de la comp

tier in the life in it parts to the life in the parts of the life in the life

April & Strate

Chief Engineer B.S.E.I.D.C. Ltd, Patris (14) (क) प्रत्येक परिमाण विपत्र का मूल्य जो प्रत्येक निविदा के सामने उपर कण्डिका (1) में अंकित है (जो लौटाया नहीं जाएगा) किसी भी राष्ट्रीयकृत बैंक द्वारा निर्गत एवं BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. के नाम से एवं पटना में भुगतेय हो, स्वीकार किया जायेगा। मूल बैंक ड्राफ्ट ''बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड'' पटना के कार्यालय में दिनांक 31.03.2016 के 15:00 वंटे तक स्वयं/निबंधित डाक /स्पींड पोस्ट द्वारा निश्चित रुप से जमा किया जाना है। ऐसा नहीं करने पर निविदा मान्य नहीं

খে) Beltron Bid Processing Fee is mandatory to be paid through online mode i.e. Internet

payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS"

Bids along with necessary online payments must be submitted through e-procurement portal www.eproc.bihar.gov.in before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffic/ Holidays or

0

(ग) वांछित अग्रधन की राशि राष्ट्रीय बचत पत्र/डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक जो बिहार राज्य से क्रय या जमा किया हो, प्रबंध निदेशक, BSEIDC Ltd., पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा बिहार वित्त नियमावली के अनुसार BSEIDC Ltd. के नाम से फिक्सड डिपोजिट रिसिप्ट अथवा बैंक गारन्टी जो बिड के मान्य अविध तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत/अनुसूचित बैंक से निर्गत हो (अगर बिहार प्रान्त के बाहर के बैंक से निर्गत बैंक गारन्टी दिया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड, पटना में दिनांक 31.03.2016 के 15:00 घंटे तक स्वयं / निबंधित डाक / स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना आवश्यक है। ऐसा नहीं करने पर निविदा मान्य नहीं होगा।

(15) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर लें।

ताकि अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से बच सकें।

(16) निविदाकार निविदा डालने से पहले अपने स्तर से भी प्रस्तावित कार्य स्थल पर भूमि उपलब्धता के संबंध में आश्वस्त हो

(17) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। बिना कारण बताये निविदा या उसके अंश को अरवीकृत करने/रद्द करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।

(18) विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्य अविध में सम्पर्क किया जा सकता है। ई—टेन्डिरंग की प्रक्रिया से संबंधित किसी भी प्रकार की जानकारी/सूचना हेतु सहायता कक्ष, ई-टेन्डरिंग कक्ष, प्रथत तल्ला, M/22, बैंक ऑफ इण्डिया भवन, रोड न० 25, श्री कृष्णा नगर, पटना-800001, दूरभाष सं० 0612-2523006/9939035696.

> ब्रजेश प्रसाद मुख्य अभियंता

Agour Ales Sough

Chief Engineer 3.S.E.I.D.C. Ltd, Patna