Mame of Work-Construction of Upgraded.
School Beilding in Bihan
Group No. USS-133E, U.M.S. Lahasaw.
Suryaganha in the Dist op
Lakhisanai.

BIHAR PUBLIC WORKS DEPARTMENT

Agency - [Form No. F-2] Ibha Devi ITEM RATE TENDER AND CONTRACT FOR WORKS Agreement No. 454 f2 of 2015-16 Ceneral Rule and Direction for the guidance of Contractors.

1. All works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer.

This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours.

- 2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so.
- 3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having a thority to give effectual receipt for the firm.
- 4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender.

5. The	e amount of earnest money to be deposited will be : -	Rs	,	
	If the amount of the estimate does not exceed Rs. 2,000			50
	If the amount of the estimate exceeds Rs. 2,000 but does	* •		
	not exceed Rs. 5,000		***	100
	If the amount of the estimate exceeds Rs. 5,000 but does	1		1.
	not exceed Rs. 10,000	•••		200
	For each additional Rs. 5,000 or portion of Rs. 5,000			
	additional earnest money	***		100

6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders, which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompanied by the treasury challan for the required earnest money will be liable to rejection. No single tender shall include more than one work, but contractors who wiii to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the envelop. Cash deposits for earnests money here in before mentioned shall be made in Government Treasuries and the challan there of should be enclosed with the tender.

4715 3 nt

Chief Consultant (Technical)

Bihar State Educational Infrastructure

Development Corporation Ltd., Patna

240

- 7. The Engineer or his duly authorised assistant will open the tender in the presence of are intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.
 - 8. The Engineer shall have the right of rejecting all or any of the tenders.
- 9. In the event of a tender being selected for acceptance the Engineer who opened the tenders will, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupor sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the priscribed time. The tender with the specification and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to the tenderer.

- 10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.
- 11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credite. At least half of this security inclusive of the earmest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, falling which the tender shall be liable to rejection

Any balance of the security money outstanding after completion of the contract with the tendered may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required amount of the security money has been deposited the Engineer shall scrutinise all pages of the form of item, rate, tender & contract for works to see that the form has been properly filled up and signed by the contractor & the signature witnessed. He shall then if he is competent, to accept the tender, sign the acceptance of the tender, or, if he is not so competent shall send the form for signature of the acceptance of the officer competent to accept an Chief Consultant (Technical)

H415 371

Chief Consultant (Technical)

Ether State Educational Infrastructure
Development Corporation Ltd., Paina

Zifa,

S

TENDER FOR WORKS

I/We heredy tender for the execution for the Governor of Bihar of the work specified	
n the under written memorandum at the motion of the Governor of Binar of the work specified	in t
n the under written memorandum at the rates specified therein within a period of years	mo
The state of the s	
TE TE TO TO THE TOTAL OF THE TOTAL OF THE TENT OF THE	
The will only the control of the con	v
other respects in accordance with, such conditions so far as applicable.	Otti

∞ ′	other	respects in accordance with, such conditions so far as applicable.
	•	MEMORANDUM
(a) If several sub-work are in ided they should be	[A]	Name of work
detained in a separate list.	[b]	Estimated cost
(b) This deposit will be 5% of the estimated cost of the Work.	[c]	Earnest money
(c) This percentage deduc- tion from bills will be credited to the contractors security deposit.	[d]	Initial security deposits (including earnest money) to be deposited befor the commencement of the work
	[e]	Precentage to be deducted from bills Rs. 5% (Rupees five percent)
	[1]	Time required for the work from date of written order to commence monthly
	[9]	Date of written other to commence
	Control of the contro	Total number of item of work tendered for

Ifom No. Item of work	RATE TO	ENDERED	
	In figures	In words	Per

Harant

SCII. NEV I		RATE TE	NDERED	Per		
Item No.	Item of work	In figures	In words		<u> </u>	
vizitaria de la companya de la comp						
		-				
					. 0	
					1	
			ESTATEMENT (1997)			
					~ @	
					. ?	
					1	
		,				
					*	
			The contract of the contract o			
en e					(
.v.						
1 7 97					· •	
			The state of the s			
			no-marchines persons			
			and the state of t		*.	
				A A		
			No. of the second			
			entational designation of the control of the contro			
\						
*.						
**************************************			1	1		
	H-115 3 m[Tilling State !	onfultant (Teck Educational Infr	astructure -		
		Developmer	rt Corporation L	id., Patna		

Rem No.	Item of work	RATE TE	Per	
-)		In figures	In words	Per
(3)				
		COS a action description of the cost of th		
(4)		Participation of the Control of the		
2				
0		,		
<u>.</u>				
0				
2		-		
3				
)				
		All property and the second se		
		The state of the s		
		Co.C. La manufactura de la constanta de la con		
Strong or an analysis of the strong of the strong or an analysis of the st				
THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAM				

			00000	
White-		A A A A A A A A A A A A A A A A A A A		
		Chapter and the second		
		S POTENTIAL TO A STATE OF THE S	or the Active recommendation of the Active re	
)				-

Hilor SniC

Scl

Itom No.	Item of work	RATE TE	NDERED	Per
Item No	Rem Grwork	In figures	In words	rei
No. of the Control of				
A STATE OF THE STA				
audaline de la companie de la compan				
namen verification in the control of		27		
THE TOTAL CONTROL OF THE TOTAL CONTROL OT THE TOTAL CONTROL OF THE TOTAL				
PACADAGE STATE OF THE STATE OF				
annungan di mananan di				
Politocal light and Annual Control of the Control o		Solid Control of the		
e licelistatis di const				
Parametrial States				
periodicinal states				
Philippersonateweigh		SOUTH PROPERTY OF THE PROPERTY		
Side of the second seco		overtunes in the second		
electron-local				
Agrin and an artist and an artist and artist artist and artist artist and artist artist and artist ar				
AL HOME TO THE				
elizationalele and the second				
SOCIAL STATES AND				
Succession of the second of th		The state of the s	7	
THE COLUMN TWO PROPERTY OF THE				
new distance and the second		estige disense		
activations with the second		The state of the s		
Secretarion of the second of t				
in production of the state of t				
Pain Association and Associati				
CODOMINAMENTAL				
EASAGAS REPORTED TO THE PARTY OF THE PARTY O		<u></u>		

H-112 3ni

Chief Consultant (Technical)

Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

24/21

D

(7)

		RATE TENDERED	
M. 2m No.	Item of work	In figures In words	Per
3			
			and the state of t
			POTENTIAL TOTAL TO
			grand and the state of the stat
0			ER MANUEL VICTORIAN
9			
9			
9			COLUMN TO A COLUMN
9			
0			The second secon
4			
4)			THE STREET STREE
			To another the control of the contro
			Transference vers
			+B

出かるから

should this tender be accepted I/we hereby agree to abide by and fulful all the terms and provisions of the said conditions of contract annexed hereto so for as applicable, or in ssors in office the sums of money mentioned in the said conditions.

Dated the

day of

19

*Signature of contractor before comission of tender

witness .

Address a

Occupation

Signature of witness to contractor's signature

The above tender is hereby accepted by me on behalf of the Governor of Biha.

Dated the

day of

19

signature of the officer.

Acceptances communicated on.....

signature of the party taking the tende.

CONDITIONS OF CONTRACT.

Compensation

Clause 1:- All compensation or other sums of payable by the contractor Government under the terms of his contract may be deducted from, paid by the sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sum which may be due or may become due to the contractor by Government on any account whatsoever and in the event of his security deposit being reduced by reason of any sum deduction or sale as aforesaid, the contractor shall within ten days there after make good in cash or Government securities endorsed as aforesaid any sum or sums which may have been deducted from, or arised by, sale of his security deposit of any part thereof

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which the work is finished after necessary rectification of defects as pointed by the Executive Engineer or his authorised agents are fully contractor to the Engineer's satisfaction.

Clause 2: The time allowed for carrying out the work as entered in the tender shall be strictly observed by the contractor and shall be reckoned from the date on which the wirtt. order to comence work is given to the contractor. The work shall throughout the stipulated period of the contract be carried on with all due diligence (time being deemed to be t essence of the contract on the part of the contract or) and the contractor shall pay as compensation an amount equal to ½ percent on the amount of the estimated cost of the who. work as shown by the tender for every day that the work remains uncommenced or unfinished after the proper date. And further to ensure good progress during the execution of the wo the contractor shall be bound in all cases in which the time allowed for any work exceeds one month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before one-half of such time elapsed and three-fourths of the work, before three fourths of such time has elapsed in t. event of the contractor failing to employ with this condition, I shall be liable to pay as compensation an amount equal to ½ percent on the said estimated cost of the whole wo. for every day that the due quantity of work remains incomplete provided always that the entire amount of compensation to be paid under the provisions the clause shall not exceed . J percent of the estimated cost of the work as shown in the tender.

Action when persnle security deposit foreited

Clause 3:- In any case which under any clause or clauses of or this contract the contractor shall have rendered himself laible to pay compensation amounting to the whole in his security deposit in the hands of Government (where paid in one sum or deducted by instalments) the Executive Engineer on behalf on the Bihar Government shall have been powered to adopt any of the following courses, as he may deem best suited to the enterest of Government -

(a) To rescind the contract (of which rescind notice in writing to the contractor under the hand of the Executive Engineer shall be conclusive evidence) and in which case the secutive deposit of the contractor shall start forfeited, and be absolutely at the disposal of Government.

HIN3nt

ted cifi-

ètc.

ions

traci

e of

alteron c

(b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debitting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineerin -charge shall be final and conclusive against the contractor), and crediting him with the value f the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as the value of the work done shall be final and conclusive against the contractor.

(c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another contractor to complete which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be porn and paid by the original contractor and made be deducted from any money due to him by Sovernment under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his naving purchased or procured any materials or entered into any engagement, or made advances n account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled *n recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4: In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised tion if action not take the non-exercise there of shall not contitury waiver of the conditions here and such power shall under cause 2. not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to *hewhole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested n him under the preceeding clause he may, if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor of or require removal of ry procured by him and intended to be for the execution of the work or any part there of paying or all wing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or is clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event p the contractor failing to comply with any such requisition the Executive Engineer may remove thermat the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Engineer as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and onclusive against the contractor.

Clause 5 :- If the contractor shall desire any extension of the time for completion of the work, on the ground of his having been unavoidably hindered in its execution or on any other pround other than those mentioned in clause 12 (a) he shall apply in writing to the Executive Engineer within 40 days from the date of starting of the hinderance on account of which be desires such extension as aforesaid and the Executive Engineer shall, if in his opinion (which shall be final) reasonable grounds be shown thereof authorised such extension of time, if any, as may in his opinion be necessary or proper. The Executive Engineer shall at the same time inform the contractor whether he claims compensation for the delay.

contractor remains liable to pay compensa-

Power to take posession or sell contractor plant.

Extension of time

4715 3mT

Chief Consultant (Technical) Bibar State Educational Infrastructure Development Corporation Ltd., Paina

2/12/

Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion, but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinctly marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials. and rubbish, and cleaned of the dirt from all wood-work, doors, windows, walls, floorrs or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurements shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplumaterials and rubbish and cleaning off dirt on or before the date fixed for completion the worl the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred and shall have no clairn in respect of any such scaffolding or surplus materials as aforesaid, except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible, before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-in-charge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts or in any other way vary or affect the contract.

Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Stores supplied Government

Clause 9:- If the specification or estimate of the work provides for the use of any special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-in-charge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums then due or there after to become due to the contractor under the contract or otherwise, or against or form the security deposit, or the proceed of sale thereof, if the same is held in Government security the same or sufficient portion thereof in this case sold for the purpose. All materials supplied to the contractor shall remain the absolute property of Government and shall not on any accounts he removed from this site of the work and shall at all times be open to

みかか るかし

inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so reqire, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesid being unused by him, or for any wastage to or any such materials.

Work to be executed accordance with specification drawing other etc.

Clause 10:- The contractor shall executive the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entille to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid.

Alteration in specifications and degination.

Clause 11:- Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineerin-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be acarried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rates is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-incharge in the event of a disputes the decision of the superintending Engineer of the circle will be

Dó not in validate contrac

Time in consequence of

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-in-charge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period.

Rate for work no in estimate or schedule of rates of the district.

Clause 12: If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out, the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsoever on account of any profit or advantage, which he might have derived from the execution of the work in full, but which he did not derive in conquence of the full amount of the work not having been carried out neither shall he have any claim for compensation by reason of any alternation having been made in the original specification, drawing, designs and instruction which shall involve any installment of the work as originally contemplated dause 12 (a) As contained in G O 1929 dated 11.9.56.

Compensation for alteration in or restriction of work to be carried out.

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

出かるかし

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such failure is due to :-

9

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement dificulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the continuous within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as finally by the contractor.

Action and compensation payable in case of work.

Clause 13:- If it shall appear to the Engineer-in-charge or his subordinate in-charge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall on demand in writing form the Engineer-incharge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineerin-charge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and expense in all respects of the contractor.

Unrik to be taken to inspection

Clause 14 :- All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineer-in-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be present.

Clause 15 :- The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which the same was effected.

Notice to be taken

Clause 16:- If the contractor or his work-people, or servants shall break, deface injure before work covered up. or destroy any part of a building in which they may be working or any building, road, road curves, fence enclosure waterpipes, cables, drains, electric or telephone posts or wires, trees, grass or grassland or cultivated ground contiguous on which the work or any part of it is being executed or if any damage shall happen to the work, while in progress from any cause whatsoever or any imperfection become apparent in if within three months (six months in the case of a road-work) after a certificate final or other of its completion shall have been given by the Engineer-in-charge

4-10 SM1

Sch XLV-F, No. 61

(13)

as a fore seal, the contractor shall make the same good at his own expense, or in default, the Contractor Hable for En neer-in-charge may cause the same to be made be good by other worksmen and deduct the demage done and for expense of which time thereafter may become due to the contractor, or from his security deposit, imperfection a months or proceed of sale there of, or of a sufficient portion there of the security deposit at the contractor shall not be refunded before the expiry of three months (six months in the case of a roadwc) after the issue of the certificate final or otherwise of completion of work provided that in the case of a road work if in the opinion of the Engineer-in-charge behalf of the security deposit will be Jundable after three months of the issue of the said certificate of completion

Clause 17:- The contractor shall supply at his own cost all materials (except such special Contractor to supply to materials) if any as may in accordance with the contract be supplied from the Engineer-in-charge's plantladder scaffolding st. s). Plants, tools, application, implements, ladders, cordage, tackle scaffolding and tempo- etc. rary works requisits or proper for the proper execution of the work whether original, altered or substituted and whether include in the specification or other documents forming part of the contract or referred to in these conditions or not or which may be necessary for purpose of saxsfying or complying with the requirement of the Engineer-in-charge as to any matter as to which under these conditions he is entitled to be satisfied which he is entitled to require together with carriage therefore to and form the work. The contractor shall also supply without charge the re isite number of persons with the means and materials necessary for the purpose of setting out works, and counting, weighing and assisting in the measurement or examination at any time ar form time to time of the work or materials failing his so doing the same may be Provided by the Engineer-in-charge at the expense of the contractor and the expenses may be deducted from ar money due to the contractor under the contract from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide all necessary fe ing and lights required to protect the public from accident, and shall be bound to bear to And is liable for damage expenses of defence of every suit action or other proceeding at law that may be brought by any arising for non-provision pon for injury sustained owing to neglect of the above precautions and to any such person or of light fencing etc. which may with the consent of the contractor be paid to compromise any claim by any such DL.30N.

Clause 18 :- No female labour shall be employed within the limits of contonment. The contractor shall not employ for the purpose of his contract any person who is below the age of to live years and shall pay to each labour for the work done by such labourer wages not less than the wages paid for similar work in the neighbourhood.

Work not to be subject

The executive Engineer shall have the right to enquire into the case and decide any c plaint alleging that the wages paid by the contractor to any labourer for the work done by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer e ployed by contractor is below the age of twelve years and to refuse to allow any labourer whom he decided to be below the age of twelve years to be employed by the contractor.

Clause 19: The Contractor shall not be assigned or subject without the written approval or he Executive Engineer. And if the contractor shall assign or subject his contract, or attempt so feited for subletting bribes to do, or become insolvent proceedings to make any composition with his creditors or attempt so or if contractor become troo, or if any bribe, gratuity, gift loan, requisite, reward or advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, or offered by the contractor, or any of his servant c agents to any public officer or person in the employ of Government in any way relating to his officer or employment or if any such officer or person shall become in any way directly or indirectly it rested in the contract the Executive Engineer may there upon by notice in writing rescind the contract. The security deposit of the contractor shall there upon stand forfeited and be absolutely a...he disposal of Government and the same consequence shall ensure as if the contract had been recinded under clause 3 here of, in addition the contractor shall not be entitled to recover or be paid to any work therefore actually performed the under the contract.

Contract may be resinded and security deposit for-

りかるかし

Such payable by way of sidered reasnable compensation without reference to actual loss

Clause 20: - All sums payable by way of compensation under any of these conditions shared compensation to be con- be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained.

1)

Clause 21: In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this information.

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days the Engineer in-charge may be notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal of Government and the sami consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer

Clause 22 :- All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending. Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23: In case any dispute or difference shall arise between the parties or either of there upon any question relating to the meaning of the specifications, designs, drawings and instructions here before mentioned or as to the quality of workmanship or materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, or any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions or otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof or as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

(a) Clause 24 :- When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items or work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-in-charge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineer-in-charge shall be final and conclusive against the contractor with regard to any sum payable to him under the provision of this clause.

Action where specification.

Clause 25 :- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Definition of works

Clause 26 :- The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to such construction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered, substituted or additional.

Clause 27: The terms and conditions of the agreement have been read/explained to me certify clearly understand them.

かいの らかげ



On. X L V - - F. No., 61.

(.15)

Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied


Particulars	Rates at which the material will be charged to the contractor	Place of delivery
	Unit Rs. P.	
4		
		*

Note - The person or firm submitting the tender should see that the rates in the above schedules a filled up by the Engineer-in-charge on the issue of the form prior to the submission of the tender.

(Signature of Contractor)

4-10 3000

(Signature of Scutive Engineer)



Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

24g.

जाति ब्राह्मण भूमिहार पेशा गृहीणी वो व्यवसाय साकिन मौजा मोकामा मोलदियार टौला थाना मोकामा जिला पटना भारतीय नागरिक है।

May remark to the

2. नाम लेख्यधारी -

श्री मनोज कुमार वलद श्री रामाश्रय प्रसाद सिंह जाति ब्राह्मण भूमिहार पेशा व्यवसाय वो कास्तकारी साकिन मौजा मोकामा मोलदियार टोला थाना मोकामा जिला पटना भारतीय नागरिक है।

3. लेख्य प्रकार - सामान्य मोख्तारनामा पत्र (जेनरल पावर ऑफ अटर्नी)

संहरि इस्ति इसी १९ ।। ।।

अर्थित कुमार पिता- स्व० भार तेन्दु कुमार. जान - भोकामा 'शाना - भोकामा जिला- पतना भोतिष्टियार येला

2111 26 (MIN) MOMINI 21/11 MOMINI ADION 42 01)

H-ilor 3 mc

- 4. अन्य विवरण
- 1. यह कि लेख्यकारी एवं लेख्यधारी पति पत्नी है।
- 2. लेख्यकारी को भवन निर्माण विभाग का ठिकेदारी का लाईसेंस
- 2. लेख्यकारी जो वर्तमान समय में अस्वस्थ्य चल रहे हैं। इसलिए लेख्यकारी ठीका का या अन्य सरकारी या गैर सरकारी कार्य समुचित देख-रेख नहीं कर पायेगें। इसलिए लेख्यकारी ने अपने मानसिक एवं शारिरीक रूप से स्वस्थ्य रहते हुए नेक ईरादे के साथ अपने पित लेख्यधारी मनोज कुमार को अपना मोख्तार नियुक्त करती है तथा इस सामान्य मोख्तारनामा पत्र के द्वारा निम्नलिखित अधिकार लेख्यधारी को प्रदान किया।
- (क) यह कि लेख्यकारी के नाम से भवन निर्माण का कार्य ठीका का लाईसेंस है । जिसको लेख्यधारी अपने दस्तखत से वो अपने देख-रेख में पुरा करेगें । दस्तावेज के माघ्यम से ठीका का कार्य जो भी भवन निर्माण विभाग के अधीन जिस प्रकार का कार्य हेतु निविदा / संबंधित एकरारनामा किया जायेगा जो खुद लेख्यधारी करेगें । साथ में लेख्यधारी लेख्यकारी के सभी सरकारी वो गैर सरकारी का कार्य या लेन देन भी लेख्यधारी अपने हस्ताक्षर से करेगें । जो लेख्यकारी के द्वारा ही किया गया माना जायेगा ।

19/11, 11

11-11 DI 3717

Chief Consultant (Technical)
Eihar State Educational Infrastructure
Development Corporation Ltd., Patna

ga,

- (ख) लेख्यधारी लेख्यकारी का सभी सरकारी कार्य या गैर सरकारी कार्य या बैंक से लेन देन या चेक वगैरह पर अपना दस्तखत करके कार्य का निष्पादन करेगें जो लेख्यकारी के द्वारा ही किया हुआ कार्य माना जायेगां।
- (ग) यह कि लेख्यधारी के हस्ताक्षर से किया गया ठिकेदारी से संबंधित कार्य या बैंक से लेन देन का सभी कार्य जो होगा वह लेख्यकारी का ही माना जायेगा।
- 3. यह कि लेख्यकारी ने प्राप्त ठेका के कार्य में सहयोग के लिए यह दस्तावेज सामान्य मोख्तारनामा पत्र (जेनरल पावर आफ अटर्नी) लेख्यधारी के पक्ष में लिख दिया समय पर काम आवे वो प्रमाण में रहे।

तहरीर ता0- 19.11.2011 (उन्नीस नवम्बर दो हजार ग्यारह ई0)

लेख्यकारी का हस्ताक्षर

इसा देवी

19/1/ 11

लेख्यधारी का हस्ताक्षर Maj Kar

19-11-11



Arafted by
Kailah Basad
Advocali
Con'L Cowst
BANG (Patra)

かかかなかし

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

24an

Endorsement of Certificate of Admissibility (Rule - 35)

Admissible under Rule 21: duly stamped (or exempted from or does not require stamp duty) under the Indian Stamp Act, 1899, Schedule I or I-A, No. 48. Also admissible under section 26(a) of the B. T. Act.

•	uty paid unde imp duty paid		mp Act √Municipal Ac	ct	Rs. Rs.			500				
(Paid F	Rs. 500/-	by N.J. Star	mp Paper and		Rs. 454/-		throu	gh Bank Ch	allan.)		, , , , , , , , , , , , , , , , , , , ,	
₽ A1	0 Ç	(0 H1b	0	Ka1	0	Lii	0	LLR	0	Total Fee	
n. A8	0 D	(0 H2	0	K1b	0	Liii	0	Proc. Fee	0	454	R
出 A9	0 D	D (0 1	0	K1c	. 0	Mb	0		•		
μ A10	0 E	250	0 J1	0	K2	0	Na	54		_	0	
В	0 H	1a (0 J2	0	Li	0	Sça	n 150	\wedge	Register	ing Officer	
Date:	19/11/2011								A		Barh	

Endorsement under section 52

Presented for registration at

02:09 PM on Saturday November

2011 at the Sub

Registry Office, Barh

(Principal)

by profession

House Wife.

OSri Manoj Kumar

Registering Officer

Barh

Endorsement under section 58

Execution is admitted by persons and identified by others whose names, photographs, fingerprints and signatures are affixed on the reverse pages of the instrument and are identified by Amit Kumar age Sex M son/daughter of S/O Late Bhartendu Kumar resident of Vvill-Mokama Moldiyartola, P.S.-Mokama, Patna.

Date: 19/11/2011

Registering Officer Barlı

Endorsement of Certificate of Registration under section 60

Registered in Book 4 of DSRO/ SRO Barh having 6 pages, in the volume CD-1 and document no. of which is printed on the First Page of the document.

Registering Officer

Date:

Token No. 6735

19/11/2011

Year - 2011

SI.No.

6728

SCORE Ver. 2.0

Barh

NIC-Bihar

HHONGME

1							14
		Riha	ır State Educational Infrastructı	ure Develo	pment (Corporatio	n Ltd.
Philip.		171114	BOQ FOR UPGRADED SECO	NDARY SC	HOOLS I	N BIHAR	
à	Group No.: USS-133(E)						
SN							ool
1	LAKH	ISARAI	Suryagarha	U.M.S	. Lahasat	irwa	: 00 2014 & DSR 2014
- Asia	THE I	TEM RATE	S ARE BASED ON BIHAR SCHEDULE OF	RATES, BCI R FOR WO	Diective i	rom dated ; 1.	3,09,2014 & DSR 2011
snec	ified ther	ein within a	e execution for the Governor of Bihr of the period of years month from the date of with awing, and other documents referred to rule by by and in other respects in according	work specifed ten order to co hereof and S lance with, su	in the und ommence a ubjects to t	he annexed co	ondation of contract and with
			MEMOR		OLC IN D	IIAD Croup	No
b-v incud	several vork are led they d be	(A) Name o	f Work :- CONSTRUCTION OF UPGRA : USS- 133E	DED SCHO	OLS IN B	пак стопр	110.
	·	(B) Estima Agreer	ted Cost :- Rs. 59,85,145=00 ment value :- Rs. 55,20,099=00				
estin	sit will be of the nated cost e work.	(C)Earnest	Money:-				
ls credi ntr		(D) Initial s Ear	ecurity deposits (including earnest money) rnest Money:- Rs. 2,67,800/- (Details atta	to be deposite ched)	ed before th	e Commence	ment of the work-
 		(E) Percent	age to be deducted from bill Rs. 5% (Rupe	ees five perce	nt)		
<i></i>		(F) Time r	equired for the work from date of written or	der to comme	ence TWE	LVE MONT	HS
)-			f written order to commence :-				
J		` ′	umber of item of work tendered for :- 74				
31	III.DIN	1 '	S: (Quantity per School)				
	VIL W						
S.	Sub N.	SOR Ref.N.	DESCRIPTION	Quantity	Unit	Rate	Amount
1			2.0 Earth Work				
		2.8	EARTH WORK IN EXCAVATION over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including dressing of sides and ramming of bottom, lift upto 1.5m				

H-11 or 3mI

including getting out the excavated soil and disposal of surplus soil as

directed, within a lead of 50m.

1						1>
, prince	2.8.1	ALL KINDS OF SOIL	24.05	CU.M	205.20	Rs. Two hundred five and paise twenty only.
2	2.26	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth: consolidating each deposited layer by ramming and watering lead of 50 m.	0.00	CU.M	66.40	Rs. Sixty six and paise forty only.
	2.28	SUPPLY AND FILLING in plinth & Foundation with local sand and under floors inluding watering, ramming, consolidating and dressing and dressing complete.	173.37	CU.M	192.50	Rs. One hundred ninety two and paise fifty only.
4	2.29.1	SURFACE DRESSING of the ground including removing vegetation and in-equalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5 m	3.40	100 SQ.M	718.80	Rs. Seven hundred eighteen and paise eighty only.
South South	4.1	4.0 Concrete Work Providing and laying of in position cement concrete of specified grade, excluding the cost of centering and shuttering all work upto plinth level.				
	4.1.5	1:3:6 (1 Cement : 3 Coarse sand : 6 graded stone aggregate 40mm nominal size)	1	CU.M	2775.70	Rs. Two thousand seven hundred seventy five and paise seventy only.
70	5.1	5.0 Reinforced Cement Concrete Providing and laying of in position, of specified mix of reinforced cement concrete, excluding the cost of centering and shuttering, finishing and reinforcement - all work uptoplinth level.				
	5.1.2	1:1½:3 (1 Cement : 1½ Coarse sand 3 graded stone aggregate 20 mm nominal size) IN FOUNDATION.		CU.M	3881.20	Rs. Three thousand eight hundred eighty one and paise twenty only.
7	5.2	Reinforced cement concrete work in wall (any thickness), including attached pilasters, butteresses, plinth and string courses, fillets, columns, pillars, piers abutments, posts and struts, etc. upto floor v level, excluding costs o centering, shuttering, finishing and reinforcement.	l S S S			
		Col. In plinth & superstructure				2016
27						EUTO' A. C

H-115 371

ħ							, -
		5.2.2	1:1½:3 (1 Cement : 1½ Coarse sand : 3 graded stone aggregate 20 mm nominal size).	24.84	CU.M	4436.60	Rs. Four thousand four hundred thirty six and paise sixty only.
~ ~ ~ ~ ~		5.3+ 5.33B.4	Reinforced cement concrete work in LINTEL BAND upto five level excluding cost of centring, shuttering and finishing and reinforcement with 1:1½:3(1cement: 1½ coarse sand :3 graded stone agreagate 20 mm niminal size)	32.23	CU.M	4422.40	Rs. Four thousand four hundred twenty two and paise forty only.
9		5.3+ 5.33B.4	Reinforced cement concrete work in suspended floors & roofs upto five level excluding cost of centring, shuttering and finishing and reinforcement with 1:1½:3(1cement: 1½ coarse sand :3 graded stone agreagate 20 mm niminal size)	63.30	CU.M	4422.40	Rs. Four thousand four hundred twenty two and paise forty only.
		5.3+ 5.33B.4	Reinforced cement concrete work in beams, upto five level excluding cost of centring, shuttering and finishing and reinforcement with 1:1½:3(1cement: 1½ coarse sand :3 graded stone agreagate 20 mm niminal size)	7.03	CU.M	4422.40	Rs. Four thousand four hundred twenty two and paise forty only.
		5.3+ 5.33B.4	Reinforced cement concrete work in STAIRCASE upto five level excluding cost of centring, shuttering and finishing and reinforcement with 1:1½:3(1cement: 1½ coarse sand :3 graded stone agreagate 20 mm niminal size)	8.04	CU.M	4422.40	Rs. Four thousand four hundred twenty two and paise forty only.
, AR200		5.9	Centering and shuttering including struting, propping etc. and removal of form for -				Rs. One hundred sixty
	12.1	5.9.1	Foundations, footings,bases of columns etc. for mass concrete.	0.00	SQ.M.	166.70	six and paise seventy only.
12	12.2	5.9.3	ROOF SLAB	506.39	SQ.M.	375.60	Rs. Three hundred seventy five and paise sixty only.
9 9	12.3	5.9.5	Lintels, beams, plinth beams,-	438.97	SQ.M.	251.30	Rs. Two hundred fifty one and paise thirty only.
	12.4	5.9.6	Columns	393.87	SQ.M.	344.40	Rs. Three hundred forty four and paise forty only.
	12.5	5.9.7	Stairs (excluding landings).	47.72	SQ.M.	321.50	Rs. Three hundred twenty one and paise fifty only.
No.		l		Section.	L		1000

H+1 5 371

j?

		Reinforcement for RCC work including straightening, cutting bending, placing in position and binding all complete.	1584.30	kg	70.40	Rs. Seventy and paise forty only.
13.1	5.22.1	Mild steel 6.00 mm dia Thermo- Mechanically Treated bars	0.160.04	17	74.40	Rs. Seventy four and
13.2	5.22.7A	TMTC-500- 8mm dia.	8462.34	Kg	74.40	paise forty only. Rs. Seventy three and
13.3	5.22.7B	Thermo- Mechanically Treated bars TMTC-500- 10mm dia.	2702.44	Kg	73.10	paise ten only.
13.4	5.22.7C	Thermo- Mechanically Treated bars TMTC-500- 12mm dia.	944.47	Kg	71.80	Rs. Sevnety one and paise eighty only.
13.5	5.22.7D	Thermo- Mechanically Treated bars TMTC-500- 16mm dia.	432.11	Kg	72.80	Rs. Seventy two and paise eighty only.
13.6	5.22.7E	Thermo- Mechanically Treated bars TMTC-500- 20mm dia.	720.33	Kg	72.20	Rs. Seventy two and paise twenty only.
		6.0 Brick Work (A)	V ictoria (12)		*	
	6.1 A	Brick work with bricks of class of class of class designation 100 A in foundations and plinth in:				
14.1	6.1.14A	Cement mortar 1: 6 (1 cement : 6 coarse sand)	25.335011	CU.M	3992.9	Rs. Three thousand nine hundred ninety two and paise ninety only.
14.2	6.1.12/1	Cement mortar 1: 4 (1 cement : 4 coarse sand)	7.03	CU.M	4184.00	Rs. Four thousand one hundred eighty four only.
15 1	6.1 A	Brick work with bricks of class of class of class designation 100 A in superstucture upto floor V level in:				D. F. d. and four
15.1	6.1.14 A+6.3A	Cement mortar 1: 6 (1 cement : 6 coarse sand)	173.66	CU. M	4427.50	Rs. Four thousand four hundred twenty seven and paise fifty only.
15.2	6.18.4A+6	Cement mortar 1: 4 (1 cement : 4 coarse sand)	15.28	SQ.M.	538.30	Rs. Five hundred thirty eight and paise thirty only.
		9.0 Wood Work				
6	9.82.1	Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc. all complete	f 1431 17	Kg	91.50	Rs. Ninety one and paise fifty only.
7	10.5	Providing and fixing in position collapsable steel shutters with vertical channels 20X10X2 mm and braced with flat iron ds 20X5 mm size with top and bottom rail of T-iron 40X40X6 mm with 40 mm dia steel pulleys completes with bolts-nuts locking arrangement stoppers handled including applying a priming coat of	9.76 I 9.76	SQ.M	4115.60	Rs. Four thousand one hundred fifteen and paise sixty only.

H-11 5V 3m C

Providing and fixing 1 mm thick M.S. sheet door & window with frame of 40X40X6 mm angle iron and 3 mm gusset plates at the junction and corners all necessary fittings complete including applying a primming coat of approved steel primer. Providing and fixing steel glazed doors, windows and ventilatrs of standard rolled steel sections, joints mittered and welded with 15x3 mm lugs 10 cm long with steel lugs embedded in cement concrete blocks 15x10x10 cm of 1:35 of 1 Cement.3 coarse sand : 6 graded stone aggregate 22 mm nominal size) or with woodcuplugs and servews or rawl plugs and servers or rawl plugs and servers or with fixing clips or with bolts and nutts as required, including providing and fixing of glass panes with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer; excluding the cost of metal beading and other litting except necessary hinges or pivots us required. Providing and fixing M.S. Fan clamp type 1 of 16 mm 10.32.2 Providing and fixing hand rail by welding etc. to steel ladder railings & staircases railing including coat of approved steel primer using steel in Stairs / Balcony railing. Providing and fixing hand rail by welding etc. to steel ladder railings & staircases railing including applying a priming coat of approved steel primer using steel in Stairs / Balcony railing. Providing and fixing hand rail by welding etc. to steel ladder railings & staircases railing including applying a priming coat of approved steel primer railing including applying a priming coat of approved steel primer railing including applying a priming coat of approved steel primer railing including applying a priming coat of approved steel primer railing including applying a priming coat of approved steel primer railing including applying a priming coat of approved steel primer railing including applying a priming coat of approved steel primer railing including applying a priming coat of approved steel primer railing including applying a primi	ĵ.						
Providing and fixing steel glazed doors, windows and ventilatrs of standard rolled steel sections, joints mitered and welded with 15x3 mm lugs 10 cm long with steel lugs embedded in cement concrete blocks 15x10x10 Cm of 1:3:6 (1 Cement:3 coarse sand : 6 graded stone aggregate 22 mm nominal size) or with woodenplugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panes with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer; excluding the cost of metal beading and other fitting except necessary hinges or pivots as required positing, fixing in position and applying a priming coat of approved steel primer; excluding the cost of metal beading and other fitting except necessary hinges or pivots as required positing, fixing in position and applying a priming coat of approved steel primer using steel in Stairs / Bateony railing. Providing and fixing hand rail by welding etc. to steel ladder railings & staircases railing including applying a priming coat of approved steel primer. MS tube (medium) 40 mm nominal bore Providing and fixing hand rail by welding etc. to steel ladder railings & staircases railing including applying a priming coat of approved steel primer. MS tube (medium) 40 mm nominal bore	18	10.7	sheet door & window with frame of 40X40X6 mm angle iron and 3 mm gusset plates at the junction and corners all necessary fittings complete including applying a primming coat	49.44	SQ.M.	2598.90	hundred ninety eight and
10.19 Providing and fixing Mr.s. Fan Clamp type I of 16 mm Steel work welded in built up sections as per drawing including cutting hoisting, fixing in position and applying a priming coat of approved steel primer using steel in Stairs / Balcony railing. Providing and fixing hand rail by welding etc. to steel ladder railings & staircases railing including applying a priming coat of approved steel primer MS tube (medium) 40 mm nominal bore EACH 121.80 one and paise eighty only. Rs. Eighty two only. Rs. Eighty two only.		10.12.1	Providing and fixing steel glazed doors, windows and ventilatrs of standard rolled steel sections, joints mitered and welded with 15x3 mm lugs 10 cm long with steel lugs embedded in cement concrete blocks 15x10x10 Cm of 1:3:6 (1 Cement:3 coarse sand : 6 graded stone aggregate 22 mm nominal size) or with woodenplugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panes with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer; excluding the cost of metal beading and other fitting except necessary hinges or pivots as	66.50	SQ.M.	2928.10	hundred twenty eight and
as per drawing including cutting hoisting, fixing in position and applying a priming coat of approved steel primer using steel in Stairs / Balcony railing. Providing and fixing hand rail by welding etc. to steel ladder railings & staircases railing including applying a priming coat of approved steel primer 10.33.1 MS tube (medium) 40 mm nominal bore MS tube (medium) 40 mm nominal bore 108.00 K.G. 91.10 Rs. Ninety one and paise ten only.	20	10.19		22.00	EACH	121.80	'
welding etc. to steel ladder railings & staircases railing including applying a priming coat of approved steel primer 10.33.1 MS tube (medium) 40 mm nominal bore NS tube (medium) 40 mm nominal ten only. Rs. Ninety one and paise ten only.)]]]	10.32.2	as per drawing including cutting hoisting, fixing in position and applying a priming coat of approved steel primer using steel in Stairs /	539.67	K.G.		Rs. Eighty two only.
10.33.1 bore 108.00 K.G. 91.10 ten only.	22	10.33	welding etc. to steel ladder railings & staircases railing including applying a				
		10.33.1	`	108.00	K.G.	91.10	

HAIDE STIL

Chief Consultant (Technical)

Bibar State Educational Infrastructure
Development Corporation Ltd., Patna

أمورت

			r			
		1.0 Flooring				
	11.4	with metallic concrete hardener copping undr layer 40 mm thick cement concrete 1:2:4(1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal Size) and top layer 12 mm thick metallic cement hardener consisting of mix 1:2 (1 cement hardenr miz: 2 stone aggregate 6 Mrr. ominal size) by volume hardning compund is mixed @ 2 litre per 50 kag of cement or as per manufacture specification. This includes cost of cement slurry, etc, but excluding the cost of nosing of steps etc. complete.	664.42	SQ.M	335.20	Rs. Three hundred thirty five and paise twenty only.
4		Extra for making chequers of approved pattern on cement concrete floors, steps, landing, pavements etc.	228.28	SQ.M	20.10	Rs. Twenty and paise ter
25	11.72	Providing designation 100 - A, BRICK FLAT SOLING joints filled with local sand including cost of watering,taxes and royalty all complete as per building specification and direction of Engineer Incharge.	278.11	SQ.M	227.60	Rs. Two hundred twent seven and paise sixty only.
)))6)	11.76	Providing average 150 mm thick dry remmed Khoa beaten to 112 mm (Compacted with water) made of well burnt or Jhama bricks including ramming properly till compacted thickness is achieved. Curing and carriage of water with all leads, making proper slope and blinding the top with cement mortar, (1: 10) all complete as per building specification and direction of E/1	214.53	SQ.M	295.30	Rs. Two hundred ninet five and paise thirty onl
		12.0 Roofing				
127	12.78	Providing & fixing on wall face unplasticised - Rigid P.V.C. rain water pipes conforming to IS: 13592 Type A including jointing with seal ring conforming to IS: 5382 leaving 10mm gap for thermal expansion. Single socket ed pipes. 110 mm dia	5			Rs. Two hundred forte
l l					214.20	Rs. Two nundred forter and poise twenty only

Him 3nic

Chief Consultant (Technical)

Riber State Educational Infrastructure
Development Corporation Ltd., Patna

Zya.

ř							
Π		12.79.5.2	BEND				
28			110 MM	10.00	EACH	173.70	Rs. One hundred seventy three and paise sevnety ony.
29		12.79.6.2	SHOE - 110MM	10.00	ЕАСН	314.73	Rs. Three hundred forteen and paise seventy three only.
			13.0 Finishing				
			Cement Plaster in coarse sand with		~	100.20	Rs. One hundred and
30	30.1	13.11.2	12 mm cement plaster 1:4 (1 Cement : 6 Coarse Sand)	229.32	SQ.M.	100.30	paise thirty only.
	30.2	13.11.4	Cement Plaster in coarse sand with 12 mm cement plaster 1:6 (1 Cement : 4 Coarse Sand)	1288.59	SQ.M.	89.30	Rs. Eighty nine and paise thirty only.
		13.13.	20 mm thick plaster of mix:				Rs. One hundred forty
31		13.13.2	1:4(1 Cement; 4 Coarse Sand)	41.62	SQ.M	140.60	and paise sixty only.
0		13.13.4	20 mm thick plaster of mix:				Rs. One hundred twenty
32	Ÿ.		1:6(1 Cement:6 Coarse Sand)	663.40	SQ.M.	123.50	three and paise fifty only.
33		13.17.1	12 mm cement Plaster 1:3 (1 Cement : 3 Coarse Sand) finished with a floating coat of neat Cement	48.53	SQ.M.	138.00	Rs. One hundred thirty eight only.
			6 mm Cement Plaster to Ceiling of mix -				
34		13.24.2	cement plaster 1:4 (1 Cement : 4 Coarse Sand)	448.01	SQ.M.	_77.40	Rs.seventy seven and paise forty only.
35		13.26	Neat Cement Punning	330.08	SQ.M	27.90	Rs. Twenty seven and paise ninety only.
6		13.70.	White washing with lime to give an even shade				Rs. Eleven and paise
		13.70.1	New work (three or more coats)	1560.61	SQ.M	11.70	seventy only.
37		13.78	Applying one coat of cement primer of approved brand and manufacturer on wall surface.				
		13.78.1	cement primer on outer wall surface	/30.49	SQ.M	24.90	Rs. Twenty four and paise ninety only.
38		13.79	Finishing walls with water proofing cement paint of approved brand and manufacture and of required shade to give an even shade				Do Sinta and raise fifty
		13.79.1	New work (three or more coats)	730.49	SQ.M	60.50	Rs. Sixty and paise fifty only.
 39		13.93	Painting with Synthetic ename paints of approved brand and manufacture of required color to give an even shade.				
		13.93.1	Two or more coats on new work			5	73-2016
		41-115	v Sni C		1	Chief Const that State Edu Sevelopment C	dtant (Technical) cational Intrastructure terporation Ltd., Paina
						yar.	

7000			Paiting over Steel surface	283.83	SQ.M	50.90	Rs. Fifty and paise ninety only.
J			23.0 Pile Work				
him have been have been him	40.1	23.2.5 BSR-13	Making 25 cm (10") dia bore up to 4 Mtr Depth below ground with hand auger of approved quality in ordinary soil (Vide classification of soil item A) true to plumb and without eccentricity in any stage of operation and disposal of gthe excavated earth up to 50 mtr. lead in eluiding all lifts. all complete as per approved disign and directions of E/I	346.50	Metre	80.40	Rs. Eighty and paise forty only.
	40.2	23.2.6 BSR-13	63 cm (25) UNDER REAM making 63 cm (25) dia under ream at required with hand auger of approved quality in ordinary soil (Vide classification of soil item-A) true to plumb and without iccentric city in may stage of operation and disposal of the excavated earth up to 50 mts. lead in eluding all lifts. All complete as per approved design and direction of (E/I)	172.00	Each	85.70	Rs. Eighty five and paise sevnety only.
		17.1.1	Providing and fixining water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast iron P or S tap, 10 litre low white P.V.C. Flushing cistern with munally controlled device (handle level) conforming to IS:7231 Parryware/ Hindware with all fittings and fixtures complete including cutting and making good the walls and floors wherever required.				
/Alley /Alley			White Vitreous China Orissa pattern W C pan of size 580 X 440 mm with integral type foot rest.	8.00	Each	3035.40	Rs. Three thousand thirty five and paise forty only.
2	100	18.49	Providing and fixing C.P. brass bib cock of approved qualityconforming to IS:8931				Rs. Four hundred ninety
à	ı		15 mm nominal bore.	8.00	Each	497.00	seven only.

41-11 or 3n1

Chief Consultant (Technical)

)							
43		17.7.1	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps,32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:				
The second second			White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps.	4.00	ЕАСН	2120.30	Rs. Two thousand one hundred twenty and paise thirty only.
	44.1	17.28	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.				
1	,	17.28.2.1	Flexible pipe 32 mm dia	4.00	EACH	78.60	Rs. Seventy eight and paise sixty only.
	44.2	17.28.2.2	40 mm dia	1.00	EACH	81.10	Rs. Eighty one and paise ten only.
		17.11	Providing and fixing white vitreous china laboratory sink with C.I. brackets, C.P. brass chain with rubber plug 40mm C.P brass waste and including painting of fittings and brackets, cutting and making good the wall wherever required:				
)		17.11.2	Size 600x450x200mm	1.00	EACH	3046.00	Rs. Three thousand forty six only.
46		18.52	Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS:8931.				
, , , , , , , , , , , , , , , , , , ,		18.52.1	15 mm nominal bore.	5.00	EACH	670.70	Rs. Six hundred seventy and paise seventy only.
7		2.38A.2	Providing & fixing stailess steel jali (grating) with or without hole for waste pipe for floor / nahani trap.				Rs. Twenty three and
)			100 mm dia. Weight not less than 100 gms.	2.00	EACH	23.37	paise thirty seven only.
3 8		12.78 BSR	Providing and fixing on wall face unplastidsed PVC (working pressure 4 kgf per sqm) rain water pipes conforming to IS: 4985 including jointing with seal ring conforming to IS: 5382 leaving 10 mm gap for thermal expansion.	76.21	MTS	214.20	Rs. Two hundred forteen and paise twenty only.
		12.78.2	110 mm diameter Provinding and fixing PVC pipe				
		12.79	fittings with all accessories		1		2018

H-11 or 3mC

49	49.1	12.79.5.2	1) 110mm Plain bend PVC	16.00	Each	173.70	Rs. One hundred seventy three and paise seventy only.
	49.2	12.79.3.2	3) 110mm door tee PVC	12.00	EACH	315.90	Rs. Three hundred fifteen and paise ninety only.
		19.7.1.1	Contructing brick masonry chamber for Underground C.I. Inspection Chamber and bend with 75 class designation bricks in cement mortar 1:4(1 cement: 4 coarse sand)C.I Cover with frame (light duty) 455x610 mm internal dimentions, total weight of cover with frame to be not less than 38 kg.(weight of cover 23 kg. and weight of frame 15 kg) RCC top slab with 1:1.5:3 mix (1 cement:1.5 coarse sand :3 graded stone aggregate 20 mm mm nominal size) foundation concrete 1:5:10 mix (1 cement:5 coarse sand :10 graded stone aggregate 40 mmnominal size), inside plastering 12 mm th. with cenment mortar 1:3 (1 cement :3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design				Do Six thousand six
Total Comp			inside dimensions 455x610mm and 45 mm deep for single pipe with F.P.S. bricks	6.00	EACH	6641.80	Rs. Six thousand six hundred forty one and paise eighty only.
		18.8	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including allCPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one stepCPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I				
			Concealed work including cutting chases and making good the wall etc.				Rs. Two hundred forty
	51.1	a)18.8.1	15mm dia	35.00	MTS	241.00	one only.
Ļ			Exposed on wall	_	1		100 201h

His Son

, man							24
	51.2	c) 18.9.5	40mm dia	75.00	MTS	344.00	Rs. Three hundred forty four only.
52	52.3	MR	Labour cost for preparation of BIHAR MAP on wall incuding painting all complete.	1.00	Each	15150.00	Rs. Fifteen thousand one hundred fifty only.
		18.48	Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI: 12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank	1000.00	LTS	6.80	Rs. Six and paise eighty only.
getitas. guilitas			Providing and fixing of Borewell, Handpump with Submerssible pump all complete.				·
	C4.1		Construction of 125 mm x 40mm dia x 75.00 mtr. Deep I.M III hand Tube Well Part 'A' Cost of Materials India mark III hand pump with 8 nos. Connection Rod and one cylender (1.00	Each	8635.50	Rs. Eight thousnad six hundred thirty five and paise fifty only.
A CONTRACTOR OF THE PARTY OF TH	54.1		With provision of force and uplift) 65 mm dia G.I. pipe medium quality	8.00	Each	1072.62	Rs. One thousand sevnety two and paise
	54.3		(3mtrs length each). 125 mm dia UPVC casing pipe conforming to ISS	27.00	mtr	318.15	Rs. Three hundred eighteen and paise fifteen only.
	54.4		40 mm dia length quantity G.I pipe conforming to ISS	44.00	mtr	187.86	Rs. One hundred eighty seven and paise eighty six only.
	54.5		40 mm dia x 2 long PVC RIBEED strainer of approved quality	2.00	nos.	183.82	Rs. One hundred eighty three and paise eighty two only.
	54.6		125 mm x 40 mm UPVC reducing socket (Heavy quality)	1	Each	166.65	Rs. One hundred sixty six and paise sixty five
		4110	or 301				000000

Chief Consultant (Technical) Bihar State Educational Infrastructure Development Corporation Ltd., Patna

Zya.

	Part - 'B' Labour Cost (Classification of soil item 'A') Boring by jet dheki by suitable cutter of reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge. (i) 0 to 30.5 m	27	mtr	210.86	Rs. Two hundred ten and paise eighty six only.
54.7	(a) For 125 mm dia U.PV.C pipe (b) for 40 mm dia G.I pipe	3.5	mtr	105.46	Rs. One hundred five an paise forty six only.
	(ii) 30.5 m to 61.0 m (a) For 40 mm dia G.I Pipe	30.5	mtr	121.28	Rs. One hundred twenty one and paise twenty eight only.
54.10	(iii) 61.00 m to 75.00 m a) For 40mm dia G.I pipe	14	mtr	131.84	Rs. One hundred thirty one and paise eighty for only.
54.11	Providing all labour & tools and fitting & fixing India mark III hand pump over newely sunk for T/Well etc. all Complete	1	Each	67.38	Rs. Sixty seven and pai thirty eight only.
54.12	Supplying all labour and material and fitting and fixing G.I Cap over the new sink T/well	1	Each	65.65	Rs. Sixty five and pais sixty five only.
54.13	Providing all labour & tools and fitting & fixing Cylender with requisite suspension pipe and connection rod of India mark III hand pump etc. all complete.	1	Each	129.93	Rs. One hundred twen nine and paise ninety three only.
54.14	Providing all labour & tools and lowering 65 mm dia G.I pipe as per specificatin etc. all Complete	24	p/m	21.55	Rs. Twenty one and pa
54.15	Supplying labour and developing the T/Well to have sand free discharge all complete as per direction of E/I	1	Each	283.31	Rs. Two hundred eighthree and paise thirty only.
54.16	Providing all materials and labour and construction 1.85 dia circular P.C.C (1:2:4) UNICEF design platform with foot rest etc. all complete	1	Each	3679.43	Rs. Three thousand s hundred seventy nine a paise forty three only

nois 3nit

	54.17		Providing all material and labour & constructing 1 P.C.C (1:2:4) UNICEF design drain for disposal of waste water etc. all complete.	3	P/M	311.08	Rs. Three hundred eleven and paise eight, only.
Contract Con	54.18		Transportation of T/W materials, tools & plant from Store to work site and back to store if materials are surplus.	1	Each	361.28	Rs. Three hundred sixty one and paise twenty eight only.
			Part 'C' Cost for Additional Motorised system for filling overhead water-tank			.21.26	Rs. One hundred eighty
	54.19		Providing and fixing of G.I pipes complete with G.I fittings and clamps, including, cutting and making good the walls etc. (internal work) 25mm dia	12	P/M	184.36	four and paise thirty six only.
frame frame	54.20		Providing and fixing brass valve 25 mm nominal bore Fullway valve,	2	Each	213.06	Rs. Two hundred thirteen and paise six only.
, policina,	54.21		25 mm nominal bore Non-Return valve	1	Each	236.90	Rs. Two hundred thirty six and paise ninety only.
	54.22		Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of E/I	1	Each	26462.00	Rs. Twenty six thousand four hundred sixty two only.
55		1.1	Internal Electrification Work Wiring for light point/fan point/exhaust fan point/ call bell poiont with 1.5 sq. mm FR PVC insulated copper conductor single core cable in surface/recessed PVC conduit, with piano type switch, phenolic laminated sheet, suitbale size PVC/ G.I box etc. as required.	153	Each	969.60	Rs. Nine hundred sixty nine and paise sixty only.
56		1.1.3	Group C Wiring for twin control light point with 1.5 sq. mm FR PVC insulatd copper condctor single core cable in surface/recessed PVC conduit, with 2way piano type switch, phinollic laminated sheet, suitable size PVC/GI box etc. as required.	2	Each	. 793.64	Rs. Seven hundred ninety three and paise sixty four only.

Hair gnit

						= /1
· · · · · · · · · · · · · · · · · · ·	1.5	Wiring for light/ power plug with 2x4 sq. mm. FR PVC insulated, copper conductor, signle core, cable in and surface, recessed PVC conduit along with 1 no. 4 sq. mm FR PVC insulated copper conductor single core cable for loop earthing as required.	440	mtr .	235.33	Rs. Two hundred thirty five and paise thirty three only.
	1.7	Wiring for circuit/ sub main wiring along with earth wire with the following size of PVC insulated, coppper conductor, signle core cable in surface/ recessed PVC conduit as required. 2x2.5 sq. mm + 1x2.5 sq. mm earth wire.	335	Rmt	202.00	Rs. Two hundred two only.
	1.7.9	4x6 sq. mm + 1x6 sq. mm earth wire.	25	Rmt	514.09	Rs. Five hundred forteen and paise nine only.
	1.33	Supplying and fixing 2 pin 5 amp. Ceiling rose on the existing junction box/ PVC box including connection etc as required.	40	Each	43.43	Rs. Forty three and paise forty three only.
	1.34	Supplying and fixing battan/ angle holder including connection as required.	92	Each	74.74	Rs. Seventy four and paise forty four only.
	1.23	Supplying and fixing following piano typed switch/ socket on existing switch box/ cover including connection etc. as required.	153	Each	52.52	Rs. Fifty two and paise fifty two only.
	1.23.6	Telephone socket on shutter outlet				
	1.22	Supplying and fixing metal box of following size (normal size) on surface or in recess with suitable size or phinollic laminated sheet cover in front of including painting etc. as	6	Each	89.89	Rs. Eighty nine and paise eighty nine only.
	1.22.1	75mm X 75mm X 50mm deep (4" x 4")		~		
	1.30.	Supplying and fixing suitable G.I/PVC box on surface or in recess with phenolic laminated sheet cover in front including provided and fixing 6 pin, 15/16 amps socket outlet and 15/16 amps piano type switch connection, painting etc, as required.	46	Each	278.76	Rs. Two hundred seventy eight and paise seventy six only.

Himan 3ni C

	/					28
\bigcirc		DISTRIBUTION BOARD				
<u>)</u>	2.9	Supplying and fixing of following way of three pole and neutral sheet steel, MCB distribution board 415 Volts, on surface/ recess, tinned, copper bus bar, neutral link, earth bar, din bar, detachable gland plate, interconnections, phosphatized and power painted including earthing etc. as required (but without MCB/RCCB/ isolator) 6 way (4+18) double door	2	Each	10306.04	Rs. Ten thousand three hundred six and paise four only.
		Supplying and fixing 5 amps. to 32 amps, rating, 240 volts, 'C' series, MCB of following poles in the existing MCB DB with connections, testing and commissioning etc. as	35	Each	118.17	Rs. One hundred eighteen and paise seventeen only.
	1706 · 1710	6/32 single pole 6/32 TPN	1	Each	742.35	Rs. Seven hundred forty two and paise thirty five only.
	9.4 9.4.29	LT Panel & Cable Supplying and laying following size and core PVC/ XLPE insulated PVC sheathed heavy duty armoured electrical cable with alluminium conductor for working voltage upto & including 1100 Volts. (Conforms to IS: 1554 part-1) 16 sq.mm X 4 core alluminium armoured cable	100	mtr	1232.20	Rs. One thousand two hundred thirty two and paise twenty only.
		Trench cutting in soil of suitable size 1.5 feet wide and 2 feet depth including refilling the trench with same etc. as required. (For laying the cable)	100	Rmt	22.22	Rs. Twenty two and paise twenty two only.
	2.1.3	Providing and fixing following capacity double pole/ TP & N sheet metal switch disconnector fuse unit in existing metal board, with ISI marked HRC fuses, including drilling holes in metal board, making connections, etc. as required. 100 amps. TP & N, HRC	1	Each	4569.24	Rs. Four thousand five hundred sixty nine and paise twenty four only.
		EARTHING				
	21-1	158nic	'	1	Chief Cons	Altani (Tookming)

//	<i>l</i> :									
		5.12	Providing and laying earth conection from earth electrod with 6 SWG dia GI wire in 15 mm dia GI pipe from earth electrod, as required.	3	Each	152.51	Rs. One hundred fifty two and paise fifty one only.			
72		5.6	E arthing with copper earth plate 600mmx600mmx3mm thick including accessoies, and providing masonary enclosure with cover plate having locking arrangement and watering pipe etc as required	1	Set	9384.92	Rs. Nine thousand three hundred eighty four and paise ninety two only.			
		MISCEL	LANEOUS WORK							
			CARRAIGE OF MATERIALS							
	73.1		A) LOCAL SAND	177.47	CU.M	205.29	Rs. Two hundred five and paise twenty nine only.			
, Assert	73.2		B) COARSE SAND	214.48	CU.M	415.70	Rs. Four hundred fifteen and paise sevnety only.			
73	73.3		C) STONE CHIPS	194.85	CU.M	1311.32	Rs. One thousand three hundred eleven and paise thirty two only.			
	73.4		D) BRICKS	93.33	THOUSA ND	601.67	Rs. Six hundred one and paise sixty seven only.			
	73.5		E) Cement	2409.00	Bags	14.49	Rs. Forteen and paise forty nine only.			
	73.6		F) Steel	14.85	М.Т.	289.87	Rs. Two hundred eighty nine and paise eighty seven only.			
- TA	46.44		Add extra cost of material for Munger Commissionary w.r.t Gaya as per SOR, BCD	93.33	THOUSA ND	333.36	Rs. Three hundred thirty three and paise thirty six			
74	74.1		Bricks			233.30	ony.			
	74.2		Cement	2409.00	Bags	36.65	Rs. Thirty six and paise sixty five only.			
	TOTAL Cost = Rs. 5,985,14									
Group No.: USS-133(E)										

S.N	District	Block	Name of School	
1	LAKHISARAI	Suryagarha	U.M.S. Lahasaurwa	5,985,145.14
Rs	5,985,145.14			
Say	5,985,145.00			

Tender approved in favour of Ibha Devi. @ 7.77% (Seven Point Seven Seven Percent) below BOQ rates i.e. total amount comes to Rs. 55,20,099=00 (Rupees Fifty Five lacs twetny thousand Ninety Nine Only)

みずかるかし

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना—800004, दूरभाष—0612—2910314 कॉर्पोरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseldc@gmail.com, website; www.bseldc.in, Fax No.: 0612-2660256,

पत्रांक:- BSEIDC/FIN/2272/2015-16/- 116 द्व

पटना, दिनांक...... प्रटना, दिनांक...... प्रथा

प्रेषक,

ब्रजेश प्रसाद मुख्य अभियंता

सेवा में,

Ibha Devi

Kamleshwar Sthan,

Ward No.-11, Mokama, Patna

विषय:— बिहार राज्य के अन्तर्गत (निविदा आमंत्रण सूचना संo-14/2015-16) ''उत्क्रमित माध्यमिक विद्यालय (ग्रुप संo: USS-133 E)'' का भवन निर्माण कार्य हेतु जमानत की राशि जमा कर एकरारनामा करने के संबंध में।

महाशय,

उपर्युक्त विषयक कार्य की निविदा में आपके द्वारा निविदित कुल राशि **रू० 55,20,099** / — (पचपन लाख बीस हजार निनानवें रूपये) मात्र आपके पक्ष में स्वीकृत किया गया है।

अतः निदेश दिया जाता है कि उक्त कार्य के एकरारनामा हेतु रू० 2,56,000/— (दो लाख छप्पन हजार रूपये) मात्र का सावधि पासबुक/राष्ट्रीय बचत प्रमाण पत्र के रूप में Managing Director, BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. के नाम से प्रतिज्ञिप्त (Pledged) हो अथवा एकाउंट पेयी डिमांड झाफ्ट/फिक्सड डिपोजिट रसीद/बेंक गारंटी, जो राष्ट्रीयकृत बेंक/अनुसूचित बेंक द्वारा निर्गत एवं BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. के पक्ष में पटना में भुगतेय हो, जमा कर एकरारनामा कर लें।

मुख्य अभियंता 🙌

ज्ञापांक : BSEIDC / FIN / 2272 / 2015-16 / 11630

पटना, दिनांक..... रिकार

प्रतिलिपि : वरीय लेखा पदाधिकारी, BSEIDC को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित।

nois 3nic

मुख्य अभियंता ₩

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

Eya.

Sc

SPECIAL CONDITIONS

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes royalties and other

incidental charges.

4. To qualify for award of work, the Bidder must possess the following:-

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of signatory bid.

b) DD for required value of B.O.Q. Cost.

c) Sufficient Earnest Money Deposit.

d) Certificate from Charted Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.

e) Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed atleast one Building work of value not less than 25 % of estimated value of contract) in last five years and current Financial year will also be considered as mentioned in Technical bid.

f) Litigation History as mentioned in Technical bid.

g) Affidavit as mentioned in Technical bid.

h) Valid Registration with Central/ State Govt. / PSU.i) Valid labour license as mentioned in Technical bid.

j) Affidavit/Certificate for not been debarred as mentioned in Technical bid.

5. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.

6. The tender without earnest money or insufficient earnest money submitted with the

tender, will be outright rejected.

7. Conditional tenders shall be outright rejected.

8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.

9. Authority shall reserve the right to reject any or all the tenders or distribute the work to

more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained.

11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules prevalent in the locality.

12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the

contractor.

- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-
- a. Natural calamities
- b. Act of enemies.

(Seal & Signature of Tenderer)

かかか るかし

Group No.: USS-133E

- c. Transport and procurement difficulties.
- d. Circumstances beyond the control of the state.
- 15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- 16. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
- 17. The contractor shall make his own arrangement for water and light at the work site.
- 18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 20. The Tenderer must not quote their rate more than 15 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
- 21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 22. If any departmental materials will be supplied to the contractor the cost for carriage etc. will be borne by the contractor.
- 23. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.

____X-_----X

24. The Defect liability Period shall be One (1) Year from the date of completion of the work.

(Seal & Signature of Tenderer)

mainsnit

Page 2 of 2

Chief Consultant (Technical)

Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

ya.