Schedule XLV-Form No. 61 Resource Centre at Jandaha, Vaishali (SL No. - 180)

BIHAR PUDLIC WORKS DEPARTMENT

Agency - [Form No. F-2] Ranjan Gayahn ITEM RATE TENDER AND CONTRACT FOR WORKS

Date of Commencement - 22-05-2017

1. All works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer.

This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours.

- 2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so.
- 3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm.
- 4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender.

5. The amount of earnest money to be deposited will be : -	`;·	Rs.	
If the amount of the estimate does not exceed Rs. 2,000			50
If the amount of the estimate exceeds Rs. 2,000 but does			
not exceed Rs. 5,000			100
If the amount of the estimate exceeds Rs. 5,000 but does			/
not exceed Rs. 10,000			200
For each additional Rs. 5,000 or portion of Rs. 5.000			•
additional earnest money			100

6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompanied by the treasury chalian for the required earnest money will be liable to rejection. No single tender shall include more than one work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the envelop. Cash deposits for earnests money here in before mentioned shall be made in Government Treasures and the challan there of should be enclosed with the tender.

- 7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.
 - 8. The Engineer shall have the right of rejecting all or any of the tenders.
- 9. In the event of a tender being selected for acceptance the Engineer who opened the tenders will, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the priscribed time. The tender with the specification and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to the tenderer.

- 10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.
- 11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required amount of the security money has been deposited the Engineer shall scrutinise all pages of the form of item rate, tender contract for works to see that the form has been properly filled up and signed by the contractor & the signature witnessed He shall then if he is competent, to accept the tender, sign the contract of the tender, or, if he is not so competent shall send the form for signature of the acceptance of the officer competent to accept it.

(3)

TENDER FOR WORKS	TE	NID	ER	FOR	WOF	RKS
------------------	----	-----	----	-----	-----	-----

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

	condition	ons so far as applicable.
		MEMORANDUM
(a) If several sub-work are cluded they should be detained in a separate list.	[a]	Name of work
0	[b]	Estimated cost
(b) This deposit will be 5% the estimated cost of the Work.	[c]	Earnest money
(c) This percentage deduction from bills will be credited to the contractors	[d]	Initial security deposits (including earnest money) to be deposited befor the commencement of the work
necurity deposit.	[e]	Percentage to be deducted from bills Rs. 5% (Rupees five percent)
କ୍ରି	[f] _.	Time required for the work from date of written order to commence
0	[9]	Date of written other to commence
<u></u>	[h]	Total number of item of work tendered for

			RATE TE	NDERED	
Ó	Item No.	Item of work	In figures	In words	Per
io)	Action of the second of the se				
21)					
. 0					
			•	New Control of the Co	,
0					
	•	y			
()					
-0	• •			V	
2)					
æ,		ROLLOU KY			270.510
(**))		22/5/17 Birector		Chief E B.S.E.I.D.C.	gineer Ltd, Patna
'el				112	

(4)

Item No.		Item of work			RATE TE	ENDERED		
itemito.		item of work		1	n figures	In word	ls	Per
						·		
							• • •	
			-					
						1		
				1				
I								
		•						
			8 - 1					
							İ	
	* ;							
`:								
a'								
		A. A. C.						
							ľ	
			· · · · · · · · · · · · · · · · · · ·					
							100	
	*							
			•					
		•	45					
			,					
	•						Medical	
				·			•	
				ŀ			. mineritation	
		•						
		• .						
							Millermouson	
						* + + ;	To the same of the	
	•						·	14
E ~	•		· · · · · · · · · · · · · · · · · · ·		1			

- () -		V - Form No. 61	RATE TE	NDERED	
0	Item No.	Item of work	In figures	In words	Per
0					
.0	- 4		man at the state of the state o		
()					
()					
10				THE REAL PROPERTY OF THE PROPE	
9					TANAN STEERING STEERI
6				· ·	And the state of t
0			AND THE PROPERTY OF THE PROPER	AND THE PROPERTY OF THE PROPER	THE REAL PROPERTY OF THE PROPE
an					THE STATE OF THE S
4.0			China		
h)					a year
10					
0.					Polytoch Charles
(fh)					Secretaria de Caración de Cara
ود					
					SALT MANAGEMENT OF THE
0	4				
sio	,				
(a)					
					Party communities
0					100
0.					and the second s
					To the second se
					THE PROPERTY OF THE PROPERTY O
()					
್ರ				New Constitution of the Co	Assertion Assertion
m				Rational Colomor Property Colomor Proper	
				essentiament mode.	
k,					
ne					
			CT-VI		

Item No.	Item of work	RATE TE	NDERED	
TCTTTYO.	ttern of work	In figures	In words	Per
		And the second s		
		Company of the Compan		
0				

4 (7)

Ochedule XLV - Form No. 61

		RATE TE	NDERED	grantement of the Color of Chicago Property Color of the Chicago Property
Item No.	Item of work	In figures	In words	Per
		-	Tale	
			salah parah managa	•
0				
8				
· 6				
(i) (iii)			and the state of t	
				•
b				
0				
(3)				
		*		
3		,		
- (Ca)				
` `!!0 '				
(A)				
ان				
				estados de la composição br>La composição de la composição d
			9	
3)			Manager year	
			And the Constitution of th	
D		and the second	CT-AZZETERMONEÇÃ	
k		The state of the s	Accordance to the second secon	
المراجعة المحادة				
()				The state of the s
	A The Control of the Section of the Section (Section 2)			

		Radio are response		
	E13177			
	PER STANFORM			
	is demonstration and the second and			
	- Constitution			andina and se Vi
	Til democratis de la constanta			
	Plantered			
	Name of the state			
	- Carlon			* · · · · · · · · · · · · · · · · · · ·
	Same de la constant d			. .
	A STATE OF THE STA	no proposition of the contract		
. 8				* * * * * * * * * * * * * * * * * * * *
	Construction of the Constr			
	and the second s			
	¥			
	400 DE 100 DE 10			
STATE OF THE PARTY				
Mary LL Agrants				
St. Carlotte Control C				
		ezurozania.		and the state of t
n 9 4	In words	TE TE TE In figures) Item of work	oN məti

ű'n.

(h)

re

śio

inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10:- The contractor shall executive the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid.

Clause 11: - Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a disputes the decision of the superintending Engineer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period.

Clause 12:- If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out, the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsoever on account of any profit or advantage, which he might have derived from the execution of the work in full, but which he did not derive in consequence of the full amount of the work near in or restriction of not having been carried out neither shall he have any claim for compensation by reasond, werk to be carried out. of any alternation having been made in the original specification, designs and instruction which shall involve any installment of the work as on the live ontemplated clause 12 (a) As contained in G.O.1929 dated 11.9.56.

Work to be executed accordance with specification drawing other etc.

Alteration in specifications and designation.

Do not in validate contract

Time in consequence of alteration

Rate for work no in estimate or schedule of rates of the district.

Compensation for alter-

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such failure is due to:-

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as finally by the contractor.

Activities a compensation gas, note in case of work

Clause 13 :- If it shall appear to the Engineer-in-charge or his subordinate incharge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall on demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-incharge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be, at the risk and expense in all respects of the contractcor.

Work to be taken to inspection

Clause 14:-All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineer-in-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be present.

Clause 15: The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which the same was effected.

Notice to be taken before work covered up Clause 16:- If the contractor or his work-people, or servants shall break, deface injure or destroy any part of a building in which they may be working or any building, road, road curves, fence enclosure water pipes, cables, drains, electric or telephone posts or wires, trees, grass or grassland or cultivated ground contiguous on which the work or any part of it is being executed or if any darriage shall happen to the write in progress from any cause whatsoever or any imperfection become apparent in if within three months (six months in progress of a road-work) after a certificate final or other of its completion shall have been given by the Engineer-in-charge

as a fore seal, the contractor shall make the same good at his own expense, or in default, the Engineer-in-charge may cause the same to be made be good by other. worksmen and deduct the expense of which time thereafter may become due to the contractor, or from his security deposit, or the proceed of sale there of, or of a sufficient and after certificate portion there of the security deposit at the contractor shall not be refunded before the expiry of three months (six months in the case of a road-work) after the issue of the certificate final or otherwise of completion of work provided that in the case of a road work if in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable after three months of the issue of the said certificate of completion

Contractor liable for damage done and for imperfection a months

Clause 17:- The contractor shall supply at his own cost all materials (except such special materials) if any as may in accordance with the contract be supplied from the Engineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, tackle scaffolding and temporary works requisits or proper for the proper execution of the work whether original, altered or substituted and whether include in the specification or Other documents forming part of the contract or referred to in these conditions or not or which may be necessary for purpose of satisfying or complying with the requirement of (a) the Engineer-in-charge as to any matter as to which under these conditions he is entitled to be satisfied which he is entitled to require together with carriage therefore to and form the work. The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting, weighing and assisting in the measurement or examination at any time and form time to time of the work or materials failing his so doing the same may be Provided by the his Engineer-in-charge at the expense of the contractor and the expenses may be deducted from any money due to the contractor under the contract from his security deposit or the he proceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide all necessary fencing and lights required to protect the public from accident, and shall be bound to bear to expenses of defence of every suit action or other proceeding at law that may be brought by any person for injury sustained owing to neglect of the above precautions and to any such person or which may with the consent of the contractor be paid to compromise any claim by any such person.

Contractor to supply to plantladder scaffolding

And is liable for damage arising for non-provision of light fencing etc.

Clause 18:- No female labour shall be employed within the limits of contonment. The contractor shall not employ for the purpose of his contract any person who is below the age of twelve years and shall pay to each labour for the work done by such labourer wages not less than the wages paid for similar work in the neighbourhood.

Work not to be subject

Contract may be resinded

and security deposit for-

felted for subletting bribes or if contractor become

io The executive Engineer shall have the right to enquire into the case and decide any complaint alleging that the wages paid by the contractor to any labourer for the work done by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer employed by contractor is below the age of twelve years and to refuse to allow any labourer whom he decided to be below the age of twelve years to be employed by the contractor.

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his contract, or attempt so to do, or become insolvent proceedings to make any composition with his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward or advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, or offered by the contractor, or any of his servant or agents to any public officer or person in the employ of Government in any way relating to his officer or employment or if any such officer or person shall become in any way directly or indirectly interested in the contract the Executive Engineer may there upon by notice in writing rescind the contract The security deposit of the contractor shall there upon stand forfeited and be absolutely k) at the disposato Covernment and the same consequence shall ensure as it in contract neer had been registed under quase 3 here of, in addition the contractor small not be entitled to. Patna

ne to recover or be paid to any work therefore actually performed the wider the contract.

Sch

at

of

such payable by way of compensation to be considered reasonable compensation without reference to actual loss Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained.

Clause 21:- In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this information.

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal of Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer

Clause 22:- All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23 :- In case any dispute or difference shall arise between the parties or either of there upon any question relating to the meaning of the specifications, designs, drawings and instructions here before mentioned or as to the quality of workmanship or materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, or any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions or otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof or as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

(a) Clause 24: When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items or work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-in-charge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineer-in-charge shall be final and conclusive against the contractor with regard to any sum payable to him under the provision of this clause.

Action where r specification.

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Definition of works

Clause 26: The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to such construction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered, substituted or additional.

Clause 27:- The terms and conditions of the agreement have been read/explained to me and certify R.G. CONC Tolearly understand them.

Witness.

Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied

	Particulars	Rates at w will be c	hich the material charged to the ontractor		Place of delivery
		Unit	Rs.	Ρ.	
			,	1.0	
(-6)					
			٠.		
- 7					
7		•			
(d)					
\ ر					
· i-i)					
				, .	
nn)				ŀ	
his					
ne/					
9					
	·		1 · · · · · · · · · · · · · · · · · · ·		
៣៩					
المختف					
thin					
1)					
sio)					
(la					
7					
		No.	The second secon		
<i>.</i> , <i>t</i> .		Constitution of the Consti	- Anna Anna Anna Anna Anna Anna Anna Ann		
.,			appropriate control		ACTION AND ADMINISTRATION ADMINISTRATION AND ADMINISTRATION AND ADMINISTRATION AND ADMINI
)		,			
•			- Carlotte Control Con		1
J		T,()			
ر			A. Triplandaria		
, 3 }					
D.					

Note:-The person or firm submitting the tender should see that the rates in the above schedules are filled up by the Engineer in charge on the issue of the form prior to the submission of the tender.

Rougeur,

Director

Chief Engineer ASBrature (CExecutive Angeneer)

(Signature of Contrator)

/m)

k,)

ne

Bihar State Educational Infrastructure Development Corporation Ltd.

AGREEMENT for Construction of Block Resource Centre at Jandaha, Vaishali

TENDER FOR WORKS

I/we heredy tender for the execution for the Governor of Bihr of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of witten order to commence and in accodance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subjects to the annexed condation of contract and with such materaials as are provided for by and in other respects in accordance with. such conditions so far as applicable.

MEMORANDUM

- (a) If several sub-work are incuded they should be detained in the separate list
- (A) Name of Work: Construction of Block Resource Centre at Jandaha, Vaishali (Sl. No-180)
- (B) Estimated Cost :- Rs. 74,82,761=00 Agreement value :- Rs. 67,34,485=00
- (b) This deposit will be 5% of the estimated cost of the work.
- (C)Earnest Money:-
- (c)This percentage deduction from bills will be credited to the contractors security deposits
- (D) Initial security deposits (including earnest money) to be deposited before the Commencement of the work-

Earnest Money: - Rs. 3,40,000/- (Details attached)

- (E) Percentage to be deducted from bill Rs. 5% (Rupees five percent)
- (F) Time required for the work from date of written order to commence FIFTEEN MONTHS
- (G) Date of written order to commence :-
- (H) Total number of item of work tendered for :- 116

R.G. CONSTRUCTION PVT. LTD.

Director

Chief Engineer B.S.E.I.D.C. Ltd, Patna

22/5

BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. SHIKSHA BHAWAN, SAIDPUR, PATNA. B.O.Q. FOR BLOCK RESOURCE CENTRE IN BIHAR THE ITEM RATE BASED ON S.O.R BCD BIHAR, DATE - 15-09-2014, & D.S.R (ELECTRICAL) 2014 SL. **BLOCK** DISTRICT NAME OF INSTITUTE No. Jandaha Vaishali BLOCK RESOURCE CENTRE 1 **CIVIL WORKS** Amount Rate SI. SOR Unit Item of Work Qty. (Rs.) (Rs.) Item No. No. 5 6 7 4 3 2 1 PILE WORKS Boring, providing and installing bored cast-20.2 in-situ reinforced cement concrete piles of grade M-25 of specified diameter and length below the pile cap, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring, with bentonite solution and temporary casing of appropriate length for setting out and removal of same and the length of the pile to be embedded in the pile cap etc. all complete, including removal of excavated earth with all lifts and leads (Length of pile for payment shall be measured upto bottom of pile cap). Rs. One thousand three 300 mm dia Piles hundred nine and paise 20.2.1 1309.30 thirty only. 0.000 meter 400 mm dia Piles Rs. One thousand five hundred twenty three and 20.2.2 1523.20 paise twenty only. 0.000 meter Rs. One thousand nine 450 mm dia Piles hundred seventy eight 20.2.3 1978.80 and paise eighty only. 0.000 meter Rs. Two thousand three 500 mm dia Piles hundred six and paise 20.2.4 2306.60 sixty only. 0.000 meter Rs. Two thousand nine 600 mm dia Piles 20.2.5 hundred ninety six and 2996.10 paise ten only. 0.000 meter

R.G. CONSTRUCTION PVT. LTD.

FROUTEU KY

Director

Chief Engineer

B.S.E.I.D.C. Ltd., Patna

Liph.

22/5 22/05/13

			. [
	20.2.6	750 mm dia Piles				Rs. Four thousand two
	·					hundred nineteen and
		·	0.000	meter	4219.70	paise seventy only.
			0,000	1		Paris Control of the
2	20.3	Boring, Providing and installing cast in situ				,
		single under reamed piles of specified				
		diameter and length below pile cap in M-25				
		cement concrete, to carry a safe working				
		load not less than specified, excluding the				
		cost of steel reinforcement but including the				
		cost of boring with bentonite solution and				
		the length of the pile to be embedded in pile				
		cap etc. all complete. (Length of pile for				
		payment shall be measured upto to the			,	•
		bottom of pile cap):				
	20.2.1	200 dia Dilan		 		D = O = 4 4 -
	20.3.1	300 mm dia Piles				Rs. One thousand nine
						hundred thirty four and
			0.000	meter	1934.20	paise twenty only.
	20.3.2	400 mm dia Piles			parent.	Rs. Two thousand two
					₹	hundred twenty five and
			0.000	meter	2225.30	paise thirty only.
	20.3.3	450 mm dia Piles				Rs. Two thousand three
		·			K.	hundred ninety seven and
			0.000	meter	2397.50	paise fifty only.
	20.3.4	550 mm dia Piles			J.	Rs. Two thousand six
					a de la companya de	hundred five and paise
		·	0.000	meter	2605.10	ten only.
$\frac{1}{3}$	20.4	Extra over item No. 23.3 for providing			April 1997	, selvente
	20.4	additional bulb in under reamed piles, under			all and a second	Market.
		specified dia meter				
					·	
		(Only the quantity of extra bulbs are to be				
		paid).				·
	20.4.1	300 mm dia Piles				Rs. One thousand two
						hundred forty and paise
			0.000	Each	1240 10	ten only.
	20.4.2	400 mm dia Piles	0.000	Dacii	1270.10	Rs. One thousand three
	20.4.2	Too min dia rites			والمستحدث	hundred seventy three
1			0.000	Deed.	1272 00	•
	20 1 2	1450 P. B.I	0.000	Each	13/3.80	and paise eighty only.
	20.4.3	450 mm dia Piles			2	Rs. One thousand four
-					Part .	hundred fifty four and
			0.000	Each	1454.80	paise eighty only.
	20.4.4	500 mm dia Piles				Rs. One thousand five
					Read State	hundred ninety seven and
			0.000	Each	1597.20	paise twenty only.
L	-			•		n / /

R.G. CONSTRUCTION PVT. LTD.

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

244

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

2215

22

		. 12				
CART	HWORK	IN EXCAVATION				
4	2.8.1	Earthwork in excavation in as(exceeding 30cm in depth. 1.5m in width as well es 10sqm on plan) incloding dressing of sides and ramming of bottom, lift upto 1.5 including getting out the excavated soil and disposal of surplus soil as directed within a lead of 50m. All Kind of soil = 286.64 CUM SEPTIC TANK = 31.89 CUM TOTAL QUANTITY = 318.53 CUM	318,530	cum		Rs. Two hundred five and paise twenty only.
5	2.29.1	Surface dressing of the ground including	310.330	00,111		
·		removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5m All kinds of soil. = 136.41 CUM	136.410	100 sqm	718.800	Rs. Seven hundred eightéen and paise eight only.
F A	RTH FILL	ING		<u>'</u>		
6	2.26	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth: consolidating each deposited	188,980	cu.m	66.40	Rs. Sixty six and paise forty only.
SA	ND FILLI	NG				
7	2.28	Supplying and Filling in plinth with local sand and under floors including, watering, ramming consolidating and dressing complete. = 118.79 CUM	119.810	cu.m	192.50	Rs. One hundred ninety two and paise fifty only
ET AT	BRICK S	OLING	,	1		100000000000000000000000000000000000000
rlAl	DVICK 2	OLING	hipping and a second		<u> </u>	
8	11.72	Providing designation 100 A one brick flat soling joints filled with local sand including cost of watering, taxes, royalty all complete as per building specification and direction of E/l, 10 + 2, BUILDING = 291.84 CUM SEPTIC TANK = 13.57 CUM TOTAL QUANTITY = 305.41 CUM				Rs. Two hundred twent seven and paise sixty only.
			305.410	sq.m	227.600	

R.G. CONSTRUCTION PVT. LTD.

Routou Kr Director Chief Engineer
B.S.E.I.D.C. Ltd, Patricular

22/5

21/05/12

			3			
	P.C.C.					
9	4.1.5	Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level 1:3:6 (1cement: 3 coarse sand : 6 graded stone aggregate 20mm nominal size) = 13 CUM		cu.m	2775.70	Rs. Two thousand seven hundred seventy five and paise seventy only.
10		Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level 1:2:4 (1 Cement: 2 coarse sand : 4 graded stone aggregate 40 mm nominal size)10 + 2 , BUILDING = 8.74 CUM SEPTIC TANK = 2.98 CUM TOTAL QUANTITY = 11.72 CUM		cu.m	3219.70	Rs. Three thousand two hundred nineteen and paise seventy only.
11		Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturer) of ist quality conforming to IS: 15622 of approved make in colours such shades except white, Ivory, Grey, Fume Red, Brown, laid on 20 mm thick Cement motar I:4 (1 cement: 4 coarse sand) including pointing the joints with white cement and matching pigment etc., complete. TOILET PORTION = 46.04 SQM			32.7.70	Rs. Eight hundred one and paise eighty only.
W	ALL TILE	S	46.040	sq.m	801.800	

R.G. CONSTRUCTION PVT. LTD.

SROUTEU Ky
Director

Chief Engineer
B.S.E.I.D.C. Ltd., Patry

22/5

Dehouth 22105/12

]4	4		····	
12		Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (Thickness to be specified by the manufacture) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-charge in skirting, risers of steps and dados over 12 mm thick bed of cement Motar 1:3(1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching shade complete. TOILET PORTION = 188.874 SQM	188.874	sq.m	754.200	Rs. Seven hundred fifty four and paise twenty only.
LOOF	RING & SKI	IDTING	100.071	54,111	70 11200	
13	11.26.1	Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime: 1 surkhi: 1 coarse sand) / 1:4 (20 TO 25MM THICK) = 281.852 SQM	281,852	sq.m	968.00	Rs. Nine hundred sixty eight only.
14	11.27	Kota stone slabs 20 mm thick in risers of				
14		steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm		sa m	927.50	Rs. Nine hundred twenty seven and paise fifty only.
15	8.3.2	Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities etc. over item no. 8.2 including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer -in -charge. Granite work		sq.m		Two Hundred Thirty Nine and paise ten only
			0.00	M	239.10	
WOR	K BELOW	PLINTH LVL.				

R.G. CONSTRUCTION PVT. LTD.

Chief Engineer
B.S.E.I.D.C. Ltd, Patna
114
114
114

٠	A.com
	-
	-
	-

				1>			
The form the form the first	16	5.1.1	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing & reinforcement - all work upto plinth level. 1:1:2 (Icement: I coarse sand: graded stone aggregate 20mm nominal size) = 59.183 CUM	59.183	cu.m	5110.70	Rs. Five thousand one hundred ten and paise seventy only.
100 100 100 100 100 100 100 100 100 100	WOR	K ABOVE I	PLINTH LVL.			Company of 2	
Section Section Section Section Section Sections	17	5.2.1	Reinforced cement concrete work in wall (any thickness), including attached plasters, buttresses, plinth and struts etc upto floor five level excluding the cost of centring, shuttering, finishing & reinforcement 1:1:2 (Icement: I coarse sand: 2 graded stone aggregate 20mm nominal size) 10 + 2, BUILDING = 20.51 SQM	,			Rs. Five thousand six hundred sixty six and paise twenty only.
			·	20.510	cu.m	5666.20	
	18	5.1.3	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing and reinforcement-All work puto plinth level. 1:2:4 (1 cement:2 coarse sand:4 graded stone aggregate 20 mm nominal size) SEPTIC TANK = 0.93 CUM			grand the state of	Rs. Three thousand four hundred thirty eight and paise ninety only.
				0.930	cum	3438.90	

R.G. CONSTRUCTION PVT. LTD.

ROUTEU Kr
Director

Chief Engineer B.S.E.I.D.C. Ltd., Patri

B.S.E.I.D.C. Ltd. Patna

22/5

37				16			••
Sept.	19	5.3	Reinforced cement conrete work in				·
		+	beams, suspended floors, roofs having slope				
ANTON .		5.33B.4	upto 15, landings, balconiec, shelves,	1			
3.		+	chajjas, lintels, bands, plain window sills,				
100		5.33B.1	staircases and spiral stair cases upto floor				,
. A.			five level excluding the cost of centring,				
200			shuttering, finishing and				
1			reinforement with 1:2:4(1 cement:2 coarse				
			sand:4 graded stone aggregate 20 mm				Rs. Four thousand five
Action,			nominal size).				
.			Add or deduct for providing richer or leaner				hundred eighty one and paise twenty only.
			mixes respectively at all floor levels.				paise twenty only.
			Providing M-15grade R.C.C instead of M-				
January.			20 grade R.C.C.				
76			Proiding M-25 grade R.C.C. instead of M-				,
Į.			20 grade R.C.C.				
100			= 100.44 CUM				
			·				
700			·				
ŀ				100.440	cu.m	4581.20	
						Silver -	
	Bl	RICK WOR	RK	,			
9							
)	20	6.1.14A	Brick work with bricks of class designation				
-			100A in foundations and plinth in cement				
7			mortar 1:6 (1cement :6 coarse sand)			,	Rs. Three thousand nine
			= 39.878 CUM				hundred ninety two and
Ì			,				paise ninety only.
							aper constitution of the c
1		<u> </u>		39.878	cu.m	3992.90	<i>'</i>
, alian	21	6.1.14A	Brick work with bricks of class designation			Andrew Market Common Co.	
		+	100A in foundations and plinth in : Cement	Marketon Comment		~	
		6.3A	mortar 1:6 (1 cement: 6 coarse sand)				Rs. Four thousand four
			Extra for Brick work in superstructure			1 1	hundred twenty seven
À			above plinth level upto floor V cum				and paise fifty only.
	. [= 160.082 CUM .				and paloe my omy
P				160 000			September 1 mm
ŀ	22	6 10 1 A	11-16 1-2-1	160.082	cu.m	4427.50	
F	22	6.18.4A	Half brick masonry with bricks of class	and the second		A STATE OF THE STA	
		+	designation 100A in foundations and plinth	Ecologica Par		Agr.	
		6.19A	in : Cement mortar 1:4 (1 cement: 4 coarse				
	İ	,	sand)				Rs. Five hundred thirty
			Extra for half Brick masonry in			1	eight and paise thirty
į.			superstructure above pinth level upto floor				only.
			V level.				New Property Control of the Control
		•	= 134.043 SQM	12121			7
L				134.043	Sq.m.	538.30	

R.G. CONSTRUCTION PVT. LTD.

SROW OUT, KV Director

Chief Engineer
B.S.E.I.D.C. Ltd. Patna

When the Start of the Control of the Cont

			17			
23	6,21A	Extra for providing and placing in position 2 Nos, 6 mm dia, MS bars at every third course of half brick masonry (with F. P. S. bricks) = 134.043 SQM				Rs. Seventy five and paise ninety only.
			134.043	Sq.m.	75.90	
24	6.1A + 6.1.12/1	Brick work with bricks of class designation 100A in foundations and plinth in: Cement mortar 1::4 (1 cement: 4 coarse sand)			Seminary	Rs. Four thousand one hundred eighty four only.
		= 8.75 CUM	8.750	cum	4184.00	
PLA	STER WO				- September	
25	13.13.4	20 mm cement plaster of mix; 1:6 (1 cement: 6 coarse sand) = 836.658 SQM	836.658	sq.m	123.50	Rs. One hundred twenty three and paise fifty only.
26	13.13.1 + 13.26	20 mm cement Plaster 1:3 (1 cement: 3 coarse sand) with a floating coat of neat cement & neat cement punning SEPTIC TANK = 16.65 SQM				Rs. One hundred eighty five and paise sixty only.
			16.650	sq.m	185.60	
27	13.11.4	12mm thick Cement plaster of mix 1:6 (1 cement : 6 coarse sand) = 1041.58 SQM	· ·		special and a second	Rs. Eighty nine and paise thirty only.
		,	1041.580	sq.m	89.30)
28	13.17.1 +13.36.1	12 mm cement Plaster 1:3 (1 cement: 3 coarse sand) with a floating coat of neat cement & Extra for providing and mixing water proofing material in	Manager of the state of the sta		Special Control	Rs. One hundred forty
		proportion recommended by the manufacturers: 12 mm cement plaster 1:3(1 cement :3 sand) SEPTIC TANK = 52.82 SQM				five and paise fifty only.
		20.2	52.820	sq.m	145.50)
29	13.24.2	6mm thick Cement plaster of Ceiling mix 1:4 (1 cement : 4 coarse sand) = 388.53 SQM			the second	Rs. Seventy seven and paise forty only.
		~ 200'22 QAIM	388.530	sq.m	77.4	

R.G. CONSTRUCTION PVT. LTD. Director

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

We kehoully
215
22105/11

_				1 -			
No.	30	11.3.1	Cement concrete flooring 1:2:4(1 cement:2				
	.	+	coarse:sand:4 graded stone agregate)				
		11.8	finished with a floating coat of neat cement				
			including cement slurry, etc. but excluding				
			the cost of nosing of steps etc. complete. 40				Do True hand and thinty
			mm thick with 20 mm nominal size stone				Rs. Two hundred thirty two and paise ninety
- 1			aggregate.				only.
ì			Extra for making chequers of approved				Offity.
January 1			pattern on cement concrete floors, steps,				P ^r
Ĭ.			landing, pavemerts etc. = 136.41 SQM				
Mari			- 130.41 SQW				
			·	136.410	sq.m	232.90	
Adams						and the second of the second o	
h.	FINIS	HING WOI	RK			ν	
)	31	13.46.1	Finishing walls with Acrylic Smooth				
			exterior paint of				
)			required shade :New work (Two or more				
7			coat applied @ 1.67 ltr/ 10				Rs. Sixty eight and paise
Ì			sqm over and including priming coat of exterior				eighty only.
			primer applied @ 2.20 kg/ 10 sqm)				
			EXTERNAL WALL = 836.658 SQM				Marine
)			EXTERNAL WALL - 830.038 SQM				
				836.658	sq.m	68.80	
	32	13.80A.2	Providing and applying white cement based	and the same of th		Language and	
			putty of average thickness 2 mm, of	s. der		by.	Rs. One hundred
			approved brand and manufacturer, over the			i	eighteen and paise
			plastered wall surface to prepare the surface even and				seventy only.
			smooth complete.				Jeromey only.
Ŋ			Ismooth complete.	2266.768	sq.m	118.70	
	33	13.77.2	Distempering with oil bound washa ble				
			distemper of approved brand and	Karran,		**************************************	
			manufacture to give an even shade.				
			New work (two or more coats) over and				
			including				Rs. Sixty four only.
			priming coat with cement primer				
			INTERNAL WALL & CEILING =				
			1430.11 SQM				<i>e</i>
				1430.110	sq.m	64.00	
	34	13.81.1	Applying priming coat with ready mixed			- Marie Carlot	
			pink or grey primer of approved brand and	Recover,			Rs. Twenty five and
			manufacture on wood work (hard and				paise twenty only.
			softwood)				and the second s
		,	= 115.68 SQM	115.680	sq.m	25.20	₹

R.G. CONSTRUCTION PVT. LTD. Routou Ky Director

Chief Engineer

B.S.E.I.D.C. Ltd, Patna Pue Skibuudh 215 221 e5/1)

				19			
	35	13.81.3	Applying priming coat with ready mixed zinc chromate yellow primer of approved brand and manufacture on steel galvanized iron/steel work.				Rs. Twenty one and paise thirty only.
			= 105.728 SQM	105.728	sq.m	21.30	Separation.
	36	13.93.1	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade two or more coats on new work = 221.408 SQM		1		Rs. Fifty and paise ninety only.
			- 221.408 SQW	221.408	sq.m	50.90	9"
tion and any or a second secon	37	10.14.1	Providing and fixing T-iron frames for doors, windows and ventilators of mils steel Tee-sections, joints miltred and welded with 15x3 mm lugs 10 cm long embedded in cement concerete blocks 15x10x10 cm of 1:3:6 (1 cement: 3 coarse sand: 6 graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required including			seeder **	Rs. Seventy five and paise ten only.
			= 339.675 KG	339.675	Kg.	75.10	
The state of the s	38	9.21.1	Providing and fixing flush door shutters conforming to IS: 2202 (Part-I) non-decorative type.core of block board construction with frame of 1st class tiard wood and well mathched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters. 35 mm thick including anodized aluminum butt hinges with necessary screws = 48.195 SQM				Rs. One thousand eight hundred twenty three and paise eighty only.
				48.195	sq.m	1823.80	
A SILIPPORT A THE THE T	39	9.119.1	Providing and fixing oxidised M.S.tower bolt black finish,(barrel type) with necessary screws etc.complete 250x10mm 10 + 2, BUILDING = 44 EACH	44.000	each	66.50	Rs. Sixty six and paise fifty only.

RG CONSTRUCTION PVT. LTD. Routou W Director

Chief Engineer
B.S.E.I.D.C. Ltd, Patna
Illin

			·	20			
	40	9.104.1	Providing and fixing M.S.handles with necessary screws etc.complete 125 mm 10 + 2, BUILDING = 44 EACH	44.000	each	I	Rs. Twenty seven and paise fifty only.
	41	9.223.2	Providing and fixing alluminium hanging floor door stopper anodised (anodic coating not less than grade AC 10 as per IS :1868) transparent or dyed to required colour and shade with necessary screws etc.complete:Twin rubber stopper = 22 EACH	22,000	each	82.70	Rs. Eighty two and paise seventy only.
	42	9.100.1	Providing and fixing M.S. sliding door bolts bright finished or/and black enamelled, with nuts and screws etc.compelled: 300x16 mm = 22 EACH	22.000	each	177.40	Rs. One hundred seventy seven and paise forty only.
/		TEEL WOI	RK	per l'		and the second second	
	43	10.12.1 + 10.13B	Providing and fixing glazed steel doors, windows or ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm M.S. lugs10cm long with steel legs embedded in cement concrete blocks 15x10x10cm.of (1:3:6) (Icement: 3coarse sand: 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coar of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required Doors Extra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. Steel Windows. = 95.715 SQM				Rs. Three thousand two hundred seventy and paise sixty only.
1				95.715	sq.m	3270.6	0

R.G. CONSTRUCTION PVT. LTD.

Chief Engineer
S.E.I.D.C. Ltd, Paths
Mishoully

				21			,
Γ	44	10.12.1	Providing and fixing glazed steel doors,				
		+	windows or ventilators of standard rolled				ĺ
1			steel sections, joints mitered and welded				
		10.150	with 15x3 mm M.S. lugs10cm long with				
	1		steel legs embedded in cement concrete				
			blocks 15x10x10cm.of (1:3:6) (1cement :				
١							
			3coarse sand : 6graded stone aggregate				
	1		20mm nominal size) or with wooden plugs]	
١	1		and screws or rawl plugs and screws or with				
-	1		fixing clips or with bolts and nuts as				
			required, including providing and fixing of				
	1		glass panels with glazing clips and special				Rs. Three thousand two
l			metal-sash putty of approved make			1	hundred seventy seven
١			complete including applying a priming coat		·	1	
			of approved steel primer excluding the cost				and paise sixty only.
	l		of metal beading and other fitting except				
			necessary hinges or pivots as required. Doors		!		grippe.
	1		Extra for providing and fixing steel beading				
١			of approved shape and section with screws				
			instread of glaxing clips and met. Sash putty				
		:	instread of graxing crips and met. Sash party				
١			in steel doors, windows, ventilators and				
			composite units.Steel ventilators				
			= 3.24 SQM			,	
ļ							
١							
		į		3.240	sq.m	3277.60	
	45	9.82.1	Providing and fixing M.S. grills of			attribus.	
			requirement pattern in frames of windows	pain and]
			etc. with M.S. flats square or round bars etc				Rs. Ninety one and paise
			all complete				fifty only.
		ļ	fixed to steel windows by welding.	:			litty only.
			= 1722.87 KG				
			1/22.07 10	1722.870	Kgs.	91.50	V°
	16	5.22	Reinforcement for RCC work including				
	46	3.22	straightening, cutting, bending, placing in	and the second s		Market and the second	
			position and bonding all complete.	Mo.			
			position and bonding an complete.				
			TMTC 500				
			TMTC-500				
		5,22,7A	Thermo-Mechanically Treated bars TMTC-			\$	
			500 8mm dia				
			= 8300 KG				Rs. Seventy four and
			SEPTIC TANK = 93 CUM				paise forty only.
			TOTAL QUANTITY = 8393 KG				
				8393.000	KG	74.40)
		5.22.7B	Thermo-Mechanically Treated bars TMTC-	Just 1		and the second	Rs. Seventy three and
			500 10mm dia	e de la companya della companya della companya de la companya della	· ·	paise ten only.	
			= 1300 KG	1300.000	KG	73.10)
	1	1		1			2/

R.G. CONSTRUCTION PVT. LTD.

Françon Krector

Chief Engineer

Diss. E.I.D.C. Ltd. Patna

22/05/13

			22			
	5.22.7C	Thermo-Mechanically Treated bars TMTC-500 12mm dia = 7000 KG	7000.000	KG		Rs. Seventy one and paise eighty only.
-	5.22.7D	Thermo-Mechanically Treated bars TMT-500 16mm dia = 700 KG	700.000	KG	72.80	Rs. Seventy two and paise eighty only.
	5.22.7E	Thermo-Mechanically Treated bars TMT-500 20mm dia = 750 KG	750.000	KG	72.20	Rs. Seventy two and paise twenty only.
	5.22.7F	Thermo-Mechanically Treated bars TMT-500 25mm dia = 0 KG	0.000	KG	72.20	Rs. Seventy two and paise twenty only.
47	10.19	Providing & fixing M.S. Fan hook of 16 mm. dia. M.S. bar 1 Mtr. Long bent to required size and shape, placed in position and fixed in Truss Frame / RCC Slab / beam at the time of casting all complete as per building specification and direction of E/I. (Where materials is not supplied by deptt.) = 42 EACH			**************************************	Rs. One hundred twenty one and paise eighty only.
			42.000	Each	121.80)
48	10.33.1	Providing & fixing hand rail by welding etc. to steel ladder railling & staircases railling including applying a priming coat of approved steel primer. MS tube (medium) 40mm nominal bore. = 550 KG	y ×	la	91.10	Rs. Ninety one and paise ten only.
49	10.5	Providing and fixingin position collapsible steel shutters with vertical channer 20x10x2mm and braced with flat iron diagonals 20x5mm size with top and botton rail of T-iron 40x40x6mm with 40mm disteel pulleys complete with bolts nut locking arrangement stoppers handle including applying a priming coat of approved steel primer.	s 1 1 1 a s s	kg.	gazarerun	Rs. Four thousand one hundred fifteen and paise sixty only.
		approved steel primer.	4.52	sq.m	4115.6	0
ISCE	LLANEOU	US WORK	i. Kamara		Mark Control	

RG CONSTRUCTION PVT. LTD. Rougou Ku Director Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Plan

22/07/17

			23			
50	4.17	Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth. = 75.414 SQM				Rs. Three hundred nineteen and paise thirty only.
			75.414	sq.m	319.30	
S	HUTTERIN	NG			W	
51	5.9.1	Centring and shuttering including strutting, propping etc. and removal of form for foundation, footings, basees of columns etc. for mass concrete.				Rs. One hundred sixty six and paise seventy only.
		= 55.781 SQM	55.781	Sqm.	166.70	/
52	5.9.5	Centring and shuttering including strutting, propping etc. and removal of form for lintel, beams, plinth beams, griders, bressumers and contilevers. = 349.241 SQM				Rs. Two hundred fifty one and paise thirty only.
		·	349.241	Sqm.	251.30	ester ^{ester}
53	5.9.6	Centring and shuttering including strutting, propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts = 367.575 SQM	approxime.		North Control	Rs. Three hundred forty four and paise forty only.
			367.575	Sqm.	344.40	· · · · · · · · · · · · · · · · · · ·
54	5.9.3	Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 451.54 SQM	William .			Rs. Two hundred seventy five and paise sixty only.
		131.31 32	451.540	Sqm.	275,60) Verentinene
					B. A. I	5 71 (70 (95
					Total Total (A	
Plu	⊥ mbing an	d sanitary Work	1		I otal (A	,, 3,,10,,0100
55	B.S.R 12.78	Providing and fixing on wall face unplastidsed PVC (working pressure 4 kgf per sqm) rain water pipes cinforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10 mm gap for thermal expansion.				

R.G. CONSTRUCTION PVT. LTD.

SROUTEU, Ky

Director

Chief Engineer
B.S.E.I.D.C. Ltd. Patna
211 M

22/5

22/2/1/

			24			
	12.78.2	110 mm diameter. = 40 MTS	40.000	MTS	214.200	Rs. Two hundred fourteen and paise twenty only.
56	SOR 12.79	Providing and fixing on wall face unplasticised -PVC moulded fittings/accessories for unplasticised PVC rainwater pipes conforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10mm gap for thermal expansion.				
	SOR 12.79.1	Coupler				
	SOR 12.79.1.2	110mm = 10 MTS				Rs. One hundred forty four and paise seventy only.
	SOR 12.79.5	Bend 87.50 ⁰	10.000	Each	144.700	
	SOR 12.79.5.2	110mm bend = 12 MTS	12.000	Each	173.700	Rs. One hundred seventy three and paise seventy only.
	SOR 12.79.6	Shoe (Plain) .	Market Control		Market	
	SOR 12.79.6.2	110mm Shoe = 12 MTS	12.000	Each	314.730	Rs. Three hundred fourteen and paise seventy three only.
57	B.S.R 17.1.1	Providing and fixining water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast iron P or S tap. 10 litre low white P.V.C. Flushing cistern with munally controlled device (handle level) conforming to IS: 7231 Parryware/Hindware with all fittings and fixtures complete including cutting and making good the walls and floors wherever required.			Verser	
		White Vitreous China Orissa pattern W C pan of size 580 x 440 mm with integral type foot rest. = 6 EACH .	6.000	Each	3035.400	Rs. Three thousand thirty five and paise forty only.

R.G CONSTRUCTION PVT. LTD.

Routou Kr Director

Chief Engineer
B.S.E.I.D.C. Ltd. Patny
Skepurn

conforming to 18: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required: W.C. pan with ISI marked black solid plastic seat and lid = 3 EACH 3.000 Each 2928.300 B.S.R Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I. clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required: Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern = 3 EACH 3.000 Each 4688.900 Rs. Two	
controlled device (handle lever), conforming to IS: 7231, with all filtitings and making good the walls and floors wherever required: W.C. pan with ISI marked black solid plastic seat and lid = 3 EACH 59 B.S.R 17.4.2 Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I. clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required: Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern = 3 EACH Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern = 3 EACH SOR Provding and fixing toilet paper holder 17.34 SOR Vitreous china 3 Each 304.2 Rs. Three and pais mm C.P. brass waste of standard pattern,	
required: W.C. pan with ISI marked black solid plastic seat and lid = 3 EACH S9 B.S.R Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I. clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required: Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern = 3 EACH SOR Provding and fixing toilet paper holder 7.34 SOR Vitreous china 3 Each 304.2 Rs. Threat and pais 17.34.2 Rs. Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern,	
W.C. pan with 1SI marked black solid plastic seat and lid = 3 EACH 3.000 Each 2928.300 8.S.R Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I. clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required: Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern = 3 EACH 3.000 Each 4688.900 8.S. Four hundred paise nin 3.000 Each 4688.900 8.S. Four hundred paise nin 3.000 Each 4688.900 8.S. Four hundred paise nin 3.000 Each 4688.900 8.S. Four hundred paise nin 3.000 Each 4688.900 8.S. Four hundred paise nin 3.000 Each 4688.900 8.S. Four hundred paise nin 3.000 Each 4688.900 8.S. Four hundred paise nin 3.000 Each 4688.900 8.S. Four hundred paise nin 3.000 Each 4688.900 8.S. Four hundred paise nin 3.000 Each 4688.900 8.S. Four hundred paise nin 3.000 Each 4688.900	
B.S.R 17.4.2 Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I. clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required: Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern = 3 EACH SOR Provding and fixing toilet paper holder 17.34 SOR Vitreous china 3.000 Each 4688.900 Rs. Four hundred paise ning the paper holder Tr.34 SOR Vitreous china B.S.R Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern,	Rs. Two thousand nin hundred twenty eight
17.4.2 flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I. clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required: Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern = 3 EACH Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern = 3 EACH 3.000 Each 4688.900 Fach 4688.900 Bash Vitreous china 3 Each 304.2 Rs. Three and pais and pais providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern,	paise thirty only.
340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I. clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required: Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern = 3 EACH SOR Provding and fixing toilet paper holder 17.34 SOR Vitreous china 3 Each 304.2 Rs. Three and paise for the paise of standard pattern, brackets, 15 mm C.P. brass waste of standard pattern, since the paise of the paise of standard pattern, since the paise of the paise of standard pattern, since the paise of the paise of standard pattern, since the paise of the paise	p.
flush pipe and C.P. brass spreaders with brass unions and G.I. clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required: Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern = 3 EACH SOR Provding and fixing toilet paper holder 17.34 SOR Vitreous china 61 B.S.R Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern,	
including painting of fittings and brackets, cutting and making good the walls and floors wherever required: Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern = 3 EACH 3.000 Each 4688.900 SOR Provding and fixing toilet paper holder 17.34 SOR Vitreous china 17.34.2 61 B.S.R Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern,	
floors wherever required: Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern = 3 EACH 3.000 Each 4688.900 SOR Provding and fixing toilet paper holder 17.34 SOR Vitreous china 3 Each 304.2 Rs. Three and pais 61 B.S.R Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern,	
P.V.C. automatic flushing cistern = 3 EACH SOR 17.34 SOR 17.34.2 Providing and fixing toilet paper holder 17.34.2 B.S. Four hundred paise ning to paise	
SOR Providing and fixing toilet paper holder 3.000 Each 4688.900	Rs. Four thousand six
3.000 Each 4688.900 SOR Provding and fixing toilet paper holder 17.34 SOR Vitreous china 17.34.2 61 B.S.R Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern,	nundred eighty eight a paise ninety only.
SOR Vitreous china 17.34.2 61 B.S.R Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern,	raise inner, only.
17.34.2 61 B.S.R Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern,	
61 B.S.R Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern,	Rs. Three hundred fou and paise twenty only.
mm C.P. brass waste of standard pattern,	
	State of the state
outting and making and the well-whenver	
cutting and making good the walls wherever require:	
White Vitreous China Wash basin size	
brass pillar taps. hundred	
= 12 EACH 12.000 Each 2120,300 thirty on	Rs. Two thousand one nundred twenty and pa

R.G. CONSTRUCTION PVT. LTD.

SROWYOUKY
Director OUTOUKY Director

Chief Engineer
B.S.E.I.D.C. Ltd, Patna
yan
215
22105/17

1:1				26			
harmer harmer harmer	62	18.63	Providing and fixing PTMT angle stop cock 15 mm nominal bore, weighing not less than 85 gms	15.000	Each	180,900	Rs. One hundred eighty and paise ninety only.
	63	B.S.R 17.28	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.			100.500	
politica politica		17.28.2.1	Flexible pipe 32 mm dia = 12 EACH	12.000	Each	78.600	Rs. Seventy eight and paise sixty only.
Agent Services of the Services of	64	B.S.R 17.32.2	Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing: Rectangular shape 453 x 357 mm = 12 EACH				Rs. Six hundred forty three and paise forty only.
1	65	B.S.R	D. H. J. G. H. GOO. JOO. J. C. H. G.	12.000	Each	643.400	
AND AND AND AND		17.33	Providing and fixing 600 x 120 x 5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete. = 12 EACH	and the second			Rs. Four hundred seventy eight and paise thirty only.
				12.000	Each	478.300	
	66	B.S.R 18.8.1	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I Concealed work including cutting chases and making good the wall etc. 15 mm nominal outer dia Pipes = 50 METER				Rs. Two hundred forty one only.
				50.000	metre	241.000	

R.G. CONSTRUCTION PVT. LTD. Director

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

		27			
B.S.R 18.9.3	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 25 mm nominal inner dia Pipes = 60 METER	60.000	metre		Rs. One hundred ninety three and paise eighty only.
18.9.4	32 mm nominal outer dia Pipes			/	Rs. Two hundred fifty
		40.000	metre	251.100	one only. Rs. One hundred forty six
18.9.2	20 mm nominal outer dia Pipes	40 000	metre	146.400	and paise forty only.
B.S.R 18.48	Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI:12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. = 4000 PER LITER	. /	per		Rs. Six and paise eighty only.
B.S.R 18.49	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931		inre	0.800	
	15 mm nominal bore. = 12 EACH	12.000	Each	497.000	Rs. Four hundred ninety seven only.
B.S.R 18.52				ti december 1	S. September
18.52.1	15 mm nominal bore. = 10 EACH	10.000	Each	670.700	Rs. Six hundred seventy and paise seventy only.
SOR 18.58	Providing and fixing P.T.M.T. grating of approved quality & colour				pt.
SOR	circular type				
	18.9.3 18.9.4 18.9.2 B.S.R 18.48 B.S.R 18.49 SOR 18.52.1	Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 25 mm nominal inner dia Pipes = 60 METER 18.9.4 32 mm nominal outer dia Pipes 18.9.2 20 mm nominal outer dia Pipes B.S.R Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI:12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. = 4000 PER LITER B.S.R Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 15 mm nominal bore. = 12 EACH B.S.R Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS:8931 18.52.1 15 mm nominal bore. = 10 EACH SOR Providing and fixing P.T.M.T. grating of approved quality & colour	Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 25 mm nominal inner dia Pipes = 60 METER 60.000 18.9.4 32 mm nominal outer dia Pipes = 60 METER 60.000 18.9.2 20 mm nominal outer dia Pipes B.S.R Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI:12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. = 4000 PER LITER 4000.000 B.S.R Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 15 mm nominal bore. = 12 EACH Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS:8931 18.52.1 15 mm nominal bore. = 10 EACH SOR Providing and fixing P.T.M.T. grating of approved quality & colour	18.9.3 Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 25 mm nominal inner dia Pipes = 60 METER 18.9.4 32 mm nominal outer dia Pipes = 60 METER 60.000 metre 18.9.2 20 mm nominal outer dia Pipes 18.9.2 20 mm nominal outer dia Pipes B.S.R Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI:12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. = 4000 PER LITER B.S.R Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 15 mm nominal bore. = 12 EACH 12.000 Each 18.52.1 15 mm nominal bore. = 10 EACH 10.000 Each SOR Providing and fixing P.T.M.T. grating of approved quality & colour	18.9.3 Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 25 mm nominal inner dia Pipes = 60 METER 18.9.4 32 mm nominal outer dia Pipes = 60 METER 60.000 metre 193.800 18.9.2 20 mm nominal outer dia Pipes 40.000 metre 193.800 18.9.2 20 mm nominal outer dia Pipes B.S.R Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI 12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. = 4000 PER LITER 4000.000 litre 6.800 B.S.R Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 15 mm nominal bore. = 12 EACH Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS:8931 18.52.1 15 mm nominal bore. = 10 EACH SOR Providing and fixing P.T.M.T. grating of approved quality & colour

11

Each

R.G. CONSTRUCTION PVT. LTD.

STROUTOU KY
Director

100 mm nominal dia,

SOR

18.58.1.1

Chief Engineer B.S.E.I.D.C. Ltd., Patna

Rs. Forty seven and paise ninety only.

22/5

47.90

22/25/1)

				20			
	72	B.S.R	Providing and laying cement concrete				
		19.2.1	1:5:10 (1 cement : 5 coarse sand : 10 graded				
			stone aggregate 40 mm nominal size) all-				
			round S.W. pipes including bed concrete as				Rs. Three hundred twelve
			per standard design :				and paise fifty only.
			100 mm diameter S.W. pipe				
			= 50 METER				
				50.000	metre	312.500	- planting
	73	B.S.R	Providing and laying non-pressure NP2				
9		19.6.1	class (light duty) R.C.C. pipes with collars	tank from a con-		Mill Section	
ì			jointed with stiff mixture of cement mortar			,	
			in the proportion of 1:2 (1 cement : 2 fine				Rs. Three hundred twelve
)			sand) including testing of joints etc.				and paise ninety only.
			complete:	•			and pulse innery only.
			100 mm dia R.C.C. pipe				
			= 15 METER	15,000		212 000	
-	74	B.S.R	Constructing brick masonry road gully	15.000	metre	312.900	
Stand	′ ¬	19.27.1	chamber 50x45x60 cm with bricks in	water and a second		Valencia de la companya del companya de la companya del companya de la companya d	
		17,27,1	cement mortar 1:4 (Icement : 4 coarse sand)	`			
			including 500x450 mm pre-cast R.C.C.				
							Rs. Three thousand one
	İ		horizontal grating with frame complete as per standard design:				hundred seventeen and
			1				paise thirty only.
			With common burnt clay F.P.S. (non				
			modular) bricks of class designation 7.5 = 2 EACH				
			2 LACII	2.000	Each	3117.300	

R.G. CONSTRUCTION PVT. LTD.

SPOLYCULKY

Director

Director

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Lipa.

				29			
	75	B.S.R	Contructing brick masonry chamber for	<u> </u>			
		19.30.1.1	Underground C.I. Inspection Chamber and				
			bend with 75 class designation bricks in				
			cement mortar 1:4 (1 cement : 4 coarse				
-			sand) C.I. Cover with frame (light duty) 455x610 mm internal dimentions, total				
politic.			weight of cover with frame to be not less				
>			than 38 kg. (weight of cover 23 kg. and				·
P			weight of frame 15 kg.) RCC top slab with				
	:		1:1.5:3 mix (1 cement: 1.5 coarse sand :3				
			graded stone aggregate 20 mm nominal				
è			size) foundation concrete 1:5:10 mix (1				Rs. Three thousand nine
à l			cement:5 coarse sand : 10 graded stone				hundred forty nine and
			aggregate 40 mm nominal size), inside				paise ten only.
			plastering 12 mm th. with cement mortar 1:3				e e
			(1cement:3 coarse sand) finished smooth				
ŝ			with a floating coat of neat cement on walls and bed concrete etc. complete as per				
à			standard design.				
			Inside dimensions 466x610 mm and 45cm				
			deep for single pipe line :				
			With common burnt clay F.P.S. (non				
		r.	modular) bricks of class designation 7.5				
			= 6 EACH				
				6.000	Each	3949.100	
ľ	76	B.S.R	Making soak pit 2.5 m diameter 3.0 metre				
		19.32.1	deep with 45 x 45 cm dry brick honey comb			•	
			shaft with brick and S.W. drain pipe 100	<i>I</i>			,
Ì			mm diameter, 1.8 m long complete as per				
			standard design.				Rs. Twenty five thousand
j)			With common burnt clay F.P.S. (non				nine hundred and paise
			modular) bricks of class designation 7.5				ten only.
			= I EACH				iten omj.
							Market Control
İ							
				1.000	r. d	25000 100	
}	77	B.S.R	Providing and fixing S.W. intercepting trap	1.000	Each	25900.100	
	′′	19.34	in manholes with stiff mixture of cement	ne en en en en en en en en en en en en e	:	-content land	
		. , , , , ,	mortar 1:1 (1 cement : 1 fine sand)	wife.			
			including testing of joints etc. complete:				
	ŀ	19.34.1	100 mm dia				Rs. Two hundred eighty
			= 2 EACH				three and paise eighty
1	}			2.000	Each	283.800	only.
'					L		· · · · · · · · · · · · · · · · · · ·

Director

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Plan

2215

2215/11

			30			•
78		Detailed Estimate for construction of 125 mm x 40 mm x 90 mm Tube well Manual				Rs. Sixty thousand four hundred thirty two and
		Boring			.0.400 (.70	paise sixty five only
		= 1 EACH	1.000	Each	60432.650	, ,
79	ANALYSIS	NON SCHEDULED ITEMS(MARKET				
		RATE)	. /		garante.	,
		= EACH	·			
		P.V.C. PIPE				
		= EACH				
		Provding and fixing soil, waste and vent				
		pipes				
		= EACH				
		·				
		110 mm dia				Rs. Three hundred forty
		= 40 EACH	40.000	metre	347.000	seven and only.
		P.V.C. FITTINGS				- Appendix - Company
		= EACH	€ ^{restore}		15"	· gardetered in
		DOOR TEE 110 mm dia				Rs. Three hundred sixty
		= 4 EACH	4.000	ooolo	365.000	five only.
			4.000	each		
		DOOR BEND 110 mm dia	W. Carlotter Co.		galacon Colle	Rs. Two hundred eighty
		= 8 EACH	8.000	each	283.000	three only.
		BEND 45 ^o 110 mm dia		Cucii	203.000	Rs. One hundred eighty
		= 10 EACH	10,000	each	185.000	five only.
		VENT COWEL 110 mm dia	10,000	Cacii	183,000	ilive only.
		I	3.000	anah	65.000	Rs. Sixty five only.
		= 3 EACH	3.000	each	03.000	
		PIPE CLIP 110 mm dia	100,000		53.000	Rs. Fifty three only.
		= 100 EACH	100.000	each	53.000	
		FLOOR TRAP 110X110 mm dia	Kanada ana a		Agaigh.	Rs. Four hundred thirty
		= 10 EACH	10.000	each	436.000	six only.
80	Code no. of	(i) C.I. cover and frame 300 x 300 mm	and the second s			Rs. Three hundred
	1352	inside	And the second		and the second of the second o	seventy four and paise six
	.502	SEPTIC TANK = 1 EACH			į.	1 '
			1.000	Each	374.060	only.
81	1	(ii) S.C.I. plain bend 100 mm dia	Part land		White the same	Rs. Four hundred thirty
	1621	SEPTIC TANK = I EACH	1.000	Each	436.400	six and paise forty only.
82	Code no. of	, ,	· · · · · · · · · · · · · · · · · · ·		E. Contraction	Rs. Seven hundred forty
	7087	SEPTIC TANK = I EACH	Ø.			eight and paise eleven
			1.000	Each	748.110	only.
			me to the second		Total	348,404.98
						e Principie
					Total (B)	348,405.00
						, of Tricker
 						
		Electrical Works (1% labour cess has				
		been added on current DSR-2014)				
L		Deen added on current DSR-2014)	<u> </u>		<u></u>	<u> </u>

R.G. CONSTRUCTION PVT. LTD.

Chief Engineer

B.S.E.I.D.C. Ltd., Patra

Jan.

21/5 22/25/14

			31			
83	1.10	Point Wiring in PVC Conduit, with Modular type Switch:-				
		Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated				
		copper conductor single core cable in surface / recessed medium class PVC conduit,			,	
		with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC				
		insulated copper conductor single core cable etc as required.				
	1.10.3	Group C	119.000	Nos.	725.180	Rs. Seven hundred twenty five and paise eighteen only.
84	1.11	Twin Control Point Wiring in PVC Conduit, with Modular type Switch:-	V iction and the second		Circles	ŕ
		Wiring for twin control light point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed				
		medium class PVC conduit, 2 way modular switch, modular plate, suitable G1 box and earthing the point with 1.5 sq.mm. FRLS				Rs. Seven hundred seventy seven and paise seventy only.
		PVC insulated copper conductor single core cable etc as required	3.000	Nos.	777.700	galente.
85	1.31	Supply and Fixing Light Plug Point with Modular Type Accessories:-	September 1		*New Control of the C	
		Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess,				
		including providing and fixing 3 pin 5/6 amps modular socket outlet and 5/6 amps modular switch, connection etc. as required. (For light plugs to be used in				Rs. Three hundred six and paise three only.
		non residential buildings).	25.000	Nos.	306.030	·

RG CONSTRUCTION PVT. LTD.

ROLLFOU KV.

Director

B.S.E.I.D.C. Ltd. Patnay

22/5

22105117

32

				32			
	86	1.32	Supply and Fixing Power Plug Point with Modular Type Accessories:-				
Allay							
'asar'							
per per			Supply and Fixing GI box with modular plate and cover in front on surface or in recess including providing and fixing 6 pin,				
1000			15/16 amps modular socket outlet and 15/16 amps modular type switch, connection, painting etc as required.				Rs. Five hundred ninety only.
, mateur				12.000	Nos.	590.000	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Tagas sagar	87	2.18	Supply & fixing 20A SPN MCB Industrial Socket Outlet:-	· ·		Karangan san s	
, Jan.		***************************************	Supplying and fixing 20 amps, 240 volts, SPN industrial type,				
79)			socket outlet, with 2 pole and earth, metal enclosed plug top				,
Janes Janes			alongwith 20 amps "C" curve, SP, MCB, in sheet steel enclosure, on surface or in recess, with chained metal				Rs. Nine hundred sixty three and paise fifty four
A. Chia			cover for the socket out let and complete with connections, testing and commissioning		·		only.
70007			etc. as required				
				12.000	Nos.	963.540	
) THE R. P. LEWIS CO., LANSING	88	1.12	Power Plug Wiring in PVC conduit (2x4 sq. mm):-	es" ,			
A226							
Negative .			Wiring for light/ power plug with 2X4 sq. mm FRLS PVC insulated				
			copper conductor single core cable in surface/ recessed mediumclass PVC conduit				Rs. One hundred sixty
			alongwith 1 No 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop				three and paise sixty two only.
			earthing as required	420.000	Mtrs.	163.620	Market Control
Aller Aller	89	1.24	Supplying and fixing following modular type switch/ socket on the existing modular plate switch box / cover including	er ^{a der}			
with the second			connections etc.as required				

R.G. CONSTRUCTION PVT. LTD. Director

-	-
''	_
-	-
,	-

				33			
		1.24.1	5/6 amps switch.	•			
					,		Rs. Eighty one and paise
İ				25.000	Each	81.810	eighty one only.
ĺ		1.24.4	5 pin, 5/6 amps socket outlet.		Baon	01.010	Rs. Seventy nine and
			·	25.000	Each	79.790	paise seventy nine only.
	90	1.14	Circuit / Sub-main wiring in PVC Conduit:-			Application of	paragraph and a start and a start a st
				~			
							·
			Wiring for circuit / sub-main wiring along				
			with earth wire with the following sizes of				
			PVC insulated, copper conductor, single				
			core cable in surface/recessed PVC conduit				
			as required.	į			
		1.14.1	2x1.5 Sqmm + 1x1.5 sqmm earth wire				Do One hundred
		1.14.1	2A1.3 Squiii + 1X1.3 Squiii earth wire	40.000	Mtrs.	107.060	Rs. One hundred seven
		1.14.2	2x2.5 Sqmm + 1x2.5 sq mm earth wire	40.000	iviti's.	107,000	Rs. One hundred thirty
		1,14,2	2x2.5 Squain + 1x2.5 sq min earth wife	Carrier .		w ^a	two and paise thirty one
			·	350.000	Mtrs.	132.310	only.
		1.14.9	4x6.0 Sqmm + $2x6.0$ sqmm earth wire (to	330.000	IVIUS.	132.310	Rs. Three hundred ninety
		117 (17	be used as sub main)	Market of and		er ^{i i}	two and paise eighty nine
				54.000	Mtrs.	392.890	only.
		1.14,10	4 X 10 sq. mm + 2 X 10 sq. mm earth wire				Rs. Six hundred two and
				10.000	Mtrs.	602.970	paise ninety seven only.
_			S/F 'C' series SP MCB:-				
	91		Supplying and fixing 240 volts, 'C' series,	Contract of the second		and the second	g _e geterize ^{te}
			miniature circuit breaker suitable for				
			inductive loads of following poles in the				
			existing MCB DB complete with				
	:		connections, testing and commissioning etc,				
	}	2.10.1	as required. 6/32A. Single Pole				
		4.10.1	orsen, single i die				Rs. One hundred seventy
				36.000	Each	170.690	and paise sixty nine only.
		2.10.3	6/32A ,DP	30.000	Lacii	1,0.090	Rs. Four hundred sixty
				Santa		4	three and paise fifty nine
				3.000	Each	463,590	only.
r	92	2.13	S/F TPN MCB:-				
				All the state of t		· ·	
ı			Supplying and fixing following rating, four				
			pole, 240 volts, isolator in the existing MCB				
			DB complete with connections, testing and				
			commissioning etc. as required				
	}	2.13.2	63 A,TPN				Rs. Six hundred seventy
			,				six and paise seventy
		•		3.000	Each	676.700	only.
_				2,000		0.0.700	12

R.G. CONSTRUCTION PVT. LTD. FROUJOU KI

Chief Engineer
B.S.E.I.D.C. Hechoury

34

			34			
93	2.15	S/F TPN RCCB:-Supplying and fixing of following rating three phase and neutral, 415 volts, residual current circuit breaker (RCCB) having a sensitivity current upto 300 miliamperes in the existing MCB DB complete with connections, testing and commissioning etc. as required.				
	2.15.2	40 Amp.	3.000	Each	2144.230	Rs. Two thousand one hundred forty four and paise twenty three only.
94	2.8	S/F TP MCB DB:-	3.000	Buen		<u> </u>
94	2.0	Supplying and fixing of following way, horizontal type three pole and neutral, sheet steel, MCB distribution board, 415 volts, on surface/recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, detachable gland plate, interconnections, phosphatized and powder painted including earthing etc. as required (Without MCB/RCCB/ISOLATOR). Make: Legrand/Anchor/Havells/HPL.				
	2.8.5	4 Ways (4+12 ways) double door	3.000	Set	7430.570	Rs. Seven thousand four hundred thirty and paise fifty seven only.
95	1.33	S/F Ceiling Rose:-	3.000	301	7130.370	
		Supplying and fixing 2 pin ceiling rose on the existing junction box/ wooden block including connection etc as required.	80.000	Each	43.430	Rs. Forty three and paise forty three only.
96	1.34	S/F Batten / Angle Holder:-	27.000	Each	74.740	Rs. Seventy four and paise seventy four only.
		Supplying and fixing batten / angle holder including connection etc as required.	A.		Special and a sp	
97	1.25	S/F Modular type electronic fan regulator:-	24.000	Each	286.840	Rs. Two hundred eighty six and paise eighty four only.

RECONSTRUCTION PVILLED

RECONSTRUCTION PVILLED

Brector

Chief Engineer

B.S.E.I.D.C. Ltd., Patna

Her.

35

				35			•
			Supplying and fixing stepped type fan regulator on the existing modular plate switch box including connections but excluding modular plate etc as required.				
	98	1.21	S/F PVC Conduit:-				
Jan Jan	-		Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting				
Name Name Name			the wall and making good the same in case of recessed conduit as required.	·			
,mh.,		1.21.1	20 mm				Rs. Fifty three and paise fifty three only.
	99		That will Find Only	110.000	Mtrs.	53.530	
)	99		Telephone Wiring in Existing Conduit:-			All Marketines and the	
The second secon		1.18	Supplying and drawing following pair 0.5 mm dia FRLS PVC insulated annealed copper conductor, unarmored telephone cable in the existing surface/ recessed steel/ PVC conduit as required	, de la companya de l	t.		
		1.18.2	2 pair	50.000	Mtrs.	18.180	Rs. Eighteen and paise eighteen only.
Age Ages	100	1.24	S/F Modular type Switch / Socket:- Supplying and fixing following modular type switch / socket on the existing modular plate and switch box including connections but excluding modular plate etc as required.				and the state of t
		1.24.6	Telephone socket outlet	2.000	Each	95.950	Rs. Ninety five and paise ninety five only.
-	101		EARTHING	and the second second		Andrew '	- Company of the Comp
	101	5.6	COPPER EARTH PLATE ELECTRODE:-	v ^{ere}			
	* Add Add Add Add Add Add Add Add Add Ad		Earthing with copper earth plate 600mmx 600mmx 3mm thick including acessories and providing masonary enclosure with cover plate having locking arrangement and watering pipe of 2.7 meter long etc with charcoal/cock and salt as required.	·			Rs. Nine thousand three hundred eighty four, and paise ninety two only.
			·	2.000	Each	9384.920	No.

R.G. CONSTRUCTION PVT. LTD.

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

1101

22|5

22|05|17

			36			
102	5.10	P/F 25 x 5mm copper earth strip in pipe :-	-	,		
		Providing and fixing 25 mm X 5 mm copper strip in 40 mm dia G.I. pipe from earth electrode including connection with brass nut, bolt, spring, washer excavation and re-				Rs. One thousand ninety two and paise eighty two only.
		filling etc. as required.	12.000	Mtrs.	1092,820	
103	5.14	P/F 25 x 5 mm copper earth strip in surface/recess:-	12.000		J	
						·
		Providing and fixing 25 mm X 5 mm copper strip on surface or in recess for connections etc. as required.	24.000	Mtrs.	864.560	Rs. Eight hundred sixty four and paise fifty six only.
104	-	Cable Laying of 1.1 KV & 11 KV :-	Nicolanda . m .			
	7.1	Laying of one number PVC insulated and PVC Sheathed / XLPE power cable of 1.1 KV grade of following size direct in ground including excavation, sand cushioning, protective covering and refilling the trench etc as required.				
	7.1.2	Above 35sq.mm and Upto 95 Sq.mm.	80.000	Mtrs.	204.020	Rs. Two hundred four and paise two only.
105		G.I. Pipe for Cable protection:-	80.000	IVIUS.	204.020	and paise two only.
	14.14	Providing, laying and fixing following dia RCC pipe NP2 class(light duty) in ground complete with RCC collars, joints with cement mortar 1:2 (1 cement: 2 fine sand) including trenching (75 cm) and refilling etc.as required. (Road crossing as per site condition)	ester (Marie Constitution of the Constitution		general control of the control of th	
	14.14.2	150 mm dia	10.000	Mtr.	387.840	Rs. Three hundred eighty seven and paise eighty four only.

R.G. CONSTRUCTION PVT. LTD. Routou Kw birector

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

A. Mehour

22125/1)

3	7

				27			
1	06	9.1	1.1 KV Cable End Termination:				
		. (Supplying and making indoor cable end termination with brass double compression				
			gland and aluminium lugs for following size				
			of PVC insulated XLPE Al. Ar. Cable of		ļ		
			1.1 KV grade as required.		i.		
	-	9.1.22	3.5 Core 50 Sq.mm.			I	Rs. Two hundred seventy
		7.1.22					two and paise seventy
				2.000	Each	272.700	only.
1	07	1908 JSR	3.5 core 50 sq mm xlpe/pvc insulated			New Section Con-	de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la
		2014	sheathed (Heavy duty)armoured electric cable	W.		,	
			(Heavy duty)armoured electric cable aluminium conducter.				
		*****	3.5C x 50 Sq.mm 1.1kV				Rs. Three hundred ninety
			,	100.000	Mtrs.	391.000	one only.
	108		S/F HRC fuse type TP&N switch		,	e e	*School Baren
		2.1	disconnector:- Providing and fixing			and the second	
			following capacity TP&N disconnector fuse switch unit inside the existing panel board				,
			with ISI marked HRC				
			fuses including drilling holes in cubicle				
			panel, making connections,				
			etc. as required.				
		212	63 amps,TP&N, HRC	1001			Rs. Two thousand two
		2.1.2	os amps, i ræin, i inc				hundred sixty and paise
				3.000	Each	2260.380	thirty eight only.
F	109		S/F Busbar Chamber:-			Service .	
		2.5				100 P	
		2.5.3	Providing and fixing following capacity				
		B.S.R 2009	busbar chamber with 4 strips of suitable size made of capper, heavy duty, complete with				
		2009	all accessories including				Rs. Six thousand two hundred twenty two and
			connections, earthing the body, etc as	1			paise sixty one only.
		553	required.				parise sincy sine siny.
			200 amp.TPN	1.000	F .1.	6222 610	
				1.000	Each	6222.610	

R.G. CONSTRUCTION PVT. LTD.

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Pylan

24 01/2

			38			
110	2.7.4 B.S.R 2009	Providing and fixing following capacity four pole OFF-load changeover switch with side handle operation, in sheet enclosure in	The state of the s			
		existing metal board, including drilling holes in metal panel, making connections etc. as required.				Rs. Seven thousand nine hundred seven only.
		125 Amps, Four pole	•			
			1.000	Each	7907.000	g de la companya de l
1 1 1	6.5	Providing and fixing copper tape 20 mm X 3 mm thick on parapet or surface of wall for lightning conductor complete as required. (For horizontal run)			gar ^{ana *}	Rs. Three hundred seventy nine and paise seventy six only.
			80.000	meter	379.760	water and the same
112	6.6	Providing and fixing copper tape 20 mm X 3 mm thick on parapet or surface of wall for lightning conductor	e e e e e e e e e e e e e e e e e e e		West of the second	Rs. Four hundred ten and paise six only.
		complete as required.	30.000	meter	410.060	Spiriture
113	2.2	Providing and fixing follwing rteing and breaking capacity MCCB in existing cubicale panel bord including drilling hole cubicale panel making connection etc as required			<i>(</i>	
	2.2.3	160 amp. 16KA	1.000	EACH	4565.200	Rs. Four thousand five hundred sixty five and paise twenty only.
					Total (C)	503,812.73
		FIRE FIGHTING	e resident	Negative Control		And the second
114	DGS&D	Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit.				Rs. Seven thousand five hundred forty nine and paise seventy five only.
			10.000	Nos.	7549.750	Marine and a second
					Total Total (D)	75,497.50 75,498.00
		CARRIAGE OF MATERIALS			Total (D)	73,478.00
115		Type of materials			Rate Incl. 1% Lab. Cess	
		Cement	139.566	МТ		Rs. Two hundred eighty nine and paise eighty seven only.

RECEIVED PUT LTD.

SROLLTER KY

Director

Chief Engineer
B.S.E.I.D.C. Ltd, Patna
Puls
Supering

		Sand	188.457	cum		Rs One Thousand one Hundred Sixty Nine and paise Eight only
		Local Sand	125.918	cum	205.29	Rs Two Hundred Five and paise Twenty Nine
		Stone Chips	176.279	cum	1664.81	Rs One Thousand Six Hundred sixty four and paise eighty one only
		Brick	120.253	Thous.	601.67	Rs. Six hundred one and paise sixty seven only.
		Steel	18.050	МТ	289.87	Rs. Two hundred eighty nine and paise eighty seven only.
116	1	A COST OF MATERIAL FOR TIRHUT R.T TO GAYA AS PER SOR	-			
	Bricks		120.253	Thous.	333.36	Three Hundred Thirty Three and paise Thirty Six only
	Cement	,	139.566	MT	1007.18	One Thousand Seven paise Eighteen Only.
					Total	838,338.09
					Total (E)	838,338.00
				TALKAL		
-	T		Grand	i otal (A+	-B+C+D+E)	7,482,760.73
SL. No.	DISTRICT	NAME OF INSTITUT	E			Amount (Rs.)
1	Vaishali	BLOCK RESOURCE CE	NTRE			7,482,760.73
		Т	Total Cost in 'Rs'			

R.G. CONSTRUCTION PVI. LTD.

SPRONTON PVI. LTD.

Director

			40			
	(Rupees	Seventy Four lacs Eighty Two Thous	and Seve	n Hundr	ed And Si	xty One Only)
		*				· ·
Part '	A' - Cost	of Materials				
1		125mm dia UPVC casing pipe confirming to ISS	27	Meter	315.00	Rs. Three hundred fifteen only.
2		40mm dia UPVC pipe confirming to ISS	48	Meter	99.38	Rs. Ninety nine and paise thirty eight only.
3		40mm dia PVC ribbed strainer of approved quality	8	Meter	182.00	Rs. One hundred eighty two only.
4		Reducing socket 125mm x 40mm	1	Each	270.00	Rs. Two hundred seventy only.
5		Supplying all labour and materials & fitting & fixing PVC cap over the new sink T/well	1 2	Each	140.00	Rs. One hundred forty only.
		Providing and fixing of G.I pipes complete	(Br. Carlotte	Rs. Two hundred twenty
6	B.S.R 1548	with G.I fittings and clamps, including, cutting and making good etc 32 mm dia (15% C.P & 1% L.Cess)	18	mtr	224.44	four and paise forty four only.
7	B.S.R 1928	32 mm nominal bore Bross Full valve (15% C.P & 1% L.Cess)	l	Each	511.21	Rs. Five hundred eleven and paise twenty one only.
		Supplying all equipments, tools and installation of 1 HP single phase	· ·			
8		submersible motor pump set of KSB/ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of	1	Each	26,446.00	Rs. Twenty six thousand four hundred forty six only.
Libra VIII		E/I Sub - Total "A"				46138.3

RECONSTRUCTION PVT LTD.

RECONSTRUCTION PVT LTD.

Director

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

240.

Kehoud

22/5

22/05/17

art 'B' - Cost of Labour	T			
Boring by jet dheki by suitable cutter of reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge.				
(i) 0 to 30.5 m				
9 (a) For 125 mm dia U.PV.C pipe	27	mtr	. 1	Rs. Two hundred eight and paise seventy seven only.
(b) for 40 mm dia UPVC pipe				V
(i) 0 to 30.5 m	3.5	mtr	119.03	Rs. One hundred nineteen and paise three only.
(ii) 30.5 m to 61.0 m			*	6.
(a) For 40 mm dia UPVC pipe	30.5	mtr	136.88	Rs. One hundred thirty six and paise eighty eight only.
(iii) 61.00 m to 75.00 m	Section 2007		April 1	
a) For 40mm dia UPVC pipe	14	mtr	148.79	Rs. One hundred forty eight and paise seventy nine only.
(iv) 75.00 m to above				
a) For 40mm dia UPVC ribbed strainer of approved quality	8	_. mtr	148.79	Rs. One hundred forty eight and paise seventy nine only.
Providing all labour & tools and lowering 32 mm dia G.I pipe as per specificatin etc. all Complete	24	mtr	21.34	Rs. Twenty one and paise thirty four only.
Supplying labour and developing the T/Well to have sand free discharge all complete as per direction of E/I	1	Each	280.50	and paise fifty only.
			Sub - Total	
		Total	C="A+B"	60,432.6

Tender approved in favour of Ranjan Gayatri Construction Pvt. Ltd. @ 10.00% (Ten Decimal Zero Zero Percent) below i.e. total amount comes to Rs. 67,34,485=00 (Rupees Sixty Seven Lacs Thirty four Thousand Four Hundred Eighty Five Only)

Performance Security

Name of Agency – "Ranjan Gayatri Construction Pvt. Ltd."

Performance Security of "Ranjan Gayatri Construction Pvt. Ltd." of "BRC-Jandaha, Vaishali"

FDR No.

DOI

Amount

36818609687

28.04.17 To 28.04.22

180000.00

35810080894

03.06.16 To 03.06.17

160000.00

Total 340000.00

(Rupees Three Lacs Forty Thousands Only)

विहार राज्य शैक्षणिक आधारभूत संरचना

विकास निगम लिं०, प्टना

R.G.CONSTRUCTION PVI LTD.

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटनां—800004, दूरभाष—0612—2910314 कॉर्पोरेट पहचान संख्याः U80301BR2011SGC015859, e-mall: bseldc@gmail.com, website; www.bseldc.in, Fax No.: 0612-2660256,

पत्रांक:- BSEIDC/FIN/2855/2017-18/-

3027

पटना, दिनांक......। १००७ ४ । १

प्रेषक.

ब्रजेश प्रसाद

मुख्य परामशीं (तकनीकी)

सेवा में,

Ranjan Gayatri Construction Pvt. Ltd Main Road- Khagaul Near- Sabajpura More Po- Khagaul- 801105.

बिहार राज्य अंतर्गत "Construction of Block Resource Centre at Jandaha विषय:--Vaishali (S.LNo-180) Of Nit No-40/2015-16) के कार्य हेतु जमानत की राशि जमा कर एकरारनामा करने के संबंध में।

महाशय,

उपर्युक्त विषय के संबंध में कहना है कि विषयांकित कार्य की निविदा हेतु आपके द्वारा निविदित दर जो परिमाण विपन्न के दर से 10.00% (दस दशमलव शून्य शून्य प्रतिशत) कम है तद्नुसार निविदा की कुल राशि रू० 67,34,485 / – (सड़सठ लाख चौतिस हजार चार सौ पचासी हजार) मात्र आपके पक्ष में स्वीकृत की गयी है।

अतः निदेश दिया जाता है कि अग्रधन की राशि रू० 3,37,000/- (तीन लाख सैतिस हजार रूपये) मात्र का सावधि पासबुक / राष्ट्रीय बचत प्रमाण पत्र के रूप में प्रबंध निदेशक, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०, पटना के नाम से प्रतिज्ञिप्त हो जमा कर अविलंब एकरारनामा कर लें। fre 4-2017

(ब्रजेश प्रसाद)

मुख्य परामर्शी (तकनीकी)

ज्ञापांक : BSEIDC/FIN/2855/2017-18/- ८०२४

पटना, दिनांक...।.दु.५.७.५।।

प्रतिलिपि : Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC website/Senior

Account Officer, BSEIDC, Patna for information & necessary action

ज्ञापांक : BSEIDC/FIN/2855/2017-18/- ८०१४

मुख्य परामर्शी (तकनीकी)

प्रतिलिपि : मुख्य अभियंता, BSEIDC को सूचनार्थ एवं आवश्यक कार्रवाई हेतु समर्पित।

ज्ञापांक : BSEIDC/FIN/2855/2017-18/- ९०२४

मुख्य परामर्शी (तकनीकी)

पटना, दिनांक.

प्रतिलिपि : प्रबंध निदेशक महोदय, BSEIDC को सूचनार्थ समर्पित।

मुख्य परामर्शी (तकनीकी)

Patna, Date: 30004.10

Commission of the Commission o

Letter no.: BSEIDC/NIT/2015-16/-

Corrigendum No.-3

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "हिन्दुस्तान" on dated 10.02.2016 vide P.R.-12943 (नि०नि०)15—16 through e-tendering

website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in

the State of Bihar" the following amendments have been made as mentioned below :-

Amended provision	Period of Sale of Bid document (Download) from dated 16.05.2016 to 05.06.2016, 15:00 Hrs.	, Date and Time of Pre bid Meeting – 25.05.2016, 16:00 Hrs.	Last date and time for receipt (Upload) of Bids on dated 06.06.2016,15:00 Hrs.	Time and date for opening of Technical Bids on dated 08. 06.2016, 16:30 Hrs.	Time and date for opening of Financial Bids on dated 24.06.2016, 15:30 Hrs.	BOQ and EMD will be accepted up to 08.06.2016, 15:00 Hrs.
Existing provision	Period of Sale of Bid document (Download) from dated 16.04.2016 to 10.05.2016, 15:00 Hrs.	Date and Time of Pre bid Meeting – 25.04.2016, 14:30 Hrs.	Last date and time for receipt (Upload) of Bids on dated 11.05.2016, 15:00 Hrs.	Time and date for opening of Technical Bids on dated 13. 05.2016, 16:30 Hrs.	Time and date for opening of Financial Bids on dated 27.05.2016, 15:30 Hrs.	The Cost of BOQ and EMD will b
SL.		7	. "	4	Sun	.V 0

R.G. GONSTRUCTION PVI. LTD.

SROWJOU KV
22/5/b/rector

Letter no.: BSEIDC/NIT/2015-16/- 2937

Corrigendum No.- 2

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News

Rebsite: www.eproc.bihar.gov.in for the Construction of "RIANT P.

	5		
	10.	Existing provision	Amended provision
		Period of Sale of Bid document (Download) from dated 03.03.2016 to 28.03.2016, 15:00 Hrs.	Period of Sale of Bid document (Download) from dated 16.04.2016 to 10.05.2016, 15:00 Hrs.
	2	Date and Time of Pre bid Meeting – 15.03.2016, 14:30 Hrs.	Date and Time of Pre bid Meeting – 25.04.2016, 16:00 Hrs.
Ch B.S.E.I	co .	Last date and time for receipt (Upload) of Bids on dated 29.03.2016,15:00 Hrs.	Last date and time for receipt (Upload) of Bids on dated 11.05.2016,15:00 Hrs.
ef Eng	4	Time and date for opening of Technical Bids on dated 31. 03.2016, 16:30 Hrs.	Time and date for opening of Technical Bids on dated 13. 05.2016, 16:30 Hrs.
ineer L		Time and date for opening of Financial Bids on dated 11.04.2016, 15:30 Hrs.	Time and date for opening of Financial Bids on dated 27.05.2016, 15:30 Hrs.
	V 9	The Cost of BOQ and EMD will be	The Cost of BOQ and EMD will be accepted up to 13.05.2016, 15:00 Hrs.

िशिक्षा भवने, बिहार राष्ट्रेमाषा परिषद् परिसेर, शिवपूजन सहाय पथ, सदपुर, पटना—800004, दूरमीष—0612—2910374 सस्याः U80301BR2011SGC015859, e-mail: bseide@gmail.com, website: www.bseide.in, Fax No.: 0612-2660256, कॉर्पोरेट पहचान

いのののい Letter no.: BSEIDC/NIT/2015-16/-

Patna, Date: 1年63.16

Corrigendum No.- 1

Routou Kr 22/5/10/fector

Corrigendum No 1	With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 through e-tendering	website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in	the State of Bihar" the following amendments have been made as mentioned below:-	L. Existing provision Amended provision
D & MALO	ng g gang, nagara		—	SL.
R.G.CONSTI	VUU II		VI LIQ	

SL. Existing provision Period of Sale of Bid document (Download) from dated 03.03.2016 to 28.03.2016, 15:00 Hrs. Last date and time for receipt (Upload) of Bids on dated 29.03.2016, 15:00 Hrs. Time and date for opening of Technical Bids on dated 11.04.2016, 15:30 Hrs. The Cost of BOQ and EMD will be accepted up to 04.05.2016, 15:00 Hrs. The Cost of BOQ and EMD will be accepted up to 04.05.2016, 15:00 Hrs. A mended provision A mended provision A mended provision A mended provision A mended provision A mended provision A mended provision A dated 03.03.2016 to 30.04.2016, Last date and time for receipt (Upload) of Bids on dated 01.05.2016, 15:00 Hrs. Time and date for opening of Financial Bids on dated 17.05.2016, 15:30 Hrs.
load) of Bids Bids on Bids on
Amended provision Period of Sale of Bid document (Download) from dated 03.03.2016 to 30.04.2016, 15:00 Hrs. Last date and time for receipt (Upload) of Bids on dated 01.05.2016, 15:00 Hrs. Time and date for opening of Technical Bids on dated 04. 05.2016, 16:30 Hrs. Time and date for opening of Financial Bids on dated 17.05.2016, 15:30 Hrs. accepted up to 04.05.2016, 15:00 Hrs.

The other terms and conditions shall remain unchanged.

SPECIAL CONDITIONS

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes royalties and other incidental charges.

4. To qualify for award of work, the Bidder must possess the following:-

- a) Legal Status, Place of Registration, Principal place of business & Power of attorney of signatory bid.
- b) DD for required value of B.O.Q. Cost.

c) Sufficient Earnest Money Deposit.

- d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.
- e) Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed at least one Building work of value not less than 25 % of estimated value of contract) in last five years as mentioned in Technical bid.
- f) Litigation History as mentioned in Technical bid.

g) Affidavit as mentioned in Technical bid.

- h) Valid Registration with Central/State Govt. / PSU.
- i) Valid labour license as mentioned in Technical bid.
- j) Affidavit/Certificate for not been debarred as mentioned in Technical bid.
- 5. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.
- 6. The tender without earnest money or insufficient earnest money submitted with the tender, will be outright rejected.
- 7. Conditional tenders shall be outright rejected.
- 8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.
- 9. Authority shall reserve the right to reject any or all the tenders or distribute the work to more than one contractor without assigning any reason.
- 10. Any claim for idle labours on any account shall not be entertained.
- 11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules prevalent in the locality.
- 12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the contractor.
- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-
- a. Natural calamities
- b. Act of enemies.

R.G. CONSTRUCTION PVI LTD.

(Seal & Signature of Tenderer)

Chief Engineer 3.S.E.P.D.C. Ltd, Patna

2yan 22/5

- c. Transport and procurement difficulties.
- d. Circumstances beyond the control of the state.
- 15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- 16. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
- 17. The contractor shall make his own arrangement for water and light at the work site.
- 18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 20. The Tenderer must not quote their rate more than 10 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
- 21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 22. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.

----X-----X

23. The Defect liability Period shall be Three (3) Years from the date of completion of the work.

R. CONSTRUCTION PVI LTD.

ROLL FOR K.

22/5/17 Director

(Seal & Signature of Tenderer)

CRAST ENGINEET B.S.E.I.D.G. Ltd, Patna

बिहार राज्य शैक्षणिक आधारमूत संरचना विकास निगम लिमिटेड (बिहार सरकार का एक उपक्रम) 49 शिक्षा भवन, बिहार राष्ट्रभाषा परिषद कैम्पस, आचार्य शिवपुजन सहाय पथ, सैदपुर, पटमा—800004 (दूरभाष:—0612—2910314)

निविदा आमंत्रण सूचना संख्या- 40 वर्ष 2015-16 (केवल ई-टेन्डिरिंग पद्धित के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

बिहार राज्य के भवन निर्माण कार्य हेतु निम्नांकित निविदायें आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार / सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रजिस्ट्रेशन, उक्त कार्य का लेटर ऑफ एक्सेपटेंस प्राप्त होने के बाद कराना होगा।

				परिमाण		I .
		प्राक्कलित	अग्रधन	विपत्र की	Beltron Bid	कार्य
क्रम	कार्य का नाम	राशि (लाख में)	की राशि (रू० में)	राशि	Processing	समाप्ति की अवधि
	P. C. Fil			(रू० में)	Fee (In Rs.)	
	BRC Ekma, Saran	85.2	1,70,400	10,000	5750	15 माह
2	BRC Baniyapur,Saran	85.2	1,70,400	10,000	5750	15 माह
3	BRC Masrak,Saran	85.2	1,70,400	10,000	5750	15 माह
4	BRC Marhowrah,Saran	85.2	1,70,400	10,000	5750	15 माह
5	BRC Amnour,Saran	85.2	1,70,400	10,000	5750	15 माह
6	BRC,Dariyapur,Saran	85.2	1,70,400	10,000	5750	15 माह
7	BRC,Garkha,Saran	85.2	1,70,400	10,000	5750	15 माह
8	BRC,Manigachhi, Darbhanga	85.2	1,70,400	10,000	5750	15 माह
9	BRC, Keoti, Darbhanga	85.2	1,70,400	10,000	5750	15 माह
10	BRC,kusheshwarsthan,Darbhanga	85.2	1,70,400	10,000	5750	15 माह
11	BRC,Ghanshyampur,Darbhanga	85.2	1,70,400	10,000	5750	15 माह
12	BRC,Kiratpur,Darbhanga	85.2	1,70,400	10,000	5750	15 माह
13	BRC,Baheri,Darbhanga	85.2	1,70,400	10,000	5750 '	15 माह
14	BRC,Hanumannagar,Darbhanga	85.2	1,70,400	10,000	5750	15 माह
15	BRC, Lakhnaur, Madhubani	85.2	1,70,400	10,000	5750	15 माह
16	BRC,Jhanjharpur,Madhubani	85.2	1,70,400	10,000	5750	15 माह
17	BRC,Phulparas,Madhubani	85.2	1,70,400	10,000	5750	15 माह
18	BRC,Khutauna,Madhubani	85.2	1,70,400	10,000	5750	15 माह
19	BRC, Khajouli, Madhubani	85.2	1,70,400	10,000	5750	15 माह
20	BRC,Bisfi,Madhubani	85.2	1,70,400	10,000	5750	15 माह
21	BRC,Rahika,Madhubani	85.2	1,70,400	10,000	5750	15 माह
22	BRC, Harlakhi, Madhubani	85.2	1,70,400	10,000	5750	15 माह
23	BRC,Babubarhi,Madhubani	85.2	1,70,400	10,000	5750	15 माह
24	BRC Rosada,Samastipur	85.2	1,70,400	10,000	5750	15 भार
25	BRC Samastipur	85.2	1,70,400	10,000	5750	15 माह
26	BRC, Khanpur,Samastipur	85.2	1,70,400	10,000	5750	15 माह
27	BRC, Hasanpur, Samastipur	85.2	1,70,400	10,000	5750	15 मार
28	BRC, Mohanpur,Samastipur	85.2	1,70,400	10,000	5750	15 माह
29	BRC, Patori,Samastipur	85.2	1,70,400	10,000	5750	15 माह
30	BRC, Shivajinagar, Samastipur	85.2	1,70,400	10,000	5750	15 माह
31	BRC,Sangrampur,E.Champaran	85.2	1,70,400	10,000	5750	15 माह
32	BRC,Kalyanpur,E.Champaran	85.2	1,70,400	10,000	5750	15 माह
33	BRC Chakia, E. Champaran	85.2	1,70,400	10,000	5750	15 माह
34	BRC Sugauli, E. Champaran	85.2	1,70,400	10,000	5750	15 माह
35	BRC Madhuban, E. Champaran	85.2	1,70,400	10,000	5750	15 माह
36	BRC Patahi,E.Champaran	85.2	1,70,400	10,000	5750	15 माह
37	BRC Raxaul, E. Champaran	85.2	1,70,400	10,000	5750	15 माह
38	BRC Adapur, E. Champaran	85.2	1,70,400	10,000	5750	15 मह
39	BRC Bankatwa, E. Champaran	85.2	1,70,400	10,000	(5750	15/ मार
40	BRC Dhaka,E.Champaran	85.2	1,70,400	10,000	\$750	√ों ≸ माह
41	BRC Bairia, W.Champaran	85.2	1,70,400	10,000	5750 V	15 माह
42	BRC Narkatiaganj, W. Champaran	85.2	1,70,400	10,000	5750	15 माह
43	BRC Sikta, W.Champaran	85.2	1,70,400	10,000	E3750 CET	्र15, मार
44	BRC Bhithan, W. Champaran	85.2	1,70,400	10.000	0 C 5750	15 माह

R.G. CONSTRUCTION PVT. LTD. L'Routou K.

BRC Piprasi, W. Champaran	45	BRC Lauriya, W. Champaran	85.2	1,70,400	10,000	5750	15 माह
BRC Majhaulia, W.Champaran		DDC Diversity Characteristic					
BBC Darauli, Silvan							
BRC Hussainganj, Silwan							
BRC Mairwa, Silvan				-			
BRC Basantpur,Siwan							
Section Sect							
BRC_Bhagwanpur,Siwan							
BRC Hasanpur, Siwan							
BRC Uchkagaon, Gopalganj				1			
Second S							
SPC BRC Bhorey,Gopalganj SS.2 1,70,400 10,000 5750 15 IIIs SPC BRC,Bijaipur,Gopalganj SS.2 1,70,400 10,000 5750 15 IIIs SPC BRC Pachdeuri,Gopalganj SS.2 1,70,400 10,000 5750 15 IIIs SPC BRC Rechdeuri,Gopalganj SS.2 1,70,400 10,000 5750 15 IIIs SPC BRC Kuchaikot,Gopalganj SS.2 1,70,400 10,000 5750 15 IIIs SPC BRC Chainpur,Kaimur SS.2 1,70,400 10,000 5750 15 IIIs SPC BRC Chainpur,Kaimur SS.2 1,70,400 10,000 5750 15 IIIs SPC BRC Chainpur,Kaimur SS.2 1,70,400 10,000 5750 15 IIIs SPC BRC ChakikiBuxar SS.2 1,70,400 10,000 5750 15 IIIs SPC BRC ChakikiBuxar SS.2 1,70,400 10,000 5750 15 IIIs SPC BRC Chausa,Buxar SS.2 1,70,400 10,000 5750 15 IIIs SPC BRC Chausa,Buxar SS.2 1,70,400 10,000 5750 15 IIIs SPC BRC Karalgar,Rohtas SS.2 1,70,400 10,000 5750 15 IIIs SPC BRC Karalgar,Rohtas SS.2 1,70,400 10,000 5750 15 IIIs SPC BRC Karalgar,Rohtas SS.2 1,70,400 10,000 5750 15 IIIs SPC BRC Karaka,Rohtas SS.2 1,70,400 10,000 5750 15 IIIs SPC BRC Karaka,Rohtas SS.2 1,70,400 10,000 5750 15 IIIs SPC BRC Karaka,Rohtas SS.2 1,70,400 10,000 5750 15 IIIs SPC BRC Mansahi,Katihar SS.2 1,70,400 10,000 5750 15 IIIs SPC BRC Mansahi,Katihar SS.2 1,70,400 10,000 5750 15 IIIs SPC BRC Mansahi,Katihar SS.2 1,70,400 10,000 5750 15 IIIs SPC BRC Mansahi,Katihar SS.2 1,70,400 10,000 5750 15 IIIs SPC BRC Mansahi,Katihar SS.2 1,70,400 10,000 5750 15 IIIs SPC BRC Mansahi,Katihar SS.2 1,70,400 10,000 5750 15 IIIs SPC BRC Mansahi,Katihar SS.2 1,70,400 10,000 5750 15 IIIs SPC BRC Mansahi,Katihar SS.2 1,70,400 10,000 5750 15 IIIs SPC BRC Mansahi,Katihar SS.2 1,70,400 10,000 5750 15 IIIs SPC BRC Mansahi,Katihar SS.2 1,70,400 10							
BRC Biaipur, Gopalgan S. 1,70,400 10,000 5750 15 776 15 776 16 16 16 16 16 16 1	57		~				15 माह
BRC Pachdeuri, Gopalgan Sec. 1,70,400 10,000 5750 15 mg Se	58			+			
BRC Kuchaikot, Gopalganj S.2. 1,70,400 10,000 5750 15 me BRC, Ramgarh, Kaimur S.2. 1,70,400 10,000 5750 15 me BRC Chainpur, Kaimur S.2. 1,70,400 10,000 5750 15 me SRC Bhagwanpur, Kaimur S.2. 1,70,400 10,000 5750 15 me SRC Bhagwanpur, Kaimur S.2. 1,70,400 10,000 5750 15 me SRC Bhagwanpur, Kaimur S.2. 1,70,400 10,000 5750 15 me SRC Bhagwanpur, Kaimur S.2. 1,70,400 10,000 5750 15 me SRC Bhagwanpur, Kaimur S.2. 1,70,400 10,000 5750 15 me SRC Bhagwanpur, Kaimur S.2. 1,70,400 10,000 5750 15 me SRC Bhagwanpur, Kaimur S.2. 1,70,400 10,000 5750 15 me SRC Bragar, Rohtas S.2. 1,70,400 10,000 5750	59				·		
BRC Ramgarh, Kaimur	60			1			
BRC Chainpur, Kaimur							
BRC Bhagwanpur, Kaimur	62				·		
BRC Chakki, Buxar	63	1					
BRC Buxar	·	<u> </u>					
BRC, Chausa, Buxar	65	BRC Buxar	85.2		10,000	5750	15 माह
BRC Dinara, Rohtas S5.2 1,70,400 10,000 5750 15 пле	66	BRC,Chausa,Buxar			<u>'</u>	5750	15 माह
BRC Kochas, Rohtas 85.2 1,70,400 10,000 5750 15 ппв	67	BRC Dinara,Rohtas	85.2	1,70,400	10,000	5750	15 माह
BRC Tilauthu.Rohtas	68	BRC Karahgar, Rohtas	85.2	1,70,400	10,000	5750	15 माह
BRC Tilauthu.Rohtas	69	BRC Kochas, Rohtas	85.2	1,70,400	10,000	5750	15 माह
BRC Karakat, Rohtas	70	BRC Tilauthu, Rohtas	85.2		10,000	5750	15 माह
BRC Dawat, Rohtas	71		85.2		10,000	5750	15 माह
BRC, Mansahi, Katihar BS.2	72	BRC Dawat,Rohtas	85.2		10,000	5750	15 माह
75 BRC, Pranpur, Katihar 85.2 1,70,400 10,000 5750 15 тів 15	73	BRC,Mansahi,Katihar	85.2		10,000	5750	15 माह
Rec. Rec.	74	BRC,Manihar,Katihar	85.2		10,000	5750	15 माह
BRC, Barsoi, Katihar BS.2	75	BRC,Pranpur,Katihar	85.2	1,70,400	10,000	5750	15 माह
BRC, Azamnagar, Katihar	76	BRC, Kadwa,Katihar	85.2	1,70,400	10,000	5750	15 माह
BRC, Narpatganj, Araria 85.2 1,70,400 10,000 5750 15 Hig	77	BRC,Barsoi,Katihar	85.2	1,70,400	10,000	5750	15 माह
80 BRC, Araria 85.2 1,70,400 10,000 5750 15 माह 81 BRC, Jokihat, Araria 85.2 1,70,400 10,000 5750 15 माह 82 BRC, Bhargama, Araria 85.2 1,70,400 10,000 5750 15 माह 83 BRC, Bargama, Araria 85.2 1,70,400 10,000 5750 15 माह 84 BRC, Purnea East, 85.2 1,70,400 10,000 5750 15 माह 85 BRC, Baisi, Purnea 85.2 1,70,400 10,000 5750 15 माह 86 BRC, Amour, Purnea 85.2 1,70,400 10,000 5750 15 माह 87 BRC, Dhamdaha, Purnea 85.2 1,70,400 10,000 5750 15 माह 88 BRC, Banmankhi, Purnea 85.2 1,70,400 10,000 5750 15 माह 89 BRC, Thakurganj, Kishanganj 85.2 1,70,400 10,000	78	BRC,Azamnagar,Katihar	85.2	1,70,400	10,000	5750	15 माह
81 BRC, Jokihat, Araria 85.2 1,70,400 10,000 5750 15 माह 82 BRC, Bhargama, Araria 85.2 1,70,400 10,000 5750 15 माह 83 BRC, Kursakata, Araria 85.2 1,70,400 10,000 5750 15 माह 84 BRC, Purnea East, 85.2 1,70,400 10,000 5750 15 माह 85 BRC, Baisi, Purnea 85.2 1,70,400 10,000 5750 15 माह 86 BRC, Amour, Purnea 85.2 1,70,400 10,000 5750 15 माह 87 BRC, Dhamdaha, Purnea 85.2 1,70,400 10,000 5750 15 माह 88 BRC, Dhamdaha, Purnea 85.2 1,70,400 10,000 5750 15 माह 89 BRC, Thakurganj, Kishanganj 85.2 1,70,400 10,000 5750 15 माह 90 BRC, Skatoria, Banka 85.2 1,70,400 10,0	79	BRC,Narpatganj,Araria	85.2	1,70,400	10,000	5750	15 माह
82 BRC,Bhargama,Araria 85.2 1,70,400 10,000 5750 15 माह 83 BRC,Kursakata,Araria 85.2 1,70,400 10,000 5750 15 माह 84 BRC,Purnea East, 85.2 1,70,400 10,000 5750 15 माह 85 BRC, Baisi,Purnea 85.2 1,70,400 10,000 5750 15 माह 86 BRC,Amour,Purnea 85.2 1,70,400 10,000 5750 15 माह 87 BRC, Dhamdaha,Purnea 85.2 1,70,400 10,000 5750 15 माह 88 BRC,Banmankhi,Purnea 85.2 1,70,400 10,000 5750 15 माह 89 BRC,Tarhagach,Kishanganj 85.2 1,70,400 10,000 5750 15 माह 90 BRC,Thakurganj,Kishanganj 85.2 1,70,400 10,000 5750 15 माह 91 BRC,Pothia,Kishanganj 85.2 1,70,400 10,000	80		85.2	1,70,400	10,000	5750	15 माह
83 BRC,Kursakata,Araria 85.2 1,70,400 10,000 5750 15 माह 84 BRC,Purnea East, 85.2 1,70,400 10,000 5750 15 माह 85 BRC, Baisi, Purnea 85.2 1,70,400 10,000 5750 15 माह 86 BRC, Amour, Purnea 85.2 1,70,400 10,000 5750 15 माह 87 BRC, Dhamdaha, Purnea 85.2 1,70,400 10,000 5750 15 माह 88 BRC, Banmankhi, Purnea 85.2 1,70,400 10,000 5750 15 माह 89 BRC, Tarhagach, Kishanganj 85.2 1,70,400 10,000 5750 15 माह 90 BRC, Thakurganj, Kishanganj 85.2 1,70,400 10,000 5750 15 माह 91 BRC, Pothia, Kishanganj 85.2 1,70,400 10,000 5750 15 माह 92 BRC Katoria, Banka 85.2 1,70,400	81		85.2	1,70,400	10,000	5750	15 माह
84 BRC, Purnea East, 85.2 1,70,400 10,000 5750 15 माह 85 BRC, Baisi, Purnea 85.2 1,70,400 10,000 5750 15 माह 86 BRC, Amour, Purnea 85.2 1,70,400 10,000 5750 15 माह 87 BRC, Dhamdaha, Purnea 85.2 1,70,400 10,000 5750 15 माह 88 BRC, Banmankhi, Purnea 85.2 1,70,400 10,000 5750 15 माह 89 BRC, Tarhagach, Kishanganj 85.2 1,70,400 10,000 5750 15 माह 90 BRC, Tarhagach, Kishanganj 85.2 1,70,400 10,000 5750 15 माह 91 BRC, Pothia, Kishanganj 85.2 1,70,400 10,000 5750 15 माह 92 BRC Katoria, Banka 85.2 1,70,400 10,000 5750 15 माह 93 BRC Rajaun, Banka 85.2 1,70,400 10,000 5750 15 माह 95 BRC Belhar, Banka <	82	BRC,Bhargama,Araria	85.2	1,70,400	10,000	5750	15 माह
85 BRC, Baisi, Purnea 85.2 1,70,400 10,000 5750 15 माह 86 BRC, Amour, Purnea 85.2 1,70,400 10,000 5750 15 माह 87 BRC, Dhamdaha, Purnea 85.2 1,70,400 10,000 5750 15 माह 88 BRC, Banmankhi, Purnea 85.2 1,70,400 10,000 5750 15 माह 89 BRC, Tarhagach, Kishanganj 85.2 1,70,400 10,000 5750 15 माह 90 BRC, Thakurganj, Kishanganj 85.2 1,70,400 10,000 5750 15 माह 91 BRC, Pothia, Kishanganj 85.2 1,70,400 10,000 5750 15 माह 92 BRC Katoria, Banka 85.2 1,70,400 10,000 5750 15 माह 93 BRC Rajaun, Banka 85.2 1,70,400 10,000 5750 15 माह 94 BRC, Barhat, Banka 85.2 1,70,400 1	83	BRC,Kursakata,Araria	85.2	1,70,400	10,000	5750	15 माह
86 BRC,Amour,Purnea 85.2 1,70,400 10,000 5750 15 मтв 87 BRC, Dhamdaha, Purnea 85.2 1,70,400 10,000 5750 15 मтв 88 BRC,Banmankhi,Purnea 85.2 1,70,400 10,000 5750 15 मтв 89 BRC,Tarhagach,Kishanganj 85.2 1,70,400 10,000 5750 15 मтв 90 BRC,Thakurganj,Kishanganj 85.2 1,70,400 10,000 5750 15 मтв 91 BRC,Pothia,Kishanganj 85.2 1,70,400 10,000 5750 15 मтв 92 BRC Katoria,Banka 85.2 1,70,400 10,000 5750 15 मтв 93 BRC Rajaun,Banka 85.2 1,70,400 10,000 5750 15 मтв 94 BRC,Barhat,Banka 85.2 1,70,400 10,000 5750 15 मтв 95 BRC Belhar,Banka 85.2 1,70,400 10,000 5750 15 मтв 96 BRC Jamui 85.2 1,70,400 10,000 5750 15 मтв 97 BRC Barhat,Jamui	84		85.2	1,70,400	10,000	5750	15 माह
87 BRC, Dhamdaha, Purnea 85.2 1,70,400 10,000 5750 15 माह 88 BRC, Banmankhi, Purnea 85.2 1,70,400 10,000 5750 15 माह 89 BRC, Tarhagach, Kishanganj 85.2 1,70,400 10,000 5750 15 माह 90 BRC, Thakurganj, Kishanganj 85.2 1,70,400 10,000 5750 15 माह 91 BRC, Pothia, Kishanganj 85.2 1,70,400 10,000 5750 15 माह 92 BRC Katoria, Banka 85.2 1,70,400 10,000 5750 15 माह 93 BRC Rajaun, Banka 85.2 1,70,400 10,000 5750 15 माह 94 BRC, Barhat, Banka 85.2 1,70,400 10,000 5750 15 माह 95 BRC Belhar, Banka 85.2 1,70,400 10,000 5750 15 माह 96 BRC Jamui 85.2 1,70,400 10,000 5750 15 माह 97 BRC Barhat, Jamui 85.2 1,70,400 10,000 5750 15 माह 98 BRC Chakai	85	BRC, Baisi, Purnea	85.2	1,70,400	10,000	5750	15 माह
88 BRC,Banmankhi,Purnea 85.2 1,70,400 10,000 5750 15 माह 89 BRC,Tarhagach,Kishanganj 85.2 1,70,400 10,000 5750 15 माह 90 BRC,Thakurganj,Kishanganj 85.2 1,70,400 10,000 5750 15 माह 91 BRC,Pothia,Kishanganj 85.2 1,70,400 10,000 5750 15 माह 92 BRC Katoria,Banka 85.2 1,70,400 10,000 5750 15 माह 93 BRC Rajaun,Banka 85.2 1,70,400 10,000 5750 15 माह 94 BRC,Barhat,Banka 85.2 1,70,400 10,000 5750 15 माह 95 BRC Belhar,Banka 85.2 1,70,400 10,000 5750 15 माह 96 BRC Jamui 85.2 1,70,400 10,000 5750 15 माह 97 BRC Barhat,Jamui 85.2 1,70,400 10,000 5750 15 माह 98 BRC Gidhour,Jamui 85.2 1,70,400 10,000 5750 15 माह 100 BRC Sikandra,Jamui	86		85.2		10,000	5750	15 माह
89 BRC, Tarhagach, Kishanganj 85.2 1,70,400 10,000 5750 15 माह 90 BRC, Thakurganj, Kishanganj 85.2 1,70,400 10,000 5750 15 माह 91 BRC, Pothia, Kishanganj 85.2 1,70,400 10,000 5750 15 माह 92 BRC Katoria, Banka 85.2 1,70,400 10,000 5750 15 माह 93 BRC Rajaun, Banka 85.2 1,70,400 10,000 5750 15 माह 94 BRC, Barhat, Banka 85.2 1,70,400 10,000 5750 15 माह 95 BRC Belhar, Banka 85.2 1,70,400 10,000 5750 15 माह 96 BRC Jamui 85.2 1,70,400 10,000 5750 15 माह 97 BRC Barhat, Jamui 85.2 1,70,400 10,000 5750 15 माह 98 BRC Chakai, Jamui 85.2 1,70,400 10,000 5750 15 माह 99 BRC Gidhour, Jamui 85.2 1,70,400 10,000 5750 15 माह 100 BRC Sikandra, Jam	87		85.2	1,70,400	10,000	5750	15 माह
90 BRC,Thakurganj,Kishanganj 85.2 1,70,400 10,000 5750 15 чтв 91 BRC,Pothia,Kishanganj 85.2 1,70,400 10,000 5750 15 чтв 92 BRC Katoria,Banka 85.2 1,70,400 10,000 5750 15 чтв 93 BRC Rajaun,Banka 85.2 1,70,400 10,000 5750 15 чтв 94 BRC,Barhat,Banka 85.2 1,70,400 10,000 5750 15 чтв 95 BRC Belhar,Banka 85.2 1,70,400 10,000 5750 15 чтв 96 BRC Jamui 85.2 1,70,400 10,000 5750 15 чтв 97 BRC Barhat,Jamui 85.2 1,70,400 10,000 5750 15 чтв 98 BRC Chakai,Jamui 85.2 1,70,400 10,000 5750 15 чтв 99 BRC Gidhour,Jamui 85.2 1,70,400 10,000 5750 15 чтв 100 BRC Sikandra,Jamui 85.2 1,70,400 10,000 5750 15 чтв	 		85.2	1,70,400	10,000	5750	
91 BRC,Pothia,Kishanganj 85.2 1,70,400 10,000 5750 15 माह 92 BRC Katoria,Banka 85.2 1,70,400 10,000 5750 15 माह 93 BRC Rajaun,Banka 85.2 1,70,400 10,000 5750 15 माह 94 BRC,Barhat,Banka 85.2 1,70,400 10,000 5750 15 माह 95 BRC Belhar,Banka 85.2 1,70,400 10,000 5750 15 माह 96 BRC Jamui 85.2 1,70,400 10,000 5750 15 माह 97 BRC Barhat,Jamui 85.2 1,70,400 10,000 5750 15 माह 98 BRC Chakai,Jamui 85.2 1,70,400 10,000 5750 15 माह 99 BRC Gidhour,Jamui 85.2 1,70,400 10,000 5750 15 माह 100 BRC Sikandra,Jamui 85.2 1,70,400 10,000 5750 15 माह	89		85.2	1,70,400	10,000	5750	<u> </u>
92 BRC Katoria, Banka 85.2 1,70,400 10,000 5750 15 माह 93 BRC Rajaun, Banka 85.2 1,70,400 10,000 5750 15 माह 94 BRC, Barhat, Banka 85.2 1,70,400 10,000 5750 15 माह 95 BRC Belhar, Banka 85.2 1,70,400 10,000 5750 15 माह 96 BRC Jamui 85.2 1,70,400 10,000 5750 15 माह 97 BRC Barhat, Jamui 85.2 1,70,400 10,000 5750 15 माह 98 BRC Chakai, Jamui 85.2 1,70,400 10,000 5750 15 माह 99 BRC Gidhour, Jamui 85.2 1,70,400 10,000 5750 15 माह 100 BRC Sikandra, Jamui 85.2 1,70,400 10,000 5750 15 माह	90	0 0	85.2	1,70,400	10,000	5750	15 माह
93 BRC Rajaun, Banka 85.2 1,70,400 10,000 5750 15 माह 94 BRC, Barhat, Banka 85.2 1,70,400 10,000 5750 15 माह 95 BRC Belhar, Banka 85.2 1,70,400 10,000 5750 15 माह 96 BRC Jamui 85.2 1,70,400 10,000 5750 15 माह 97 BRC Barhat, Jamui 85.2 1,70,400 10,000 5750 15 माह 98 BRC Chakai, Jamui 85.2 1,70,400 10,000 5750 15 माह 99 BRC Gidhour, Jamui 85.2 1,70,400 10,000 5750 15 माह 100 BRC Sikandra, Jamui 85.2 1,70,400 10,000 5750 15 माह	91	BRC,Pothia,Kishanganj	85.2	1,70,400	10,000	5750	15 माह
94 BRC,Barhat,Banka 85.2 1,70,400 10,000 5750 15 माह 95 BRC Belhar,Banka 85.2 1,70,400 10,000 5750 15 माह 96 BRC Jamui 85.2 1,70,400 10,000 5750 15 माह 97 BRC Barhat,Jamui 85.2 1,70,400 10,000 5750 15 माह 98 BRC Chakai,Jamui 85.2 1,70,400 10,000 5750 15 माह 99 BRC Gidhour,Jamui 85.2 1,70,400 10,000 5750 15 माह 100 BRC Sikandra,Jamui 85.2 1,70,400 10,000 5750 15 माह	92	BRC Katoria,Banka	85.2	1,70,400	10,000	5750	15 माह
95 BRC Belhar,Banka 85.2 1,70,400 10,000 5750 15 माड 96 BRC Jamui 85.2 1,70,400 10,000 5750 15 माड 97 BRC Barhat,Jamui 85.2 1,70,400 10,000 5750 15 माड 98 BRC Chakai,Jamui 85.2 1,70,400 10,000 5750 15 माड 99 BRC Gidhour,Jamui 85.2 1,70,400 10,000 5750 15 माड 100 BRC Sikandra,Jamui 85.2 1,70,400 10,000 5750 15 माड	93	BRC Rajaun,Banka	85.2	1,70,400	10,000	5750	15 माह
96 BRC Jamui 85.2 1,70,400 10,000 5750 15 чтв 97 BRC Barhat, Jamui 85.2 1,70,400 10,000 5750 15 чтв 98 BRC Chakai, Jamui 85.2 1,70,400 10,000 5750 15 чтв 99 BRC Gidhour, Jamui 85.2 1,70,400 10,000 5750 15 чтв 100 BRC Sikandra, Jamui 85.2 1,70,400 10,000 5750 15 чтв	94	BRC,Barhat,Banka	85.2	1,70,400	10,000	5750	15 माह
97 BRC Barhat, Jamui 85.2 1,70,400 10,000 5750 715 माह 98 BRC Chakai, Jamui 85.2 1,70,400 10,000 5750 15 माह 99 BRC Gidhour, Jamui 85.2 1,70,400 10,000 5750 15 माह 100 BRC Sikandra, Jamui 85.2 1,70,400 10,000 5750 15 माह	95		85.2	1,70,400	10,000	5750	15 माह
98 BRC Chakai, Jamui 85.2 1,70,400 10,000 5750 15 माह 99 BRC Gidhour, Jamui 85.2 1,70,400 10,000 5750 15 माह 100 BRC Sikandra, Jamui 85.2 1,70,400 10,000 5750 वा 15 माह	96		85.2	1,70,400	10,000		
99 BRC Gidhour, Jamui 85.2 1,70,400 10,000 5750 15 माह 100 BRC Sikandra, Jamui 85.2 1,70,400 10,000 5750 Patrits माह	97		85.2		10,000		
100 BRC Sikandra, Jamui 85.2 1,70,400 10,000 57,50 Patrit 5 माह							
100 BRC Sikandra, Jamui 85.2 1,70,400 10,000 Dic 57,50 Patril 5 माह	ļ	A CONTRACTOR OF THE PROPERTY O		+	10,000	Englister	
	100	<u> </u>	85.2	1,70,400	10,000	C. 15750 Pat	n 15 माह

RG CONSTRUCTION PYT LTU SPROMETON PYT LTU 22/5/17 Director

101	BRC Asharganj, Munger	05.0	1 =0 100	40000		T
102	DDC Novemble Dl. 1	85.2	1,70,400	10,000	5750	15 माह
103	BRC Pirpainti,Bhagalpur	85.2	1,70,400	10,000	5750	15 माह
103	BRC Shahkund,Bhagalpur	85.2	1,70,400	10,000	5750	15 माह
104		85.2	1,70,400	10,000	5750	15 माह
	BRC Puraini, Madhepura	85.2	1,70,400	10,000	5750	15 माह
106	BRC Gwalpada, Madhepura	85.2	1,70,400	10,000	5750	15 माह
107	BRC Kumarkhand, Madhepura	85.2	1,70,400	10,000	5750	15 माह
108	BRC Gailarh, Madhepura	85.2	1,70,400	10,000	5750	15 माह
109	BRC Saurbazar, Saharsa	85.2	1,70,400	10,000	5750	15 माह
110	BRC,Navhatta,Saharsa	85.2	1,70,400	10,000	5750	15 माह
111	BRC Mahensi,Saharsa	85.2	1,70,400	10,000	5750	15 माह
112	BRC Sonbarsa,Saharsa	85.2	1,70,400	10,000	5750	15 माह
113	BRC Simri, Bakhtiyarpur Saharsa	85.2	1,70,400	10,000	5750	15 माह
114	BRC Supaul	85.2	1,70,400	10,000	5750	15 माह
115	BRC Pipra,Supaul	85.2	1,70,400	10,000	5750	15 माह
116	BRC Pratapganj,Supaul	85.2	1,70,400	10,000	5750	15 माह
117	BRC Nirmali, Supaul	85.2	1,70,400	10,000	5750	15 माह
118	BRC Raghopur, Supaul	85.2	1,70,400	10,000	5750	15 माह 15 माह
119	BRC, Atari, Gaya	85.2	1,70,400	10,000	5750	15 माह
120	BRC, Neemchak, Gaya	85.2	1,70,400	10,000	5750	15 माह 15 माह
121	BRC, Wazirgani, Gaya	85.2	1,70,400	10,000	5750	
122	BRC, Mohampur, Gaya	85.2	1,70,400			
123	BRC, Imamganj, Gaya	·		10,000	5750	15 माह
124	BRC Amas, Gaya	85.2	1,70,400	10,000	5750	15 माह
125	BRC, Koch, Gaya	85.2	1,70,400	10,000	5750	15 माह
126	BRC, Jehanabad	85.2	1,70,400	10,000	5750	15 माह
		85.2	1,70,400	10,000	5750	15 माह
127	BRC,Kako,Jehanabad	85.2	1,70,400	10,000	5750	15 माह
128	BRC,Ghosi,Jehanabad	85.2	1,70,400	10,000	5750	15 माह
129	BRC Arwal	85.2	1,70,400	10,000	5750	15 माह
130	BRC Karpi, Arwal	85.2	1,70,400	10,000	5750	15 माह
131	BRC,Obra,Aurangabad	85.2	1,70,400	10,000	5750	15 माह
132	BRC,Dev,Aurangabad	85.2	1,70,400	10,000	5750	15 माह
133	BRC Madanpur, Aurangabad	85.2	1,70,400	10,000	5750	15 माह
134	BRC Kutumba, Aurangabad	85.2	1,70,400	10,000	5750	15 माह
135	BRC, Rega,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
136	BRC,Merajgang,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
137	BRC,Pupri,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह 15 माह
138	BRC,Barthnaha,Sitamarhi	85.2	1,70,400	10,000	5750	
139	BRC,Runisaidpur,Sitamarhi	85.2	1,70,400			
140	BRC,Suppi,Sitamarhi	85.2	1,70,400	10,000	5750	15 माह
141	BRC, Pakribarawan, Nawada		 	10,000	5750	15 माह
142	BRC, Warisaliganj, Nawada	85.2	1,70,400	10,000	5750	15 माह
143	BRC, Akabarpur, Nawada	85.2	1,70,400	10,000	5750	15 माह
143		85.2	1,70,400	10,000	5750	15 माह
145	BRC, Narhat, Nawada	85.2	1,70,400	10,000	5750	15 माह
	BRC, Chandi, Nalanda	85.2	1,70,400	10,000	5750	15 माह
146	BRC, Austhawan ,Nalanda	85.2	1,70,400	10,000	5750	15 माह
147	BRC, Rahui, Nalanda	85.2	1,70,400	10,000	5750	15 माह
148	BRC, Ekangarsarai Nalanda	85.2	1,70,400	10,000	5750	15 माह
149	BRC,Silaw,Nalanda	85.2	1,70,400	10,000	5750	15 माह
150	BRC, Katrisarai, Nalanda	85.2	1,70,400	10,000	5750	15 माह
151	BRC, Karaiparsurai, Nalanda	85.2	1,70,400	10,000	5750	15 माह
152	BRC,Motipur,Muzaffarpur	85.2	1,70,400	10,000	5750	15 मुह
153	BRC Gaighat, Muzaffarpur	85.2	1,70,400	10,000	5750	15 /माह
154	BRC, Aurai, Muzaffarpur	85.2	1,70,400	10,000	5750	15 HIE
155	BRC,Bandra,Muzaffarpur	85.2	1,70,400	10,000	5750	¥
156	BRC,Minapur,Muzaffarpur	85.2	1,70,400			
	, , , , , , , , , , , , , , , , , , , ,	00,4	1,70,700	10,000	ef F5759nee	15 माह

RECONSTRUCTION PVI. LTD. SROW SUK. 22/5/19mpector B.S.E.I.D.C. Ltd, Patna

157	BRC,Bhagwanpur,Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह
158	BRC, Jagdishpur, Bhojpur	85.2	1,70,400	10,000	5750	15 माह
159	BRC ,Charpokhri,Bhojpur	85.2	1,70,400	10,000	5750	15 माह
160	BRC, Udwantnagar, Bhojpur	85.2	1,70,400	10,000	5750	15 माह
161	BRC,Garhani,Bhojpur	85.2	1,70,400	10,000	5750	15 माह
162	BRC,Koilwar,Bhojpur	85.2	1,70,400	10,000	5750	15 माह
163	BRC, Fatuhan, Patna	85.2	1,70,400	10,000	5750	15 माह
164	BRC, Bakhtiyarpur, Patna	85.2	1,70,400	10,000	5750	15 माह
165	BRC,Naubatpur,Patna	85.2	1,70,400	10,000	5750	15 माह
166	BRC,Maner,Patna	85.2	1,70,400	10,000	5750	15 माह
167	BRC,Begusarai	85.2	1,70,400	10,000	5750	15 माह
168	BRC,Matihani,Begusarai	85.2	1,70,400	10,000	5750	15 माह
169	BRC, Bhagwanpur, Begusarai	85.2	1,70,400	10,000	5750	15 माह
170	BRC, Bakhri,Begusarai	85.2	1,70,400	10,000	5750	15 माह
171	BRC, Mansoorchak, Begusarai	85.2	1,70,400	10,000	5750	15 माह
172	BRC, Cheria Bariyarpur,Begusarai	85.2	1,70,400	10,000	5750	15 माह
173	BRC ,Chuatham,Khagaria	85.2	1,70,400	10,000	5750	15 माह
174	BRC ,Gogari,Khagaria	85.2	1,70,400	10,000	5750	15 माह
175	BRC, Beldour,Khagaria	85.2	1,70,400	10,000	5750	15 माह
176	BRC,Parbatta,Khagaria	85.2	1,70,400	10,000	5750	15 माह
177	BRC,Raghopur,Vaishali	85.2	1,70,400	10,000	5750	15 माह
178	BRC ,Desari,Vaishali	85.2	1,70,400	10,000	5750	15 माह
179	BRC, Bidupur, Vaishali	85.2	1,70,400	10,000	5750	15 माह
180	BRC,Jandaha,Vaishali	85.2	1,70,400	10,000	5750	15 माह
181	BRC ,Mahua,Vaishali	85.2	1,70,400	10,000	5750	15 माह
182	BRC, Garoul, Vaishali	85.2	1,70,400	10,000	5750	15 माह
183	BRC,Chewada,Shekhpura	85.2	1,70,400	10,000	5750	15 माह
184	BRC,Barhiya,Lakhisarai	85.2	1,70,400	10,000	5750	15 माह
185	BRC ,Alinagar, Suryagarha,Lakhisarai	85.2	1,70,400	10,000	5750	15 माह

नोटः (i). निविदाकार एक या अधिक कार्य के लिए अलग-अलग निविदा डाल सकते हैं।

(ii). प्राक्कलित राशि घट या बढ़ सकती है एवं तदनुसार अग्रधन की राशि घट या बढ़ सकती है।

(iii).वेबसाईट—www.eproc.bihar.gov.in पर अंकित प्राक्कलित राशि, अग्रधन की राशि एवं परिमाण विपत्र की राशि अंतिम रुप से मान्य होगा।

(2) विज्ञापन निर्गत करने की तिथि

दिनाक -03.02 .2016

(3) परिमाण विपत्र प्राप्त करने(डाउनलोड) की अवधि एवं समय :— दिनांक— 03.03.2016 से 28.03.2016, 15:00 घंटा

(वेबसाईट:www.eproc.bihar.gov.in पर)

(4) प्री बिड मीटिंग का समय, स्थान एंव तिथि

दिनांक:- 15.03.2016, 14:30 घंटा प्रबंध निदेशक का

कार्यालय,बिहार राज्य शैक्षणिक आधारभृत संरचना विकास निगम, पटना।

(5) निविदा प्राप्ति(अपलोड) की अंतिम तिथि एवं समय:—

दिनांक- 29.03.2016, समय- 15:00 घंटा

(6) अग्रधन जमा करने की अंतिम तिथि एवं समय

दिनांक- 31.03,2016, समय- 15:00 घंटा

(7) टेक्निकल बिड खोलने की तिथि एवं समय

दिनांक- 31.03.2016, समय- 16:30 घंटा (वेबसाईट-www.eproc.bihar.gov.inपर)

(8) वित्तीय बिड खोलने की तिथि एवं समय

दिनांक- 11.04.2016, समय- 15:30 घंटा

(9) निविदा खोलने का स्थान

वेबसाईट-www.eproc.bihar.gov.inपर

(10) निविदा की वैधता की अवधि 120 दिन

(11) ई-टेन्डरिंग की प्रकिया में भाग लेने हेतु संवेदकों को पंजीकृत होना होगा, जिससे कि उन्हें उपयोगकर्ता का नाम (user

ID) पासवर्ड (Password) अंकीय हस्ताक्षर (Digital Signature) निर्गत की जायेगी। यह उन्हें वेबसाईट www.eproc.bihar.gov.in से डाउनलोड करने / टेन्डर की प्रक्रिया में भाग लेने की योग्यता प्रदान करेगा।

(12) ई–निविदा पत्र बेवसाईट www.eproc.bihar.gov.in से प्राप्त किया जा सकता है। संवेदक द्वारा सिर्फ उपर्युक्त वेबसाईट से ही परिमाण विपन्न प्राप्त करने के उपरांत वेबसाईट पर ही इलेक्ट्रानिक निविदा पन्न को भरकर भेजना है। अन्य समीं मेहत्वपूर्ण कागजात / बैंक ड्राफ्ट / अग्रधन की राशि / सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को स्कैन कर ई–निविदा क्रे साथ

परिमाण विपन्न के दर से कम दर उद्धृत करने पर बीड डाक्यूमेंट की शत्तों एवं सरकारी विर्णयानुसार अविरिक्त B.S.E.I.D.C. Ltd, Patna Performance Guarantee एकरारनामा के पूर्व जमा करना होगा।

R.G. CONSTRUCTION PVI. LTD. Rougou Kr 22/5 bijector

(14) (क) प्रत्येक परिमाण विपन्न का मूल्य जो प्रत्येक निविदा के सामने उपर कण्डिका (1) में अंकित है (जो लौटाया नहीं जाएगा) किसी भी राष्ट्रीयकृत बैंक द्वारा निर्गत एवं BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. के नाम से एवं पटना में भुगतेय हो, स्वीकार किया जायेगा। मूल बैंक इापट ''बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड'' पटना के कार्यालय में दिनांक 31.03.2016 के 15:00 घंटे तक स्वयं / निबंधित डाक / स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना है। ऐसा नहीं करने पर निविदा मान्य नहीं होगा।

(ख) Beltron Bid **Processing Fee** is mandatory to be paid through online mode i.e. Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS"

Bids along with necessary online payments must be submitted through e-procurement portal www.eproc.bihar.gov.in before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffic/ Holidays or

any other reason.

(ग) वांछित अग्रधन की राशि राष्ट्रीय बचत पत्र/डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक जो बिहार राज्य से क्रय या जमा किया हो, प्रबंध निदेशक, BSEIDC Ltd., पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा बिहार वित्त नियमावली के अनुसार BSEIDC Ltd. के नाम से फिक्सड डिपोजिट रिसिप्ट अथवा बैंक गारन्टी जो बिड के मान्य अवधि तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत/अनुसूचित बैंक से निर्गत हो (अगर बिहार प्रान्त के बाहर के बैंक से निर्गत बैंक गारन्टी दिया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड, पटना में दिनांक 31.03.2016 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना आवश्यक है। ऐसा नहीं करने पर निविदा मान्य नहीं होगा।

(15) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर लें। ताकि अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से बच सकें।

(16) निविदाकार निविदा डालने से पहले अपने स्तर से भी प्रस्तावित कार्य स्थल पर भूमि उपलब्धता के संबंध में आश्वस्त हो लेगे।

(17) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। बिना कारण बताये निविदा या उसके अंश को अस्वीकृत करने /रदद करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।

(18) विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्य अविध में सम्पर्क किया जा सकता है। ई—टेन्डिरंग की प्रकिया से संबंधित किसी भी प्रकार की जानकारी/सूचना हेतु सहायता कक्ष, ई—टेन्डिरंग कक्ष, प्रथत तल्ला, M/22, बैंक ऑफ इण्डिया भवन, रोड न० 25, श्री कृष्णा नगर, पटना—800001, दूरभाष सं० 0612—2523006/9939035696.

ब्रजेश प्रसाद मुख्य अभियंता

R.G. CONSTRUCTION PVI LID.

ROUTOU Ky

22 5 16 400

Chief Engineer B.S.E.I.D.C. Ltd. Batna