School Building in Bihan (Gr. No. USS-43B) M. S. Muswa, Block-Sugarding USS-43B) M. S. Muswa, Block-Sugarding

Agency - [Form No. F-2] Vazun Kuman ITEM RATE TENDER AND CONTRACT FOR WORKS

Agreement No. ______63 F_20f 2018-19

General Rule and Direction for the guidance of Contractors.

Date of Commencement - 06-08-2018.

1. All works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer.

This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours.

- 2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so.
- 3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm.
- 4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender.

5. The amount of earnest money to be deposited will be : -	Rs.	
If the amount of the estimate does not exceed Rs. 2,000	·/· ··· ·	50
If the amount of the estimate exceeds Rs. 2,000 but does		
not exceed Rs. 5,000	·	100
If the amount of the estimate exceeds Rs. 5,000 but does		
not exceed Rs. 10,000	,	200
For each additional Rs. 5,000 or portion of Rs. 5.000		
additional earnest money		100

6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompanied by the treasury challan for the required earnest money will be liable to rejection. No single tender shall include more than one work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the envelop. Cash deposits for earnests noney here in before mentioned shall be made in Government Treasuries and the challan there of should be enclosed with the tender.

- 19 LIS

- 7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.
 - 8. The Engineer shall have the right of rejecting all or any of the tenders.
- 9. In the event of a tender being selected for acceptance the Engineer who opened the tenders ill, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the priscribed time. The tender with the specilication and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to the tenderer.

- 10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.
- 11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required amount of the security money has been deposited the Engineer shall scrutinise all pages of the form of item, rate, tender & contract for works to see that the form has been properly filled up and signed by the contractor & the signature witnessed He shall then if he is competent, to accept the tender, sign the acceptance of the tender, or, if he is not so competent shall send the form for signature of the acceptance of the officer competent to accept it.

TENDER FOR WORKS

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

		MEMORANDUM
(a) If several sub-work are	[a]	Name of work
Chained in a separate list.		
	[p]	Estimated cost
(b) This deposit will be 5% the estimated cost of the work.	[c]	Earnest money
(c) This percentage duction from bills will be	[d]	Initial security deposits (including earnest money) to be deposited befor the commencement of the work
credited to the contractors security deposit.	bills will be the Continencement of the contractors	
ூ ரு	[f]	Time required for the work from date of written order to commence monthly
	[g]	Date of written other to commence
	[h]	Total number of item of work tendered for

	or		RATE TE	NDERED	- Per	
	Item No.	Item of work	In figures	In words		
	10					
	U					
			SE CALLED THE SECOND SE	Commission and the Commission of the Commission		
, .						
					mb 106/08/18	
	y	, now		3.8.E	ef Eng neer D.C. Lid, Patr	
di di	Zanana a a a a a a a a a a a a a a a a a					

1A A	16	RATE TE	Dor	
Item No	Item of work	In figures	In words	Per
				V (
				j.
			1 /	
-		- Parameter and the second sec		
			1/	
			1/ / 1/11	
A-MONEY PARTY AND				
уулсын				
reinientelle				
				(
TO STATE OF THE ST				
		All the same of th		
1				
			VI ANDREAS AND	
And Andrews				
нестиписти				
TALE CONTROL OF THE C				
a · · · · · · · · · · · · · · · · · · ·		1	PROFILE STATE OF THE STATE OF T	
жения под				
Marine Communication of the Co				
and the same of th				
necessaria de la companio del companio de la companio della compan				

chedule XLV - Form No. 61

(5)

	and the control of th	RATE TO	RATE TENDERED		
Item No.	Item of work	In figures	In words /	Per	
<u></u>					

				CO-POLICE CONTRACTOR C	
				manuscus additional	
$\mathbf{\sigma}$				S.A. O. C. C. S. C.	
				mental management of the control of	
2)					
				as standardina	
e)					
				Consulation Co.	
3				ACCEPTAGE ACCEPT	
				ng Carlos	
)				Charles and the second	
Пе				AND THE PARTY OF T	
				SO CE LEGISLATION AND A SECOND A SECOND AND A SECOND A SECOND AND A SECOND A SECOND AND A SECOND A S	
2				S) all all all all all all all all all al	
				· ·	
		mfragen et Character		NEW TENE	
e)		NAME OF THE PARTY		information in the contract of	
		THE PROPERTY OF THE PROPERTY O		The state of the s	
		Distriction			
		D. Perconament of the		The second section of the sect	
		ethe agriculture			
			5.	Name and Associated Participation of the Control of	
		Security Control of the Control of t		estatus construitados	
		elogations and response		- Committee of the Comm	
		puntage de la company de la co			
•		aust-k-fyte ville S			
)		elle planta de la companya de la com			
			nacon and a second	A STATE OF THE STA	
		, *		tr-decomposite	
		70 pp. 1	The second secon		
		1880 Annie Caranie	lavoraceana		
		GELES AND	CERTIFICATION	A Company of the Comp	
o / / /		No. of the Contract of the Con		Parameters of the Control of the Con	
/ 1		No.			
		##Colorado		*	
		transverse class		Name (Constitution)	
			A Company of		

6)

ACCOUNTS OF THE PROPERTY OF TH		RATE TENDERED		ENDERED	
Item No.	Item of work	and the second	In figures	In words	Per
			THE PARTY OF THE P		
		T-CALLECTURE (TANABAN PERSON P			
		· ·			A
		1200			THE REAL PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS
		ille ille ille ille ille ille ille ille			The second secon
		Charme			
		The state of the s			
		SECONOMIC CONTRACTOR			
		Manager depression			
		THE PARTY NAMED IN COLUMN PARTY NAMED IN COL			
-		THE POST AND ADDRESS OF THE POST A		**************************************	
				No. of the control of	
			/	A ANNO ANNO ANNO ANNO ANNO ANNO ANNO AN	
				CO CONTRACTOR CONTRACT	
				OR DANSAGE CONTRACTOR OF THE C	
		/			(
•					
And the second s					
The Control of the Co					
HPC DOMON BARRAN		-			
- Approximation of the Control of th					
MECHANICAL AND		Annual Annua			
		- Company of the Comp			
att utvandation				TO A CONTRACT OF THE CONTRACT	
		200-01345-01345-01345-01345-01345-01345-01345-01345-01345-01345-01345-01345-01345-01345-01345-01345-01345-0134			
Alternative and the second and the s		CORP. CONTINUES CO.		TO SECURITY PROPERTY OF THE PR	
MARBORITSCHOOL		- AND			
		No. of the last section of			

Sphedule XLV - Form No. 61

(7)

		RATE TE	NDERED	Per	
item No.	Item of work	In figures	. In words	1 01	
		A The second Committee of the second			
0					
				THE RESIDENCE TH	
				Collins of the Collin	
e)				No. 10 Control of Cont	
		1		Washington and the same of the	
		TO SERVICE AND ADDRESS OF THE SERVICE AND ADDRES			
(1)			D GG (c) c) c	Egypty management of the control of	
· O				and the second s	
٥			The state of the s		
e)					
ું			Line of the state	*	
0					
9			Co-da	ENGLANCE AND	
1 3)				and the second s	
() ()		0.00		Parket Company	
•		100 mm			
9		and the second s			
9					
				Company of the Compan	
		THE PROPERTY AND A STATE OF TH			
9					
		85-12-13-13-13-13-13-13-13-13-13-13-13-13-13-			
				•	

should this tender be accepted I/we hereby agree to abide by and fulfill all terms and provisions of the said conditions of contract annexed hereto so. for applicable, or in ssors in office the sums of money mentioned in the said condition

Dated the

day of

*Signature, of contractor be fore comission of tender

010 - M13 vanshey Const Occupation

Signature of witness to contractor's signature

The above tender is hereby accepted by me on behalf of the Governor of Bit Dated the day of

signature of the office accepting the tend

witnes Addres

Acceptances communicated on...

signature of the pa taking the tend



Compensation

CONDITIONS OF CONTRACT

Clause 1:- All compensation or other sums of payable by the contractor Government under the terms of his contract may be deducted from, paid by t sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor Government on any account whatsoever and in the event of his security depo being reduced by reason of any such deduction or sale as aforesaid, the contrac shall within ten days there after make good in cash or Government securiti endorsed as aforesaid any sum or sums which may have been deducted from, arised by, sale of his security deposit of any part thereof.

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which the work is finished after necessary rectification of defects as pointed by the Executive En- gineer or his authorised agents are fully contractor to the Engineer's satisfaction.

Clause 2 :- The time allowed for carrying out the work as entered in the tend shall be strictly observed by the contractor and shall be reckoned from the date which the wirtten order to comence work is given to the contractor. The work sh throughout the stipulated period of the contract be carried on with all due diligen (time being deemed to be the essence of the contract on the part of the contra or) and the contractor shall pay as compensation an amount equal to ½ perce on the amount of the estimated cost of the whole work as shown by the tender every day that the work remains uncommenced or unfinished after the proper dal And further to ensure good progress during the execution of the work the contract shall be bound in all cases in which the time allowed for any work exceeds of month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before or half of such time elapsed and three-fourths of the work, before three fourths of su time has elapsed in the event of the contractor failing to employ with this condition I shall be liable to pay as compensation an amount equal to ½ percent on the sa estimated cost of the whole work for every day that the due quantity of wo remains incomplete provided always that the entire amount of compensation to paid under the provisions the clause shall not exceed 10 percent of the estimate cost of the work as shown in the tender.

Action when persnle security deposit foreited

Clause 3:- In any case which under any clause or clauses of or this contra the contractor shall have rendered himself laible to pay compensation amounti to the whole of his security deposit in the hands of Government (where paid in o sum or deducted by instalments) the Executive Engineer on behalf on the Bih Government shall have been powered to adopt any of the following courses, as I may deem best suited to the enterest of Government -

(a) To rescind the contract (of which rescind notice in writing to the contract under the hand of the Executive Engineer shall be conclusive evidence) and which case the sectifiry deposit of the contractor shall start forfeited, and absolutely at the disposal of Government.

e

) It

e it Ų.

(9)

(b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debitting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in -charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.

(c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original contractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4:- In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may, if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Engineer as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

contractor remains liable to pay compensation if action not take under cause 2:

Power to take posession of or require removal of or sell contractor plant.

Clause 5:- If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) he shall apply in writing to the Executive Engineer within 40 days from the date of starting of the hinderance on account of which be desires such extension as aforesaid and the Executive Engineer shall, if in his opinion (which shall be final) reasonable grounds be shown thereof authorised such extension of time, if any, as may in his opinion be necessary or proper. The Executive Engineer shall at the same time inform the contractor whether he

claims compensation for the delay.

Extension of time

Tol/8/18

Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion, but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinctly marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-work, doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurements shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus materials and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid, except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible, before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-in-charge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts or in any other way vary or affect the contract.

Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Stores supplied Government

Clause 9:- If the specification or estimate of the work provides for the use of any special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-incharge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums then due or there after to become due to the contractor under the contract or otherwise, or against or form the security deposit, or the proceed of sale thereof, if the same is held in Government security the same or sufficient portion thereof in this case sold for the purpose All materials supplied to the contractor shall remain the absolute property of Government and shall not on any accounts he removed from this site of the work and shall at all times be open to

ec

25

11

inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10:- The contractor shall executive the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such

designs, drawings and instructions as aforesaid.

Clause 11:- Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a disputes the decision of the superintending Engineer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period.

Clause 12:- If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out, the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsoever on account of any profit or advantage, which he might have derived from the execution of the work in full, but which he did not derive in consequence of the full amount of the week in or restriction of not having been carried out neither shall he have any claim for compensation by reason \work to be carried out. of any alternation having been made in the original specification, drawing designs and neer instruction which shall involve any installment of the work as originally contemplated. Patna clause 12 (a) As contained in G O 1929 dated 11.9.56.

Work to be executed accordance with specification drawing other etc.

Alteration in specifications and designation.

Do not in validate contract

Time in consequence of alteration

Rate for work no in estimate or schedule of rates of the district.

Compensation for alter-

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such failure is due to:-

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as finally by the contractor.

Action and compensation payable in case of work

Clause 13 :- If it shall appear to the Engineer-in-charge or his subordinate incharge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall on demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-incharge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and expense in all respects of the contractcor.

Work to be taken to inspection

Clause 14:-All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineer-in-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be present.

Clause 15: The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which the same was effected.

Notice to be taken before work covered up Clause 16:- If the contractor or his work-people, or servants shall break, deface injure or destroy any part of a building in which they may be working or any building, road, road curves, fence enclosure water pipes, cables, drains, electric or telephone posts or wires, trees, grass or grassland or cultivated ground contiguous on which the work or any part of it is being executed or if any damage shall dappen to the work, while in progress from any cause whatsoever or any imperfection become apparent in if within three months (six months in the case of a road-work) after a certificate final or other of its completion shall have been given by the Engineer-in-charge

as a fore seal, the contractor shall make the same good at his own expense, or in default, the Engineer-in-charge may cause the same to be made be good by other worksmen and deduct the expense of which time thereafter may become due to the contractor, or from his security deposit, or the proceed of sale there of, or of a sufficient portion there of the security deposit at the contractor shall not be refunded before the expiry of three months (six months in the case of a road-work) after the issue of the certificate final or otherwise of completion of work provided that in the case of a road work If in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable after three months of the issue of the said certificate of completion

Contractor liable for damage done and for imperfection a months and after certificate

Clause 17:- The contractor shall supply at his own cost all materials (except such special materials) if any as may in accordance with the contract be supplied from the Engineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, tackle scaffolding and temporary works requisits or proper for the proper execution of the work whether original, altered or substituted and whether include in the specification or other documents forming part of the contract or referred to in these conditions or not or which may be necessary for purpose of satisfying or complying with the requirement of ed he Engineer-in-charge as to any matter as to which under these conditions he is entitled to be satisfied which he is entitled to require together with carriage therefore to and form ্ৰণাe work. The contractor shall also supply without charge the requisite number of persons an with the means and materials necessary for the purpose of setting out works, and counting, -weighing and assisting in the measurement or examination at any time and form time to intime of the work or materials failing his so doing the same may be Provided by the Engineer-in-charge at the expense of the contractor and the expenses may be deducted ne from any money due to the contractor under the contract from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide all necessary fencing and lights required to protect the public from accident, and shall be bound to bear to expenses of defence of every suit action or other proceeding at law that may be brought by any person for injury sustained owing to neglect of the above precautions and to any such person or which may with the consent of the contractor be e said to compromise any claim by any such person.

Contractor to supply to plantladder scaffolding

And is liable for damage arising for non-provision of light fencing etc.

Clause 18:- No female labour shall be employed within the limits of contonment. The contractor shall not employ for the purpose of his contract any person who is below he age of twelve years and shall pay to each labour for the work done by such labourer wages not less than the wages paid for similar work in the neighbourhood.

Work not to be subject

The executive Engineer shall have the right to enquire into the case and decide יופות complaint alleging that the wages paid by the contractor to any labourer for the work done by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer ♪mployed by contractor is below the age of twelve years and to refuse to allow any labourer whom he decided to be below the age of twelve years to be employed by the ontractor.

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his contract, or attempt so to do, or become insolvent proceedings to make any composition with his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward 👉 advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, or offered by the contractor, or any of his servant or agents to any public officer or person wh the employ of Government in any way relating to his officer or employment or if any such officer or person shall become in any way directly or indirectly interested in the ontract the Executive Engineer may there upon by notice in writing rescind the contract. $_{
m D}$ The security deposit of the contractor shall there upon stand forfeited and be absolutely at the disposal of Government and the same consequence shall ensure as if the contracts need had been recinded under clause 3 here of, in addition the contractor shall not be entitled. id, Patna I recover or be paid to any work therefore actually performed the under the contract

Contract may be resinded and security deposit forfelted for subletting bribes

such payable by way of compensation to be considered reasonable compensation without reference to actual loss Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained.

Clause 21: In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this information.

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal of Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Enaineer Clause 22:- All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23: In case any dispute or difference shall arise between the parties or either of there upon any question relating to the meaning of the specifications, designs, drawings and instructions here before mentioned or as to the quality of workmanship or materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, or any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions or otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof or as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

ins

Wd

Lum sum in estimate

(a) Clause 24:- When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items or work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-in-charge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineer-in-charge shall be final and conclusive against the contractor with regard to any sum payable to him under the provision of this clause.

,

Coni

sible

Notice before Action where specification.

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Definition of works

Clause 26: The expression "work" or "works" where used in these condition shall unless there be something either in the subject or context repugnant to such

shall unless there be something either in the subject or context repugnant to such construction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered,

substituted or additional.

Clause 27:- The terms and conditions of the agreement have been read/explaine to me and certify......clearly understand them.

Contracte

Schedule XLV - Form No. 61

(15)

Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied

	Particulars	will be o	hich the material charged to the ontractor		Place of delivery
	ang with department of the company o	Unit	Rs.	P.	
12					
sy'			And and a second a	A DESCRIPTION OF THE PROPERTY	
16		ELLEGROSSION OF THE STATE OF TH	Consistence of the constant of		
ed				ENERGIN NEW PROPERTY	
		Control of the Contro			
ar)	6				
all)				1	
ne,					
5/			1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	Annual State of Contrast	
				ong day of the control of	
∋ S)					
tige					
JON,					
ııe, ∶					
IJ.				Company of the control of the contro	
Ĵ.					
):		Management of the Control of the Con			
			no-security and the security and the sec	:	

Note: The person or firm submitting the tender should see that the rates in the above schedules are filled up by the Engineer-in-charge on the issue of the form prior to the submission of the tender.

(Signature of Contrator)

Chief Engineer
B.S.E.I.D.C. L.C., Patna

(Signature of Executive Engineer)

Bihar State Educational Infrastructure Development Corporation Ltd.

AGREEMENT FOR UPGRADED SECONDARY SCHOOLS IN BIHAR

TENDER FOR WORKS

I/we heredy tender for the execution for the Governor of Bihr of the work specifed in the under written memorandum at the rates specified therein within a period of years month from the date of witten order to commence and in accodance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subjects to the annexed condation of contract and with such materaials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

MEMORANDUM

incuded they should be

- (a) If several sub-work are (A) Name of Work: CONTSTRUCTION OF BALANCE WORK OF detained in the separate list UPGRADED SECONDARY SCHOOLS BUILDING IN BIHAR (Gr. No.-USS-43 B), M.S.Muswa, Block-Sugauli, Distt.-East Champaran
 - (B) Estimated Cost :- Rs. 26,83,000=00 Agreement value :- Rs. 24,14,700=00

(b) This deposit will be 5% of the estimated cost of the work.

(C)Earnest Money:-

(c)This percentage deduction from bills will be credited to the contractors security deposits

(D) Initial security deposits (including earnest money) to be deposited before the Commencement of the work-

Earnest Money:- Rs. 1,26,000/- (Details attached)

- (E) Percentage to be deducted from bill Rs. 5% (Rupees five percent)
- (F) Time required for the work from date of written order to commence- SIX MONTHS
- (G) Date of written order to commence:-
- (H) Total number of item of work tendered for :- 75

Youron!

Chief Eng neer
B.S.E.I.D.C. Ltd. Par

Bihar State Educational Infrastructure Development Corporation Ltd.

AGREEMENT FOR UPGRADED SECONDARY SCHOOLS IN BIHAR

Group No.: USS-43 (B)

Division	District	Block	Name of School
Tirhut (W)	East Champaran	Sugauli	M.S.Muswa

THE ITEM RATES ARE BASED ON BIHAR SCHEDULE OF RATES, BCD, effective from dated: 17.10.2016

SOR Ref.N.	DESCRIPTION	Unit	Quantit		
			y	Rate	Amount
	2.0 Earth Work				
2.8	EARTH WORK IN EXCAVATION over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including dressing of sides and ramming of bottom, lift upto 1.5m including getting out the excavated soil and disposal of surplus soil as directed, within a lead of 50m.				·
2.8.1	ALL KINDS OF SOIL	CU.M	16.060	230.50	Rs. Two hundred thirty and paise fifty only.
2.26	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth: consolidating each deposited layer by ramming and watering lead of 50 m.	CU.M	0.00	74.50	Rs. Seventy four and paise fifty only.
2.28	SUPPLY AND FILLING in plinth & Foundation with local sand and under floors inluding watering, ramming, consolidating and dressing and dressing complete.	CU.M	10.33	204.40	Rs. Two hundred four and paise forty only.
2.29.1	SURFACE DRESSING of the ground including removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5 m	100 SQ.M	0.00	806.00	Rs. Eight hundred six only.
	2.29.1	complete. SURFACE DRESSING of the ground including removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m	complete. SURFACE DRESSING of the ground including removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5 m	complete. SURFACE DRESSING of the ground including removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5 m	complete. SURFACE DRESSING of the ground including removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5 m SURFACE DRESSING of the ground including removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5 m

Diet work.

Chief Eng neer
B.S.E.I.D.C. Ltd. Patna

Of 10011

		·				
5	4.1	Providing and laying in position cement concrete of specified grade exluding the cost of centring and shuttering-all work upto plinth level. 1:3:6 (1 Cement : 3 Coarse sand : 6 graded stone aggregate 40mm nominal				Rs. Two thousand seven
	4.1.5	size)	CU.M	18.90	2775.70	hundred seventy five and paise seventy only.
		5.0 Reinforced Cement Concrete				and the second second
6	5.1	Providing and laying of in position, of specified mix of reinforced cement concrete, excluding the cost of centering and shuttering, finishing and reinforcement - all work upto plinth level.				
	5.1.2	1:1½:3 (1 Cement : 1½ Coarse sand : 3 graded stone aggregate 20 mm nominal size) IN FOUNDATION.	CU.M	0.68	4530.30	Rs. Four thousand five hundred thirty and paise thirty only.
7	5.2	Reinforced cement concrete work in wall (any thickness), including attached pilasters, butteresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts, etc. upto floor v level, excluding costs of centering, shuttering, finishing and reinforcement.				
		Col. In plinth & superstructure				
	5.2.2	1:1½:3 (1 Cement : 1½ Coarse sand : 3 graded stone aggregate 20 mm nominal size).	CU.M	0.94	5139.70	Rs. Five thousand one hundred thirty nine and paise seventy only.
8	5.3+ 5.33B.4	Reinforced cement concrete work in LINTEL BAND upto five level excluding cost of centring, shuttering and finishing and reinforcement with 1:1½:3(1cement: 1½ coarse sand :3 graded stone agreagate 20 mm niminal size)	CU.M	3.37		
L				•		. 1

Kinow.

Chief Eng neer

B.S.E.I.D.C. Ltd. Paina

He,

Ob/DSP//

			Reinforced cement concrete work				
9		5.3+ 5.33B.4	in beams, upto five level excluding cost of centring, shuttering and finishing and reinforcement with 1:1½:3(1cement: 1½ coarse sand :3 graded stone agreagate 20 mm niminal size)	CU.M	0.00		
10		5.3+ 5.33B.4	Reinforced cement concrete work in suspended floors & roofs upto five level excluding cost of centring, shuttering and finishing and reinforcement with 1:1½:3(1cement: 1½ coarse sand:3 graded stone agreagate 20 mm niminal size)	CU.M	2.56		
11		5.3+ 5.33B.4	Reinforced cement concrete work in STAIRCASE upto five level excluding cost of centring, shuttering and finishing and reinforcement with 1:1½:3(1cement: 1½ coarse sand :3 graded stone agreagate 20 mm niminal size)	CU.M	0.00		
				Total=	5.930	5124.90	Rs. Five thousar one hundred twenty four and paise ninety only
		5.9	Centering and shuttering including struting, propping etc. and removal of form for -				
	12.1	5.9.1	Foundations, footings,bases of columns etc. for mass concrete.	SQ.M.	0.00	169.00	Rs. One hundred sixty nine only.
	12.2	5.9.6	Columns	SQ.M.	14.85	357.60	Rs. Three hundr fifty seven and paise sixty only.
12	12.3	5.9.3	ROOF SLAB	SQ.M.	20.47	291.00	Rs. Two hundre ninety one only.
	12.4	5.9.5	Lintels, beams, plinth beams,-	SQ.M.	28.31	261.70	Rs. Two hundre sixty one and paise seventy

Orienan!

Chief Eng neer

B.S.E.I.D.C. Ltd. Patha

Oblight

Oblight

Oblight

	12.5	5.9.7	Stairs (excluding landings).	SQ.M.	0.00	328.90	Rs. Three hundre twenty eight and paise ninety only
		5.22	Reinforcement for RCC work including straightening, cutting bending, placing in position and binding all complete.				
	13.1	5.22.1	Mild steel 6.00 mm dia	kg	438.80	54.30	Rs. Fifty four and paise thirty only.
	13.2	5.22.7A	Thermo- Mechanically Treated bars TMTC-500-8mm dia.	Kg	2531.84	56.00	Rs. Fifty six only
13	13.3	5.22.7B	Thermo- Mechanically Treated bars TMTC-500- 10mm dia.	Kg	232.79	54.70	Rs. Fifty four an paise seventy only.
	13.4	5.22.7C	Thermo- Mechanically Treated bars TMTC-500- 12mm dia.	Kg	153.85	53.40	Rs. Fifty three a paise forty only.
	13.5	5.22.7D	Thermo- Mechanically Treated bars TMTC-500- 16mm dia.	Kg	78.03	54.40	Rs. Fifty four ar paise forty only.
	13.6	5.22.7E	Thermo- Mechanically Treated bars TMTC-500- 20mm dia.	Kg	115.51	53.60	Rs.Fifty three ar paise sixty only.
			6.0 Brick Work (A)	wa			
		6.1 A	Brick work with bricks of class of class designation 100 A in foundations and plinth in:				r
	14.1		Cement mortar 1: 6 (1 cement : 6 coarse sand)				Rs. Four thousa four hundred
14	(6.1.14A		CU.M	5.03	4490.60	ninety and paise sixty only.
	14.2	6.1.12/1	Cement mortar 1: 4 (1 cement : 4 coarse sand)	CU.M	7.03	4724.40	Rs. Four thousa seven hundred twenty four and
	1					Westernam	paise forty only
		6.1 A	Brick work with bricks of class of class designation 100 A in superstructure upto floor V level in:				

Grand.

0

0

Chief Engineer
B.S.E.I.D.C. Ltd. Patna

Skihou 199

6/8

	15.1		Cement mortar 1: 6 (1 cement : 6				Rs. Five thousand
15	,	6.1.14	coarse sand)	CU. M	23.13		three and paise
1.		A+6.3A				e and the latest an	ninety only.
			Cement mortar 1: 4 (1 cement : 4				Rs. Six hundred
	15.2	6.18.4A+	coarse sand)	SQ.M.	15.28	608.40	eight and paise
	13.2	6.19A	coarse same y		sur-	promise	forty only.
			9.0 Wood Work				September 1 and 1
1	6	9.48.1	Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete.	Kg	1431.17	86.00	Rs. Eighty six only.
			10.0 Steel Work				
	7	10.5	Providing and fixing in position collapsable steel shutters with vertical channels 20X10X2 mm and braced with flat iron ds 20X5 mm size with top and bottom rail of T-iron 40X40X6 mm with 40 mm dia steel pulleys completes with bolts-nuts locking arrangement stoppers handles including applying a priming coat of approved steel primer.	SQ.M	9.76	4248.20	Rs. Four thousand two hundred forty eight and paise twenty only.
1	8	10.7	Providing and fixing 1 mm thick M.S. sheet door & window with frame of 40X40X6 mm angle iron and 3 mm gusset plates at the junction and corners all necessary fittings complete including applying a primming coat of approved steel primer.	s SQ.M.	36.43	2617.00	Rs. Two thousand six hundred seventeen only.

2 mg

9

()

1)

· Mo

. 1

1 100

: 1

0.

0

0

0

Chief Eng neer
B.S.E.I.D.C. Jid, Party

22	10.33	staircases railing including applying a priming coat of approved steel primer MS tube (medium) 40 mm nominal bore 11.0 Flooring	K.G.	108.00	90.70	Rs. Ninety and paise seventy only.
22	10.33	priming coat of approved steel primer				
		Providing and fixing hand rail by welding etc. to steel ladder railings &				
21	10.32.2	Steel work welded in built up sections as per drawing including cutting hoisting, fixing in position and applying a priming coat of approved steel primer using steel in Stairs / Balcony railing.	K.G.	539.67	76.70	Rs. Seventy six and paise sevent only.
20	10.17	Providing and fixing M.S.fan clamp type I or II of 16 mm dia.M.S. bar bent to shape with hooked ends in R.C.C slabs during laying including painting the exposed portion of loop,all as per standard design complete.	EACH	0.00	97.00	Rs. Ninety seven
19	10.12.1	Providing and fixing steel glazed doors, windows and ventilatrs of standard rolled steel sections, joints mitered and welded with 15x3 mm lugs 10 cm long with steel lugs embedded in cement concrete blocks 15x10x10 Cm of 1:3:6 (1 Cement:3 coarse sand : 6 graded stone aggregate 22 mm nominal size) or with woodenplugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panes with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer; excluding the cost of metal beading and other fitting except necessary hinges or pivots as required.	SQ.M.	66.50	2843.00	Rs. Two thousan eight hundred forty three only.

A Komon / L.

1)

1)

M

:)

. .

0

()

Chief Eng neer

B.S.E.I.D.C. id, Patna

10.
6/8

		<i>[</i> C				
23		52 mm thick cement concrete flooring with metallic concrete hardener topping undr layer 40 mm thick cement concrete 1:2:4(1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal Size) and top layer 12 mm thick metallic cement hardener consisting of mix 1:2 (1 cement hardenr miz: 2 stone aggregate 6 Mrr. ominal size) by volume hardning compund is mixed @ 2 litre per 50 kag of cement or as per manufacture specification. This includes cost of cement slurry, etc, but excluding the cost of nosing of steps etc. complete.	SQ.M	664.42	383.50	Rs. Three hundred eighty three and paise fifty only.
24	11.8	Extra for making chequers of approved pattern on cement concrete floors, steps, landing, pavements etc.	SQ.M	228.28	22.00	Rs. Twenty two only.
25	11.72	Providing designation 100 - A, BRICK FLAT SOLING joints filled with local sand including cost of watering,taxes and royalty all complete as per building specification and direction of Engineer Incharge.	SQ.M	249.55	253.80	Rs. Two hundred fifty three and paise eighty only.
26	11.76	Providing average 150 mm thick dry remmed Khoa beaten to 112 mm (Compacted with water) made of well burnt or Jhama bricks including ramming properly till compacted thickness is achieved. Curing and carriage of water with all leads, making proper slope and blinding the top with cement mortar, (1: 10) all complete as per building specification and direction of E/1	SQ.M	214.53	329.90	Rs. Three hundred twenty nine and paise ninety only.
		12.0 Roofing				

Dismar!

Chief Eng neer

B.S.E.I.D.C. Lid Patha

110,

6/8

ı		T	Providing & fixing on wall face				
			unplasticised - Rigid P.V.C. rain				
			water pipes conforming to IS: 13592				
		12.78	Type A including jointing with seal	:			
27		12.76					
27			ring conforming to IS: 5382 leaving				
			10mm gap for thermal expansion.				
			Single socket ed pipes. 110 mm dia				Rs. Two hundred
			110 MM RAIN WATER PIPE	N.f. /	00.21	212.40	
		12.78.2		Metre	82.31	212.40	twelve and paise
							forty only.
		12.79.5.2	BEND				D 0 - 1 1 - 1
28					40.00	1.60.20	Rs. One hundred
20			110 MM	EACH	10.00	168.30	sixty eight and
					ghillor.	g t er partier.	paise thirty only.
							Rs. Three
29		12.79.6.2	SHOE - 110MM	EACH	10.00	305.02	hundred five and
		1					paise two only.
			13.0 Finishing				phillips
			Cement Plaster in coarse sand with 12				Rs. One hundred
	30.1	13.11.2	mm cement plaster 1:4 (1 Cement : 6	SQ.M.	229.32	114.70	fourteen and paise
30	30.1	13.11.2	Coarse Sand)	DQ.1V1.	227.32	114.70	seventy only.
30					substitution.	g per de la companya	
			Cement Plaster in coarse sand with 12				Rs. One hundred
	30.2	13.11.4	mm cement plaster 1:6 (1 Cement : 4	SQ.M.	1288.59	101.20	one and paise
		garani.	Coarse Sand)		Mark Mark	· · · · · · · · · · · · · · · · · · ·	twenty only.
		13.13.	20 mm thick plaster of mix:				
		13.13.2					
31		partie.	1:4(1 Cement; 4 Coarse Sand)	SQ.M			Rs. One hundred
		13.13.2			41.62	161.30	sixty one and
		· · · · ·			i de la companio de	Constitution .	paise thirty only.
			20 mm thick plaster of mix:				
		12.12.4					Rs. One hundred
32		13.13.4	1:6 (1 Cement: 6 Coarse Sand)	SQ.M.	663.40	140.40	forty and paise
			, , , , , , , , , , , , , , , , , , ,		Manus.	Section of the last of the las	forty only.
			12 mm cement Plaster 1:3 (1 Cement :				Da Ono lessadas d
33		13.17.1	3 Coarse Sand) finished with a floating	SQ.M.	48.53	159.00	Rs. One hundred
			coat of neat Cement	`	and the second	Capazina	fifty nine only.
			6 mm Cement Plaster to Ceiling of				
							,
34		13.24.2					Rs. Eighty seven
			1	SO.M.	448.01	87.40	and paise forty
		Marian .				and and	only.
34		13.24.2	mix - cement plaster 1:4 (1 Cement : 4 Coarse Sand)	SQ.M.	448.01	87.	40

Droman.

0

. 7897

1)

0

0

0

Ŋ

Chief Eng neer

B.S.E.I.D.C. Ltd. Patha

10. 06/08/11

			Neat Cement Punning				Rs. Thirty two
35		13.26		SQ.M	330.08	32.30	and paise thirty only.
		13.70.	White washing with lime to give an even shade				
36		13.70.1	New work (three or more coats)	SQ.M	1560.61	12.50	Rs. Twelve and paise fifty only.
		13.78	Applying one coat of cement primer of approved brand and manufacturer on		Serverior.	Balance and a second	
37		Separate .	wall surface. cement primer on outer wall surface				Rs. Twenty six
		13.78.1	tement primer on outer wan surface	SQ.M	730.49	26.90	and paise ninety only.
20		13.79	Finishing walls with water proofing cement paint of approved brand and manufacture and of required shade to				
38		13.79.1	New work (three or more coats)	SQ.M	730.49	63.20	Rs. Sixty three and paise twenty only.
			Painting with Synthetic enamel paints				partition of the same of the s
39		13.93	of approved brand and manufacture of required color to give an even shade.				
		13.93.1	Two or more coats on new work				
		E Profession Contraction Contr	Painting over Steel surface	SQ.M	283.83	54.10	Rs. Fifty four and paise ten only.
			23.0 Pile Work				
			Making 25 cm (10") dia bore up to 4 Mtr Depth below ground with hand auger of approved quality in ordinary soil (Vide classification of soil item A)				
	40.1	23.2.5	true to plumb and without eccentri city in any stage of operation and disposal of gthe excavated earth up to 50 mtr.	Metre	0.00	59.80	Rs. Fifty nine and paise eighty only.
40			lead in eluiding all lifts. all complete as per approved disign and directions of E/I				

0

0

()

Chief Eng neer

B.S.E.I.D.C. Helpert

10. 06/08/18

40.2	23.2.6	63 cm (25) UNDER REAM making 63 cm (25) dia under ream at required with hand auger of approved quality in ordinary soil (Vide classification of soil item-A) true to plumb and without iccentric city in may stage of operation and disposal of the excavated earth up to 50 mts. lead in eluding all lifts. All complete as per approved design and direction of (E/I)	EACH	0.00	63.80	Rs. Sixty three and paise eighty only.
	17.1.1	Sanitary Works Providing and fixining water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast iron P or S tap, 10 litre low white P.V.C. Flushing cistern with munally controlled device (handle level) conforming to IS:7231 Parryware/ Hindware with all fittings and fixtures complete including cutting and making good the walls and floors wherever required. White Vitreous China Orissa pattern W C pan of size 580 X 440 mm with integral type foot rest.	Each	8.00	3049.30	Rs. Three thousand forty nine and paise thirty only.
	18.49	Providing and fixing C.P. brass bib cock of approved qualityconforming to IS:8931 15 mm nominal bore.	Each	8.00	481.60	Rs. Four hundred eighty one and paise sixty only.
	17.7.1	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps,32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:				
		17.1.1	with hand auger of approved quality in ordinary soil (Vide classification of soil item-A) true to plumb and without iccentric city in may stage of operation and disposal of the excavated earth up to 50 mts. lead in eluding all lifts. All complete as per approved design and direction of (E/I) Sanitary Works	with hand auger of approved quality in ordinary soil (Vide classification of soil item-A) true to plumb and without iccentric city in may stage of operation and disposal of the excavated earth up to 50 mts. lead in eluding all lifts. All complete as per approved design and direction of (E/I) Sanitary Works	with hand auger of approved quality in ordinary soil (Vide classification of soil item-A) true to plumb and without iccentric city in may stage of operation and disposal of the excavated earth up to 50 mts. lead in eluding all lifts. All complete as per approved design and direction of (E/I) Sanitary Works	with hand auger of approved quality in ordinary soil (Vide classification of soil item-A) true to plumb and without iccentric city in may stage of operation and disposal of the excavated earth up to 50 mts. lead in eluding all lifts. All complete as per approved design and direction of (E/I) Sanitary Works

Minor 1.

0

0

Chief Eng neer

B.S.E.I.D.C. Ltd. Patna

Report

6/8

			White Vitreous China Wash basin size				Rs.Two thousand
			630x450 mm with a pair of 15 mm	EACH	4.00	2093.50	ninety three and
			C.P. brass pillar taps.			· ·	paise fifty only.
		17.28	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.				-
	44.1	17.28.2	Flexible pipe				
44	g Marie	17.28.2.1	32 mm dia	EACH	4.00	76.10	Rs. Seventy six and paise ten
		1			September 1	e constant of the constant of	only.
	44.2	17.28.2.2	40 mm dia	EACH	1.00	78.50	Rs. Seventy eight and paise fifty only.
45		17.11	Providing and fixing white vitreous china laboratory sink with C.I. brackets, C.P. brass chain with rubber plug 40mm C.P brass waste and including painting of fittings and brackets, cutting and making good the wall wherever required:				
		17.11.2	Size 600x450x200mm	EACH	1.00	2986.20	Rs. Two thousand nine hundred eighty six and paise twenty only
46		18.52	Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS:8931.				
		18.52.1	15 mm nominal bore.	EACH	5.00	650.10	Rs. Six hundred fifty and paise ten only.
47		18.58.1.1	Providing and fixing PTMT grating of approved quality and colour.				
47			100 mm nominal dia	EACH	2.00	46.40	Rs. Forty six and paise forty only.

Chicamon / .

1

0

()

Chief Eng neer

B.S.E.I.D.C. Ltd. Patne

Skelberg

6/8

06/08/18

. }						3		
	48		12.78.2	Providing and fixing on wall face unplastidsed-PVC(working pressure 4 kgf per sqm) rain water pipes conforming to IS:4985 including jointing with seal ring conforming to IS: 5382 leaving 10 mm gap for thermal expansion.	MTS	76.21		Rs. Two hundred twelve and paise forty only.
	49		12.79	Providing and fixing on wall face unplasticised -PVC molded fittings/accessories for unplasticised-PVC rain water pipes conforming to (S:4985 including jointing with seal ring conforming to IS: 5382 leaving 10 mm gap for thermal expansion.				
Common Control		49.1	12.79.5.2	1) 110mm Plain bend PVC	EACH	16.00	168.30	Rs. One hundred sixty eight and paise thirty only.
	:	49.3	12.79.3.2	3) 110mm door tee PVC	EACH	12.00	306.10	Rs. Three hundred six and paise ten only.
	50		19.30.1.1	Contructing brick masonry chamber for Underground C.I. Inspection Chamber and bend with 75 class designation bricks in cement mortar 1:4(1 cement: 4 coarse sand)C.I Cover with frame (light duty) 455x610 mm internal	EACH	6.00	4147.30	Rs. Four thousand one hundred forty seven and paise thirty only.
	51		18.8	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including allCPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one stepCPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/I				
0				Concealed work including cutting chases and making good the wall etc.				18/14

0

Chief Eng neer

B.S.E.I.D.C. Ltd, Patna

Skehner

618. 06/09/19

51.1 a)18.8.1 15mm dia MTS 35.00 221.40 twenty one and paise forty only. Exposed on wall Exposed on wall T5.2 Exposed on wall T5.2 T6.2 T6								
51.2 c) 18.9.5 40mm dia S1.2 c) 18.9.5 40mm dia Labour cost for preparation of BIHAR MAP on wall incuding painting all complete. Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI: 12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank Providing and fixing of Borewell, Handpump with Submerssible pump all complete. Construction of 125 mm x 40mm dia x 61.00 mtr. Deep I.M III hand Tube Well Part 'A' Cost of Materials India mark III hand pump with 8 nos. Connection Rod and one cylender (With provision of force and uplift) 65 mm dia G.I. pipe medium quality (3mtrs length each). Each 1.00 8550.00 Rs. Eight thousand five housand five north and the sixty two only. 125 mm dia UPVC casing pipe conforming to ISS mtr 27.00 315.00 fifteen only. 54.4 40 mm dia length quantity G.I pipe conforming to ISS mtr 44.00 186.00 Rs. One hundre eighty six only: 88. One hundre eighty six only: 88. One hundre eighty six only: 88. One hundre eighty six only:		51.1	a)18.8.1	15mm dia	MTS	35.00	221.40	· · · · · · · · · · · · · · · · · · ·
51.2 c) 18.9.5 40mm dia S1.2 c) 18.9.5 40mm dia MTS 75.00 339.70 MR Labour cost for preparation of BIHAR MAP on wall incuding painting all complete. Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI: 12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank Providing and fixing of Borewell, Handpump with Submerssible pump all complete. Construction of 125 mm x 40mm dia x 61.00 mtr. Deep LM III hand Tube Well Part 'A' Cost of Materials India mark III hand pump with 8 nos. Connection Rod and one cylender (With provision of force and uplift) 65 mm dia G.I. pipe medium quality (3mtrs length each). Each 1.00 8550.00 Rs. Eight thousand five housand five housand five housand five housand five sixty two only. 125 mm dia UPVC casing pipe conforming to ISS mtr 27.00 315.00 fifteen only. 40 mm dia length quantity G.I pipe conforming to ISS mtr 44.00 186.00 Rs. One hundre eighty six only: 80 40 mm dia x 2 long PVC RIBEED nos 2.00 188.00 Rs. One hundre eighty six only:				Exposed on wall				
MR MAP on wall incuding painting all complete. Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI: 12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank Providing and fixing of Borewell, Handpump with Submerssible pump all complete. Construction of 125 mm x 40mm dia x 61.00 mtr. Deep I.M III hand Tube Well Part 'A' Cost of Materials India mark III hand pump with 8 nos. Connection Rod and one cylender (With provision of force and uplift) 65 mm dia G.I. pipe medium quality (3mtrs length each). Each 8.00 1062.00 Rs. Eight thousand five hundred fifty only. Rs. Eight thousand five hundred fifty only. Rs. Eight thousand five hundred fifty only. Rs. Three hundrifteen only. Rs. Three hundrifteen only. Rs. Three hundrifteen only. Rs. Three hundrifteen only. Rs. One hundre eighty six only. Rs. One hundre eighty six only. Rs. One hundre eighty six only.		51.2	c) 18.9.5	-	MTS	75.00	339.70	paise seventy
floor levels) polyethylene water storage tank ISI: 12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank Providing and fixing of Borewell, Handpump with Submerssible pump all complete. Construction of 125 mm x 40mm dia x 61.00 mtr. Deep I.M III hand Tube Well Part 'A' Cost of Materials India mark III hand pump with 8 nos. Connection Rod and one cylender (With provision of force and uplift) 54.1 65 mm dia G.I. pipe medium quality (3mtrs length each). Each 1.00 8550.00 Rs. Eight thousand five hundred fifty only. Rs. One thousar sixty two only. 125 mm dia UPVC casing pipe conforming to ISS 40 mm dia length quantity G.I pipe conforming to ISS 40 mm dia x 2 long PVC RIBEED 182.00 Rs. One hundre eighty six only.	52		1	MAP on wall incuding painting all	Each	1.00	15000.00	
Handpump with Submerssible pump all complete. Construction of 125 mm x 40mm dia x 61.00 mtr. Deep I.M III hand Tube Well Part 'A' Cost of Materials India mark III hand pump with 8 nos. Connection Rod and one cylender (With provision of force and uplift) 65 mm dia G.I. pipe medium quality (3mtrs length each). Each 8.00 1062.00 Rs. Eight thousand five hundred fifty only. I25 mm dia UPVC casing pipe conforming to ISS mtr 27.00 315.00 Rs. Three hundred fifty only. 40 mm dia length quantity G.I pipe mtr 44.00 186.00 Rs. One hundred eighty six only. Additional transfer of the trans	53			floor levels) polyethylene water storage tank ISI: 12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings	LTS	1000.00	6.60	Rs. Six and paise sixty only.
x 61.00 mtr. Deep I.M III hand Tube Well Part 'A' Cost of Materials India mark III hand pump with 8 nos. Connection Rod and one cylender (With provision of force and uplift) Each 54.1 65 mm dia G.I. pipe medium quality (3mtrs length each). Each 8.00 1062.00 Rs. Eight thousand five hundred fifty only. Each 8.00 1062.00 Rs. One thousar sixty two only. 125 mm dia UPVC casing pipe conforming to ISS mtr 27.00 315.00 Rs. Three hundrifteen only. 40 mm dia length quantity G.I pipe conforming to ISS 40 mm dia x 2 long PVC RIBEED nos 2.00 182.00 Rs. One hundre eighty six only.				Handpump with Submerssible pump all complete.				
India mark III hand pump with 8 nos. Connection Rod and one cylender (With provision of force and uplift) Each 1.00 8550.00 Rs. Eight thousand five hundred fifty only. 65 mm dia G.l. pipe medium quality (3mtrs length each). Each 8.00 1062.00 Rs. One thousar sixty two only. 125 mm dia UPVC casing pipe conforming to ISS mtr 27.00 315.00 Rs. Three hundrifteen only. 40 mm dia length quantity G.I pipe conforming to ISS 40 mm dia x 2 long PVC RIBEED Rs. One thousar sixty two only. Rs. One hundre eighty six only.				x 61.00 mtr. Deep I.M III hand Tube				
Connection Rod and one cylender (With provision of force and uplift) Each 1.00 8550.00 thousand five hundred fifty only. 65 mm dia G.l. pipe medium quality (3mtrs length each). Each 8.00 1062.00 Rs. One thousar sixty two only. 125 mm dia UPVC casing pipe conforming to ISS mtr 27.00 315.00 Rs. Three hundriffteen only. 40 mm dia length quantity G.I pipe conforming to ISS mtr 44.00 186.00 Rs. One hundre eighty six only. 40 mm dia x 2 long PVC RIBEED Rs. One hundre eighty six only.				Part 'A' Cost of Materials				
54.2 (3mtrs length each). Each 8.00 1062.00 Rs. One thousar sixty two only. 125 mm dia UPVC casing pipe conforming to ISS mtr 27.00 315.00 Rs. Three hundriffteen only. 40 mm dia length quantity G.I pipe conforming to ISS mtr 44.00 186.00 Rs. One hundre eighty six only. 40 mm dia x 2 long PVC RIBEED nos 2.00 182.00 Rs. One hundre				Connection Rod and one cylender (Each	1.00	cont P	thousand five hundred fifty
54.3 conforming to ISS mtr 27.00 315.00 Rs. Three funds fifteen only. 40 mm dia length quantity G.I pipe conforming to ISS mtr 44.00 186.00 Rs. One hundre eighty six only. 40 mm dia x 2 long PVC RIBEED nos 2.00 182.00 Rs. One hundre		54.2		* *	Each	8.00	1062.00	Rs. One thousand sixty two only.
54.4 conforming to ISS mtr 44.00 186.00 eighty six only. 40 mm dia x 2 long PVC RIBEED nos 2 00 182 00 Rs. One hundre		54.3		0.1	mtr	27.00	315.00	Rs. Three hundred fifteen only.
1 54.5 10 mm that 2 long 1 2 00 182 00		54.4			mtr	44.00	186.00	
1		54.5		=	nos.	2.00	182.00	Rs. One hundred eighty two only.

A comon of

0

0

Chief Eng neer

B.S.E.I.D.C. Ltd. Patra

Pho.

6/8.

	54.6	125 mm x 40 mm UPVC reducing socket (Heavy quality)	Each	1.00	165.00	Rs. One hundred sixty five only.
		Part - 'B' Labour Cost		Yana marin		BIATY II VE OILY.
		(Classification of soil item 'A')				
		Boring by jet dheki by suitable cutter of				
		reduce as the case may be lowering 125				
		mm x U.P.V.C x 40 mm dia G.I pipe &				
		strainer of standard quality iron, shoe,			į	
		plug & socket etc. all complete		Ē		
		including providing all tools and plants				
		required for the job as per specification				
		and direction of the engineer in charge.				
		(i) 0 to 30.5 m				
						Rs. Two hundred
	54.7	(a) For 125 mm dia U.PV.C pipe	mtr	27.00	208.77	eight and paise
						seventy seven
				e e e e e e e e e e e e e e e e e e e		only. Rs. One hundred
	540	(h) for 40 mm die C I nine		3.50	104.42	'
	54.8	(b) for 40 mm dia G.I pipe	mtr	3.30	104.42	four and paise forty two only.
		(ii) 30.5 m to 61.0 m				Torry two only.
		(ii) 50.5 iii to 01.0 iii				Rs. One hundred
	54.9	(a) For 40 mm dia G.I Pipe	mtr	30.50	120.08	twenty and paise
						eight only.
		(iii) 61.00 m to 75.00 m				
						Rs. One hundred
	54.10	a) For 40mm dia G.I pipe	mtr	14.00	130.53	thirty and paise
						fifty three only.
		Providing all labour & tools and fitting				Rs. Sixty six and
54	54.11	& fixing India mark III hand pump over	Each	1.00	66.71	paise seventy one
		newely sunk for T/Well etc. all		and the same of th		only.
		Complete		Section of the sectio	Willeder	No.
	5.1.5	Supplying all labour and material and	T 1	1.00	65.00	Rs. Sixty five
	54.12	fitting and fixing G.I Cap over the new	Each	1.00	65.00	only.
	400	sink T/well			No de la constitución de la cons	
		Providing all labour & tools and fitting & fixing Cylender with requisite				Rs. One hundred
	54.13	suspension pipe and connection rod of	Each	1.00	128.64	twenty eight and
) 11.13	India mark III hand pump etc. all	Each	1.00	120.04	paise sixty four
		complete.			Company of the Compan	only.
		Teompiete.				<u> </u>

Charles I.

()

. 3

1)

0

0

Chief Eng neer

B.S.E.I.D.C. Jtd. Paina

Jan

Oblog/18

54.14	Providing all labour & tools and lowering 65 mm dia G:I pipe as per specificatin etc. all Complete	p/m	24.00	21.34	Rs. Twenty one and paise thirty four only.
54.15	Supplying labour and developing the T/Well to have sand free discharge all complete as per direction of E/I	Each	1.00	280.50	Rs. Two hundred eighty and paise fifty only.
54.16	Providing all materials and labour and construction 1.85 dia circular P.C.C (1:2:4) UNICEF design platform with foot rest etc. all complete	Each	1.00	3643.00	Rs. Three thousand six hundred forty three only.
54.17	Providing all material and labour & constructing 1 P.C.C (1:2:4) UNICEF design drain for disposal of waste water etc. all complete.	P/M	3.00	308.00	Rs. Three hundred eight only.
54.18	Transportation of T/W materials, tools & plant from Store to work site and back to store if materials are surplus.	Each	1.00	357.70	Rs. Three hundred fifty seven and paise seventy only.
	Part 'C' Cost for Additional Motorised system for filling overhead water-tank				
54.19	Providing and fixing of G.I pipes complete with G.I fittings and clamps, including, cutting and making good the walls etc. (internal work) 25mm dia	P/M	12.00	182.53	Rs. One hundred eighty two and paise fifty three only.
54.20	Providing and fixing brass valve 25 mm nominal bore Fullway valve	Each	2.00	210.95	Rs. Two hundred ten and paise ninety five only.
54.21	25 mm nominal bore Non-Return valve	Each	1.00	234.55	Rs. Two hundred thirty four and paise fifty five only.

Chief Eng neer

B.S.E.I.D.C. Life Paths

Ple. 6/8.

E. France.

ř

:)

4.

. .

 \bigcirc

:)

0

0

0

()

	54.22		Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of E/I	Each	1.00	26200.00	Rs. Twenty six thousand two hundred only.
55			Internal Electrification Work				7
		1.1	Wiring for light point/fan point/exhaust fan point/ call bell poiont with 1.5 sq. mm FR PVC insulated copper conductor single core cable in surface/recessed PVC conduit, with piano type switch, phenolic laminated sheet, suitbale size PVC/ G.I box etc. as required.				
		1.1.3	Group C	Each	153.00	469.00	Rs. Four hundred sixty nine only.
56		1.2	Wiring for twin control light point with 1.5 sq. mm FR PVC insulatd copper condctor single core cable in surface/recessed PVC conduit, with 2way piano type switch, phinollic laminated sheet, suitable size PVC/GI box etc. as required.	Each	2.00	471.00	Rs. Four hundred seventy one only.
57		1.5	Wiring for light/ power plug with 2x4 sq. mm. FR PVC insulated, copper conductor, signle core, cable in and surface, recessed PVC conduit along with 1 no. 4 sq. mm FR PVC insulated copper conductor single core cable for loop earthing as required.	Rmt	440.00	170.00	Rs. One hundred seventy only.

C. Everan ...

1)

1)

1)

0

0

Chief Eng neer

B.S.E.I.D.C. Lid, Palya

6/8

6/8

58	1.7	following size of PVC insulated, coppper conductor, signle core cable in surface/ recessed PVC conduit as				
	(b) 1.7.2	required. 2x2.5 sq. mm + 1x2.5 sq. mm earth wire.	Rmt	335.00	125.00	Rs. One hundred twenty five only.
59	(c) 1.7.11	4x6 sq. mm + 1x6 sq. mm earth wire.	Rmt	25.00	387.00	Rs. Three hundred eighty seven only.
60	1.33	Supplying and fixing 2 pin 5 amp. Ceiling rose on the existing junction box/ PVC box including connection etc as required.	Each	40.00	23.00	Rs. Twenty three only.
61	1.34	Supplying and fixing battan/ angle holder including connection as required.	Each	92.00	28.00	Rs. Twenty eight only.
62	1.23	Supplying and fixing following piano typed switch/ socket on existing switch box/ cover including connection etc. as required.				
	1.23.7	Telephone socket on shutter outlet	Each	153.00	49.00	Rs. Forty nine only.
63	1,22	Supplying and fixing metal box of following size (normal size) on surface or in recess with suitable size or phinollic laminated sheet cover in front of including painting etc. as required.				
	1.22.1	75mm X 75mm X 60mm deep (4" x 4"	Each	6.00	59.00	Rs. Fifty nine only.
64	1.3	Supplying and fixing metal box of 180mm X 100mm X 60mm deep (normal size) on surface or in recess with suitble size phinollic laminated sheet cover in front of including providing and fixing 3 pin 5/6 amp. Socket outlet and 15/16 amp. Tumbler/piano type switch, connection, painting etc. as required.	Each	46.00	564.00	Rs. Five hundred sixty four only.

C. Kraway !!

1)

9

0

()

Chief Eng neer

B.S.E.I.D.C. Lid, Patna

16.
6/8.

06/09/19

		,				
65	2.9	Supplying and fixing of following way of three pole and neutral sheet steel, MCB distribution board 415 Volts, on surface/ recess, tinned, copper bus bar, neutral link, earth bar, din bar, detachable gland plate, interconnections, phosphatized and power painted including earthing etc. as required (but without MCB/ RCCB/ isolator)				
	(b) 2.9.5	6 way (4+18) double door	Each	2.00	2529.00	Rs. Two thousand five hundred twenty nine only.
66	2.12	Supplying and fixing 5 amps. to 32 amps, rating, 240 volts, 'C' series, MCB of following poles in the existing MCB DB with connections, testing and commissioning etc. as required.				D. O. Investored
	(a) 2.12.1	6/32 single pole	Each	35.00	156.00	Rs. One hundred fifty six only.
67	(b) 2.12.5	6/32 TPN	Each	1.00	927.00	Rs. Nine hundred twenty seven only.
68	6.14	LT Panel & Cable Supplying and laying following size and core PVC/ XLPE insulated PVC sheathed heavy duty armoured electrical cable with alluminium conductor for working voltage upto & including 1100 Volts. (Conforms to IS: 1554 part-1)				
	(a) 6.14.4	16 sq.mm X 4 core alluminium armoured cable	Rmt	100.00	235.00	Rs. Two hundred thirty five only.
69		Trench cutting in soil of suitable size 1.5 feet wide and 2 feet depth including refilling the trench with same etc. as required. (For laying the cable)	Rmt	100.00	22.00	Rs. Twenty two only.

Crismon .

- Aller

1

: }

Ì

1)

0

0

Chief Eng neer

B.S.E.I.D.C. Ltd. Patny

Jo.

6/8
06/06/19

	74.1		A) LOCAL SAND B) COARSE SAND,	CU.M	16.00	181.48	eighty one and paise forty eight only. Rs. One thousand seven hundred sixty three and
			CARRAIGE OF MATERIALS				Rs. One hundred
		<u> </u>	AISCELLANEOUS WORK				
73		3.6	E arthing with copper earth plate 600mmx600mmx3mm thick including accessoies, and providing masonary enclosure with cover plate having locking arrangement and watering pipe etc as required	Set	1.00	5578.00	Rs. Five thousan five hundred seventy eight only.
72		3.15	Providing and laying earth conection from earth electrod with 6 SWG dia GI wire in 15 mm dia GI pipe from earth electrod, as required.	Each	3.00	122.00	Rs. One hundred twenty two only.
		2.2.2	100 amps. TP & N HRC EARTHING	Each	1.00	5975.00	Rs. Five thousan nine hundred seventy five only
71		12.6	P/F/F 200amp. 415 volt porcelain fuse link conplete rewirable type 415V including drilling holes in board making connection as required. P/F/F sheet metal main switch disconnector fuse unit in existing metal board, including drilling holes in metal board making connection				
70		1.3	S/F suitable size GI PVC box on surface or in recess with phinollic laminated sheet cover in front of including P/F 6 pin. 15/16 amp socket outlet and 15/16amp. Piano type switch connection painting etc. as required.	Each	0.00	215.00	Rs. Two hundred fifteen only.

Thomas A

1)

Chief Eng neer

B.S.E.I.D.C. Ltd. Patna

No. 104

Object 19

Objec

174	ſ									
74	74.3		C) STONE CHIPS	CU.M	56.00	2030.43	Rs. Two thousand thirty and paise forty three only.			
	74.4		D) BRICKS	THOUS AND	34.70	531.02	Rs. Five hundred thirty one and paise two only.			
	74.5 E) Cement		Bags	745.00	14.11	Rs. Fourteen and paise eleven only.				
	74.6		F) Steel	M.T.	3.11	282.30	Rs. Two hundred eighty two and paise thirty only.			
			Add extra cost of material as per SOR, BCD							
75	75.1	(A)	Bricks	THOUS AND	34.70	370.75	Rs. Three hundred seventy and paise seventy five only.			
	75.2	(B)	Cement	Bags	745.00	15.95	Rs. Fifteen and paise ninety five only.			
						Total=				
						Say=	2683000.00			
		(Rupees Twenty Six Lacs Eighty Three Thousand Only).								

Tender approved in favour of Varun Kumar @ 10.00% (Ten Decimal Zero Zero Percent) below i.e. total amount comes to Rs. 24,14,700=00 (Rupees Twenty Four Lacs Fourteen Thousand Seven Hundred Only)

Wir war.

7

Chief Eng neer

B.S.E.I.D.C. Ltd, Patna

Skaharily

Cup, Cofof [1]

10,08

Performance Security

Name of Agency:- 'Varun Kumar''

Performance Security of "Balance Work USS-43 B (NIT NO-21/17-18)"

Passbook/NSC No	DOI	<u>Amounts</u>
3735047838	12.08.17	50000.00
38EF 209229	02.09.14	10000.00
38EF 209180-85	07.08.14	60000.00
89CC 66664348	21.12.13	6000.00
0,000013 10		Total 126000.00

(Rupees One Lac Twenty Six Thousand Only)

Andrew Son 21/6/18

लेखा पदाधिकारी

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०, पटना

> Chief Eng near E.I.D.C. Ltd, Par B.S.E.I.D.C. Ltd, Patna

1 Krown ?!

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना-800004, दूरभाष-0612-2910314 कॉर्पोरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256,

पत्रांक:- BSEIDC/FIN/3044/2017/- ८५८५

पटना, दिनांक.....११.११.१

प्रेषक.

ब्रजेश प्रसाद

मुख्य परामर्शी (तकनीकी)

सेवा में.

Varun Kumar,

Raghunathpur, Motihari.

बिहार राज्य अंतर्गत "Construction of Balance Work of Proposed Upgraded विषय:-Secondary Schools in Bihar (ग्रुप संo-USS-43 B) (निविदा आमंत्रण सूचना संo-21/2017-18 के कार्य हेतु Performance Security जमा कर एकरारनामा करने के संबंध में।

महाशय,

उपर्युक्त विषय के संबंध में कहना है कि विषयांकित कार्य की निविदा हेतु आपके द्वारा निविदित दर जो परिमाण विपत्र के दर से 10.00% (दश दशमलव शून्य शून्य प्रतिशत) कम है तद्नुसार निविदा की कुल राशि रू० 24,14,700 / - (चौबीस लाख चौदह हजार सात सौ रूपये) मात्र आपके पक्ष में स्वीकृत की गयी है।

अतः निदेश दिया जाता है कि उक्त कार्य के एकरारनामा हेतु Performance Security की राशि रू० 1,21,000/- (एक लाख एक्कीस हजार रूपये) मात्र का सावधि पासबुक / राष्ट्रीय बचत प्रमाण पत्र के रूप में प्रबंध निदेशक, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०, पटना के नाम से प्रतिज्ञिप्त (Pledge) अथवा एकाउंट पेयी डिमाण्ड ड्रफ्ट/फिक्सड डिपोजिट रसीद/बैंक गारटी, जो राष्ट्रीय बैंक/अनुसूचित बिहार राज्य स्थित बैंक द्वारा निर्गत एवं बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि० के पक्ष में पटना में भुगतेय हो, जमा कर एकरारनामा कर लें।

मुख्य परामर्शी (तकनीकी)

ज्ञापांक : BSEIDC/FIN/3044/2017- ६५६५

पटना, दिनांक ११ 19 12

प्रतिलिपि : Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC website/Senior

Account Officer, BSEIDC, Patna for information & necessary action

ज्ञापाक : BSEIDC/FIN/3044/2017- ६५६५।

पटना, दिनांक...१.१.

प्रतिलिपि : मुख्य अभियंता, BSEIDC को सूचनार्थ एवं आवश्यक कार्रवाई हेतु समर्प्रित।

Chief English B.S.E.I.D.C. Eva, Pakina

Asway !:

SPECIAL CONDITIONS

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes royalties and other

incidental charges.

4. To qualify for award of work, the Bidder must possess the following:-

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of signatory bid.

b) DD for required value of B.O.Q. Cost.

c) Sufficient Earnest Money Deposit.

d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.

e) Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed at least one Building work of value not less than 25 % of estimated

value of contract) in last five years as mentioned in Technical bid.

- f) Certificate from EE / Concerned Authority for Work Experience of Minimum Quantities of work done as prime contractor in any one year during last five years as mentioned in Technical bid.
- g) Litigation History as mentioned in Technical bid. h) Valid Registration with Central/ State Govt. / PSU.

i) Valid labour license as mentioned in Technical bid.

j) Affidavit/Certificate "for not been debarred and required attachments are true and correct and if found fake/ forged, the undersigned will be liable to be inflicted upon the FIR and lawful punishment as well as black listing".

5. Contractor should satisfy themselves fully about the nature, site of work before offering

their tender and place of any ignorance afterwards shall not be considered.

6. The tender without earnest money or insufficient earnest money submitted with the tender, will be outright rejected.

7. Conditional tenders shall be outright rejected.

8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.

9. Authority shall reserve the right to reject any or all the tenders or distribute the work to more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained.

11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules prevalent in the locality.

12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the

contractor.

- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-
- a. Natural calamities

b. Act of enemies_η

(Seal & Signature of Tenderer)

Page 1 of 2 neer B.S.E.I.D.C. Ltd, Patna

33

- c. Transport and procurement difficulties.
- d. Circumstances beyond the control of the state.
- 15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- 16. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
- 17. The contractor shall make his own arrangement for water and light at the work site.
- 18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 20. The Tenderer must not quote their rate more than 10 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
- 21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 22. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.
- 23. The Defect liability Period shall be Three (3) Years from the date of completion of the work.
- 24. The Contractor shall rectify at his own cost in case the work is found to be defective during checking in liability period.
- 25. It will be the responsibility of the contractor to pay royalty of mines materials .The Contractor shall submit form "M" and "N" duly Filled as per "Bihar" Mines and Mineral Act 1972.
- 26. The Contractor shall Display a Signboard at work site about the work as on the format prescribed by Engineer- in- Charge.
- 27. The Contractor shall Furnish his programme of construction for execution of the work within the stipulated time schedule together with methodology of construction of each item or work and obtain the approval of the Engineer- in- Charge prior to actual commencement of work.

(Seal & Signature of Tenderer)

Page 2 of 2g neer Page 2 of 2g neer Patna

30.

बिहार राज्य शैक्षणिक आधारमूत संरचना विकास निगम लिमिटेड

(बिहार सरकार का एक उपक्रम)

शिक्षा भवन, विहार राष्ट्रभाषा परिषद् कैम्पस, आचार्य शिवपुजन सहाय पथ, सैदपुर, पटना-800004 (दूरभाष:-0612-2910314)

निविदा आमंत्रण सूचना संख्या-21 वर्ष 2017-18 प्रतिशतं दर निविदा

(केवल ई-टेन्डरिंग पद्धति के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

1. बिहार राज्य के अन्तर्गत निम्न भवनों के शेष निर्माण कार्य हेतु प्रतिशत दर निविदा आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय / राज्य सरकार / सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रजिस्ट्रेशन कार्य आवटन के बाद कराना होगा।

कम	स्रo शुप	जिला का नाग	प्रखंड का नाम	कार्य का नाम	प्रावकलित राशि (लाख रू० में)	अग्रधन का राशि (लाख रू० में)	परिमाण विपन्न का मृत्य (रुठमें)	Beltron Bid Processing Fee (In Rs.)	कार्य समाप्ति की अवधि
1	USS- 06(A)	Bhojpur	Piro	Balance Work of M.S Tar	40.78	0.82	5,000/-	1,150/-	८ माह
2	USS- 06(B)	Bhojpur	Piro	Balance Work of M.S Devchanda	47.28	0.95	5,000/-	1,150/-	८ माह
	USS- 07(A)	Bhojpur	Jagdishpur	Balance Work of M.S Jangaldawan	36.16	0.72	5,000/-	1,150/-	८ माह
4	USS- 07(B)	Bhojpur	Shahpur	Balance Work of M.S Laludera	48.03	0.96	5,000/-	1,150/-	८ भाह
5	USS- 07(C)	Bhojpur	Jagdishpur	Balance Work of M.S Rudranagar	20,15	0.40	5,000/-	1,150/-	4 माह
6	USS- 40(A)	West Champaran	Ramnagar	Balance Work of M.S Serhavadon	59.19	1.18	10,000/-	1,150/-	8 माह
7	USS- 40(B)	West ,	Jogapatti	Balance Work of M.S Kohra	50,46	1.01	10,000/-	1,150/-	8 माह
8	USS- 40(C)	West Champaran	Narkatiyag ani	Balance Work of M.S Somgarh	51.05	1.00	10,000/-	1,150/-	८ माह
9	USS- 43(A)	East Champaran	Raxaul	Balance Work of M.S Gonaha	42,00	0.84	5,000/-	1,150/-	8 माह
10	USS- 43(B)	East Champaran	Sugauli	Balance Work of M.S Muswa	26.83	0.54	5,000/-	1,150/-	6 माह
11	USS- 43(C)	East Champaran	Adapur	Balance Work of M.S Belderwa	41.11	0.82	5,000/-	1,150/-	8 माह
12	USS- 45(A)	East Champaran	Dhaka	Balance Work of M.S Chandanbara Urdu	40.99	0,82	5,000/-	1,150/-	8 माह
13	USS-	East Champaran	Ghorasaha	Balance Work of M.S Laxmipur Laukhan	49.97	1,00	5,000/-	1,150/-	6 माह
14	USS-	East Champaran	Madhuban	Balance Work of M.S Betauna	47.54	0.95	5,000/-	1,150/-	8 भार
15	USS-	East Champaran	Madhuban	A STATE OF THE PARTY OF THE PAR	53.08	1.06	10,000/-	1,150/-	8 मह

(1.) नोट:- (i) निविदाकार एक या अधिक कार्य के लिए अलग- अलग निविदा डाल सकते है।

(i) प्राक्कलित राशि घट या बढ़ सकती है एवं तद्नुसार अग्रधन की राशि घट या बढ़ सकती है।

(ii) वेवसाईट -www.eproc.bihar.gov.in पर अंकित प्राक्कलित राशि, अग्रधन की राशि एवं परिमाण विपन्न की राशि अंतिम रुप से मान्य होगा।

(2) विज्ञापन निर्गत करने की तिथि

:- ितांक:-23.08.2017

(3) परिमाण विपन्न प्राप्त करने(डाउनलोड) की अवधि एवं समयः विनांक- 08.09.2017 से 19.09.2017, 15:00 घटा

प्री बिड मीटिंग का समय, स्थान एवं तिथि

(वेबसाईट:www.eproc.bihar.gov.in पर) िनांक:- 13.09.2017, 16:00 घंटा प्रबंध निदेशक का

कार्यालय,बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम, पटना।

(5) निविदा प्राप्ति(अपलोड) की अंतिम तिथि एवं समय :--

विनांक- 20.09.2017, समय- 15:00 घंटा /

(6) अग्रधन जमा करने की अंतिम तिथि एवं समय

दिनांक- 22.09.2017, समय- 15:00 घटा*ई* विनांक- 22.09.2017, समय- 16:30 होटा

(7) टेक्निकल बिड ख्युलने की तिथि एवं समय

Chief Eng neer B.S.E.I.D.C. Led, Patna

35 (वेबसाईट-www.eproc.bihar.gov.inपर) दिनांक- 04.10.2017, सगय- 15:30 घंटा वेबसाईट-www.eproc.bihar.gov.inपर

(8) वित्तीय बिड खोलने की तिथि एवं समय

(9) निविदा खोलने का स्थान

(10) निविदा की वैधता की अवधि

_____120 दिन

(11) ई—टेन्डरिंग की प्रकिया में भाग लेने हेतु संवेदकों को पंजीकृत होना होगा, जिससे कि उन्हें उपयोगकर्ता का नाम (user ID) पासवर्ड (Password) अंकीय हस्ताक्षर (Digital Signature) निर्गत की जायेगी। यह उन्हें वेवसाईट www.eproc.bihar.gov.in से डाउनलोड करने/टेन्डर की प्रकिया में भाग लेने की योग्यता प्रदान करेगा।

- (12) ई—िनविदा पत्र बेवसाईट www.eproc.bihar.gov.in से प्राप्त किया जा सकता है। संवेदक द्वास सिर्फ उपर्युक्त वेबसाईट से ही परिमाण विपत्र प्राप्त करने के उपरांत वेबसाईट पर ही इलेक्ट्रानिक निविदा पत्र को भरकर भेजना है। अन्य सभी महत्वपूर्ण कागजात / बैंक ड्राफ्ट / अग्रधन की सशि / सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को रकैन कर ई—िनविदा के साथ संलग्न करना अनिवार्य है।
- (13) (Beltron Bid Processing Fee & BOQ cost is mandatory to be paid through e-payment mode i.e. Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS"

Bids along with necessary online payments must be submitted through e-procurement portal www.eproc.bihar.gov.in before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffic/ Holidays or any other reason. ऐसा नहीं करने पर निविदा मान्य नहीं होगा।

- (ख) वांछित अग्रधन की राशि राष्ट्रीय बवत पत्र/डाकघर सार्वाध जमा 3 वर्षीय या 5 वर्षीय पासतुक जो विहार राज्य से क्रय या जमा किया हो, प्रबंध निदेशक, BSEIDC Ltd., पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा विहार वित्त नियमावली के अनुसार BSEIDC Ltd. के नाम से फिक्सड डिपोजिट रिसिण्ट अथवा वैंक गारन्टी जो विड के मान्य अवधि तक के लिए विहार अवस्थित किसी राष्ट्रीयकृत/अनुसूचित वैंक से निर्मत हो (अगर बिहार प्रान्त के बाहर के वैंक से निर्मत वैंक मार्ग्य शिंक गारन्टी दिया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी वैंक से निर्मत किया जाना होगा) के रूप में प्रवंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारभूत संस्वना विकास निगम लिमिटेड, पटना में दिनांक 22.09,2017 के 15:00 घंटे तक स्वयं/निवंधित डाक /स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना आवश्यक है अथवा EMD can also be paid through e-payment mode i.e. "Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS". ऐसा नहीं करने पर निविदा मान्य नहीं होगा।
- (14) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर लें। ताकि अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से वह सकें।
- (15) Even though the bidders meet the qualifying criteria, they are subject to be disqualified if they have record of poor performance such as abandoning the works not properly completing the contract. Inordinate delays in completion, litigation history, or financial failure in the work of this corporation.

(16)किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। विना कारण बताये निविदा या उसके अंश को अस्वीकृत करने/रद्द करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।

(17) विशेष जानकारी हेतु अधोहरताक्षरी के कार्यालय में कार्य अविध में सम्पर्क किया जा सकता है। ई-टेन्डरिंग की प्रक्रिया से संबंधित किसी भी प्रकार की जानकारी/सूचना हेतु सहायता कक्ष, ई-टेन्डरिंग कक्ष, प्रथत तल्ला, M/22, वैंक ऑफ इंग्डिया भवन, रोड न॰ 25, श्री कृष्णा नगर, पटना-800001, दूरभाष सं॰ 0612-2523006/9939035696.

ब्रजेश प्रसाद मुख्य परामशीं(तकनीकी)

> Chief Eng neer B.S.E.I.D.C. Ltd, Patna

影。

Dr. Suran.