Name of WOPK- Construction of Block. Schedule XLV-Form No. 61 Resource Centre at Bisfis Madhubani. (SL No.-8)

BIHAR PUBLIC WORKS DEPARTMENT

Agency - [Form No. F-2] Ajay Kunar Mandal, ITEM RATE TENDER AND CONTRACT FOR WORKS

Agreement No. — 64 F2 of 2018-19 General Rule and Direction for the guidance of Contractors.

ete of commencement - 06-08-2018

1. All works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer.

This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours.

- 2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so.
- 3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm.
- 4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender.

5. The amount of earnest money to be deposited will be: -		Rs.			
If the amount of the estimate does not exceed Rs. 2,000			•••	50	1
If the amount of the estimate exceeds Rs. 2,000 but does			•		
not exceed Rs. 5,000		•••		100)
If the amount of the estimate exceeds Rs. 5,000 but does					
not exceed Rs. 10,000			• • • •	200)
For each additional Rs. 5,000 or portion of Rs. 5.000	**·	i.		•	
additional earnest money		•••		100	Ι.

6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompanied by the treasury challan for the required earnest money will be liable to rejection. No single tender mall include more than one work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the envelop. Cash deposits for earnests money here in before mentioned shall be made in Government Treasuries and the challan there of should enclosed with the tender.

2m27 2min2x

- 7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.
 - 8. The Engineer shall have the right of rejecting all or any of the tenders
- 9. In the event of a tender being selected for acceptance the Engineer who opened the tenders will, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the priscribed time. The tender with the specilication and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to the tenderer.

- 10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.
- 11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tendered may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required amount of the security money has been deposited the Engineer shall scrutinise all pages of the form of tem, rate, tender & contract for works to see that the form has been properly filled up and signed by the contractor & the signature witnessed He shall then if he is competent, to accept the tender, sign the acceptance of the tender on if h is not so competent shall send the form for signature of the acceptance of the officer competent to accept it

(3)

TENDER FOR WORKS

I/We hereby tender for the execution for the Governor of Bihar of the work
appointed in the under written memorandum at the rates specified therein within a
pariod of years month from the date of written order to commence and in accordance
in all respects with the specifications designs, drawing, and other documents referred
to rule hereof and Subject to the annexed conditions of contract and with such
materials as are provided for by and in other respects in accordance with, such
conditions so far as applicable.

MEMORANDUM Name of work (a) If several sub-work are cluded they should be [a] detained in a separate list. Estimated cost [b] (b) This deposit will be 5% of the estimated cost of the Earnest money [c] Work. Initial security deposits (including earnest money) to be deposited befor [d] the commencement of the work This percentage (c) Il aeduction from bills will be credited to the contractors asecurity deposit. Percentage to be deducted from bills Rs. 5% (Rupees five percent) [e] Time required for the work from date of written order to commence [f] monthly Date of written other to commence [g] Total number of item of work tendered for [h]

)10-			RATE TENDERED		Per
6	Item No.	Item of work	In figures	In words	(C)
੍ਹ-					
3					
0					· v
. 0			The state of the s		
0			15 (2) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1		
· (j)					
لان				hef Consultan	614
9			****	Mef Consultan	(Technical)
			0108	in State Education	al Infrastructure tion Ltd.; Parse

Itom No.		RATE TE	D	
Item No. Item of w	Ork	In figures	In words	Per (
	and and the second decreased that have been proposed to the second second to the second seco			. (
			Service Control of the Control of th	
				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
			· · · · · · · · · · · · · · · · · · ·	
1				
	\			
				1 77070
	And the second			
				•
		THE PARTY OF THE P		

	and control of the co			
			30° C	
	Lance Control	Total Parket Comman		
	The state of the s			
	ALI ANALYSI (MARKA)			
	PROPERTY CONTRACTOR OF THE PROPERTY CONTRACTOR O	and the state of t		
	Bananay Caranter State Control of the Control of th			
N Wys			noxygyminitinces	
	Dictions		ВН а циненном.	Va Va
	·			
	D. C.			
	Balancian III and a second a second and a second a second and a second a second and	and district the state of the s		

· .			RATE TENDERED		
Item No	Item No.	o. Item of work	In figures	In words	Per
A Second	The second secon				
0			Constitution of the Consti		
Ô			many de la company de la compa	-	And the second s
. (THE PROPERTY OF THE PROPERTY O
. 1			agency account to the second s		<i>j</i> **
					CARLESCOPE CONTRACTOR
0					And the second s
/51				6500 mm mm m m m m m m m m m m m m m m m	
. (a					
(i)					
\u_j				or other states of the states	
ຠ					
12				100 A CO	
Į ie			N. Co. Co. Co. Co. Co. Co. Co. Co. Co. Co		
)10					
o)			TO COLOR SECONDARY		
्रे					We de transfer and the second
5	interior de la companya de la compan		The state of the s	No.	
40			SUBJECT AND STREET		THE CASE OF THE CA
			COLOR OF THE PROPERTY OF THE P		100 Oct 100 Oc
9			TO CHARLES WE COMMITTED THE CO		NOTICE STREET, THE PROPERTY OF
Û			The country of the co		The state of the s
9	•		1 Marie 1 Mari		no destruction of the control of the
9	and the same of th				EEN VACHITYAAN OF BEG
(<u>.</u>					NAME OF THE PROPERTY OF THE PR
(د				To provide the second	erro-cutterende
			THE PROPERTY OF THE PROPERTY O	and the state of t	Che E. Verentum et al.
/y					Basing in the control of the control
لي					BEN'T COMPANY OF THE PROPERTY
ું					
2					an and have referred to be the commence of the comment of the comm

Item No.	Item of work	RATE TENDERED		The second law representation of the second	
	Hem of Work	In figures	In words	Per	
		And the state of t			
and the state of t					
		The Control of the Co			
		When the state of			
		The state of the s			
The second secon					
Political by many or the second					
The second secon					
NAMES OF THE PROPERTY OF THE P					
			To the second se		

65 No	160-25	RATE TENDERED			
¶Item No.	Item of work	In figures	In words	Per	
				and a configuration of the con	
0				Tana .	
			ACCURATION AND ACCURA		
. 0			ALIEN TO THE PROPERTY OF THE P		
				; ;	
.5 ₆					
5					
(a)					
(i)					
m					
40		THE STATE OF THE S			
) (©					
6					
			THE STATE OF THE S		
			OS also marquis participation of the control of the		
9			Park COLUMN AND AND AND AND AND AND AND AND AND AN		
0			AD (MICHAEL MICHAEL MI		
			A CANADA AND A CAN		
			X-L-X-initial property of the second		
		**BEEDOCE ACATELOGIA			
			and the second s		
<u></u>			acticulary action and action a		

should this tender be accepted I/we hereby agree to abide by and fulfill all the terms and provisions of the said conditions of contract annexed hereto so, for a applicable, or in ssors in office the sums of money mentioned in the said conditions

Dated the

day of

day of

*Signature, of contractor be fore comission of tender

Address Occupation

witness:

Signature of witness to contractor's signature

The above tender is hereby accepted by me on behalf of the Governor of Bihar Dated the

20

signature of the office accepting the tender

Acceptances communicated on.....

signature of the part taking the tender

CONDITIONS OF CONTRACT

Compensation

Clause 1:- All compensation or other sums of payable by the contractor to Government under the terms of his contract may be deducted from, paid by the sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor by Government on any account whatsoever and in the event of his security depos being reduced by reason of any such deduction or sale as aforesaid, the contractor shall within ten days there after make good in cash or Government securities endorsed as aforesaid any sum or sums which may have been deducted from, o arised by, sale of his security deposit of any part thereof.

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which the work is finished after necessary rectification of defects as pointed by the Executive En- gineer or his authorised agents are fully contractor to the Engineer's satisfaction.

Clause 2 in The time allowed for carrying out the work as entered in the tend shall be strictly observed by the contractor and shall be reckoned from the date or which the wirtten order to comence work is given to the contractor. The work shall throughout the stipulated period of the contract be carried on with all due diligence (time being deemed to be the essence of the contract on the part of the contract or) and the contractor shall pay as compensation an amount equal to ½ percen on the amount of the estimated cost of the whole work as shown by the tender for every day that the work remains uncommenced or unfinished after the proper date And further to ensure good progress during the execution of the work the contract shall be bound in all cases in which the time allowed for any work exceeds on month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before one half of such time elapsed and three-fourths of the work, before three fourths of sug time has elapsed in the event of the contractor failing to employ with this condition I shall be liable to pay as compensation an amount equal to 1/2 percent on the sal estimated cost of the whole work for every day that the due quantity of wor remains incomplete provided always that the entire amount of compensation to b paid under the provisions the clause shall not exceed 10 percent of the estimate cost of the work as shown in the tender.

Action when persnle security deposit foreited

Clause 3:- In any case which under any clause or clauses of or this contract the contractor shall have rendered himself laible to pay compensation amountil to the whole of his security deposit in the hands of Government (where paid in on sum or deducted by instalments) the Executive Engineer on behalf on the Bih Government shall have been powered to adopt any of the following courses, as h may deem best suited to the enterest of Government

(a) To rescind the contract (of which rescind notice in writing to the contract under the hand of the Executive Engineer shall be conclusive evidence) and which case the sectitiry deposit of the contractor shall start forfeited absolutely at the disposal of Government

(b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debitting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in -charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.

(c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original contractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4: In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may, if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Engineer as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

contractor remains liable to pay compensation if action not take under

Power to take posession of or require removal of or sell contractor plant.

Extension of time

Clause 5 :- If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) he shall apply in writing to the Executive Engineer within 40 days from the date of starting of the hinderance on account of which be desires such extension as aforesaid and the Engineer shall, if in his opinion (which shall be final) reasonable grounds be shown thereof authorised such extension of time, if any, as may in his opinion be necessary or

proper. The Executive Engineer shall at the same time inform the contractor whether he claims compensation for the delay.

 $\cup 0$

Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion, but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinctly marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-work, doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurements shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus materials and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid, except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible, before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-in-charge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts or in any other way vary or affect the contract.

• Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Stores supplied Government

Clause 9:- If the specification or estimate of the work provides for the use of any special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-incharge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums then due or here after to become due to the contractor under the contract or otherwise, or against or form the security deposit, or the proceed of sale thereof, if the same is held in Sovernment security the same or sufficient portion thereof in this case sold for the purpose. All materials supplied to the contractor shall remain the absolute property of Government and shall not on any accounts he removed from this site of the work and shall at all times be open to

अवस्ति क

inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: - The contractor shall executive the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid.

Clause 11: - Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the work is being carried on and if such last mentioned class of work is not entered in the io schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a disputes the decision of the superintending Engineer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period.

Clause 12:- If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out, the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsoever on account of any profit or advantage, which he might have derived from the execution of the work in full, but which he did not derive in consequence of the full amount of the work, ation in or restriction of work to be carried out. not having been carried out neither shall he have any claim for compensation by reason work to be carried out of any alternation having been made in the original specification, drawing, designs and attack the later of the control of the instruction which shall involve any installment of the work as organally contemplated

accordance with specification drawing other etc.

Alteration in specifications and designation.

Do not in validate contract

Time in consequence of

Rate for work no in estimate or schedule of rates of the district.

Compensation for alter-

70/9 @DIL

clause 12 (a) As contained in G O 1929 dated 11.9.56.

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such failure is due to:

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as finally by the contractor.

Action and compensation payable in case of work.

Clause 13 :- If it shall appear to the Engineer-in-charge or his subordinate incharge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall on demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-incharge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and expense in all respects of the contractcor.

Work to be taken to inspection

Clause 14: All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineer-in-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be present

Clause 15:- The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which the same was effected.

Notice to be taken before work covered up

Clause 16:- If the contractor or his work-people, or servants share break, deface injure or destroy any part of a building in which they may be washing or any building, road; road curves, fence enclosure water pipes, cables, discrete electric or telephone posts or wires, trees, grass or grassland or cultivated ground contiguous on which the work or any part of it is being executed or if any damage shall happen to the work, while in progress from any cause whatsoever or any imperfection become apparent in if within three months (six months in the case of a road-work) after a certificate final or other of its completion shall are been given by the Engineer-in-charge

200 Haron

as a fore seal, the contractor shall make the same good at his own expense, or in efault, the Engineer-in-charge may cause the same to be made be good by other worksmen and deduct the expense of which time thereafter may become due to the ontractor, or from his security deposit, or the proceed of sale there of, or of a sufficient portion there of the security deposit at the contractor shall not be refunded before the xpiry of three months (six months in the case of a road-work) after the issue of the certificate final or otherwise of completion of work provided that in the case of a road work in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable after three months of the issue of the said certificate of completion

Contractor liable for damage done and for imperfection a months and after certificate

Clause 17:- The contractor shall supply at his own cost all materials (except such Opecial materials) if any as may in accordance with the contract be supplied from the Engineer-in-charges stores). Plants, tools, application, implements, ladders, cordage. ackle scaffolding and temporary works requisits or proper for the proper execution of the work whether original, altered or substituted and whether include in the specification or ther documents forming part of the contract or referred to in these conditions or not or which may be necessary for purpose of satisfying or complying with the requirement of e Engineer-in-charge as to any matter as to which under these conditions he is entitled to be satisfied which he is entitled to require together with carriage therefore to and form ale work. The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting. his lengthing and assisting in the measurement or examination at any time and form time to time of the work or materials failing his so doing the same may be Provided by the ngineer-in-charge at the expense of the contractor and the expenses may be deducted from any money due to the contractor under the contract from his security deposit or the oceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide all necessary fencing and lights required to protect the public from accident, and shall be mbund to bear to expenses of defence of every suit action or other proceeding at law that may be brought by any person for injury sustained owing to neglect of the above recautions and to any such person or which may with the consent of the contractor be gaid to compromise any claim by any such person.

Contractor to supply to plantladder scaffolding

And is liable for damage arising for non-provision of light fencing etc.

Clause 18:- No female labour shall be employed within the limits of contonment. rne contractor shall not employ for the purpose of his contract any person who is below the age of twelve years and shall pay to each labour for the work done by such labourer wages not less than the wages paid for similar work in the neighbourhood.

Work not to be subject

Contract may be resinded and security deposit for-

felted for subletting bribes or if contractor become

The executive Engineer shall have the right to enquire into the case and decide any complaint alleging that the wages paid by the contractor to any labourer for the work done by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer nployed by contractor is below the age of twelve years and to refuse to allow any labourer whom he decided to be below the age of twelve years to be employed by the

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his Intract, or attempt so to do, or become insolvent proceedings to make any composition with his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, or offered by the contractor, or any of his servant or agents to any public officer or person Eithe employ of Government in any way relating to his officer or employment or if any such officer or person shall become in any way directly or indirectly interested in the untract the Executive Engineer may there upon by notice in writing rescind the contract. The security deposit of the contractor shall there upon stand forfeited and be absolutely the disposal of Government and the same consequence shall ensure as if the contract (Technical)

had been recinded under clause 3 here of, in addition the contractor shall not be entitled to a linear tructure ecover or be paid to any work therefore actually performed the work the contract.

such payable by way of compensation to be considered reasonable compensation without reference to actual loss Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained.

Clause 21: In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this information.

Charges in constitution

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal Convernment and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer Clause 22:- All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23: In case any dispute or difference shall arise between the parties ceither of there upon any question relating to the meaning of the specifications, designs, drawings and instructions here before mentioned or as to the quality of workmanship materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

(a) Clause 24:- When the estimate on which a tender is made includes lund sum in respect of the contract shall be entitled to payment in respect of the items or work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-incharge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineer-in-charge shall be final and conclusive against the contractor with regard to any such payable to him under the provision of this clause.

Action where specification.

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Definition of works

Clause 26: The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to such construction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered; substituted or additional.

Clause 27:- The terms and conditions of the agreement have been read/explaid to me and certify clearly understand them.

Contration.

Witness.

- h	حايياه	XIV	1-	Form	No.	61
70.0	equic	/\L_'	4	, 0,,,,	,	

(15)

Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied

	Particulars	Rates at which the material will be charged to the contractor	Place of delivery
) <u>-</u> ()		Unit Rs. P.	
7			#
9.			
ಾರಿ			
(a)			
() ()			
(f).			
nb			
or O			
(e)			
ion			
60			
ريا م			
j.			
): 			
<u>1</u> 2			
٠)٠			
<i>J</i> .			
/			

Note:-The person or firm submitting the tender should see that the rates in the above schedules are in filled up by the Engineer-in-charge on the issue of the form prior to the submission of the tender.

Chief Consultant (Technical)

Bihar State Educational Infrastructure Development Corporation Ltd., Pates

(Signature of Executive Engineer)

(Signature of Contrator)

Bihar State Educational Infrastructure Development Corporation Ltd.

AGREEMENT FOR CONSTRUCTION OF BLOCK RESOURCE CENTRE AT BISFI, MADHUBANI (SL. NO.-8)

TENDER FOR WORKS

I/we heredy tender for the execution for the Governor of Bihr of the work specifed in the under written memorandum at the rates specified therein within a period of years month from the date of witten order to commence and in accodance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subjects to the annexed condation of contract and with such materaials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

MEMORANDUM

incuded they should be detained in the separate

(a) If several sub-work are (A) Name of Work: - CONSTRUCTION OF BLOCK RESOURCE CENTRE AT BISFI, MADHUBANI (SL. NO.-8)

> (B) Estimated Cost: Rs. 76,32,502=00 Agreement value :- Rs. 68,69,252=00

(b) This deposit will be 5% of the estimated cost of the work.

(C)Earnest Money:-

(c)This percentage deduction from bills will be credited to the contractors security deposits

(D) Initial security deposits (including earnest money) to be deposited before the Commencement of the work-

Earnest Money: - Rs. 3,45,000/- (Details attached)

- (E) Percentage to be deducted from bill Rs. 5% (Rupees five percent)
- (F) Time required for the work from date of written order to commence FIFTEEN MONTH
- (G) Date of written order to commence:-
- (H) Total number of item of work tendered for :- 113

Chief Consultant (Technical) Bihar State Educational Infrastructure Development Corporation

B	BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.								
	SHIKSHA BHAWAN, SAIDPUR, PATNA. AGREEMENT FOR BLOCK RESOURCE CENTRE IN BIHAR								
-	THE ITEM RATE BASED ON S.O.R BCD BIHAR-2016, & S.O.R (Electrical)-2016								
SL. No.	DISTRI CT	NAME OF INSTITUTE		жения постанова на применения на применения на применения на применения на применения на применения на примене На применения на применени	BLO	CK			
1	MADHU BANI	BLOCK RESOURCE CENTRE			BISI	FI			
		CIVIL	WORKS						
SI. No.	SOR Item No.	Item of Work	Qty.	Unit	Rate (Rs.)	Amount (Rs.)			
1	2	PILE WORKS	4 .	5 .	6 .	7			
1 -	Makakan di Silangan Makakan di	Boring, providing and installing bored cast-in-situ reinforced cement concrete piles of grade M-25 of specified diameter and length below the pile cap, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring, with bentonite solution and temporary casing of appropriate length for setting out and removal of same and the length of the pile to be embedded in he pile cap etc. all complete, including removal of excavated earth with all lifts and leads (Length of pile for payment shall be measured							
	20.2.1	300 mm dia Piles	0,00	meter	884.70	Rs. Eight hundred eighty four and paise seventy only.			
	20.2.2	400 mm dia Piles	0.00	meter	1129.40	Rs. One thousand one hundred twenty nine and paise forty only.			
	20.2.3	450 mm dia Piles	0.00	meter		Rs. One thousand three hundred eighty eight and paise ten only.			

Chief Consultant (Technical)

Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

3my 30 cm

		1				
	20.2.4	500 mm dia Piles	0.00	meter	1642.70	Rs. One thousand six hundred forty two and paise seventy only.
	20.2.5	600 mm dia Piles	0.00	meter	2186.00	Rs. Two thousand one hundred eighty six only.
	20.2.6	750 mm dia Piles	0.00	meter	3263.50	Rs. Three thousand two hundred sixty three and paise fifty only.
2	20.3	Boring, Providing and installing cast in situ single under reamed piles of specified diameter and length below pile cap in M-25 cement concrete, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring with bentonite solution and the length of the pile to be embedded in pile cap etc. all complete. (Length of pile for payment shall be measured upto to the				
	20.3.1	300 mm dia Piles	0.00	meter	1978.90	Rs. One thousand nine hundred seventy eight and paise ninety only.
	20.3.2	400 mm dia Piles	0.00	meter	2309.00	Rs. Two thousand three hundred nine only.
	20.3.3	450 mm dia Piles	0.00	meter	2505.00	Rs. Two thousand five hundred five only.
	20.3.4	550 mm dia Piles	0.00	meter		Rs. Two thousand seven hundred thirty nine and paise eighty only.
	20.4	Extra over item No. 20.3 for providing additional bulb in under reamed piles, under specified dia meter (Only the quantity of extra bulbs are to be paid).	And Committee Co			
	20.4.1	300 mm dia Piles	0.00	Each	1284.50	Rs. One thousand two hundred eighty four and paise fifty only.

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Potna
110.

- Margineres

			12			
3	20.4.2	400 mm dia Piles	0.00	Each	1434.5	Rs. One thousand four hundred thirty four and paise fifty only.
	20.4.3	450 mm dia Piles	0.00	Each	1525.20	Rs. One thousand five hundred twenty five and paise twenty only.
	20.4.4	500 mm dia Piles	0.00	Each	1679.10	Rs. One thousand six hundred seventy nine and paise ten only.
	וויינים אינו	WY/OTD IZ TOU TOW/O A W/ A PDY O DI				
	2.8.1	WORK IN EXCAVATION Earth work in excavation in foundation				
4		trenches or drains(not exceeding 1.5 m in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 m including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. All Kinds of soil=286.64cum Septic Tank=31.89cum Total Quantity=318.53cum	318.53	cum	230.50	Rs. Two hundred thirty and paise fifty only.
5	2.29.1	Surface dressing of the ground including removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5 mAll kinds of soil.All Kinds of	136.41	100 sqm	806.00	Rs. Eight hundred six only.
		EARTH FILLING				
6	2.26	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth: consolidating each deposited layer by ramming and watering lead. =188.98cum	188,98	cu.m	74.50	Rs. Seventy four and paise fifty only.
		SAND FILLING				
7	2.28	Supplying and Filling in plinth with local sand and under floors including, watering, ramming consolidating and dressing complete. = 118.79 CUM SEPTIC TANK = 1.02 CUM TOTAL QUANTITY = 119.81 CUM	119.81	cu.m	204.40	Rs. Two hundred four and paise forty only.

16.8. 2016 Chief Consultant (Technical) Bihar State Educational Infrastructure Development Corporation Ltd., Pripa



(

0

0

	-		12			
		FLAT BRICK SOLING				
8	11.72	Providing designation 100 A one brick flat soling joints filled with local sand including cost of watering, taxes, royalty all complete as per building specification and direction of E/l, 10 + 2, BUILDING = 291.84 CUM SEPTIC TANK = 13.57 CUM TOTAL QUANTITY = 305.41 CUM		sq.m	253.80	Rs. Two hundred fifty three and paise eighty only.
	P.C.C.					
9	4.1.5	Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level 1:3:6 (1cement: 3 coarse sand : 6 graded stone aggregate 20mm nominal size) = 13 CUM	12.00	cu.m	2775.70	Rs. Two thousand seven hundred seventy five and paise seventy only.
10	4.1.4	Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level 1:2:4 (1 Cement: 2 coarse sand : 4 graded stone aggregate 40 mm nominal size)10 + 2 , BUILDING = 8.74 CUM SEPTIC TANK = 2.98 CUM TOTAL QUANTITY = 11.72 CUM	11.72	cu.m	3219.70	Rs. Three thousand two hundred neneteen and paise seventy only.
		FLOORING				
11		Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturer) of ist quality conforming to IS: 15622 of approved make in colours such shades except white, Ivory, Grey, Fume Red, Brown, laid on 20 mm thick Cement motar 1:4 (1 cement: 4 coarse sand) including pointing the joints with white cement and matching pigment etc., complete.	46.04	sq.m	812.20	Rs. Eight hundred twelve and paise twenty only,
		WALL TILES	i			

Chief Consultant (Technical)

Bihar State Educational Infrastructure
Development Corporation Ltd., Paties
10.

31921 BOUM

(

13	Paris Construction			4			
11.26.1 Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime: 1 surkhi: 1 coarse sand) / 1:4 (1 cement: 4 coarse sand) 20 to 25 mm thick 11.27 Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm R.C.C. WORK BELOW PLINTH LVL. 5.1.1 Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing & reinforcement - all work upto plinth level. 1:1:2 (1 cement: 1 coarse sand:	12	11.36	ceramic glazed wall tiles conforming to IS: 15622 (Thickness to be specified by the manufacture) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-charge in skirting, risers of steps and dados over 12 mm thick bed of cement Motar 1:3(1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching	188.87	sq.m	766.30) i
(average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime: 1 surkhi: 1 coarse sand) / 1:4 (1 cement: 4 coarse sand) / 20 to 25 mm thick 11.27 Kota stone slabs 20 mm thick in risers of steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm R.C.C. WORK BELOW PLINTH LVL. 5.1.1 Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing & reinforcement - all work upto plinth level. 1:1:2 (1 cement: 1 coarse sand:			FLOORING & SKIRTING				
steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Details of cost for 10 sqm R.C.C. WORK BELOW PLINTH LVL. 5.1.1 Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing & reinforcement - all work upto plinth level. 1:1:2 (1cement: 1 coarse sand :	13	11.26.1	(average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. Base with 1:1:1 (1 lime: 1 surkhi: 1 coarse sand) / 1:4 (1 cement: 4 coarse		sq.m	998.30	eight and paise thirty
5.1.1 Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing & reinforcement - all work upto plinth level. 1:1:2 (1cement: 1 coarse sand : 59.18 cu.m 6035.20 Rs. Six thousand thirty five and paise twenty only.	14	11,27	steps skirting. Dado & pillars laid on 12 mm (average (thick cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing		sq.m	973,00	
specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing & reinforcement - all work upto plinth level. 1:1:2 (1cement: 1 coarse sand : 59.18 cu.m 6035.20 Rs. Six thousand thirty five and paise twenty only.	2270-2000-000-000-00	The second secon					Medital forms any party of the production of the season of
nominal size) = 59.183 CUM	15		specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing & reinforcement - all work upto plinth level. 1:1:2 (1cement: 1 coarse sand : graded stone aggregate 20mm nominal size)	59.18	cu,m	6035.20	five and paise twenty
R.C.C. WORK ABOVE PLINTH LVL.		R.C.C.	WORK ABOVE PLINTH LVL.				

ZIDIZI BUTON

þ

0

0

()

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Prima

	1		1/	-		
16	5.2.1	Reinforced cement concrete work in wall (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts, etc. upt floor five level excluding cost of centring, shuttering, finishin and reinforcement.1:1:2 (1 cement: 1 coarse sand: 2 graded stone aggregate 20 mm nominal size)	20.51	cu.m	6644.60	Rs. Six thousand six hundred forty four and paise sixty only.
17	5.1.3	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing and reinforcement-All work puto plinth level. 1:2:4 (1 cement:2 coarse sand:4 graded stone aggregate 20 mm nominal size) SEPTIC TANK = 0.93 CUM	0.93	cum	3984.50	Rs. Three thousand nine hundred eighty four and paise fifty only.
18	5.3 + 5.33B.4 + 5.33B.1	Reinforced cement conrete work in beams, suspended floors, roofs having slope upto 15, landings, balconiec, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto floor five level excluding the cost of centring, shuttering, finishing and reinforement with 1:2:4(1 cement:2 coarse sand:4 graded stone aggregate 20 mm nominal size).	100.44	cu.m	5319.10	Rs. Five thousand three hundred nineteen and paise ten only.
		BRICK WORK		***************************************	······································	
19	6.1.14A	Brick work with bricks of class designation 100A in foundations and plinth in cement mortar 1:6 (1cement :6 coarse sand) = 39.878 CUM	39.88	cu.m	4490.60	Rs. Four thousand four hundred ninety and paise sixty only.

Chief Consultant (Technical) Bibar State Educa Jond Intrastructural Bevelopment Corporation Ltd., Parja

()

0

Jane Landson			10			
20	6.1.14A + 6.3A	designation 100A in foundations and plinth in : Cement mortar 1:6 (1 cement: 6 coarse sand) Extra for Brick work in superstructure above plinth level upto floor V cum = 160.082 CUM	160.08	cu.m	5003,90	Rs. Five thousand three and paise ninety only.
21	6.18.4A + 6.19A	Half brick masonry with bricks of class designation 100A in foundations and plinth in : Cement mortar 1:4 (1 cement: 4 coarse sand) Extra for half Brick masonry in superstructure above pinth level upto floor V level. = 134.043 SQM	134.04	Sq.m.	608.40	Rs. Six hundred eight and paise forty only.
22	6.21A	Extra for providing and placing in position 2 Nos, 6 mm dia, MS bars at every third course of half brick masonry (with F. P. S. bricks) = 134.043 SQM		Sq.m.	55.40	Rs. Fifty five and paise forty only.
23	6.1.12/1	Brick work with bricks of class designation 100A in foundations and plinth in: Cement mortar 1:4 (1 cement: 4 coarse sand) = 8.75 CUM	8.75	cum	4724.40	Rs. Four thousand seven hundred twenty four and paise forty only.
		PLASTER WORK			***	
24		20 mm cement plaster of mix; 1:6 (1 cement: 6 coarse sand) = 836.658 SQM	836.66	sq.m	140.40	Rs. One hundred forty and paise forty only.
25	+ 13.26	20 mm cement Plaster 1:3 (1 cement: 3 coarse sand) with a floating coat of neat cement & neat cement punning SEPTIC TANK = 16.65 SQM	16.65	sq.m	214.60	Rs. Two hundred fourteen and paise sixty only.
26	1	12mm thick Cement plaster of mix 1:6 (1 cement : 6 coarse sand) = 1041.58 SQM	1041.58	sq.m	101 701	Rs. One hundred one and paise twenty only.

Chief Consultant (Technical)

Bihar State Educational Infrastructure
Development Curporation Ltd., Paira

110

3177 BALVE

0

William Control			1+			
27	13.17.1 +13.36.1	1100001 1.5 (1	52.82	sq.m	166.30	Rs. One hundred sixty six and paise thirty only.
28	13.24.2	6mm thick Cement plaster of Ceiling mix 1:4 (1 cement : 4 coarse sand) = 388.53 SQM	388.53	sq.m	87.40	Rs. Eighty seven and paise forty only.
29	11.3.1 + 11.8	Cement concrete flooring 1:2:4(1 cement:2 coarse:sand:4 graded stone agregate) finished with a floating coat of neat cement including cement slurry, etc. but excluding the cost of nosing of steps etc. complete.40 mm thick with 20 mm nominal size stone aggregateExtra for making chequers of approved pattern on cement concrete floors, steps, landing, pavemerts etc.	136.41	sq.m	267.70	Rs. Two hundred sixty seven and paise seventy only.
		FINISHING WORK	, , , , , , , , , , , , , , , , , , ,			
30		Finishing walls with Acrylic Smooth exterior paint of required shade :New work (Two or more coat applied @ 1.67 ltr/ 10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/ 10 sqm) EXTERNAL WALL = 836.658 SQM		sq.m	71.10	Rs. Seventy one and paise ten only.
31		Providing and applying white cement based putty of average thickness 2 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	2266.77	sq.m	118.40	Rs. One hundred eighteen and paise forty only.

- STONE BOILE

9

0

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd. Paint

	-					
32	13.77.2	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade. New work (two or more coats) over and including priming coat with cement primer INTERNAL WALL & CEILING = 1430.11 SQM	1430.11	sq.m	69.10	Rs. Sixty nine and paise ten only.
33	13.81.1	Applying priming coat with ready mixed pink or grey primer of approved brand and manufacture on wood work (hard and softwood) = 115.68 SQM		sq.m	26.70	Rs. Twenty six and paise seventy only.
34	13.81.3	Applying priming coat with ready mixed zinc chromate yellow primer of approved brand and manufacture on steel galvanized iron/steel work. = 105.728 SQM	105.73	sq.m	22.80	Rs. Twenty two and paise eighty only.
35	13.93.1	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade two or more coats on new work = 221.408 SQM		sq.m	1 14 117	Rs. Fifty four and paise ten only.
36		Providing and fixing T-iron frames for doors, windows and ventilators of mils steel Tee-sections, joints miltred and welded with 15x3 mm lugs 10 cm long embedded in cement concerete blocks 15x10x10cm of 1:3:6 (1 cement: 3 coarse sand: 6 graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required including	339.68	Kg.	70.90	Rs. Seventy and paise ninety only.

of Committee of Co

Chief Consultant (Technical)

Bihar State Educational Infrastructure
Development Corporation Ltd., Paina

SINT BOUND

0

9	9
ï	_/

9.21.1 Providing and fixing ISI marked flush door shutters conforming to IS: 2202 (Part I) non-decorative type, core of block board construction with frame of 1 st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters:35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws 9.63.1 Providing and fixing oxidised M.S. tower bolt black finish, (barrel type) with necessary screws etc complete 250x (Dmm) 10 + 2, BUILDING = 44 EACH 9.66.1 Providing and fixing M.S. handles with necessary screws etc. complete 125 mm Providing and fixing M.S. landles with necessary screws etc. complete 125 mm Providing and fixing M.S. landles with necessary screws etc. complete 250x (Dmm) 44.00 each 27.70 Rs. Twenty seven and paise sevenity only. 9.61.1 Providing and fixing M.S. sliding door door stopper anodised (anodic coating not less than grand AC 10 as per 1S: 1368) transparent or dyed to required colour and shade with necessary screws etc. compeled: 22.00 each shade with necessary screws etc. compeled: 300x16 mm 22.00 each 166.10 Rs. Cightly three and paise eighty only. 9.62.1 Providing and fixing M.S. sliding door bolts bright finished or/and black enamelled, with nuts and screws etc. compelled: 300x16 mm 22.00 each 166.10 Rs. One hundred sixty six and paise ten only. STEEL WORK Providing and fixing M.S. sliding door bolts bright finished or/and black enameled with 153 mm lags 10 ca long with steel luga enhedded with 153 mm lags 10 ca long with steel luga enhedded with 153 mm lags 10 ca long with steel luga enhedded with 153 mm lags 10 ca long with seal payes and serven or with glazing clips and special modal-anal hunty of approved mater of placenge and serven or with glazing clips and special modal-anal hunty of approved mater of placenge and serven or with seal payes and serven or with glazenge and serven or with seal payes and serven or with seal payes and serven or material and with seal payes and serven or with	·			19			
bolt black finish, (barrel type) with necessary screws etc.complete 250x10mm 10+2, BUILDING = 44 EACH 9.66.1 Providing and fixing M.S. handles with necessary screws etc.complete 125 mm 10-2 BUILDING = 44 EACH 9.101.2 Providing and fixing alluminium hanging floor door stopper anodised (anodic coating not less than grade AC 10 as per 18:1868) transparent or dyed to required colour and shade with necessary screws etc.complete: Twin rubber stopper = 20 EACH 9.62.1 Providing and fixing M.S. sliding door bolts bright finished or/and black enamelled, with nuts and screws etc.compelled: 300x16 mm = 22 EACH Providing and fixing M.S. sliding door bolts bright finished or/and black enamelled, with nuts and screws etc.compelled: 300x16 mm = 22 EACH Providing and fixing steel gluzed doors, windows and ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm lugs 10 on long with steel lugs embedded in cement centered blocks 15x10x10 cm of 1:3:6(1 cement: 3 coarse sand: 6 graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips and special metal-sash putty of approved make complete inoluding applying a priming cont of approved make complete inoluding applying a priming cont of approved make complete inoluding applying a priming steel beading of approved shape and section with screws instraed of glaxing clips and met. Sash putty in steel doors, windows, Ventilators and comosite	3	7	(Part I) non-decorative type, core of block board construction with frame of 1 st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters:35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws	48.20	sq.m	1698.20	hundred ninety eight
necessary screws etc.complete 125 mm 10+2_BUILDING = 44 EACH 9.101.2 9.101.2 9.101.2 9.101.2 9.101.2 9.62.1 9.62.1 10-2. BUILDING = 44 EACH 10-2. BUILDING = 44 EACH 10-3. Strangarent or dyed to required colour and shade with necessary screws etc. complete: Twin rubber stopper = 22 EACH 10-2. EACH 10-2. EACH 10-3. STEEL WORK Providing and fixing steel glazed doors, windows and ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm lugs 10 cm long with steel lugs embedded in cement concrete blocks 15x10x10 cm of 1:3c(1) cement: 3 coarse sand: 6 graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing cips or with bolts and auts as required, including providing and fixing of glass pending and other fitting exceptixate for providing and fixing steel beading and other fitting exceptixate for providing and fixing steel beading and other fitting exceptixate for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer, excluding the cost of metal beading and other fitting exceptixate for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and special metal-sash putty in steel doors, windows, Ventilators and comosite	38	8	bolt black finish,(barrel type) with necessary screws etc.complete 250x10mm 10 + 2, BUILDING = 44 EACH	44.00	each	65.30	
9.101.2 Providing and fixing alluminium hanging floor door stopper anodised (anodic coating not less than grade AC 10 as per IS :1868) transparent or dyed to required colour and shade with necessary screws etc.complete:Twin rubber stopper = 22 EACH 9.62.1 Providing and fixing M.S. sliding door bolts bright finished or/and black enamelled, with nuts and screws etc.compelled: 300x16 mm = 22 EACH STEEL WORK Providing and fixing steel glazed doors, windows and ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm lugs 10 cm long with steel lugs embedded in cement concrete blocks 15x10x10 cm of 1:3.6(1 cement: 3 coarse sand : 6 graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing dips or with bolts and nuts as required, including providing and fixing of glass panes with glazing clips and special metal-assh putty of approved steel primer, excluding the cost of metal beading and other fitting exceptExtra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, Ventilators and comosite	39	1	necessary screws etc.complete 125 mm	44.00	each	27.70	·
9.62.1 Providing and fixing M.S. sliding door bolts bright finished or/and black enamelled, with nuts and screws etc.compelled: 300x16 mm = 22 EACH STEEL WORK Providing and fixing steel glazed doors, windows and ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm lugs 10 cm long with steel lugs embedded in cement concrete blocks 15x10x10 cm of 1:3:6(1 cement: 3 coarse sand : 6 graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panes with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer; excluding the cost of metal beading and other fitting exceptExtra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, Ventilators and comosite	40		Providing and fixing alluminium hanging floor door stopper anodised (anodic coating not less than grade AC 10 as per IS :1868) transparent or dyed to required colour and shade with necessary screws etc.complete:Twin rubber stopper	22.00	each	83.80	Rs. Eighty three and paise eighty only.
Providing and fixing steel glazed doors, windows and ventilators of standard rolled steel sections, joints mittered and welded with 15x3 mm lugs 10 cm long with steel lugs embedded in cement concrete blocks 15x10x10 cm of 1:3:6(1 cement: 3 coarse sand : 6 graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panes with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer; excluding the cost of metal beading and other fitting exceptExtra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, Ventilators and comosite	41		bright finished or/and black enamelled, with nuts and screws etc.compelled: 300x16 mm	22.00	each	I IOO IUI	
ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm lugs 10 cm long with steel lugs embedded in cement concrete blocks 15x10x10 cm of 1:3:6(1 cement: 3 coarse sand: 6 graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panes with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer; excluding the cost of metal beading and other fitting exceptExtra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, Ventilators and comosite							
	42	+	ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm lugs 10 cm long with steel lugs embedded in cement concrete blocks 15x10x10 cm of 1:3:6(1 cement: 3 coarse sand: 6 graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panes with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer; excluding the cost of metal beading and other fitting exceptExtra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, Ventilators and comosite	95.72	sq.m	3175.00	hundred seventy five

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna
210,

- SIDIAPON

(,)

1 1

0

0

Ō

h-maintainne i de ca					riinkeniisioodaanaman kasaliinkiin kasaliinkii ee	
43	10.12.1 + 10.13C	Providing and fixing steel glazed doors, windows and ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm lugs 10 cm long with steel lugs embedded in cement concrete blocks 15x10x10 cm of 1:3:6(1 cement: 3 coarse sand : 6 graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panes with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer; excluding the cost of metal beading and other fitting exceptSteel ventilators	3.24	sq.m	3181.00	Rs. Three thousand one hundred eighty one only.
44	9.48.1	Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all complete fixed to steel windows by welding. = 1722.87 KG		Kgs.	86.00	Rs. Eighty six only.
	5.22 5.22.7A	Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete. TMTC-500 Thermo-Mechanically Treated bars TMTC-500 8mm dia = 8300 KG SEPTIC TANK = 93 CUM TOTAL QUANTITY = 8393 KG		KG	56.00	Rs. Fifty six only.
45	5.22.7B	Thermo-Mechanically Treated bars TMTC-500 10mm dia = 1300 KG	1300.00	KG	54.70	Rs. Fifty four and paise seventy only.
	5.22.7C	Thermo-Mechanically Treated bars TMTC-500 12mm dia = 7000 KG	7000.00	KG	7 4 /11 11	Rs. Fifty three and paise forty only.
					•	1 1

Chief Consultant (Technical)

Bihar State Educational Infrastructure
Development Corporation



0

(

			-!			
	5.22.7D	Thermo-Mechanically Treated bars TMT-500 16mm dia = 700 KG	700.00	KG	54.40	Rs. Fifty four and paise forty only.
	5.22.7E	Thermo-Mechanically Treated bars TMT-500 20mm dia = 750 KG	750.00	KG	53.60	Rs. Fifty three and paise sixty only.
	5.22.7F	Thermo-Mechanically Treated bars TMT-500 25mm dia = 0 KG	0.00	KG	53.60	Rs.Fifty three and paise sixty only.
46	10.17	Providing and fixing M.S.fan clamp type I or II of 16 mm dia.M.S. bar bent to shape with hooked ends in R.C.C slabs during laying including painting the exposed portion of loop, all as per standard design complete.		Each	97.00	Rs. Ninety seven only.
47	10.33.1	Providing & fixing hand rail by welding etc. to steel ladder railling & staircases railling including applying a priming coat of approved steel primer. MS tube (medium) 40mm nominal bore. = 550 KG		kg.	90.70	Rs. Ninety and paise seventy only.
48	10.5	Providing and fixing in position collapsible steel shutters with vertical channes 20x10x2 mm and braced with flat iron diagonals 20x5 mm size with top and bottom rail of T-tron 40x40x6 mm with 40 mm dia steel pulleys complete with bots.nuts locking arrangement stoppers handies including applying a priming coat of approved steel primer	4.52	sq.m	4248.20	Rs. Four thousand two hundred forty eight and paise twenty only.
	ĪV.	IISCELLANEOUS WORK				жини менен бай
49	4.17	Making plinth protection 50 mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20 mm nominal size) over 75 mm thick bed of dry brick ballast 40 mm nominal size, well rammed and consolidated and grouted with fine sand, including finishing the top smooth.	75.41	∈ sq.m	359.80	Rs. Three hundred fifty nine and paise eighty only.

A 2016 Chief Consultant (Technical) Bihar State Educational Infrastructure Development Conferention L. A., Pages

Mehruf

- SIDIABUCUS

0

0

0

		SHUTTERING				
50	5,9.1	Centring and shuttering including strutting, propping etc. and removal of form for foundation, footings, basees of columns etc. for mass concrete. = 55.781 SQM	55.70	Sqm.	169.00	Rs. One hundred sixty nine only.
51	5,9.5	Centring and shuttering including strutting, propping etc. and removal of form for lintel, beams, plinth beams, griders, bressumers and contilevers. = 349.241 SQM	349 24	Sqm.	261.70	Rs. Two hundred sixty one and paise seventy only.
52	5.9.6	Centring and shuttering including strutting, propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts = 367.575 SQM	367.58	Sqm.	357.60	Rs. Three hundred fifty seven and paise sixty only.
53	5.9.3	Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 451.54 SQM		Sqm.	291.00	Rs. Two hundred ninety one only.
			Wester Commence of the Commenc	See a constitution of the	Total	5,727,046.30
					Total (A)	5,727,046.00
1	Plu	mbing and sanitary Work				
54	B.S.R 12.78	Providing and fixing on wall face unplastidsed PVC (working pressure 4 kgf per sqm) rain water pipes cinforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10 mm gap for thermal expansion. 110 mm diameter.	,			Rs. Two hundred
		= 40 MTS	40.00	MTS	I	twelve and paise forty only.

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Pana

SING BOW

0

r		7		10			
		12.79	Providing and fixing on wall face unplasticised -PVC moulded fittings/accessories for unplasticised PVC rainwater pipes conforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10mm gap for thermal expansion. Coupler				
	55	12.79.1.2	110mm = 10 MTS BEND 45° 110 mm dia	10.00	Each	140.20	Rs. One hundred forty and paise twenty only.
			= 10 EACH				Parameter Control
			110mm bend = 12 MTS	12.00	Each	168.30	Rs. One hundred sixty eight and paise thirty only.
		12.79.6	Shoe (Plain)				
	Shirt and the sh	12.79.6.2	110mm Shoe = 12 MTS	12.00	Each	305.02	Rs. Three hundred five and paise two only.
	56	B.S.R 17.1.1	Providing and fixing water closet squatting pan (Indian type W.C.pan) with 100 mm sand cast Iron P or S trap, 10 litre low fixtures complete, including cutting and making good the walls andlevel white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS: 7231, with all fittings and floors wherever required:				
			White Vitreous China Orissa pattern W C pan of size 580 x 440 mm with integral type foot rest. = 6 EACH	6.00	Each	3049.30	Rs. Three thousand forty nine and paise thirty only.
5	57	17.2.2	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required:		·		

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Petna.

- Lond Bluck

1	i		24			
		W.C. pan with ISI marked black solic plastic seat and lid = 3 EACH	3.00	Each	2903.00	Rs. Two thousand nine hundred three only.
58	B.S.R 17.4.2	Providing and fixing white vitreous china flat back or wall corner type lipped from urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required:				
		Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern = 3 EACH	3.00	Each	4685.90	Rs. Four thousand six hundred eighty five and paise ninety only.
	17.34	Provding and fixing toilet paper holder				
59	SOR 17.34.2	Vitreous china	3.00	Each	296.70	Rs. Two hundred ninety six and paise seventy only.
60	B.S.R 17.7.1	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:				
		White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps. = 12 EACH	12.00	Each	l .	Rs. Two thousand ninety three and paise fifty only.
61	18,63	Providing and fixing PTMT angle stop cock 15 mm nominal bore, weighing not less than 85 gms	15.00	Each	175.30	Rs. One hundred seventy five and paise thirty only.
62		Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.				
	17.28.2.1	Flexible pipe 32 mm dia = 12 EACH	12.00	Each	76.10	Rs. Seventy six and paise ten only.

6-10-10

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patra
110.

310raBam

			25			
63	B.S.R 17.32.2	Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing: Rectangular shape 453 x 357 mm = 12 EACH	12.00	Each	636.90	Rs. Six hundred thirty six and paise ninety only.
64	B.S.R 17.33	Providing and fixing 600 x 120 x 5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete. = 12 EACH	12.00	Each	473.70	Rs. Four hundred seventy three and paise seventy only.
65	B.S.R 18.8.1	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge.Concealed work, including cutting chases and making good the walls etc.15 mm nominal outer dia	50.00	metre	221.40	Rs. Two hundred twenty one and paise forty only.
66	18.9.3	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement ,trenching ,refilling & testing of joints complete as per direction of Engineer in Charge.	60.00	metre	193,60	Rs. One hundred ninety three and paise sixty only.
	18.9.4	32 mm nominal outer dia Pipes	40.00	metre	249.10	Rs. Two hundred forty nine and paise ten .only.

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation 14 Patricy

yes

ZUNZIBOI COM

 \ominus

0

0

_			26			
222-164 Domination has been	18.9.2	The second of th	40.00	metre	147.30	Rs. One hundred forty seven and paise thirty only.
67	B.S.R 18.48	Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI:12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support = 4000 PER LITER	4000.00	per litre	6.60	Rs. Six and paise sixty only.
68	B.S.R 18.49	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 15 mm nominal bore.				Rs. Four hundred
Darling on the State of the Control		= 12 EACH	12.00	Each	481.60	eighty one and paise sixty only.
69	B.S.R 18.52	Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS: 8931				
	18.52.1	15 mm nominal bore. = 10 EACH	10.00	Each	650.10	Rs. Six hundred fifty and paise ten only.
70	18.58 SOR	Providing and fixing P.T.M.T. grating of approved quality & colour circular type				
, 0	18.58.1	100 mm nominal dia,	11.00	Each	46.40	Rs. Forty six and paise forty only.
71	B.S.R 19.6.1	Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete: 100 mm dia R.C.C. pipe. = 15 METER	15.00	metre	305.50	Rs. Three hundred five and paise fifty only.

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Ovelopment Consultation Ltd. Process
Mehowst

SWE BURN

0

			27			
72	B.S.R 19.27.1	Constructing brick masonry road gully chamber 50x45x60 cm with bricks in cement mortar 1:4 (1 cement: 4 coarse sand) including 500x450 mm pre-cast R.C.C. horizontal grating with frame complete as per standard design: With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	2.00	Each	3384.80	Rs. Three thousand three hundred eighty four and paise eighty only.
73		Constructing brick masonry chamber for underground C.I. inspection chamber and bends with bricks in cement mortar 1:4 (1 cement: 4 coarse sand) C.I. cover with frame (light duty) 455x610mm internal dimensions, total weight of cover with frame to be notless than 38 kg (weight of cover 23 kg and weight of frame 15 kg),R.C.C. top slab with 1:2:4 mix (1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal size), foundation concrete 1:5:10 (1cement: 5 fine sand: 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm thick with cement mortar 1:3 (1 cement: 3 coarse sand), finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design:	6.00	Each	4147.30	Rs. Four thousand one hundred forty seven and paise thirty only.
74	B.S.R 19.32.1	Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter, 1.8 m long complete as per standard design. With common burnt clay F.P.S. (non modular) bricks of class designation 7. = 1 EACH	1.00	Each		Rs. Twenty eight thousand seven hundred seventy five and paise fifty only.

Chief Consultant (Technical)

Bither State Educational Infrastructure
Development Corporation Jid. Patra

Me

3 81 9 (Balon-

0

B.S.R Providing and fixing S.W. 19.34 intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand) including	
19.34 intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1	
stiff mixture of cement mortar 1:1 (1	
I looment to the state of the s	
testing of joints etc. complete :	
19.34.1 100 mm dia Rs. Two hun	drad aight
= 2 EACH 2.00 Each 281.30 one and pais	
only.	Cunity
Detailed Estimate for construction of Rs. Sixty two	thousand
1 7cl 1125 mm x 40 mm x 90 mm Tubel long hundred	
well Manual Boring 1.00 Each 62138.33 one hundred and paise thi	
= 1 EACH only.	ity till co
ANALY Providing and Fixing Following dia	
SIS uPVC Soil, Waste and vent Pipe and	
accessories including sovent cement and	
other jointing material, Labour etc	
complete job	******
110 mm dia 40.00 metre 347.00 Rs. Three hu	
Seven and or	THE RESERVE THE PERSON NAMED IN COLUMN
DOOR TEE 110 mm dia 4.00 each 365.00 Rs. Three hu	ndred sixty
The second of th	
8.00 each 283.00 RS. 1 WO Hulle	lred eighty
tine only.	
10.00 each 185.00	red eighty
VENT COWEL 110 mm dia	Establish and the second
= 3 EACH $3.00 each 65.00 Rs. Sixty five$	only.
PIPE CLIP 110 mm dia	*
= 100 EACH $100.00 each$ $53.00 Rs. Fifty three$	only.
FLOOR TRAP 110X110 mm dia	red thirty
= 10 EACH $10.00 each$ $436.00 six only.$	acu unity
Code no. (i) C.I. cover and frame 300 x 300 Rs. Three hur	dred sixty
78 of 1352 mm inside 1.00 Each 362.59 two and paise	•
SEPTIC TANK = 1 EACH only.	
Total 334,638.85	
Total (B) 334,639.00	
Electrical Works SOR-2016	
Point Wiring in PVC Conduit, with	
1.3 Modular type Switch:-	

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Cornoration Ltd., Patra-

<u>इ</u>ग्णेड्यकारम

()

Ì

29

,				29			
			Wiring for light point/ fan point/	/			
			exhaust fan point/ call bell point				
			with 1.5 sq.mm FRLS PVC insulated				
	79	1	copper conductor single				
	, ,		core cable in surface / recessed				
			medium class PVC conduit,				
			with modular switch, modular plate,	ľ	ŀ	•	-1
			suitable GI box and earthing the				
		1.3.3	Group C				
		1.5.5	Gloup C	119.00	Point	675.00	Rs. Six hundred seventy
	Charles of the		Twin Control Point Wiring in PVC		-		five only.
		1.4	Conduit, with Modular type Switch:-				and the second second
			Wiring for twin control light point				
			with 1.5 sq.mm FRLS PVC insulated				
			copper conductor single core cable in				
8	80		surface / recessed medium class PVC	j			
			conduit, 2 way modular switch,	3.00	Each	720.00	Rs. Seven hundred
]		modular plate, suitable GI box and			120.00	twenty only.
	ļ		earthing the point with 1.5 sq.mm.		ĺ		
			FRLS				
			PVC i				
	1	1.31	Supply and Fixing Light Plug Point				
	-		with Modular Type Accessories:-				
			Supplying and fixing suitable size GI				
			box with modular plate and cover in				
8	1		front on surface or in recess,				
			including providing and fixing 3 pin	25.00	Each	372.00	Rs. Three hundred
			5/6 amps modular socket outlet and				seenty two only.
			5/6 amps modular switch, connection				- /
-2000		Water transcription of the same of the sam	etc. as required. (For light plugs to be				
	ı	1.32	Supply and Fixing Power Plug Point				
- [with Modular Type Accessories:-				
			Supply and Fixing GI box with				
82			modular plate and cover in front on				
	2		surface or in recess including				
			providing and fixing 6 pin, 15/16	12.00	Nos.	446.00	Rs. Four hundred forty
			amps modular socket outlet and	1			six only.
			15/16 amps modular type switch,	ĺ			Mark Market Comment
			connection, painting etc as required.				
		DSR-	Supply & fixing 20A SPN MCB				
		2014	Industrial Socket Outlet:-				
1	<u> </u>	2.18					

Chief Consultant (Technical)
Bihar State Educational infrastructure
Development Corporation Ltd. Patna

ZINT BUCK

1			20			
		Supplying and fixing 20 amps, 24 volts, SPN industrial type,	0			
		socket outlet, with 2 pole and earth				
83		metal enclosed plug top	·,			
			10.00			Rs. Nine hundred sixty
		alongwith 20 amps "C" curve, SP	, 12.00	Nos.	963.54	The Paris Indian
		MCB, in sheet steel enclosure,	,			four only.
		on surface or in recess, with chained metal cover for the socket	1	ŀ		
		ou				
	1.5	Power Plug Wiring in PVC condui	t l			
		(2x4 sq. mm):-	1			
		Wiring for light/ power plug with				
		2X4 sq. mm FRLS PVC insulated				
84		copper conductor single core cable in				
1 07		surface/ recessed mediumclass PVC	l.			Rs. One hundred ninety
		conduit alongwith 1 No 4 sq. mm		Mtrs.	193.00	three only.
		FRLS PVC insulated				unoo omy.
		copper conductor single core cable				
		for loop earthing as required				
	1.24	Supplying and fixing following				
		modular type switch/ socket on the				
l		existing modular plate switch box /				
85		cover including connections etc.as				
		required				
	1.24.1	5/6 amps switch.	25.00	Each	98.00	Rs. Ninety eight only.
	1.24.4	5 pin, 5/6 amps socket outlet.	25.00	Each	120.00	Rs. One hundred twenty
	1.7	Circuit / Cultural in its in DVC		Laci	120.00	only.
	1.7	Circuit / Sub-main wiring in PVC Conduit:-				
		Wiring for circuit / sub-main wiring along with earth wire with the				ļ
		following sizes of PVC insulated,				
		copper conductor, single core cable				
		in surface/recessed PVC conduit as				
0.6		required.				
86	1.7.1	2x1.5 Sqmm + $1x1.5$ sqmm earth				Rs. One hundred
		wire	40.00	Mtrs.	117.00	seventeen only.
	1.7.2	2x2.5 Sqmm + $1x2.5$ sq mm earth	A F A A A			Rs. One hundred fifty
	en englishe en	wire	350.00	Mtrs.	150.00	only.
	1.7.11	4x6.0 Sqmm + 2x6.0 sqmm earth	54.00) A4	451.00	Rs. Four hundred fifty
		wire (to be used as sub main)	54.00	Mtrs.	451.00	one only.
	1.7.12	4 X 10 sq. mm + 2 X 10 sq. mm earth	10.00	Mtrs.	684.00	Rs. Six hundred eighty
		wire	10.00	IVIUS.	004.00	four only.
		S/F 'C' series SP MCB:-				1.

Chief Consultant (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd. Patra
HO,

SUN I BUILD

9

-			31			
8'	7	Supplying and fixing 240 volts, 'C' series miniature circuit breaker suitable for inductive loads of following poles in the existing MCB DB complete with connections, testing and commissioning etc, as required.	e h			
	2.12.1	6/32A, Single Pole	36.00	Each	208.00	Rs. Two hundred eight only.
	2.13.1	6/32A ,DP	3.00	Each	632.00	Rs. Six hundred thirty two only.
88	2.16	S/F TPN MCB:- Supplying and fixing following rating, four pole, 240 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required				
	2.16,2	63 A,TPN	3.00	Each	915.00	Rs. Nine hundred fifteen only.
89	2.17	S/F TPN RCCB:-Supplying and fixing of following rating three phase and neutral, 415 volts, residual current circuit breaker (RCCB) having a sensitivity current upto 300 miliamperes in the existing MCB DB complete with connections, testing and commissionin			ı	
w Toronton project	2.17.2	40 Amp.	3.00	Each	2509.00	Rs. Two thousand five hundred nine only.
90	2.9	S/F TP MCB DB:- Supplying and fixing of following way,horizontal type three pole and neutral, sheet steel, MCB distribution board, 415 volts, on surface/recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, detachable gland plate, interconnect				
	2.9.4	4 Ways (4+12 ways) double door	3.00	Set	2971.00	Rs. Two thousand nine hundred seventy one only.
91		S/F Ceiling Rose:- Supplying and fixing 2 pin ceiling rose on the existing junction box/wooden block including connection etc as required.	80.00	Each	35.00	Rs. Thirty five only.

Chief Consultant (Technical) Bihar State Educational Infrastructure
Development Corporation Ltd. Potna.
110, Kehowill

STO) TBNV

1.34 S/F Batten / Angle Holder- 27.00 Each 48.00 Rs. Forty eight only.	<u> </u>			32			
1.25 S/F Modular type electronic fan required.		1.34	S/F Batten / Angle Holder:-	27.00	Each	48.00	Rs. Forty eight only.
regulator: Supplying and fixing stepped type fan regulator on the existing modular plate switch box including connections but excluding modular plate etc as required. 1.21 S/F PVC Conduit: Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including gutting the wall and making good the same in case of recessed conduit as required. 1.21.1 20 mm Telephone Wiring in Existing Conduit: 1.16 Supplying and drawing following pair 0.5 mm dia FRLS PVC insulated annealed copper conductor, unarmored telephone cable in the existing surface/ recessed steel/ PVC conduit as required 1.16.2 2 pair 1.24 S/F Modular type Switch / Socket: Supplying and fixing following modular type switch / socket on the existing modular type switch / socket on the existing modular plate and switch box including connections but excluding modular plate etc as 1.24.6 Telephone socket outlet EARTHING 3.6 COPPER EARTH PLATE	92		holder including connection etc as				
Supplying and fixing stepped type fan regulator on the existing modular plate switch box including connections but excluding modular plate etc as required. 1.21 S/F PVC Conduit: Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required. 1.21.1 20 mm Telephone Wiring in Existing Conduit: 1.16 Supplying and drawing following pair 0.5 mm dia FRLS PVC insulated annealed copper conductor, unarmored telephone cable in the existing surface/ recessed steel/ PVC conduit as required 1.16.2 2 pair 50.00 Mtrs. 19.00 Rs. Nineteen only. S/F Modular type Switch / Socket: Supplying and fixing following modular type switch / socket on the existing modular plate and switch box including connections but excluding modular plate etc as 1.24.6 Telephone socket outlet 2.00 Each 103.00 Rs. One hundred three only. EARTHING 3.6 COPPER EARTH PLATE		1.25	regulator:-	24.00	Each	387.00	
Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required. 1.21.1 20 mm	93		regulator on the existing modular plate switch box including connections but excluding modular				
Telephone Wiring in Existing Conduit:- 1.16 Supplying and drawing following pair 0.5 mm dia FRLS PVC insulated annealed copper conductor, unarmored telephone cable in the existing surface/ recessed steel/ PVC conduit as required 1.16.2 2 pair 50.00 Mtrs. 19.00 Rs. Nineteen only. S/F Modular type Switch / Socket:- Supplying and fixing following modular type switch / socket on the existing modular plate and switch box including connections but excluding modular plate etc as 1.24.6 Telephone socket outlet 2.00 Each 103.00 Rs. One hundred three only. EARTHING 3.6 COPPER EARTH PLATE	94		S/F PVC Conduit:- Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required.				
Conduit:- 1.16		1.21.1		110.00	Mtrs.	55.00	Rs. Fifty five only.
1.24 S/F Modular type Switch / Socket:- Supplying and fixing following modular type switch / socket on the existing modular plate and switch box including connections but excluding modular plate etc as 1.24.6 Telephone socket outlet 2.00 Each 103.00 Rs. One hundred three only. EARTHING 3.6 COPPER EARTH PLATE	95	1.16	Conduit:- Supplying and drawing following pair 0.5 mm dia FRLS PVC insulated annealed copper conductor, unarmored telephone cable in the existing surface/ recessed steel/				
1.24 S/F Modular type Switch / Socket:- Supplying and fixing following modular type switch / socket on the existing modular plate and switch box including connections but excluding modular plate etc as 1.24.6 Telephone socket outlet 2.00 Each 103.00 Rs. One hundred three only. EARTHING 3.6 COPPER EARTH PLATE		The state of the s		50.00	Mtrs.	19.00	Rs. Nineteen only.
2.00 Each 103.00 only. EARTHING 3.6 COPPER EARTH PLATE	96	1.24	Supplying and fixing following modular type switch / socket on the existing modular plate and switch box including connections but				
EARTHING 3.6 COPPER EARTH PLATE		1.24.6	-	2.00	Each	103.00	
		3.6	COPPER EARTH PLATE				

Chief Consultant (Technical)

Bihar State Educational Infrastructure
Development Corporation Ltd. Patna

1101

21 Strains

	24		33			
97		Earthing with copper earth plate 600mmx 600mmx 3mm thick including acessories and providing masonary enclosure with cover plate having locking arrangement and watering pipe of 2.7 meter long etc with charcoal/cock and salt as required.	2.00	Each	11703.00	Rs. Eleven thousand seven hundred three only.
	3.10	P/F 25 x 5mm copper earth strip in pipe:-				
98		Providing and fixing 25 mm X 5 mm copper strip in 40 mm dia G.I. pipe from earth electrode including connection with brass nut, bolt, spring, washer excavation and refilling etc. as required	12.00	Mtrs.	1131.00	Rs. One thousand one hundred thirty one only.
	3.14	P/F 25 x 5 mm copper earth strip in			***************************************	
		surface/ recess :-				
99		Providing and fixing 25 mm X 5 mm copper strip on surface or in recess for connections etc. as required.	24.00	Mtrs.	976.00	Rs. Nine hundred seventy six only.
		Cable Laying of 1.1 KV & 11 KV :-				-
100	7.1	Laying of one number PVC insulated and PVC Sheathed / XLPE power cable of 1.1 KV grade of following size direct in ground including excavation, sand cushioning, protective covering and refilling the trench etc as required.				
	7.1.2	Above 35sq.mm and Upto 95 Sq.mm.	80.00	Mtrs.	154 00 1	Rs. One hundred fifty four only.
	DSR-	G.I. Pipe for Cable protection:-		7	2000	
101	14.14	Providing, laying and fixing following dia RCC pipe NP2 class(light duty) in ground complete with RCC collars, joints with cement mortar 1:2 (1 cement: 2 fine sand) including trenching (75 cm) and refilling etc.as required. (Road crossing as per site c				
	14.14.2	150 mm dia	10.00	Mtr.	387.84	Rs. Three hundred eighty seven and paise eighty four only.

Chief Consultant (Technical) Bihar State Educational Infrastructure
Development Corporation Lid. Pales

44

51019 8010

(

9

2	1.
Ð	4

	F	7		34			
	102	DSR- 2014 9.1	1.1 KV Cable End Termination:-Supplying and making indoor cable end termination with brass double compression gland and aluminium lugs for following size of PVC insulated XLPE Al. Ar. Cable of 1.1 KV grade as required. 3.5 Core 50 Sq.mm.				
				2.00	Each	272.70	Rs. Two hundred seventy two and paise seventy only.
	103	1908 JSR 2014	3.5 core 50 sq mm xlpe/pvc insulated sheathed (Heavy duty)armoured electric cable aluminium conducter. 3.5C x 50 Sq.mm 1.1kV				
			-	100.00	Mtrs.	391.00	Rs. Three hundred ninety one only.
	104	2.30	S/F HRC fuse type TP&N switch disconnector:- Providing and fixing following capacity TP&N disconnector fuse switch unit inside the existing panel board with ISI marked HRC fuses including drilling holes in cubicle panel, making connections, etc. as requi				
-			63 amps,TP&N, HRC	3.00	Each	2631.00	Rs. Two thousand six hundred thirty one only.
		2.5	S/F Busbar Chamber:-				
	105		Providing and fixing following capacity busbar chamber with 4 strips of suitable size made of capper, heavy duty, complete with all accessories including connections, earthing the body, etc as required. 200 amp. TPN	1.00	Each	6360.00	Rs. Six thousand three hundred sixty only.

Chief Consultant (Technical)

Bihar State Educational Infrastructure

Development Corporation 11. Pales

Lie When I

Z13) STED COLE

0

0

	2.7.4	Durill 1 C	7>			
106	5	Providing and fixing following capacity four pole OFF-load changeover switch with side handle operation, in sheet enclosure in existing metal board, including drilling holes in metal panel, making connections etc. as required. 125 Amps, Four pole	1.00	Each	8677.00	Rs.Eight thousand six hundred seventy seven only.
107	4.1	Providing Lighting Conductor Finial,made of 25mm dia 300mm long ,copper tube having single prong on top with 85mm dia 3mm thick copper base plate.	2.00	Each	864.00	Rs. Eight hundred sixty four only.
108	4.5	Providing and fixing copper tape 20 mm X 3 mm thick on parapet or surface of wall for lightning conductor complete as required. (For horizontal run)	80.00	meter	424.00	Rs. Four hundred twenty four only.
109	4.6	Providing and fixing copper tape 20 mm X 3 mm thick on parapet or surface of wall for lightning conductor complete as required. (For vertical run)	!	meter	443.00	Rs. Four hundred forty three only.
110	2.4	Providing and fixing follwing rteing and breaking capacity MCCB in existing cubicale panel bord including drilling hole cubicale panel making connection etc as required				
	2.4.4	160 amp. 16KA	1.00	EACH	11275.00	Rs. Eleven thousand two hundred seventy five only.
	Omethy to the state of the stat				Total (C)	532,131.28
		FIRE FIGHTING				
111	DGS&D	Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit.	10.00	Nos.		Rs. Seven thousand five hundred forty nine and paise seventy five only.
					Total	75,497.50
					Total (D)	75,498.00
			The second secon	The state of the s		

Chief Consultant (Technical)

Bihar State Educational Infrastructive
Development Corporation I.(d., Potes

10.

3171Ball

1)

	,
ス	la.
Name of Street	ر

-			<i>9</i> 0			
		CARRIAGE OF MATERIALS				
		Type of materials			Rate Incl. 1% Lab. Cess	
		Cement	139,57	МТ	282.30	Rs. Two hundred eight two and paise thirty only.
		Coarse Sand	188.46	cum	1818.86	Rs. One thousand eight hundred eighteen and paise eighty six only.
112		Local Sand	125.92	cum	178.57	Rs. One hundred seventy eight and paise fifty seven only.
		Stone Chips	176.28	cum	2271.77	Rs. Two thousand two hundred seventy one and paise seventy seven only.
		Brick	120.25	Thous.	531.02	Rs. Five hundred thirty one and paise zero two only.
- San		Steel	18.05	МТ	282.30	Rs. Two hundred eighty two and paise thirty only.
113	1	FRA COST OF MATERIAL FOR NGA COMM. W.R.T TO GAYA SOR				
- F	Bricks		120.25	Thous.	370.75	Rs. Three hundred seventy and paise seventy five only.
	Cement		139.57	МТ	319.03	Rs. Three hundred nineteen and paise zero three only.
					Total	963,187.59
					Total (E)	963,188.00
			Grand To	otal (A+B	B+C+D+E)	7,632,502.28
SL. No.	DISTRI CT	NAME OF INSTITU	TE	on constant and the second		Amount (Rs.)
1	MADHU BANI	BLOCK RESOURCE CE	NTRE		den dels est e de processe de la constantina del conse nce de la consence de la	7,632,502.28
			Total Cos			7,632,502.00
- School Spirit Grade marks	(R	upees Seventy Six lacs Thirty Two T	housand	Five Hun	dred and T	(Wo Only)
Manufacture annument	"Detai	ls of Sl. No. 76 (Construction of 125n	<u>1m x 40m</u> 1	m x 90m '	<u> l'ube well)</u>	is given below

Chief Consultant (Technical)

Chief Consultant (Jechnical)

Bihar State Educational Infrastructure

Coverage Corporation Ltd., Patna

Ho

310151620

0

			7			Politica Communication Activities and Activities an
7	1928	(15% C.P & 1% L.Cess) Supplying all equipments, tools and	1.00	Each	511.21	and paise twenty one only.
	B.S.R	32 mm nominal bore Bross Full valve		The second secon		Rs. Five hundred eleven
6	18.10.4	Providing and fixing of G.I pipes complete with G.I fittings and clamps, including, cutting and making good etc 32 mm dia (15% C.P & 1% L.Cess)	18.00	mtr	319.20	Rs. Three hundred neneteen and paise twenty only.
5		Supplying all labour and materials & fitting & fixing PVC cap over the new sink T/well	1.00	Each	140.00	Rs. One hundred forty only.
4		Reducing socket 125mm x 40mm	1.00	Each	270.00	Rs. Two hundred seventy only.
3		40mm dia PVC ribbed strainer of approved quality	8.00	Meter	182.00	Da One hundred sielet
2		40mm dia UPVC pipe confirming to ISS	48.00	Meter	99.3	Rs. Ninety nine and paise thirty eight only.
1		125mm dia UPVC casing pipe confirming to ISS	27.00	Meter	315.00	Rs. Three hundred fifteen only.


Part 'B' - Cost of Labour

0

0

9

Chief Consultant (Technical) Bihar State Educational Infrastructive Development Corporation Life. Paper



38

		100			
	Boring by jet dheki by suitable cutter	•			
ľ	of reduce as the case may be				
İ	lowering 125 mm x U.P.V.C x 40		}		
	mm dia G.I pipe & strainer of				
	standard quality iron, shoe, plug &				
	socket etc. all complete including				
Ī	providing all tools and plants				
	required for the job as				
	(i) 0 to 30.5 m				
					Re Two hundred sight
9	(a) For 125 mm dia U.PV.C pipe	27.00	mtr	208.77	Rs. Two hundred eight
	() The same of the paper	27.00	IIIti	200.77	and paise seventy seven
10	(b) for 40 mm dia UPVC pipe				only.
					Rs. One hundred
	(i) 0 to 30.5 m	3.50	mtr	110 03	nineteen and paise three
		0.50	11111	117,03	I
	(ii) 30.5 m to 61.0 m				only.
					Rs. One hundred thirty
11	(a) For 40 mm dia UPVC pipe	30.50	mtr	136.99	six and paise eighty
	() and of (c pipe	30.30	11161	150.66	100
	(iii) 61.00 m to 75.00 m				eight only.
					Rs. One hundred forty
12	a) For 40mm dia UPVC pipe	14.00	mtr	148 79	eight and paise seventy
					nine only.
	(iv) 75.00 m to above				inite Only.
	a) For 40mm dia UPVC ribbed			-	Rs. One hundred forty
13		8.00	mtr	148.79	eight and paise seventy
	strainer of approved quality			- 1 - 1 - 1	nine only.
	Providing all labour & tools and			apine.	
14	lowering 32 mm dia G.I pipe as per	24.00	mtr	21.34	Rs. Twenty one and
	specificatin etc. all Complete			22.10	paise thirty four only.
	Supplying labour and developing the			- The state of the	Rs. Two hundred
15	T/Well to have sand free discharge	1.00	Each	280.50	eighty and paise fifty
	all complete as per direction of E/I				only.
The second secon	La Caraciana de Ca		<u>.e</u>	ub - Total	
		The control of the co		C=''A+B''	The state of the s
***************************************	proved in forces of A. T. B. T.		LULAL	CITED -	ひを9130.33

Tender approved in favour of Ajay Kumar Mandal @ 10.00% (Ten Decimal Zero Zero Percent) below i.e. total amount comes to Rs. 68,69,252=00 (Rupees Sixty Eight Lacs Sixty Nine Thousand Two Hundred fifty Two Only)

A6.2014

Chief Consultant (Technical)

Bihar State Educational Infrastructure
Development Corporation Ltd., Prina

Performance Security

Name of Agency:- Ajay Kumar Mandal

"Performance Security of BRC Bisfi, Madhubani SL.NO.-08"

NSC	<u>DOI</u>			<u>Amount</u>
87 EE 950711	17.03.12			10,000.00
46 EF 704532-36	21.05.15	10000*5		50,000.00
11EF 208994-96	21.06.12	10000*3		30,000.00
46EF 700956-61	21.08.15	10000*6		60,000.00
05DE 049444	21.05.15	5000*1		5,000.00
53DD 911896-98	31.01.12	5000*5		15,000.00
53DD 838101-106	31.01.12	5000*6		30,000.00
53DD 838160	8.02.12	5000*6		5,000.00
53DD 911811-20	16.09.11	5000*10		50,000.00
46EF 704592-600	21.08.15	10000*9		90,000.00
10L1 /01092 000			Total-	3,45,000.00

(Rupees Three Lacs Forty Five Thousand only)

लेळा पदाधिकाची ¹' बिहार राज्य शैक्षणिक आधारभूत संरचना

विकास निगम लि॰, पटना

Chief Consultant (Technical) Bihar State Educational Infrastructure Development Corporation Ltd., Patna

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना—800004, दूरभाष—0612—2910314 कॉर्पोरेट पहचान संख्याः U80301BR2011SGC015859, e-mall: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256,

पत्रांक:- BSEIDC/FIN/2940/2017-18/- ५८५८

पटना, दिनांक 29:06:17

प्रेषक,

ब्रजेश प्रसाद

मुख्य परामर्शी (तकनीकी)

सेवा में,

AJAY KUMAR MANDAL

Vill - Durgipatti, P.O -Hudra,

P.S - Khutauna, Dist - Madhubani

विषय:— बिहार राज्य अंतर्गत "Construction of Block Resource Centre at Bisfi, Madhubani (S.LNo-8) Of Nit No-31/2016-17) के कार्य हेतु जमानत की राशि जमा कर एकरारनामा करने के संबंध में।

महाशय,

उपर्युक्त विषय के संबंध में कहना है कि विषयांकित कार्य की निविदा हेतु आपके द्वारा निविदित दर जो परिमाण विपत्र के दर से 10.00% (दस दशमलव शून्य शून्य प्रतिशत) कम है तद्नुसार निविदा की कुल राशि रू० 68,69,252/—(अड़सठ लाख उन्हत्तर हजार दो सौ बावन रूपये) मात्र आपके पक्ष में स्वीकृत की गयी है।

अतः निदेश दिया जाता है कि अग्रधन की राशि रू० 3,44,000/—(तीन लाख चौवालिस हजार रूपये) मात्र का सावधि पासबुक/राष्ट्रीय बचत प्रमाण पत्र के रूप में प्रबंध निदेशक, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०, पटना के नाम से प्रतिज्ञिप्त हो जमा कर अविलंब एकरारनामा कर लें।

(ब्रर्जिश प्रसाद)

ज्ञापांक : BSEIDC/FIN/2940/2017-18/- ५८५०

मुख्य परामर्शी (तकनीकी) पटना, दिनांक 24.06 पट्ट

प्रतिलिपि : Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC website/Senior

Account Officer, BSEIDC, Patna for information & necessary action

मुख्य परामर्शी (तकनीकी)

ज्ञापांक : BSEIDC/FIN/2940/2017-18/- ५९५९ पटना, दिनांक २९ १० ६ १०

प्रतिलिपि : मुख्य अभियंता, BSEIDC को सूचनार्थ एवं आवश्यक कार्रवाई हेतु समर्पित ।

The role

ज्ञापांक : BSEIDC/FIN/2940/2017-18/- ५८५९

प्रतिलिपि : प्रबंध निदेशक महोदय, BSEIDC को सूचनार्थ समर्पित।

मुख्य परामशी (तकनीकी) पटना, दिनांक..... १९ १० १ १२४

पुरस्का प्रसारी (तकनीकी) frastructure

ZimBin.

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद परिसर, षिवपूजन सहाय पथ, सैदपुर, पटना-800004, दूरभाष-0612-2910314 कॉर्पोरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseide@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256,

Letter no.: BSEIDC/NIT/2016-17/- 12086

Patna, Date: 17/11/16

Corrigendum No.- 1

With reference to N.I.T. No. 31/2016-17, Dated-26.10.2016 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Construction of Block Resource Centre(B.R.C)" in the State of Bihar the following amendments have been made as mentioned below:

SL.	Existing provision	Amended provision			
1	Period of Sale of Bid document (Download) from dated 14.11.2016 to 27.11.2016, 15:00Hrs.	Period of downloading of Bid document from dated: 19.11.2016 to 02.12.2016, 15:00 Hrs.			
2	Date and Time of Pre bid Meeting – 17.11.2016, 16:00 Hrs.	Date and Time of Pre bid Meeting- 23.11.2016, 16:00 Hrs.			
3	Last date and time for receipt (Upload) of Bids on dated 28.11.2016,15:00 Hrs.	Last date and time for receipt (Upload) of Bids on dated:03.12.2016, 15:00 Hrs.			
4	Time and date for opening of Technical Bids on dated 30. 11.2016, 16:30 Hrs.	Time and date for opening of Technical Bids on dated:05.12.2016, £6:30 Hrs.			
5	Time and date for opening of Financial Bids on dated 07.12.2016, 15:30 Hrs.	Time and date for opening of Financial Bids on dated: 12.12.2016, 15:30 Hrs.			
6	The Cost of BOQ and EMD will be	e accepted up to 05.12.2016 , 15:00 Hrs.			

The other terms and conditions shall remain unchanged.

(Brajesh Prasad)

Chief Consultant (Technical)

Chief Consultant (Technical) Bihar State Educational Infrastructure Development Corporation Ltd., Paisa

SPECIAL CONDITIONS

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes royalties and other

incidental charges.

4. To qualify for award of work, the Bidder must possess the following:-

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of signatory bid.

b) DD for required value of B.O.Q. Cost.

c) Sufficient Earnest Money Deposit.

d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.

e) Certificate from EE / Concerned Authority for Experience of Similar nature (Satisfactory completed at least one Building work of value not less than 25 % of estimated value of

contract) in last five years as mentioned in Technical bid.

- f) Certificate from EE / Concerned Authority for Work Experience of Minimum Quantities of work done as prime contractor in any one year during last five years as mentioned in Technical bid.
- Litigation History as mentioned in Technical bid.
- Valid Registration with Central/State Govt. / PSU.

Valid labour license as mentioned in Technical bid. i)

Affidavit/Certificate "for not been debarred and required attachments are true and correct and if found fake/ forged, the undersigned will be liable to be inflicted upon the FIR and lawful punishment as well as black listing".

5. Contractor should satisfy themselves fully about the nature, site of work before offering

their tender and place of any ignorance afterwards shall not be considered.

6. The tender without earnest money or insufficient earnest money submitted with the tender, will be outright rejected.

7. Conditional tenders shall be outright rejected.

8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.

9. Authority shall reserve the right to reject any or all the tenders or distribute the work to

more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained.

- 11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules prevalent in the locality.
- 12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the contractor.
- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.

14. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-

a. Natural calamities

(Seal & Signature of Tenderer)

SUN DE BOLICES

A 6 2 - 2014 Chief Congel wor (Technical) Bihar State Educational Infrastructure Proglooment Cornoration Ud., Pales

- b. Act of enemies.
- c. Transport and procurement difficulties.
- d. Circumstances beyond the control of the state.
- 15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- 16. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
- 17. The contractor shall make his own arrangement for water and light at the work site.
- 18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 20. The Tenderer must not quote their rate more than 10 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
- 21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 22. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.
- 23. The Defect liability Period shall be Three (3) Years from the date of completion of the work.
- 24. The Contractor shall rectify at his own cost in case the work is found to be defective during checking in liability period.
- 25. It will be the responsibility of the contractor to pay royalty of mines materials .The Contractor shall submit form "M" and "N" duly Filled as per "Bihar" Mines and Mineral Act 1972.
- 26. The Contractor shall Display a Signboard at work site about the work as on the format prescribed by Engineer- in- Charge.
- 27. The Contractor shall Furnish his programme of construction for execution of the work within the stipulated time schedule together with methodology of construction of each item or work and obtain the approval of the Engineer- in- Charge prior to actual commencement of work.

(Seal & Signature of Tenderer)

2012 Belling

Chief (Page 216ft) (Technical)
Bihar State Educational Infrastructure
Development Corporation Ltd., Patna

The state of

बिहार राज्य शैक्षाणिक आधारमूत सरचना विकास निगम लिामटड

(बिहार सरकार का एक सप्रक्रम) शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् कैम्पस, आचार्य शिवपुजन सहाय पथ, सैदपुर, पटना-800004 (दूरभाष:-0612-2910314)

पुनर्निविदा आमंत्रण सूचना संख्या-31 वर्ष 2016-17 प्रतिशत दर निविदा

(केवल ई-टेन्डरिंग पद्धति के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

1. बिहार राज्य के अन्तर्गत विभिन्न भवनों का निर्माण कार्य हेतु प्रतिशत दर पुनर्निविदा आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार/सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रजिस्ट्रेशन, उक्त कार्य का लेटर ऑफ एक्सेपटेंस प्राप्त होने के बाद कराना होगा।

क्रम	कार्य का नाम	प्राक्कलित राशि (लाख रू० में)	अग्रधन का राशि (लाख रू० में)	परिमाण विपन्न का मूल्य(रू०में)	Beltron Bid Processing Fee (In Rs.)	कार्य समाप्ति की अवधि
1	BRC Baniyapur,Saran	85.2	1,70,400	10,000	5750	15 माह
2	BRC Marhowrah, Saran	85.2	1,70,400	10,000	5750	15 माह
3	BRC,Manigachhi, Darbhanga	85.2	1,70,400	10,000	5750	15 माह
4	BRC,Ghanshyampur,Darbhanga	85.2	1,70,400	10,000	5750	15 माह
5	BRC,Kiratpur,Darbhanga	85.2	1,70,400	10,000	5750	15 माह
6	BRC, Hanumannagar, Darbhanga	85,2	1,70,400	10,000	5750	15 गाह
7	BRC, Lakhnaur, Madhubani	85.2	1,70,400	10,000	5750	15 गाह
8	BRC,Bisfi,Madhubani	85.2	1,70,400	10,000	5750	15 मह
9	BRC,Rahika,Madhubani	85.2	1,70,400	10,000	5750	15 गाह
10	BRC Samastipur	85,2	1,70,400	10,000	5750	15 माह
11	BRC Bankatwa, E. Champaran	85.2	1,70,400	10,000	5750	15 माह
12	BRC Bairia, W. Champaran	85.2	1,70,400	10,000	5750	15 माह
13	BRC Chakki,Buxar	85.2	1,70,400	10,000	5750	15 गाह
14	BRC Buxar	85.2	1,70,400	10,000	5750	15 मह
15	BRC, Jokihat, Araria	85,2	1,70,400	10,000	5750	15 माह
16	BRC,Kursakata,Araria	85.2	1,70,400	10,000	5750	15 माह
17	BRC,Thakurganj,Kishanganj	85.2	1,70,400	10,000	5750	15 माह
18	BRC,Pothia,Kishanganj	85.2	1,70,400	10,000	5750	15 माह
19	BRC Barbat,Jamui	85.2	1,70,400	10,000	5750	15 माह
20	BRC Naugachhia,Bhagalpur	85.2	1,70,400	10,000 //	5750	15 माह
21	BRC,Merajgang,Sitamarhi	85,2	1,70,400	10,000	5750	15 माह
22	BRC,Warisalìganj,Nawada	85.2	1,70,400	10,000	5750	15 माह
23	BRC, Narhat,Nawada	85.2	1,70,400	10,000	5750	15 माह
24	BRC Gaighat,Muzaffarpur	85.2	1,70,400	10,000	5750	15 माह

नोटः (i) निविदाकार एक या अधिक कार्य के लिए अलग-अलग निविदा डाल सकते हैं।

(ii) प्राक्किति राशि घट या बढ़ सकती है एवं तद्नुसार अग्रघन की राशि घट या बढ़ सकती है।

(iii) वेबसाईट-www.eproc.bihar.gov.in पर अंकित प्राक्कलित राशि, अग्रधन की राशि एवं परिमाण विपन्न की राशि अंतिम रुप से मान्य होगा।

(2) विज्ञापन निर्गत करने की तिथि

दिनांक:-26.10.2016

परिमाण विपन्न प्राप्त करने(डाउनलोड) की अवधि एवं समय :- दिनांक- 14.11.2016 से 27.11.2016, 15:00 घंटा

(वेबसाईट:www.eproc.bihar.gov.in पर)

(4) प्री बिड मीटिंग का समय, स्थान एव तिथि

दिनांक:- 17.11.2016, 16:00 घंटा प्रबंध निदेशक का

कार्यालय,बिहार राज्य शैक्षणिक आधारमत संरचना विकास निगम, पटना। दिनांक- 28.11.2016, समय- 15:00 घंटा

(5) निविदा प्राप्ति(अपलोड) की अंतिम तिथि एवं समय:-अग्रधन जमा करने की अंतिम तिथि एवं समय

दिनांक- 30.11.2016, समय- 15:00 घंटा

टेक्निकल बिड खोलने की तिथि एवं समय

दिनांक- 30.11.2016, समय- 16:30 घंटा

(वेबसाईट-www.eproc.bihar.gov.inपर)

(8) वित्तीय बिड खोलने की तिथि एवं रागय

दिनांक- 07.12.2016. समय- 15:30 घंटा

ho soul Chief Consultant (Technical) Bihar State Educational Infrastructure

Development Corporation Ltd., Patna

काम्बद्धिम (क

(9) निविदा खोलने का स्थान

वेबसाईट-www.eproc.bihar.gov.inपर

(10) निविदा की वैधता की अवधि

120 दिन

- (11) ई-टेन्डरिंग की प्रकिया में भाग लेने हेतू संवेदकों को पंजीकृत होना होगा, जिससे कि उन्हें उपयोगकर्ता का नाम (user ID) पासवर्ड 🖁 (Password) अकीय हस्ताक्षर (Digital Signature) निर्मत की जायेगी। यह उन्हें वेबसाईट www.eproc.bihar.gov.in से डाउनलोड करने / टेन्डर की प्रक्रिया में भाग लेने की योग्यता प्रदान करेगा।
- (12) ई-निविदा पत्र वेवसाईट www.eproc.bihar.gov.in से प्राप्त किया जा सकता है। संवेदक द्वारा सिर्फ उपर्युक्त वेबसाईट से ही परिमाण विपत्र प्राप्त करने के उपरांत वेबसाईट पर ही इलेक्ट्रानिक निविदा पत्र को भरकर भेजना है। अन्य सभी महत्वपूर्ण कागजात/बैंक ड्राफ्ट∕अग्रधन की राशि∕सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को स्कैन कर ई–निविदा के साथ संलग्न करना अनिवार्य है।
- (13) परिमाण विपन्न के दर से कम दर उद्धत करने पर बीड डाक्युमेंट की शत्तों एवं सरकारी निर्णयानुसार अतिरिक्त Performance Guarantee एकरारनामा के पूर्व जमा करना होगा।
- (14) (क) प्रत्येक परिमाण विपन्न का मुल्य जो प्रत्येक निविदा के सामने उपर कण्डिका (1) में अंकित है (जो लौटाया नहीं जाएगा) किसी भी राष्ट्रीयकृत वैंक द्वारा निर्गत एवं BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. के नाम से एवं पटना में भूगतेय हो, रवीकार किया जायेगा। मूल बैंक ड्राफ्ट "बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड" पटना के कार्यालय में दिनांक 30.11.2016 के 15:00 घंटे तक खयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रूप से जमा किया जाना है। ऐसा नहीं करने पर निविदा मान्य नहीं होगा।
- (ख) Beltron Bid Processing Fee is mandatory to be paid through online mode i.e. Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS"

Bids along with necessary online payments must be submitted through e-procurement portal www.eproc.bihar.gov.in before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffic/ Holidays

- (ग) वांछित अग्रधन की राशि राष्ट्रीय बचत पत्र/ङाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक जो बिहार राज्य से क्रय या जमा किया हो, प्रबंध निदेशक, BSEIDC Ltd., पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा बिहार वित नियमावली के अनुसार BSEIDC Ltd. के नाम से फिक्सड डिपोजिट रिसिप्ट अथवा बैंक गारन्टी जो बिड के मान्य अवधि तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत/अनुसूचित बैंक से निर्गत हो (अगर बिहार प्रान्त के बाहर के बैंक से निर्गत बैंक गारन्टी दिया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड, पटना में 30.11.2016 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना आवश्यक है। ऐसा नहीं करने पर निविदा मान्य नहीं होगा।
- (15) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर लें। ताकि अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से बच सकें।
 - (16) निविदाकार निविदा डालने से पहले अपने स्तर से भी प्रस्तावित कार्य स्थल पर भूमि उपलब्धता के संबंध में आश्वस्त हो लेगे।
- (17) Even though the bidders meet the qualifying criteria, they are subject to be disqualified if they have record of poor performance such as abandoning the works, not properly completing the contract, inordinate delays in completion, litigation history, or financial failure in the work of this Corporation.
- (18) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। बिना कारण बताये निविदा या उसके अंश को अस्वीकृत करने/रदद करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।
- (19) विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्य अविध में सम्पर्क किया जा सकता है। ई-टेन्डरिंग की प्रक्रिया से संबंधित किसी भी प्रकार की जानकारी/सूचना हेतु सहायता कक्ष, ई-टेन्डरिंग कक्ष, प्रथत तल्ला, M/22, बैंक ऑफ इण्डिया भवन, रोड न० 25, श्री कृष्णा नगर, पटना-800001, दूरभाष सं० सं० 0612-2523006/7542028164.

बजेश प्रसाद मुख्य परामर्शी (तकनीकी)

Chief Consultant (Technical) Bifras State Educational Infrastructure Development Corporation Ltd., Paths

SUM BUILDING