Schedule XLV-Form No. 61 Resource Centre at Dawal, Robbas. (SL No. -72).

BIHAR PUBLIC WORKS DEPARTMENT

Agency — [Form No. F-2] Shailendra Kunan.

ITEM RATE TENDER AND CONTRACT FOR WORKS

Agreement No. — 68 F2 0 F2017-18.

General Rule and Direction for the guidance of Contractors.

Date of Commencement - 13-06-2017

1. All works proposed for execution by contract will be notified in a form of invitation to tender assed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer.

This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours.

- 2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so.
- 3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm.
 - 4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender.

5. The amount of earnest money to be depo	osited will be : -	Rs.			
If the amount of the estimate does not exce	ed Rs. 2,000	malerii /t			50
If the amount of the estimate exceeds Rs. 2	2,000 but does	Programmes was standard			
not exceed Rs. 5,000	en ja sout dans nimber	nethology	1,000	1	00
If the amount of the estimate exceeds Rs. 5	,000 but does				
not exceed Rs. 10,000				2	00
For each additional Rs. 5,000 or portion of F				7	
additional earnest money	ud yathan yhubas antio a	samed in A		1	00
6 Any Person who submits a tondor shall fill	un the very last 1.15	tab ya ga da		d year	

6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompanied by the treasury challan for the required earnest money will be liable to rejection. No single tender shall include more than one work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the envelop trash deposits for earnests money here in before mentioned shall be made in Government Treasuries and the challar there of should be enclosed with the tender.

Shailends Fums

on Ltd.

OHTAS

n memorandum at and in accodance in Subjects to the accordance with,

e Commencement of

EEN MONTHS

Patna houlhus 7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.

8. The Engineer shall have the right of rejecting all or any of the tenders.

9. In the event of a tender being selected for acceptance the Engineer who opened the tenders will, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the priscribed time. The tender with the specification and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to the tenderer.

10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.

11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required amount of the security money has been deposited the Engineer shall scrutinise all pages of the form of item rate, tender & contract for works to see that the form has been properly filled up and signed by the centractor of the signature witnessed He shall then if he is competent, to accept the tender, sign the acceptance of the tender or, if he is not so competent shall send the form for signature of the acceptance of the officer competent to accept it.

Shailends Kenney

13/6

(3)

TENDER FOR WORKS

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

MEMORANDUM

- (a) If several sub-work are cluded they should be ctained in a separate list.
- (b) This deposit will be 5% the estimated cost of the work.
- (c) This percentage duction from bills will be credited to the contractors security deposit.
- [a] Name of work
- b] Estimated cost
- Earnest money
- [d] Initial security deposits (including earnest money) to be deposited befor the commencement of the work
 - [e] Percentage to be deducted from bills Rs. 5% (Rupees five percent)

 - [g] Date of written other to commence
 - [h] Total number of item of work tendered for

Item No.	Item of work			
1	Item of Work	In figures	In words	Per
			Chief En	13/6/17 gineer

on Ltd.

COHTAS

en memorandum at and in accodance in Subjects to the n accordance with,

the Commencement of

TEEN MONTHS

ineer
id, Patna
Skehoulhts
13/6//

	,		1
- 1		1	1

	BANCH SOF RECE	RATE TE	Dor	
Item No.	Item of work	In figures	In words	Per
are to do a late.	a surprimera al repro robbie la enja	the holders	Total Comment	12.00
esta granda da la como de la como		A Dega Sia dia 2	dequentis in	
ans pow pans		101 habitunu ese. 1	ELECTRONIA CO	
		l lealigue en 167 o	r apolitheren	
	CAROLE SERVICE CONTRACTOR	Alow to an	874 (A. [8] . 418	
-				
		facs flaters	e3 s (d)	
		control and the		idaka Takwasi
the least beau		. Venoch trein		
Comment of the Comment				
detail (s.)		100000000000000000000000000000000000000	ici a foliani	
		100,000 (entro)	the tape of the	

o pe canto	of enequitivities and also except between the	ebed of Scotney	(8)	
				April 2 and San San San
	ion in laboration who else monthly is	and to have being		
	ALLEGA EL CAMBELLA COMBINADOS AS	OPTIO FERSIENCE CONTROL		
		A SULTA TOTAL TELEVISION PER		
	Late Water Late			
ALL UNITED TO	Legal and sale tamped	obc.	v to men	
		1 - 1 - 2 - 2 - 2 - 2 - 2 - 2		
100000000000000000000000000000000000000		1		
			-	
			•	
7.7				
110				
		The second		
3				
75				
200			* '	
1064 (194	3 to 100 0.01.3 e.g.			
some T. St.	J.C. 19 8.9 _ 1			

3 (5)

chedule XLV - Form No. 61

Item of work	In figures	In words	Per	ROHTAS
				ten memorandum at
				e and in accodance in d Subjects to the
				in accordance with,
				t
				the Commencement
				FTEEN MONTHS
				One managed have
		2000		
		A Visit of the		
				The thousand their
			s.	Per six and parson
			10.00	
				ineer
				td. Patna Skehmulhter 13/6//7
				13100/17

	davisquat star - (:		RATE TE	NDERED		
Item No.	Item of work		In figures	In words	Per	
			1000			
				* *		
		-				
		**				

hedule XLV - Form	INO. 0 I	(7)		63 VIX sursets	ion Ltd.
Item No.	Item of work	The same of the sa	NDERED	Per	ROHTAS
9		In figures	In words .		KOIITAS
) Applied to		Till boto stare in	anstead a		
Section A					ten memorandum at e and in accodance in
Table Barrier		the marriage .			d Subjects to the
AIR is to page, or		of continues on	SERVE AND DE		in accordance with,
The search of the search					
eta in gui, mor lo			The same of		
		10000-000	oncioned a reco		it
			of the Erace Co		**
		0			
		Village Color Share A	SHEED AND SHEET	Companients.	
Parago carres		Experience and the second			
			Objection to		
CARCAL DELINES		The secretary	micas grupotri		
		The property of the second	HOLLS TO BE		e the Commencement of
		Valorio e diferibile	Not the second		
			Paris Lagran		
		o de la companya de l			
			WENE HOLD IN SUBSTITUTE		Dreshousest less
			Thomas Control		FTEEN MONTHS
		te de la dicha per re			One flows and for -
					distinctly five #1
			ATTENDED IN		
		A Cacada and			
		104 90 20 40			
			nuto rabo		
			grish on		
		alian and the second		Chapt Factors	
15.3		100 100 100 100 100 100 100 100 100 100	ser icar and		
100000					jineer
a dethi	The state of the s	The second second second			td, Patna
	2 × 10 × 10 × 10 × 10 × 10 × 10 × 10 × 1			Services	td, Patna Skehmulhter

should this tender be accepted I/we hereby agree to abide by and fulfill all the terms and provisions of the said conditions of contract annexed hereto so, for a applicable, or in ssors in office the sums of money mentioned in the said conditions.

*Signature, of contractor before comission of tender

witness

Address

Signature of witness to contractor's signature

Occupation The above tender is hereby accepted by me on behalf of the Governor of Biha. Dated the day of 20

> signature of the office accepting the tende

Acceptances communicated on......

signature of the part taking the tende

Compensation

CONDITIONS OF CONTRACT

Clause 1:- All compensation or other sums of payable by the contractor to Government under the terms of his contract may be deducted from, paid by the sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor by Government on any account whatsoever and in the event of his security deposit being reduced by reason of any such deduction or sale as aforesaid, the contractor shall within ten days there after make good in cash or Government securities endorsed as aforesaid any sum or sums which may have been deducted from, or arised by, sale of his security deposit of any part thereof.

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which the work is finished after necessary rectification of defects as pointed by the Executive En- gineer or his

Clause 2 in The time allowed for carrying out the work as entered in the tender shall be strictly observed by the contractor and shall be reckoned from the date on which the wirtten order to comence work is given to the contractor. The work shall throughout the stipulated period of the contract be carried on with all due diligence (time being deemed to be the essence of the contract on the part of the contract or) and the contractor shall pay as compensation an amount equal to ½ percent authorised agents are fully on the amount of the estimated cost of the whole work as shown by the tender for contractor to the Engineer's every day that the work remains uncommenced or unfinished after the proper date, And further to ensure good progress during the execution of the work the contractor shall be bound in all cases in which the time allowed for any work exceeds one. month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before onehalf of such time elapsed and three-fourths of the work, before three fourths of such time has elapsed in the event of the contractor failing to employ with this condition, I shall be liable to pay as compensation an amount equal to ½ percent on the said estimated cost of the whole work for every day that the due quantity of work, remains incomplete provided always that the entire amount of compensation to be paid under the provisions the clause shall not exceed 10 percent of the estimated. cost of the work as shown in the tender.

Action when persnle security deposit foreited

Clause 3:- In any case which under any clause or clauses of or this contract the contractor shall have rendered himself laible to pay compensation amounting to the whole of his security deposit in the hands of Government (where paid in one sum or deducted by instalments) the Executive Engineer on behalf on the Bihar Government shall have been powered to adopt any of the following courses, as he may deem best suited to the enterest of Government -

(a) To rescind the contract (of which rescind notice in writing to the contractor under the hand of the Executive Engineer shall be conclusive evidence) and in which case the sectitiry deposit of the contractor shall start forfeited, and be absolutely at the disposal of Government a.

Shailondlarun

(b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debitting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in -charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.

(c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original contractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4: - In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may, if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Engineer as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

Clause 5 :- If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) he shall apply in writing to the Executive Engineer within 40 days from the date of starting of the hinderance on account of which be desires such extension as aforesaid and the Executive Engineer shall, if in his opinion (which shall be final) reasonable grounds be shown thereof authorised such extension of time, if any, as may in his opinion be necessary agineer proper. The Executive Engineer shall at the same time inform the contractor whether he td, Patna claims compensation for the delay.

Shailendes Kanning

tion Ltd.

. ROHTAS

itten memorandum at ce and in accodance in ind Subjects to the ts in accordance with,

at

contractor remains liable to pay compensation if action not take under

e the Commencement of

FTEEN MONTHS

Power to take posession of or require removal of or sell contractor plant.

Extension of time

Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion, but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinctly marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-work, doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurements shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus materials and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid, except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible, before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-incharge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts or in any other way vary or affect the contract.

•Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Clause 9:- If the specification or estimate of the work provides for the use of any special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-incharge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums then due or there after to become due to the contractor under the contract or otherwise, or against or form the security deposit, or the proceed of sale thereof, if the same is held in Government security the same or sufficient portion thereof in this case sold for the purposee All materials supplied to the contractor shall remain the absolute property of Government and shall not on any accounts he removed from this site of the work and shall at all times be open to

Shailands Kring

Government

Stores supplied

(11)

6

inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: - The contractor shall executive the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid.

Clause 11: - Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a disputes the decision of the superintending Engineer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period

Clause 12:- If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out. the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsoever on account of any profit or advantage, which he might have derived from the execution of the work in full, but which he did not derive in consequence of the full amount of the work not having been carried out neither shall he have any claim for compensation by reason work to be carried out. of any alternation having been made in the original specification, drawing, designation drawing been made in the original specification, drawing, designation drawing been made in the original specification, drawing, designation drawing been made in the original specification, drawing designation drawing been made in the original specification, drawing designation drawing been made in the original specification. instruction which shall involve any installment of the work as original Ltd, Patna clause 12 (a) As contained in G O 1929 dated 11.9.56.

Sharlevals firmer

ation Ltd.

, ROHTAS

Work to be executed accordance with specification drawing other etc.

ritten memorandum at nce and in accodance in and Subjects to the ets in accordance with,

at

Alteration in specifications and designation

ore the Commencement of

Do not in validate contract

FIFTEEN MONTHS

Time in consequence of alteration

Rate for work no in estimate or schedule of rates of the district.

ngineer

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as

Action and compensation payable in case of work.

Clause 13 :- If it shall appear to the Engineer-in-charge or his subordinate incharge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall on demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-incharge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and

Work to be taken to inspection

Clause 14:- All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineerin-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been

Contractor or responsible Agents to be

Clause 15: - The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which

Notice to be taken before work covered up

Clause 16:- If the contractor or his work-people, or servants shall break, deface injure or destroy any part of a building in which they may be working or any building. road, road curves, fence enclosure water pipes, cables, drains, electric or telephone posts or wires, trees, grass or grassland or cultivated ground contiguous on which the work or any part of it is being executed or if any damage shall happen to the work, while in progress from any cause whatsoever CRIVITE PASSAGE become apparent in if within three months (six months in the case of a road what refer a certificate final or other of its completion shall have been given by the Engineer-in-charge

Shailands Fromos

as a fore seal, the contractor shall make the same good at his own expense, or in default, the Engineer-in-charge may cause the same to be made be good by other Contractor liable for worksmen and deduct the expense of which time thereafter may become due to the contractor, or from his security deposit, or the proceed of sale there of, or of a sufficient portion there of the security deposit at the contractor shall not be refunded before the expiry of three months (six months in the case of a road-work) after the issue of the certificate final or otherwise of completion of work provided that in the case of a road work if in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable after three months of the issue of the said certificate of completion

Clause 17:- The contractor shall supply at his own cost all materials (except such special materials) if any as may in accordance with the contract be supplied from the Engineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, tackle scaffolding and temporary works requisits or proper for the proper execution of the work whether original, altered or substituted and whether include in the specification or other documents forming part of the contract or referred to in these conditions or not or which may be necessary for purpose of satisfying or complying with the requirement of the Engineer-in-charge as to any matter as to which under these conditions he is entitled to be satisfied which he is entitled to require together with carriage therefore to and form the work. The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting, weighing and assisting in the measurement or examination at any time and form time to time of the work or materials failing his so doing the same may be Provided by the Engineer-in-charge at the expense of the contractor and the expenses may be deducted from any money due to the contractor under the contract from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide all necessary fencing and lights required to protect the public from accident, and shall be bound to bear to expenses of defence of every suit action or other proceeding at law that may be brought by any person for injury sustained owing to neglect of the above of light fencing etc. precautions and to any such person or which may with the consent of the contractor be paid to compromise any claim by any such person.

Clause 18:- No female labour shall be employed within the limits of contonment. The contractor shall not employ for the purpose of his contract any person who is below the age of twelve years and shall pay to each labour for the work done by such labourer wages not less than the wages paid for similar work in the neighbourhood.

The executive Engineer shall have the right to enquire into the case and decide any complaint alleging that the wages paid by the contractor to any labourer for the work done by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer employed by contractor is below the age of twelve years and to refuse to allow any labourer whom he decided to be below the age of twelve years to be employed by the contractor.

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his contract, or attempt so to do, or become insolvent proceedings to make any composition with his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward or advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, or offered by the contractor, or any of his servant or agents to any public officer or person in the employ of Government in any way relating to his officer or employment or if any such officer or person shall become in any way directly or indirectly interested in the contract the Executive Engineer may there upon by notice in writing rescind the contract. The security deposit of the contractor shall there upon stand forfeited and be absolutely at the disposal of Government and the same consequence shall ensure as if the contract had been recinded under clause 3 here of, in addition the contractor shall not Chieft Engineer to recover or be paid to any work therefore actually performed the under the condition. Ltd, Patna

Shailunds kymen

damage done and for imperfection a months

, ROHTAS

ation Ltd.

ritten memorandum at nce and in accodance in and Subjects to the ets in accordance with,

Contractor to supply to plantladder scaffolding

And is liable for damage arising for non-provision

bre the Commencement of

IFTEEN MONTHS

Work not to be subject

and security deposit forfelted for subletting bribes or if contractor become

Contract may be resinded

such payable by way of compensation to be considered reasonable compensation without reference to actual loss Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained.

Clause 21: In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this information.

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal of Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer Clause 22:- All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23:- In case any dispute or difference shall arise between the parties or either of there upon any question relating to the meaning of the specifications, designs, drawings and instructions here before mentioned or as to the quality of workmanship or materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, or any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions or otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof or as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

(a) Clause 24:- When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items or work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-incharge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineer-in-charge shall be final and conclusive against the contractor with regard to any sumpayable to him under the provision of this clause.

Action where specification.

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Definition of works

Clause 26: The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to such construction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered, substituted or additional.

Shailandy Kinny

Witness.

Contractor

Schedule XLV - Form No. 61

(15)

Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied

Particulars	will be ch	ich the materi arged to the tractor	Place of delivery	
	Unit	Rs.	P.	
	gar a matheway delication			
	The matter and the second			
			×	
			PER	CABLING
			11 (12.11)	n lit is the Recourses
			3 7 36	material hartest
			. (A)	
	Euffmalen 1		1 500	
	Total Palacet			War and the second
				Samuel Committee of the
			2.000	And the Artist beauty of the
			10 10 10 11	or - the holp to the party
	2 Thing leaves	worther to the	1 500	COLUMNICA SITE OF SE
	1			
			-	
			- A	
		X. 30 1		
** The state of th				

tion Ltd.

, ROHTAS

ritten memorandum at ice and in accodance in and Subjects to the ts in accordance with,

at

re the Commencement of

IFTEEN MONTHS

Note:-The person or firm submitting the tender should see that the rates in the above schedules are filled up by the Engineer-in-charge on the issue of the form prior to the submission of the tender.

Shailevala frum (Signature of Contrator) Chief Engineer

BioRatule Of Exceptive Patriacer)

gineer
td. Patna
Skehouchts
13/6//

Bihar State Educational Infrastructure Development Corporation Ltd.

AGREEMENT for Construction of Block Resource Centre at DAWAT, ROHTAS

TENDER FOR WORKS

I/we heredy tender for the execution for the Governor of Bihr of the work specifed in the under written memorandum at the rates specified therein within a period of years month from the date of witten order to commence and in accodance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subjects to the annexed condation of contract and with such materaials as are provided for by and in other respects in accordance with,

MEMORANDUM

(a) If several sub-work are incuded they should be detained in the separate list

(A) Name of Work :- Construction of Block Resource Centre at DAWAT, ROHTAS (Sl. No-72)

(B) Estimated Cost :- Rs. 74,69,763=00 Agreement value :- Rs. 67,22,787=00

(b) This deposit will be 5% of the estimated cost of the work.

(C)Earnest Money:-

(c)This percentage deduction from bills will be credited to the contractors security deposits

(D) Initial security deposits (including earnest money) to be deposited before the Commencement of

Earnest Money :- Rs. 3,40,000/- (Details attached)

(E) Percentage to be deducted from bill Rs. 5% (Rupees five percent)

(F) Time required for the work from date of written order to commence **FIFTEEN MONTHS**

(G) Date of written order to commence :-

(H) Total number of item of work tendered for :- 116

Shailands arma

Chief Engineer

BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD SHIKSHA BHAWAN, SAIDPUR, PATNA.

B.O.Q. FOR BLOCK RESOURCE CENTRE IN BIHAR

	TDX -	B.O.Q. FOR BLOCK RESOL	IDGE CTAINA.	21
	THE ITEN	A RATE BASED ON S O P BCD DY	RCE CENTRE IN BIHAR	
	SL.	T S.O.R BCD BIHAR, I	OATE - 15-09-2014 & D.S.D. (7)	
	No. DISTRICT	A RATE BASED ON S.O.R BCD BIHAR, I	2014, & D.S.R (ELECTRICA	L) 2014
		or monitore		
	1 ROHTA		BLOCK	Company of the Compan
- 1		DIOOR		

No.	DISTRICT	NAME OF INSTITUTE	15 09-2014, & D.S.R (ELECTR)
1	ROHTA		BLOCK
1	S	BLOCK RESOURCE CENTRE	
			DAWAT
		CIVIL WO	DKC

		ONCE CENTRE			DAWA	AT
G.		<u>CIVIL v</u>	VORK	S		
SI. No.	SOR Item No.					
1	2	Item of Work	Qty.	Unit		Amount
Pl	LE WORK	S 3	4	5	(Rs.)	(Rs.)
	l l c c te	Boring, providing and installing bored cast- in-situ reinforced cement concrete piles of grade M-25 of specified diameter and length below the pile cap, to carry a safe working oad not less than specified, excluding the cost of steel reinforcement but including the ost of boring, with bentonite solution and emporary casing of appropriate length for etting out and removal of same and the				7
2	ex (L me	ength of the pile to be embedded in the pile ap etc. all complete, including removal of acavated earth with all lifts and leads ength of pile for payment shall be easured upto bottom of pile cap).			D.	
20	0.2.2	mm dia Piles	0.000	meter	1309.30 thirt	One thousand three dred nine and paise y only. One thousand five
20	450	mm dia Piles 0.	.000	meter	1523.20 paise	red twenty +1-
20.	2.4 500 1	mm dia Piles 0.0	000	meter	1978.80 and p.	red seventy eight aise eighty only
20	2.5 600 n	nm dia Piles 0.0	000 r	neter	2306.60 sixty c	wo thousand three ed six and paise only.
			1	- 1	D. T	vo thousand nine

Shailends anna

Chief Engineer B.S.E.I.D.C. Ltd. Patpa 13/06/12

2	20.2.6	750 mm dia Piles		11					
2 2	20.2				000	meter	42	19.70	Rs. Four thousand hundred nineteen a paise seventy only.
2 2	20.3	Boring, Providing and installing	cast in sit	11					
]	single under reamed piles of diameter and length below pile of cement concrete, to carry a saload not less than specified, excost of steel reinforcement but in cost of boring with bentonite so the length of the pile to be embed cap etc. all complete. (Length of payment shall be measured up to the pile cap):	of specifies ap in M-2. The working cluding the cluding the cluding the cluding and ded in pile	d 5					
20.3	3.1 3	00 mm dia Piles							
20.3		00 mm dia Piles		0.000	me	eter	1934	lhu	s. One thousand nine andred thirty four an ise twenty only.
								Rs	. Two thousand two
20.3.	3 45	0 mm dia Piles		0.000	me	ter	2225	hui 30 pai	ndred twenty five ar se thirty only.
20.3.4	1 550) mm dia Piles		0.000	met	ter	2397.5	hun	Two thousand thre ndred ninety seven a se fifty only.
				0.000	mete	211		Rs.	Two thousand six
20.4	Ext	ra over item No. 23.3 for providin			Tilett		2605.1	0 ten d	only.
20.4	spec (On paid	ified dia meter y the quantity of extra bulbs are to).	, under						,
20.4.1	300	nm dia Piles							
20.4.2	400 r	nm dia Piles	0	.000	Each	1	240.10	hundr	ne thousand two red forty and paise
								Rs. O	ne thousand three
20.4.3	450 m	ım dia Piles	0.	000	Each	1	373.80	hundre and pa	ed seventy three
20.4.4	500 m	m dia Piles	0.0	000	Each	14	154.80 p	nundre paise e	ne thousand four ed fifty four and ighty only.
			0.0	00	Each		h	ks. One undrea	e thousand five d ninety seven and venty only.

Shailende Jamas

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

240.

13/6///

E	ARTHW	ODV	IN EXCAVATION		12			
	4	ORK	IN EXCAVATION					
	7 /	2.8.1	Earthwork in excave	ation in and				
			30cm in depth. 1.5m	in as(exceedir	ng			
			10sam on plan):	in width as well a	es		1	
			and ramming of b	ottom, lift upto 1	5			
							1.0	
				as directed with:	u			
				anceted within	a			Rs Two by
			All Kind of soil					Rs. Two hundred five
			= 286.64 CUM					and paise twenty on
			SEPTIC TANK = 31.89					
			TOTAL OLLAND	CUM				
			TOTAL QUANTITY =	318.53 CUM				,
5	2.2	9.1	Surface drage:		318.53)		
			Surface dressing of the removing vegetation as	e ground including	0.55	Cur	11 205	5.20
			removing vegetation are	nd inequalities not				
				and lift upto 1.5				Rs. Seven hundred
			Killus 01 S011.	11.5 m				eighteen inundred
		:	= 136.41 CUM					eighteen and paise eig
								only.
EA	RTH F	ILLIN	G		136.410	100 sq	m 718.8	000
6	2.26					39	/10.8	00
	2.20	1 4	illing available excavate	d earth (excluding				
		110	unuations etc. in lavore			-		D. C.
		cn	n in depth: consolidatin	g each 1			7-1	Rs. Sixty six and paise
SA	ND FIL	LING	- Joon dalli	s each deposited	188.980	011		forty only.
					30.700	cu.m	66.4	0
7	2.28	Su	pplying and Eiling		Comment of the Commen			
		sar	pplying and Filling in	plinth with local			-	
		- 1	ander moors inc	luding, watering.				
			Consolidating	and dressing				
		-	mplete.	551115				Rs. One hundred ninety
			18.79 CUM					two and paise fifty only.
TE	BRICK S	(OI ***	100	. 11	9.810	cu.m	100	
. 1 10	MICKS	OLIN	G			00.111	192.50	
T	11.72	Pro	vidi					
	- 1.12	1.10/	viding designation 100 A	A one brick flat				
		as p	er building specification	omplete				
		of E/	l,	and direction				
								Rs. Two hundred twenty
		SEPT	2 , BUILDING = 291.84	CUM		4	S	seven and paise sixty
		OLI I	IC IANK = 13 57 CIIN	1			6	only.
		1017	AL QUANTITY = 305.4	1 CUM				my.
				305.	1	- 1		

Shailends finne

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

| 3 | C | 13 | 06 | | 1 |

		1:	3		
P.C.C.					
9 4.1.5	Providing and laying in position c concrete of specified grade excluding cost of centring and shuttering all upto plinth level	g the work			
10 4.1.4	1:3:6 (1cement: 3 coarse sand : 6 gr stone aggregate 20mm nominal size) = 13 CUM Providing and laying in position cer concrete of specified) cu.1	n 2775.	Rs. Two thousand sev hundred seventy five a paise seventy only.
	concrete of specified grade excluding cost of centring and shuttering- all vupto plinth level 1:2:4 (1 Cement: 2 coarse sand : 4 grastone aggregate 40 mm nominal size)10 + 2 , BUILDING 3.74 CUM SEPTIC TANK = 2.98 CUM TOTAL QUANTITY = 11.72 CUM	the vork ded			Rs. Three thousand two hundred nineteen and paise seventy only.
FLOORING 11 11.38 P	roviding and laying Ceramic glazed flo	11.720 oor	cu.m	3219.70	
by company of the poor of the	les 300x300 mm (thickness to be specificated the manufacturer) of ist qualiforming to IS: 15622 of approved male colours such shades cept white, Ivory, Grey, Fume Redown, laid on 20 mm thick Cement motal (1 cement: 4 coarse sand) including the joints with white cement and teching pigment etc., complete. ILET PORTION = 46.04 SQM	ed ty ke			Rs. Eight hundred one and paise eighty only.
WALL TILES		46.040	sq.m	801.800	

Shailands James

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

13/66/17

12	11.36 Providing and C.	14			
	Troviding and fixing let quality	1			
	glazed wall tiles conforming to IS (Thickness to be specified by manufacture) of				
	1 annuaria				
	sildues except him i				
	I since in okini.				
	cement Motar 1:3(1 cement 2	bed of			Rs. Seven hundred fifty
	John Will Oral Camant 1	_			four and paise twenty only.
	1 C 1 Squit III III III to nounting				only.
\sim	I mant of	tching			
	The complete.				
	TOILET PORTION = 188.874 SQM				
LOOR	ING & SKIRTING	188.8	874 sc	J.m 754	.200
13	11.26.1 Kota stone slab flooring aver 20			. 134	.200
	The stage of the stage land	I I		-	
$\overline{}$	over and jointed with grey cement s	lurry			
	I BISHICH IO				
	match the shade of the slab inclurubbing and polishing				
	complete. Base with 1:1:1 (1 1:	. 1			Rs. Nine hundred sixty
	1 coarse sand) / 1.4 (20 TO 25)	MM			eight only.
	THICK) = 281.852 SQM				
	201.032 SQW				
14	11.27 Kota stone slabs 20 mm thick in risers	281.85	2 sq.n	968.0	20
	1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-			700.0	00
	pillars laid on 12 mm (over	ick			
	3 coarse sand) and jointed with grey cemes	ent			
	pigment to match the shade of the sla				Rs. Nine hundred twenty
	I GOOTING AND	1		6	seven and paise fifty only.
	polishing complete. Details of cost for a	0			omy.
	sqm				
15 8	.3.2 Extra for providing ada	74.37	sq.m	027.50	
	Extra for providing edge moulding to 18 mm thick marble stone counters, Vanities		54.111	927.50	
	Tete. Over Itelli no X) including				
	IF THE TO EURE TO GIVE high -1				
	etc. complete as per design approved by Engineer -in -charge.				Two Hundred Thirty
	Granite work				Nine and paise ten only
					. Joiny
WORK BEL	OW PLINTH LVL.	0.00	M	220.10	
	LYL.		1 7 1	239.10	

Shailends Farma

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Skithoully

13/06//7

Providing and laying in post grade of reinforced cent excluding the cost of centrifinishing & reinforcement - plinth level. 1:1:2 (1cement: 1 coarse satstone aggregate 20mm nominal = 59.183 CUM	nent concrete ing, shuttering, all work upto	cu.m	5110.70	Rs. Five thousand on hundred ten and paise seventy only.
ORK ABOVE PLINTH LVL.		00.111	5110.70	
Reinforced cement concrete we (any thickness), including attack buttresses, plinth and struts etc five level excluding the cost shuttering, finishing & reinforcer 1:1:2 (1cement: 1 coarse sand stone aggregate 20mm nominal struth and stru	hed plasters, c upto floor of centring, ment: 2 graded ize) M 20.510 specified t of and	cu.m	5666.20 Rs.	As. Five thousand six undred sixty six and aise twenty only. Three thousand four dred thirty eight and

Shailands kinner

Chief Engineer

B.S.E.I.D.C. Ltd., Patna

| 13/06/11

chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto floor five level excludingthe cost of centring, shuttering, finishing and reinforement with 1:2:4(1 cement:2 coarse sand:4 graded stone aggregate 20 mm nominal size). Add or deduct for providing richer or leaner mixes respectively at all floor levels. Providing M-15grade R.C.C instead of M-20 grade R.C.C. Proiding M-25 grade R.C.C. instead of M-20 grade R.C.C. Bridge R.C.C. instead of M-20 grade R.C.C. instead of M-20 grade R.C.C. BRICK WORK BRICK WORK	beams, suspended floors and the work in	
BRICK WORK 20 6.1.14A Brick work with bricks of class designation 100A in foundations and plinth in cement mortar 1:6 (Icement :6 coarse sand) 21 6.1.14A Brick work with bricks of class designation 100A in foundations and plinth in : Cement 16:0.082 CUM 22 6.18.4A Half brick masonry with bricks of class designation 100A in foundations and plinth in : Cement 12:4 (I cement: 4 coarse sand) Extra for half brick masonry in superstructure above pinth level upto floor V level. Rs. Four thousand four hundred twenty seven and paise fifty only. Rs. Five hundred thirty eight and paise thirty	5.33B.4 + 5.33B.1 6.33B.1 6.3B.1 6.3B	ve
20 6.1.14A Brick work with bricks of class designation 100A in foundations and plinth in cement = 39.878 CUM Rs. Three thousand nine hundred ninety two and paise ninety only. 39.878 cu.m 3992.90 Rs. Four thousand four hundred twenty seven and paise fifty only. 21 6.1.14A + 6.3A Extra for Brick work in superstructure above plinth level upto floor V cum = 160.082 CUM Rs. Four thousand four hundred twenty seven and paise fifty only. 22 6.18.4A + 6.19A Brick work with bricks of class designation 100A in foundations and plinth in : Cement designation 100A in foundations and plinth in : Cement mortar 1:4 (1 cement: 4 coarse sand) Extra for half Brick masonry in superstructure above pinth level upto floor V level.		
134.043 Sq.m 530.20	Brick work with bricks of class designation 100A in foundations and plinth in cement mortar 1:6 (1cement :6 coarse sand) 21 6.1.14A	

Shailends Kiny

Chief Engineer

3.S.E.I.D.C. Ltd., Patna

13/6//1

23	6.21	A Extra for providing	17			
		A Extra for providing and placing in position Nos, 6 mm dia, MS bars at every the course of half brick masonry (with F. P. bricks) = 134.043 SQM	on 2			Rs. Seventy five and paise ninety only.
24	6.1A - 6.1.12/	Brick Work With bricks of all	134.0)43 Sq.	m. 75.	
	0.1.12/	100A in foundations and plinth in: Cement mortar 1::4 (1 cement: coarse sand) = 8.75 CUM	1			Rs. Four thousand on hundred eighty four o
PLA	ASTER V	VORK	8.750) cun	n 4184.0	
25	13.13.4	20 mm cement plaster of min 16			ALL STATE OF THE S	
26	13.13.1	= 836.658 SQM				Rs. One hundred twent three and paise fifty on
	+ 13.26	20 mm cement Plaster 1:3 (1 cement: 3 coarse sand) with a floating coat of near cement & neat cement punning SEPTIC TANK = 16.65 SQM		sq.m	123.50	Rs. One hundred eights
7	13.11.4	12mm thick Cement plaster of mix 1:6 (1 cement : 6 coarse sand)	16.650	sq.m	185.60	five and paise sixty only
	13.17.1	= 1041.58 SQM 12 mm cement Plaster 1:3 (1 cement: 3)	1041.580	sq.m	89.30	Rs. Eighty nine and pais
+		cement & Extra for providing and mixing water proofing material in proportion recommended			97.30	
		manufacturers: 12 mm cement plaster 1:3(1 cement :3 sand) SEPTIC TANK = 52.82 SQM			R	s. One hundred forty ve and paise fifty only.
13		:4 (1 cement : 4 coarse sand)	52.820	sq.m	145.50	
		- 388.53 SQM	388.530	sq.m	77.40 Rs	. Seventy seven and see forty only.

Shaileholo Kennas

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

13/6

13/06/17

30 11.3.1 Cement concrete flooring 1:2:4(1 cement:2 coarse:sand:4 graded stope	18
finished with a floating coat of neat cement including cement slurry, etc. but excluding the cost of nosing of steps etc. complete. 40 mm thick with 20 mm nominal size stone aggregate. Extra for making chequers of approved pattern on cement concrete floors, steps, landing, pavemerts etc. = 136.41 SQM	Ps. Trivia
	136.410 sq.m 232.90
FINISHING WORK	232.90
31 13.46.1 Finishing wells	
rinishing walls with Acrylia C.	
patter of pattil of	
required shade :New work (Two or more coat applied @ 1.67 ltr/ 10	
sqm over and including priming coat of exterior	
	Rs. Sixty eight and pair
primer applied @ 2.20 kg/10 sqm)	eighty only.
EXTERNAL WALL = 836.658 SQM	
	26.45
Providing and applying white	36.658 sq.m 68.80
plastered wall surface to prepare the surface even and	Rs. One hundred
smooth complete.	eighteen and paise
	seventy only.
Distempering with oil have 1	66.768 sq.m 118.70
manufacture to give an even about	
New work (two or more coats) over and including	·
priming coat with cement primer	
INTERNAL WALL & CEUPLE	Rs. Sixty four only.
1430.11 SQM	
13.81.1 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
Applying priming cost with 1430.	.110 sq.m 64.00
I giev brimer of one	
manufacture on wood work (hard and softwood)	
	Rs. Twenty five and
= 115 68 SOM	l mai
= 115.68 SQM	paise twenty only.

Shailende, formas

Chief Engineer
B.S.E.I.D.C. Ltd. Patna

13 6

3 06/17

35	13.81.3	Applying priming	19			
	, = 10113	Applying priming coat with rezinc chromate yellow primer obrand and manufacture on steel iron/steel work. = 105.728 SQM	ady mixed			Rs. Twenty one and
36	13.93.1	Painting with synthetic	105.7	28 sq.	m	unirty only.
37		even shade two or more coats on n = 221.408 SQM	to give an ew work			Rs. Fifty and paise ni only.
		Providing and fixing T-iron fra doors, windows and ventilators of a Fee-sections, joints miltred and well 5x3 mm lugs 10		98 sq.n	50	.90
	c b c c m or pl bo =	Im long embedded in cement colocks 15x10x10 cm of 1:3:6 (1 celeoarse sand : 6 graded stone aggreem nominal size) With wooden plugs and screws ugs and screws or with fixing clips olts and nuts as required including 339.675 KG	ment: 3 egate 20			Rs. Seventy five and paise ten only.
38	dec con woo ven and 35 r butt with	oviding and fixing flush door sometime to IS: 2202 (Part-I) contained type.core of block astruction with frame of 1st classed and well mathched commercial deering with vertical grains or cross face veneers on both faces of shuttown thick including anodized alumn hinges necessary screws 3.195 SQM	non- board s tiard B ply bands	Kg.	1	Rs. One thousand eight hundred twenty three and paise eighty only.
9 9.11	bolt b type)	ding and fixing oxidised M.S.tower black finish,(barrel with necessary screws etc.complete 0mm 2, BUILDING = 44 EACH		sq.m	1823.80	s. Sixty six and paise fty only.

Shailends times

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

13/6

13/6

13/6

	9.104.1	I willing and fixing M S handles - 'the	20			
		necessary screws etc.complete 125 mm 10 + 2, BUILDING = 44 EACH				Rs. Twenty seven an paise fifty only.
41	9.223.2	Providing and fixing alluminium hangi	44.000	each	27.5	
		not less than grade AC 10 as per IS :18 transparent or dyed to required colour a shade with necessary screws etc.complete:Twin rubber stopper	ating		21.3	Rs. Eighty two and paseventy only.
42	9.100.1	Providing and fixing M.S. at the	22.000	each	82.70	
		bright finished or/and black enamelled, who nuts and screws etc.compelled: 300x16 mm = 22 EACH	oolts vith			Rs. One hundred seven seven and paise forty
ST 43	EEL WORI		22.000	each	177.40	only.
	10.13B s v s s b s s c s s s s c s s s s s s s s s	Providing and fixing glazed steel dock windows or ventilators of standard roll teel sections, joints mitered and weld with 15x3 mm M.S. lugs10cm long with 15x3 mm M.S. lugs10cm long with 15x3 mm M.S. lugs10cm long with leel legs embedded in cement concretions and in the coarse sand is 6graded stone aggrega of screws or rawl plugs and screws or with wooden plugs and screws or rawl plugs and screws or with bolts and nuts a fixing clips or with bolts and nuts a fixing clips or with glazing clips and special sash putty of approved make the primer excluding the cost approved steel primer excluding the cost metal beading and other fitting except essary hinges or pivots as required. For a for providing and fixing steel beading approved shape and section with screws read of glaxing clips and met. Sash putty steel doors, windows, ventilators and posite units. Steel Windows.	ded ed ed ether et		hui	. Three thousand two ndred seventy and se sixty only.

Shailands lama

Chief Engineer

28.S.E.I.D.C. Ltd, Patna

136

13/66//

	Γ	4.4								
		44	10.12	1-10 viuling and	fixing glazed ste	2.	1.			
$\overline{}$			+ 10.13	windows or v	entilators of standa	er doors,				
			10.15	with 15v2	joints mitered and	d welded				
				steel legs emb	M.S. lugs10cm lo	ong with				
				blocks 15x10x	Locm of (1.2	concrete				
				3coarse sand	6graded stone a	cement :				
				20mm nominal	size) or with woods	ggregate en nluge				
				fixing clins on	with bolts	or with				
				required, includi	ng presidi	nuts as				
				glass panels with	ng providing and fing glazing clips and	xing of				
				metal-sash putt	y of approved	special				
				of approved at a	y of approved ag applying a priming a priming a priming a primer and the primer are to the primer are	ng coat			Rs. Three thousand tw	0
				of metal heading	primer excluding the	ne cost			Inundred seventy seven	1
				necessary hinges	or nivet	except			and paise sixty only.	
$\overline{}$				Extra for providin	g and fixing steel be	Doors				
				of approved shape	and section with s	crews				
				lin steel days	clips and met. Sash	putty				
$\overline{}$				composite units. Ste	windows, ventilators	and				
				= 3.24 SQM	er ventilators					
									,	
	45	9.82	1	Provid'		2 240				
			1.	Providing and fine	xing M.S. grills	3.240 of	sq.m	3277.6	0	
			e	tc. with M.S. flats s	in frames of wind quare or round bars					+
			a	ll complete	quare or round bars	etc		100		
			fī	xed to steel window	s by welding				Rs. Ninety one and paise	
				1722.87 KG	, and an ing.				fifty only.	
4	6	5.22	Re	einforcement f		1722.870	V			
					RCC work includi bending, placing	ng	Kgs.	91.50		
			po	sition and bonding a	all complete	in				
			_		complete.					
				1TC-500						
		5.22.7A	1 111	ermo-Mechanically	Treated bars TMTC					
					mars IMTC	2-				
			= 8. SFE	300 KG						
			TO	TIC TANK = 93 CI	JM		1	R	s. Seventy four and	
	- 5	.22.7B		TAL QUANTITY =				p	aise forty only.	
		.22./B	Ther	mo-Mechanically T	reated bars TMTC-	8393.000	KG	74.40		
			= 130	10mm dia 00 KG	11111 (-					
			1 13			1300.000		Rs	S. Seventy three and	
						1300.000	KG	73.10 pa	ise ten only.	

Shailends terms

Chief Engineer

3.S.E.I.D.C. Ltd. Patna

240.

1316

1316

13106/11

	5	.22.7C	Thermo Masteria		22			
			Thermo-Mechanically Treated 500 12mm dia	d bars TMTC	-			
			= 7000 KG					
	5	22.7D						Rs. Seventy one and
	3	22.7D	Thermo-Mechanically Treated	hara TM	7000.00	00 KG	71.8	lpaise eighty only
			500 16mm dia	vais IMI.	-		71.0	SO parameters
	5.0	12.75	= 700 KG					Rs. Seventy two and
	3.2	22.7E	Thermo-Mechanically Treated 500 20mm dia	hora Thur	700.000	KG	72.8	
				vais IMI-			72.0	The state of the s
	5.2	2.7F	= 750 KG		750.00			Rs. Seventy two and
	2	2.71	Thermo-Mechanically Treated 500 25mm dia	bars TMT	750.000	KG	72.20	paise twenty only.
			500 25mm dia = 0 KG	TIVII -				
1	7							Rs. Seventy two and
4	7 10.	1	Providing & fixing M.S. Fan F		0.000	KG	70.0	paise twenty only.
		1	nm. dia. M.S. bar 1 Mtr. Lor equired size and shape and	100k of 16			72.20	,j.
		r	equired size and shape, placed nd fixed in Truss Frame / P.C.	ng bent to				
		a	nd fixed in Truss Frame / RCC st the time of casting all	in position				
		a	t the time of casting all compluiding specification and	ete as				
		l D	uilding specification and directive waterials is not a second	on of E/I			1	Rs. One hundred twenty
				v dentt			10	one and paise eighty
			42 EACH	, deptt.)			0	nly.
16							7	
48	10.33.		oviding & fixing hand rail by we steel ladder railling & steel	4	2.000	Each		
		to	steel ladder railling & staircases	lding etc.		Lacii	121.80	
				s railling				
		app	proved steel primer.	coat of				
		IVIS	tube (medium) 40mm	NO WO			Rs	. Ninety one and paise
49	10 -			1			Iten	only.
49	10.5	Pro	viding and fixingin position colla	55(0.000	kg.	01.10	
		stee	shutters with vertical	apsibble			91.10	
		LOVI	UNZIIIM and broad	channes		- 600		
		diag	onals 20x5mm size with top and of T-iron 40x40x6mm	hottom				
		rall (of T-iron 40x40x6mm with 40n pulleys complete	nm die				
		locki	pulleys complete with bolts	S nute			Rs.	Four thousand one
		includ	ng arrangemant stoppers h	andles			Inunc	ired fifteen and paice
		1-1-0101	ding applying a priming coved steel primer.	at of			Sixty	only.
		1, 1, 5	od steel primer.					
SCD-				4.5	2 sq.	m / 41	15 (0)	
SCELL	ANEOUS	WOR	K		71.	41	15.60	

Shailendes tumes

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

| Skehvulheer | 13/06//1

5	0 4.1	7 Making plinth protesti	23			
		Making plinth protection 50mm thic cement concrete 1:3:6 (1 cement :3 cc sand : 6 graded :1)	1			
		ballast 40mm nominal size is	rick			
		The consolition and grounts in the	end			Rs. Three hundred
		S misiling the ton cmooth	and			nineteen and paise
		= 75.414 SQM				only.
	SHUTTE	PINC	75.4	14 sq	.m 310	9.30
					31)	7.50
51	5.9.1	Techning ally Shiftering includ:				
		If the city and remarkable co				
		hasees of and	or			
		The control of the co	.c.			Rs. One hundred sixt
		= 55.781 SQM				and paise seventy on
52	5.9.5	Centring and shuttering including strutting	55.781	Sqn	1. 166.	
				111	100.	70
		printil beams gridens 1	1,			
		There vers.	S			Rs Two hours 1 and
		= 349.241 SQM				Rs. Two hundred fifty
53	5.9.6		349.241			one and paise thirty or
	3.9.0	Centring and shuttering including strutting		Sqm.	251.3	0
		I FF S Cit. all removal - C c	1			
		columns, pillars, piers, abutments, posts and struts				
-		= 367.575 SQM				Rs. Three hundred fort
		307.373 SQM				four and paise forty on
54	5.9.3	Centring	367.575	Sam		
		Centring and shuttering including strutting,		Sqm.	344.40	
		The prints cit. And removal co				
		suspended floors, roofs, landings, balconies and access platform.				D = =
		= 451.54 SQM				Rs. Two hundred sevent
		- C				five and paise sixty only
			451.540	Sqm.	275.60	
_						
umb	inσ and	sanitary Work			Total	5,716,706.8
	and and	<u>samtary Work</u>			Total (A)	5,716,707.00
5	B.S.R	Providing and C.				,
- 1	1	Providing and fixing on wall face				
	10	Marking Working				
		S:4985 including jointing with seal ring onforming to IS:5382 leaving 10 mm gap				
	fc	or thermal expansion.				

Shoulande tumo

Chief Engineer

B.S.E.I.D.C. Ltd., Patna

Jean

13/6

13/06/L)

	12.78.2	min diameter		24				
56	SOR 12.79	Providing and fiving	face	40.00	00 N	ITS	214.2	Rs. Two hundred fourteen and paise twee only.
	SOR		ittings/ nwater luding					
	12.79.1 SOR	•						
	10 -	110mm = 10 MTS						Rs One l
	SOR I	Bend 87.50 ⁰		10.000	Each		144.700	Rs. One hundred forty four and paise seventy only.
	SOR 1	10mm bend = 12 MTS				-		
		noe (Plain)	12	2.000	Each	10	73.700	Rs. One hundred seventy three and paise seventy only.
	SOR 11	0mm Shoe 12 MTS						
	B.S.R Pro	viding and fivining		000	Each	314		Rs. Three hundred fourteen and paise seventy three only.
	100 low mun conf Parry fixtu	mm sand cast iron P or S tap, 10 litre white P.V.C. Flushing cistern with ally controlled device (handle level) forming to IS: 7231 ware/Hindware with all fittings and res complete including cutting and reg good the walls and flat.	h e n					
	White pan of foot re		6.000			-	Rs.	Three thousand thirty and paise forty only.

3035.400

Shailendes termas

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Jenual Paris

13/6.

3/06/17

58	B.S.R 17.2.2 Providing and fixing white vitreous pedestal type water closet (Europea W.C. pan) with seat and lid, 10 lit level white P.V.C. flushing coincluding flush pipe, with ma controlled device (handle conforming to IS: 7231, with all fitting fixtures complete, including cutting making good the walls and floors where required:	in type re low cistern, inually lever), gs and		
	W.C. pan with ISI marked black plastic seat and lid = 3 EACH B.S.R Providing and fixing white vitreous class flat back or wall corner type lipped for urinal basin of 430x260x350 mm 340x410x265 mm sizes respectively wautomatic flushing cistern with stand flush pipe and C.P. brass spreaders was brass unions and G.I. clamps complete including painting of fittings and bracked cutting and making good the walls a floors wherever required: Range of two urinal basins with 5 litre whith P.V.C. automatic flushing cistern	3.000 hina ront and with ard with ste, sts, and	Each 2928.	
60 SO 17.3 SOI 17.34 61 B.S. 17.7.	R Providing and fixing toilet paper holder R Vitreous china R Providing and fixing was being a providing and fixing toilet paper holder.		Each 4688.900	Rs. Four thousand six hundred eighty eight and paise ninety only. Rs. Three hundred four and paise twenty only. Rs. Two thousand one

Shaile holy times

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

136. 3/06/1/7

62	18.63	Providing and fixing PTMT angle stop of	26				
			cock				
		bore, weighing not less than 85 gms					Rs. One hour I
63	Do						Rs. One hundred eig and paise ninety only
03	B.S.R	Providing and fixing P.V.C. waste pipe	15.0	000	Each	180.90	00 and parse fifflety only
	17.28	Wasii hasin including Dirig	Tor				
		fittings complete.	iste				
	17.20.0						
	17.28.2.1	Flexible pipe 32 mm dia					
		= 12 EACH					
							Rs. Seventy eight and
64	B.S.R	Providing	12.00	00	Each	70	paise sixty only.
	17.32.2	Providing and fixing mirror of superi			Each	78.600	
		18 ass (of approved quality) and c		-			
		F and SIZU WIII Diactio me - 11 1 2					
		of approved make and shade with 6 mithick hard board backing:	m				D. G.
		Rectangular shape 453 x 357 mm					Rs. Six hundred forty
		= 12 EACH					three and paise forty
							only.
65	D 0 =						
03	B.S.R	Providing and fixing 600 x 120 x 5 mm	12.000		Each	643.400	
	10	STICII WIIII POODE MALLE I CO					
		and all lilling on al-	1				
		oracs blackers and guand 'I	1				
		THE TO HILL TONG SCREWS was 1					Rs. Four hundred seven
		c., complete.			-		eight and paise thirty
		12 EACH					only.
56	B.S.R Pr	Oviding and fiving Claim	12.000	F	ach	179 200	
	18.8.1 Ch	oviding and fixing Chlorinated Polyvinyl			dell .	478.300	
		bility for hot & cold water supply					
	inc	luding all CPVC plain & brass threaded					
		To at 1.00 III Shacing This is a					
		O JULY CEMANT and I					
	- 0,00	ins chases and molding				D	T .
		of testing of loints complete				Or	s. Two hundred forty
						OI	ne only.
	land	cealed work including cutting chases					
		The good the woll of the					
		inal outer dia Pipes METER					
		MILTEK					
			0.000				

Shailanda tima

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Jk. houdhard

13/6

13/06//7

levels) polyethylene water storage tank ISI 12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. = 4000 PER LITER 69 B.S.R 18.49 Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 15 mm nominal bore. = 12 EACH 70 B.S.R 18.52 Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS:8931 18.52.1 I5 mm nominal bore. = 10 EACH 71 SOR Providing and fixing P.T.M.T. grating of approved quality & colour SOR circular type										
stability for hot & cold water supply including all CPVC plain & brass threaded fiftings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching refilling & testing of joints complete as per direction of Engineer in Charge. 25 mm nominal inner dia Pipes 18.9.4 32 mm nominal outer dia Pipes 18.9.2 20 mm nominal outer dia Pipes 40.000 metre 18.9.2 20 mm nominal outer dia Pipes 40.000 metre 18.9.4 32 mm nominal outer dia Pipes 40.000 metre 18.9.2 20 mm nominal outer dia Pipes 40.000 metre 18.48 levels) polyethylene water storage tank ISI ilizon marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. 4000 PER LITER 4000.000 Each 70 B.S.R Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 15 mm nominal bore. 12.000 Each 497.000 Rs. Two hundred firity one only. Rs. Six and paise eighty only. Rs. Six and paise cighty only. Rs. Six and paise cighty only. Rs. Four hundred ninety seven only. Rs. Four hundred ninety seven only. Rs. Six hundred seventy and paise seventy only. 18.52.1 I5 mm nominal bore. 10.000 Each 70 SOR Providing and fixing P.T.M.T. grating of approved quality & colour		67		1. To viding and fixing Chies.		27				
including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 25 mm nominal inner dia Pipes 18.9.4 32 mm nominal outer dia Pipes 40.000 metre 193.800 18.9.2 20 mm nominal outer dia Pipes 8 B.S.R 18.48 Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI 1.2701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. 18.49 Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 Is mm nominal bore. 18.52. Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS:8931 18.52. I IS mm nominal bore. 18.52. I IS mm nominal bore. 18.53. Providing and fixing P.T.M.T. grating of approved quality & colour			18.9.	Thornus III himas						
fittings with one step CPVC solvent cement, trenching, refilling & testing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 25 mm nominal inner dia Pipes = 60 METER 18.9.4 32 mm nominal outer dia Pipes 40.000 metre 251.100 one only. 18.9.2 20 mm nominal outer dia Pipes 40.000 metre 251.100 one only. Rs. Two hundred fifty one only. Rs. One hundred fifty one only. Rs. One hundred fifty one only. Rs. One hundred fifty one only. Rs. Two hundred fifty one only. Rs. One hundred fifty one only. Rs. Two hundred fifty one only. Rs. Six and paise eighty only three and paise of the providing and placing on terrace (at all floor levels) polyethylene water storage tank [SI 12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. = 4000 PER LITER 4000 per LITER 4000 per LITER 4000 per LITER 4000 Each 497.000 seven only. Rs. Four hundred ninety seven only. Rs. Four hundred ninety seven only. 15 mm nominal bore. = 12 EACH 15 mm nominal bore. = 10 EACH 70 B.S.R Providing and fixing C.P. brass stop cock of approved quality conforming to IS: 8931 18.52.1 15 mm nominal bore. = 10 EACH 71 SOR Providing and fixing P.T.M.T. grating of approved quality & colour SOR circular type										
fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 25 mm nominal inner dia Pipes = 60 METER 18.9.4 32 mm nominal outer dia Pipes = 60 METER 18.9.2 20 mm nominal outer dia Pipes 40.000 metre 251.100 metre dia Pipes 8.8. Two hundred fifty one only. Rs. Two hundred fifty one only. Rs. One hundred fifty one only. Rs. Six and paise eighty one only. Rs. Six and paise eighty only.				l all (V Digin V						
trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 25 mm nominal inner dia Pipes 60 METER 18.9.4 32 mm nominal outer dia Pipes 18.9.2 20 mm nominal outer dia Pipes 40.000 metre 18.4.8 Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI 12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for ank. 400.000 metre 18.5.8 Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 18.5.9 Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS:8931 18.5.1 Is mm nominal bore. 10 Each 70 SOR 18.5.2 Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS:8931 18.5.2 I Is mm nominal bore. 10 Each 71 SOR 18.5.2 Providing and fixing P.T.M.T. grating of approved quality & colour 72 SOR 18.5.3 Circular type										
complete as per direction of Engineer in Charge. 25 mm nominal inner dia Pipes 60.000 metre 18.9.4 32 mm nominal outer dia Pipes 18.9.2 20 mm nominal outer dia Pipes 68 B.S.R 18.48 Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI 12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. 4000 per LITER 69 B.S.R 18.49 Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 15 mm nominal bore. 12 EACH 70 B.S.R Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS:8931 18.52.1 I5 mm nominal bore. 10 EACH 71 SOR Providing and fixing P.T.M.T. grating of approved quality & colour SOR circular type 18.58.1 circular type										
Charge. 25 mm nominal inner dia Pipes = 60 METER 18.9.4 32 mm nominal outer dia Pipes 40.000 metre 251.100 one only. Rs. Two hundred fifty one only. Rs. One hundred forty six and paise forty only. 18.48 Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI 12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. 4000 PER LITER Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 15 mm nominal bore. = 12 EACH Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS:8931 18.52.1 IS mm nominal bore. = 10 EACH 70 SOR 18.52 Is mm nominal bore. = 10 EACH 71 SOR 18.53 Providing and fixing P.T.M.T. grating of approved quality & colour	_			1 Cilling XI tooting						Rs. One hundred ninety
25 mm nominal inner dia Pipes = 60 METER 18.9.4 32 mm nominal outer dia Pipes 18.9.2 20 mm nominal outer dia Pipes 40.000 metre 251.100 one only. Rs. Two hundred fifty one only. Rs. One hundred forty six and paise forty only. 18.9.2 12 mm nominal outer dia Pipes 40.000 metre 251.100 one only. Rs. One hundred forty six and paise forty only. 12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. 4000 PER LITER 69 B.S.R 18.49 Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 15 mm nominal bore. 12 EACH 70 B.S.R Providing and fixing C.P. brass stop cock of approved make conforming to IS: 8931 18.52.1 15 mm nominal bore. 10 EACH 71 SOR Providing and fixing P.T.M.T. grating of approved quality & colour SOR circular type				de per direction of Engine	Joints					three and paise eighty
18.9.4 32 mm nominal outer dia Pipes 18.9.2 20 mm nominal outer dia Pipes 40.000 metre 251.100 Rs. Two hundred fifty one only. Rs. One hundred fifty one only. Rs. Six and paise eighty only. Rs. Six and paise eighty only. Rs. Six and paise eighty only. Rs. Six and paise forty only. Rs. Si	-			- 101 50.	er in					only.
18.9.4 32 mm nominal outer dia Pipes 18.9.2 20 mm nominal outer dia Pipes 40.000 metre 251.100 Rs. Two hundred fifty one only. Rs. One hundred fifty one only. Rs. Six and paise eighty only. Rs. Six and paise eighty only. Rs. Six and paise eighty only. Rs. Six and paise forty only. Rs. Si				25 mm nominal inner dia Pipes						
18.9.2 20 mm nominal outer dia Pipes 40.000 metre 251.100 one only. Rs. Two hundred firty one only. Rs. One hundred firty one only. Rs. One hundred forty six and paise forty only. Rs. Six and paise eighty only. Rs. Four hundred ninety seven only. Rs. Four hundred ninety seven only. Rs. Four hundred ninety seven only. Rs. Six hundred seventy and paise seventy only. Rs. Six hundred seventy and paise seventy only. Rs. Six hundred seventy and paise seventy only.				= 60 METER						
18.9.2 20 mm nominal outer dia Pipes 40.000 metre 251.100 one only. Rs. Two hundred firty one only. Rs. One hundred firty one only. Rs. One hundred forty six and paise forty only. Rs. Six and paise eighty only. Rs. Four hundred ninety seven only. Rs. Four hundred ninety seven only. Rs. Four hundred ninety seven only. Rs. Six hundred seventy and paise seventy only. Rs. Six hundred seventy and paise seventy only. Rs. Six hundred seventy and paise seventy only.		1	894	22		60 000				
18.9.2 20 mm nominal outer dia Pipes 40.000 metre 251.100 Rs. Two hundred fiffy one only.			0.7.7	32 mm nominal outer dia Pipes		00.000	met	re 193.	800	
B.S.R 18.49 Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI 12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. = 4000 PER LITER Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 IS mm nominal bore. = 12 EACH Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS:8931 I.S. mm nominal bore. = 10 EACH Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS:8931 I.S. mm nominal bore. = 10 EACH Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS:8931 I.S. mm nominal bore. = 10 EACH Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS:8931 I.S. mm nominal bore. = 10 EACH Rs. Four hundred ninety seven only. Rs. Six hundred seventy and paise seventy only. Rs. Six hundred seventy and paise seventy only. Rs. Six hundred seventy and paise seventy only. Rix.		18	892		6	10 000		1		Rs. Two hundred fifty
B.S.R 18.49 Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI :12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.			,,, <u>,</u>	20 mm nominal outer dia Pipes		10.000	meti	re 251.1	00	one only.
levels) polyethylene water storage tank ISI :12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. = 4000 PER LITER Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 15 mm nominal bore. = 12 EACH Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS:8931 18.52.1 15 mm nominal bore. = 10 EACH 71 SOR Providing and fixing P.T.M.T. grating of approved quality & colour SOR circular type		68 B.	SR		4	000 01	mate			Rs. One hundred forty six
12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. = 4000 PER LITER		- 1		levels) and placing on terrace (at all f		0.000	metr	e 146.4	00	and paise forty only.
locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for lank. = 4000 PER LITER Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 15 mm nominal bore. = 12 EACH Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS:8931 18.52.1 15 mm nominal bore. = 10 EACH 71 SOR Providing and fixing P.T.M.T. grating of approved quality & colour SOR circular type Rs. Six and paise eighty only. Rs. Four hundred ninety seven only. Rs. Four hundred ninety seven only. Rs. Six hundred seventy and paise seventy only.				POLYCLIIVIETE Water at-						
holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. = 4000 PER LITER Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 I5 mm nominal bore. = 12 EACH Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS:8931 18.52.1										
without fittings and the base support for tank. = 4000 PER LITER Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 15 mm nominal bore. = 12 EACH Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS:8931 18.52.1 15 mm nominal bore. = 10 EACH Rs. Six and paise eighty only. Rs. Four hundred ninety seven only. Rs. Four hundred ninety seven only. Rs. Six and paise eighty only.				all all gement and mail:	- 1					
tank. = 4000 PER LITER Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 15 mm nominal bore. = 12 EACH Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS:8931 18.52.1 15 mm nominal bore. = 10 EACH Rs. Four hundred ninety seven only. Rs. Four hundred ninety seven only. Rs. Four hundred ninety seven only. Rs. Six hundred seventy and paise seventy only. Rs. Six hundred seventy and paise seventy only. Rs. Six hundred seventy and paise seventy only. SOR 18.58.1 circular type									F	Rs. Six and naise eight.
= 4000 PER LITER Solution				Tittings and the base support	for				0	nly.
B.S.R 18.49 Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 15 mm nominal bore. = 12 EACH Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS:8931 18.52.1 I5 mm nominal bore. = 10 EACH 70 B.S.R 18.52 Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS:8931 18.52.1 I5 mm nominal bore. = 10 EACH Rs. Four hundred ninety seven only. Rs. Six hundred seventy and paise seventy only. Rs. Six hundred seventy and paise seventy only. SOR 18.58 Circular type										
B.S.R 18.49 Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 15 mm nominal bore. = 12 EACH 70 B.S.R 18.52 Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS:8931 18.52.1 I5 mm nominal bore. = 10 EACH 71 SOR 18.58 Providing and fixing P.T.M.T. grating of approved quality & colour SOR circular type		-					per			
15 mm nominal bore. = 12 EACH 70 B.S.R 18.52 Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS: 8931 18.52.1 15 mm nominal bore. = 10 EACH 71 SOR 18.58 Providing and fixing P.T.M.T. grating of approved quality & colour SOR 18.58.1 circular type	6	0.5		Providing and fixing C.P. brass bib.	400	0.000		6,800		
15 mm nominal bore. = 12 EACH 70 B.S.R 18.52 Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS: 8931 18.52.1 15 mm nominal bore. = 10 EACH 71 SOR 18.58 Providing and fixing P.T.M.T. grating of approved quality & colour SOR 18.58.1 circular type		18.4	19	approved quality conforming to 15:2021	of			-		
B.S.R 18.52 Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS: 8931 18.52.1 I5 mm nominal bore. = 10 EACH Providing and fixing P.T.M.T. grating of approved quality & colour SOR 18.58.1 circular type					-					
SOR 18.58 Providing and fixing P.T.M.T. grating of 10.000 Each 497.000 Rs. Four hundred ninety seven only.				15 mm nominal bore.						
18.52 Concealed of standard design and of approved make conforming to IS: 8931 18.52.1 15 mm nominal bore. = 10 EACH 10.000 Each 670.700 Rs. Six hundred seventy and paise seventy only. SOR 18.58 Providing and fixing P.T.M.T. grating of approved quality & colour Circular type Circular type Circular type Concealed of standard design and of approved Concealed of standard design and of approved make conforming to IS: 8931 Rs. Six hundred seventy and paise seventy only. Concealed of standard design and of approved make conforming to IS: 8931 Rs. Six hundred seventy and paise seventy only. Concealed of standard design and of approved make conforming to IS: 8931 Concealed of standard design and of approved make conforming to IS: 8931 Concealed of standard design and of approved make conforming to IS: 8931 Concealed of standard design and of approved make conforming to IS: 8931 Concealed of standard design and of approved make conforming to IS: 8931 Concealed of standard design and of approved make conforming to IS: 8931 Concealed of standard design and of approved make conforming to IS: 8931 Concealed of Approved make conforming to IS: 8931 Conceale	70			= 12 EACH					Re	Fourth
18.52.1 15 mm nominal bore. = 10 EACH 10.000 Each 670.700 Rs. Six hundred seventy and paise seventy only. SOR 18.58 Providing and fixing P.T.M.T. grating of approved quality & colour SOR 18.58.1 circular type	/0	D.D.,		Providing and fixing C.P. bross at	12.0	000	Each	497,000	Sei	ven only
18.52.1 15 mm nominal bore. = 10 EACH 10.000 Each 670.700 Rs. Six hundred seventy and paise seventy only. SOR 18.58 SOR 18.58.1 Circular type		18.5	- 1	Standard docing	k			1,1000	150,	ven only.
18.52.1 15 mm nominal bore. = 10 EACH Rs. Six hundred seventy and paise seventy only. Rs. Six hundred seventy and paise seventy only. SOR 18.58 SOR Circular type Circular t			-	approved make conforming to IS: 8021	of]					
71 SOR Providing and fixing P.T.M.T. grating of approved quality & colour SOR 18.58 Circular type Rs. Six hundred seventy and paise seventy only.		10.50								
71 SOR 18.58 Providing and fixing P.T.M.T. grating of approved quality & colour SOR 18.58.1 circular type		18.52.	- 1	5 mm nominal bore.						
SOR 18.58 Providing and fixing P.T.M.T. grating of approved quality & colour SOR 18.58.1 Circular type				= 10 EACH						
SOR 18.58 Providing and fixing P.T.M.T. grating of approved quality & colour SOR 18.58.1 circular type									Rs.	Six hundred seventy
SOR circular type	71	1	P	roviding and fixing PTMT	10.00	00	Each	670.700	and	paise seventy only.
SOR 18.58.1 circular type		18.58	a	oproved quality & colour				070.700	-	
18.58.1		~ -								
			ci	rcular type						
		18.58.1								
	-									
1.00 mm 100mm 413		SOR	10	0 mm nominal dia						
18.58.1.1 Each		18.58.1.1		,	11	Eac	h			
Rs Forty source								17.00	Rs F	Orty savan and
Rs. Forty seven and paise ninety only.								47.90	ninety	only seven and paise
and young.										only.

Shaileholes times

Chief Engineer

B.S.E.I.D.C. Ltd, Paina

126. 3/06/17

	$\overline{}$
	\sim
/	

Too mm dia R.C.C. pipe = 15 METER 15.000 metre 312.900 312	72	B.S.R 19.2.1	Providing and laying cement concribination of the stone aggregate 40 mm nominal size) a round S.W. pipes including bed concrete per standard design: 100 mm diameter S.W. pipe = 50 METER	led			Rs. Three hundred twel and paise fifty only.
19.27.1 Constructing brick masonry road gully chamber 50x45x60 cm with bricks in cement mortar 1:4 (1cement : 4 coarse sand) including 500x450 mm pre-cast R.C.C. horizontal grating with frame complete as per standard design : With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	73		jointed with stiff mixture of cement mortal in the proportion of 1:2 (1 cement : 2 fine complete: 100 mm dia R.C.C. pipe	rs or	metre	312.500	Rs. Three hundred twelve
2.000 Each 3117.300		19.27.1	cement mortar 1:4 (1cement : 4 coarse sand) including 500x450 mm pre-cast R.C.C. horizontal grating with frame complete as per standard design : With common burnt clay F.P.S. (non modular) bricks of class designation 7.5				Rs. Three thousand one hundred seventeen and paise thirty only.

Shailands firms

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Skehoudhler

13/6 | 13/06 | 17

75	B.S.R Contructing brick masonry c	chamber for		
	19.30.1.1 Underground C.I. Inspection C bend with 75 class designation cement mortar 1:4 (1 cement sand) C.I. Cover with frame (455x610 mm internal diment weight of cover with frame to than 38 kg. (weight of cover 2 weight of frame 15 kg.) RCC top 1:1.5:3 mix (1 cement: 1.5 coars graded stone aggregate 20 mm size) foundation concrete 1:5:11 cement:5 coarse sand : 10 gradaggregate 40 mm nominal size plastering 12 mm th. with cement reflectment:3 coarse sand) finished with a floating coat of neat cement and bed concrete etc. complete standard design. Inside dimensions 466x610 mm and deep for single pipe line: With common burnt clay F.P.1 modular) bricks of class designation = 6 EACH	chamber for Chamber and on bricks in : 4 coarse (light duty) tions, total be not less 23 kg. and p slab with rise sand :3 n nominal 0 mix (1 ided stone ie), inside mortar 1:3 d smooth t on walls e as per and 45cm in S. (non in 7.5		Rs. Three thousand nine hundred forty nine and paise ten only.
19.	Making soak pit 2.5 m diameter 3.deep with 45 x.45 cm dry brick hone shaft with brick and S.W. drain pimm diameter, 1.8 m long complete standard design. With common burnt clay F.P.S. modular) bricks of class designation 7 = 1 EACH	ey comb ipe 100 e as per . (non 7.5	Each 39	Rs. Twenty five thousand nine hundred and paise ten only.
77 B.S. 19.3	in manholes with stiff mixture of ce mortar 1:1 (1 cement : 1 fine sincluding testing of joints etc. complete	ement	Each 25900).100
19.34.	1.1 100 mm dia = 2 EACH	2.000 E	Each 283.80	Rs. Two hundred eighty three and paise eighty only.

Shailends times

	78	Detailed Fee:		30				
		Detailed Estimate for construction	of 125	-				
		mm x 40 mm x 90 mm Tube well Boring	Manual					Do Cint d
		- 3.1115						Rs. Sixty thousand
	79 AN	= 1 EACH		1.00	^ F			hundred thirty two a
	7 11 4	ALYSIS NON SCHEDULED ITEMS(MA	RKET	1.00	U E	ach 6043	2.650	paise sixty five only
		[TOTTL)	THE I					
		= EACH						
		P.V.C. PIPE						
		= EACH						
		Provding and fixing soil, waste and						
		pipes many son, waste and	vent					
		= EACH					8	
		110 mm dia						
		= 40 EACH						Rs. Three hundred for
		P.V.C. FITTINGS		40.000	met	re 347.0	000	seven and only.
		= EACH						on and only.
		DOOR TEE 110 mm dia				-		
		= 4 EACH					R	S Throab
		DOOR BEND 110 mm dia		4.000	eacl	365.00	00 fi	Rs. Three hundred sixtive only.
		= 8 EACH				- 55.00	_	
				000			R	s. Two hundred eight
		BEND 45° 110 mm dia	- 8	3.000	each	283.00	00 th	aree only.
		= 10 EACH	10	0000				s. One hundred eighty
		VENT COWEL 110 mm dia	10	0.000	each	185.00	0 fiv	ve only.
		= 3 EACH	2*	000		Separate Control of the Control of t	- 1	
		PIPE CLIP 110 mm dia	3.	.000	each	65.000	Rs	S. Sixty five only.
		= 100 EACH	100	0000		Market Control		
		FLOOR TRAP 110X110 mm dia	100	0.000	each	53.000	Rs	. Fifty three only.
		- 10 EACH	400	Salar Salar				
80	Code no	of (i) C.I. cover and frame 300 x 300 m	10.	000	each	126,000	leiv	Four hundred thirty only.
	1352	inside and frame 300 x 300 m	nm	Morrison	24011	436.000		
		SEPTIC TANK = 1 EACH	4			Separate Sep	Rs.	Three hundred
81	C- 1						seve	enty four and paise si
01	Code no.	of (ii) S.C.I. plain bend 100 mm dia	1.0	00	Each	374.060	only	V.
	1021	SEPIII $ ANV = 1.5 + 2.5$					Rs	Four hundred thirty
02	Code no.	of [(111) S.C.I. Tee 150 mm dia	1.00	00	Each	436.400	six a	and paise forty only
	7087	SEPTIC TANK = 1 EACH					Rs	Seven hundred forty
+			1.00				eight	t and paise eleven
-			1.00	00	Each	748.110	only.	and paise eleven
_			-			Total		
-			/					348,404.98
-						Total (B)		240 405
						(3)		348,405.00
		Electrical Works (1% labour cess has						
		been added on current DSR-2014)						
		on current DSR-2014)	1			1		

Shailends times

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Jk.hu.l.///

13/6

13/06/17

8.	3 1.1	ont willing in PVC Conduit with	31 Modular	•		
		type Switch:-	riviodular			
		Wiring for light point/ fan point/ ex				
		With 1.5 sq.mm FRIS BVC	insulated			
		I I I I I I I I I I I I I I I I I I I				
		core cable in surface / recessed class PVC conduit,				
		with modular switch, modular at a	0			
						1
		the point with 1.5 sq.mm. FRLS	S PVC			
		single core cable etc as required.			×	
		as required.				
	1.10.3	Group C				
			-			Rs. Seven hundred
84	1.11	Twin Control D	119.0	00 Nos.	725.15	twenty five and paise
		Twin Control Point Wiring in PVC Cowith Modular type Switch:-	onduit,	1105.	725.18	0 eighteen only.
+						
		Wiring for twin control light point win sq.mm FRLS PVC	th 1.5			
		insulated copper conductor single core in surface / recessed			×	
		medium class PVC conduit 2	dular			
						Rs. Seven hundred
		suitable GI box and earthing the point 1.5 sq.mm. FRLS				seventy seven and paise
		PVC insulated conner conducts : .	Coro			seventy only.
		cable etc as required	COTE			
35	1.31	Supply and Fixing Light Plug Point v	3.000	Nos.	777.700	
		Modular Type Accessories:-	vith		777.700	
		Supplying and fixing suitable size GI t with modular plate and	DOX			
		cover in front on surface.				
	1	ixing 3 pin 5/6 amps modular socket out nd 5/6 amps modular	let			D. Ti
	S	witch, connection etc. of the connection etc.				Rs. Three hundred six
		e F-985 to be likeli in	or			and paise three only.
	no	on residential buildings).				
			25.000	Nos.	306.030	

Shailehols turns

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

13/6.

13/6.

	86	1.32	Supply and Fixing Power Plu	g Point with	2			
			Modular Type Accessories:-					
		re 15	upply and Fixing GI box whate and cover in front on success including providing and for fixed for the fixed formulation of the fixed formulation o	irface or in ixing 6 pin,				P. Final
87	7 2.	18 Sup	inting etc as required. pply & fixing 20A SPN MCB		000 N	los. 590	.000	Rs. Five hundred nin only.
		sockencl alon shee on s cove out testin	oplying and fixing 20 amps, industrial type, ket outlet, with 2 pole and ear losed plug top gwith 20 amps "C" curve, SP, it steel enclosure, urface or in recess, with chain in for the socket let and complete with contag and commissioning is required	MCB, in			[th	Rs. Nine hundred sixty hree and paise fifty founly.
88	1.12	Wiring	g for light/ power plus with a		Nos	963.54	40	
		copper surface alongw insulate copper	conductor single core cal recessed mediumclass PVC c ith 1 No 4 sq. mm FPLs	ble in conduit PVC			Rs. three only	One hundred sixty e and paise sixty two
39	1.24	plate s	ng and fixing following mo tch/ socket on the existing mo witch box / cover inclu ons etc.as required	and the same of th	Mtrs.	163.620		

Shaile nots times

Chief Engineer

3.S.E.I.D.C. Ltd, Patna

13/6.

13/6.

	1.2	24.1	5/6 amps switch.		33					
	1.2	4.4			25.0)00	Г			Rs. Eighty one and eighty one only.
			5 pin, 5/6 amps socket outlet.		23.0	700	Eac	h 8	1.810	
9(0 1.1	4	Circuit / Sub-main wiring in PVC Co	nduit:-	25.0	00	Eac	h 79	9.790	Rs. Seventy nine a paise seventy nine
			Wining C							
			Wiring for circuit / sub-main wiring with earth wire with the following s PVC insulated, copper conductor, core cable in surface/recessed PVC cas required.	izes of						
	1.14.	1 2	2x1.5 Sqmm + 1x1.5 sqmm earth wire							
	1.14.2		2x2.5 Sqmm + 1x2.5 sq mm earth wire		40.000)]	Mtrs.	107.	060	Rs. One hundred sevand paise six only.
									1	Rs. One hundred thir
	1.14.9	1 1 2	x6.0 Sqmm + 2x6.0 sqmm earth wir e used as sub main)	re (to	350.000) N	Atrs.	132.3	0 0	wo and paise thirty only.
	1.14.10		X 10 sq. mm + 2 X 10 sq. mm earth w		54.000		Itrs.	392.8	11	s. Three hundred nin wo and paise eighty r
			F 'C' series SP MCB:-		10.000		trs.	602.9	R	s. Six hundred two a
91	2.10.1	mind ind exis	pplying and fixing 240 volts, 'C' serniature circuit breaker suitable luctive loads of following poles in sting MCR PR	for the				7	μο	ise ninety seven only
	2.10.3	6/32	A ,DP	36	5.000	Eac	h	170.690	and	One hundred sevent paise sixty nine only
2	2.13		TPN MCB:-		000	Eacl	n	463.590	thre	Four hundred sixty e and paise fifty nine
2		DB c	lying and fixing following rating, for 240 volts, isolator in the existing MCI omplete with connections, testing and hissioning etc. as required	1						
		- 11,		3.00	00	Each		76.700	Rs. Si	x hundred seventy d paise seventy

Shailands king

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Jechnul htm

13/6.

13/6.

93	2.	S/F TPN RCCB:-Suppl	ving and fine	34			
		real falling three	phoco - 1				
		i cito, i colullat citra	ant air-				
		I I I I I I I I I I I I I I I I I I I	tirrit				
		300 miliamperes in the complete with connect commissioning etc.					
		commissioning etc. as req	ions, testing and				
		3 etc. 43 fee	uired.				
	2.15	.2 40 Amp.					
							Rs. Two thousand one
94	2.0			2 000			hundred forty four and
1 74	2.8	S/F TP MCB DB:-		3.000	Eac	h 2144.	paise twenty three only
		Supplying and fixing	of following				The stroy times offi
		way,horizontal type three	1201-1				
		Sicci, WICH distrib	Ition 1				
		volts, on surface/recess, tinned copper bus ber	complete with				
		tinned copper bus bar, neut bar, din bar, detachable	ral bus bar, earth				
		mosnhati	700 0001				
		paritied illeliquing earthing	oto -				
		I WILLIAM BY KEER ISOT	ATODIAL				
		Legrand/Anchor/Havells/HF	PL.				
	2.8.5	4 Ways (4+12 ways) double					
		- rays) double	door				
		9					
							P. Correct
							Rs. Seven thousand four
							hundred thirty and paise fifty seven only.
							and seven only.
05	1.33	S/F Ceiling Rose:-	3.0	000	Set	7430.570	
		Superla				The state of the s	
		Supplying and fixing 2 pin c	eiling rose on				
		lare existing innerion boy/					
		including connection etc as req	uired.				Rs. Forty three and paise
		S/F Batten / Angle Holder:-	80.0	00 E	ach	43.430	forty three only.
5 1	1.34					13.430	Re Savaria C
5]							III) Seventy tour - 1
5		Supplying and fixing batten /	27.00	00 Ea	ach	74.740	Rs. Seventy four and
5]		Supplying and fixing batten /	0 1 1 1 1	00 Ea	ach	74.740	paise seventy four only.
		Supplying and fixing batten / including connection etc as requ	angle holder pired.	00 Ea	ach	74.740	paise seventy four only.
		Supplying and fixing batten / including connection etc as requ	angle holder pired.	00 Ea	ach	74.740	paise seventy four only.
		Supplying and fixing batten /	angle holder pired.	00 Ea	ach		paise seventy four only.
		Supplying and fixing batten / including connection etc as requ	angle holder pired.	00 Ea	ach		Rs. Two hundred eighty iix and paise eighty four

Shailendo, termo

Chief Engineer

8.S.E.I.D.C. Ltd, Patna

13/6

13/6

13/06/12

01	6	COPPER EARTH PLATE ELECTRODE:- Earthing with copper earth plate 600mm; 500mmx 3mm thick including acessories and providing masonary enclosure with cover plate having locking arrangement and vatering pipe of 2.7 meter long etc with harcoal/cock and salt as required.	X S D			Rs. Nine thousand three hundred eighty four and paise ninety two only.
01	1.24.6	Telephone socket outlet EARTHING	2.000	Each	95.950	Rs. Ninety five and paise ninety five only.
	1245	Supplying and fixing following modu type switch / socket on the existing modu plate and switch box including connection but excluding modular plate etc as require	lar			
100	1.24	2 pair S/F Modular type Switch / Socket:- Supplying and five Call	50.000	Mtrs.	18.180	Rs. Eighteen and paise eighteen only.
	1.18	Supplying and drawing following pair mm dia FRLS PVC insulated annealed copper conduction the existing surface/ recessed steel/ P conduit as required	0.5 etor,			
99		Telephone Wiring in Existing Conduit:-	110.00	00 Mtrs.	53.530	Rs. Fifty three and pa fifty three only.
	1.21.1	Supplying and fixing of following s medium class PVC conduit along with accessorie surface/recess including cutting the wall and making good the same in of recessed conduit as required.	s in			
9	8 1.2	Supplying and fixing stepped ty regulator on the existing modula switch box including connection excluding modular plate etc as requir	r plate			

Shailenda turna

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Jahan 13/6.

13/6.

13/06//7

10)2 5	5.10 P/F 25 x 5mm coppor and		36			
		P/F 25 x 5mm copper earth strip	in pipe :-				
		Providing and fixing 25 mm X 5 strip in 40 mm dia G I	mm conne	r			
		strip in 40 mm dia G.I.	Соррс				
		pipe from earth electrode connection with brass	including	5			
		nut, bolt, spring, week-	_	1			Rs. One thousand n
		nut, bolt, spring, washer excavatifilling etc. as required.	ion and re-				two and paise eighty
		quired.					only.
103	5.1	4 P/F 25 x 5 mm copper earth strip i		12.000	Mtrs.	1092.82	
		recess:-	in surface/			1092.82	0
		Provid:					
		Providing and fixing 25 mm X 5 mr strip on surface or in	n copper				
				,			Rs. Eight hundred sixt
104		recess for connections etc. as require	ed.	24.000			four and paise fifty six
-		Cable Laying of 1.1 KV & 11 KV :-		24.000	Mtrs.	864.560	only.
	7.1	Laying of one number PVC insula	tod 1			· Comment	
		protective covering and refilling the etc as required.	trench				
	7.1.2	Above 35sq.mm and Upto 95 Sq.mm.					
05						Г) - T
03	14.14	G.I. Pipe for Cable protection:-		0.000	Mtrs.	204.020 a	Rs. Two hundred four
	14.14	Troviding, laving and fining out	ng dia			u	nd paise two only.
		including trenching (75 cm) and refetc.as required. (Road crossing as percondition)	illing				
		condition) (Road crossing as per	site				
-							
14	4.14.2	150 mm dia					
						Do	The
						INS.	Three hundred eighty en and paise eighty
			10.0	1	1	130 1	ul alla Dalce elabtri

Shailends terms

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

12/6.

13/06/19

100	6 9.	1.1 IV (able E-1 T		7		
		1 "PPIJING all(1 making : 1				
		of PVC insulated XLPE Al. Ar. 1.1 KV grade as required.	Cable of			
		as required.				
	9.1.2	2 3.5 Core 50 Sq.mm.				
		5.5 Core 50 Sq.mm.				
107	1000					Rs. Two hundred sev
107	1908 JS	Sq. mm vlne/nva	2.00	00 Ea	ch 272.70	two and paise seventy only.
	2014		nsulated			o lonly.
		(Heavy duty)armoured electric aluminium conducter.	cable			
-		3.5C x 50 Sq.mm 1.1kV				
100		30 Sq.inm 1.1kV				D. Tri
108		S/F HRC fuse type TP&N	100.00	0 Mtrs	s. 391.000	Rs. Three hundred nin
	2.1	disconnector:- Providing	switch		371.000	one only.
		following capacity TP&N dia	fixing			
		diff IIISITE INA AVIATION	r fuse			
		fuses including drilling holes:	1			
		I Connections	ibicle			
		etc. as required.				
-	2.1.2					
	2.1.2	63 amps,TP&N, HRC				
						Rs. Two thousand two
9		S/F Busbar Chamber:-	3.000	Each	1 1	nundred sixty and
	2.5	Busbar Chamber:-		Lacii	2260.380	thirty eight only.
	2.5.3	Providing and five con				
	B.S.R	Providing and fixing following capa	city			
	2000 0	ondinoci will a ctrino - C				
		all capper, neavy duty, complete v	vith			
		Connections	ing		l R	s. Six thousand two
	r	equired. the body, etc	as		h	undred twenty two and
		00 amp.TPN			n	aise sixty one only.
		P. 1111			IP.	STALLY OHE ONLY
						one only.

Shailahala timos

Chief Engineer

B.S.E.I.D.C. Ltd., Patna

Jkehowher

13/6

13/6//1

110 2.7.4 B. S. R. B. S. S. S. S. R. S. S. S. S. R. S.	11	10 2.7	.4 Providing and fixing fall		38			
handle operation, in sheet enclosure in existing metal board, including drilling holes in metal panel, making connections etc. as required. 125 Amps. Four pole 1.000 Each 7907.000 1.000 Each 7907		1	.R pole OFF-load changes	owing capacity four				
existing metal board, including drilling holes in metal panel, making connections etc. as required. 125 Amps, Four pole 111		200	II - Todu Changeon	Pr cuvitale - '11	1			
Rs. Seven thousand hundred seven only 111 6.5 Providing and fixing copper tape 20 mm X 3 mm thick on parapet or surface of wall for lightning conductor complete as required. (For horizontal run) 112 6.6 Providing and fixing copper tape 20 mm X 3 mm thick on parapet or surface of wall for lightning conductor complete as required. 113 2.2 Providing and fixing following reing and breaking capacity MCCB in existing cubicale panel bard including drilling hole cubicale panel making connection etc as required. 2.2.3 160 amp. 16KA FIRE FIGHTING Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit. CARRIAGE OF MATERIALS Type of materials Cement 139,566 MT Rs. Four hundred seven only Rs. Three hundred sevent only Rs. Four hundred ten paids eventy six only. Rs. Four hundred ten paids eventy six only. Rs. Four thousand five hundred sixty five and paise twenty only. Rs. Four thousand five made paids to use, only five and paise twenty only. Total (C) 503,812. Rs. Seven thousand five hundred forty nine and paise seventy five only. Total 75,497,5			mandic operation in a	sheet enclosure in				
etc. as required. 125 Amps, Four pole 1.000 Each 7907.000 1.000 Each 7907.000 Rs. Seven thousand hundred seven only for lightning conductor complete as required. 1.000 Each 7907.000 Rs. Three hundred seventy nine and paise eventy six only. Rs. Four hundred ten as eventy six only. Rs. Four hundred six only. Rs. Four hundred ten as eventy six only. Rs. Four hundred six only. Rs. Four hundred ten as eventy six only. Rs. Four hundred ten			leasting metal board	includi.				
111 6.5 Providing and fixing copper tape 20 mm X 3 mm thick on paraper or surface of wall for lightning conductor complete as required. (For horizontal run) 112 6.6 Providing and fixing copper tape 20 mm X 3 mm thick on paraper or surface of wall for lightning conductor complete as required. (For horizontal run) 113 2.2 Providing and fixing following rteing and breaking capacity MCCB in existing cubicale panel making connection etc as required. 114 DGS&D Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit. 115 CARRIAGE OF MATERIALS 116 Cement 117 Cement 118 Cement 119 Cement 119 Cement 119 Cement 11000 Each 7997.000 Rs. Four thousand five pure with the pressure guage complete in all respects, ready to use, complete in stallation kit. 12000 Nos. 7549.750 Rs. Four thousand five hundred stay five and paise eventy five only. 129 Cement 139.566 MT 12000 Rs. Two hundred seven only 12000 Rs. Total (D) 75.498.00 12000 Rs. Two hundred eighty and paise eight.			metal panel, m	naking connections				Rs. Seven thousand
111 6.5 Providing and fixing copper tape 20 mm X 3 mm thick on parapet or surface of wall for lightning conductor complete as required. (For horizontal run) 112 6.6 Providing and fixing copper tape 20 mm X 3 mm thick on parapet or surface of wall for lightning conductor complete as required. 113 2.2 Providing and fixing follwing rateing and breaking capacity MCCB in existing cubicale panel bord including drilling hole cubicale panel making connection etc as required. 114 DGS&D Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use. 115 CARRIAGE OF MATERIALS 128 Type of materials 129 Total (D) 754,497.55 139.566 MT 289.87 inine and paise eighty			reduited.					hundred seven and
FIRE FIGHTING 1.000 EACH 4565.200 Providing and fixing connection etc as required. 2.2.3 I60 amp. 16KA FIRE FIGHTING 1.000 EACH 4565.200 Providing and fixing connection etc as required in all respects, ready to use, complete installation kit. 1.000 Nos. 7549.750 CARRIAGE OF MATERIALS Type of materials Fivoriang and fixing copper tape 20 mm X 3 mm thick on parapet or surface of wall for lightning conductor complete as required. 80.000 meter 379.760 Rs. Four hundred ten paise six only. Rs. Four hundred ten paise six only. Rs. Four thousand five hundred sixty five and paise twenty only. Total (C) 503.812. Rs. Four thousand five hundred sixty five and paise twenty only. Total (D) 503.812. Rs. Four thousand five hundred sixty five and paise twenty only. Total (C) 503.812. Rs. Four thousand five hundred sixty five and paise twenty only. Total (D) 503.812. Rs. Four thousand five hundred sixty five and paise twenty only. Total (D) 503.812. Rs. Seven thousand five hundred forty nine and paise seventy five only. Rs. Four thousand five hundred sixty five and paise twenty only. Total (D) 503.812. Rs. Seven thousand five hundred forty nine and paise seventy five only. Total (D) 75.498.00 Cess Cement 139.566 MT 289.87 nine and paise eighty			125 Amps, Four pole					randred seven only
FIRE FIGHTING 1.000 EACH 4565.200 Providing and fixing connection etc as required. 2.2.3 I60 amp. 16KA FIRE FIGHTING 1.000 EACH 4565.200 Providing and fixing connection etc as required in all respects, ready to use, complete installation kit. 1.000 Nos. 7549.750 CARRIAGE OF MATERIALS Type of materials Fivoriang and fixing copper tape 20 mm X 3 mm thick on parapet or surface of wall for lightning conductor complete as required. 80.000 meter 379.760 Rs. Four hundred ten paise six only. Rs. Four hundred ten paise six only. Rs. Four thousand five hundred sixty five and paise twenty only. Total (C) 503.812. Rs. Four thousand five hundred sixty five and paise twenty only. Total (D) 503.812. Rs. Four thousand five hundred sixty five and paise twenty only. Total (C) 503.812. Rs. Four thousand five hundred sixty five and paise twenty only. Total (D) 503.812. Rs. Four thousand five hundred sixty five and paise twenty only. Total (D) 503.812. Rs. Seven thousand five hundred forty nine and paise seventy five only. Rs. Four thousand five hundred sixty five and paise twenty only. Total (D) 503.812. Rs. Seven thousand five hundred forty nine and paise seventy five only. Total (D) 75.498.00 Cess Cement 139.566 MT 289.87 nine and paise eighty								
112 6.6 Providing and fixing copper tape 20 mm X 3 mm thick on parapet or surface of wall for lightning conductor complete as required. 113 2.2 Providing and fixing follwing reting and breaking capacity MCCB in existing cubicale panel bord including drilling hole cubicale panel making connection etc as required. 2.2.3 160 amp. 16KA FIRE FIGHTING DGS&D Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use. CARRIAGE OF MATERIALS Type of materials Cement 139.566 MT 289.87 Rs. True hundred seventy nine and paise venty six only. Rs. Four thousand five hundred ten paise six only. Rs. Four thousand five hundred sixty five and paise twenty only. Rs. Four thousand five hundred sixty five and paise twenty only. Rs. Four thousand five hundred sixty five and paise twenty only. Total (C) 503.812. Rs. Seven thousand five hundred forty nine and paise seventy five only. Rs. Four thousand five hundred sixty five and paise twenty only. Total (C) 503.812. Rs. Seven thousand five hundred forty nine and paise seventy five only. Rs. Four thousand five hundred sixty five and paise twenty only. Rs. Four thousand five hundred sixty five and paise twenty only. Total (C) 503.812. Rs. Four thousand five hundred sixty five and paise twenty only. Rs. Four thousand five hundred sixty five and paise twenty only. Rs. Four thousand five hundred sixty five and paise twenty only. Rs. Four thousand five hundred sixty five and paise twenty only. Rs. Four thousand five hundred sixty five and paise twenty only. Rs. Total (C) 503.812.	111	6.5	Providing and C.		1.000	Fa	ah 7007	
or surface of wall for lightning conductor complete as required. (For horizontal run) 80.000 meter 379.760 Rs. Three hundred seventy six only. 80.000 meter 379.760 Rs. Four hundred ten paise six only. Rs. Four thousand five paise six only. Rs. Four thousand five paise six only. 113 2.2 Providing and fixing following reting and breaking capacity MCCB in existing cubicale panel bord including drilling hole cubicale panel making connection etc as required. 2.2.3 160 amp. 16KA Rs. Four thousand five hundred sixty five and paise twenty only. FIRE FIGHTING Total (C) 503.812. Rs. Seven thousand five hundred sixty five and paise twenty only. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit. CARRIAGE OF MATERIALS Type of materials Type of materials Cement 139.566 MT Rs. Three hundred seventy nine and paise seventy six only. Rs. Four thousand five hundred forty five and paise seventy five and paise seventy five only. Rs. Seven thousand five hundred forty nine and paise seventy five only. Total (D) 75.498.00 Rs. Two hundred eighty nine and paise eighty nine and paise eighty			3 mm think	per tape 20 mm X		Lu	/907.0	000
(For horizontal run) (For horizontal five hundred eighty hine and paise seventy six only. (For horizontal run) (For horizontal run) (For horizontal five hundred visit pressure and paise twenty only. (For horizontal run) (For horizontal			15 mill tillek oll paranet					
(For horizontal run)			or surface of wall for lig	ghtning conductor				
Cement 139.566 Cement Cem			piete as required.	8 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6 -				Rs. Three hundred
Seventy six only. 112 6.6 Providing and fixing copper tape 20 mm X or surface of wall for lightning conductor complete as required. 113 2.2 Providing and fixing follwing reeing and breaking capacity MCCB in existing cubicale panel bord including drilling hole cubicale panel making connection etc as required 2.2.3 160 amp. 16KA 1.000 EACH 4565.200 EACH 4565.20			(For horizontal run)					seventy nine and pair
112 6.6 Providing and fixing copper tape 20 mm X 3 mm thick on parapet or surface of wall for lightning conductor complete as required. 30,000 meter 410,060 Rs. Four hundred ten paise six only.								seventy six only
113 2.2 Providing and fixing copper tape 20 mm X 3 mm thick on parapet or surface of wall for lightning conductor complete as required. 2.2 Providing and fixing follwing rteing and breaking capacity MCCB in existing cubicale panel bord including drilling hole cubicale panel making connection etc as required. 2.2.3 160 amp. 16KA FIRE FIGHTING DGS&D Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit. DGS&D CARRIAGE OF MATERIALS Type of materials Type of materials Type of materials Total (D) Ras. Four thousand five houndred sixty five and paise twenty only. Rs. Four thousand five houndred sixty five and paise twenty only. Total (C) S03,812. Rs. Seven thousand five hundred forty nine and paise seventy five only. Rs. Four thousand five houndred sixty five and paise eighty nine and paise eighty	112	6.6			90,000			
Providing and fixing follwing reing and breaking capacity MCCB in existing cubicale panel bord including drilling hole cubicale panel making connection etc as required. 2.2.3 160 amp. 16KA FIRE FIGHTING Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit. CARRIAGE OF MATERIALS Type of materials Rs. Four hundred ten paise six only. Rs. Four thousand five hundred sixty five and paise twenty only. Total (C) 503,812. Rs. Seven thousand five hundred forty nine and paise seventy five only. Rs. Seven thousand five hundred forty nine and paise seventy five only. Rs. Four thousand five hundred sixty five and paise twenty only. Total (C) 503,812. Rs. Seven thousand five hundred forty nine and paise seventy five only. Rs. Four thousand five hundred sixty five and paise eighty nine and paise eighty nin	112	0.0	Providing and fixing copp	er tane 20 mm V	80.000	met	er 379.76	0
or surface of wall for lightning conductor complete as required. 2.2. Providing and fixing follwing rteing and breaking capacity MCCB in existing cubicale panel bord including drilling hole cubicale panel making connection etc as required. 2.2.3 160 amp. 16KA FIRE FIGHTING Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit. DGS&D CARRIAGE OF MATERIALS Cement Cement Rs. Four thousand five hundred sixty five and paise twenty only. Rs. Four thousand five hundred sixty five and paise twenty only. Rs. Four thousand five hundred sixty five and paise twenty only. Total (C) 503,812. Rs. Seven thousand five hundred forty nine and paise seventy five only. Rs. Four thousand five hundred sixty five and paise twenty only. Total (D) 75,497.50 Total (D) 75,498.00 Rs. Two hundred eighty nine and paise eighty nine and paise eighty nine and paise eighty			15 mill tillek on paranet					
Providing and fixing follwing rteing and breaking capacity MCCB in existing cubicale panel bord including drilling hole cubicale panel making connection etc as required 2.2.3 160 amp. 16KA FIRE FIGHTING DGS&D Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit. DGS&D CARRIAGE OF MATERIALS Type of materials 30.000 meter 410.060 BRs. Four thousand five hundred sixty five and paise twenty only. Total (C) 503,812. Rs. Seven thousand five hundred forty nine and paise seventy five only. Total 75,497.50 Total (D) 75,498.00 Rate Incl. 1% Lab. Cess Cess Rs. Two hundred eighty nine and paise eighty nine and paise eighty			or surface of wall for lig	htning	Service Servic		-	Do Do I
2.2.2 Providing and fixing follwing rteing and breaking capacity MCCB in existing cubicale panel bord including drilling hole cubicale panel making connection etc as required 2.2.3 160 amp. 16KA I.000 EACH 4565.200 Rs. Four thousand five hundred sixty five and paise twenty only. FIRE FIGHTING Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit. CARRIAGE OF MATERIALS Type of materials Cement 139.566 MT 289.87 Rs. Four thousand five hundred sixty five and paise twenty only. Total (C) 503,812. Rs. Seven thousand five hundred forty nine and paise seventy five only. Total (D) 75,497.50 Rate Incl. 11% Lab. Cess Rs. Two hundred eighty nine and paise eighty			complete as required	nuning conductor				ks. Four hundred ten
Providing and fixing follwing rteing and breaking capacity MCCB in existing cubicale panel bord including drilling hole cubicale panel making connection etc as required 2.2.3 160 amp. 16KA PRS. Four thousand five hundred sixty five and paise twenty only. FIRE FIGHTING DGS&D Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit. DGS&D CARRIAGE OF MATERIALS Type of materials	113	2.2			30.000	im at a		paise six only.
cubicale panel bord including drilling hole cubicale panel making connection etc as required 2.2.3 160 amp. 16KA FIRE FIGHTING 1.000 EACH 4565.200 Parallel set with pressure guage complete in all respects, ready to use, complete installation kit. CARRIAGE OF MATERIALS Total (D) CARRIAGE OF MATERIALS Rs. Four thousand five hundred sixty five and paise twenty only. Rs. Seven thousand five hundred forty nine and paise seventy five only. Rs. Seven thousand five hundred forty nine and paise seventy five only. Total (D) 75,497.50 Rate Incl. 1% Lab. Cess Cement 139.566 MT 289.87 Rs. Four thousand five hundred sixty five and paise twenty only. Rs. Seven thousand five hundred forty nine and paise seventy five only. Rate Incl. 1% Lab. Cess Rs. Two hundred eighty nine and paise eighty		2.2	Providing and fixing folly	Tites on the state of the state	30.000	mete	er 410.060)
2.2.3 160 amp. 16KA In the second connection etc as required 2.2.3 160 amp. 16KA In the second connection etc as required In the second connection etc. In the se			Capacity McC	D :				
2.2.3 160 amp. 16KA I.000 EACH 4565.200 FIRE FIGHTING Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit. CARRIAGE OF MATERIALS Type of materials Rs. Four thousand five hundred sixty five and paise twenty only. FIRE FIGHTING Total (C) 503,812. Rs. Seven thousand five hundred forty nine and paise seventy five only. Total (D) 75,497.5 Rate Incl. 11% Lab. Cess Cement 139.566 MT 289.87 Rs. Two hundred eighty nine and paise eighty			panel pord includi	ina 1.111.				
2.2.3 160 amp. 16KA I.000 EACH 4565.200 FIRE FIGHTING Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit. CARRIAGE OF MATERIALS Type of materials Type of materials Rs. Four thousand five hundred sixty five and paise twenty only. Rs. Seven thousand five hundred forty nine and paise seventy five only. Rs. Seven thousand five hundred forty nine and paise seventy five only. Rate Incl. 1% Lab. Cess Cement 139.566 MT 289.87 Rs. Two hundred eighty nine and paise eighty nine and paise eighty nine and paise eighty			pariet making con	nnection etc.				
FIRE FIGHTING Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit. CARRIAGE OF MATERIALS Type of materials Rs. Four thousand five hundred sixty five and paise twenty only. Rs. Seven thousand five hundred forty nine and paise seventy five only. Rs. Seven thousand five hundred forty nine and paise seventy five only. Rs. Seven thousand five hundred forty nine and paise seventy five only. Rs. Seven thousand five hundred forty nine and paise seventy five only. Rate Incl. 1% Lab. Cess Cement 139.566 MT 289.87 Rs. Two hundred eighty nine and paise eighty			required	incetion etc as				
FIRE FIGHTING 14 DGS&D Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit. 10.000 Nos. 7549.750 CARRIAGE OF MATERIALS Total (D) 75,497.55 Cement 139.566 MT 289.87 Rs. Four thousand five hundred sixty five and paise twenty only. Rs. Seven thousand five hundred forty nine and paise seventy five only. Rs. Seven thousand five hundred forty nine and paise seventy five only. Rs. Seven thousand five hundred forty nine and paise seventy five only. Rs. Seven thousand five hundred forty nine and paise seventy five only. Rs. Seven thousand five hundred forty nine and paise seventy five only. Rate Incl. 1% Lab. Cess								
FIRE FIGHTING 14 DGS&D Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit. 10.000 Nos. 7549.750 CARRIAGE OF MATERIALS Total (D) 75,497.55 Cement 139.566 MT 289.87 Rs. Four thousand five hundred sixty five and paise twenty only. Rs. Seven thousand five hundred forty nine and paise seventy five only. Rs. Seven thousand five hundred forty nine and paise seventy five only. Rs. Seven thousand five hundred forty nine and paise seventy five only. Rs. Seven thousand five hundred forty nine and paise seventy five only. Rs. Seven thousand five hundred forty nine and paise seventy five only. Rate Incl. 1% Lab. Cess		2.2.3	160 amp 16K A					
FIRE FIGHTING Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit. CARRIAGE OF MATERIALS Type of materials Cement 1.000 EACH 4565.200 hundred sixty five and paise twenty only. Total (C) 503,812. Rs. Seven thousand five hundred forty nine and paise seventy five only. Total (D) 75,497.50 Rate Incl. 1% Lab. Cess Rs. Two hundred eighty nine and paise eighty nine and paise eighty			Too amp. TONA					
FIRE FIGHTING Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit. CARRIAGE OF MATERIALS Type of materials Cement 1.000 EACH 4565.200 hundred sixty five and paise twenty only. Total (C) 503,812. Rs. Seven thousand five hundred forty nine and paise seventy five only. Total (D) 75,497.50 Rate Incl. 1% Lab. Cess Rs. Two hundred eighty nine and paise eighty nine and paise eighty								Rs. Four thousand five
FIRE FIGHTING Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit. CARRIAGE OF MATERIALS Type of materials Cement Cement FIRE FIGHTING FIRE FIGHTING Total (C) 503,812. Rs. Seven thousand five hundred forty nine and paise seventy five only. Rs. Seven thousand five hundred forty nine and paise seventy five only. Total 75,497.50 Rate Incl. 1% Lab. Cess Rs. Two hundred eighty nine and paise eighty				,				hundred sixty five and
FIRE FIGHTING 14 DGS&D Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit. 10.000 Nos. 7549.750 Total (D) 75,497.5 Total (D) 75,497.5 Type of materials Cement 139.566 MT 289.87 Rs. Two hundred eighty nine and paise eighty					.000	EACH	4565.200	paise twenty only
DGS&D Brand new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit. 10.000 Nos. 7549.750 Total 75,497.5 CARRIAGE OF MATERIALS Type of materials Rate Incl. 1% Lab. Cess Cement 139.566 MT 289.87 Rs. Seven thousand five hundred forty nine and paise seventy five only.			FIRE FIGHTING		and the same of th	-		Sing only.
Braild new ISI marked Life Guard ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit. 10.000 Nos. 7549.750 Total 75,497.5 CARRIAGE OF MATERIALS Type of materials Rate Incl. 1% Lab. Cess Cement 139.566 MT 289.87 Rs. Seven thousand five hundred forty nine and paise seventy five only.	14 I	DGS&D	Duand				Total (C	503,812.
Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit. 10.000 Nos. 7549.750 Total 75,497.5 CARRIAGE OF MATERIALS Type of materials Cement Type of materials		JUGULD	Brand new ISI marked Life	e Guard ABC				
CARRIAGE OF MATERIALS Type of materials Cement Total Total Rs. Seven thousand five hundred forty nine and paise seventy five only. Rs. Seven thousand five hundred forty nine and paise seventy five only. Total Total (D) Rate Incl. 1% Lab. Cess Rs. Two hundred eighty nine and paise eighty			Type mullipurpose Fire Extino	sui-1 4 vs				
Complete in all respects, ready to use, complete installation kit. 10.000 Nos. 7549.750 Total 75,497.5 CARRIAGE OF MATERIALS Type of materials Rate Incl. 1% Lab. Cess Cement 139.566 MT 289.87 Rs. Two hundred eighty nine and paise eighty			Toupacity, Illed With no	00000				
Total 75,497.50 CARRIAGE OF MATERIALS Total 75,497.50 Total 75,498.00 Type of materials Cement Total 75,497.50 Rate Incl. 1% Lab. Cess Cess Rs. Two hundred eighty nine and paise eighty			complete in all respects "	ready to use				Rs. Seven thousand five
Total 75,497.5 CARRIAGE OF MATERIALS Total 75,497.5 Total 75,498.0 Rate Incl. 1% Lab. Cess Cement 139.566 MT 289.87 Rs. Two hundred eighty nine and paise eighty			complete installation kit	cady to use,				hundred forty nine and
10.000 Nos. 7549.750								paise seventy five only
Total 75,497.5 CARRIAGE OF MATERIALS Total (D) 75,498.0 Type of materials Rate Incl. 1% Lab. Cess Cement Total (D) 75,498.0 Rate Incl. 1% Lab. Cess Rs. Two hundred eighty nine and paise eighty				10.	000	Nos	7540 750	Janes Only.
CARRIAGE OF MATERIALS Total (D) 75,498.00 Type of materials Rate Incl. 1% Lab. Cess Cement 139.566 MT 289.87 Rs. Two hundred eighty nine and paise eighty						1103.		
Type of materials Cement Total (D) 75,498.00 Rate Incl. 1% Lab. Cess Rs. Two hundred eighty nine and paise eighty						-		75,497.5
Type of materials Rate Incl. 1% Lab. Cess Cement 139.566 MT 289.87 Rs. Two hundred eighty nine and paise eighty	_		CARRIAGE OF MATERIAL	LS			Total (D)	
Cement 139.566 MT 289.87 Rs. Two hundred eighty nine and paise eighty	5							
Cement 1% Lab. Cess Rs. Two hundred eighty nine and paise eighty		- /	Type of materials				Rate Incl.	
Cement Cess Rs. Two hundred eighty nine and paise eighty								
Cement 139.566 MT 289.87 Rs. Two hundred eighty nine and paise eighty								
139.566 MT 289.87 nine and paise eighty			Camant					
209.87 nine and paise eighty			Cement					
			Cement	139.5	566	МТ	200 07	ks. I wo hundred eighty

Shailends firman

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

13/6.

13/6.

13/06/17

			39			
		Sand	188.45	57 cun	n 652	Rs. Six hundred fift two and paise forty seven Only.
		Local Sand	125.918	8 cum	n 205	T
		Stone Chips	176.279	eum	2364.	Rs. Two Thousand the Hundred sixty four arpaise ninety two only
		Brick	120.253	Thous	601.6	
11	16 ADD EVI	Steel	18.050	MT	289.8	Rs. Two hundred eight nine and paise eighty seven only.
		TRA COST OF MATERIAL FOR PATNA OMM. W.R.T TO GAYA AS PER SOR				To the state of th
	Bricks		120.253	Thous.	250.34	Rs. Two Hundred Fifty and paise Thirty Four only
	Cement		139.566	МТ	798.89	Rs. Seven hundred ninet eight and paise Eighty nine only.
					Total	825,339.9
			Grand T	otal (A+I	Total (E) B+C+D+E)	825,340.00
L.	DISTRICT	NAME OF THE		7441 (12.12	DTCTDTE)	7,469,762.73
, 0.	ROHTA	NAME OF INSTITUTE				Amount (Rs.)
	S	BLOCK RESOURCE CEN				7,469,762.73
		To	otal Cost in	ID I		

Shailende, finner

(Rupees Seventy Four lacs Sixty Four Thousand Six Hundred Eighteen Only) 40 "Details of Sl. No. 78 (Construction of 125mm x 40mm x 90m Tube well) is given below Part 'A' - Cost of Materials 125mm dia UPVC casing pipe confirming to ISS Rs. Three hundred fifteen 27 Meter 315.00 2 40mm dia UPVC pipe confirming to ISS Rs. Ninety nine and paise 48 Meter 99.38 40mm dia PVC ribbed strainer of approved 3 thirty eight only. quality Rs. One hundred eighty 8 Meter 182.00 two only. 4 Reducing socket 125mm x 40mm Rs. Two hundred seventy 1 Each 270.00 only. Supplying all labour and materials & fitting 5 & fixing PVC cap over the new sink T/well Rs. One hundred forty 1 Each 140.00 only. Providing and fixing of G.I pipes complete B.S.R with G.I fittings and clamps, including, Rs. Two hundred twenty 1548 cutting and making good etc 18 mtr 224.44 four and paise forty four 32 mm dia (15% C.P & 1% L.Cess) only. 32 mm nominal bore Bross Full valve B.S.R Rs. Five hundred eleven (15% C.P & 1% L.Cess) 1928 1 Each 511.21 and paise twenty one only. Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser 8 Rs. Twenty six thousand pipe, starter control panel, 1.25" Full way Each 26,446.00 four hundred forty six valve, 1.25" M.S clamp, 1.25" G.I Elbow, only. 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of

Shailevola times

Sub - Total "A"

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Whoulton

13 6

[3[06/17]

46138.37

Part 'B'	- Cost of Labour	41			
	Boring by jet dheki by suitable cutter of reduce as the case may be lowering 125 r x U.P.V.C x 40 mm dia G.I pipe & strain of standard quality iron, shoe, plug & soc etc. all complete including providing all tools and plants required for the job as perspecification and direction of the engineer in charge.	er ket			
	(i) 0 to 30.5 m				
9	(a) For 125 mm dia U.PV.C pipe	27	mtr	208	Rs. Two hundred ei
10	(b) for 40 mm dia UPVC pipe				only.
	(i) 0 to 30.5 m	3.5	mtr	119.	Rs. One hundred nineteen and paise thi
	(ii) 30.5 m to 61.0 m				only.
11	(a) For 40 mm dia UPVC pipe	30.5	mtr	136.8	Rs. One hundred thir six and paise eighty eight
	(iii) 61.00 m to 75.00 m				only.
12	a) For 40mm dia UPVC pipe	14	mtr	148.7	Rs. One hundred forty eight and paise seventy
	(iv) 75.00 m to above				nine only.
13	a) For 40mm dia UPVC ribbed strainer of approved quality	.8	mtr	148.79	Rs. One hundred forty eight and paise seventy nine only.
4	Providing all labour & tools and lowering 32 mm dia G.I pipe as per specificatin etc. all Complete	24	mtr	21.34	D. T.
5	Supplying labour and developing the T/Well to have sand free discharge all complete as per direction of E/I	1	Each	280.50	Rs. Two hundred eighty and paise fifty only.
				ıb - Total	14,294.28
ender an	proved in favour of Shailendra Kumar (C="A+B"	60,432.65

Tender approved in favour of Shailendra Kumar @ 10.00% (Ten Decimal Zero Zero Percent) below BOQ rates i.e. total amount comes to Rs. 67,22,787=00 (Rupees Sixty Seven Lacs Twenty Two Thousand Seven Hundred Eighty Seven Only)

Shailends king

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Jk.hwulloo

13/6

|3/06//]

Performance Security

Name of Agency – "Shailendra Kumar"

Performance Security of "Shailendra Kumar" of "BRC-Dawat, Rohtas(SL. No.-72)"

NSC No. 07EF 758439-57 07EF 758424-38	DOI 28.06.12 28.06.12	Reg No. 526-531 523-526	10000*19 10000*15	SL. No.	<u>Amount</u> 190000.00 150000.00
				Total	340000.00

(Rupees Three Lacs Forty Thousands Only)

लेखा पदाधिकारी 29/5/17 बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०, पटना

Shailends times

बिहार राज्य शक्षाणक आधारभूत संरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम) 43

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना–800004, दूरभाष–0612–2910314 कॉर्पोरेट पहचान संख्याः U80301BR2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2660256,

पत्रांक:- BSEIDC/FIN/2861/2017-18/-3019

पटना, दिनांक...........। १००४। १

प्रेषक.

ब्रजेश प्रसाद मुख्य परामशीं (तकनीकी)

सेवा में

Shailendra Kumar At- Sedaha, Po- Sedaha, Ps- Tarari, Dist- Bhojpur, Bihar.

विषय:-बिहार राज्य अंतर्गत "Construction of Block Resource Centre at Dawat, Rohtas (S.LNo-72) Of Nit No-40/2015-16) के कार्य हेतु जमानत की राशि जमा कर एकरारनामा करने के संबंध में। महाशय,

उपर्युक्त विषय के संबंध में कहना है कि विषयांकित कार्य की निविदा हेतु आपके द्वारा निविदित दर जो परिमाण विप्तृत्र के दर से 10.00% (दस दशमलव शून्य शून्य प्रतिशत) कम है तद्नुसार निविदा की कुल राशि रू० 67,22,787 / - (सडसठ लाख बाईस सात सौ सतासी रूपये) मात्र आपके पक्ष में स्वीकृत की गयी है।

अतः निदेश दिया जाता है कि अग्रधन की राशि रू० 3,37.000/- (तीन लाख सैतिस हजार रूपये) मात्र का सावधि पासंबुक / राष्ट्रीय बचत प्रमाण पत्र के रूप में प्रबंध निदेशक, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०, पटना के नाम से प्रतिज्ञिप्त हो जमा कर अविलंब एकरारनामा कर लें।

(ब्रजेश प्रसाद)

: BSEIDC/FIN/2861/2017-18/- 3019

मुख्य परामशीं (तकनीकी)

पटना, दिनांक १८,०४ । व

प्रतिलिपि : Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC website/Senior Account Officer, BSEIDC, Patna for information & necessary action

मुख्य परामशी (तकनीकी)

ज्ञापांक : BSEIDC/FIN/2861/2017-18/- 3019 प्रतिलिपि : मुख्य अभियंता, BSEIDC को सूचनार्थ एवं आवश्यक कार्रवाई हेतु समर्पित। पटना, दिनांक 13.04.17

ज्ञापांक : BSEIDC/FIN/2861/2017-18/- 3019

मुख्य परामर्शी (तकनीकी)

पटना, दिनांक 13.0417

प्रतिलिपि : प्रबंध निदेशक महोदय, BSEIDC को सूचनार्थ समर्पित।

िमुख्य परामर्शी (तकनीकी)

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Shailends Fray

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

शिक्षा भवन, दिहार राष्ट्रभाष परिषद् परिसर, शिवपूजन सहाय पथा, सैदपुर, पटना—800004, दूरमाष—0612—2910314 कॉपरिट पहचान संख्याः U80301BR2011SGC013859, e-mail bscide@gmail.com. website; www.bscidc.m, Fax No.:0612-2660256,

Letter no.: BSEIDC/NIT/2015-16/- CS 9 5 v

Patina. Date: 300 04 116

Corrigendum No.- 3

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "居-국रतान" on dated 10.02.2016 vide P.R.-12943 (ਜoਜo)15—16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned below :-

110.	Existing provision	
	Period of Sale of Bid Joseph	Amended provision
	from dated 16.04.2016 to 10.05.2016.	Period of Sale of Bid document (Download) from dated 16.05.2016 to 05.05.000
	Date and Time of Pre bid Meeting = 25.04.2016 Pate and Time of Pre bid Meeting = 25.04.2016 Pate and Training = 25.04.2016 P	15:00 Hrs.
	Last date and time 6.5.	Date and 11me of Pre bid Meeting - 25.05.2016, 16:00 Hrs.
	on dated 11.05.2016 (15:00 Hrs.	Last date and time for receipt (Upload) of Bide and
	dated 13, 05.2016 16.30 pt.	Time and date for openion, i.e.
	Mancial Bide on	dated 08. 06.2016, 16:30 Hrs.
		Time and date for opening of Financial Bids on dated 24.06.2016, 15:30 Hzs
	The Cost of BOQ and EMD will be	The Cost of BOQ and EMD will be seen.

The other terms and conditions shall remain unchanged.

Chief Engineer
B.S.E.I.D.C. Ltd, Patna
136.

Chief Consultant (Technical) 30-4-2016 (Brajesh Prasad)

Shailends Firms

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

शिक्षा भवन, विहार राष्ट्रमाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना—800004, दूरभाष—0612—2910314 कॉर्पोरेट पहचान सस्त्रा: (१४०३०। BR2011SGC 015859, e-mail: bseide@gmail.com, website, www.bseide in, Fax No.: 0612-2660256,

Letter no.: BSEIDC/NIT/2015-16/- 2937

Patna, Date: 28-03-2016

Corrigendum No.-2

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 Published in Daily News Paper "हिन्दुस्तान" on dated 10.02.2016 vide P.R.-12943 (नि०नि०)15—16 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in the State of Bihar" the following amendments have been made as mentioned belo

 Existing provision	
Period of Sale of Bid document (Download) from dated 03.03.2016 to 39.03.30.	Amended provision Period of Sale of Bid do
15:00 Hrs. Date and Town of the	dated 16.04,2016 to 10.05,2016,
14:30 Hrs. Date and Time of Pre bid Meeting 15.03.2016, Date and Time of Pre bid Meeting 25 of 2013	Date and Time of Pre bid Meeting 25 at 2007
Last date and time for receipt (Upload) of Bids on dated 29.03.2016. 15.00.	Last date and time for
Time and date for opening of Technical Birts on	dated 11.05.2016.15:00 Hrs.
Time and date for openion of p.	dated 13, 05,2016, 16:30 Hrs
	Time and date for opening of Financial Bids on dated 27.05.2016. 15:30 Harm
The Cost of BOQ and EMD will be accepted up to 13 05 2012	Cepted up to 13 05 2017

The other terms and conditions shall remain unchanged.

Chief Consultant (Technical)

(Brajesh Prasad)

8105. 8. 8 26 16

Chief Engineer

8.S.E.I.D.C. Ltd, Patna

Shailanda tima

बिहार राज्य शैक्षणिक आधारभूत संरवना विकास निगम लि०

(बिहार सरकार का एक उपक्रम)

कॉर्पेरिट पहचान सख्या: U80301BR2011SGC015859, e-mail bseide@gmail.com, website; www bseide.in, Fax No.: 0612-2660256, शिक्षा भवन, विहार राष्ट्रभाषा परिपद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना—800004, दूरभाष—0612—2910314

Letter no.: BSEIDC/N1T/2015-16/- 2 6 3.8

Patna, Date: 17.03.16

Corrigendum No.- 1

With reference to N.I.T. No. 40/2015-16, Dated-03.02.2016 through e-tendering website: www.eproc.bihar.gov.in for the Construction of "Block Resource Centre (BRC) in

3 2 - no.	Existing provision Period of Sale of Bid document (Download) 15:00 Hrs. Last date and time for receipt (Upload) of Bids on dated 29.03.2016,15:00 Hrs. Time and date for opening of Technical Bids on dated 31. 03.2016, 16:30 Hrs.	Period of Sale of Bid document (Download) from dated 03.03.2016 to 28.03.2016, 15:00 Hrs. Last date and time for receipt (Upload) of Bids on dated 29.03.2016, 16:30 Hrs. Time and date for opening of Technical Bids on dated 31. 03.2016, 16:30 Hrs.
	dated 11.04.2016, 15.30 Hr.	Time and date for opening of Financial part
-	15.50 HTS.	dated 17.05.2016, 15:30 Hrs.

The other terms and conditions shall remain unchanged.

Chief Consultant (Technical) (Brajesh Prasad)

Shailands times

SPECIAL CONDITIONS

- 1. The tenderers are required to deposit the earnest money as prescribed in the NIT.
- 2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.
- 3. The rates quoted by the contractor should be inclusive of all taxes royalties and other
- To qualify for award of work, the Bidder must possess the following :-
- a) Legal Status, Place of Registration, Principal place of business & Power of attorney of
- b) DD for required value of B.O.Q. Cost.
- c) Sufficient Earnest Money Deposit.
- d) Certificate from Chartered Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.
- Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed at least one Building work of value not less than 25 % of estimated value of contract) in last five years as mentioned in Technical bid. f) Litigation History as mentioned in Technical bid.
- g) Affidavit as mentioned in Technical bid.
- h) Valid Registration with Central/ State Govt. / PSU.
- i) Valid labour license as mentioned in Technical bid.
- j) Affidavit/Certificate for not been debarred as mentioned in Technical bid.
- 5. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.
- 6. The tender without earnest money or insufficient earnest money submitted with the 7. Conditional tenders shall be outright rejected.
- 8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.
- 9. Authority shall reserve the right to reject any or all the tenders or distribute the work to more than one contractor without assigning any reason.
- 10. Any claim for idle labours on any account shall not be entertained.
- 11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules
- 12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the
- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss
- a. Natural calamities
- b. Act of enemies.

(Seal & Signature of Tenderer) Shailends Grong

Page 1 of 2

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

- c. Transport and procurement difficulties.
- d. Circumstances beyond the control of the state.
- 15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
- 17. The contractor shall make his own arrangement for water and light at the work site.
- 18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 20. The Tenderer must not quote their rate more than 10 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
- 21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 22. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.

----X-----X

23. The Defect liability Period shall be Three (3) Years from the date of completion of the work.

(Seal & Signature of Tenderer)

Shailengly times

Page 2 of 2

बिहार राज्य शैक्षणिक आधारमूत संरचना विकास निगम लिमिटेड

(बिहार सरकार का एक उपक्रम) 49 शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् कैम्पस, आचार्य शिवपुजन सहाय पथ, सैदपुर, पटना–800004 (दूरभाष:–0612–2910314)

निविदा आमंत्रण सूचना संख्या– 40 वर्ष 2015–16 (केवल ई-टेन्डरिंग पद्धति के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

बिहार राज्य के भवन निर्माण कार्य हेतु निम्नांकित निविदायें आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार/सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रजिस्ट्रेशन, उक्त कार्य का लेटर ऑफ

क्रम	काय का नाम	प्राक्क राधि (लाख	रा	अग्रध की रा	श विपत्र व	की Beltron		कार्य समाप्रि
1	BRC Ekma, Saran			(स्र० म	(रू० में	-	₹s.)	की अव
2	BRC Baniyapur, Saran	85.		1,70,40	0 10,00			15 म
3	BRC Masrak, Saran	85.		1,70,40	0 10,00	0,50		
4	BRC Marhowrah, Saran	85.		1,70,40	0 10,000	0,00		15 中 15 中
5	BRC Amnour, Saran	85.2		1,70,40		2,20		
6	BRC, Dariyapur, Saran	85.2		1,70,40		2,20		
7	BRC,Garkha,Saran	85.2		1,70,40		2,20		
8	BRC, Manigachhi, Darbhanga	85.2		1,70,40		- 100		15 मा 15 -
9	BRC, Keoti, Darbhanga	85.2		1,70,400		- 100		15 मा
10	BRC,kusheshwarsthan,Darbhanga	85.2		1,70,400		0,00		15 मा
11	BRC,Ghanshyampur,Darbhanga	85.2		1,70,400		0,00		15 माह
12	BRC,Kiratpur,Darbhanga	85.2		1,70,400	- 0,000	2750		15 माह
13	BRC,Baheri,Darbhanga	85.2		1,70,400	- 0,000	5750		15 माह
14	BRC, Hanumannagar, Darbhanga	85.2		1,70,400	,000	5750		15 माह
15	BRC, Lakhnaur, Madhubani	85.2		1,70,400	-0,000	5750		15 माह
16	BRC,Jhanjharpur,Madhubani	85.2		1,70,400	- 0,000	5750		15 माह
17	BRC,Phulparas,Madhubani	85.2		$\frac{1,70,400}{1,70,400}$	10,000	5750		15 माह
18	BRC,Khutauna,Madhubani	85.2		1,70,400	10,000	5750		15 माह
19	BRC, Khajouli, Madhubani	85.2		1,70,400	10,000	5750		15 माह
20	BRC,Bisfi,Madhubani	85.2		1,70,400		5750		5 माह
21	BRC,Rahika,Madhubani	85.2		1,70,400	10,000	5750	1	5 माह
22	BRC Harlakki M. H.	85.2		,70,400	10,000	5750	1	5 माह
23	BRC, Harlakhi, Madhubani	85.2		$\frac{,70,400}{,70,400}$	10,000	5750	1	5 माह
24	BRC Basada S	85.2		$\frac{,70,400}{,70,400}$	10,000	5750	1.	5 माह
25	BRC Rosada, Samastipur	85.2		,70,400	10,000	5750	1:	5 माह
	BRC Samastipur	85.2		,70,400 $,70,400$	10,000	5750	1:	5 माह
7	BRC, Khanpur, Samastipur	85.2			10,000	5750	15	5 माह
	BRC, Hasanpur, Samastipur	85.2		70,400	10,000	5750	15	5 माह
9	BRC, Mohanpur, Samastipur	85.2		70,400	10,000	5750	15	माह
0	BRC, Patori, Samastipur	85.2		70,400	10,000	5750	15	माह
	BRC, Shivajinagar, Samastipur	85.2		70,400	10,000	5750		माह
	BRC,Sangrampur,E.Champaran	85.2		70,400	10,000	5750		माह
² 1	BRC, Kalyanpur, E. Champaran			70,400	10,000	5750		माह
1 0	BRC Chakia, E. Champaran	85.2		70,400	10,000	5750	15	
+ I	BRC Sugauli, E. Champaran	85.2		70,400	10,000	5750	15	
)	BRC Madhuban, E. Champaran	85.2		70,400	10,000	5750	15	
	RC Patahi, E. Champaran	85.2		70,400	10,000	5750	15	माह
E	RC Raxaul, E. Champaran	85.2		0,400	10,000	5750		माह
B	BRC Adapur, E. Champaran	85.2	1,7	0,400	10,000	5750		माह
В	BRC Bankatwa, E. Champaran	85.2	1,7	0,400	10,000	5750		माह
B	RC Dhaka,E.Champaran	85.2	1,7	0,400	10,000	5750		
B	RC Bairia, W. Champaran	85.2	1,70	0,400	10,000	5750		माह
В	RC Narkatiaganj, W.Champaran	85.2	1,70	0,400	10,000	5750		माह
В	RC Sikta, W.Champaran	85.2		0,400	10,000	5750	15	
В	RC Bhithan, W.Champaran	85.2		0,400	10,000	5750		माह
	, w.Champaran	85.2		-	- 0,000 1	5/50 9115756	15	HIE

Shootlands times

B.S.E.I.D.C. Ltd, Patna

	45	Die Lauliva. W (hamparan								
	46	DRC, Piprasi, W Champaran		8	5.2 1,	70,400	10,00	00		
	47	DRC, Majhaulia, W. Champaran	50	8:		70,400	10,00		50	15 माह
	48	DRC Darauli, Siwan		85		70,400	10,00	01	50	15 माह
	49	BRC Hussaingani Siwan		85	5.2 1,7	0,400	10,00	- 01		15 माह
	50	BRC Mairwa Siwan		85		0,400	10,00	01		15 माह
	51	BRC Basantpur Siwan		85		0,400	10,00	57.		15 माह
	52	BRC Maharajgani Siwan		85		0,400	10,000	57.		15 माह
	53	BRC, Bhagwanpur Siwan		85		0,400	10,000	57.		15 माह
	54	BRC, Hasanpur Siwan		85.		0,400	10,000	372		15 माह
	55	BRC Uchkagaon Gonalgoni		85.		0,400	10,000	010		15 माह
\cap	56	DRC Sidhwalia Gonalgani		85.		,400		515		15 माह
	57	DRC Bhorey, Gonalgani		85		,400	$\frac{10,000}{10,000}$	010		15 माह
	58	BRC, Bijaipur, Gonalgani		85.2	2 1.70	,400	10,000	013		15 माह
	59	BRC Pachdeuri Gonalgani		85.2	2 1,70		10,000	5750		15 माह
	60	BRC Kuchaikot Gonalgani	,	85.2				5750		15 माह
	61	BRC,Ramgarh,Kaimur		85.2	1,70.		10,000	5750		15 माह
	62	BRC Chainpur, Kaimur		85.2			10,000	5750		15 माह
	63	BRC Bhagwanpur,Kaimur		85.2	- 9,09		10,000	5750		15 माह
	64	BRC Chakki,Buxar		85.2	1,70,		10,000	5750		15 माह
	65	BRC Buxar		85.2	1,70,		10,000	5750		15 माह
	66	BRC,Chausa,Buxar		85.2			10,000	5750		15 माह
	67	BRC Dinara, Rohtas		85.2	1,70,4		10,000	5750		15 माह
	68	BRC Karahgar, Rohtas		85.2	1,70,4		10,000	5750		15 माह
	69	BRC Kochas, Rohtas		85.2	1,70,4	0.0	10,000	5750		15 माह
	70	BRC Tilauthu,Rohtas		85.2	1,70,4		10,000	5750		15 माह
	71	BRC Karakat P. J.	100	85.2	1,70,4		10,000	5750		5 माह
		BRC Karakat,Rohtas BRC Dawat,Rohtas		85.2	1,70,4		0,000	5750		5 माह
	73 F	BRC Manual IV		85.2	1,70,4		0,000	5750		5 माह
	74 F	BRC, Mansahi, Katihar		85.2	1,70,40	-	0,000	5750		5 माह
	'5 F	BRC, Manihar, Katihar			1,70,40	_	0,000	5750	1:	
7	6 B	BRC, Pranpur, Katihar		85.2	1,70,40		0,000	5750	1:	
7	7 D	RC, Kadwa,Katihar		85.2	1,70,40		0,000	5750		5 माह
7	8 D	RC,Barsoi,Katihar		85.2	1,70,40		0,000	5750	15	
79	0 D	RC,Azamnagar,Katihar		85.2	1,70,40		0,000	5750	15	
80) D	RC,Narpatganj,Araria		85.2	1,70,40		0,000	5750	15	
81		RC, Araria		85.2	1,70,400	0 10	,000	5750	15	
82	DI	RC, Jokihat,Araria		85.2	1,70,400	- 0	,000	5750	15	
83	BI	RC,Bhargama,Araria		85.2	1,70,400	10	,000	5750		
84	21	RC,Kursakata,Araria		85.2	1,70,400	10.	,000	5750	15	माह
85		RC,Purnea East,		85.2	1,70,400	10,	000	5750	15	माह
86	Bk	RC, Baisi, Purnea		85.2	1,70,400		000	5750	15	माह
	BK	C,Amour,Purnea		85.2	1,70,400	10,	000	5750	15	माह
87	BK	C, Dhamdaha, Purnea		35.2	1,70,400	10,		5750	700	माह
88	BK	C,Banmankhi Purnea		35.2	1,70,400	10,0		5750		माह
89	BK	C, Tarhagach, Kishangani		35.2	1,70,400	10,0		5750		माह
90	DK	C, I hakurgani Kishangani		5.2	1,70,400	10,0		5750		माह
91	DK	C,Pothia,Kishanganj	8	5.2	1,70,400	10,0				माह
92	BRO	C Katoria,Banka	8	5.2	1,70,400	10,0		5750		माह
93	BR(C Rajaun,Banka	8:	5.2	1,70,400			5750	15	माह
94	BRO	C,Barhat,Banka			1,70,400	10,0		5750	15 #	नाह
95	BRC	Belhar,Banka			1,70,400	10,0		5750	15 F	गह
96	BRC	Jamui	85		1,70,400	10,00		5750	15 н	ाह
97	BRC	Barhat, Jamui	85		1,70,400	10,00		5750	15 म	ाह
98	RKC	Chakai. Jamui	85	•	1,70,400	10,00		5750	15 म	ाह
99	BRC	Gidhour,Jamui	85		1,70,400	10,00		5750	15 म	
100	BRC	Sikandra, Jamui	85.	_	70,400	10,00			15 मा	
		andra, Janiul	85.	-	,70,400	10,00	MA		15 मा	
	1 1		35.	1	,70,400	10,00	ngine	5750	15 मा	
-	Nai	iende finn			B.S.E	I.D.C	Ltd.	Dotne		

Shallende finns

B.S.E.I.D.C. Ltd, Patna

	101 BRC Asharganj, Munger						
	BRC Naugachhia Bhagalpur	-	85.2	2 1,70	,400 10,0	000 55	750
	103 BRC Pirpainti Bhagalpur	51.	85.2	2 1,70.		01	750 15 माह 750 15 माह
	104 BRC Shahkund Bhagalpur		85.2	-,,,,	400 10,0	01	110
	105 BRC Puraini, Madhenura		85.2	-,,,,	400 10,0	01	70
$\overline{}$	106 BRC Gwalpada Madhenuro		85.2	-,,0,	400 10,0	- ,	116
	107 BRC Kumarkhand Madhanusa		85.2	-,,0,		00 57:	70
	100 BRC Gallarh, Madhenura		85.2	-,,0,	- 0,00		110
	Site Sauroazar, Sanarsa		85.2	-,,	- 700	00 575	116
	- 10,1 tayllalla Janarea		85.2 85.2	1,70,4	- 0,00	00 575	116
	- Trianchist, Sanarea		85.2	1,70,4	- 0,00		
	- Solitodi Sa. Saliarca		85.2	1,70,4	,	010	
	113 BRC Simri, Bakhtiyarpur Saharsa 114 BRC Supaul		85.2	1,70,4	- 0,00	0,0	0 15 माह
	115 BRC Pipra,Supaul		85.2	1,70,4	,		0 15 माह
	116 BRC Pratapganj, Supaul		85.2	1,70,4	- 5,000	0.15	0 15 माह
	117 BRC Nirmali, Supaul		85.2	1,70,40	, , , ,	0750	0 15 माह
	118 BRC Raghopur, Supaul		85.2	1,70,40	-0,000	0130	116
	119 BRC, Atari, Gaya		85.2	1,70,40	- 0,000	0100	116
	120 BRC, Neemchak, Gaya		85.2	1,70,40	-,-00	5750	116
	121 BRC, Wazirganj, Gaya		85.2	1,70,40	, , , , ,	5750	116
	122 BRC, Mohanpur, Gaya		85.2	1,70,40	,,,,,	5750	110
	123 BRC, Imamganj, Gaya		85.2	1,70,40	- 0,000	5750	110
	124 BRC Amas, Gaya		85.2	1,70,400	- ,000	5750	110
	125 BRC, Koch, Gaya		85.2	1,70,400		5750	15 माह
	126 BRC, Jehanabad		85.2	1,70,400		5750	15 माह
	127 BRC,Kako,Jehanabad		85.2	1,70,400		5750	15 माह
	128 BRC, Ghosi, Jehanahad		85.2	1,70,400	-0,000	5750	15 माह
Chica consum	129 BRC Arwal		85.2	1,70,400	-0,000	5750	15 माह
	130 BRC Karpi, Arwal		85.2	1,70,400	- 0,000	5750	15 माह
	.31 BRC,Obra,Aurangabad		85.2	1,70,400	- 9000	5750	15 माह
	.32 BRC,Dev,Aurangahad		85.2	1,70,400	10,000	5750	15 माह
	33 BRC Madanpur, Aurangahad		85.2	1,70,400	10,000	5750 5750	15 माह
	51 BRC Kutumba, Aurangahad		85.2	1,70,400	10,000	5750	15 माह
	BRC, Rega, Sitamarhi		85.2	1,70,400	10,000	5750	15 माह
	BRC,Merajgang,Sitamarhi		85.2	1,70,400	10,000	5750	15 माह
13	BRC, Pupri, Sitamarhi		35.2	1,70,400	10,000	5750	15 माह
13	-10,Bartillalla,Silamarhi		35.2	1,70,400	10,000	5750	15 माह
13	BRC, Runisaidpur, Sitamarhi		35.2	1,70,400	10,000	5750	15 माह 15 माह
14	BRC, Suppi, Sitamarhi		5.2	1,70,400	10,000	5750	15 माह 15 माह
14	- Taki ibalawan, Nawada			1,70,400	10,000	5750	15 माह
14:	2 BRC, Warisaligani Nawada			1,70,400	10,000	5750	15 माह
143	orte, Akabai pur, Nawada			1,70,400	10,000	5750	15 माह
145	orte, ivaliat, Nawaga			1,70,400	10,000	5750	15 माह
146	orte, chandi, Najanda			1,70,400	10,000	5750	15 माह
147	- Nalanda Nalanda			1,70,400	10,000	5750	15 माह
148	orte, Rahul, Nalanda	85 85		1,70,400	10,000	5750	15 माह
149	- Test Ekangai Safai Najanda	85.		1,70,400	10,000	5750	15 माह
150	-10,5Haw,Najajida	85.		,70,400	10,000	5750	15 माह
151	, Rati Isalal, Najanda	85.	-	,70,400	10,000	5750	15 माह
152	, Raidipalsulai Nalanda	85.		,70,400	10,000	5750	15 माह
153	BRC,Motipur,Muzaffarpur BRC Gaighat,Muzaffarpur	85.		,70,400	10,000	5750	15 माह
154	BRC, Aurai, Muzaffarpur	85.	- '	70,400	10,000	5750	15 माह
155	BRC,Bandra,Muzaffarpur	85.2	,	70,400	10,000	5750	15 माह
156	BRC,Minapur,Muzaffarpur	85.2	- ,		10,000	5750	15 माह
	BRC,Minapur,Muzaffarpur	85.2	- 7	70,400	10,000	5750	15 माह
		00.2	1,	70,400	10,000	5750	15 माह
	Shailande times			Bel	Chief Engl E.I.D.C. Lt	d Dotne	
	and dome			21190	E.I.D.C. L	u, Patha	
				12/10			
				12/10			

15/	one, bliagwallbur Muzaffarau						
158	DRC, Jagdishpur Bhoinur	6-0	85.2	1,70,400	10,000	5550	
159	BRC, Charnokhri Bhoinur	52	85.2	1,70,400	- 7000	5750	15
160	BRC, Udwantnagar Bhoinur		85.2	1,70,400	- 0,000	5750	15
161	BRC, Garhani, Bhoinnr		85.2	1,70,400		5750	15
162	BRC, Koilwar, Bhoinur		85.2	1,70,400		5750	15
163	BRC, Fatuhan Patna		85.2	1,70,400		5750	15
164	BRC, Bakhtiyarpur,Patna		85.2	1,70,400		5750	15
165	BRC, Naubatpur Patna		85.2	1,70,400	* 0 9 0 0 0	5750	15
166	BRC,Maner,Patna		85.2	1,70,400	10,000	5750	15
167	BRC,Begusarai		85.2	1,70,400		5750	15
168	BRC,Matihani,Begusarai		85.2	1,70,400	10,000	5750	15
169	BRC, Bhagwanpur, Begusarai		85.2		10,000	5750	15 7
170	BRC, Bakhri, Begusarai		85.2	1,70,400	10,000	5750	15 1
171	BRC, Mansoorchak, Begusarai		85.2	1,70,400 1,70,400	10,000	5750	15 F
172	BRC Cheria Paris		85.2		10,000	5750	15 म
173	BRC, Cheria Bariyarpur,Begusarai BRC ,Chuatham,Khagaria		85.2	1,70,400	10,000	5750	15 म
174	BRC ,Gogari,Khagaria		85.2	1,70,400	10,000	5750	15 म
175	BRC Polder Kl		85.2	1,70,400	10,000	5750	15 म
176	BRC, Beldour, Khagaria		85.2	1,70,400	10,000	5750	15 मा
	BRC, Parbatta, Khagaria			1,70,400	10,000	5750	15 मा
78	BRC,Raghopur,Vaishali		85.2	1,70,400	10,000	5750	15 मा
79	BRC ,Desari,Vaishali		85.2	1,70,400	10,000	5750	15 मार
80	BRC, Bidupur, Vaishali		85.2	1,70,400	10,000	5750	15 माह
81	BRC,Jandaha, Vaishali		85.2	1,70,400	10,000	5750	
	BRC ,Mahua,Vaishali		85.2	1,70,400	10,000	5750	
82]	BRC, Garoul, Vaishali		35.2	1,70,400	10,000	5750	
83	BRC,Chewada,Shekhnura		35.2	1,70,400	10,000	5750	15 माह
1 40	BRC, Barhiya, Lakhisarai		35.2	1,70,400	10,000	5750	15 माह
85 E	BRC ,Alinagar, Suryagarha,Lakhisarai	8	5.2	1,70,400	10,000		15 माह
			5.2	1,70,400	10,000	5750	15 माह
नोट	ः (i). निविदाकार एक या अधिक कार्य के लिए अलग-अलग			, 0,100	10,000	5750	15 माह

नोटः (i). निविदाकार एक या अधिक कार्य के लिए अलग–अलग निविदा डाल सकते हैं।

(ii). प्राक्कलित राशि घट या बढ़ सकती है एवं तद्नुसार अग्रधन की राशि घट या बढ़ सकती है।

(iii) वेबसाईट-www.eproc.bihar.gov.in पर अंकित प्राक्कलित राशि, अग्रधन की राशि एवं परिमाण विपन्न की राशि अंतिम रूप से (2) विज्ञापन निर्गत करने की तिथि

(3) परिमाण विपत्र प्राप्त करने(डाउनलोड) की अवधि एवं समय :— दिनांक— 03.03.2016 से 28.03.2016, 15:00 घंटा

(वेबसाईट:www.eproc.bihar.gov.in पर)

(4) प्री बिंड मीटिंग का समय, स्थान एंव तिथि दिनांक:- 15.03.2016, 14:30 घंटा प्रबंध निदेशक का कार्यालय,बिहार राज्य शैक्षणिक आधारभूत

संरचना विकास निगम, पटना।

(5) निविदा प्राप्ति(अपलोड) की अंतिम तिथि एवं समय:—

(6) अग्रधन जमा करने की अंतिम तिथि एवं समय टेक्निकल बिड खोलने की तिथि एवं समय

दिनांक- 29.03.2016, समय- 15:00 घंटा

दिनांक- 31.03.2016, समय- 15:00 घंटा

दिनांक- 31.03.2016, समय- 16:30 घंटा (वेबसाईट-www.eproc.bihar.gov.inपर)

(8) वित्तीय बिड खोलने की तिथि एवं समय

(9) निविदा खोलने का स्थान

दिनांक- 11.04.2016, समय- 15:30 घंटा वेबसाईट-www.eproc.bihar.gov.inपर

(10) निविदा की वैधता की अवधि

. . (11) ई–टेन्डरिंग की प्रकिया में भाग लेने हेतु संवेदकों को पंजीकृत होना होगा, जिससे कि उन्हें उपयोगकर्ता का नाम (user ID) पासवर्ड (Password) अंकीय हस्ताक्षर (Digital Signature) निर्गत की जायेगी। यह उन्हें वेबसाईट www.eproc.bihar.gov.in से डाउनलोड करने / टेन्डर की प्रक्रिया में भाग लेने की योग्यता प्रदान करेगा।

(12) ई—िनविदा पत्र बेवसाईट www.eproc.bihar.gov.in से प्राप्त किया जा सकता है। संवेदक द्वारा सिर्फ उपर्युक्त वेबसाईट से ही परिमाण विपन्न प्राप्त करने के उपरांत वेबसाईट पर ही इलेक्ट्रानिक निविदा पत्र को भरकर भेजना है। अन्य सभी महत्वपूर्ण कागजात / बैंक ड्राफ्ट / अग्रधन की राशि / सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को स्कैन कर ई–निविदा के साथ

(13) परिमाण विपत्र के दर से कम दर उद्धृत करने पर बीड डाक्यूमेंट की शर्तों एवं सरकारी निर्णयानुसार अतिरिक्त

Shail not tuny

(14) (क) प्रत्येक परिमाण विपत्र का मूल्य जो प्रत्येक निविदा के सामने उपर कण्डिका (1) में अंकित है (जो लौटाया नहीं जाएगा) किसी भी राष्ट्रीयकृत बैंक द्वारा निर्गत एवं BIHAR STATE EDUCATIONAL INFRASTRUCTURE \$3 DEVELOPMENT CORPORATION LTD. के नाम से एवं पटना में भुगतेय हो, स्वीकार किया जायेगा। मूल बैंक ड्राफ्ट ''बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड'' पटना के कार्यालय में दिनांक 31.03.2016 के 15:00 घंटे तक स्वयं / निबंधित डाक / स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना है। ऐसा नहीं करने पर निविदा मान्य नहीं

(অ) Beltron Bid Processing Fee is mandatory to be paid through online mode i.e. Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS"

Bids along with necessary online payments must be submitted through e-procurement portal www.eproc.bihar.gov.in before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffic/ Holidays or

(ग) वांछित अग्रधन की राशि राष्ट्रीय बचत पत्र/डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक जो बिहार राज्य से क्रय या जमा किया हो, **प्रबंध निदेशक**, BSEIDC Ltd., पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा बिहार वित्त नियमावली के अनुसार BSEIDC Ltd. के नाम से फिक्सड डिपोजिट रिसिप्ट अथवा बैंक गारन्टी जो बिड के मान्य अविध तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत/अनुसूचित बैंक से निर्गत हो (अगर बिहार प्रान्त के बाहर के बैंक से निर्गत बैंक गारन्टी दिया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड, पटना में दिनांक 31.03.2016 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना आवश्यक है। ऐसा नहीं करने पर निविदा मान्य नहीं होगा।

(15) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर लें। ताकि अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से बच सकें।

(16) निविदाकार निविदा डालने से पहले अपने स्तर से भी प्रस्तावित कार्य स्थल पर भूमि उपलब्धता के संबंध में आश्वस्त हो

(17) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। बिना कारण बताये निविदा या उसके अंश को अस्वीकृत करने / रद्द करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।

(18) विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्य अवधि में सम्पर्क किया जा सकता है। ई–टेन्डरिंग की प्रकिया से संबंधित किसी भी प्रकार की जानकारी/सूचना हेतु सहायता कक्ष, ई—टेन्डरिंग कक्ष, प्रथत तल्ला, M/22, बैंक ऑफ इण्डिया भवन, रोड न० २५, श्री कृष्णा नगर, पटना—800001, दूरभाष सं० 0612—2523006/9939035696.

> ब्रजेश प्रसाद म्ख्य अभियंता

Shailande former