Name of Work - Construction of Upgraded Secondary School Building in B Gr. Mp. - USS-1924. M.S. David Form No. -61 Bahadurpuz, DARBHANGA. Schedule XLV - Form No. - 61

BIHAR PUBLIC WORKS DEPARTMENT Name of Agency - Madhav Construction.

[Form No. F-2]

ITEM RATE TENDER AND CONTRACT FOR WORKS greenent No. 727 F2 of 2014-15

General Rule and Direction for the guidance of Contractors.

- 1. All Works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Office/Executive Engineer. This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderer and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Subdivisional Officer/Executive Engineer during office hours.
- 2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so.
- 3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm.
- 4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Office/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he completed and delivers his tender.
 - 5. The amount of earnest money to be deposited will be :- Rs/ If the amount of the estimate does not exceed Rs. 2,000 If the amount of the estimate exceeds Rs. 2,000 but does not exceed Rs. 5,000 100 If the amount of the estimate exceeds Rs. 5,000 but does not exceed Rs. 10,000 200 For each additional Rs. 5,000 or portion of Rs. 5,000 additional earnest money 100
- 6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompanied by the treasury challan for the required earnest money will be liable to rejection. No single tender shall include more than one work, but contractors who will to tender for two or more works shall submit a separat tender for each Tender shall bear the name of the work to which they refer written outside the a envelope. Cash deposits for earnest money here in before mentioned shall be made in Government, Treasuries and the challan there of should be enclosed with the tender.

Madhar Prosed Single

- 7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon returned to the tenderer with a pay order for the amount of the earnest money.
 - 8. The Engineer shall have the right of rejecting all or any of the tenders.
- 9. In the event of a tender being selected for acceptance the Engineer who opened the tenders will, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer falls to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth-with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the prescribed time. The tender with the specification and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refundable to the tenderer.

10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in treasury and shall forward the challan to the Executive Engineer, Government securities may be enclosed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.

If the amount of the estimate does not exceed Rs. 2,000

4. The memorandum o.

- 11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% to the estimated value of the work & towards this amount the earnest money already deposited by him shall be credited. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection. Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.
- 12. When a tender has been selected for acceptance & the required amount of the security money has been deposited the Engineer shall scrutinise all pages of the form of item, rate tender & contract for works to see that the form has been properly filled up and signed by the contractor & the signature witnessed. He shall then if he is competent, to accept the tender, sign the acceptance of the tender, of, if he is not so competent shall send the form for signature of the acceptance of the officer competent to accept it.

Any Person who submits a tender shalf fill up the usual printed form stating there at what rare he is

(3)

TENDER FOR WORKS

I/We hereby tender for the execution for the Governor for Bihar of the work specified in the under written nemorandum at the rates specified therein within a period of years month from the date of written order to comence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof the Subjects of the annexed conditions of contract and with such materials as are provided for the and in other respects in accordance with such conditions so far as applicable.

MEMORANDUM

(a) If several sub-works are	[a]	Name of work
included they should be detained in a separate list.	[b]	Estimated cost
(b) This deposit will be 5% of the estimated cost of the	[c]	Earnest money
work.	[d] t	Initial security deposits (including earnest money) to be deposited before h
(c) This percentage deduction from bills will be credited to the contractors secu-rity	[e]	commencement of the work
deposit	[f]	Time required for the work from date of written order of commencemonthly
	[g]	Date of written other of commence
*	[h]	Total number of item of work tendered for
		DATE TENDEDED

Item No.	Item of work	RATE TE			
itelli IVO.	Item of work	In figures	In words	Per	
				·	
				3-2011	
٤			Chief En	(Ineer	

Madhau Prosad high

Item No.	Item of work	RATE TE		
		In figures	In words	Pe
				. 3
		DOK MAN COLUMN		
		NAME AND ADDRESS OF THE PROPERTY OF THE PROPER		

		Military spaces		
· · ·				
			· .	
		Market		
		New Particular Section 1		
-			\downarrow	
		. He constrained		2
		Generalization		
		Volentiamen		
				. *
1 1		The state of the s		
24 A3 A3 5 5 5 5 4 1	COLERE MADHA			

Modhar Proged sign

		RATE TE	Per	
Item No.	Item of work	In figures	In words	rei
				•
,				
			eccuminate representation of the control of the con	
				part of the state
>==				
				·
		, 2		
			:	
			THE PERSON NAMED IN COLUMN 1	
		no organización de la companya de la	QQOMBADDAQTIE	
		L. Commonwell	CONTRACTOR (CONTRACTOR CONTRACTOR	
			The state of the s	
•			on elektron (C) (C)	5
			N 100 C 100	
			On A A A A A A A A A A A A A A A A A A A	The state of the s
			######################################	
			-	
			-	
			and the state of t	
			- CONTRACTOR OF THE CONTRACTOR	
			merone militaria del como del	
			and the sale	And the second s
			The second secon	THE PROPERTY OF THE PROPERTY O
			ALE SELECTION OF THE PROPERTY	December of the second
			Name in the second seco	
		Separation of the Control of the Con	Programming the state of th	More and the second sec
			2 - 2	
			Salo	
				- Contract Contract

Machan Prosas Lings

Chief Engineer B.S.E.I.D.C. Ltd, Patna

Illumines or a second s		Form No. 61	(6)			,
S	Item No.	Item of work		DATE		
100 Marie 100 Ma				RATE TE	NDERED	
Compression of the Compression o	4. J			In figures	In words	Pe
2 8						
e a						
No. of the Landsconding of the Control of the Contr						
Transaction of the Control of the Co	10, 2		٠.		- 1	
The state of the s						1
The state of the s						
2224/00/2007						• •
77 CV (VIII)						
The state of the s						
-						
		*	\	1	.	
Grand Company of the						
Timming Away						
				1		•
A Company of the Comp						
		# .			· .	
2						
				X		ar.
				.		
To an analysis of the state of						
			· · · · · · · · · · · · · · · · · · ·			
					· · · · ·	
	, , ,		4			
					-	
2				±		-
			*	·	1.	
56						
		no, w	MADHAY CU	MIRUCII		**
1		11/2	Na 1 N	.		

Machar Pray of Gelys

		RATE TEI		
Item No.	Item of work	In figures	In words	Per
			i	
				4
			-	
ente Grand de la companya			AMAZ	
		1		
* ,				
•				
•				
9				
¥		*		
•				
		-		
•			100	
		*		
· .				
<u> </u>				

For, MADELO Droped

Chief Engineer B.S.E.I.D.C. Ltd, Patna

should this tender be accepted I/we hereby agree to abide by and full all the terms and provisions of the said conditions of contract annexed here so for as applicable or insure in office the sum of money mentioned in the said conditions. Dated the day of

Signature of contractor . Witness:before commission of tender

Address:-

Signature of witness to contractor's signature

Occupation

The above tender is hereby accepted by me on behalf of Governor of Biha Dated the day of .

Signature of the office. accenting the tender.

Acceptance communicated on

Signature of the party taking the tender

Compensation

CONDITIONS OF CONTRACT

Clause 1:- All compensation or other sums of payable by the contractors to Government under the terms of his contract may be deducted from, paid by the state of a sufficient part of his security deposit or from the interest arising therefore or from any sums which may be due or may become due to the contractor by Government on any account whatsoever and in the event of his security deposit being reduced by reason of any such deduction or sale as aforesaid, the contractor shall within ten days there after make good in cash of Government securities endorsed as aforesaid any sum or sums which may have been deducted from or arised by sale of his security deposit of any part thereof.

The work should not be considered until such date as necessary rectification of defects as pointed by the Executive Engineer his

Clause 2: The time allowed for carrying out the work as entered in the Executive Engineer shall the tender shall be strictly observed by the contractor and shall be reckoned certify as the date on which from the date on which the written order to commence work is given to the contractor. The work shall throughout the stipulated period of the contract be carried on with all due diligence (time being deemed to be the essence of the contract on the part of the contract or) and the contractor shall pay as authorised agents are fully compensation an amount equal to ½ percent on the amount of the estimated contractor to the Engineer's cost of the whole work as shown by the tender for every day that the work remains uncommenced or unfinished after the proper date. And further to ensure good progress during the execution of the work the contractor shall be bound in all cases in which the time allowed for any work exceeds one month to complete one fourth of the whole of the work before one fourth of the whole time allowed under the contract has elapsed one-half of the work before one-half of such time elapsed and three-fourth of the work, before three fourths of such time has elapsed in the event of the contractor falling to employ with this condition. I shall be liable to pay as compensation an amount equal to 1/2 percent on the said estimated cost of the whole work for every day that the due quantity of work remains incomplete provided always that the entire amount of compensation to be paid under the provisions the clause shall not exceed 10 percent of the estimated cost of the work as shown in the tender.

Action when persnle security deposit foreited

Clause 3:- In any case which under any clause or clauses of or this contract the contractor shall have rendered himself laible to pay compensation amounting to the whole of his security deposit in the hands of Government (where paid in one sum or deducted by installments) the Executive Engineer on behalf on the Bihar Government shall have been powered to adopt any of the following courses, as he may deem best suited to the interest of Government.

(a) To rescind the contract (of which rescind notice in writing to the contractor under the hand of the Executive Engineer shall be conclusive evidence) and in which case the security deposit of the contractor shall start forfeited, and be absolutely at the disposal of General ent.

- (b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debiting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in-charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.
- (c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it another contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original contractor and made be deducted from any money due to him by Government under the contract or otherwise or from his security deposit or the proceeds of sale there of, or a sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract snall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the value so certified.

Clause 4: In any case in which any of the powers, conferred upon the Contractor remains liable to Executive Engineer by clause 3 thereof shall have become exercisable and the pay compensation if action same shall not be exercised the non-exercise there of shall not contitury walver not take under clause 2. of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceding clause he may, if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the premises (within a time to be specified in such notice) and in the event to the contractor falling to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Engineer as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

Power to take posession of or require removal of or sell contractor plant.

Clause 5:- If the contractor shall desire any extension of the time for Extension of time completion of the work, on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12(a) he shall apply in writing to Executive Engineer within 40 days from the date of starting of the hindrance on account of which be desires such extension as aforesaid and the Executive Engineer shall, if in his opinion (which shall be final) reasonable grounds be shown there of authorised such extension of time, if any, as may in his opinion be necessary or proper. The Executive Engineer shall at the same time inform the contractor whether he claims let Eng compensation for the delay.

Does at his

Final certificate

Payment of in terms date

Stores supplied government

Clause 6: - On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (hearing after called the Engineerin-charge) of such completion, but no such certificate be given, nor shall the work be considered to be complete under the contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinctly marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials and rubbish, and cleaned of the dirt from all wood-work, doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurements shall be binding and conclusive against the contractor. If the contractor shall fall to comply with the requirements of this clause as to removal of scaffolding, a surplus materials and rubbish and cleaning off dirt on or before the date fixed for completion the work, the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid, expect for any sum actually realised by the sale there of.

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and certificate of to be regarded as the claim, as for as admissible, adjusted, if possible, before the expiry of the advance and Bill to be days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer-in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-in-charge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects. Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not preside the reputing of bad, unsound and imperfect or unskilled work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts or in any other way vary or affect the contract.

Clause 8: - The final bell shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor with in the month of the date fixed for completion

Clause 9:- If the specification or estimate of the work provides for the use of any special description of material to be supplied from the Engineer-incharge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-in-charge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule require form time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums then due or there after to become due to the contractor under the contract or otherwise, or against or from the security deposit, or the proceed of sale there of, if the same is held in Government security the same or sufficient portion thereof in this case sold for the purpose. All materials supplied to the contractor shall remain the absolute property of Government and shall not on any accounts he removed from the site of the work and shall at all times be open to

inspection by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-incharge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: - The contractor shall executive the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work signed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractors shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid.

Clause 11: - Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. Alteration in specifications The contractor shall be bound to carry out the work in accordance with any and designation. instructions which may be given to him in writing signed by the Engineer-incharge, and such alteration shall not invalidate the contract and any additional work, which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do for completion of the work shall be extended in the proportion that the additional work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rates is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned scheduled or rates of the locality during the period when the work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district. Do not in validate contract then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rates which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable provided always that if the contract shall commence work or in our expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only Time in consequence of be entitled to be paid in respect of the work carried out or expenditure incurred alteration by him prior to the date of the determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a dispute the decision of the Superintending Engineer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-in-charge for the additional work the contractor shall be bound Rate of work no in estimate to submit his claim for any additional work done during any month on or or schedule of rates of the before the 15th days other following month accompanied by a copy of the district. order in writing of the Engineer-in-charge for the additional work and the contractor or shall not be entitled to any payment in respect of such additional

work if be other submit his claim within date aforesaid period.

Clause 12:- If at any time after the commencement of the work the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out, the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any Compensation for alteration in payment of compensation whatsoever on account of any profit or advantage, or restriction of work to be which he might have derived from execution to the work in full, but which he did not derive in consequence of the full amount of the work not having been carried out neither shall he have any claim for compensation by reason of any alternation having been made in the original specification, drawing, designs.E.I.D.C. Ltd, Patna and instruction which shall involve any installment of the works as originally contemplated clause 12 (a). As enclosed in G. O. 1929 dated 11.9.56.

Work to be executed accordance with specification draw ing other etc.

Fina

Clause 12:- (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaking to supply where such failure is due to:-

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the State Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days from the date of such failure or delay such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as finally by the contractor.

Action and compensation payable in case of work

Clause 13:- If it shall appear to the Engineer-in-charge or his subordinate in-charge of the work that any work has been executed with unsound, imperfect or skillful workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall on demand in writing form the Engineer-in-charge specifying the inadverntaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do son within period to be specified by the Engineer-in-charge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and expense in all respects of the contractor.

Work to be taken to inspection

Clause 14:- All work under in course of execution or executed in presence of the contractor—shall at the times to open to the inspection and supervision of the Engineer-in-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or 's subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractors agent all shall be considered to have the same force as if they had been given to the contract himself.

Contractor or responsible Agents to be present

Clause 15:- The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of the taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate-in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractors expenses or in default there on payment or allowance shall made for such work on material with which the same was effected.

Notice to be taken before work covered up.

Clause 16:— If the contractor or his work-people, or servants shall break, deface injury or destroy any part of a building in which they may be working or any building, road, road curves, fence enclosure water pipes, cables, drains, electric or telephone posts or wires, trees, grass or grassland or cultivated ground contiguous on which the work or any part of it is being executed or if any damage shall happen to the work, while in progress from any cause whatsoever or any imperfection become apparent in if within three months (six months in the case of a road work) after a certificate final or other of its completion shall have been given by the Engineer-in-charge.

as a fore seal, the contractor shall make the same good at his own expense, or in default, the Engineer-in-charge may cause the same to be made be good by other worksmen and deduct the expense of which time thereafter may become due to the contractor, or from his security deposit, or the proceed of sale there of, or of a sufficient portion there of the security deposit at the contractor shall not be refunded before the expiry of three months (six months in the case of a road work) after the issue of the certificate final or otherwise of completion of work provided that in the case of a road work if in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable after three months of the issue of the said certificate of completion.

Contractor liable for damage done and for imperfection a months and after certificate

Clause 17: The contractor shall supply at his own cost all materials (except such special materials) if any as may in accordance with the contract Contractor to supply to by supplied from the Engineer-incharge's stores). Plants, tools, application, plantiadder scaffolding etc. implements, ladders, cordage jackal scaffolding and temporary works requisites or proper for the proper execution of the work whether original, altered or substituted and whether include in the specification or other documents forming part of the contract or referred to in these conditions or not or which may be necessary for purpose of satisfying or complying with the requirement of the Engineer-in-charge as to any matter as to which under these conditions he is entitled to be satisfied which he is entitled to require together with carriage therefore to and form the work. The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting, weighing and assisting in the measurement or examination at any time and form time to time of the work or materials failing his so doing the same may be provided by the Engineer-in-charge at the expense of the contractor and the expenses may be deducted from any money due to the contractor under the contract from his security deposit or the proceeds of sale thereof or of a And is liable for damage sufficient portion thereof. The contractor shall also provide all necessary arising for non-provision of fencing and lights required to protect the public from accident, and shall be light fencing etc. bound to bear to expenses of defence of every suit action or other proceeding at law that may be brought by any person for injury sustained owing to neglect of the above precautions and to any such person or which may with the consent of the contractor be paid to compromise any claim by any such person.

Clause 18: - No female labour shall be employed within the limits of cantonment. The contractor shall not employ for the purpose of his contract any person who is below the age of twelve years and shall pay to each labour for the work done by such labourer wages not less than the wages paid by similar work in the neighborhood.

Work not to be subject

The Executive Engineer shall have the right to enquire into the case and decide any complaint alleging that the wages paid by the contractor to any labouer for the work done by such labour is less than the wages paid for similar work in the neighborhood. The officer in-charge of the work shall have the right to decide whether any labourer employed by contractor is below the age of twelve years and to refuse to allow any labourer whom he decided to be below the age of twelve years to be employed by the contractor.

Clause 19:- The contractor shall not be assigned or subject without Contract may be rescinded the written approval of the Executive Engineer. And if the contractor shall and security deposit forfeited assign or subject his contract, or attempt so to do, or become insolvent for subletting bribes or if proceedings to make any composition with his creditors or attempt so to do, contractor become insolvent or if any bride, gratuity, gift loan, requisite, reward or advantage pecunairy of otherwise, shall either directly or indirectly be given promised, or offered by the contractor, or any of his servant or agents to any public officer, or person in the employ of Government in any way relating to his officer or employment or if any such officer or person shall become in any way directly or indirectly interested in the contract the Executive Engineer may there upon by notice in writing rescind the contract. The security deposit of the contractor shall there upon stand forfeited and be absolutely at the disposal of Government and the Engineer same consequence shall ensure as if the contract had been rescinded under clause 3 here of, in addition the contractor shall not entitled to recover of the E.I.D.C. Ltd, Patna paid to any work therefore actually performed the under the contract.

Bross of herf show

Such payable by way of compensation to be considered reasonable compensation without reference to actual loss

ς

Clause 20: All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained.

Clause 21:- In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge of this information.

Charges in constitution of firm

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal of Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Superintending Engineer

Clause 22: All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of Superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23:- In case any dispute or difference shall arise between the parties or either of there upon any question relating to the meaning of the specifications, designs, drawing and instructions here before mentioned or as to the quality of workmanship or materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, or any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions or otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof or as the breach of those contract then entire party shall forthwith give to the order notice of, such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lump sum in estimate

(a) Clause 24:- When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items or work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-in-charge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineer-in-charge shall be final and conclusive against the contractor with regard to any sum pay able to him under the provision of this clause.

Action where no specification.

Clause 25: In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-incharge.

Definition of works

Clause 26: The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to such construction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered, substituted or additional.

Clause 27: The terms and conditions of the agreement have been read/explained to me

and clearly understand them.

Witness

Moder Acontractor

Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied

Particulars —	Rates at which the material will be charged to the contractor Place of delive	гу
	Unit Rs. P.	
		- -
		•

Note-The person of firm submitting the tender should see that the rates in the above schedules are filled up by the Engineer-incharge on the issue of the form prior to the submission of the tender.

(Signature of Contractor)

Chief Engineer
Signature of Executive Engineer)

Performance Security

Name of Agency - "Madhav Construction"

Performance Security of "Madhav Construction" of "USS-192A"

<u>Passbook No</u> 709757 707201	<u>DOI</u> 08.10.14 05.03.13	Reg. No.		<u>Amount</u> 190000.00 100000.00
707201	03.03.13		Total	290000.00

(Rupees Two Lacs Ninety Thousands Only)

विहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिं०, पटना

Modlar Brand hist

Chief Engineer B.S.E.I.D.C. Ltd, Patna

gan

Barana da sa kacamatan da sa k Barana da sa kacamatan da sa k



BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

(A Govt. Of Bihar Undertaking) Shiksha Bhawan, Bihar Rastrabhasa Parishad Campus ,Acharya Shiv Pujan Sahay Path, Saidpur, PATNA-800004. (Tel. No: 0612-2910314)

Letter of Acceptance

Letter no: - BSEIDC/TECH/117/2013-3736

Patna, Date 28/07/19....

With refrence to N.I.T. No.-44/2013-14, Dated-13.02.2014 for execution of "Construction of Upgraded Secondary School buildings in Bihar And Construction of Upgraded Senior Secondary School buildings in Bihar "the bids have been accepted in favour of the Agencies as per details below:-

S.	Name of Groups	Name of District	Name of School	Name of Agency	Estimated Cost (in Rs.)	Tendered Value (in Rs.)	Volue(in	security to be deposited (in	Time of Comp letion
1	USS- 119B	Kaimur	M.S. Piliyan	M/S Gupta Dham Construction At-Thilo,Po- Dhawapokha,Kaimur	53,64,539	55,25,475	53,64,539	/-	12 माह
2	USS-	Gaya	M.S. Mjiyarpur Bahera	Sanju Kumarui Bishrampur,Immangaj, Gaya	52,47,804	54,22,556	52,47,804	2,63,000 /-	12 माह
3/	149E USS- 192A	Dharbhanga	M.S. Daing	Madhay aconstruction Vill-Andama, Po- Kusauthar, Darbhanga	56,71,661	58,41,811	56,71,661	2,84,000 /-	12 माह
4	USS- 196A	Katihar	Middle School, Kast Hawar	Birendra Kumar Singh At-Kulipar, New Market,Katihar,Bihar	56,17,270	57,23,998	56,17,270	2,81,000	12 माह
5	USS- 196C	Katihar	Middle School, Dhena Baghchhala	Birendra Kumar Singh Kulipar, New Market, Katihar, Bihar	56,87,641	57,95,706	56,87,641	2,85,000 /-	12 माह
6	USS- 196D	Katihar	Middle School, Ghanhar Vighocha	Birendra Kumar Singh Kulipar, New Market, Katihar, Bihar	56,17,270	57,23,998	56,17,270	2,81,000 /-	12 माह
7	USS- 197D	Katihar	Dhukhi Ram Middle School, Chandpur	Birendra Kumar Singh Kulipar, New Market, Katihar, Bihar	56,10,178	57,16,771	56,10,178	2,81,000	12 माह
8	USS-	Araria	Middle School, Achra	Pramod Kumar,Shivpuri,Ward No-9, Araria.	57,69,637	60,58,119	57,69,637	2,89,000 /-	12 माह
9	199A(D) USS- 102(F)	Nalanda	M.S.Singhaul	Rajnish Vats,Bahpar Pachammahala,Barahiya, Mokama	53,87,294	51,19,545	-	2,56,000	12 माह
. 10	USS- 133(B)	Lakhisarai	M.S. Laldiyara	Rajnish Vats,Bahpar Pachammahala,Barahiya, Mokama	52,17,630	46,56,748	, ·	2,33,000	12 माह
11	USS- 102(D)	Nalanda	Urdu. M.S.Baisa	Krishna Kumar, Vill-Dihari Garh, Post-Hanaut, Dist- Nalanda-803110	53,67,934	53,14,255	-	2,66,000	12 माह

Agencies are hereby requested to furnish performance security as permentioned in above

table. The Performance Security should be deposited within 10 (Ten) days of receipt of this Letter of

Machar Presed Sons

50

XXX

B.S.E.I.D.C. Ltd, Patna

Acceptance (LOA) valid up to 28 (Twenty eight) days from the date of expiry of defect liability period.

In the interest of the work Agencies are instructed to proceed with the execution of the said work in consultation with concerned Engineer-in-Charge with immediate effect. The date of start of this work will be the date of issue of this letter. The agreement will be executed after verification of Performance Security and Registration in appropriate category in this Corporation.

Yours faithfully

(Brajesh Prasad)

Chief Engineer

Memo no: BSEIDC/TECH/117/2013-

Patna, Date....

Copy forwarded to: i) Executive Engineer I/C of the Project.

ii) Senior Account Officer, BSEIDC, Patna.

Jul

F3)

(Brajesh Prasad)

Chief Engineer

Chief Engineer B.S.E.I.D.C. Ltd, Patna

21/m

SPECIAL CONDITIONS

- 1. The tenderers are required to deposit the earnest money as prescribed in the NIT.
- 2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.
- 3. The rates quoted by the contractor should be inclusive of all taxes royalties and other incidental charges.
- 4. To qualify for award of work, the Bidder must possess the following:-
- a) Legal Status, Place of Registration, Principal place of business & Power of attorney of signatory bid.
- b) DD for required value of B.O.Q. Cost.
- c) Sufficient Earnest Money Deposit.
- d) Certificate from Charted Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.
- e) Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed atleast one Building work of value not less than 25 % of estimated value of contract) in last five years and current Financial year will also be considered as mentioned in Technical bid.
- f) Litigation History as mentioned in Technical bid.
- g) Affidavit as mentioned in Technical bid.
- h) Valid Registration with Central/ State Govt. / PSU.
- i) Valid labour license as mentioned in Technical bid.
- j) Valid Character Certificate as mentioned in Technical bid.
- k) Affidavit/Certificate for not been debarred as mentioned in Technical bid.
- 5. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.
- 6. The tender without earnest money or insufficient earnest money submitted with the tender, will be outright rejected.
- 7. Conditional tenders shall be outright rejected.
- 8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.
- 9. Authority shall reserve the right to reject any or all the tenders or distribute the work to more than one contractor without assigning any reason.
- 10. Any claim for idle labours on any account shall not be entertained.
- 11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules prevalent in the locality.
- 12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the contractor.
- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-
- a. Natural calamities

For HARY CONSTRUCTION

(Sept & Signal Was of Tendouter) Wiff

Chief Engineer B.S.E.I.D.C. Ltd, Patna Page 1 of 2

Han

TO REPORT CAR A

- b. Act of enemies.
- c. Transport and procurement difficulties.
- d. Circumstances beyond the control of the state.
- 15. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer -in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- 16. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
- 17. The contractor shall make his own arrangement for water and light at the work site.
- 18. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 19. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 20. The Tenderer must not quote their rate more than 15 % below Bill of Quantity rates otherwise their tender will be outright rejected being unworkable for this work.
- 21. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 22. If any departmental materials will be supplied to the contractor the cost for carriage etc. will be borne by the contractor.
- 23. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.
- 24. The Defect liability Period shall be One (1) Year from the date of completion of the work.

----X-----X

For, MADHAY CONJIRUCTION Sear & Signature of Tentrerer)

PRO RHIOR

Chief Engineer

na si a sa agus Mille Andréi (A. Christian agus Calaid Calaid

बिहार राज्य शैक्षणिक आधारमूत संरचना विकास निगम लिमिटेड

(बिहार सरकार का एक उपक्रम)

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् कैम्पस, आचार्य शिवपुजन सहाय पथ, सैदपुर, पटना-800004 (दूरभाष:-0612-2910314)

पूर्नानेविदा आमंत्रण सूचना संख्या-44 वर्ष 2013-14

प्रतिशत मद दर निविदा

(केवल ई-टेन्डिरेंग पद्धित के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

1. शिक्षा विभाग, बिहार के अन्तर्गत उत्क्रमित माध्यमिक विद्यालयों के भवन निर्माण कार्य हेतु निम्नांकित निविदायें पनः आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार/सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रजिस्ट्रेशन कराना, उक्त कार्य का लेटर ऑफ एक्सेपटेंस प्राप्त होने के बाद अनिवार्य होगा।

	* 					I marife	अग्रधन की	परिमाण	कार्य
क्र	ग्रुप संख्या	जिला का		प्रखण्ड का	विद्यालय का नाम	प्राक्कलित	अग्रधन का राशि	विपत्र की	समाप्ति
म		नाम		नाम		राशि (लाख	(लाख रू०)	राशि(रू०)	की
						(रू०)	(लाख राज)	(1141(490)	अवधि अवधि
1	USS-102 (A)		1	Biharsarif	M.S. Mahanandpur	53.31	1.070	11,150	
2	USS-102 (R)		2	Biharsarif	M.S.Majidpur	53.31	1.070	11,150	
3	USS-102 (C)		3	Chandi	M.S.Dariya Bigha	53.68	1.075	11,150	12
4	USS-102 (D)	Nalanda	4	Chandi	Urdu.M.S.Baisa	53.68	1.075	11,150	माह
5	USS-102 (E)		5	Noorsarai	M.S.Michaiganj sakroura	53.50	1.070	11,150	
6	USS-102 (F)		6	Sarmera	M.S. Singhaul	53.88	1.080	11,150	
7	USS-110 (A)		1	Barhara	U.M.S.Saligram singh ka Tola	52.08	1.045	11,150	
8	USS-110 (B)		2	Barhara	M.S. Pakri	51.98	1.040	11,150	12
9	USS-110 (C)	Bhojpur	3	Barhara	Govt. M.S.Bakhorapur	51.97	1.040	11,150	ा <u>ट</u> माह
10	USS-110 (D)	Jr	4	Koilwar	M.S. Khesarhiyan	51.91	1.040	11,150	, li G
11	USS-110 (E)		5	Koilwar	M.S. Khangaown	51.97	1.040	11,150	
12	USS-116 (A)		1	Dumraon	M.S. Nuaon	53.45	1.070	11,150	
13	USS-116 (B)		2	Dumraon	M.S. Kanjharua	53.49	1.070	11,150	
14	USS-116 (C)	Buxar	3	Dumraon	M.S. Mathila	53.52	1.075	11,150	12 माह
15	USS-116 (D)		4	Dumraon	M.S.Karuaj	53.52	1.075	11,150	
16	USS-116 (E)		5	Dumraon	M.S. Rampur Mathiya	53.52	1.075	11,150	
17	USS-117 (A)		1	Nawanagar	M.S. Pramanpur	53.99	1.080	11,150	
18	USS-117 (B)	1	2	Ithari	M.S. Barkagaon	53.37	1.070	11,150	12
19	USS-117 (C)	Buxar	3	lthari	M.S. Harpur	53.20	1.065	11,150	माह
20	USS-117 (D)		4	Ithari	M.S.Basawan Kala	53.20	1.065	11,150	
21	USS-119 (A)		1	Bhabhua	M.S. Miun	53.65	1.075	11,150	
22	USS-119 (B)		2	Bhabhua	M.S. Piliyan	53.65	1.075	11,150	12
23	USS-119 (C)	Kaimur	3	Bhabhua	M.S. Mehsuan	53.65	1.075	11,150	माह
24	USS-119 (C)		$\frac{3}{4}$	Bhabhua	M.S. Mohan Darwan	53.65	1.075	11,150	1
25	USS-120 (A)		1	Ramgarh	M.S. Sijhua	53.71	1.075	11,150	
26	USS-120 (B)	1	2	Ramgarh	M.S. Upari	53.71	1.080	11,150	1
27	USS-120 (C)	Kaimur	3	Nuaon	Govt. Basic School Kari Ram Akhili	53.86	1.080	11,150	12 माह
28	USS-120 (D)	-	4	Nuaon	M.S. Mushiyan	53.86	1.080	11,150	1
29	USS-120 (E)	1	5	Durgawati	U.M.S. Nuaon	53.86	1.080	11,150	1
30	USS-121 (A)		1	Karakat	M.S. Dewmarkande	52.39	1.050	11,150	
31	USS-121 (B)	1	2	Karakat	Girl M.S. Motha	52.51	1.055	11,150	12
32	USS-121 (C)	Rohtas	3	Nasriganj	M.S. Paiga	52.08	1.045	11,150	12 माह
33	USS-121 (D)		4	Nasriganj	M.S.Pawani	52.20	1.045	11,150	_
34	USS-121 (E)		5	Akorhigola	M.S. chhapra	51.87	1.040	11,150	
35	USS-126 (A)		1	Kahalgaon	M.S. Basudeopur Bhuluya	52.23	1.045	11,150	1.5
36	USS-126 (B)	Bhagalpur	2	Kahalgaon	M.S. Maheshmunda	52.23	1.045	11,150	12 माह
37	USS-126 (C)	_	3	Kahalgaon	M.S.Ekdara	52.07	1.045	11,150	- ""
38	USS-126 (D)		4	Kahalgaon	M.S.Saur	52.23	1.045	11,150	

Chief Engineer B.S.E.I.D.C. Ltd, Patna

Effan.

101	USS-173 (A)		1	Husainganj	M.S. Hata Tola Chhata	56.41	1.130	11,150	1
102		Siwan	2	Raghunathp	M.S. Kandhauli			1	
	USS-173 (B)		_	ur	1745 IXUIGIIGUII	56.80	1.140	11,150	12 416
103	USS-192 (A)		1	Bahadurpur	M.S. Daing	56.72	1,135	11,150	1
104	USS-192 (B)	Darbhanga	2	Biraul	M.S. Koilajan	57.70	1.155	11,150	-
105	USS-192 (C)	Darbhanga	3	Benipur	U. M.S. Ramouli	57.33	1.150	11,150	12 माह
106	USS-192 (D)		4	Biraul	U.M.S. Balha	57.70	1.155	11,150	1
107	USS-196 (A)		1	1'ranpur	Middle School Kast Hawar	56.17	1.125	11,150	
108	USS-196 (B)		2	Ajamnagar	Middle School Arihana	56.44	1.130	11,150	-
109	USS-196 (C)	Katihar	3	Ajamnagar	Middle School Dhena Baghchhala	56.88	1.140	11,150	12 माह
110	USS-196 (D)		4	Pranpur	Middle School Ghanhar Vighocha	56.17	1.125	11,150	
111	USS-197 (A)		1	Barsoi	Middle School Barsoi Ghat	56.96	1.140	11,150	
112	USS-197 (B)	Katihar	2	Dhankhora	MiddleSchool Durgasthan Dhankhora	56.11	1.125	11,150	
113	USS-197 (C)	Katillai	3	Kodha	Middle School Marwa Najrachowki	56.10	1.125	11,150	12 माह
114	USS-197 (D)		4	Ka iwa	Dukhi Ram Middle School Chandpur	56.10	1.125	11,150	-
115	USS-199 (A)		1	Forbisganj	Adarsh Middle School Mirjapur	56.91	1.140	11,150	
116	USS-199 (B)	Araria	2	Forbisganj	Middle School Hingna Aurahi	57.31	1.150	11,150	12 माह
117	USS-199 (C)		3	Narpatganj — —	Middle School Khabdah Dumriya	57.70	1.155	11,150	- "
118	USS-199 (D)		4	Na patganj	Middle School Achra	57.70	1.155	11,150	1
119	USS-199 (C)	Saharsa	1	Banma Ithari	Middle School Ithari	57.80	1.160	11,150	12 माह
120	USS-209	West Champaran	1	Bagha-II	Middle School, Ratanpurva	56.89	1.138	11,150	12 माह
121	USS-211	Gopalganj	1	Uchkagaon	Middle School, Kaparpura	55.98	1.120	11,150	12 माह
122	USS-217	Madhubani	1	Khutauna	Middle School, Ekhattha	58.42	1.17	11,150	12 माह

Chief Engineer
B.S.E.I.D.C. Ltd, Patna
244

नोटः-1. निविदाकार एक या अधिक ग्रुप में अलग-अलग निविदा डाल सकते हैं।

2. प्राक्कितित राशि घट या बढ़ सकती है एवं तद्नुसार अग्रधन की राशि घट या बढ़ सकती है।

(2) विज्ञापन निर्गत करने की तिथि

दिनांक:- 13.02.2014

(3) परिमाण विपत्र प्राप्त करने(डाउनलोड) की अवधि एवं समय

दिनांक— **22.02.2014** से 17.**03.2014**, 15:00 घंटा

(वेबसाईट:www.eproc.bihar.gov.in पर)

(4) प्री बिड मीटिंग का समय, स्थान एंव तिाथे

दिनांकः— 28.02.2014, 14:30 घंटा प्रबंध निदेशक का कार्यालय,बिहार राज्य शैक्षणिक आधारभूत

संरचना विकास निगम, पटना।

(5) निविदा प्राप्ति(अपलोड) की अंतिम तिथि एवं समय

:--

दिनांक— 18.03.2014, समय— 15:00 घंटा

(6) टेक्निकल बिड खोलने की तिथि एवं समय

दिनांक— 24.03.2014, समय— 15:30 घंटा (वेबसाईट—www.eproc.bihar.gov.inपर)

(7) वित्तीय बिड खोलने की तिथि एवं समय

दिनांक— 02.**04.2014**, समय— 16:00 घंटा

(8) निविदा खोलने का स्थान

वेबसाईट—www.eproc.bihar.gov.inपर

(9) निविदा की वैधता की अवधि

120 दिन

(10) ई—टेन्डिरेंग की प्रक्रिया में भाग लेने हेतु संवेदकों को पंजीकृत होना होगा, जिससे कि उन्हें उपयोगकर्ता का नाम (user ID) पासवर्ड (Password) अंकीय हस्ताक्षर (Digital Signature) निर्गत की जायेगी। यह उन्हें वेबसाईट www.eproc.bihar.gov.in से डाउनलोड करने / टेन्डर की प्रक्रिया में भाग लेने की योग्यता प्रदान करेगा।

(11) ई—निविदा पत्र बेवसाईट www.eproc.bihar.gov.in से प्राप्त किया जा सकता है। संवेदक द्वारा सिर्फ उपर्युक्त वेबसाईट से ही परिमाण विपत्र प्राप्त करने के उपरांत वेबसाईट पर ही इलेक्ट्रानिक निविदा पत्र को भरकर भेजना है। अन्य सभी महत्वपूर्ण कागजात/बैंक ब्राफ्ट/अग्रधन की राशि/सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को स्कैन कर ई—निविदा के साथ संलग्न करना अनिवार्य है।

(12) परिमाण विपन्न के दर से कम दर उद्भृत करने पर बीड डाक्यूमेंट की शत्तों एवं सरकारी निर्णयानुसार अतिरिक्त Performance

Guarantee एकरारनामा के पूर्व जमा करना होगा।

- (13) (क) प्रत्येक परिमाण विपन्न का मूल्य जो प्रत्येक निविदा के सामने उपर किण्डका (1) में अंकित है (जो लौटाया नहीं जाएगा) किसी भी राष्ट्रीयकृत बैंक द्वारा निर्गत एवं BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. के नाम से एवं पटना में भुगतेय हो, स्वीकार किया जायेगा। मूल बैंक ड्राफ्ट "बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड" पटना के कार्यालय में दिनांक 24.03.2014 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना है। ऐसा नहीं करने पर निविदा मान्य नहीं होगा।
- (ख) वांछित अग्रधन की राशि राष्ट्रीय बचत पत्र/डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक जो बिहार राज्य से क्रय या जमा किया हो, प्रबंध निदेशक, BSEIDC Ltd., पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा बिहार वित्त नियमावली के अनुसार BSEIDC Ltd. के नाम से पटना में भुगतेय एकाउन्ट पंथी डिमाण्ड ड्राफ्ट, फिक्सड डिपोजिट रिसिप्ट, बैक्स चेक अथवा बैंक गारन्टी जो बिड के मान्य अवधि तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत/अनुसूचित बैंक से निर्गत हो (अगर बिहार प्रान्त के बाहर के बैंक से निर्गत बैंक गारन्टी दिया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड, पटना में दिनांक 24.03.2014 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना आवश्यक है। ऐसा नहीं करने पर निविदा मान्य नहीं होगा।
- (14) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर लें, ताकि अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से बच सकें।
- (15) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। बिना कारण बताये निविदा या उसके अंश को अस्वीकृत करने / रद्द करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।
- (16) विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्य अविध में सम्पर्क किया जा सकता है। ई—टेन्डिरिंग की प्रकिया से संबंधित किसी भी प्रकार की जानकारी/सूचना हेतु सहायता कक्ष, ई—टेन्डिरिंग कक्ष, प्रथत तल्ला, M/22, बैंक ऑफ इण्डिया भवन, रोड न० 25, श्री कृष्णा नगर, पटना—800001, दूरभाष सं० 0612—2523006/9939035696.

THE REAL PRINCIPLE OF THE PRINCIPLE OF T

Moder hosel beigh

प्रबंध निदेशक

Chief Engineer B.S.E.I.D.C. Ltd, Patna

211ar.

	Bihar State Educational Infrastructure Development Corporation Ltd.								
	AGREEMENT OF UPGRADED SECONDARY SCHOOLS IN BIHAR								
	Group No. : USS-192 A								
S.N.	District	Block	Name of School						
1	DARBHANGA	Bahadurpur	M. S, Daing						
THE ITEM RATES ARE BASED ON BIHAR SCHEDULE OF RATES, BCD, effective from dated: 11.08.2013									

TENDER FOR WORKS

I/we heredy tender for the execution for the Governor of Bihr of the work specifed in the under written memorandum at the rates specified therein within a period of years month from the date of witten order to commence and in accodance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subjects to the annexed condation of contract and with such materaials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

MEMORANDUM

incuded they should be detained in the separate list

(a) If several sub-work are (A) Name of Work: - CONSTRUCTION OF UPGRADED SCHOOLS IN BIHAR Group No.: USS-192 A

> (B) Estimated Cost :- Rs. 56,71,661=00 Agreement value :- Rs. 56,71,661=00

(b) This deposit will be 5% of the estimated cost of the (C)Earnest Money:work. (c)This percentage deduction

from bills will be credited to

the contractors security

deposits

(D) Initial security deposits (including earnest money) to be deposited before the Commencement of the work-

Earnest Money:- Rs. 2,90,000/- (Details attached)

- (E) Percentage to be deducted from bill Rs. 5% (Rupees five percent)
- (F) Time required for the work from date of written order to commence TWELVE MONTHS
- (G) Date of written order to commence :-

(H) Total number of item of work tendered for :- 74

BUILDING WORKS: (Quantity per School)								
CIVIL WORKS								
S.N	Sub N.	SOR Ref.N.	DESCRIPTION	Quantit y	Unit	Rate	Amount	
1		2.8	EARTH WORK IN EXCAVATION over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including dressing of sides and ramming of bottom, lift upto 1.5m including getting out the excavated soil and disposal of surplus soil as directed, within a lead of 50m.					
		2.8.1	ALL KINDS OF SOIL	268.46	CU.M	178.40	Rs. One hundred seventy eight and paise forty only.	

Madean posed holy

Chief Engineer B.S.E.I.D.C. Ltd, Patna

2	2.26	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth: consolidating each deposited layer by ramming and watering lead of 50 m.	176.14	CU.M	57.80	Rs. Fifty seven and paise eighty only.
3	2.28	SUPPLY AND FILLING in plinth & Foundation with local sand and under floors inluding watering, ramming, consolidating and dressing and dressing complete.	183.85	CU.M	186.30	Rs. One hundred eighty six and paise thirty only.
4	2.29.1	SURFACE DRESSING of the ground including removing vegetation and in-equalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5 m		100 SQ.M	642.50	Rs. Six hundred forty two and paise fifty only.
		4.0 Concrete Work				
5	4.5	Providing and laying of in position cement concrete of specified grade, excluding the cost of centering and shuttering all work upto plinth level.				Rs. Two thousand five hundred fifty four and paise sixty only.
	4.5.6	1:3:6 (1 Cement : 3 Coarse sand : 6 graded stone aggregate 40mm nominal size)	l .	CU.M	2554.60	
		5.0 Reinforced Cement				
6	5.1	Concrete Providing and laying of in position, of specified mix of reinforced cement concrete, excluding the cost of centering and shuttering, finishing and reinforcement - all work upto plinth level.				
	5.1.2	1:1½:3 (1 Cement : 1½ Coarse sand : 3 graded stone aggregate 20 mm nominal size) IN FOUNDATION.	44 30	CU.M	3851.00	Rs. Three thousand eight hundred fifty one only.

For, MADHAY CONSTRUCTION

Modern program Sorts

RROTRALLA

Chief Engineer B.S.E.I.D.C. Ltd, Patna

7	5.2	Reinforced cement concrete work in wall (any thickness), including attached pilasters, butteresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts, etc. upto floor v level, excluding costs of centering, shuttering, finishing and reinforcement.				
		Col. In plinth & superstructure				
·	5.2.2	1:1½:3 (1 Cement : 1½ Coarse sand : 3 graded stone aggregate 20 mm nominal size).	24.83	CU.M	3903.40	Rs. Three thousand nine hundred three and paise forty only.
8	5.3+ 5.44.4	Reinforced cement concrete work in beams, upto five level excluding cost of centring, shuttering and finishing and reinforcement with 1:1½:3(1cement: 1½ coarse sand :3 graded stone agreagate 20 mm niminal size)	7.04	CU.M	4161.12	Rs. Four thousand one hundred sixty one and paise twelve only.
9	5.3+ 5.44.4	Reinforced cement concrete work in LINTEL BAND upto five level excluding cost of centring, shuttering and finishing and reinforcement with 1:1½:3(1cement: 1½ coarse sand :3 graded stone agreagate 20 mm niminal size)	32.48	CU.M	4161.12	Rs. Four thousand one hundred sixty one and paise twelve only.
10	5.3+ 5.44.4	Reinforced cement concrete work in suspended floors & roofs upto five level excluding cost of centring, shuttering and finishing and reinforcement with 1:1½:3(1cement: 1½ coarse sand :3 graded stone agreagate 20 mm niminal size)	63.27	CU.M	4161.12	Rs. Four thousand one hundred sixty one and paise twelve only.

FOR MADELAY CONTRUCTI

Mostar Bossed Wife

Chief Engineer

Chief Engineer B.S.E.I.D.C. Ltd, Patna Hay.

11		5.3+ 5.44.4	Reinforced cement concrete work in STAIRCASE upto five level excluding cost of centring, shuttering and finishing and reinforcement with 1:1½:3(1cement: 1½ coarse sand :3 graded stone agreagate 20 mm niminal size)		CU.M	4161.12	Rs. Four thousand one hundred sixty one and paise twelve only.
	12.1	5.14	Centering and shuttering including struting, propping etc. and removal of form for - Foundations, footings,bases of columns etc. for mass concrete.	178.37	SQ.M.	137.78	Rs. One hundred thirty seven and paise seventy eight only.
12	12.2	5.14.6	Columns	393.96	SQ.M.	283.30	Rs. Two hundred eighty three and paise thirty only.
	12.3	5.14.3	ROOF SLAB	506.44	SQ.M.	229.80	Rs. Two hundred twenty nine and paise eighty only.
	12.4	5.14.5	Lintels, beams, plinth beams,-	438.63	SQ.M.	195.60	Rs. One hundred ninety five and paise sixty only.
	12.5	5.14.7	Stairs (excluding landings).	47.75	SQ.M.	296.10	Rs. Two hundred ninety six and paise ten only.
	13.1	5.29	Reinforcement for RCC work including straightening, cutting bending, placing in position and binding all complete. Mild steel 6.00 mm dia	1438.91	kg	63.40	Rs. Sixty three and paise forty only.
	13.2	5.29.7A	Thermo- Mechanically Treated bars TMTC-500- 8mm dia.	8626.38	Kg	67.00	Rs. Sixty seven only.
13	13.3	5.29.7B	Thermo- Mechanically Treated bars TMTC-500- 10mm dia.	3079.91	Kg	65.70	Rs. Sixty five and paise seventy only.
	13.4	5.29.7C	Thermo- Mechanically Treated bars TMTC-500- 12mm dia.	957.49	Kg	65.10	Rs. Sixty five and paise ten only.
	13.5	5.29.7D	Thermo- Mechanically Treated bars TMTC-500- 16mm dia.	432.11	Kg	65.70	Rs. Sixty five and paise seventy only.
	13.6	5.29.7E	Thermo- Mechanically Treated bars TMTC-500- 20mm dia.	720.33	Kg	65.50	Rs. Sixty five and paise fifty only.

Molton hosed berg

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

		T	6 0 Puigle Woule (A)				
	14.1	6.1 A	6.0 Brick Work (A) Brick work with bricks of class of class designation 100 A in foundations and plinth in:				
14		6.1.14A	Cement mortar 1: 6 (1 cement : 6 coarse sand)	25.29	CU.M	3713.5	Rs. Three thousand seven hundred thirteen and paise fifty only.
	14.2	6.1.12/1	Cement mortar 1: 4 (1 cement : 4 coarse sand)	7.03	CU.M	3914.60	Rs. Three thousand nine hundred fourteen and paise sixty only.
·	15.1	6.1 A	Brick work with bricks of class of class designation 100 A in superstucture upto floor V level in:				
15		6.1.14 A+6.3A	Cement mortar 1: 6 (1 cement : 6 coarse sand)	173.48	CU. M	4092.30	Rs. Four thousand ninety two and paise thirty only.
	15.2	6.18.4A+ 6.19A	cement : 4 coarse sand)	15.28	SQ.M.	500.10	Rs. Five hundred and paise ten only.
			9.0 Wood Work				
16		9.82.1	Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc. all complete	1432.00	Kg	83.90	Rs. Eighty three and paise ninety only.
			10.0 Steel Work				
17		10.5	Providing and fixing in position collapsable steel shutters with vertical channels 20X10X2 mm and braced with flat iron ds 20X5 mm size with top and bottom rail of T-iron 40X40X6 mm with 40 mm dia steel pulleys completes with boltsnuts locking arrangement stoppers handles including applying a priming coat of approved steel primer.	9.75	SQ.M	3634.00	Rs. Three thousand six hundred thirty four only.
18		10.7	Providing and fixing 1 mm thick M.S. sheet door & window with frame of 40X40X6 mm angle iron and 3 mm gusset plates at the junction and corners all necessary fittings complete including applying a primming coat of approved steel primer.	49.44	SQ.M.	2247.80	Rs. Two thousand two hundred forty seven and paise eighty only.

Modbon prosed Ling

Chief Engineer B.S.E.I.D.C. Ltd, Patna

Stat

oring a second second as Area (1974 - 1974) (1986) Area (1974 - 1974)

19		10.12	Providing and fixing steel glazed doors, windows and ventilatrs of standard rolled steel sections, joints mitered and welded with 15x3 mm lugs 10 cm long with steel lugs embedded in cement concrete blocks 15x10x10 Cm of 1:3:6 (1 Cement:3 coarse sand: 6 graded stone aggregate 22 mm nominal size) or with woodenplugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panes with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer; excluding the cost of metal beading and other fitting except necessary hinges or pivots as required.	66.54	SQ.M.	2924.00	Rs. Two thousand nine hundred twenty four only.
20]	11) 14 1	Providing and fixing M.S. Fan clamp type 1 of 16 mm	22.00	EACH	108.20	Rs. One hundred eight and paise twenty only.
21	10	0.32.2	Steel work welded in built up sections as per drawing including cutting hoisting, fixing in position and applying a priming coat of approved steel primer using steel in Stairs / Balcony railing.	540.00	K.G.	77.10	Rs. Seventy seven and paise ten only.
22	1	10.33	Providing and fixing hand rail by welding etc. to steel ladder railings & staircases railing including applying a priming coat of approved steel primer				
	11	0.33.1	MS tube (medium) 40 mm nominal bore 11.0 Flooring	108.00	K.G.	81.60	Rs. Eighty one and paise sixty only.
23		11.8	52 mm thick cement concrete flooring with metallic concrete hardener topping undr layer 40 mm thick cement concrete 1:2:4(1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal Size) and top layer 12 mm thick metallic cement hardener consisting of mix 1:2 (1 cement hardener miz: 2 stone aggregate 6 Mrr. ominal size) by volume hardning compund is mixed @ 2 litre per 50 kag of cement or as per manufacture specification. This includes cost of cement slurry, etc, but excluding the cost of nosing of steps etc. complete.	663.85	SQ.M	316.10	Rs. Three hundred sixteen and paise ten only.

MADELAY CONSTRUCTION Post of hirts

.

24	1 1 1 1 1 1	Extra for making chequers of approved pattern on cement concrete floors, steps, landing, pavements etc.	228.28	SQ.M	16.60	Rs. Sixteen and paise sixty only.
25		Providing designation 100 - A, BRICK FLAT SOLING joints filled with local sand including cost of watering, taxes and royalty all complete as per building specification and direction of Engineer Incharge.	417.80	SQ.M	212.90	Rs. Two hundred twentve and paise ninety only.
26	11.76	Providing average 150 mm thick dry remmed Khoa beaten to 112 mm (Compacted with water) made of well burnt or Jhama bricks including ramming properly till compacted thickness is achieved. Curing and carriage of water with all leads, making proper slope and blinding the top with cement mortar, (1: 10) all complete as per building specification and direction of E/1	214.55	SQ.M	283.50	Rs. Two hundred eighty three and paise fifty only.
		12.0 Roofing				
27	12.78	Providing & fixing on wall face unplasticised - Rigid P.V.C. rain water pipes conforming to IS: 13592 Type A including jointing with seal ring conforming to IS: 5382 leaving 10mm gap for thermal expansion . Single socket ed pipes. 110 mm dia				
:	12.78.2	110 MM RAIN WATER PIPE	82.31	Metre	199.60	Rs. One hundred ninety nine and paise sixty only.
	12.79.5.2	BEND				
28		110 MM	10.00	EACH	153.40	Rs. One hundred fiftty three and paise forty only.
29	12.79.6.2	SHOE - 110MM	10.00	EACH	293.35	Rs. Two hundred ninety three and paise thirty five only.
ĺ		13.0 Finishing				

Modlew Properties

W 3-2015

30	30.1	13.11.2	Cement Plaster in coarse sand with 12 mm cement plaster 1:4 (1 Cement : 6 Coarse Sand)	229.60	SQ.M.	90.70	Rs. Ninety and pasie seventy only.
	30.2	13.11.4	Cement Plaster in coarse sand with 12 mm cement plaster 1:6 (1 Cement : 4 Coarse Sand)	1290.96	SQ.M.	79.10	Rs. Seventy nine and paise ten only.
		12.12	20 mm thick plaster of mix :				
31		13.13. 13.13.2	1:4(1 Cement; 4 Coarse Sand)	41.62	SQ.M	128.10	Rs. One hundred twenty eight and paise ten only.
20		13.13.4	20 mm thick plaster of mix:				
32			1:6 (1 Cement: 6 Coarse Sand)	663.16	SQ.M.	110.00	Rs. One hundred ten only.
33		13.17	12 mm cement Plaster 1:3 (1 Cement : 3 Coarse Sand) finished with a floating coat of neat Cement	48.53	SQ.M.	127.00	Rs. One hundred twenty seven only.
34		- 13.24.2	6 mm Cement Plaster to Ceiling of mix - cement plaster 1:4 (1 Cement : 4 Coarse Sand)	448.06	SQ.M.	68.20	Rs. Sixty eight and paise twenty only.
35		13.26	Neat Cement Punning	315.08	SQ.M	25.9	Rs. Twenty five and paise ninety only.
36		13.70. 13.70.1	White washing with lime to give an even shade New work (three or more	1562.77	SQ.M	9.00	Rs. Nine only.
37		13.78	Applying one coat of cement primer of approved brand and manufacturer on wall surface.				
		13.78.1	cement primer on outer wall surface	730.25	SQ.M	22.10	Rs. Twenty two and paise ten only.
38		13.79	Finishing walls with water proofing cement paint of approved brand and manufacture and of required shade to give an even shade	,			
		13.79.1	New work (three or more coats)	730.25	SQ.M	51.70	Rs. Fifty one and pasie seventy only.
39		13.93	Painting with Synthetic enamel paints of approved brand and manufacture of required color to give an even shade.				
		13.93.1	Two or more coats on new work				
Car XVA			Paiting over Steel surface	283.92	SQ.M	42.00	Rs. Forty two only.

Madan Bogas bergh

Chief Engineer B.S.E.I.D.C. Ltd, Patna

Zijar.

			23.0 Pile Work				
40	40.1	23.2.5	Making 25 cm (10") dia bore up to 4 Mtr Depth below ground with hand auger of approved quality in ordinary soil (Vide classification of soil item A) true to plumb and without eccentricity in any stage of operation and disposal of gthe excavated earth up to 50 mtr. lead in eluiding all lifts. all complete as per approved disign and directions of E/I	0.00	Metre	80.40	Rs. Eighty and paise forty only.
	40.2	23.2.6	63 cm (25) UNDER REAM making 63 cm (25) dia under ream at required with hand auger of approved quality in ordinary soil (Vide classification of soil item-A) true to plumb and without iccentric city in may stage of operation and disposal of the excavated earth up to 50 mts. lead in eluding all lifts. All complete as per approved design and direction of (E/I)	0.00	Each	85.70	Rs. Eighty five and paise seventy only.
			Sanitary Works				
41		D.S.R 17.1.1	Providing and fixining water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast iron P or S tap, 10 litre low white P.V.C. Flushing cistern with munally controlled device (handle level) conforming to IS:7231 Parryware/ Hindware with all fittings and fixtures complete including cutting and making good the walls and floors wherever required.				
			White Vitreous China Orissa pattern W C pan of size 580 X 440 mm with integral type foot rest.	8.00	Each	3265.25	Rs. Three thousand two hundred sixty five and paise twenty five only.
40		DSR	Providing and fixing C.P. brass bib cock of approved qualityconforming to IS:8931				/
42		18.49.1	15 mm nominal bore.	8.00	Each	458.40	Rs. Four hundred fifty eight and paise forty only.

- MANDELAV CONJTRUCTI

Moder brosed hirth

43		DSR 17.7.1	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. orass pillar taps,32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:				
			White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps.	4.00	EACH	2174.65	Rs. Two thousand one hundred seventy four and paise sixty five only.
44	44.1	DSR 17.28 17.28.2 17.28.2.1	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. Flexible pipe 32 mm dia	4.00	EACH	72.55	Rs. Seventy two and
	44.2	17.28.2.2	40 mm dia	1.00	EACH	74.90	Rs. Seventy four and paise ninety only.
45		DSR 17.11	Providing and fixing white vitreous china laboratory sink with C.I. brackets, C.P. brass chain with rubber plug 40mm C.P brass waste and including painting of fittings and brackets, cutting and making good the wall wherever required:				
		17.11.2	Size 600x450x200mm	1.00	EACH	2992.45	Rs. Two thousand nine hundred ninety two and paise forty five only.
46		DSR 18.52	Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS:8931.				
		18.52.1	15 mm nominal bore.	5.00	EACH	618.70	Rs. Six hundred eighteen and paise seventy only.
47		2.38A.2	Providing & fixing stailess steel jali (grating) with or without hole for waste pipe for floor / nahani trap.				
<u> </u>			100 mm dia. Weight not less than 100 gms.	2.00	EACH	23.37	Rs. Twenty three and paise thirty seven only.

Moder Board Large

H-3-2012

Chief Engineer B.S.E.I.D.C. Ltd, Patna

Zyar

48		12.78 BSR 12.78.2	Providing and fixing on wall face unplastidsed PVC (working pressure 4 kgf per sqm) rain water pipes conforming to IS: 4985 including jointing with seal ring conforming to IS: 5382 leaving 10 mm gap for thermal expansion.	76,21	MTS	199.60	Rs. One hundred ninety nine and paise sixty only.
		12.79	Provinding and fixing PVC pipe fittings with all accessories				
49	49.1	12.79.5.2	1) 110mm Plain bend PVC	16.00	Each	153.40	Rs. One hundred fifty three and paise forty only.
	49.2	12.79.3.2	3) 110mm door tee PVC	12.00	EACH	294.60	Rs. Two hundred ninety four and paise sixty only.
50		19.30.1.1 /DSR	coarse sand :3 graded stone aggregate 20 mm mm nominal size) foundation concrete 1:5:10 mix (1 cement:5 coarse sand :10 graded stone aggregate 40 mmnominal size), inside plastering 12 mm th. with cenment mortar 1:3 (1 cement 3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design				
	,		inside dimensions 455x610mm and 45 mm deep for single pipe with F.P.S. bricks	6.00	EACH	4505.00	Rs. Four thousand five hundred five only.

FOR, EMADDERAY CONSTRUCTION

free of sof

en komunikasi kentengan di kemendalan d

51		18.8/ DSR	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including allCPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one stepCPVC solvent cement and the cost of cutting chases and making good whe same including testing of joints complete as per direction of E/I				
			Concealed work including cutting chases and making good the wall etc.				
	51.1	a)18.8.1	15mm dia	35.00	MTS		Rs. Two hundred fifty four and paise ninety five only.
	51.2	c) 18.9.5	Exposed on wall 40mm dia	75.00	MTS	343.55	Rs. Three hundred forty three and paise fifty five only.
52	52.3	MR	Labour cost for preparation of BIHAR MAP on wall incuding painting all complete.	1.00	Each	15150.00	Rs. Fifteen thousand one hundred fifty only.
53		18.48/ DSR	Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI: 12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank	1000.00	LTS	6.30	Rs. Six and paise thirty only.
			Providing and fixing of Borewell, Handpump with Submerssible pump all complete. Construction of 125 mm x 40mm dia x 75.00 mtr. Deep I.M III hand Tube Well		rs 1	9/25 50	Rs. Eight thousand six
	54.1		Part 'A' Cost of Materials India mark III hand pump with 8 nos. Connection Rod and one cylender (With provision of	1.00	Each	8635.50	hundred thirty five and paise fifty only.
t, MADEI adhor	M P	SONS CA	force and uplift)		Ch	Tu Tu	103-2017

Malfour Braked Sort

,

54.2	65 mm dia G.I. pipe medium quality (3mtrs length each).	8.00	Each	1072.62	Rs. One thousand seventy two and paise
54.3	125 mm dia UPVC casing pipe conforming to ISS	27.00	mtr	318.15	Rs. Three hundred eighteen and paise fifteen only.
54.4	40 mm dia length quantity G.I pipe conforming to ISS	44.00	mtr	187.86	Rs. One hundred eighty seven and paise eighty six only.
54.5	40 mm dia x 2 long PVC RIBEED strainer of approved quality	2.00	Nos.	183.82	Rs. One hundred eighty three and paise eighty two only.
54.6	125 mm x 40 mm UPVC reducing socket (Heavy quality)	1	Each	166.65	Rs. One hundred sixty six and paise sixty five only.
	Part - 'B' Labour Cost (Classification of soil item 'A')				
	Boring by jet dheki by suitable cutter of reduce as the case may be lowering 125 mm x U.P.V.C x 40 mm dia G.I pipe & strainer of standard quality iron, shoe, plug & socket etc. all complete including providing all tools and plants required for the job as per specification and direction of the engineer in charge.	27	Metre	210.86	Rs. Two hundred ten and paise eighty six only.
54.7	(i) 0 to 30.5 m (a) For 125 mm dia U.PV.C pipe				
54.8	(b) for 40 mm dia G.I pipe	3.5	Metre	105.46	Rs. One hundred five and paise forty six only.
54.9	(ii) 30.5 m to 61.0 m (a) For 40 mm dia G.I Pipe	30.5	Metre	121.28	Rs. One hundred twenty one and paise twenty eight only.
	(iii) 61.00 m to 75.00 m	1.4	Matur	121.04	Rs. One hundred thirty
54.10	a) For 40mm dia G.I pipe	14	Metre	131.84	one and paise eighty four only.
54.11	Providing all labour & tools and fitting & fixing India mark III hand pump over newely sunk for T/Well etc. all Complete	1	Each	67.38	Rs. Sixty seven and paise thirty eight only.
54.12	Supplying all labour and material and fitting and fixing G.I Cap over the new sink T/well	1	Each	65.65	Rs. Sixty five and paise sixty five only.

OF MADINAY CONSTRUCTION

Mollow Argon Jobel

14-3-201)

54.13	Providing all labour & tools and fitting & fixing Cylender with equisite suspension pipe and connection rod of India mark III hand pump etc. all complete.	. 1	Each	129.93	Rs. One hundred twenty nine and paise ninety three only.
54.14	Providing all labour & tools and lowering 65 mm dia G.I pipe as per specificatin etc. all Complete	24	P/M	21.55	Rs. Twenty one and paise fifty five only.
54.15	Supplying labour and developing the T/Well to have sand free discharge all complete as per direction of E/I	1	Each	283.31	Rs. Two hundred eighty three and paise thirty one only.
54.16	Providing all materials and labour and construction 1.85 dia circular P.C.C (1:2:4) UNICEF design platform with foot rest etc. all complete	1	Each	3679.43	Rs. Three thousand six hundred seventy nine and paise forty three only.
54.17	Providing all material and labour & constructing 1 P.C.C (1:2:4) UNICEF design drain for disposal of waste water etc. all complete.	3	P/M	311.08	Rs. Three hundred eleven and paise eight only.
54.18	Transportation of T/W materials, tools & plant from Store to work site and back to store if materials are surplus.	1	Each	361.28	Rs. Three hundred sixty one and paise twenty eight only.
	Part 'C' Cost for Additional Motorised system for filling overhead water-tank				
54.19	Providing and fixing of G.I pipes complete with G.I fittings and clamps, including, cutting and making good the walls etc. (internal work) 25mm dia	12	P/M	184.36	Rs. One hundred eighty four and paise thirty six only.
54.20	Providing and fixing brass valve 25 mm nominal bore Fullway valve,	2	Each	213.06	Rs. Two hundred thirteen and paise six only.
54.21	25 mm nominal bore Non- Return valve	1	Each	236.90	Rs. Two hundred thirty six and paise ninety only.

Mallow Profridays

1	Т		T.—	1	——————————————————————————————————————		1
	54.22		Supplying all equipments, tools and installation of 1 HP single phase submersible motor pump set of KSB/ ISI make 2900 rpm capable of discharge 5000 LPH at 45 Mtr head with all necessary riser pipe, starter control panel, 1.25" Full way valve, 1.25" M.S clamp, 1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.I Nipple etc. all complete as per direction of E/I	1	Each	26462.00	Rs. Twenty six thousand four hundred sixty two only.
			Internal Electrification Work				
55		1.1	Wiring for light point/fan point/exhaust fan point/ call bell poiont with 1.5 sq. mm FR PVC insulated copper conductor single core cable in surface/recessed PVC conduit, with piano type switch, phenolic laminated sheet, suitbale size PVC/ G.I box etc.	153	Each	473.69	Rs. Four hundred seventy three and paise sixty nine only.
		1.1.3	Group C			ļ	
56		1.2	Wiring for twin control light point with 1.5 sq. mm FR PVC insulatd copper condctor single core cable in surface/ recessed PVC conduit, with 2way piano type switch, phinollic laminated sheet, suitable size PVC/GI box etc. as required.	2	Each	475.71	Rs. Four hundred seventy five and paise seventy one only.
57		1.5	Wiring for light/ power plug with 2x4 sq. mm. FR PVC insulated, copper conductor, signle core, cable in and surface, recessed PVC conduit along with 1 no. 4 sq. mm FR PVC insulated copper conductor single core cable for loop earthing as required.	440	Metre	171.70	Rs. One hundred seventy one and paise seventy only.
58		1.7 (b)	Wiring for circuit/ sub main wiring along with earth wire with the following size of PVC insulated, coppper conductor, signle core cable in surface/ recessed PVC conduit as required. 2x2.5 sq. mm + 1x2.5 sq. mm	335	Rmt	126.25	Rs. One hundred twenty six and paise twenty five only.
		1.7.2	earth wire.		<u> </u>		

JE, MADHAV CONTINUO Modhan

PROPRIELLA

59	(c)	4x6 sq. mm + 1x6 sq. mm earth wire.	25	Rmt	390.87	Rs. Three hundred ninety and paise eighty seven only.
60	1.33	Supplying and fixing 2 pin 5 amp. Ceiling rose on the existing junction box/ PVC box including connection etc as required.	40	Each	23.23	Rs. Twenty three and paise twenty three only.
61	1.34	Supplying and fixing battan/ angle holder including connection as required.	92	Each	28.28	Rs. Twenty eight and paise twenty eight only.
62	1.23	St.pplying and fixing following piano typed switch/ socket on existing switch box/ cover including connection etc. as required. Telephone socket on shutter	153	Each	49.49	Rs. Forty nine and paise forty nine only.
63	1.22	outlet Supplying and fixing metal box of following size (normal size) on surface or in recess with suitable size or phinollic laminated sheet cover in front of including painting etc. as required.	6	Each	59.59	Rs. Fifty nine and paise fifty nine only.
	1.22.1	75mm X 75mm X 50mm deep (4" x 4")				
64	1.30.	Supplying and fixing suitable G.I/PVC box on surface or in recess with phenolic laminated sheet cover in front including provided and fixing 6 pin, 15/16 amps socket outlet and 15/16 amps piano type switch connection, painting etc, as required.	46	Each	217.15	Rs. Two hundred seventeen and paise fifteen only.
		DISTRIBUTION BOARD				
65	2.9	Supplying and fixing of following way of three pole and neutral sheet steel, MCB distribution board 415 Volts, on surface/ recess, tinned, copper bus bar, neutral link, earth bar, din bar, detachable gland plate, interconnections, phosphatized and power painted including earthing etc. as required (but without MCB/ RCCB/ isolator)	2	Each	2554.29	Rs. Two thousand five hundred fifty four and paise twenty nine only.
	(b) 2.9.5	6 way (4+18) double door				

Moder hased with

an the existing MCB DB with connections, testing and sommissioning etc. as required. (a)2.12.1 6/32 single pole (b) 2.12.5 6/32 TPN 1 Each 936.27 six and paise then the pair only. LT Panel & Cable Supplying and laying following size and core PVC/ XLPE insulated PVC sheathed heavy duty armoured electrical cable with alluminium conductor for working voltage upto & including 1100 Volts. (Conforms to IS: 1554 part-1) 6.14.4 16 sq.mm. X 4 core alluminium armoured cable Trench cutting in soil of suitable size 1.5 feet wide and 2 feet depth including refilling the trench with same etc. as required. For laying the cable) Providing and fixing following capacity double pole/ TP & N sheet metal switch disconnector fuses, including drilling holes in metal board, with ISI marked HRC fuses, including drilling holes in metal board, with ISI marked HRC fuses, including drilling holes in metal board, with ISI marked HRC fuses, including drilling holes in metal board, with ISI marked HRC fuses, including drilling holes in metal board, with ISI marked HRC fuses, including and laying earth connection from earth electrod with 6 SWG dia Gl wire in 15 mm dia Gl pipe from earth electrod with 6 SWG dia Gl wire in 15 mm dia Gl pipe from earth electrod, as required. E arthing with copper earth plate 600mmx600mmx3mm thick including accessoics, and providing masonary enclosure 1 Set 5633.78 hundred thirty three and paise twenty two only.		 		_			
67 2.12.5 6/32 TPN 1 Each 936.27 six and paise twenty seven only.	66		32 amps, rating, 240 volts, 'C' series, MCB of following poles in the existing MCB DB with connections, testing and commissioning etc. as required.	35	Each	157.56	Rs. One hundred fifty seven and paise fifty six only.
LT Panel & Cable Supplying and laying following size and core PVC/ XLPE insulated PVC sheathed heavy duty armoured electrical cable with alluminium conductor for working voltage upto & including 1100 Volts. (Conforms to IS: 1554 part-1) 16 sq.mm X 4 core alluminium armoured cable Trench cutting in soil of suitable size 1.5 feet wide and 2 feet depth including refilling the trench with same etc. as required. (For laying the cable) Providing and fixing following capacity double pole/ TP & N sheet metal switch disconnector fuse unit in existing metal board, with ISI marked HRC fuses, including drilling holes in metal board, with ISI marked HRC fuses, including drilling holes in metal board, making connections, etc. as required. 2.2.2 I00 amps. TP & N, HRC EARTHING Providing and laying earth conection from earth electrod with 6 SWG dia GI wire in 15 mm dia GI pipe from earth electrod, as required. Earthing with copper earth plate 600mmx600mmx3mm thick including accessoies, and providing masonary enclosure 1 Set 5633.78 Ses Five thousand six hundred thirty three are providing masonary enclosure 1 Set 5633.78 Ses Five thousand six hundred thirty three are provided	67		6/32 TPN	1	Each	936.27	-
suitable size 1.5 feet wide and 2 feet depth including refilling the trench with same etc. as required. (For laying the cable) Providing and fixing following capacity double pole/ TP & N sheet metal switch disconnector fuse unit in existing metal board, with ISI marked HRC fuses, including drilling holes in metal board, making connections, etc. as required. 2.2.2 ito amps. TP & N , HRC EARTHING Providing and laying earth conection from earth electrod with 6 SWG dia GI wire in 15 mm dia GI pipe from earth electrod, as required. E arthing with copper earth plate 600mmx600mmx3mm thick including accessoies,and providing masonary enclosure 1 Set 5633.78 Rs. Twenty two and paise twenty two only. Rs. Twenty two and paise twenty two only. Rs. Twenty two and paise twenty two only. Rs. One hundred twenthere and paise twenty two only. Rs. One hundred twenthere and paise twenty two only.	68		Supplying and laying following size and core PVC/ XLPE insulated PVC sheathed heavy duty armoured electrical cable with alluminium conductor for working voltage upto & including 1100 Volts. (Conforms to IS: 1554 part-1) 16 sq.mm X 4 core alluminium	100	Metre	237.35	Rs. Two hundred thirty seven and paise thirty
capacity double pole/ TP & N sheet metal switch disconnector fuse unit in existing metal board, with ISI marked HRC fuses, including drilling holes in metal board, making connections, etc. as required. 2.2.2 100 amps. TP & N , HRC EARTHING Providing and laying earth conection from earth electrod with 6 SWG dia GI wire in 15 mm dia GI pipe from earth electrod , as required. E arthing with copper earth plate 600mmx600mmx3mm thick including accessoies, and providing masonary enclosure 1 Set 5633.78 Rs. Six thousand thirr four and paise seventy five only. Rs. One hundred twen two only. Rs. Five thousand six hundred thirty three and hundred thirty three and	69		Trench cutting in soil of suitable size 1.5 feet wide and 2 feet depth including refilling the trench with same etc. as	100	Rmt	22,22	Rs. Twenty two and paise twenty two only.
Providing and laying earth conection from earth electrod with 6 SWG dia GI wire in 15 mm dia GI pipe from earth electrod, as required. E arthing with copper earth plate 600mmx600mmx3mm thick including accessoies, and providing masonary enclosure E ARTHING Rs. One hundred twen three and paise twenty two only. Rs. Five thousand six hundred thirty three are	70	-	capacity double pole/ TP & N sheet metal switch disconnector fuse unit in existing metal board, with ISI marked HRC fuses, including drilling holes in metal board, making connections, etc. as required.	1	Each	6034.75	Rs. Six thousand thirty four and paise seventy five only.
plate 600mmx600mmx3mm thick including accessoies,and 72 3.6 providing masonary enclosure 1 Set 5633.78 hundred thirty three ar	71		Providing and laying earth conection from earth electrod with 6 SWG dia GI wire in 15 mm dia GI pipe from earth	3	Each	123.22	Rs. One hundred twenty three and paise twenty two only.
arrangement and watering pipe etc as required	72	3.6	plate 600mmx600mmx3mm thick including accessoies,and providing masonary enclosure with cover plate having locking arrangement and watering pipe	1	Set	5633.78	Rs. Five thousand six hundred thirty three and paise seventy eight only.

Modern Prograbiles



		MISCEL	LANEOUS WORK				
			CARRAIGE OF MATERIALS				
	73.1		A) LOCAL SAND ,Avg. LFAD - 3 KM.	188.09	CU.M	190.4	Rs. One hundred ninety and paise forty only.
73	73.2	103.5 Km	B) COARSE SAND ,Avg. LEAD from Doriganj	218.88	CU.M	1284.24	Rs. One thousand two hundred eighty four and paise twenty four only.
	73.3	By Rail 284.54 +4.7Km by Road	C) STONE CHIPS ,Avg. LEAD from Mirzachouki	203.65	CU.M	1455.84	Rs. One thousand four hundred fifty five and paise eighty four only.
	73.4		D) BRICKS ,Avg. LEAD- = 8 KM.	97.83	THOUS AND	557.36	Rs. Five hundred fifty seven and paise thirty six only.
	73.5		E) Cement ,Avg. Lead =5 KM.	2497.00	Bags	9.88	Rs. Nine and paise eighty eight only.
	73.6		F) Steel ,Avg. Lead =5 KM.	15.26	М.Т.	197.50	Rs. One hundred ninety seven and paise fifty only.
			Add extra cost of material for Darbhanga Commissionary w.r.t Gaya as per SOR, BCD				
74	74.1		Bricks	97.83	THOUS AND	269.85	Rs. Two hundred sixty nine and paise eighty five only.
	74.2		Cement	2497.00	Bags	48.80	Rs. Forty eight and paise eighty only.
					TOTAL	Cost = Rs.	5671660.94
Group No. : USS					(0	11	[A
S.N.	District DARBHANGA		Block	Name of School M. S, Daing		Amount 5 671 660 04	
1	DAKE	DHANGA	Bahadurpur	Rs.			5,671,660.94 5,671,660.94
	5,671,661.00						

Tender approved in favour of Madhav Construction @ BOQ rates (Estimated Cost) i.e. total amount comes to Rs. 56,71,661=00 (Rupees Fifty Six Lacs Seventy One Thousand Six Hundred Sixty One Only)

mashow bossed siof

Chief Engineer B.S.E.I.D.C. Ltd, Patna

Zyan

475-14/0000 90-1-229/12-4203-6-3-12



परिशिष्ट – "ख"

बिहार सरकार

ग्रामीण कार्य विभाग

निबंधन प्रमाण-पत्र

श्री क्रिनिया केरे दुवरीत श्री मार्गिया प्रि हराह-पता 3/0 हिन स्पन् हिन्हारी हरोत. जाम, दाद्वामा पुरु हुर्गी स्टार स्यामा- पहार्षित हुर्गी



9-10-10. Perforage (200 3000) 3069/12

आवेदक की पावर ऑफ अटानीं धारण करने वाले व्यक्ति की अभिप्रमाणित फोटो संलग्न करें

को श्रेणी <u>गिर्मिन</u> में अविध दिनांक <u>66.03.2012</u> से 05.03.17 तक के लिए ग्राभीण कार्य विभाग के संवेदक के रूप में निबंधित किया जाता है।

दिनांक

Madhar Propod Single आवेदक का हस्ताक्षर 100 3.12

सामानामिनुसरी / दिवंदीमा करवे वैद्योगवाधिकारी

हस्ताक्षरिष्टिर सहित)

Chief Engineer B.S.E.I.D.C. Ltd, Patna

Ega

नाईसंस संख्य

क्षारम--० विहार सरकार श्रम संसाधन विमाग लाईसेन्स पदाधिकारी का कार्यालम् दरमंगा ।

संख्या:-277 नारीख 23.5.613 मुगतान की गयी फीस रू० 100=00

लाईसॅस

श्रमिको की सरख्या- ५० (पञ्च स्)

ठेका मजदूर(विनियमन एवं उन्मूलन)अधिनियम, 1970 की घारा-12(1) के अधीन

शीटाव करेट करन जीव गाटिक जिसा कि प्राप्त किया जाता है।

गम उन्हर मा पो० - अप कर जिला है।

विनिर्दिष्ठ शर्ता के अधीन इसके द्वारा लाई सेंसे मंजूर किया जाता है।

(2) स्थापना में ठेका मंजदूर के रूप में नियोजित मजदूरों की संख्या किसी भी दिन कि एक प्राप्त में अधिक नहीं होगी।

(3) यह लाईसेन्स दरमंगा जिलान्तर्गत का जाता है।

कार्य हेतु निर्गत किया गया है।

लाईसेन्स 22- ठ5 - 2014 ... तक प्रवृत रहेगी।

क्षाईसेन्सिंग परीयकारहे

लाईसेन्सींग पदाधिकारी का हस्ताक्षर

नवीकरण (नियम-29)

नदी	करण की तारी	ख	नवीकरप	ग केलिए भ्र	ाताई गयी फीस	समाप्त होने की तारीख
01:-	30-8	<u>- 14-</u>	- 212	トナ・い	41-240/27	·5·14 -22.5.2015 de
02:-		,				क्राईसेन्सिन पर्वादिकानी
02	•		•		* *	\EZEM

05:--

04'-

Chief Engineer

लाईसेच निम्नांकित रात्तों वे अधीन है :--

ा लाईसेन्स अंतरणीय (तत दासफरेबुल) नहीं हांगा ।

2. स्थापना में ठेका मजदूर के रूप में नियोजित मजदूरी की सुद्धा किसा की 184.

ताईसेन्स की मंजूरी अथवा नदीकरण के लिए हो गई जार निवसदात न यथारिश्रतिया को छोडकर वापस नहीं की जायेगी ।

िकीदार द्वारा मजदूरों को दी जाने बाती मजदूरी दरें जहाँ। न्यूनतम मजदूरी अधिनियम (सिनिमम वेजेज ऐसट) लागू होगा बहाँ उसी अधिनियम के अधीन नियोजन में अनुसूर्य कि विहित्त दरें। से कम नहीं होगा और जहाँ दरें करार समझौता का प्रचाट द्वारा नियत हों बहाँ नियत दरों से कम नहीं होगा।

जिले परिस्थितियों में ठेकेदार के द्वारा नियोजित मजदूरों वहाँ या उने, तरह हो काम कर्री रहीं, जी या जिस तरह की कीम स्थीपना में अमुख्य नियोजिक द्वारा सीधे नियोजित मजदूरी करता है परन्तु काम के आकीर के संबंध में कोई मतभेद होने पर इसका विनिश्चित श्रमायुक्त, विहार करेगें जो अंतिम होगा।

अय परिस्थितियों में ठेकेदार के द्वारा मजदूरों की मजदूरी, घुद्दी, अवकारा, सेवा शत्तें नहीं होगी, जो श्रमायुक्त, बिहार उसके लिये विनिर्दिष्ट करेंगे।

7. हरेक स्थापना में जिसमें सामान्य तथी 20 या उससे अधिक महिला ठेका मजदूर के जिस में नियोजित हैं, उसके 6 वर्ष से क्रम उस के बच्ची के जिसे समिति परिणाम न दी कमरे का प्रबंध किया जायेग इसमें के प्रवाद मस बच्ची के खेलने के रूप में किया जायेग । वेकेदार इस प्रयोजन के लिये प्राप्य संख्या में चार्रपाइया एवं खिलोंने की आपूर्ति करेगा।

8. 'लाई'सेप्स में मजदूरों की संख्या या काम के घंटे में हुए किसी परिवर्त्तन की सूचना लाईसेन्सिंग पदाधिकारी को देगा ।

हस्तावर व ब्रह्मंक

लाईसेन्सींग पदाधिकारी का हस्तासर व

डाएकर विभाग INCOMETAX DEPARTMENT

MADHAV PRASAD SINGH

BRIPIN BIHARI SINGH

01/03/1978

Permanent Account Number
BJTPS0074H

मारत सरकार GOVT. OF INDIA





हर्माकार के लोने/गाने पर कृपया स्वित करे/ तौदाए आयक्त मेन सेवांडकाई एत स्सार शुरूत पहली अज़ित टाईम्स टाक्ट कम्ला भिल्स कृप्याउंड, एस. बी. पार्ग, लोजर प्रांत, मुचर्ड 200013

If this card is lost / someone's lost card is Jound, please anjoinn / return to lincome Tux PAN Services Unit, NSDL is Floor Times Tower, Kanala Mills Compound, S. 18: Mary Covres Parel, Mumbai - 400 013.
Tel: 9/22/2454656 251.9127-245 0664, email: ministropy.

Form C-1

Certification of Registration under Section 19 of the Bihar Value Added Tax Act,2005 [See rule 3(5)]

Office of the <u>Assistant Commissioner</u> of Commercial Taxes <u>Darbhanga Circle</u>

1. Certified that, M/s MADHAV CONSTRUCTION

Address of Principal Place of Business:

Flat/Room/Block No

: N/A

Building Name

: N/A

Street Name

: N/A

Area/Locality

ANDAMA KUSAUTHAR

City/Town/Village

: Darbhanga

District

: Darbhanga

Name State

: Bihar

Pin Code

: 846001

is registered under the Bihar Value Added Tax Act, 2005 and has been allotted Taxpayer Identification Number as given below:

TIN: 10389086065

2. He is liable to pay tax under the Bihar Value Added Tax Act, 2005 with effect from: 07/05/2013

Place: Laheriasarai, Daiohanga,
Date: 15/05/2013

Seal

Signature of the Issuing Authority:

Designation: Assistant Commissioner of Commercial Taxes

Page: 1 of 1

Chief Engineer B.S.E.I.D.C. Ltd, Patna

Print Close Window

.

P