Schedule XLV-Form No. 61 Building(1) of Computer centre,
Magadh University, Bodh gaya,

1 Ltd.
COMPUTER

BIHAR PUBLIC WORKS DEPARTMENT

Agency - [Form No. F-2] Ragiv Rayan ITEM RATE TENDER AND CONTRACT FOR WORKS

Agreement No. 76 F2 of 2017-18.

General Rule and Direction for the guidance of Contractors.

Date of Commencement - 19-06-2017

1. All works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer.

This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours.

2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so.

3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm.

4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender.

5. The amount of earnest money to be deposited will be : -	Rs.	
If the amount of the estimate does not exceed Rs. 2,000	***	50
If the amount of the estimate exceeds Rs. 2,000 but does		
not exceed Rs. 5,000	,	100
If the amount of the estimate exceeds Rs. 5,000 but does		
not exceed Rs. 10,000		200
For each additional Rs. 5,000 or portion of Rs. 5.000		
additional earnest money		100

6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompanied by the treasury challan for the required earnest money will be liable to rejection. No single tender shall include more than one work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the envelop dash deposits for earnests money here in before mentioned shall be made in Government Treasuries and the challan there of should be enclosed with the tender.

Region Ranjan

memorandum at d in accodance in abjects to the accordance with,

ING OF

Commencement of

MONTHS

Patna Patna 1120

- 7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.
  - 8. The Engineer shall have the right of rejecting all or any of the tenders.
- 9. In the event of a tender being selected for acceptance the Engineer who opened the tenders will, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the priscribed time. The tender with the specilication and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to the tenderer.

- 10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.
- 11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required amount of the security money has been deposited the Engineer shall scrutinise all pages of the form of them, rate, tender & contract for works to see that the form has been properly filled up and signed by the contractor & the signature witnessed He shall then if he is competent, to accept the tender, significance of the tender, or, if he is not so competent shall send the form for signature of the acceptance of the officer competent to accept it.

Rayeou Ranjan

#### **TENDER FOR WORKS**

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

#### **MEMORANDUM** Name of work .....

Estimated cost .....

Earnest money

- a) if several sub-work are ncluded they should be etained in a separate list.
  - [b]
- b) This deposit will be 5% f the estimated cost of the
- c) This percentage leduction from bills will be redited to the contractors

Vork.

Item No.

- - [e]
- ecurity deposit.
  - [f]

    - [g]

Item of work

Initial security deposits (including earnest money) to be deposited befor the commencement of the work ......

Percentage to be deducted from bills Rs. 5% (Rupees five percent) Time required for the work from date of written order to commence ......

Date of written other to commence

..... monthly

Total number of item of work tendered for [h]

		<u> </u>	
		·····	,
	DATE	TENDER	ש וייין כי
	KAIL	TENDER	ベニレ
			5.
<i>,,</i>		HILDSON WATER CONTRACTOR	CONTRACTOR OF CONTRACTOR

In figures

In words

Per

HT MONTHS

Chief Engineer

S.E.I.D.C. Ltd. Patna -

Rajen (9mar)

n memorandum at and in accodance in Subjects to the

n accordance with,

on Ltd.

COMPUTER

DING OF

YA

he Commencement of

4.		RATE TE		
Item No.	Item of work	In figures	In words	Pe
				٠ .
•				
				•
				• •
		•		
			A CONTRACTOR OF THE CONTRACTOR	
			<b>+</b>	
•				
				1
•			The state of the s	
	The state of the s			
		100 mm		
			 .m*	
· ·				
•	and the state of t			
<u>.</u>				
	are the second s	на при		
				- 100
. 1				

3

Schedule XLV - Form No. 61

(5)

		RATE TE		
Item No.	Item of work	In figures	In words	Per
<u>,                                     </u>				and the control of th
				· -
,				
)				· · · · · · · · · · · · · · · · · · ·
			100 M	
			THE STATE OF THE S	Andreas
)			DAY TO THE TOTAL THE TOTAL TO T	
				e e e e e e e e e e e e e e e e e e e
			and the state of t	
				——————————————————————————————————————
			man markamata ka	
			2000 XXXXX	
				M
			NAME OF THE PROPERTY OF THE PR	
			177.	
* 1				
	in the second se			
			780200	
	NAME OF THE PARTY			
	REPRESENTATION OF THE PROPERTY			
		e. Tanana		
		• •		
			Distriction 1.00	
			No.	
		:	WASHINGTON AND AND AND AND AND AND AND AND AND AN	
			224-planything	
		-	charge suspen	
			HE PARTICION AND AND AND AND AND AND AND AND AND AN	

# on Ltd. COMPUTER

n memorandum at and in accodance in Subjects to the accordance with,

DING OF YA

ne Commencement of

AT MONTHS

19/6 ineer d Patna 2hous 1004

	√ - Form No. 61	(	6)		gygonali.
ı.			RATE TEN	VDERED	
item No.	Item of work		In figures	In words	Per
			A Committed to September 1997 of the Committee of the Com	The state of the s	
		·		550	
		100		1	
·		2000	the started and the started an	100000	
			 	1	
				- 1	
• .					
			D)0022		
			C. Livery C. Liv		
	*				
			C Control of the Cont		
			The second of th		
		, .		The second of th	
		٠.			
The state of the s			Vaccination and the		
			***		
					A STATE OF THE STA
		. •		and the second s	
	· · · · · · · · · · · · · · · · · · ·				· ·
	·.			4	
				Egg	
		- ·			

edule XLV - Form No. 61

	XLV - Form No. 61	(7)			
ım No.		RATE T	rendered		ion L
	Item of work	In figures	In words	Per	F CO
		Week little			·
			A PPP CANADA		
			Di Circo	TOTAL CONTRACTOR OF THE CONTRA	tten mer e and in
			ACCENTAGE		ıd Subje
			тукра II обласа на применения применения применения применения применения применения применения применения при		in acco
٠.			од от предоставления и предоставления и предоставления и предоставления и предоставления и предоставления и пре		
			dolar Managamo, p		
			THE PROPERTY OF THE PROPERTY O		ILDIN
					AYA
			- 1115 C		, A. J. A.
			Mission		· Nation
					# 
		e e e e e e e e e e e e e e e e e e e			
			744000		
			XX I and many		
			COLUMN TO THE PROPERTY OF THE		1
1.					
			<i>*</i> . ·		the Com
					r
٠			47.2.		GHT MC
					3111
			THE PARTY NAMED IN COLUMN TO THE PARTY NAMED		
			un production to the state of t		
			P. C.		
			9		
			1		
			AN ACCESSION AND ACCESSION ACCESSION AND ACCESSION ACCESSION AND ACCESSION AND ACCESSION AND ACCESSION ACCESSION AND ACCESSION ACCESSION ACCESSION ACCESSION ACCESSION ACCESSION AND ACCESSION		-
	"学生的复数形式"的现在分词				
					2300
					ngineer Ltd Patr
					Ltd, Patr

## Ltd.

#### OMPUTER

emorandum at n accodance in ects to the ordance with,

# G OF

nmencement of

ONTHS

should this tender be accepted I/we hereby agree to abide by and fulfill all the terms and provisions of the said conditions of contract annexed hereto so, for a applicable, or in ssors in office the sums of money mentioned in the said conditions day of

Rojeev Ronjan \*Signature, of contractor be-

Dated the

witness Address

Occupation

Signature of witness contractor's signature

fore comission of tender

The above tender is hereby accepted by me on behalf of the Governor of Biha day of Dated the

signature of the office accepting the tende

Acceptances communicated on......

signature of the part taking the tende

## CONDITIONS OF CONTRACT

Compensation

Clause 1:- All compensation or other sums of payable by the contractor Government under the terms of his contract may be deducted from, paid by the sale of a sufficient part of his security deposit or from the Interest arising therefo or from any sums which may be due or may become due to the contractor Government on any account whatsoever and in the event of his security depo being reduced by reason of any such deduction or sale as aforesaid, the contrad shall within ten days there after make good in cash or Government security endorsed as aforesaid any sum or sums which may have been deducted from arised by, sale of his security deposit of any part thereof.

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which the work is finished after necessary rectification of defects as pointed by the Executive En- gineer or his authorised agents are fully contractor to the Engineer's satisfaction.

Clause 2 :- The time allowed for carrying out the work as entered in the tend shall be strictly observed by the contractor and shall be reckoned from the date which the wirtten order to comence work is given to the contractor. The work si throughout the stipulated period of the contract be carried on with all due diliger (time being deemed to be the essence of the contract on the part of the contract or) and the contractor shall pay as compensation an amount equal to  $\frac{1}{2}$  pero on the amount of the estimated cost of the whole work as shown by the tender every day that the work remains uncommenced or unfinished after the proper of And further to ensure good progress during the execution of the work the control shall be bound in all cases in which the time allowed for any work exceeds month to complete one fourth of the whole of the work before one - fourth of whole time allowed under the contract has elapsed one-half of the work before half of such time elapsed and three-fourths of the work, before three fourths of time has elapsed in the event of the contractor failing to employ with this condi-I shall be liable to pay as compensation an amount equal to ½ percent on the estimated cost of the whole work for every day that the due quantity of remains incomplete provided always that the entire amount of compensation paid under the provisions the clause shall not exceed 10 percent of the estimated cost of the work as shown in the tender.

Action when persale security deposit foreited

Clause 3:- In any case which under any clause or clauses of or this con the contractor shall have rendered himself laible to pay compensation amou to the whole of his security deposit in the hands of Government (where paid it sum or deducted by instalments) the Executive Engineer of behalf on the Government shall have been powered to adopt any of the following courses, may deem best suited to the enterest of Government-C. Ltd, Patne

(a) To rescind the contract (of which regind notice in writing to the cont under the hand of the Executive Engineer shall be conclusive evidence) which case the sectitiry deposit of the confractor shall start forfeited, at absolutely at the disposal of Government.

Rajeau Ranjan

- (b) To employ labour paid by the Public Works Department and to supply naterials to carry out the work, or any part of the work, debitting the construction with ne cost of the labour and the price of the materials (of the amount of which cost and rice certificate of the Engineer-in -charge shall be final and conclusive against the ontractor), and crediting him with the value of the work done, in all respects in the ame manner and at the same rates as if it had been carried out by the contractor under
- (c) To measure up the work of the contractor and to take such part of the work f the contractor as shall be unexecuted out of his hands, and to give it to another ontractor to complete in which case any expenses which may be incurred in excess of ne sum which would have been paid to the original contractor if the whole work had een executed by him (of the amount of which excess the certificate in writing of the executive Engineer shall be final and conclusive) shall be born and paid by the original ontractor and made be deducted from any money due to him by Government under the ontract or otherwise, or from his security deposit or the proceeds of sale thereof, or a ufficient part thereof.

ne terms of his contract, the certificate of the Executive Engineer as to the value of the

ork done shall be final and conclusive against the contractor.

In the event of any of the above courses being adopted by the Executive ngineer, the contractor shall have no claim to compensation for any loss sustained by im by reason of his having purchased or procured any materials or entered into any ngagement, or made advances on account of or with a view to execution of the work or ne performance of the contract. And in case the contract shall be rescinded under the rovision aforesaid, contractor shall not be entitled to recover or be paid any sum for any ork there-to-fore actually performed under this contract unless and until the Executive ngineer shall have certified in writing the performance of such work and the value ayable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4:- In any case in which any of the powers; conferred upon the Executive ngineer by clause 3 thereof shall have become exercisable and the same shall not be xercised the non-exercise there of shall not contitury waiver of the conditions here and uch power shall not with standing be exercisable in the event of any future case of efault by the contractor for which by any clause or clauses hereof he is declared liable pay compensation amounting to the whole of his security deposit and the liability of e contractor for past and future compensation shall remain unaffected in the event of e Executive Engineer putting in force the powers vested in him under the preceeding ause he may, if so desires, take possession of all or any tools, plants, materials and ore, in or upon the works of the site thereof or belonging to the contractor or procured: y him and intended to be for the execution of the work or any part there of paying or lowing for the same in the contract at the account rates, or in case of these not being oplicable at current market rates to be certified by the Executive Engineer whose ertificate thereof shall be final, otherwise the Executive Engineer may notice in writing the contractor or his clerk of the work, foreman or other authorised agent require him remove such tools, plants, materials or stores from the premises (within a time to be pecified in such notice) and in the event to the contractor failing to comply with any ich requisition the Executive Engineer may remove them at the contractor expense or ell them by auction or private sale on account of the contractor and at his risk in all spect, and the certificate of the Executive Engineer as to the expense of any such moval and the amount of the proceeds and expense of any such sale be final and onclusive against the contractor.

Clause 5 :- If the contractor shall desire any extension of the time for ompletion of the work on the ground of his having been unavoidably hindered in its cecution or on any other ground other than those mentioned in clause 12 (a) he shall oply in writing to the Executive Engineer within 40 days from the date of starting of the nderance on account of which be desires such extension as aforesaid and the Executive ngineer shall, if in his opinion (which shall be final) reasonable grounds be shown ereof authorised such extension of time, if any, as may in his opinion be necessary or oper. The Executive Engineer shall at the same time inform the contractor whether he index B.S.E.I.D.C. Ltd, Patrið aims compensation for the delay.

ation Ltd.

OF COMPUTER

ritten memorandum at nce and in accodance in and Subjects to the ets in accordance with,

JILDING OF BAYA

contractor remains liable to pay compensation if action not take under

re the Commencement of

IGHT MONTHS

Power to take posession of or require removal of or sell contractor plant.

Extension of time

Final certificate

Clause 6.- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion, but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinctly marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-work, doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurements shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus materials and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid, except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

Clause 7:- A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible, before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-in-charge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects.

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts or in any other way vary or affect the contract.

•Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Clause 9:- If the specification or estimate of the work provides for the use of any

special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-in-charge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums then due or there after to become due to the contractor under the contract or otherwise, or against or form the security deposit, or the proceed of sale thereof, if the same is held in Government security the same or sufficient portion thereof in this case sold for the purpose. Alternaterials

supplied to the contractor shall remain the absolute property of Government and shall not on any accounts he removed from this site of the work and shall at all times be open to

19/6

Stores supplied Government

Rajeou Ranjan

dule XLV - Form No. 61

ctions by the Engineer-in-charge. Any such materials unused and in correctly in condition at the time of the completion or determination of the contract shall be ned to the Engineer-in-charge's store, at the prevailing market rate or at the issue vhichever is less if by a notice in writing under his hand he shall so require, but the actor shall not be entitled to return any such materials unless with such consent shall have no claim for compensation on account of any such materials so supplied n as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: - The contractor shall executive the whole and every part of the work most substantial and workman like manner, and both as regards materials and wise in every respect in strict accordance with the specifications. The contractor also confirm exactly, fully and faithfully to designs, drawings, and instructions in ig relating to the work singed by the Engineer-in-charge and lodged in his office and nich the contractor shall be entitle to access at such office, for the purpose of ection during office hours, and the contractor shall, if he so require be entitled at his expenses to make or cause to be made copies of the specification, and of all such gns, drawings and instructions as aforesaid

Clause 11: - Engineer-in-charge shall have power to make any alteration in additions e original specifications, drawings and instructions that may appear to him to be essary or advisable during the progress of the work. The contractor shall be bound arry out the work in accordance with any instructions which may be given to him in ng signed by the Engineer-in-charge, and such alteration shall not invalidate the ract and any additional work which the contractor may be directed to do in the ner above specified as part of the work shall be carried out by the contractor on the e conditions in all respects on which he agreed to do the main work, and at the e rates as are specified in the tender of the main work. The time for completion of work shall be extended in the proportion that the additional work bears to the original

ract work and the certificate of the Engineer-in-charge shall be conclusive as to n proportion and to the additional work includes any class of work, for which no rales pecified in this contractor then such class of work shall be carried out at the rates ered in the sanctioned schedule or rates of the locality during the period when the k is being carried on and if such last mentioned class of work is not entered in the edule of rates of the district then the contractor shall within seven days of the date is receipt of the order to carry out the work inform the Engineer-in-charge does the which in his intention to charge for such class of work and if the Engineer-in-charge s not agree to this rate he shall be noticed in writing be at liberty to cancel his order arry out such class of work and arrange to carry it out in such manner as he may sider advisable provided always that if the contract shall commence work or in our expenditure in regard thereof before the rate shall have been determine as lastly ein before mentioned then and in such case he shall only be entitled to be paid in pect of the work carried out or expenditure incurred by him prior to the date of the ermination of the rates as aforesaid according to such rate or rates as shall be fixed he Engineer-in-charge in the event of a disputes the decision of the superintending gineer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any litional work done unless he has received an order in writing from the Engineer-inirge for the additional work the contractor shall be bound to submit his claim for any litional work done during any month on or before the 15th days other following month companied by a copy of the order in witting of the Engineer-in-charge for the additional rk and that contractor or shall not be entitled to any payment in respect of such litional work if be other submit his claim within date afore said period.

Clause 12:- If at any time after the commencement of the wok the Government of ar shall for any reason whatsoever not require the whole thereof as specified in the der to be carried out, the Engineer-in-charge shall give notice in writing of the fact to contractor who shall have no claim to any payment of compensation whatsoever on count of any profit or advantage, which he might have derived from the execution of work in full, but which he did not derive in consequence of the full amount of the work having been carried out neither shall he have any claim for compensation by reason in work to be carried out. any alternation having been made in the original specification, drawing designs andd. Patna truction which shall involve any installment of the work as originally contemplated use 12 (a) As contained in G O 1929 dated 11.9.56.

oration Ltd.

NG OF COMPUTER

Work to be executed accordance with specification drawing other etc.

er written memorandum at imence and in accodance in eof and Subjects to the spects in accordance with,

BUILDING OF **H GAYA** 

Alteration in specifications and designation.

Do not in validate contract

efore the Commencement of

EIGHT MONTHS

Time in consequence of

Rate for work no in estimate or schedule of rates of the district.

Compensation for alteration in or restriction of,

Rayan Raman

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such failure is due to:

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as finally by the contractor.

**T** 

**T** 

Action and compensation payable in case of work.

Clause 13:- If it shall appear to the Engineer-in-charge or his subordinate incharge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall on demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-incharge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and expense in all respects of the contractcor.

Work to be taken to inspection

Clause 14:-All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineer-in-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

Contractor or responsible Agents to be present.

Clause 15: The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which the same was effected.

Notice to be taken before work covered up Clause 16:- If the contractor or his work-people, or servants shall break, deface injure or destroy any part of a building in which they may be working or any building, road, road curves, fence enclosure water pipes, cables, drains, electric or telephone posts or wires, trees, grass or grassland or cultivated ground contiguous on which the work or any part of it is being executed or if any damage shall happen to the work, while in progress from any cause whatsoever or any imperiedier become apparent in if within three months (six months in the case of a road work) after a certificate final or other of its completion shall have been graph by the Engineer-in-charge

ONION RAMSO

/ - Form No. 61

al, the contractor shall make the same good at his own expense, or in Engineer-in-charge may cause the same to be made be good by other nd deduct the expense of which time thereafter may become due to the from his security deposit, or the proceed of sale there of, or of a sufficient of the security deposit at the contractor shall not be refunded before the e months (six months in the case of a road-work) after the issue of the al or otherwise of completion of work provided that in the case of a road work on of the Engineer-in-charge behalf of the security deposit will be refundable onths of the issue of the said certificate of completion

a 17:- The contractor shall supply at his own cost all materials (except such erials) if any as may in accordance with the contract be supplied from the charges stores). Plants, tools, application, implements, ladders, cordage, lding and temporary works requisits or proper for the proper execution of the er original, altered or substituted and whether include in the specification or ents forming part of the contract or referred to in these conditions or not or e necessary for purpose of satisfying or complying with the requirement of r-in-charge as to any matter as to which under these conditions he is entitled d which he is entitled to require together with carriage therefore to and form e contractor shall also supply without charge the requisite number of persons ns and materials necessary for the purpose of setting out works, and counting, d assisting in the measurement or examination at any time and form time to work or materials failing his so doing the same may be Provided by the -charge at the expense of the contractor and the expenses may be deducted oney due to the contractor under the contract from his security deposit or the sale thereof or of a sufficient portion thereof. The contractor shall also provide y fencing and lights required to protect the public from accident, and shall be ar to expenses of defence of every suit action or other proceeding at law that ought by any person for injury sustained owing to neglect of the above and to any such person or which may with the consent of the contractor be promise any claim by any such person.

se 18:- No female labour shall be employed within the limits of contonment. ctor shall not employ for the purpose of his contract any person who is below welve years and shall pay to each labour for the work done by such labourer ess than the wages paid for similar work in the neighbourhood.

executive Engineer shall have the right to enquire into the case and decide aint alleging that the wages paid by the contractor to any labourer for the work ch labour is less than the wages paid for similar work in the neighbourhood.

officer in-charge of the work shall have the right to decide whether any labourer by contractor is below the age of twelve years and to refuse to allow any hom he decided to be below the age of twelve years to be employed by the

ise 19:- The Contractor shall not be assigned or subject without the written if the Executive Engineer. And if the contractor shall assign or subject his r attempt so to do, or become insolvent proceedings to make any composition editors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward ge pecunalry of otherwise, shall either directly or indirectly be given promissed, by the contractor, or any of his servant or agents to any public officer or person ploy of Government in any way relating to his officer or employment or if any er or person shall become in any way directly or indirectly interested in the e Executive Engineer may there upon by notice in writing rescind the contract. ity deposit of the contractor shall there upon stand forfeited and be absolutely osal of Government and the same consequence shall ensure as if the confract recinded under clause 3 here of, in addition the contractor shall no be entitled or be paid to any work therefore actually performed the under the contract.

Contractor liable for damage done and for imperfection a months and after certificate

Contractor to supply to plantladder scaffolding

#### Corporation Ltd.

#### LDING OF COMPUTER YΑ

under written memorandum at o commence and in accodance in e hereof and Subjects to the ier respects in accordance with,

#### SED BUILDING OF ODH GAYA

And is liable for damage arising for non-provision of light fencing etc.

ed before the Commencement of

Work not to be subject

ince EIGHT MONTHS

Contract may be resinded and security deposit forfelted for subjetting bribes or if contractor become

19.6.17

such payable by way of compensation to be considered reasonable compensation without reference to actual loss

Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained.

Clause 21 :- In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this information.

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal of Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Engineer

Clause 22: - All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23: - In case any dispute or difference shall arise between the parties or either of there upon any question relating to the meaning of the specifications, designs, drawings and instructions here before mentioned or as to the quality of workmanship or materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, or 🧲 any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions or otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof or as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

(a) Clause 24: - When the estimate on which a tender is made includes lump sum in respect of the contract shall be entitled to payment in respect of the items or work involved of the work in question the same rates as are payable under this contract such terms, for if the part of the work in question is not in the opinion of the Engineer-incharge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineerin-charge shall be final and conclusive against the contractor with regard to any sum payable to him under the provision of this clause.

where Action specificaiton.

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Definition of works

Clause 26 :- The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to such construction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered, substituted or additional.

Clause 27:- The terms and conditions of the agreement have been read/explained to me and ......clearly understand them.

/ - Forr	n No.	. 61
----------	-------	------

(15)

le showing (Approximately) materials to be supplied, it available the rates of they are to be charged for and the places at which they are to be supplied

they are to be char Particulars	Rates at when will be c	nich the material harged to the ntractor		Place of delivery
	Unit	Rs.	P.	
			-	
	-			1
* *				
•				
		·		
				. w
			g g	
				- -
			.	
	. `			
		ļ		
	- 607/ 607			
			ļ	
			Ì	
		: 33		

Corporation Ltd.

DING OF COMPUTER YA

under written memorandum at commence and in accodance in e hereof and Subjects to the ier respects in accordance with,

SED BUILDING OF **ODH GAYA** 

ted before the Commencement of

nence EIGHT MONTHS

ote:-The person or firm submitting the tender should see that the rates in the above schedules are by the Engineer-in-charge on the issue of the form prior to the submission of the tender-

en Kargen ure of Contrator)

Chief Engineer B.S.E.I.D.C. Ltd, Patera Signature of Executive Engineer)

### Bihar State Educational Infrastructure Development Corporation Ltd.

### AGREEMENT FOR THE CONSTRUCTION OF PROPOSED BUILDING OF COMPUTER CENTRE, MAGADH UNIVERSITY, BODH GAYA

#### **TENDER FOR WORKS**

I/we he redy tender for the execution for the Governor of Bihr of the work specifed in the under written memorandum at the rate's specified therein within a period of years month from the date of witten order to commence and in accodance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subjects to the annexed condation of contract and with such materaials as are provided for by and in other respects in accordance with. such conditions so far as applicable.

#### **MEMORANDUM**

incuded they should be

(a) If several sub-work are (A) Name of Work :- CONSTRUCTION OF PROPOSED BUILDING OF detained in the separate list COMPUTER CENTRE, MAGADH UNIVERSITY, BODH GAYA

> (B) Estimated Cost :- Rs. 61,70,675=00 Agreement value :- Rs. 55,53,608=00

(b) This deposit will be 5% of the estimated cost of the work.

(C)Earnest Money :-

(c)This percentage deduction from bills will be credited to the contractors security deposits

(D) Initial security deposits (including earnest money) to be deposited before the Commencement of the work-

Earnest Money:- Rs. 2,80,000/- (Details attached)

(E) Percentage to be deducted from bill Rs. 5% (Rupees five percent)

(F) Time required for the work from date of written order to commence EIGHT MONTHS

(G) Date of written order to commence:-

(H) Total number of item of work tendered for :- 85

Rajeer Rangan

Chief E

## BIH AR STATE CDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

### SHIKSHA BHAWAN, SAIDPUR, PATNA

# AGREEMENT FOR PROPOSED BUILDING OF COMPUTER CENTRE, , MAGADH UNIVERSITY, BODH GAYA

## BIH AR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

S.N	SOR REF.	ITEM OF WORK	QTY	Unit	Rate	Amount
1	2	3	4	5	6	7
1	2.8.1	Earthwork in excavation in as(exceeding 30 cm in depth 1.5m in width as well as 10 sq.mtr on plan) including dressing of sides and ramming of bottom, lift up to 1.5 including getting out the excavated soil and disposal of surplus soil as directed within a lead of 50 m, All kind of soil	332.90	cum	205.20	Rs. Two hundred five and paise twenty only.
2	2.29.1	Surface dressing of the ground including removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish, lead up to 50 mtr. and lift up to 1.5mtr All kind of soil	293.78	sqm	7.19	Rs. Seven and paise nineteen only.
3	2.26	Filling Excavated Earth (excluding rock) in trenches, plinth sides of foundations etc. inlayers not exceeding 20 cm in depth consolidating each deposited layer by ramming and watering lead.	248.86	cum	66.40	Rs. Sixty six and paise forty only.
4	2.28	Supply and filling in plinth with local sand and under floors including watering ramming consolidating and dressing complete.	204.06	cum	192.5	Rs. One hundred ninety two and paise fifty only.
5	11.72	Providing designation 100 A one brick flat soling joints filled with local sand including cost of watering, taxes royalty all complete as per building specification and direction of E/I	366.72	sqm	227.6	Rs. Two hundred twenty seven and paise sixty only.

Rojew Ronjan

Chief Engineer

B.S.E.I.D.C. Ltd. Paina

19/6

19/6

			11			
6	4.1.8	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering all work Up to plinth level.  1:3:6(1 cement : 3 sand : 6 graded stone aggregate 20 mm nominal size)	38.73	cum	2346.90	Rs. Two thousand three hundred forty six and paise ninety only.
7	5.1.1	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering all work up to plinth level. 1:1:2(1 cement : 1 sand : 2 graded tone aggregate 20 mm nominal size) M-25	79.18	cum	5110.70	Rs. Five thousand one hundred ten and paise seventy only.
8	5.2.1	Reinforced cement concrete work in wall (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts, etc. upt floor five level excluding cost of centring, shuttering, finishin and reinforcements column above Plinth	15.42	cum	5666.20	Rs. Five thousand six hundred sixty six and paise twenty only.
9	5.3+ 5.33B4+ 5.33B1	Reinforced cement concrete work in beams suspended floors Roofs having slope up to 15,landing balconies, shelf chajjas, lintel bands, plain windowsills stair cases and spiral staircases up to floor V level excluding the cost of centering, shuttering, finishing and reinforcement.  With M-15 1:2:4 (1 cement : 2sand : 4graded stone aggregate 20 mm size)  Add for richer mixnominal  Providing M-20grade RCC instead of M-15RCC  Providing M-25grade RCC instead of M-20RCC	79.69	cum	4,581.20	Rs. Four thousand five hundred eighty one and paise twenty only.

Rojew Ranyan

Chief Engineer

B.S.E.I.D.C. Ltd. Patna,

1916

1916

			12			<u></u>
10	6.1.14A	Brick work with bricks of class designation 100A in foundation and plinth in cement mortar 1:6(1 cement: 6 coarse sand)	9.92	cum	3,992.90	Rs. Three thousand nine hundred ninety two and paise ninety only.
11	6.1.14A +6.3A	Brick work with bricks of class designation 100A in foundation and plinth in cement mortar 1:6(1 cement: 6 coarse sand).  Extra for brick work in super structure above plinth level	76.84	cum	4427.50	Rs. Four thousand four hundred twenty seven and paise fifty only.
. 12	6.18.4A+ 6.19A	Half brick masonry with bricks of class designation 100A in foundation and plinth in cement mortar 1:4(1 cement: 4 coarse sand). Extra for half brick masonary work in super structure above plinth level up to floor v level.	214.89	sqm	538.30	Rs. Five hundred thirty eight and paise thirty only.
13	6.21A	Extra for providing and placing in position 2 nos,6mm dia, MS bars at every third course of half brick masonary	214.89	sqm	75.90	Rs. Seventy five and paise ninety only.
14	11.26.1	Kota stone slab flooring over 20 mm average thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of slab including rubbing polishing complete. Base1:1:1(1lime:1surkhi:coarse sand)/1:4 cement mortar 20-25 thick	369.20	sqm	968.00	Rs. Nine hundred sixty eight only.
15	11.27	Kota stone slab flooring over 20 mm average thick in riser of steps, skirting, dado and pillars laid on 12 mm average thick Cement mortor1:3 (1 cement: 3 coarse) and jointed with grey cement slurry mixed with pigment to match the shade of slab including rubbing polishing complete. Detail of cost for 10 sq.mtr.	40.07	sqm	927.50	Rs. Nine hundred twenty seven and paise fifty only.

Rajew Ranjan

()

(

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

210. 19/06//1

			13			<u></u>
16	11.38	Providing and laying ceramic glazed floor tiles 300x300 mm(thickness to be specified by manufacturer) of 1st quality confirming to IS:15622 of approved make in all colors, shades, except white, Ivory, Grey, Fume red ,Brown laid on 20mm thick bed of Cement Mortar1:4 (1 cement: 4 coarse sand) including pointing the joints with white cement matching pigments etc complete.	36.05	sqm	801.80	Rs. Eight hundred one and paise eighty only.
7	11.36	Providing and fixing 1st quality ceramic glazed wall tiles confirming to IS15622( thickness to be specified by manufacturer ) of approved make in all colors, shades except burgundy, Bottle green, Black of any size as approved by Engineer in charge in skirting, riser of steps and dados over 12mm thick bed of cement mortar1:3(1 cement:3 coarse sand) and joining with grey cement slurry @3.3 kg per sq.mtr including pointing in white cement with pigments of matching shade complete	172.46	sqm	754.20	Rs. Seven hundred fifty foura and paise twenty only.
18	13.13.4	20mm cement plaster of mix;1:6(1 cement : 6 coarse sand) Exterior wall	606.87	sqm	123.50	Rs. One hundred twenty three and paise fifty only.
19	13.11.4	12mm cement plaster of mix;1:6(1 cement : 6 coarse sand) Internal wall	718.75	sqm	89.30	Rs. Eighty nine and paise thirty only.
20	13.24.2	6mm cement plaster of mix;1:4(1 cement : 4 coarse sand) Roof	591.65	sqm	77.40	Rs. Seventy seven and paise forty only.

Rajeeu Rongan

Chief Engineer
B.S.E.I.D.C. Ltd. Patna

Skehmuller

19/16

		14		-	
11.3.1+ 11.188	of neat cement including cement slurry,		sqm	232.90	Rs. Two hundred thirty two and paise ninety only.
13.46.1	Finishing walls with Acrylic Smooth exterior paint of required shade: New work (Two or more coat applied @ 1.67 ltr/ 10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/ 10 sqm)	606.87	sqm	68.80	Rs. Sixty eight and paise eighty only.
13.80.A.2	Providing and applying white cement based putty of average thickness 2 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete	1,306.35	sqm	118.70	Rs. One hundred eighteen and paise seventy only.
1-11	Distermping with Ist quality washable distemper (ready made) of approved manufacturer and of required shade and color complete. As per manufacturer specification. Two or more coats on new work.	1,306.35	sqm	34.70	Rs. Thirty four and paise seventy only.
	13.46.1 13.80.A.2	cement: 2 coarse sand: 4 graded stone aggregate.) finished with a floating coat of neat cement including cement slurry, etc excluding the cost of nosing of steps etc complete 40 mm thick with 20 mm nominal size aggregate. Extra for making chequers of approved pattern on cement concrete floors, steps landing, pavements etc  Finishing walls with Acrylic Smooth exterior paint of required shade: New work (Two or more coat applied @ 1.67 ltr/ 10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/ 10 sqm)  Providing and applying white cement based putty of average thickness 2 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete  Distermping with Ist quality washable distemper (ready made) of approved manufacturer and of required shade and color complete. As per manufacturer	Cement concrete flooring 1:2:4(1 cement: 2 coarse sand: 4 graded stone aggregate.) finished with a floating coat of neat cement including cement slurry, etc excluding the cost of nosing of steps etc complete 40 mm thick with 20 mm nominal size aggregate. Extra for making chequers of approved pattern on cement concrete floors, steps landing, pavements etc  Finishing walls with Acrylic Smooth exterior paint of required shade: New work (Two or more coat applied @ 1.67 ltr/ 10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/ 10 sqm)  Providing and applying white cement based putty of average thickness 2 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete  Distermping with Ist quality washable distemper (ready made) of approved manufacturer and of required shade and color complete. As per manufacturer specification. Two or more coats on	Cement concrete flooring 1:2:4(1 cement : 2 coarse sand : 4 graded stone aggregate.) finished with a floating coat of neat cement including cement slurry, etc excluding the cost of nosing of steps etc complete 40 mm thick with 20 mm nominal size aggregate. Extra for making chequers of approved pattern on cement concrete floors, steps landing, pavements etc  Finishing walls with Acrylic Smooth exterior paint of required shade :New work (Two or more coat applied @ 1.67 ltr/ 10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/ 10 sqm)  Providing and applying white cement based putty of average thickness 2 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete  Distermping with Ist quality washable distemper (ready made) of approved manufacturer and of required shade and color complete. As per manufacturer specification. Two or more coats on	Cement concrete flooring 1:2:4(1 cement: 2 coarse sand: 4 graded stone aggregate.) finished with a floating coat of neat cement including cement slurry, etc excluding the cost of nosing of steps etc excluding the cost of nosing of steps etc complete 40 mm thick with 20 mm nominal size aggregate. Extra for making chequers of approved pattern on cement concrete floors, steps landing, pavements etc  Finishing walls with Acrylic Smooth exterior paint of required shade: New work (Two or more coat applied @ 1.67 ltr/ 10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/ 10 sqm)  Providing and applying white cement based putty of average thickness 2 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete  Distermping with Ist quality washable distemper (ready made) of approved manufacturer and of required shade and color complete. As per manufacturer specification. Two or more coats on

926.35

31.18

sqm

sqm

Painting with enamel paint of approved

band and manufacture to give and even

shade two or more coats on new work.

mixed pink or grey primer of approved

Applying priming coat with ready

brand and manufacture wood work.

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

June
19/06//2

50.90

25.20

Rs. Fifty and paise

ninety only.

Rs. Twenty five

and paise twenty

only.

Rajeeu Ranjan

25

26

13.93.1

13.81.1

			15			
27	13.81.3	Applying priming coat with ready mixed pink or grey primer of approved brand and manufacture of steel galvanized iron/steel work.	82.96	sqm	21.30	Rs. Twenty one and paise thirty only.
28	9.1.2	Wood work in frames of doors ,windows, cleresting windows And other framed and fixed position: Sal wood	0.880	cum	74,774.30	Rs. Seventy four thousand seven hundred seventy four and paise thirty only.
29	9.21.1	Providing and fixing flush door shutters confirming to IS:2202(I) non decorative type core of block board construction with frame of 1st class taired wood and well matched commercial 3ply veneering with vertical grains or cross bands and face veneers on both faces of shutters 35 mm thick including a noised aluminum butt hinges with necessary screw.	31.810	sqm	1,823.80	Rs. One thousand eight hundred twenty three and paise eighty only.
30	9.103.2	Providing and Fixing MS Door latch with screw etc complete 250 x 20 x 6 mm	21	Nos.	57.80	Rs. Fifty seven and paise eighty only.
31	1 9 104 1 1	Providing and fixing MS handles with necessary screw etc complete 125 mm	40	Nos.	27.50	Rs. Twenty seven and paise fifty only.
32	9.146.1	Providing and fixing bright finished brass handles with screw etc complete125mm.	20	Nos.	183.10	Rs. One hundred eighty three and paise ten only.
33	10.5	Providing and fixing in position collapsible steel shutter with vertical channel 20 x 10 x 2 mm and braced with flat iron diagonals 20 x 5 mm size with top and bottom rail of 7-ton 40 x 40 x 6 mm with 40 mm dia steel pulleys complete with bolts nuts locks arrangement stopper handles including apply A primer coat	10.000	sqm	4,115.60	Rs. Four thousand one hundred fifteen and paise sixty only.

Rayew Rangan

Chief Engineer
B.S.E.I.D.C. Ltd. Patna

Pylan

19/6.

19/06/196

		16			<u></u>
33 10.12.1+ 10.13B	Providing and fixing glazed steel doors, windows, ventilators of standard rolled steel sections, joints mitered and welded with 15x3mm MS lugs 10 cm long with steel legs embedded in cement concrete blocks 15 x 10 x 10 cm of (1:3:6) 1 cement: 3 coarse sand: 6 graded stone aggregate 20 mm nominal size or with wooden plugs and screw or raul plug sand screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required.  Extra for providing and fixing steel beading of approved shape and section with screws instead of glazing clips and met. Sash putty in steel doors, windows, ventilators and composite units STEEL WINDOWS	82.96	sqm	3,270.60	Rs. Three thousand two hundred seventy and paise sixty only.

Rajeu Ronjan

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Phys.

1916.

1916.

	$\sim$		17			
34	10.12.1± 10.13C	Providing and fixing glazed steel doors, windows, ventilators of standard rolled steel sections, joints mitered and welded with 15x3mm MS lugs 10 cm long with steel legs embedded in cement concrete blocks15 x 10 x 10 cm of (1:3:6) 1 cement: 3 coarse sand: 6 graded stone aggregate20 mm nominal size or with wooden plugs and screw or raul plug sand screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as required.  Extra for providing and fixing steel beading of approved shape and section with screws instead of glazing clips and met. Sash putty in steel doors, windows, ventilators and composite units STEEL ventilator	4.50	sqm	3,277.60	Rs. Three thousand two hundred seventy seven and paise sixty only.
35	9.02.1	Providing and fixing MS grills of requirement pattern in frames Of windows etc with MS flats square or round bars etc complete Fixed to steel windows by welding.	1825.00	Kg	91.50	Rs. Ninety one and paise fifty only.
36	10.33.1	Providing and fixing hand rail by welding etc. to steel ladder railing and stair cases railing including applying a primer coat of approved steel primer MS tube( medium) 40 mm nominal bore.	415.80	Kg	91.10	Rs. Ninety one and paise ten only.

Rajew Rangan

0.

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Nehoushay

19/6

			18			
37	10.19	Providing and Fixing MS Fan Hook of 16 mm dia MS bar 1mtr long bent to required size and shape, placed in position and fixed in truss frame/RCC slab/beam at the time of casting all complete as per building specification and direction of E/I (where materials is not supplied by deptt.)	18.00	Nos.	121.80	Rs. One hundred twenty one and paise eighty only.
38	5.22	Reinforcement for RCC work including straightening ,cutting, bending, placing in position and bonding all complete				
	5.22.7A	TMC-500 8 mm DIA	4,500.00	Kg	74.40	Rs. Seventy four and paise forty only.
	5.22.7b	TMC-500 10 mm DIA	750.00	Kg	73.10	Rs. Seventy three and paise ten only.
	5.22.7C	TMC-500 12 mm DIA	3,900.00	Kg	71.80	Rs. Seventy one and paise eighty only.
	5.22.7D	TMC-500 16 mm DIA	3,450.00	Kg	72.80	Rs. Seventy two and paise eighty only.
	5.22.7E	TMC-500 20 mm DIA	4,250.00	Kg.	72.20	Rs. Seventy two and paise twenty only.
	5,22.7f	TMC-500 20 mm DIA	850.00	Kg	72.20	Rs. Seventy two and paise twenty only.
39	DSR 4.17	Making plinth protection 50mm thick of cement concrete (1:3:6) (1 Cement :3Coarse Sand:6graded stone aggregate 20mm nominal size) over 75 mm bed by dry brick ballast 40 mm nominal size well rammed and consolidated and grouted with fine sand including finishing the top smooth.	63.33	sqm	319.90	Rs. Three hundred nineteen and paise thirty only.

Rajeev Rgngan

Chief Engineer
BSEIDC Ltd. Patna
110. 19/06/17

			17			
40	5.9.1	Centering and shuttering, propping etc. and removal of form for foundation, footings, bases of columns etc for mass concrete	89.62	sqm	166.70	Rs. One hundred sixty six and paise seventy only.
41	5.9.5	Centering and shuttering, propping etc. and removal of form for lintels beams, plinth beams, bressumers and cantilevers	506.83	sqm	251.30	Rs. Two hundred fifty one and paise thirty only.
42	5.9.6	Centering and shuttering, propping etc. and removal of form for columns, pillars, piers, abutments, post and sturts.	253.41	sqm	344.40	Rs. Three hundred forty four and paise forty only.
43	5.9.3	Centering and shuttering, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access plate form	418.71	sqm	275.60	Rs. Two hundred seventy five and paise sixty only.
					Total (A)	5,086,875.93
		Water supply and Sanitation				
44	BSR 12.78.2	Providing and fixing of wall face unplastidsed PVC (working pressure 4kgf per sq.mtr) rain water pipes confirming toIS:4985 including jointing with seal ring confirming toIS:5382 leaving 10 mm gap for thermal expansion 110mm diameter	22.50	MTS	214.20	Rs. Two hundred fourteen and paise twenty only.
45	B.S.R 17.1.1	Providing and fixing water closet squatting pan(Indian type WC pan) with 100 mm sand cast iron P or S tap,10 litre low white PVC flushing cistern with manually controlled device(handle level) con firming to IS:7231 Parry ware /Hindware with all fitting and fixtures complete including cutting and making good the walls and floors where ever required.  White vitreous china Orissa pattern W C pan of size 580 x 440 mm with integral type foot rest.	3.00	Each	3035.40	Rs. Three thousand thirty five and paise forty only.

Chief Engineer
St.S.E.I.D.C. Ltd. Patna
Nelsenthey
1916. 19106/12

Rajew Ranjan

			20			
46	B.S.R 17.2.2	Providing and fixing white vitreous china pedestal type ware closet (European type WC pan) with seat and lid, 10 litre low white PVC flushing cistern with manually controlled device(handle level) con firming to IS:7231 Parry ware /Hindware with all fitting and fixtures complete including cutting and making good the walls and floors where ever required: WC pan with ISI marked black solid plastic seat and lid.	5.00	Each	2928.30	Rs. Two thousand nine hundred twenty eight and paise thirty only.
47	B.S.R 17.4.3	Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430 x 260 x 350 mm and 340 x 410 x 265 mm sizes respectively with automatic flushing cistern with standard flush pipe C.P. brass spreaders with brass unions and G.I. clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required: Range of three urinal basins with 10 litre white PVC automatic flushing cistern	6.00	Each	6196.80	Rs. Six thousand one hundred ninety six and paise eighty only.
48	B.S.R 17.7.1	Providing and fixing wash basin C.I. brackets, 15 mm C.P. brass pillar taps,32 mm CP brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:  White vitreous China Wash Basin size 630 x 450 mm with pair of brass pillar taps	6.00	Each	2120.30	Rs. Two thousand one hundred twenty and paise thirty only.
49	10.513.4	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. Flexible pipe 32 mm dia	6.00	Each	79.00	Rs. Seventy nine only.

Chief Engineer

B.S.E.I.D.C. Ltg. Patnage

Skehouther

19/6. 19/06/19

Rajew Konjan

(1)

			21			
50	8.S.R 17.32.2	Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing:  Rectangular shape 453 x 357 mm	6.00	Each .	643.40	Rs. Six hundred forty three and paise forty only.
51	B.S.R 17.33	Provide and fixing 600 x 120 x 5 mm glass shelf with edges round off, supported on anodized aluminum angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete.	6.00	Each	478.30	Rs. Four hundred seventy eight and paise thirty only.
52	B.S.R 18.9.3	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 25 mm nominal inner dia Pipes	40.00	Meter	193.80	Rs. One hundred ninety three and paise eighty only.
53		Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 32 mm nominal inner dia Pipes	75.00	Meter	251.10	Rs. Two hundred fifty one and paise ten only.

Royew Ranyan

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Plan

19/6.

19/04/13

_		
	Γ	P
		P
		ha
		W
52	B.S.R	&
53	18.9.2	jo i
		ste
		ref
		per
		20
		Pro
		Pol
		hav
		wat
= 1	B.S.R	& b =
54	18.9.1	join
		step
	İ	refil I
		per 🗗
		15 m
	i	$\operatorname{Prov}_{\bar{1}}$
	İ	floor
65	B.S.R	tank I
55	18.48	suita b
	<i>;</i>	makin
		and OV
		and the
		Provici
	B.S.R	cock O
56		IS: 893
	1	15 mm
	,	Providi
		cock (CC
57		of appro
		8931.
		15 mm ≇
L		

0

0

Ø

()

			_22_			
53	B.S.R. 18.9.2	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 20 mm nominal inner dia Pipes	60.00	Meter	146.40	Rs. One hundred forty six and paise forty only.
54	B.S.R 18.9.1	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 15 mm nominal inner dia Pipes	25.00	Meter	125.10	Rs. One hundred twenty five and paise ten only.
55	B.S.R 18.48	Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI: 12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.	4000.00	Per liter	6.80	Rs. Six and paise eighty only.
56	B.S.R 18.49.1	Providing and fixing C.P. brass bib cock of approved quality conforming to IS: 8931:  15 mm nominal bore.	14.00	Each	497.00	Rs. Four hundred ninety seven only.
57	B.S.R 18.52	Providing and fixing C.P. brass stop cock (concealed of standard design and of approved make conforming to IS: 8931.  15 mm nominal bore.	12.00	Each	671.00	Rs. Six hundred seventy one only.

Rayen Ranjan

Chief Engineer

8.S.E.I.D.C. Ltd. Patna

214. JKehoul han

19/6- 19/06//2

			23	. <del>.</del>		
58	B.S.R 19.2.2	Providing and laying cement concrete 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size) all-round S.W. pipes including bed concrete as per standard design : 150 mm diameter S.W. pipe	45.00	Meter	312.50	Rs. Three hundred twelve and paise fifty only.
59	B.S.R 19.6.2	Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete: 150 mm dia R.C.C. pipe	45.00	Meter	312.90	Rs. Three hundred twelve and paise ninety only.
60	B.S.R 19.27.1	Constructing brick masonry road gully chamber 50x45x60 cm with bricks in cement mortar 1:4 (1cement : 4 coarse sand) including 500x450 mm pre-cast R.C.C. horizontal grating with frame complete as per standard design : With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	6.00	Each	3117.30	Rs. Three thousand one hundred seventeen and paise thirty only.

Chief Engineer

B.S.E.I.D.C. Ltd. Patrya

Plan

1916

19/06//2

Rajan Ranjan

<del></del>			24			
61	B.S.R 19.30.1.1	Constructing brick masonry chamber for Underground C.I. Inspection Chamber and bend with 75 class designation bricks in cement mortar 1:4 (1 cement: 4 coarse sand) C.I. Cover with frame (light duty) 455x610 mm internal dimensions', total weight of cover with frame to be not less than 38 kg. (Weight of cover 23 kg. and weight of frame 15 kg.) RCC top slab with 1:1.5:3 mix (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20 mm nominal size) foundation concrete 1:5:10 mix (1 cement: 5 coarse sand: 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm thick with cement mortar 1:3 (1 cement: 3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design. Inside dimensions 466 x 610 mm and 45cm deep for single pipe line: With common burnt clay F.P.S. (non designation 7.5 modular) bricks of class		Each	3949.10	Rs. Three thousand nine hundred forty nine and paise ten only.
62	B.S.R 19.32.1	Making soak pit 2.5 m diameter 3.0 meter deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter, 1.8 m long complete as per standard design. With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	1.000	Each	25900.00	Rs. Twenty five thousand nine hundred only.
63	B.S.R 19.34 19.34.1	Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete : 100 mm dia	2.000	Each	283.80	Rs. Two hundred eighty three and paise eighty only.

Rajen Ronjan

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Skehouther

1916. 19/06//

æ	1000 m
-)	<u></u>
	_

			25			
64	*	Constructing brick masonry septic tank As per Detail Estimate.	1.000	Each	77162.00	Rs. Seventy seven thousand one hundred sixty two only.
65	**	Detailed Estimate for construction of 125 mm x 40 mm x 90 mm Tube well Manual Boring	1.000	Each	60432.65	Rs. Sixty thousand four hundred thirty two and paise sixty five only.
		DSR Schedule Items -Internal Electrical Work- (PART-I)			Total (B)	408,881.85
66	1.10.3	Point Wiring in PVC Conduit, with Modular type Switch:- Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FR PVC insulated copper conductor single core cable in surface/recessed PVC conduit, with modular type switch, modular plate, suitable size of GI box etc as required. Group C	87.000	Nos.	725.180	Rs. Seven hundred twenty five and paise eighteen only.
67	1.11	Twin Control Point Wiring in PVC Conduit, with Modular type Switch:-Wiring for twin control light point with 1.5 sq.mm FR PVC insulated copper conductor single core cable in surface/recessed PVC conduit, 2 way modular type switch, modular plate, suitable size of GI box etc as required.	2.000	Nos.	777.700	Rs. Seven hundred seventy seven and paise seventy only.
. 68	1.32	Supply and Fixing Light Plug Point with Modular Type Accessories:- Supply and Fixing GI box with modular plate and cover in front on surface or in recess including providing and fixing 6 pin, 15/16 amps modular socket outlet and 15/16 amps modular type switch, connection, painting etc as required.	16.000	Nos.	398.950	Rs. Three hundred ninety eight and paise ninety five only.

Rajeer Ranjan

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

Pho.

1916. 19106/126

			26_			<del></del>
69	1.12	Power Plug Wiring in PVC conduit (2x4 sq. mm):- Wiring for light/power plug with 2x4 sq.mm FR PVC insulated copper conductor single core cable in surface/recessed PVC conduit along with 1 number 4 sq. mm FR PVC insulated copper conductor single core cable for loop earthing as required	255.000	Meters	163.620	Rs. One hundred sixty three and paise sixty two only.
70	1.14	Circuit / Sub-main wiring in PVC Conduit:- Wiring for circuit / sub-main wiring along with earth wire with the following sizes of PVC insulated, copper conductor, single core cable in surface/recessed PVC conduit as required.				
71	1.14.2	2x2.5 Sq. mm + 1x2.5 sq. mm earth wire	380.000	Meters	132.310	Rs. One hundred thirty two and paise thirty one only.
72	1.14.4			Meters	223.210	Rs. Two hundred twenty three and paise twenty one only.
73	2.10.1	S/F 'C' series SP MCB:- Supplying and fixing 240 volts, 'C' series, miniature circuit breaker suitable for inductive loads of following poles in the existing MCB DB complete with connections, testing and commissioning etc, as required. 6/32A, Single Pole.	30.000	Each	170.690	Rs. One hundred seventy and paise sixty nine only.
74	2.13 + 2.13.2	TPN MCB: - Supplying and fixing following ratting, four poles, 415 volt, and isolator in the existing MCB DB complete with connections, testing and commissioning etc, as required. 63 A,TPN	2.000	Each	676.700	Rs. Six hundred seventy six and paise seventy only.

Rajeev Rangan

541(9)1 Chief Engineer

B.S.E.I.D.C. Ltd. Patnay

Kehowlin

19/6/17

			27			
75	2.40 + 2.4.5	S/F TP MCB DB:- Supplying and fixing of following way horizontal type three pole and neutral, sheet steel, MCB distribution board, 415 volts, on surface/recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, detachable gland plate, interconnections, phosphatized and powder painted including earthing etc. as required (Without MCB/RCCB/ISOLATOR).  6 Ways (4+18 ways) double door	2.000	Set	2662.36	Rs. Two thousand six hundred sixty two and paise thirty six only.
76	1.33	S/F Ceiling Rose:- Supplying and fixing 2 pin ceiling rose on the existing junction box/ wooden block including connection etc as required.	26.000	Each	43.43	Rs. Forty Three and paise Forty three Only
77	1.25	S/F Modular type electronic fan regulator:- Supplying and fixing stepped type fan regulator on the existing modular plate switch box including connections but excluding modular plate etc as required.	17.000	Each	286.84	Rs. Two hundred eighty six and paise eighty four only.
78	1.24 + 1.24.6	S/F Modular type Switch / Socket:- Supplying and fixing following modular type switch / socket on the existing modular plate and switch box including connections but excluding	3.000	Each	95.950	Rs. Ninety five and paise ninety five only.

Rajeev Rangan

modular plate etc as required.

Telephone socket outlet

EARTHING

Chief Engineer

B.S.E.I.D.C. Ltd. Patna

242

1916

1916

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

1910

19

			28			
79	5.60	COPPER EARTH PLATE ELECTRODE:- Earthing with copper earth plate 600mmx 600mm x 3mm thick including accessories and providing masonry enclosure with cover plate having locking arrangement and watering pipe of 2.7 meter long etc with charcoal/cock and salt as required. (2- Generator & 2 Transformer)	6.000	Each	9384.920	Rs. Nine thousand three hundred eighty four and paise ninety two only.
80	5.10	P/F 25 x 5mm copper earth strip in pipe:- Providing and fixing 25mmx5mm copper earth strip in 40mm G.I. pipe FRL Som earth electrode including connection with brass nut, bolt, spring, washer excavation and re-filling etc. as required.	12.000	Meters	1092.820	Rs. One thousand ninety two and paise eighty two only.
81	5.14	P/F 25 x 5 mm copper earth strip in surface/ recess :- Providing and fixing 25mmx5mm copper earth strip in surface/recess for connections etc. as required and making the earth grid for all copper earthing pits of the building.	10.000	Meters	864.560	Rs. Eight hundred sixty four and paise fifty six only.
82	3.20	Supplying, installing, testing and commissioning of following capacity TPN tap off box made of 1.6mm thick sheet steel enclosure duly painted with powder coating on existing rising mains complete with TPN disconnector FSU and HRC fuses, connections, earthing etc. as required.				
	3.2.5	200 amps TPN	1.000	Each	12769.43	Rs. Twelve thousand seven hundred sixty nine and paise forty three only.

Rayen Rangan

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

Phia. 19/06/12

	_
am)	$\boldsymbol{c}$
<i>L</i> _	

_			
	T	ELECTRIL PANELS	
		Design,manufacturing,assembling,wirin	
		g, supply, installation, testing and	
		commissioning of the following	
		extensible cubicle type indoor	
		mounting, dead front, fully	
		compartementalised with hinged	
1		lockable detachable from& backl	
		openable,dust and vermin proof,floor	İ
		mounting sheet steel clad switchboard	
83	N.S.	fabricated out of 2 mm thick CRCA	
		powder coated sheet steel suitable for	ŀ
		use at 415 volt 3 phase 4wire 50 cycle	i
		system,BMS Compiatable and to	
	-	withsatans a symmetrical fault level of	- 1
		below mentioned kA at 415 volt. panels	.
		shall be fabricated in easily	
•		transportable	
		sections, length, height, depth etc. to	1
		match with site condition, complete in	
		all respect.	
		INCOMER:-	
		1 Nos.160 Amps. TPN MCCB(25 KA)	$\dashv$
		Breaking capacity.	
		1 Set of RYB phase Indication lamps	
		with suitable rating MCB	
		1 Set of ON/OFF Indication lamps	
		along with 2A SP MCB backup	
		protecting.	
		1 set Digital Ampere meter with	
		suitable rating CT and selector switch	90000000
		1 set Digital Volt meter with suitable	$\dashv$
		rating MCBs and selector switch	
		Busbar	
		· · · · · · · · · · · · · · · · · · ·	1 %

Rajew Rangan

Chief Engineer
B.S.E.I.D.C. Ltd, Patnal
Phylogy
1916. 19106/17

	~		30			
		Electrolytic high conductivity .				
		aluminium three phas and neutral				
		busbars rated at 415V, 125 amps,35				
		kA,insulated with heat shrinkable				**************************************
		coloured PVC sleeves & clip on				
		shrounds for joints. The busbar sizing				
		calculations shall be sumitted for				
		approval, considering all derating				
		factors.				
		3 Nos. 40 Amps, TPN MCCB(16 KA)				
		with electronic releases.				
		Outgoings				
		1) 4 No.40 amp FP MCB of 10 kA				
		breaking capacity.				
		2) 5 No.63 amp FP MCB of 10 kA				
		breaking capacity.				
						Rs. One lac nine
			1 000	D1-	100000 000	thousand nine
			1.000	Each	109980.000	hundred eighty
		TOTAL COST OF MAIN LT PANEL	Parent		: the profession of the second	only.
					Total .(C)	388190.56
		Brand new ISI marked Life Guard ABC		-		Rs. Seven thousand
84	DGS & D	type multipurpose Fire Extinguishers 4	6.000	Nos.	7549.750	five hundred forty
04	שמשטע	Kgs. Capacity, fitted with pressure	0.000	INOS.	7349.730	nine and paise
		gauge complete in all respects, ready to	attention of the second		Carrier and Carrier and Carrier and Carrier and Carrier and Carrier and Carrier and Carrier and Carrier and Car	seventy five only.
		use, complete kit.installation	Ş.			
					Total (D)	45,298.50
		CARRIAGE OF MATERIAL .				
85		Type of material				
						Rs. Two hundreed
			204.06	$M^3$	205.29	five and paise
		Local Sand	1 Mary State Control of the		Benedit in the State of State	twenty nine only.
						Rs. Two hundred
			171.94	$M^3$	296.11	ninety six and paise
		Sands	all the second s		Control of the Contro	eleven only.
						Rs. Three hundred
			194.50	$M^3$	355.90	fifty five and paise
		Stone chips1	Miles Service Control of the Control		Secretary Control of the Control of	ninety only.
						Rs. Six hundred
			59.1	TH	601.67	one and paise sixty
		Brick			40	seven only.
			Virial.			Asserta

Rajeeu Ranjan

Chief Engineer

B.S.E.I.D.C. Ltd, Patna

1916

1916

1916

1916

1918

111111111111111111111111111111111111111		Cement	133.46	МТ	289.87	Rs. Two hundred eighty nine and paise eighty seven only.
	s	iteel	17.70	МТ	289.87	Rs. Two hundred eighty nine and paise eighty seven only.
					Total (E)	241,427.90
			Total $(A+B+C+D+E)=$		6,170,674.74	
			SAY			6,170,675.00

(Rupees Sixty One Lacs Seventy Thousand Six Hundred and Seventy Five) Only

Tender approved in favour of Rajiv Ranjan @ 10.00% (Ten Decimal Zero Zero Percent) below BOQ rate i.e. total amount comes to Rs. 55,53,608=00 (Rupees Fifty Five Lacs Fifty Three Thousand Six Hundred Eight Only)

Chief Engineer

3.S.E.I.D.G. Ltd. Patne

248

141.140

Roger Ronjan

## **Performance Security**

Name of Agency – "Rajiv Ranjan"

Performance Security of "Rajiv Ranjan" of "Construction Of Computer Centre at Magadh University in Bodhgaya"

NSC No	$\underline{\text{DOI}}$	Reg. No.			<u>Amount</u>
22BB 020361-70	20.01.15	24885	500*10		5000.00
99DD 718518	10.01.15	24766			5000.00
94CC 454300-03	10.01.15	24766	1000*4		4000.00
94CC 454332-42	20.01.15	24885	1000*11		11000.00
99DD 718572-74	20.01.15	24885	5000*3		15000.00
37EF 855555-60	20.01.15	24885	10000*6		60000.00
FDR No.	DOI				
594400DP0000607	27.0	4.17 To 27.0	4.18	,	55000.00
594400DP0000214	5 26.0	2.16 To 26.0	2.17		125000.00
				Total	280000.00

(Rupees Two Lacs Eighty Thousands Only)

लेखा पदाधिकारी
विहार राज्य शेक्षणिक आधारभूत संरचना
विकास निगम किं, पटना

2919-1940 15/08/17

Rajeer Rangan

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

19/6.

## बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि० 19

(बिहार सरकार का एक उपक्रम)

शिक्षा भवन, बिहार राष्ट्रभाषा परिषद् परिसर, शिवपूजन सहाय पथ, सैदपुर, पटना–800004, दूरभाष-0612-29103 <sub>14</sub> कॉर्पोरेट पहचान संख्याः U803018R2011SGC015859, e-mail: bseidc@gmail.com, website; www.bseidc.in, Fax No.: 0612-2 660256,

पत्रांक:- BSEIDC/FIN/2497/2016-17/- माऽ

पटना, दिनांक ..... । १८१५

प्रेषक.

ब्रजेश प्रसाद मुख्य परामर्शी (तकनीकी)

सेवा में.

Rajiv Ranjan Nutan Nagar, Gaya.

बिहार राज्य अंतर्गत "Construction of Computer Centre at Magadh University विषय:in Bodhgaya" कार्य हेतु जमानतं की राशि जमा कर एकरारनामा करने के संबंध में।

महाशय.

उपर्युक्त विषय के संबंध में कहना है कि उपर्युक्त निविदा हेतु आपके द्वारा निविदित दर जो परिमाण विपन्न के दर से 10.00% (दस दशमलव शून्य शून्य प्रतिशत) कम है तद्नुसार निविदा की कुल राशि रू० 55,53,608 / -(पचपन लाख तीरपन हजार छः सौ आठ रूपये) मात्र आपके पक्ष में स्वीकृत की गयी है।

अतः निदेश दिया जाता है कि अग्रधन की राशि रू० 2,78,000/- (दो लाख अठहत्तर हजार रूपये) मात्र का सावधि पासबुक / राष्ट्रीय बचत प्रमाण पत्र के रूप में प्रबंध निदेशक, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०, पटना के नाम से प्रतिज्ञिप्त हो जमा कर अविलंब एकरारनामा कर लें।

> (ब्रंजेश प्रसाद) मुख्य परामर्शी (तकनीकी)

ज्ञापांक : BSEIDC / FIN / 2497 / 2016-17 / निर्मा 6

पटना, दिनांक ०/ 08/16

प्रतिलिपि : वरीय लेखा पदाधिकारी, BSEIDC, एवं कार्यपालक अभियंता Magadh, BSEIDC को

सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित।

मुख्य परामर्शी (तकनीकी)

Rajen Ranjan

Chief Engineer B.S.E.I.D.C. Ltd, Patna

#### **SPECIAL CONDITIONS**

1. The tenderers are required to deposit the earnest money as prescribed in the NIT.

2. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

3. The rates quoted by the contractor should be inclusive of all taxes royalties and other

incidental charges.

4. To qualify for award of work, the Bidder must possess the following :-

a) Legal Status, Place of Registration, Principal place of business & Power of attorney of signatory bid.

b) DD for required value of B.O.Q. Cost.

c) Sufficient Earnest Money Deposit.

- d) Certificate from Charted Accountant of Annual Financial Turn over usually not less than 50 % of the estimated cost of works for which bid has been invited in any one year and to be submitted for last five years as mentioned in Technical bid.
- e) Certificate from EE / Concerned Authority for Work Experience of Similar nature (Satisfactory completed atleast one Building work of value not less than 25 % of estimated value of contract) in last five years and current Financial year will also be considered as mentioned in Technical bid.

f) Litigation History as mentioned in Technical bid.

g) Affidavit as mentioned in Technical bid.

h) Valid Registration with Central/State Govt. / PSU.

i) Valid labour license as mentioned in Technical bid.

j) Affidavit/Certificate for not been debarred as mentioned in Technical bid.

- 5. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.
- 6. The tender without earnest money or insufficient earnest money submitted with the tender, will be outright rejected.

7. Conditional tenders shall be outright rejected.

8. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money forfeited.

9. Authority shall reserve the right to reject any or all the tenders or distribute the work to more than one contractor without assigning any reason.

10. Any claim for idle labours on any account shall not be entertained.

- 11. The contractor shall arrange necessary site for accommodation and other facilities like medical etc. For his labour on his own cost and initially will comply with labour rules prevalent in the locality.
- 12. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the contractor.
- 13. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
- 14. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-
- a. Natural calamities
- b. Act of enemies.

Rajeer Ranjan

(Seal & Signature of Tenderer)

Page 1 of 2

Chief Engineer
B.S.E.I.D.C. Ltd, Patna

## बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड

(विहार सरकार का एक उपक्रम) शिक्षा भवन, विहार राष्ट्रभाषा परिषद् कैम्पस, आचार्य शिवपुजन सहाय पथ, सैदपुर, पटना—800004 (दूरमाष:-0612-2910314)

निविदा आमंत्रण सूचना संख्या- 39 वर्ष 2015-16 प्रतिशत मद दर निविदा

(केवल ई-टेन्डरिंग पद्धति के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

1. विहार राज्य के अन्तर्गत निम्नांकित भवनों के निर्माण कार्य हेतु निविदा आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय राज्य सरकार/सार्वजनिक क्षेत्रों में निवधित हो, निविदा में भाग ले सकते हैं, परन्तु इस निगम का रजिस्ट्रेशन कराना, उक्त कार्य का लेटर ऑफ एक्सेघटेंस प्राप्त होने के बाद कराना होगा।

<del></del>						5 × 265 (5 )
कo संo	कार्य का नाम	प्रावकंतित राशि ( साख में)	अग्रधन की शशि (लाख में)	परिमाण विपन्न का मूल्य (रूवमे)	Reltron Bld Processing Fee (In Rs.)	कार्य समाप्ति की अवधि
1	Magadh University Bodhgaya,	324.35	6.49	10,000.00	17,180.00	15 माह
2	Construction of Computer Centre at Magadh University Bodhgaya.	65,06	1.31	10,000.00	1,150,00	8 माह
3	Electrification of Nargauna Palace, LMNU Darbhanga.	41.3	0.83	5,000.00	1,150.00	3 माह
4	Projects Girl's High School, Bakhtiyarpur in DisttPatna	125.00	2.50	10000.00	5725.00	15 माह
- 5	High School, Rupauli in Distt Samastipur	125.00	2.50	10000.00	5725.00	15 माह
6	High School, Haspura in Distt Aurangabad	125.00	2.50	10000.00	5725.00	15 माह

नोट:-(1) निविदाकार एक या अधिक ग्रुप में अलग-अलग निविदा डाल सकते हैं।

(ii) प्रायकित राशि घट या बढ़ सकती है एवं तव्नुसार अग्रधन की राशि घट या बढ़ सकती है।

(iii) वेबसाईट-www.eproc.bihar.gov.in पर ॲंकित प्राक्कलित राशि, अग्रधन की राशि एवं परिमाण विपन्न की राशि अंतिम रुप से मान्य होगा।

(2) विज्ञापन निर्मत करने की तिथि (3) परिमाण विपन्न प्राप्त करने(डाउनलोड) की अवधि एवं समय :--

दिनाक:-- 22.01.2016 दिनाक:-- 15.02.2016, से 26.02.2016, 15:00 घटा (वेवसाईट:www.eproc.bihar.gov.in पर) दिनांक:-19.02.2016, 14:30 घंटा प्रवंध निदेशक का

(6) निविदा प्राप्ति(अपलोड) की अंतिम तिथि एवं समय

कार्यालय,बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम, पटना। दिनांक-27.02.2016, रामय- 15.00 घंटा

अग्रधन जमा करने की अंतिम तिथि एवं समय (7) टेविनकल बिड खोलने की तिथि एवं समय

(4) प्री बिड मीटिंग का समय, स्थान एवं तिथि

दिनांक-29,02.2016, समय- 15:00 घंटा दिनांक-29.02.2016, समय- 16:30 घंटा (वेबसाईट-www.eproc.bihar.gov.inपर)

(8) वित्तीय विड खोलने की तिथि एवं समय (9) निविदा खोलने का रथान (10) निविदा की वैधता की अवधि

दिनांक-10.03.2016, समय- 15:30 घंटा वेबसाईट-www.eproc.bihar.gov.inपर 120 दिन

(11) ई-टेन्डरिंग की प्रक्रिया में भाग लेने हेतु संवेदकों को पंजीकृत होना होगा, जिससे कि उन्हें उपयोगकर्ता का नाम (user ID) पासवर्ड (Password) अंकीय हस्ताक्षर (Digital Signature) निर्मत की जायेगी। यह उन्हें वेबसाईट www.eproc.bihar.gov.in से डाउनलोड करने / टेन्डर की प्रक्रिया में भाग लेने की योग्यता प्रदान करेगा।

Chief Engineer S.E.I.D.C. Ltd, Patna

(12) ई-निविदा पत्र बेक्साईट www.eproc.bihar.gov.ia से प्राप्त किया जा सकता है। संवेदक द्वारा सिर्फ उपर्युक्त येबसाईट से डी परिमाण विपन्न प्राप्त करने के उपरांत वेबसाईट पर ही इलेक्ट्रानिक निविदा यत्र को भरकर भेजना है। अन्य सभी महत्वपूर्ण कागजात / बैंक झुफ्ट / अप्रधन की राशि / सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को स्कैन कर ई-निविदा के साथ सलन्न

(13) परिमाण विषत्र के दर से कम दर उद्धृत करने पर बीड डाक्यूमेंट की शर्ली एवं सरकारी निर्णयानुसार अतिरिक्त Performance

(14) (क) प्रत्येक परिमाण विपत्र का मूल्य जो प्रत्येक निविदा के सामने उपर कण्डिका (1) में अंकित है (जो लोटाया नहीं जाएगा) किसी भी राष्ट्रीयकृत बैंक हारा निर्गत एवं BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. के नाम से एवं पटना में मुगतेय हो. स्वीकार किया जाएंगा। मूल बैंक ह्राप्ट 'बिहार राज्य शैक्षणिक आधारमूत संस्था विकास निगम लिमिटेड' पटना के कार्यालय में दिनांक 29.02 2016 के 15:00 घंटे तक स्वयं/ निविधित डाक /स्थीड पोस्ट हारा निश्चित रूप से जमा किया जाना है। ऐसा नहीं करने पर निविदा मान्य नहीं होगा।

(a) Beltron Bid Processing Fee is mandatory to be paid through online mode i.e. Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS"

Bids along with necessary online payments must be submitted through e-procurement portal <a href="https://www.eproc.bihar.gov.in">www.eproc.bihar.gov.in</a> before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffic/ Holidays or any other reason.

(ग) बांछित अग्रधन की राशि राष्ट्रीय बन्नत पत्र / डाकघर साविध जमा 3 वर्षीय या 5 वर्षीय पासबुक जो बिहार राज्य से क्रय या जमा क्रिया हां, प्रबंध निर्देशक, BSEIDC Ltd., पटना के नाम ग्रांतिहिंग्स (Pledged) हो अथवा बिहार विस नियमावली के अनुसार BSEIDC Ltd. के नाम से किक्सड डिपोजिट रिसिप्ट अथवा बेंक गारन्टी जो बिंड के मान्य अवधि तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत / अनुस्कित बैंक से निर्गत हो (अगर बिहार प्रान्त के बाहर को बैंक से निर्गत बैंक गारन्टी विया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निर्देशक का कार्यालय बिहार राज्य शैक्षिक आधारभूत संरचना विकास निराम लिमिटेंड, पटना में दिगांक 29.02.2016 के 15:00 घंटे तक स्वयं / निबंधित डाक / स्पीड पोस्ट द्वारा निरिस्नत रूप से जमा किया जाना आवश्यक है। ऐसा नहीं करने पर निविद्या मान्य नहीं होगा।

(15) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवसान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वैबसाइट पर अपलोड कर लें। ताकि अंतिम समय में होनेवाले किसी प्रकार के व्यवसान से बच सकें।

(16) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वंबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। बिना कारण बताये निविदा या उसके क्षेश्र को अस्वीकृत करने ∕ रदद करने का अधिकार सक्षम पदाधिकारी को सुरक्षित हैं।

(17) निविद्याकार निविद्या डालने से पहले अपने स्तर से भी प्रस्तावित कार्य स्थल पर भूमि उपलब्धता के सबध में आर्थस्त हो लेगे।
(18) विशेष जानकारी हेतु अधोहरसाक्षरी के कार्यालय में कार्य अविध में सम्पर्क किया जा सकता है। ई-टेन्डिंस्ग की प्रक्रिया से संबंधित किसी भी प्रकार की जानकारी/भूचना हेतु सहायता कक्ष ई-टेन्डिंस्ग कक्ष, प्रथत तल्लाः M/22, बँक ऑफ इंस्डिया मचन रोड न०
25, श्री कृष्णा नगर, पटना-800001, दूरसाय सं० 0612-2523006/9939035696.

बजेश प्रसाद मुख्य अभियंता

Royau Royan

Chief Engineer
B.S.E.I.D.C. Ltd, Patna
2116.