

विहार BIHAR

AC 047807

AGREEMENT No. 80 LS of 2018-19.

Name of Work

: Selection of an Agen-y for Supplying and Installation of Interior, Audio Visual, Video Conferencing, IT, Civil, Electrical & Furniture Works for Newly Constituted Munger University, Munger (SL. No.-1) in Bihar.

Name of Agency

: Bharat Commercial Agency

Date of Commencement

27-08-2018

Time of completion

Three Months

Estimate Cost

As Per Ouoted

Agreement Value

Rs. 4,61,97,943/- (@Negotiated Rebate of 2.70% on Quoted rate

Earnest Money

Performance Security

Rs. 10,00,000/- (Details attached)

This agreement, made the 24th September 2018 between Bihar State Educational Infrastructure Development Corporation Ltd. Patna. Hereinafter called the Employer of the first part and Bharat Commercial Agency (A Unit of Shashi Ranjan Enterprises Pvt. Ltd.), Charkothia 'D', S.P. Verma Road, Patna-1, Bihar hereinafter called "the Contractor of the other part".

Whereas the Employer's is desirous that the Contractor execute "Selection of an Agency for Supplying and Installation of Interior, Audio Visual, Video Conferencing, IT, Civil, Electrical & Furniture Works for Newly Constituted Munger University, Munger (SL. No.-1) in Bihar hereinafter called "the work" and the Employer has accepted the Bid by the Contractor for the execution of such work and the remedying of any defects therein, at a cost of Rs. 4,61,97,943/- (Rs. Four Crore Sixty One Lacs Ninety Seven Thousand Nine Hundred Forty Three Only.)

For, Bharat Commercial Agenc, Unit of Skoshi Famion Enterprises Pvt. Ltd

P213 5419/18

Chief Eng neer B.S.E.I.D.C. Lkd, Patna

NOW THIS AGREEMENT WITNESSETH as follows:

- 1. In this Agreement, words and expression shall have the same meaning as are respectively assigned to them in the conditions of contract hereinafter referred to and they shall be deemed to form and be read and construed as part of this Agreement.
- 2. In consideration of the payments to be made by the Employer to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Employer to execute and complete the works and remedy any defects therein in conformity in all aspects with the provisions of the contract.
- 3. The Employer hereby covenants to pay the Contractor in consideration of the Execution and completion of the works and the remedying the defects wherein contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the contract.
- 4. The following documents shall be deemed to form and be ready and construed as part of this Agreement Viz.
 - i) Letter of Acceptance
 - ii) Notice to proceed with the work.
 - iii) Contractor's Bid
 - iv) Condition of Contract: General and Special
 - v) Contract Data
 - vi) Additional Condition
 - vii) Drawing
 - viii) Bill of Quantities and
 - ix) Any other documents listed in the Contract Data as forming part of the contract.

In witnessed whereof the parties there to have caused this Agreement to be executed the day and year first before written.

The common Seal of

| was hereunto affixed in the presence of: |
|--|
| Signed, Sealed and Delivery by the Said |
| |
| In the Presence of: |
| Binding Signature of Employer |
| |
| Binding Signature of Contractor |

For, Bharat Commercial Agency
Unit of Shoshi Ranion Enterprises Pvt Ltd

Manager

Chief Eng neer
B.S.E.I.D.C. Ltd, Patna

24/9

a and the first transfer of the first of the second section se

Performance Security

Name of Agency:- "Bharat Commercial Agency"

Performance Security of "Interior, Audio visual, Video conferencing, IT, Civil, Electrical & Furniture works for newly Contituted Munger University (NIT No- 31/18-19)"

BG No.

<u>Period</u>

AMOUNT

180135IBGB00075

10.07.18 to 30.09.19

10,00,000.00

Total-

10,00,000.00

(Rupees Ten Lac Only)

निर्मा पदाधिकारी विहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिं०, पटना

909/18

For, Bharat Commercial Agency Unit of Shoshi Ranian Enterprises Pvt Ltd

Marage 7

Chief Eng neer
B.S.E.I.D.C. Lid, Patna

2/19

, . . · -1



बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

(A Govt. of Bihar Undertaking) ISO 9001:14001; OHSAS 18001

Shiksha Bhawan, Bihar Rashtrabhasha Parishad Campus, Acharya Shivpujan Sahay Path, Saidpur, Patna - 800 004 Tel. No.: 0612 - 2660850 • Fax No.: 0612 - 2660256

E-mail: bseidc@gmail.com • Website: http://www.bseidc.in • CIN: U80301BR2010SGC015859

Letter of Acceptance

Letter no :- BSEIDC/FIN/3384/2018-19/- 3732 Date..... > # 08.13

To,

Bharat Commercial Agency (Unit of Shashi Ranjan Enterprises Pvt. Ltd., Charkothia 'D', S.P. Verma Road, Patna-800001

Dear Sir,

This is to notify you that your Bid for execution of "Interior, Audio Visual, Video Conferencing, IT, Civil, Electrical & Furniture Works For Newly Constituted Munger University, Munger, N.I.T. No.-31/(2018-19) in the State of Bihar" has been accepted by the Corporation at your negotiated rate of BOQ rates amounting to total contract price of Rs. 4,61,97,943=00 (Rs. Four Crore Sixty One Lacs Ninety Seven Thousand Nine Hundred Forty Three Only)

You are hereby requested to furnish performance security vide sl. No. 3.9 of tender document in the form of post office saving Bank passbook/ 1,2,3 years post office time deposit /NSC / KVP/ Fixed deposit receipt or Bank Guarantee of any Nationalized Scheduled bank situated in Bihar pledged in Favour of MD, BSEIDC, Patna for an amount equivalent to Rs. 10,00,000=00 (Rs. Ten Lacs Only) within ten days of receipt of this letter of acceptance valid up to 28 days from the date of expiry of defects liability period and sign the contract, failing which action will be taken as per rule.

In the interest of the work, you are instructed to proceed with the execution of the said work in consultation with concerned Engineer-in-charge with immediate effect. The date of start of this work will be the date of issue of this letter. The agreement will be executed after verification of performance Security and Registration in appropriate category in this Corporation.

Yours faithfully

Chief Engineer

Memo no: BSEIDC/FIN/3384/2018-19/- 5 7 32

Copy forwarded to: Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC website/Senior Account Officer / Superintending Engineer/All Executive Engineer, BSEIDC for information

& necessary action

For, Bharat Commercial Agency Unit of Shashi Roman Enterprises Pvt. Ltd

1) $\overline{}$ (-)e Kristina iya KK ayar Awala magazar a say

Bihar State Educational Infrastructure Development Corporation Ltd.

Shiksha Bhawan, Bihar Rashtrabhasha Parishad, Saidpur, Patna - 800004

NAME OF WORK: INTERIOR, AUDIO VISUAL, VIDEO CONFERENCING, IT, CIVIL, ELECTRICAL & FURNITURE WORKS FOR NEWLY CONSTITUTED MUNGER UNIVERSITY, MUNGER.

RATE TO BE QUOTED IN DIGITS & WORDS IN EACH ITEM OF THE WORK MENTIONED BELOW NAME OF THE BIDDER / AGENCY Bharat Commercial Agency (Unit of Shashi Ranjan Enterprises Pvt. Ltd.) Charkothia 'D', S P Verma Road, Patna-

ADDRESS, E- MAIL AND MOBILE NO. OF BIDDER / AGENCY

800001, email

| ADDRESS, E- MAIL AND MOBILE NO. OF BIDDER / AGENCY | | | | bharatcomn | nercial@rediffmail.com, Ph |
|--|---|---------|------|---------------------|--|
| SL NO. | DESCRIPTION | Qty | UNIT | RATE (In Digits) | RATE (In Words) |
| | Demolishing | | | | |
| 1 | Demolishing brick work including stacking of serviceable material and disposal of unserviceable material within 50 meters lead: In cement mortar. | 5.56 | Cum | 491.3 | Rupees four hundred ninety one & paise thirty only. |
| 2 | Demolishing cement concrete including disposal of material within 50 metre lead:1:3:6 or richer mix | 2.04 | Cum | 578.3 | Rupees five hundred seventy eight & paise thirty only. |
| 3 | Dismantiling doors windows and clerestory windows (steel or wood) shutters including chowkhats, architrage, holdfasts etc. complete and stacking within 50 metres lead: Of area 3 sqm and below | 12.00 | Each | 90.3 | Rupees ninety & paise thirty only. |
| | Brick Work | | | | |
| 4 | Half brick masonry with bricks of class designation 100A in foundations and plinth in :Cement mortar 1:4 (1 cement: 4 coarse send) Extra for half Brick masonry in superstructure above pinth level upto floor V level. | 1 | sqm | 608.4 | Rupees six hundred eight & paise forty only. |
| | Cement Plaster | 1 | | | / |
| 5 | 12 mm cement plaster of mix:1:6(1 cement: 6 coarse sand) | 610.47 | Sqm | 101.2 | Rupees one hundred one & paise twenty only. |
| 6 | 12 mm cement plaster 1:4(1 cement: 4coarse sand) finished with a floating coat of near cement Details of cost for 10 sqm | 170.12 | Sqm | 145.5 | Rupees one hundred forty five & paise fifty only. |
| | Painting | · · | | r · | |
| 7 | Providing and applying white cement based putty of average thickness 2 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. | 7370.50 | Sqm | 118.4 | Rupees one hundred eighteen & paise forty only. |
| 8 | Applying one coat of cement primer of approved brand and manufacture on wall surface: Distemper primer. | 7370.50 | Sqm | 28.1 | Rupees twenty eight & paise ten only. |
| 9 | Distempering with 1st quality acrylic distemper, having VOC (Volatile Organic Compound) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour. Two coats | 7370.50 | Sqm | 34.2 | Rupees thirty four & paise twenty only. |
| 10 | Painting with ready mixed paint of approved brand and manufacture in all shades to give an even shade:Old steel work (one or more coats) | 272.04 | Sqm | 40.7 | Rupees forty & paise seventy only. |

For, Bharat Commercial Agency, Unit of Shoshi Roman Enterprises Pvt. Ltd Chief Eng neer

B.S.E.I.D.C. Lid, Patna

2409/1

The second of th

| | _ | | | | |
|----|---|---------|------|--------|---|
| 11 | Door Providing and fixing ISI marked flush door shutters conforming to IS: 2202 (Part I) decorative type, core of block board construction with frame of 1 st class hard wood and well matched teak 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters.35 mm thick including stainless steel butt hinges with necessary screws | 7.88 | sq.m | 2369.6 | Rupees two thousand three hundred sixty nine & paise sixty only. |
| 12 | French spirit polishing: Two or more coats on works including a coat of wood filler. | 15.75 | sq.m | 138.6 | Rupees one hundred thirty eight & paise sixty only. |
| 13 | CG Providing and fixing in position collapsible steel shutters with vertical channes 20x10x2 mm and braced with flat iron diagonals 20x5 mm size with top and bottom rail of T-tron 40x40x6 mm with 40 mm dia steel pulleys complete with bots nuts locking arrangement stoppers handies including applying a priming coat of approved steel primer. | 79.44 | sqm | 4248.2 | Rupees four thousand two hundred forty eight & paise twenty only. |
| 14 | Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete. Fixed to openings/ wooden frames with rawl plugs screws etc | 1634.18 | KG | 94.2 | Rupees ninety four & paise twenty only. |
| 15 | Iron Truss Steel work in built up tubular trusses including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, welded and bolted including special shaped washers etc complete: Electric resistance or induciton butt welded tubes. | 1418.83 | KG | 115.4 | Rupees one hundred fifteen & paise forty only. |
| 16 | Polycarbonate Sheet Providing & supplying 4.5mm thick polycarbonate sheet roofing fixed with all fittings complete (upto a pitch of 60°) excluding the cost or purlins, rafters and trusses of approoved color and pattern as per direction of E/I. | 63.06 | Sqm | 699.4 | Rupees six hundred ninety nine & paise forty only. |
| 17 | Flooring Mirror polishing on marble work/stone work where ever required to give high gloss finish complete. | 1866.85 | sqm | 155.2 | Rupees one hundred fifty five & paise twenty only. |
| 18 | WOODEN FLOORING:-Providing and fixing wooden flooring of approved color and texture, and of approved thickness of Green MIKASA/VISTA/Action Tessa/Unitex or Equivalent make of boiling water resistant quality. All complete as per labor material as per company's specification (AC4 grade). All complete as per directions and instructions of engineer in charge. | 167.27 | sqm | 2690 | Rupees two thousand six hundred ninety only. |
| 19 | Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations, of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels. Granite of any colour and shade Area of slab over 0.50 sqm | 9.86 | sqm | 3573.7 | Rupees three thousand five hundred seventy three & paise seventy only. |
| 20 | Providing edge moulding to 18 mm thick marble stone counters, vanities etc., including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer-in-Charge. Granite work | | m | 182.1 | Rupees one hundred eighty two & paise ten only. |

For, Bharat Commercial Agency Unit of Shoshi Ronion Enterprises Pvt Ltd Manager

Chief Eng neer
B.S.E.I.D.C. Ltd. Patna

| | 7 | | | | |
|----|--|---------|-----|--------|---|
| 21 | Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (Thickness to be specified by the manufacture) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-charge in skirting, risers of steps and dados over 12 mm thick bed of cement Motar 1:3(1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching shade complete. | 115.20 | sqm | 766.3 | Rupees seven hundred sixty six & paise thirty only. |
| 22 | Providing and laying Ceramic glazed floor tiles 400x400 mm (thickness to be specified by the manufacturer) of 1 st quality conforming to IS: 13755 of NITCO, ORIENT, SOMANY, KAJARIA or equivalent make in colours such as white, Ivory, Grey, Fume, Red, Brown, laid on 20 mm thick cement motar 1:4 (1 cement: 4 Coarse sand) including grouting the joints with white cement and matching pigments etc, complete. | 22.03 | sqm | 1226.5 | Rupees one thousand two hundred twenty six & paise fifty only. |
| | False Ceiling | | | | |
| 24 | GYPSUM FALSE CEILING: Providing and fixing false ceiling at all height including providing and fixing of frame work made of special sections, power pressed from M.S. sheets and galvanized with zinc coating of 120 gms/sqm (both side inclusive) as per IS: 277 and consisting of angle cleats of size 25 mm wide x 1.6 mm thick with flanges of 27 mm and 37 mm, at 1200 mm centre to centre, one flange fixed to the ceiling with dash fastener 12.5 mm dia x 50 mm long with 6 mm dia botts, other flange of cleat fixed to the angle hangers of 25x10x0.50 mm of required length with nuts & botts of required size and other end of angle hanger fixed with intermediate G.I. channels 45x15x0.9 mm running at the spacing of 1200 mm centre to centre, to which the ceiling section 0.5 mm thick bottom wedge of 80 mm with tapered flanges of 26 mm each having lips of 10.5 mm, at 450 mm centre to centre, shall be fixed in a direction perpendicular to G.I. intermediate channel with connecting clips made out of 2.64 mm dia x 230 mm long G.I. wire at every junction, including fixing perimeter channels 0.5 mm thick 27 mm high having flanges of 20 mm and 30 mm long, the perimeter of ceiling fixed to wall/partition with the help of rawl plugs at 450 mm centre, with 25 mm long dry wall screws @ 230 mm interval, including fixing of gypsum board to ceiling section and perimeter channel with the Grid Base False Ceiling:—Providing and fixing of Armstrong/Equivalent acoustical suspended ceiling system with fine fissured tiles. The tiles should have humidity resistance of RH 99, average NRC 55, Light Reflectance >80% thermal conductivityK=.052057 W/M. With lifetime warranty against sag in modules size of 600mm X600mm x 15mm laid on 24XL-hot dipped galvanised steel suspension system having rotary stitching on the main runner 1200 mm and 600mm cross tees. Installation shall comprise main runner spaced at 1200mm centres securely fixed to the structural socket by approved hangr at 1200 mm maximum centre. The last hanger at the end of each main runner should | 1674.12 | sqm | 1690.4 | Rupees one thousand six hundred forty six & paise forty only. Rupees one thousand six hundred ninety & paise forty only. |
| | complete with labor and material as per the directions of Site Incharge. Wall Panelling | | | | - |
| 25 | Wall/Column Panellling:-Providing and fixing wall panelling upto specified hieght with 4mm premium quality mica of GREEN DECOWOOD/NATUREMAX/CENTURY make over 6 mm thick ply of Greenply / ISI/BDM/ equivalant confirming to IS-303 make fitted and fixed over hollock wood frame of 25x25mm posts at 60cm centres and 25mmx25mm horizantal members at approx 60cm centres including cost of anchoring the panelling to walls properly including teakwood lipping where ever required. The veneered surface is to be finished with high quality melamine polish .All complete as per drawing/ specifications and directions of engineer in charge. | 100.83 | sqm | 2850 | Rupees two thousand eight hundred fifty only. |

For, Bharat Commercial Agency Unit of Shoshi Renian Enterprises Pvt. Ltd Manager

Chief Eng neer

B.S.E.I.D.C. Lid. Patna

10.

9 0

(---)

| | <i>O</i> | | | | |
|----|--|---------|------|--------|---|
| 26 | Laminated Door Profile: Providing Laminated Sheet on existing plywood door profile with a matt appearance with fittings Lock, Handle, Hinges, Door Closser, Tower Bolt all complete job as per specification and direction as per direction of E/I. | 45.00 | Nos | 6000 | Rupees six thousand only. |
| 27 | Aluminium Works Providing and fixing aluminium work for doors, windows, | | | | |
| | ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / aneling,C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) | 7429.79 | KG | 426.4 | Rupees four hundred twenty six & paise forty only. |
| 28 | Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade I Type II, in panelling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineer-in-charge.Prelaminated particle board with decorative lamination on both sides | 438.30 | sqm | 1083.9 | Rupees one thousand eighty three & paise ninety only. |
| | | | | | |
| 29 | Providing and laying Gypsum panel partitions 100 mm thick with water proof Gypsum panels of size 666x500x100 mm, made of calcite phosphor Gypsum fixed with tongue and groove, jointed with bonding plaster as per manufacturers specifications in superstructure above plinth level up to floor V level. Gypsum | 407 20 | sqm | 797.1 | Rupees seven hundred ninety seven & paise ten only. |
| 30 | Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item): With float glass panes of 5.50 mm thickness | | sqm | 998.4 | Rupees nine hundred ninety eight & paise forty only. |
| 31 | Floor Spring Providing and fixing double action hydraulic floor spring of approved brand and manufacture conforming to IS: 6315, having brand logo embossed on the body / plate with double spring mechanism and door weight upto 125 kg, for doors, including cost of cutting floors, embedding in floors as required and making good the same matching to the existing floor finishing and cover plates with brass pivot and single piece M.S. sheet outer box with slide plate etc. complete as per the direction of Engineer-in-charge. With brass cover plate minimum 1.25 mm thickness. | 52.00 | Each | 2257 | Rupees two thousand two hundred fifty seven only. |
| 32 | Providing and fixing aluminium sliding door bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete: 250x16 mm | | Each | 182 | Rupees one hundred eighty two only. |

For, Bharat Commercial Agency Unit of Shoshi Roman Enterprises Pvt. Ltd Manager

Chief Eng neer
B.S.E.I.D.C. Lid, Faina

) 1 1 - 1 1) ') 1--- \bigcirc J

| | , | | | | |
|----|--|-------|------|-------------|--|
| 33 | Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868), transparent or dyed to required colour or shade, with necessary screws etc. complete:250x10 mm | 20.00 | Each | 93.4 | Rupees ninety three & paise forty only. |
| | | | | e e | Commence of the Contract of th |
| 34 | Providing and fixing aluminium pull bolt lock, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868), transparent or dyed to required colour and shade, with necessary screws bolts, nut and washers etc. complete. | 63.00 | Each | 69.6 | Rupees sixty nine & paise sixty only. |
| 35 | Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete:125 mm | 63.00 | Each | 69.4 | Rupees sixty nine & paise forty only. |
| 36 | Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete. Twin rubber stopper | | Each | 83.8 | Rupees eighty three & paise eighty only. |
| | Blinds | | | | |
| 37 | Roller Blinds: - Providing and fixing of roller blinds of approved shade by the Architect, all complete with roller, chord, string, clutch and accessories as required. Openness factor of fabric not to exceed 5%. | | Sqm | 1925 | Rupees one thousand nine hundred twenty five only. |
| 38 | Reception Back-drop: - Providing and fabricating reception backdrop, as per approved design and size made of 12/19mm thick commercial plywood finished on all exposed surfaces with 1mm thick designer laminate of approved shade. Surface to house the LOGO in SS matt finish of grade SS 304, all complete as directed by the E/I | 1.00 | Each | 36500 | Rupees thirty six thousand five hundred only. |
| | Toughned Glass | | | | |
| 39 | Providing and fixing 12 mm thick frameless toughened glass door shutter of approved brand and manufacture, including providing and fixing top & bottom pivot & spring type fixing arrangement and making necessary holes etc. for fixing required door fittings, all complete as per direction of Engineer-incharge (Door handle, lock and stopper etc.to be paid separately). Glass Door/window | | Sqm | 4761.5 | Rupees four thousand seven hundred sixty one & paise fifty only. |
| 40 | Patch fitting:-Providing and fixing floor machines of approved quality of make Hardwyn/Godrej/Rectangle of carrying capacity of 120 kgs with all fittings as Door handle, lock and stopper for 12 mm toughned glass shutter all complete as per direction of Engineer-in-charge. | 4.00 | Nos | 14850 | Rupees fourteen thousand eight hundred fifty only. |
| 41 | Glass etching:- Providing and fixing etching on glass as per approved design and texture. The work includes creating pattern and design on glass as per design approved and as per the directions of site incharge. | | Sqm | 1590 | Rupees one thousand five hundred ninety only. |
| 42 | Glass panel Providing and fixing panelling or panelling and glazing in panelled or panelled and glazed shutters for doors, windows and clerestory windows (Area of opening for panel inserts excluding portion inside grooves or rebates to be measured). Panelling for panelled or panelled and glazed shutters 25 mm to 40 mm thick:5.5 mm thick glass pane. | 53.68 | Sqm | 1194.5 | Rupees one thousand one hundred ninety four & paise fifty only. |
| | Miscellaneous Works | | | | |
| | | | 1 | | |

For, Bharat Commercial Agency Unit of Shashi Ranjan Enterprises Pvt Ltd Manager

Chief Eng neer

B.S.E.I.D.C. Ltd. Patna

Jackson

2419

24109

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009

14009


14

 \leftarrow THE SERVICE STATE OF THE SERVICE STATE STATE OF THE SERVICE STATE OF THE SERVICE STATE STATE OF THE SERVICE STATE STATE

and which

| | (0) | | | | |
|----|--|--------|--------|---------|--|
| 43 | Wallpaper:- Providing and fixing of wall paper of approoved design with surface preparation. Wall paper to be 100% washable as per direction of E/I. | | Sqm | 1100 | Rupees one thousand one hundred only. |
| 44 | Paintings with a mixture of modern art and ancient art of size 2'X3' woodden framed and with a cover of glass of thickness 4mm specifications approaved approaved by E/I. | 20.00 | Nos | 22500 | Rupees twenty two thousand five hundred only. |
| 45 | Storage Cabinet/back unit:-Providing and fixing Low height wooden cabinets upto specified height made up of 19 mm thick blockboard of Greenply/Century/BDM or equivalant as specified by site in charge. The depth of the cabinets is to be 16". The size of one box is to be of 32"x24"x16" as width,hieght and depth. The internal portions are to be finished with liner laminates of 0.8mm thickness while the exposed surfaces are to be finished with 1mm thick laminates of approved color and texture of NEW MIKA/MERINO/CENTURY make or equivalent. All boxes are to be fitted with high quality hinges and are to be finished with proper locking arrangements and magnetic catchers. all complete with materials,labor as per specification and directions of engineer in charge. | 10.23 | Sqm | 12250 | Rupees twelve thousand two hundred fifty only. |
| 46 | Hatch lamina: Providing and applying hatch lamina on walls and wooden surfaces as per instructions and directions of Engineer in charge. The surface should be prepared with applying two or more coats of premium quality wall putty as and where required making it free from undulations and dust. The design of or texture should be priorly approved from site incharge. All complete with labor, material and as per specifications. | 467.63 | SQM | 880 | Rupees eight hundred eighty only. |
| 47 | Providing & Fixing of signages of following type as per approovved type & design including all taxes etc all complete as per direction of E/I. | | | | |
| | labour & Material Cost of Steel Letter including fixing at site all complete as per direction of E/I. | 75.00 | letter | 387 | Rupees three hundred eighty seven only. |
| | Signage in front of each Building | 1.00 | Each | 4500 | Rupees four thousand five hundred only. |
| | signage in front of each room (made on SS plate) | 40.00 | Each | 480 | Rupees four hundred eighty only. |
| | Signage to show the direction of different buildings/ activities (made on SS plate). | 20.00 | Each | 1000 | Rupees one thousand only. |
| 48 | Carriage of materials Cement | 8.23 | MT | 289.87 | Rupees two hundred eighty nine & paise eighty seven only. |
| | Coarse Sand | 23.47 | cum | 806.74 | Rupees eight hundred six & paise seventy four only. |
| | Local Sand | 10.00 | cum | 205.29 | Rupees two hundred five & paise twenty nine only. |
| | Stone chips | 0.00 | cum | 1101.33 | Rupees one thousand one hundred one & paise thirty three only. |
| | Bricks | 17.25 | Th | 601.67 | Rupees six hundred one & paise sixty seven only. |
| | Steel | 0.00 | МТ | 289.87 | Rupees two hundred eighty nine & paise eighty seven only. |
| 49 | Add Extra Cost of Materials | *442 | | | |
| | | | · | | 1 |

For, Bharat Commercial Agency Unit of Shoshi Ranjon Enterprises Pvt. Ltd. 1/1 Manager



ETTENBERG PROCESSANTENBEGTE PROPERTIE LANGE TO THE AND GENERAL PROPERTIES AND A PROPERTY OF THE

Maria Sangara

| ' ' | | | | Bungas three bundred |
|---|--|--|---|--|
| Bricks | 17.25 | Thd. | 333.36 | Rupees three hundred thirty three & paise thirty six only. |
| Cement | 8.23 | МТ | 732.98 | Rupees seven hundred thirty two & paise ninety eight only. |
| SANITARY INSTALLATION | V. | | ~ | |
| Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required :.C. pan with ISI marked white solid plastic seat and lid. | 4.00 | Each | 2970 | Rupees two thousand nine hundred seventy only. |
| Providing and fixing white vitreous china battery based infrared sensor operated urinal of approx. size 610 x 390 x 370 mm having pre &post flushing with water (250 ml & 500 ml consumption), having water inlet from back side, including fixing to wall with suitable brackets all as per manufacturers specification and direction of Engineer-in-charge. | 4.00 | Each | 17396.9 | Rupees seventeen thousand three hundred ninety six & paise ninety only. |
| Providing and fixing of Hindware counter wash basin of size 430X130 mm cat no 91069 with C.I Brackets 15 mm C.P brass pillar taps 32 mm C.P Brass waste of standard pattern including painting and bracket cutting and making good the wall | 4.00 | Each | 7388.15 | Rupees seven thousand three hundred eighty eight & paise fifteen only |
| Providing and fixing C.P. brass long body bib cock of approved quality conforming to IS standards and weighing not less than 690 gms. 15 mm nominal bore | 8.00 | Each | 640.3 | Rupees six hundred forty & paise thirty only. |
| 15 mm dia nominal bore long nose Bib Cock (Pillar Cock) | 4.00 | Each | 835.6 | Rupees eight hundred thirty five & paise sixty only. |
| 15 mm dia nominal bore Stop Cock | 8.00 | Each | 650.1 | Rupees six hundred fifty & paise ten only. |
| Providing and fixing Stainless Steel AISI 304 (18/8) kitchen sink as per IS: 13983 with C.I. brackets and stainless steel plug 40 mm, including painting of fittings and brackets, cutting and making good the walls wherever required: Kitchen sink without drain board 610x510 mm bowl depth 200 mm | | Each | 4394 | Rupees four thousand three hundred ninety fou only. |
| Extra for providing opening of required size & shape for wash basins/kitchen sink in kitchen platform. Vanity counters and similar location in marble/granite/stone work including necessary holes for pillar taps etc. including rubbing,moulding and polishing of cut edges etc.Complete. | 5.00 | Each | 259.2 | Rupees two hundred fifty nine & paise twenty only |
| Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. | | | | |
| Flexible pipe 32 mm dia | 22.00 | Each | 76.1 | Rupees seventy six & paise ten only. |
| Flexible pipe 40 mm dia | 1.00 | Each | 78.5 | Rupees seventy eight & paise fifty only. |
| Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing : Rectangular shape 453 x 357 mm | 22.00 | Each | 636.9 | Rupees six hundred thirt six & paise ninety only. |
| Providing and fixing 600 x 120 x 5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long | 22.00 | Each | 344.66 | Rupees three hundred forty four & paise sixty si |
| | SANITARY INSTALLATION Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low evel white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required: .C. pan with ISI marked white solid plastic seat and lid. Providing and fixing white vitreous china battery based infrared sensor operated urinal of approx. size 610 x 390 x 370 mm having pre &post flushing with water (250 ml & 500 ml consumption), having water inlet from back side, including fixing to wall with suitable brackets all as per manufacturers specification and direction of Engineer-in-charge. Providing and fixing of Hindware counter wash basin of size 430X130 mm cat no 91069 with C.I Brackets 15 mm C.P brass pillar taps 32 mm C.P Brass wase of standard pattern including painting and bracket cutting and making good the wall Providing and fixing C.P. brass long body bib cock of approved quality conforming to IS standards and weighing not less than 690 gms. 15 mm nominal bore 15 mm dia nominal bore long nose Bib Cock (Pillar Cock) 15 mm dia nominal bore Stop Cock Providing and fixing Stainless Steel AISI 304 (18/8) kitchen sink as per IS: 13983 with C.I. brackets and stainless steel plug 40 mm, including painting of fittings and brackets, cutting and making good the walls wherever required: Kitchen sink without drain board 610x510 mm bowl depth 200 mm Extra for providing opening of required size & shape for wash basins/kitchen sink in kitchen platform. Vanity counters and similar location in marble/granite/stone work including and polishing of cut edges etc. Complete. Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. Flexible pipe 40 mm dia Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic mo | SANITARY INSTALLATION Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low evel white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required: .C. pan with ISI marked white solid plastic seat and lid. Providing and fixing white vitreous china battery based infrared sensor operated urinal of approx. size 610 x 390 x 370 mm having pre &post flushing with water (250 ml & 500 ml consumption), having water inlet from back side, including fixing to wall with suitable brackets all as per manufacturers specification and direction of Engineer-in-charge. Providing and fixing of Hindware counter wash basin of size 430X130 mm cat no 91069 with C.I Brackets 15 mm C.P brass pillar taps 32 mm C.P Brass waste of standard pattern including painting and bracket cutting and making good the wall Providing and fixing C.P. brass long body bib cock of approved quality conforming to IS standards and weighing not less than 690 gms. 15 mm nominal bore 15 mm dia nominal bore long nose Bib Cock (Pillar Cock) 15 mm dia nominal bore Stop Cock Providing and fixing Stainless Steel AISI 304 (18/8) kitchen sink as per IS: 13983 with C.I. brackets and stainless steel plug 40 mm, including painting of fittings and brackets, cutting and making good the walls wherever required: Kitchen sink without drain board 610x510 mm bowl depth 200 mm Extra for providing opening of required size & shape for wash basins/kitchen sink in kitchen platform. Vanity counters and similar location in marble/granite/stone work including necessary holes for pillar taps etc. including rubbing, moulding and polishing of cut edges etc. Complete. Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. Flexible pipe 32 mm dia 1.00 Providing and fixing firm of superior glass | SANITARY INSTALLATION Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low evel white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required: .C. pan with ISI marked white solid plastic seat and lid. Providing and fixing white vitreous china battery based infrared sensor operated urinal of approx. size 610 x 390 x 370 mm having pre &post flushing with water (250 ml & 500 ml consumption), having water inlet from back side, including fixing to wall with suitable brackets all as per manufacturers specification and direction of Engineer-in-charge. Providing and fixing of Hindware counter wash basin of size 430X130 mm cat no 91069 with C.I Brackets 15 mm C.P brass pillar taps 32 mm C.P Brass waste of standard pattern including painting and bracket cutting and making good the wall Providing and fixing C.P. brass long body bib cock of approved quality conforming to IS standards and weighing not less than 690 gms. 15 mm nominal bore 15 mm dia nominal bore long nose Bib Cock (Pillar Cock) 4.00 Each Froviding and fixing Stainless Steel AISI 304 (18/8) kitchen sink as per IS: 13983 with C.I. brackets and stainless steel plug 40 mm, including painting of fittings and brackets, cutting and making good the walls wherever required: Kitchen sink without drain board 610x510 mm bowl depth 200 mm Extra for providing opening of required size & shape for wash basins/kitchen sink in kitchen platform. Vanity counters and similar location in marble/granite/stone work including necessary holes for pillar taps etc. including rubbing, moulding and polishing of cut edges etc.Complete. Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. Flexible pipe 40 mm dia 1.00 Each 1.00 Each 1.00 Each 1.00 Each | SANITARY INSTALLATION Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low evel white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to 15 s. 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required :C. pan with ISI marked white solid plastic seat and lid. Providing and fixing white vitreous china battery based infrared sensor operated urinal of approx. size 610 x 390 x 370 mm having pre &post flushing with water (250 ml & 500 ml consumption), having water inlet from back side, including fixing to wall with suitable brackets all as per manufacturers specification and direction of Engineer-in-charge. Providing and fixing of Hindware counter wash basin of size 430x130 mm cat no 91069 with C.I Brackets 15 mm C.P brass pillar taps 32 mm C.P brass long body bib cock of approved quality conforming to IS standards and weighing not less than 690 gms. 15 mm nominal bore 15 mm dia nominal bore long nose Bib Cock (Pillar Cock) 4.00 Each 640.3 Each 640.3 Each 650.1 Froviding and fixing Stainless Steel AISI 304 (18/8) kitchen sink as per IS: 13983 with C.I. brackets and stainless steel plug 40 mm, including painting of fittings and brackets, cutting and making good the walls wherever required: Kitchen sink without drain board 610x510 mm bowl depth 200 mm Extra for providing opening of required size & shape for wash basins/kitchen sink in kitchen platform. Vanily counters and similar location in marble/granite/stone work including nand polishing of cut edges etc. Complete. Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. Flexible pipe 32 mm dia Flexible pipe 32 mm dia Flexible pipe 40 mm dia Providing and fixing 600 x 120 x 5 mm glass shelf with edges part with C.P. Each 636.9 Froviding and fixing 600 x 120 x 5 mm glass shelf with edges |

Per. Bharat Commercial Agency Unit of Shashi Ranian Enterprises Pv. Ltd Manager

Chief Eng neer

B.S.E.I.D.C. Ltd. Patna

24/09/4

1 ente (11 Se de la Kessite de la partir estas la proposición de la proposición del proposición de la pr

| 61 | Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including allCPVC plain & brass threaded fittings, including fixing the pipe withclamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc | | | | |
|----|--|--------|-------|--------|--|
| a) | 15 mm dia, nominal bore | 60.00 | Metre | 221.4 | Rupees two hundred twenty one & paise forty only. |
| b) | 20 mm dia, nominal bore | 100.00 | Metre | 249.2 | Rupees two hundred forty nine & paise twenty only. |
| c) | 25 mm dia, nominal bore | 50.00 | Metre | 306.9 | Rupees three hundred six & paise ninety only. |
| 62 | Providing and fixing PTMT Bottle Trap for Wash basin and sink.Bottle trap 31 mm single piece moulded with height of 270 mm, effective length of tail pipe 260 mm from the centre of the waste coupling 77 mm breadth with 25 mm minimum water seal, weighing not less than 260 gms. | 8.00 | Each | 428 | Rupees four hundred twenty eight only. |
| 63 | Providing and fixing PTMT liquid soap container 109 mm wide, 125 mm high and 112 mm distance from wall of standard shape with bracket of the same materials with snap fittings of approved quality and colour weighing not less than 105 gms. | 8.00 | Each | 191 | Rupees one hundred ninety one only. |
| 64 | Providing and fixing toilet paper holder : C.P. brass | 4,00 | Each | 315.2 | Rupees three hundred fifteen & paise twenty only. |
| 65 | Providing and fixing PTMT towel rail complete with brackets fixed to wooden cleats with CP brass screws with concealed fittings arrangement of approved quality and colour.450 mm long towel rail with total length of 495 mm,78 mm wide and effective height of 88 mm, weighing not less than 170 gms. | 4.00 | Each | 377.6 | Rupees three hundred seventy seven & paise sixty only. |
| 66 | Rain water pipe Providing and fixing on wall face unplastidsed PVC (working pressure 4 kgf per sqm) rain water pipes cinforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10 mm gap for thermal expansion. 110 mm diameter. | 200.00 | MTS | 212 | Rupees two hundred twelve only. |
| 67 | Providing and fixing on wall face unplasticised -PVC molded fittings/accessories for unplasticised-PVC rain water pipes conforming to (S:4985 including jointing with seal ring conforming to IS: 5382 leaving 10 mm gap for thermal expansion. | | | | |
| 68 | Single tee with door 110x110x110mm | 15.00 | Each | 306.1 | Rupees three hundred six & paise ten only. |
| 69 | 110 mm bend | 15.00 | Each | 168.3 | Rupees one hundred sixty eight & paise thirty only. |
| 70 | 110m Shoe | 15.00 | Each | 305.02 | Rupees three hundred five & paise two only. |
| 71 | Providing and fixing unplasticised -PVC pipe clip of approved design to unplasticised PVC rain water pipe by means of 50x50x50mm hard wood plugs, screwed with M.S. screws of required length including cutting brick work and fixing on cement | 100.00 | Each | 144.49 | Rupees one hundred forty four & paise forty nine only. |
| | mortar(1:4) 1 cement: 4corsa sand and making good the wall etc complete 110 mm. NON SCHEDULED ITEMS(MARKET RATE) | ~ | | | |

For, Bharat Commercial Agency
Unit of Shoshi Ranian Enterprises Pvt. Ltd
Wanager

Chief Eng neer

200.

2412

2417

2409

and the state of t

| | (5) | | | | |
|----|--|------------------|-------|---------|--|
| 72 | Provding and fixing soil, waste and vent pipes 110 mm dia | 150.00 | Metre | 347 | Rupees three hundred forty seven only. |
| | P.V.C. FITTINGS | Name of the Park | | 1000 | |
| 1 | DOOR TEE 110 mm dia | 8.00 | Each | 365 | Rupees three hundred sixty five only. |
| 74 | DOOR BEND 110 mm dia | 8.00 | Each | 283 | Rupees two hundred eighty three only. |
| 75 | BEND 45 110 mm dia | 8.00 | Each | 185 | Rupees one hundred eighty five only. |
| 76 | PIPE CLIP 110 mm dia | 35.00 | Each | 53 | Rupees fifty three only. |
| 77 | FLOOR TRAP 110X110 mm dia | 4.00 | Each | 436 | Rupees four hundred thirty six only. |
| | Constructing brick masonry road gully chamber 50x45x60 cm with bricks in cement mortar 1:4 (1cement : 4 coarse sand) including 500x450 mm pre-cast R.C.C. horizontal grating with frame complete as per standard design : With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 | 8.00 | Each | 3384.8 | Rupees three thousand three hundred eighty four & paise eighty only. |
| 79 | Contructing brick masonry chamber for Underground C.I. Inspection Chamber and bend with 75 class designation bricks in cement mortar 1:4 (1 cement : 4 coarse sand) C.I. Cover with frame (light duty) 455x610 mm internal dimentions, total weight of cover with frame to be not less than 38 kg. (weight of cover 23 kg. and weight of frame 15 kg.) RCC top slab with 1:1.5:3 mix (1 cement: 1.5 coarse sand :3 graded stone aggregate 20 mm nominal size) foundation concrete 1:5:10 mix (1 cement:5 coarse sand : 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm th. with cement mortar 1:3 (1cement:3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design. Inside dimensions 466x610 mm and 45cm deep for single pipe line: With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 | 8.00 | Each | 4147.3 | Rupees four thousand one hundred forty seven & paise thirty only. |
| 30 | Supply, Installation, Testing & Commissioning of water purifier having 500 litres capacity per day. All complete work as per specifications and instructions of E/I. (Livpro, kent or Equivalent) | 3.00 | Each | 24500 | Rupees twenty four thousand five hundred only. |
| 81 | Supply, Installation, Testing & Commissioning of water cooler of capacity 30 litres having two or more taps. The water cooler should be connected with the above water purifier. All complete work. (Voltas or Equivalent) | 3.00 | Each | 40000 | Rupees forty thousand only. |
| | BSR Schedule Items -Internal Electrical Work- (PART-I) | | | | |
| 82 | Point Wiring in PVC Conduit, with Modular type Switch:- Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FR PVC insulated copper conductor single core cable in surface/recessed PVC conduit, with modular type switch, modular plate, suitable size of GI box etc as required. | | | | |
| | Group C | 325.00 | Nos. | 621 | Rupees six hundred twenty one only. |
| 83 | Supply and Fixing Power Plug Point with Modular Type | | | N. Same | twenty one only. |
| | Accessories:- Supply and Fixing GI box with modular plate and cover in front on surface or in recess including providing and fixing 6 pin, 15/16 amps modular socket outlet and 15/16 amps modular type switch, connection, painting etc as required. | 265.00 | Nos. | 446 | Rupees four hundred forty six only. |

For, Bharat Commercial Agency Unit of Shoshi Roman Enterprises Pvt. Ltd Manager

Chief Eng neer
B.S.E.I.D.C. Ltd. Patna

1) 1-3 Additional Control of the Control of

| | For Rharat Commercial Agency | | J | | THE COURSE |
|----------|--|---------|---|--------------|--|
| | 3 Ways (4+18ways) double door | 12.00 | Set | 3660 | Rupees three thousand six hundred sixty only. |
| | Supplying and fixing of following way, horizontal type three pole and neutral, sheet steel, MCB distribution board, 415 volts, on surface/recess, complete with tinned copper bus bar, neutral bus par, earth bar, din bar, detachable gland plate, interconnections, phosphatized and powder painted including earthing etc. as required (Without MCB/RCCB/ISOLATOR). | | | | |
| | S/F TP MCB DB:- | | | agent Assert | only. |
| b) | 63 Amp. | 12.00 | Each | 3391 | Rupees three thousand three hundred ninety one |
| a) | 40 Amp. | 12.00 | Each | 3145 | Rupees three thousand one hundred forty five only. |
| 88 | S/F TPN RCCB:-Supplying and fixing of following rating four Pole Three phase and neutral, 415 volts, residual current circuit breaker (RCCB) having a sensitivity current upto 300 miliamperes in the existing MCB DB complete with connections, testing and commissioning etc. as required. | | | | |
| c) | 50/63 AMPS,Tripole pole and neutral | 12.00 | Each | 1804 | Rupees one thousand eight hundred four only. |
| b) | 40 AMPS,Tripole pole and neutral | 12.00 | Each | 1705 | Rupees one thousand seven hundred five only. |
| a) | 6/32A, Single Pole | 68.00 | Each | 208 | Rupees two hundred eight only. |
| | Supplying and fixing 240 volts, 'C' series, miniature circuit breaker suitable for inductive loads of following poles in the existing MCB DB complete with connections, testing and commissioning etc, as required. | c. | | | |
| | S/F 'C' series SP MCB:- | 200.00 | Mtrs. | 297 | ninety seven only. |
| c) d) | 4x6.0 Sqmm + 2x6.0 sqmm earth wire (to be used as sub main) | 975.00 | Mtrs. | 276 | seventy six only. Rupees two hundred |
| b) | 2x6 Sqmm + 1x6 sqmm earth wire (For AC,Industrial Socket) | 350.00 | Mtrs. | 150 | only. Rupees two hundred |
| | 2x2.5 Sqmm + 1x2.5 sq mm earth wire | | | Acres 5 | ninety three only. Rupees one hundred fifty |
| a) | cable in surface/recessed PVC conduit as required. 2x4 Sqmm + 1x4 sqmm earth wire | 350.00 | Mtrs. | 193 | Rupees one hundred |
| - | Wiring for circuit / sub-main wiring along with earth wire with the following sizes of PVC insulated, copper conductor, single core | | | | |
| 86 | conductor single core cable for loop earthing as required. Circuit / Sub-main wiring in PVC Conduit:- | 1323.00 | IVILI'S. | 193 | ninety three only. |
| 85 | Power Plug Wiring in PVC conduit (2x4 sq. mm):- Wiring for light/power plug with 2x4 sq.mm FR PVC insulated copper conductor single core cable in surface/recessed PVC conduit along with 1 number 4 sq. mm FR PVC insulated copper | 1325.00 | Mtrs. | 193 | Rupees one hundred |
| | in recess with chained metal cover for socket out let and complete with connections, testing and commissioning etc as required. | | , e a a a a a a a a a a a a a a a a a a | | forty nine only. |
| | Supply and fixing of 20A, 240V, SPN industrial type socket outlet with 2 poles and earth, metal enclosed plug top along with 20 amps 'C' series, SP MCB, in sheet steel enclosure, on surface or | | Nos. | 849 | Rupees eight hundred |

For, Bharat Commercial Approximation of Shoshi Ramian Enterprises Sul. 14

Chief Eng neer

B.S.E.I.D.C. Ltd. Patn.

10,
2419

ender ger alle bekertens de byeg blik gag in De ger ger geren geren endendig mer inde bye

 $\in)$

| 90 | S/F Ceiling Rose:- | | | | |
|----|--|--------|------|---------|---|
| | Supplying and fixing 2 pin ceiling rose on the existing junction box/ wooden block including connection etc as required. | 135.00 | Each | 35 | Rupees thirty five only. |
| | EARTHING | | | re" . | |
| 91 | COPPER EARTH PLATE ELECTRODE:- Earthing with copper earth plate 600mmx 600mmx 3mm thick including acessories and providing masonary enclosure with cover plate having locking arrangement and watering pipe of 2.7 meter long etc with charcoal/cock and salt as required. | 1.00 | Each | 11703 | Rupees eleven thousand seven hundred three only. |
| 92 | Supplying and fixing wall mounted 20 watt LED Tube light with all fitting complete directly on wall /celling including connection with 1.5 sq.mm FR PVC insulated copper conductor and earthing the body etc.as required of model LumilineBS Havells or equivalent of Dimension 1150x25x40mm as per directio of E/I. | 30.00 | each | 711.04 | Rupees seven hundred eleven & paise four only. |
| 93 | Supplying, installing of 34 watt LED recessed mounted, 600X600 mm Square panel enviromental friendly, aesthetically designed Havells PlutoNeo model or equivalent all complete job as per direction of El. | 170.00 | EACH | 5077.27 | Rupees five thousand seventy seven & paise twenty seven only. |
| 94 | Supply and fixing recess mounted 18 /24 watt LED vertical downlighter complete with all accessories and replaceable electronic driver directly on false ceiling including connection with 1.5 sq mm FR insulated copper conductor cable and earthing the body etc required as per direction of E/I. | 145.00 | EACH | 2393 | Rupees two thousand three hundred ninety three only. |
| 95 | Supply and fixing of lamp unit of 10W deep recessed to provide a glare free solution lamp Unit with Driver and attachment make Spirit lamp Unit 10W 827 Havells or equivalent including connection with 1.5 sq mm FR insulated copper conductor cable and earthing the body etc required as per direction of E/I. | 12.00 | EACH | 2566 | Rupees two thousand five hundred sixty six only. |
| 96 | Supply and installation of 400mm, 230V AC wall/cabin fan including fixing the bracket, making connection, testing,commissiong etc required as per direction of E/I. | 116.00 | each | 2456 | Rupees two thousand four hundred fifty six only. |
| 97 | Supply and installation of 300 mm ,230 V A.C exhaust fan in the existing opening including making good the damage ,connection testing commissioning etc as required. | 36.00 | each | 2287 | Rupees two thousand two hundred eighty sever only. |
| 98 | ELECTRIC PANEL Design,manufacturing,assembling,wiring,supply,installation,testing and commissioning of the following extensible cubicle type indoor mounting,dead front,fully compartementalised with hinged lockable detachable from& backl openable,dust and vermin proof,floor mounting sheet steel clad switchboard fabricated out of 2 mm thick CRCA powder coated sheet steel suitable for use at 415 volt 3 phase 4wire 50 cycle system,BMS Compiatable and to withsatans a symmetrical fault level of below mentioned kA at 415 volt. panels shall be fabricated in easily transportable sections,length,height,depth etc.to match with site condition,complete in all respect. | | | | |
| | INCOMER:- 1 Nos.320-400 Amps. TPN MCCB(36 KA) Breaking capacity. | | | | |
| | 1 Set of RYB phase Indication lamps with suitable rating MCB | | | | |
| | Set of ON/OFF Indication lamps along with 2A SP MCB backup protecting. set Digital Ampere meter with suitable rating CT and selector switch. | | | | |
| | switch 1 set Digital Volt meter with suitable rating MCBs and selector | | | | |

Bharat Commercial Agency
Whitat Shashi Ranian Enterprises Pvt. Ltd

Manager

Chief Eng heer

B.S.E.I.D.C. Ltd. Patna

Pula

24 9

24 9

24 9

અન્ય નહિલ્લા કાર્યા (એક્સમાં જાણકારી) હતું હાલું કર્યું છે. ત્રીક લાગે પાક પાક ભાગમાં જાહામાં અંતિક સ્થિત હતા.

error in the

| | Electrolytic high conductivity aluminium three phas and neutral | | | | |
|-----|---|--------------|-------|--|---|
| | busbars rated at 415V, 125 amps,35 kA,insulated with heat | | | | |
| | shrinkable coloured PVC sleeves & clip on shrounds for joints. | | | | |
| | The busbar sizing calculations shall be sumitted for | | | | |
| | approval,considering all derating factors. 3 Nos. 40 Amps. TPN MCCB(16 KA) with electronic releases. | | - | | |
| | 3 Nos. 40 Amps. TPN MCCB(16 KA) with electronic releases. | | | | |
| | Outgoings | | | | |
| | 1) 4 No.40 amp FP MCB of 10 kA breaking capacity. | | | | |
| | 2) 5 No.63 amp FP MCB of 10 kA breaking capacity. TOTAL COST OF MAIN LT PANEL | | | | |
| | TOTAL COST OF IMAIN LT PANEL | 400 | F | 400000 | Rupees one lac nine |
| | | 1.00 | Each | 109980 | thousand nine hundred |
| - | DG SET | - | | And the second second | eighty only. |
| | Supplying, Installing, Commensing, Testing Generator 100 KVA | | | | Rupees ten lac twenty |
| | with autostart facility of approoved brand all complete job with | | Each | 1021039 | one thousand thirty nine |
| | installation, earthing, civil Works, Providing cable of required | | | | · only. |
| | length for connection as per direction of E/I. | Service 1 | | becker the second | Control Control |
| | Supplying Installing Testing & Commensing LED TV of screen | | | | Rupees sixty five |
| | size 42" of make Sony Bravia or Equivalent with all fittings | 2.00 | Each | 65000 | thousand only. |
| | complete job as per approoved by E/I. | | | | |
| | Brand new ISI marked ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all | | | | Rupees seven thousand |
| - 1 | 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit. | 30.00 | Each | 7549.75 | five hundred forty nine & |
| | respects, ready to use, complete installation Mt. | | | 2 | paise seventy five only. |
| 02 | Ceiling Mounted Automatic Extinguisher:- | g C | ļ | Control of | |
| | Supplying 5Kg Ceilling Mounted Fire Extinguisher mono | | | | |
| | ammonium phosphate powder 90(MAP 90) confirming to IS | | | | Rupees eleven thousand |
| | specificattion 15683 stored auto discharge mechanism applicable | 15.00 | Each | 11924.06 | nine hundred twenty four |
| | on Class ABC and electrically started fire, ISI and CE approoved, | | | No. 1 | & paise six only. |
| | 5 Year warranty as per direction of E/I. | And resident | | | With the second |
| | CCTV WORK | | | | |
| | Supply and Installation of 2 Megapixel IP CCTV HD dome | | | | Rupees four thousand |
| | camera(Night Vision) with metal body having audio support | | Each | 4484 | four hundred eighty four |
| | system of approoved brand as per direction of E/I. | | | | only. |
| 04 | Supply and Installation of 4 Megapixel HD dome camera(Night | | | | Rupees five thousand |
| | Vision) with metal body having audio support system of approoved | | Each | 5725 | seven hundred twenty |
| | brand as per direction of E/I. | | | | five only. |
| 05 | Supply and Installation of 4 Megapixel HD Bullet camera(Night | ` | | No. Account | Rupees eight thousand |
| | Vision) with metal body having audio support system of approoved | | Each | 8755 | seven hundred fifty five |
| 1 | brand as per direction of E/I. | | | k | only. |
| 06 | Supply and Installation of NVR with 32 channel camera & audio | w. ··· | | | D f t t t |
| ŀ | of approoved brand as per direction of E/I. | 1.00 | Each | 46450 | Rupees forty six thousand |
| | | garan. " | | Water of a | four hundred fifty only. |
| 07 | Supply and Installation of I Ball Rack-4U of approoved brand as | | | | Dunger four thousand |
| | per direction of E/I. | 1.00 | Each | 4130 | Rupees four thousand one hundred thirty only. |
| | | · | | | one number unity only. |
| | Supply and Installation of POE Gigabit Switch 16 port of metal | { | | f _{to} . | Rupees eleven thousand |
| | body of approoved brand as per direction of E/I. | 2.00 | Each | 11800 | eight hundred only. |
| _ | | | | | S.o Hallarda Olliyi |
| | 4 TB hard disk capacity expandable upto 12 TB of approoved | | _ | | Rupees ten thousand six |
| | brand as per direction of E/I. | 1.00 | Each | 10620 | hundred twenty only. |
| | D | K | | ************************************** | |
| | Power supply for 32 nos. camara with all necessary fittings | | | | Rupees twelve thousand |
| | complete job as per direction of E/I. | 1.00 | Each | 12560 | five hundred sixty only. |
| | | F | | 145°** | |
| | Supplying installing, testing and commisioning 27" inch LED | | | | Rupees twenty one |
| | Monitor of approoved brand as per direction of E/I. | 1.00 | Each | 21760 | thousand seven hundred |
| - 1 | · · · · · · · · · · · · · · · · · · · | | 1 1 | No. | sixty only. |
| | Supply and laying of Cat-6 data cables in PVC conduit | 500.00 | Metre | 59 | Rupees fifty nine only. |

For. Bharat Commercial Agency
Unit of Shoshi Romion Enterprises Pvt. Ltd

Manager

Chief Eng neer

B.S.E.I.D.C. Ltd. Patna

24/9

24/99/1/

() 1...} Control of the second of the s Company of Ass.

17

| | <u> </u> | | | | |
|------------|---|------|-------------|--------------|--|
| | Supplying Installinng, Testing and commissioning of WXGA projector having Projection Technology RGB liquid crystal shutter projection system (3LCD) Size 0.59" with MLA (D8), Focal Length 6.4mm Zoom Ratio 1.0 - 1.35 (Digital Zoom) with Power Cable: 4.5m, Remote Control ,Computer Cable (VGA Cable): 1.8 m (EB-535W/EB-525W), Interactive Pen x 1 (EB-536Wi), USB cable: 5m (EB-536Wi) of make Panasonic / EPSON Equivalent as per direction of E/I. | 1.00 | Piece | 70999 | Rupees seventy thousand nine hundred ninety nine only. |
| 114 | Supplying Installinng, Testing and commissioning of Ceiling mount kit for projector Online / Equivalent as per direction of E/I. | 1.00 | Piece | 4500 | Rupees four thousand five hundred only. |
| 115 | Supplying Installing, Testing and commissioning of 6'X8', 16:10 Aspect Ratio, Motorized Projection Screen of make Suvira/Milan or equivalent as per direction of E/I. | 1.00 | Piece | 20500 | Rupees twenty thousand five hundred only. |
| 116 | Supplying Installinng, Testing and commissioning of 65" Professional LED Display of make Panasonic/Sony or Equivalent as per direction of E/I. | 1.00 | Piece | 125000 | Rupees one lac twenty five thousand only. |
| 117 (&) | Supplying Installinng, Testing and commissioning of 42" Professional LED Display of make Panasonic/Sony or Equivalent as per direction of E/I. | 2.00 | Piece | 105728 | Rupees one lac five thousand seven hundred twenty eight only. |
| 117 (b) | Supplying Installinng, Testing and commissioning of Passive Face Plate with VGA + Audio and HDMI of make Extron/Kramer or equialent as per direction of E/I. | 1.00 | Piece | 5200 | Rupees five thousand two hundred only. |
| 118 | 3 Input Switcher Media Presentation Switcher with DTP 330 Extension with HDMI to Output DTP DA - 230 feet (70 m), HDMI Patch Cables, HDMI Receiver and all other accessories of make Extron/ kramer all complete job as per direction of E/I. | 1,00 | Piece | 32000 | Rupees thirty two thousand only. |
| 119 | Supplying Installinng, Testing and commissioning of RealPresence Group 500 - 720p: Group 500 HD codec, EagleEyeIV-12x camera, mic array, univ. remote, NTSC/PAL. Cables: 2 HDMI 1.8m, 1 CAT 5E LAN 3.6m, 1 HDCI digital 3m all complete of make Polycom / Equivalent as per direction of E/I. | 1.00 | Piece | 427985 | Rupees four lac twenty seven thousand nine hundred eighty five only. |
| 120 | Supplying Installinng, Testing and commissioning of Partner Premier, One Year, Real Presence Group 500-720p of make Polycom / Equivalent all complete as per direction of E/I. | 1.00 | Servic e | 72760 | Rupees seventy two thousand seven hundred sixty only. |
| 121 | Supplying Installinng, Testing and commissioning of Partner Advantage, One Year, RealPresence Touch with silver of make Polycom / Equivalent all complete as per direction of E/I. | 1.00 | Servic e | 10761 | Rupees ten thousand seven hundred sixty one only. |
| | Polycom RealPresence Touch with silver trim for use with Group Series models. Requires PoE network connection or optional external power supply (2200-42740-XXX). One year Premier Maintenance Included in CALA of make Polycom / Equivalent all complete as per direction of E/I. | 1.00 | Servic e | 984 | Rupees nine hundred eighty four only. |
| 123 | Supplying Installinng, Testing and commissioning of AC Power Kit for SoundStation IP 6000 and Touch Control. Includes 100-240V, 0.4A, 48VDC power supply, 1.8m power cord, Power-over-Ethernet Insertion Cable (PIC) of make Polycom / Equivalent all complete as per direction of E/I. | 1.00 | Piece | 13795 / | Rupees thirteen thousand seven hundred ninety five only. |
| 124 | Supplying Installinng, Testing and commissioning of Polycom Pano. Wireless Presentation System. 4K 60fps RGB444 output, HDMI in 4K 30fps, Miracast, Airplay, App, Touch. Cables: 1 HDMI 1.8m, 1 CAT 5E LAN 3.6m, 1 USB Type-B 2m, Power: INDIA-Type of make Polycom / Equivalent all complete as per direction of E/I. | 1.00 | Piece | 134992 | Rupees one lac thirty four thousand nine hundred ninety two only. |

For, Bharat Commercial Agency Unit of Shoshi Ramion Enterprises Pvi Ltd Manager Chief Eng neer

B.S.E.I.D.C. Light Pains

2419.

a the effective section of the effective and the effective of the effectiv

| | (0 | | | | |
|-----|--|-------|-------------|--------------|--|
| 125 | Multipoint License Mixed protocol dialing, including IP, ISDN, and Serial HDX Series supports up to 4 participants, Group Series supports up to 6 participants on Group 500 and 8 participants on Group 700, Support for H.239 content sharing technology from any endpoint in the call of make Polycom / Equivalent all complete as per direction of E/I. | 1.00 | Licens e | 213527 | Rupees two lac thirteen thousand five hundred twenty seven only. |
| 126 | Connector | 1.00 | Each | 423 | Rupees four hundred twenty three only. |
| 127 | Providing fitting and fixing of bosch or equivalent make WIRELESS CHAIRMAN MIKE (CWS-8100C) do do all complete job as per direction of E/I. | 5.00 | Each | 21460 | Rupees twenty one thousand four hundred sixty only. |
| 128 | Providing fitting and fixing of bosch or equivalent make of WIRELESS DELEGATE MIKE (CWS-8200D)do do all complete job as per direction of E/I. | 23.00 | Each | 18860 | Rupees eighteen thousand eight hundred sixty only. |
| 129 | Providing fitting and fixing of bosch or equivalent make of HOST CONTROL UNIT (CWS-8300 R) do do all complete job as per direction of E/I. | 3.00 | Each | 58855 | Rupees fifty eight thousand eight hundred fifty five only. |
| 130 | Providing fitting and fixing of bosch or equivalent make of SERVO STABILIZER 1 KV (SVC-1000) do do all complete job as per direction of E/I. | 3.00 | Each | 4990 | Rupees four thousand nine hundred ninety only. |
| 131 | Providing fitting and fixing of bosch or equivalent make of AMPLIFIER 125WATTS USB (SSA-250DP) do do all complete job as per direction of E/I. | 3.00 | Each | 12080 | Rupees twelve thousand eighty only. |
| - | Providing fitting and fixing of bosch or equivalent make of WIRELESS HAND MIKE DUAL(XR-40HH) do do all complete job as per direction of E/I. | 6.00 | Each | 4800 | Rupees four thousand eight hundred only. |
| | Providing fitting and fixing Wall/Ceiling Speaker 2-Way Speaker make of bosch or equivalent do do all complete job as per direction of E/I. | 11.00 | Each | 5100 | Rupees five thousand one hundred only. |
| 134 | Providing fitting and fixing podium with Inbuilt Speakers, Amplifier, Cordless Mic, Podium Mic, Usb Port make of bosch(Wsl2500R) or equivalent do do all complete job as per direction of E/I. | 1.00 | Each | 44000 | Rupees forty four thousand only. |
| 135 | VRF Outdoor units: Supply of Multi V IV/V compressor (Rotary/Scroll) outdoor units with condenser unit, Fan unit, Piping, Wiring, connections, control relay units, capacitors, suitable for reversible cycle operations (Heating and Cooling), | | | | |
| a. | 22 HP | 1.00 | Nos. | 510000 | Rupees five lac ten thousand only. |
| b | 20 HP | 4.00 | Nos. | 463000 | Rupees four lac sixty three thousand only. |
| 136 | Supply of VRF Indoor Unit | é | | ¢. ' | |
| a. | 4 Tr Cassette Unit | 1.00 | Nos. | 42550 | Rupees forty two thousand five hundred fifty only. |
| b | 3.5 Tr Cassette Unit | 3.00 | Nos. | 40150 | Rupees forty thousand one hundred fifty only. |
| С | 3.0 Tr Cassette Unit | 7.00 | Nos. | 39200 | Rupees thirty nine thousand two hundred only. |
| d | 2.5 Tr Cassette Unit | 6.00 | Nos. | 38300 | Rupees thirty eight thousand three hundred only. |
| е | 2.0 Tr Cassette Unit | 9.00 | Nos. | 36850 | Rupees thirty six thousand eight hundred fifty only. |
| f | 1.5 Tr Cassette Unit | 7.00 | Nos. | 35900 | Rupees thirty five thousand nine hundred only. |

For, Bharat Commercial Agency Unit of Shoshi Romion Enterprises Pvt. Ltd Manager

Chief Eng neer B.S.E.I.D.C. Lid. Pat

1 $\left\{ \cdot \right\}$ - 46224 .) \bigcup $\left(\cdot \right)$ \bigcup \bigcirc

| | 19 | | | | |
|-----|--|------------|--------|-------|---|
| g | 1.25 Cassette Unit | 2.00 | Nos. | 34800 | Rupees thirty four thousand eight hundred only. |
| h | 1.0 Cassette Unit | 2.00 | Nos. | 32300 | Rupees thirty two thousand three hundred only. |
| İ | 0.75 Cassette Unit | 2.00 | Nos. | 31300 | Rupees thirty one thousand three hundred only. |
| 137 | Remote control. | | | | |
| a. | Wireless Remote Control | 39.00 | Nos. | 2750 | Rupees two thousand seven hundred fifty only. |
| 138 | Supply of Imported Y-Branches | 45.00 | Nos. | 9500 | Rupees nine thousand five hundred only. |
| 139 | Supply of Cassette Panel | 39.00 | Nos. | 7550 | Rupees seven thousand five hundred fifty only. |
| 140 | Outdoor Connector . | 3.00 | Nos. | 11500 | Rupees eleven thousand five hundred only. |
| | Installation, Testing & Commissioning of VRF System | <u> </u> | | | |
| 141 | ODU Unit | | | | |
| a. | 20 HP ODU (Top Discharge) | 4.00 | Nos. | 28320 | Rupees twenty eight thousand three hundred twenty only. |
| b | 22HP ODU (Top Discharge) | 1.00 | Nos. | 31152 | Rupees thirty one thousand one hundred fifty two only. |
| 142 | IDU Unit | V. married | | V. | |
| a. | 4 Tr Cassette Unit | 1.00 | · Nos. | 4130 | Rupees four thousand one hundred thirty only. |
| b | 3.5 Tr Cassette Unit | 3.00 | Nos. | 4130 | Rupees four thousand one hundred thirty only. |
| С | 3.0 Tr Cassette Unit | 7.00 | Nos. | 4130 | Rupees four thousand one hundred thirty only. |
| d | 2.5 Tr Cassette Unit | 6.00 | Nos. | 4130 | Rupees four thousand one hundred thirty only. |
| е | 2.0 Tr Cassette Unit | 9.00 | Nos. | 4130 | Rupees four thousand one hundred thirty only. |
| f | 1.5 Tr Cassette Unit | 7.00 | Nos. | 3540 | Rupees three thousand five hundred forty only, |
| g | 1.25 Cassette Unit | 2.00 | Nos. | 3540 | Rupees three thousand five hundred forty only. |
| h | 1.0/0.75 Tr Cassette Unit | 4.00 | Nos. | 3540 | Rupees three thousand five hundred forty only. |
| а. | Cu. Ref pipe with standard Insulation both Liquid & Suction 6.35 mm to 53.98 mm with (insulation - 19 mm) according to requirment at site to connect indoor unit to outdoor unit | 300.00 | RMT | 1357 | Rupees one thousand three hundred fifty seven only. |
| 144 | Control wiring of 2 core x 1.5 sqmm copper in suitable conduits between indoor and outdoor units | 300.00 | RMT | 283.2 | Rupees two hundred eighty three & paise twenty only. |

For, Bharat Commercial Agency Unit of Sheshi Renian Enterprises Pvt. Ltd Manager Chief Eng neer

B.S.E.I.D.C. Ltd. Patra

2419

मान्यके के कुन्न के प्रकृति । कार्यक्षिक के उत्तरक कार्यक्ष के स्कृति व्यक्तिकार कार्यक्ष कुन्निकारिक कार्यक्ष व्यक्तिक 1. 1. 1. 1. 4.3

1 }

| | 20 | | | | |
|-----|--|--------|------|-----------|---|
| 145 | Charging of R 410A Refrigerant | 60.00 | KGs | 1180 | Rupees one thousand one hundred eighty only. |
| 146 | PVC Drain Piping complete with fittings as per requirment and duly insulated with 6 MM thick closed cell nitrile rubber insulation 25 MM | 350.00 | RMT | 277.3 | Rupees two hundred seventy seven & paise thirty only. |
| 147 | Lifting, Shifting & Positioning of Outdoor Units | 6.00 | Nos. | 17700 | Rupees seventeen thousand seven hundred only. |
| 148 | Breezing of Y Branch | 45.00 | Nos. | 1770 ~ | Rupees one thousand seven hundred seventy only. |
| 149 | MS Hanger for supporting the Copper Pipe, Drain Pipe & Ducts etc | 300.00 | RMT | 560.5 | Rupees five hundred sixty & paise fifty only. |
| 150 | DESKTOP:-ALL IN ONE | 4 | | ν | |
| | Supplying, Installing, Testing & Commissioning of Desktop Computer with Intel core I7 8th Gen with 8GB Ram, 1TB Hard disk USB Keyboard, USB Mouse, Preofessional Win10, 23.8"TFT having 3 Years Onsite warranty.(DELL/HP/LENEVO or Equivalent) | 6.00 | Nos | 92400 | Rupees ninety two thousand four hundred only. |
| 151 | DESKTOP(VC) Supplying, Installing, Testing & Commissioning of iMac 21.5-inch display 21.5-inch (diagonal) LED-backlit display 3.0GHz or 3.4GHz quad-core Intel Core i5 processor Turbo Boost up to 3.8GHz 8GB memory 1TB (5400-rpm) hard drive or 1TB Fusion Drive2 having 1 Year Onsite warranty all complete as per direction of E/I. | 1.00 | No | 139488.27 | Rupees one lac thirty nine thousand four hundred eighty eight & paise twenty seven only. |
| 152 | DESKTOP Supplying, Installing, Testing & Commissioning of Desktop Computer with Intel core I5 8th Gen with 8GB Ram, 1TB Hard disk USB Keyboard, USB Mouse, Preofessional Win10, 19.5"TFT having 3 Years Onsite warranty.(HP/DELL or Equivalent) | 30.00 | Nos | 61706 | Rupees sixty one thousand seven hundred six only. |
| 153 | LAPTOP Supplying, Installing, Testing & Commissioning of Laptop with Intel core I7 8th Gen with 8GB Ram, 2GB Graphics Card, 1TB Hard disk, Preofessional Win10, 15.6"TFT having 3 Years Onsite warranty (HP/DELL or Equivalent) | 3.00 | Nos | 106306 | Rupees one lac six thousand three hundred six only. |
| 154 | Off Line UPS Supplying, Installing, Testing & Commissioning of Off Line UPS with 1KVA,Nominal Input voltage: 135-300V AC / 50Hz+5% Output Voltage: 230V VA + 9%, 40-50 minutes Power backup, one year warranty. | 32.00 | Nos | 6500 | Rupees six thousand five hundred only. |
| 155 | Mid Level Photo Copier Speed Up to 45 ppm, Monthly Duty Cycle* Up to 175,000 pages, Hard Drive/Processor/Memory Minimum 250 GB HDD/1.8 GHz Quad Core/4 GB system memory, Connectivity 10/100/1000Base- T Ethernet, High-Speed USB 2.0 direct print, Wi-Fi Direct® with optional Xerox® USB Wireless Adapter, NFC Tap-to-Pair, Copy and Print Copy Resolution: Up to 600 x 600 dpi; Print Resolution: Up to 1200 x 1200, 256 shades of grey with Mobile & Cloud Connectivity(Canon or Equivalent) | 2.00 | Nos | 165000 | Rupees one lac sixty five thousand only. |

For, Bharat Commercial Agency
Unit of Shashi Ranian Enterprises Pvt. Ltd

Manager

Chief Eng neer

B.S.E.I.D.C. Ltd. Patna

Mehour

24/9

24/9

and the second of the second o

| 156 | Normal Level Photo Copier Speed Up to 45 ppm, Monthly Duty Cycle* Up to 175,000 pages, Hard Drive/Processor/Memory Minimum 250 GB HDD/1.8 GHz Quad Core/4 GB system memory, Connectivity 10/100/1000Base- T Ethernet, High-Speed USB 2.0 direct print, Wi-Fi Direct® with optional Xerox® USB Wireless Adapter, NFC Tap-to-Pair, Copy and Print Copy Resolution: Up to 600 x 600 dpi; Print Resolution: Up to 1200 x 1200, 256 shades of grey with Mobile & Cloud Connectivity(Canon or Equivalent) | 2.00 | Nos | 93000 | Rupees ninety three thousand only. |
|-----|---|---------|-------|-------|--|
| 157 | Multi-Function colour printer Supplying, Installing, Testing & Commissioning of Multi-Function colour printer with Print speed black: Normal: Up to 33 ppm, colour: Normal: Up to 20 ppm, maximum resolution 600x1200dpi, Print technology Inktank, Hi-Speed USB 2.0 port built-in Fast Ethernet 10/100Base-TX network port, Scanner type Flatbed, Scan resolution of optical Up to 1200 dpi, with 2.4" LCD screen (Canon/HP or Equivalent) | 3.00 | Nos | 27509 | Rupees twenty seven thousand five hundred nine only. |
| 158 | All in one printer Supplying, Installing, Testing & Commissioning of A4 Mono Monolithic printer with Print speed black: Normal: Up to 20 ppm,Duty cycle (monthly, A4) Up to 10000 pages, Print technology Laser, Hi-Speed USB 2.0 port built-in Fast Ethernet 10/100Base-TX network port, Scanner type Flatbed, ADF, Scan resolution of optical Up to 1200 dpi.(Canon/HP or Equivalent) | 25.00 | Nos | 15728 | Rupees fifteen thousand seven hundred twenty eight only. |
| 159 | DUAL FACEPLATE Supplying, Installing, Testing & Commensing of Dual Face Plate as per direction of E/I of approoved brand. | 48.00 | Nos | 100 | Rupees one hundred only. |
| 160 | KEYSTONE Supplying, Installing, Testing & Commensing of Keystone as per direction of E/I of approoved brand. | 96.00 | No | 200 | Rupees two hundred only. |
| 161 | BACKBOX Supplying, Installing, Testing & Commensing of Backbox for networking panel as per direction of E/I of approoved brand. | 96.00 | Nos | 115 | Rupees one hundred fifteen only. |
| 162 | 24PORT PATCH PANEL Supplying, Installing, Testing & Commensing of 24 Port patch panel as per direction of E/I of approoved brand. | 2.00 | Nos | 7467 | Rupees seven thousand four hundred sixty seven only. |
| 163 | 16 PORT UNMANAGED GIGABIT SWITCH Supplying, Installing, Testing & Commensing of 16 Port Unmanaged Gigabit Switch as per direction of E/I of approoved brand. | | Nos | 7272 | Rupees seven thousand two hundred seventy two only. |
| 164 | 24 PORT UNMANAGED GIGABIT SWITCH Supplying, Installing, Testing & Commensing of 24 Port Unmanaged Gigabit switch as per direction of E/I of approoved brand. | | Nos | 8500 | Rupees eight thousand five hundred only. |
| | RACK 4U 24 PORT UNMANAGED GIGABIT SWITCH Supplying, Installing, Testing & Commensing of Rack 4U as per direction of E/I of approoved brand. | 2.00 | Nos | 4500 | Rupees four thousand five hundred only. |
| | CAT 6 CABLE- COPPER | 1150.00 | Meter | 30 | Rupees thirty only. |
| | RJ 45- CAT 6 | 150.00 | Meter | 1659 | Rupees one thousand six hundred fifty nine only. |
| 168 | S/F PVC Conduit:- Supplying and fixing of following sizes of PVC conduit alongwith the accessories in surface / recess including cutting the wall and making good the same in case of recessed conduit as required for Tele, RJ45 Cat 6 data outlet for computer network. | | | | |
| a) | 20 mm | 1150.00 | Meter | 55 | Rupees fifty five only. |
| ر ⊷ | - · · · · · · · · · · · · · · · · · · · | | 1 | | TICM autolis |

Fór, Bharat Commercial Agency Unit of Shoshi Remien Enterprises Pvt. Ltd. Martager

Chief Eng neer

B.S.E.I.D.C. Ltd. Patna

2407/2

:) (-)t og å kkillende til til folkligen villet og er og forklig præse folkligen florene och och

| | 22 | | | | |
|-----|--|--------|-------|------------|---|
| b) | 32 mm | 150.00 | Meter | 109 | Rupees one hundred nine only. |
| 169 | 0.5 METER PATCH CORD Supplying, Installing, Testing & Commensing of 0.5 Meter Patch Cord for networking panel as per direction of E/I of approoved brand. | 48.00 | Nos | 160 | Rupees one hundred sixty only. |
| 170 | 2 METER PATCH CORD Supplying, Installing, Testing & Commensing of 2.0 Meter Patch Cord for networking panel as per direction of E/I of approoved brand. | 48.00 | Nos | 255 | Rupees two hundred fifty five only. |
| 171 | TERMINATION OF CAT6 AT FIELD & PATCH PANEL ENDS | 48.00 | Nos | 100 | Rupees one hundred only. |
| 172 | Installation & fixing of I/O box do do all complete job as per directtion of E/I. | 48.00 | Nos | 120 | Rupees one hundred twenty only. |
| 173 | EPABX having active 166 analog ,4 digital extensions with PRI system | 1.00 | Nos | 212500 | Rupees two lac twelve thousand five hundred only. |
| 174 | Telephone set | | | | |
| a) | Analogue set | 50.00 | Nos | 1149 | Rupees one thousand one hundred forty nine only. |
| b) | Digital set | 10.00 | Nos | 3490 | Rupees three thousand four hundred ninety only, |
| 175 | Telephone socket outlet | 60.00 | Each | 95 | Rupees ninety five only. |
| 176 | Table of size 1800x2100x750 Work Surface- Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade. Edge banded with matching 2 mm thick PVC lipping. Gromet provided on work surface for wire management, Modesty Panel- Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade confirming to 1S-12823:1990, Edge banded with matching 2 mm thick PVC lipping. Under structure-Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade confirming to 1S-12823:1990, Edge banded with matching 2 mm thick PVC lipping. Hinge Door Storage - Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade confirming to 1S-12823:1990, Edge banded with matching 2 mm thick PVC lipping. Handle is provided for ease of opening, Storage is provided with cam lock for security of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 3.00 | Nos | 70798 | Rupees seventy thousand seven hundred ninety eight only. |
| 177 | Chair High back pneumatic height adjustment cushioned revolving chair made up of 1.2cm thick hot pressed ply wood seat & back upholstered with fabric with moulded polyurethane foam together with moulded ABS seat & back integral skin polyurethane with reinforced with M.S. Insert. The tilt mechanism adjustment upright locking, 360 degree revolving type fitted with 05 nos. twin wheel castor dia 5 cm of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 6.00 | Nos | 19535 | Rupees nineteen thousand five hundred thirty five only. |



Chief Eng neer

B.S.E.I.D.C. Lid Patna

Rehous

24/09/11

The gradient and an experience of the territory and the contract of the contra

| | 23 | | | | |
|-----|--|-------|-----|----------|--|
| 178 | Storage with four shelves Almirah of size 1981 x 916 x 486 MM multi bend construction and inter locking design and full length over apping doors and sides. Three-way bolting mechanism. Spowelding & CO2 welding. Anticorrosion treated components, over baked powder coating process. Material thickness 0.9mm.Top Bottom,LH & RH sides and back material thickness=0.9mm,Removable RH & LH main door with stiffeners material thickness=0.9mm, 4 adjustable shelves of thickness=0.8mm of approoved brand as per direction of E/I. (Methodex, Wipro Godrej, Durian or Equivalent). | 12.00 | Nos | 22624 | Rupees twenty two thousand six hundred twenty four only. |
| | ASSTT. ACCOUNTS OFFICER+BUDGET& ACCOUNTS OFFICER+ASSTT REGISTRAR-02 NOS. CHAMBER (Methodex, Wipro, Godrej, Durian or Equivalent). | 1 | | | |
| 179 | Main Desk of size 1804 x 750 x 750 Desk-Top thickness 25, Top Dimensions 1804 x 450 x 750, Overall Height 750 Understructure: The understructure is in prelam panels, made with PLT boards.2Drawer and 3Drawer storage units with different combinations to support Tops, made with 18mmPLT boards of different colours. Modesty and back panels, made with 18mmPLT boards. The Pedestals/Storages are fitted with necessary Locks PLT Board Tops (Straight Edges): Tops for Junior1, Junior2, and Middle desk with ERU are of 18mm thickness. Made of 18mm thick PLT board with 2mm Edge banding. Wenge and Savannah Maple PLT board used for making Tops. PVC membrane Tops (with profiles):Tops for senior main and back unit desk are of PVC membrane pressed. Made of 25mm thick MDFone side laminate board with 0.4mm PVC membrane pressed on to tops. The top has Duck nose and half round profiles edges. he top is made in only one finish: European Ash of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 4.00 | Nos | 38840.00 | Rupees thirty eight thousand eight hundred forty only. |
| 180 | Back Unit of size 1804 x 450 x 750 Desk-Top thickness 25, Top Dimensions-1200 x 450, Overall Height 750 Understructure: The understructure is in prelam panels, made with PLT boards.2Drawer and 3Drawer storage units with different combinations to support Tops, made with 18mm PLT boards of different colours. Modesty and back panels, made with 18mm PLT boards. The Pedestals/Storages are fitted with necessary Locks PLT Board Tops (Straight Edges): Tops for Junior1, Junior2, and Middle desk with ERU are of 18mm thickness. Made of 18mm thick PLT board with 2mm Edge banding. Wenge and Savannah Maple PLT board used for making Tops. PVC membrane Tops (with profiles):Tops for senior main and back unit desk are of PVC membrane pressed. Made of 25mm thick MDFone side laminate board with 0.4mm PVC membrane pressed on to tops. The top has Duck nose and half round profiles edges. he top is made in only one finish: European Ash of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 4.00 | Nos | 24192.00 | Rupees twenty four thousand one hundred ninety two only. |
| | Chair High back pneumatic height adjustment cushioned revolving chair made up of 1.2cm thick hot pressed ply wood seat & back upholstered with fabric with moulded polyurethane foam together with moulded ABS seat & back integral skin polyurethane with reinforced with M.S. Insert. The tilt mechanism adjustment upright locking, 360 degree revolving type fitted with 05 nos. twin wheel castor dia 5 cm of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 4.00 | Nos | 19535.00 | Rupees nineteen thousand five hundred thirty five only. |

For, Bharat Commercial Agency Unit of Shashi Ranian Enterprises Pvt. Ltd Manager

Chief Eng neer

B.S.E.I.D.C. Ltd. Patna

Wehousel

2419

1 $\left(\cdot \right)$ \ominus 四年

| | 24 | | | | |
|-----|---|------|-----|----------|---|
| 182 | Visitor Chair The seat and back are made up of 1.2cm thick hoppressed plywood, Upholstered with fabric and moulded Polyurethane be Foam together with moulded ABS seat and back covers. The Back foam is designed with contoured lumber support for extra comport. The back size: 50cm (W) x 49cm (H) and seat size 50cm (W) x 46cm (D). The Tubular Frame is cantilever type & made of dia 2.54cm x 14 BG M.S. E.R.W. tube and black Powder coated. The polyurethane foam is moulded with density= 45+/-2Kg/m3 and hardness =20+/2 kg. on hampden machine at 25% compression. The Armrest is one piece made of black integral skin polyurethane with 50-70 shore 'A' hardness and reinforced with MS insert of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 8.00 | Nos | 10706.00 | Rupees ten thousand seven hundred six only. |
| 183 | Storage Plain with four shelves Almirah of size 1981 x 916 x 486 MM multi bend construction and inter locking design and full length over apping doors and sides. Three-way bolting mechanism. Spot welding & CO2 welding. Anticorrosion treated components, oven baked powder coating process. Material thickness 0.9mm.Top, Bottom,LH & RH sides and back material thickness= 0.9mm,Removable RH & LH main door with stiffeners material thickness= 0.9mm, 4 adjustable shelves of thickness= 0.8mm of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 8.00 | Nos | 22624.00 | Rupees twenty two thousand six hundred twenty four only. |
| 184 | Workstation Open Plan Office System for 04 Persons Face to face Module with Partition Height of 1200 mm, Recta worksurface of size 1200 x 600. Each worksurface with 01 No. 3 Drawers Pedestal, 01 No. KBPT & 01 No. CPU Trolley as per Layout design PANEL THICKNESS - 56 MM, HT 1200 MM(APPROX), TILE CONFIGURATION FOR ALL PANELS: ABOVE MAG FAB TILE & BELOW METAL TILE, RACEWAY - FOR MOUNTING OF SWITCHES: 150MM METAL RACEWAY AT SKIRTING LEVEL FOR ALL PANELS, WORKSURFACE: IN PRELAMINATED PARTICLE BOARD AND PVC LIPPING; BOARD THK 25MM of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | | Nos | 154136 | Rupees one lac fifty four thousand one hundred thirty six only. |
| 185 | Chair Mid back pneumatic height adjustment cushioned revolving chair made up of 1.2cm thick hot pressed ply wood seat & back upholstered with fabric with moulded polyurethane foam together with moulded ABS seat & back integral skin polyurethane with reinforced with M.S. Insert. The tilt mechanism adjustment upright locking, 360 degree revolving type fitted with 05 nos. twin wheel castor dia 5 cm. machine at 25% compression. The Armrest is one piece made of black integral skin polyurethane with 50-70 shore hardness and reinforced with MS insert of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 8.00 | Nos | 18343 | Rupees eighteen thousand three hundred forty three only. |

For, Bharat Commercial Agency Unit of Shoshi Romon Enterprises Pvt. Ltd Wahager

Chief Eng neer

B.S.E.I.D.C. Lid. Patna

2409/18

1 1 ()) The man of the control of the contro

| | 29 | > | | | |
|-----|--|-------------|-----|--------|---|
| 186 | | 4.00 | Nos | 22624 | Rupees twenty two thousand six hundred twenty four only. |
| | RECORD ROOM | | · | | |
| 187 | Optimizer Storage system Two Way on 12' Rail length (Each Unit Depth 457mm, Height-1980mm) storage system on rail (fixed and movable) bolted to undercarraige which rolls on to the channels and embedded to the ground. Cabinet made out of 0.8 mm thick CRCA Steel Sheet of IS:513 Grade D consists of 1 main unit & then add-On Units each Unit with 5 Loading Levels. Height from ground 2080mm (1980 body + 65mm undercarraige+35 Channels system). Cabinet with antirust treatment & powder coated paint oven baked 180 degree to 200 degree C load bearing 60 Kg. UDL per shelf. Movement of units by mechanically through PU Drive drive wheel and sprocket-chain Tensioner with centralized locking of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | | Nos | 444522 | Rupees four lac forty four thousand five hundred twenty two only. |
| | REGISTRATION . MIGRATION EDUCATION | | | | |
| 188 | QUERIES+APPLICATION QUERIES SECTION Table of size 1200 x 600 x 743 Desk Top thickness 18, Top Dimensions- 1200 x 600, Overall Height 743 Understructure: The understructure is in prelam panels, made with PLT boards.2Drawer and 3Drawer storage units with different combinations to support Tops, made with 18mmPLT boards of different colours. Modesty and back panels, made with 18mm PLT boards. The Pedestals/Storages are fitted with necessary Locks PLT Board Tops (Straight Edges): Tops are of 18mm thickness. Made of 18mm thick PLT board with 2mm Edge banding. Wenge and Savannah Maple PLT board used for making Tops. PVC membrane Tops (with profiles):Tops for senior main and back unit desk are of PVC membrane pressed. Made of 25mm thick MDFone side laminate board with 0.4mm PVC membrane pressed on to tops. The top has Duck nose and half round profiles edges. he top is made in only one finish: European Ash of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 5.00 | Nos | 15269 | Rupees fifteen thousand two hundred sixty nine only. |
| | Chair Mid back pneumatic height adjustment cushioned revolving chair made up of 1.2cm thick hot pressed ply wood seat & back upholstered with fabric with moulded polyurethane foam together with moulded ABS seat & back integral skin polyurethane with reinforced with M.S. Insert. The tilt mechanism adjustment upright locking, 360 degree revolving type fitted with 05 nos. twin wheel castor dia 5 cm. machine at 25% compression. The Armrest is one piece made of black integral skin polyurethane with 50-70 shore hardness and reinforced with MS insert of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 5.00 | Nos | 18343 | Rupees eighteen thousand three hundred forty three only. |

For, Bharat Commercial Agency Unit of Shoshi Ranian Enterprises Pvt. Ltd Manager

ij

Chief Engineer

B.S.E.I.D.C. Lid. Patna

Physical Stehner

24 9.

| | 26 | 2 | | | |
|-----|--|------|-----|-------|--|
| 190 | MM multi bend construction and inter locking design and full length over apping doors and sides. Three-way bolting mechanism. Spot welding & CO2 welding. Anticorrosion treated components, oven baked powder coating process. Material thickness 0.9mm.Top, Bottom,LH & RH sides and back material thickness= 0.9mm,Removable RH & LH main door with stiffeners material thickness= 0.9mm, 4 adjustable shelves of thickness= 0.8mm of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 3.00 | Nos | 22624 | Rupees twenty two thousand six hundred twenty four only. |
| | DISPATCH SECTION Table of size 1500 x 750 x 743 Desk Top thickness 18, Top Dimensions- 1500 x 750, Overall Height 743 Understructure: The understructure is in prelam panels, made with PLT boards. 2Drawer and 3Drawer storage units with different combinations to support Tops, made with 18mmPLT boards of different colours. Modesty and back panels, made with 18mm PLT boards. The Pedestals/Storages are fitted with necessary Locks PLT Board Tops (Straight Edges): Tops are of 18mm thickness. Made of 18mm thick PLT board with 2mm Edge banding. Wenge and Savannah Maple PLT board used for making Tops. PVC membrane Tops (with profiles):Tops for senior main and back unit desk are of PVC membrane pressed. Made of 25mm thick MDFone side laminate board with 0.4mm PVC membrane pressed on to tops. The top has Duck nose and half round profiles edges. he top is made in only one finish: European Ash of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 1.00 | Nos | 20570 | Rupees twenty thousand five hundred seventy only. |
| · | chair made up of 1.2cm thick hot pressed ply wood seat & back upholstered with fabric with moulded polyurethane foam together with moulded ABS seat & back integral skin polyurethane with reinforced with M.S. Insert. The tilt mechanism adjustment upright locking, 360 degree revolving type fitted with 05 nos. twin wheel castor dia 5 cm. machine at 25% compression. The Armrest is one piece made of black integral skin polyurethane with 50-70 shore hardness and reinforced with MS insert of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 1.00 | Nos | 18343 | Rupees eighteen thousand three hundred forty three only. |
| | Storage Plain with four shelves Almirah of size 1981 x 916 x 486 MM multi bend construction and inter locking design and full length over apping doors and sides. Three-way bolting mechanism. Spot welding & CO2 welding. Anticorrosion treated components, oven baked powder coating process. Material thickness 0.9mm.Top, Bottom,LH & RH sides and back material thickness= 0.9mm,Removable RH & LH main door with stiffeners material thickness= 0.9mm, 4 adjustable shelves of thickness= 0.8mm of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 2.00 | Nos | 22624 | Rupees twenty two thousand six hundred twenty four only. |

For, Bharat Commercial Agency Unit of Shashi Reman Enterprises Pvt. Ltd Manager

Chief Eng neer

B.S.E.I.D.C. Lyd. Patna

He

24/09/1/

.) :) 1.0 ્રાપ્ત કર્યો છે. તેમ કરાવે છે. જો જોઈ કર્યાં મુખ્યત્વે કે ક્ષેત્ર કર્યાં કર્યા છે. (-)()

| 21 | | | | |
|---|--|--|---|--|
| WorkStation Open Plan Office System for 08 Persons with Partition Height of 1200 mm, Recta worksurface of size 1200 x 600. Each worksurface with 01 No. 3 Drawers Pedestal, 01 No. KBPT & 01 No. CPU Trolley as per Layout design PANEL THICKNESS - 56 MM, HT 1200 MM(APPROX), TILE CONFIGURATION FOR ALL PANELS: - ABOVE MAG FAB TILE & BELOW METAL TILE, RACEWAY - FOR MOUNTING OF SWITCHES: 150MM METAL RACEWAY AT SKIRTING LEVEL FOR ALL PANELS, WORKSURFACE: IN PRELAMINATED PARTICLE BOARD AND PVC LIPPING; BOARD THK 25MM of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 1.00 | Nos | 326832 | Rupees three lac twenty six thousand eight hundred thirty two only |
| Chair Mid back pneumatic height adjustment cushioned revolving chair made up of 1.2cm thick hot pressed ply wood seat & back upholstered with fabric with moulded polyurethane foam together with moulded ABS seat & back integral skin polyurethane with reinforced with M.S. Insert. The tilt mechanism adjustment upright locking, 360 degree revolving type fitted with 05 nos. twin wheel castor dia 5 cm. machine at 25% compression. The Armrest is one piece made of black integral skin polyurethane with 50-70 shore hardness and reinforced with MS insert of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 8.00 | Nos | 18343 | Rupees eighteen thousand three hundred forty three only. |
| Storage Plain with four shelves Almirah of size 1981 x 916 x 486 MM multi bend construction and inter locking design and full length over apping doors and sides. Three-way bolting mechanism. Spot welding & CO2 welding. Anticorrosion treated components, oven baked powder coating process. Material thickness 0.9mm.Top, Bottom,LH & RH sides and back material thickness= 0.9mm,Removable RH & LH main door with stiffeners material thickness= 0.9mm, 4 adjustable shelves of thickness= 0.8mm of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 4.00 | Nos | 22624 | Rupees twenty two thousand six hundred twenty four only. |
| Table of size 1200 x 600 x 740 The Table having Worktop Made from 25 mm Thick Pre-laminated Particle board. All the edges are sealed with 2 mm thick PVC edge band all around, Side Panels Made from 25 mm Thick Pre-laminated Particle board. All the edges are sealed with 2 mm thick PVC Edge band on the user side and 0.8 mm on the Top and Bottom Side. The side panels have 2 glide screws each for leveling of the desk. Modesty Panel Made from 18 mm Thick Pre-laminated Particle board. All the edges are sealed with 0.8 mm thick PVC edge band all around, Freestanding Pedestal The freestanding pedestal is made from 18 mm Pre-laminated Particle board with a combination of 2mm and 0.8 mm PVC Edge band on all the exposed surfaces as per requirement. The drawers are provided with suitable slides for smooth operation. All the pedestal drawers are centrally locked with a single key of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 1.00 | Nos | 17620 | Rupees seventeen thousand six hundred twenty only. |
| Chair The seat and back are made up of 1.2 cm. thick hot-pressed plywood, upholstered with fabric upholstery covers and moulded Polyurethane foam. The back foam is designed with contoured lumbar support for extra comfort. The seat has extra thick foam on front edge to give comfort to popliteal area. Dimension BACK SIZE - 47.5 cm. (W) x 58.0cm. (H) & SEAT SIZE 47.0 cm. (W) x 48.0 cm. (D). POLYURETHANE FOAM: The Polyurethane foam is moulded with density = 45 +/-2 kg/m3 and Hardness = 20 +/- 2 at 25% compression. 3) ARMRESTS: The one-piece armrests are injection moulded from black Co-polymer Polypropylene. 4) CENTER TILT SYNCHRO MECHANISM. PNEUMATIC HEIGHT ADJUSTMENT -The pneumatic height adjustment has an adjustment stroke of 12.0 cm. TELESCOPIC BELLOW ASSEMBLY: The bellow is 3 piece telescopic type and injection moulded in black Polypropylene of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 1.00 | Nos | 8912 | Rupees eight thousand nine hundred twelve only. |
| | Open Plan Office System for 08 Persons with Partition Height of 1200 mm, Recta worksurface of size 1200 x 600. Each worksurface with 01 No. 3 Drawers Pedestal, 01 No. KBPT & 01 No. CPU Trolley as per Layout design PANEL THICKNESS - 56 MM, HT 1200 MM(APPROX), TILE CONFIGURATION FOR ALL PANELS: - ABOVE MAG FAB TILE & BELOW METAL TILE, RACEWAY - FOR MOUNTING OF SWITCHES: 150MM METAL RACEWAY AT SKIRTING LEVEL FOR ALL PANELS, WORKSURFACE: IN PRELAMINATED PARTICLE BOARD AND PVC LIPPING; BOARD THK 25MM of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). Chair Mid back pneumatic height adjustment cushioned revolving chair made up of 1.2cm thick hot pressed ply wood seat & back upholstered with fabric with moulded polyurethane foam together with moulded ABS seat & back integral skin polyurethane with reinforced with Ms. Insert. The tilt mechanism adjustment upright locking, 360 degree revolving type fitted with 05 nos. twin wheel castor dia 5 cm. machine at 25% compression. The Armrest is one piece made of black integral skin polyurethane with 50-70 shore hardness and reinforced with MS insert of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). Storage Plain with four shelves Almirah of size 1981 x 916 x 486 MM multi bend construction and inter locking design and full length over apping doors and sides. Three-way bolting mechanism. Spot welding & CO2 welding. Anticorrosion treated components, oven baked powder coating process. Material thickness 0.9mm. Top, Bottom, LH & RH sides and back material thickness 0.9mm. Top, Bottom, LH & RH sides and back material thickness 0.9mm. Top, Bottom, LH & RH sides and back material thickness 0.9mm. Top and Bottom Side. The material brands of particle board. All the edges are sealed with 2 mm thick PVC edge band all around, Side Panels Made from 25 mm Thick Pre-laminated Particle board. All the edges are sealed with 2 mm thick PVC edge band on the user side and 0.8 mm on the Top and Bottom Side. | Open Plan Office System for 08 Persons with Partition Height of 1200 mm, Recta worksurface of size 1200 x 600. Each worksurface with 01 No. 3 Drawers Pedestal, 01 No. KBPT & 01 No. CPU Trolley as per Layout design PANEL THICKNESS - 56 MM, HT 1200 MM (APPROX), TILE CONFIGURATION FOR ALL PANELS - ABOVE MAG FAB TILE & BELOW METAL TILE, RACEWAY - FOR MOUNTING OF SWITCHES : 150MM METAL RACEWAY - AT SKIRTING LEVEL FOR ALL PANELS, WORKSURFACE : IN PRELAMINATED PARTICLE BOARD AND PVC LIPPING; BOARD THK 25MM of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). Chair Mid back pneumatic height adjustment cushioned revolving chair made up of 1.2cm thick hot pressed ply wood seat & back upholstered with fabric with moulded polyurethane foam together with moulded ABS seat & back integral skin polyurethane with reinforced with Ms. Insert. The tilt mechanism adjustment upright locking, 360 degree revolving type fitted with 05 nos. twin wheel castor dia 5 cm. machine at 25% compression. The Armrest is one piece made of black integral skin polyurethane with 50-70 shore hardness and reinforced with MS insert of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). Storage Plain with four shelves Almirah of size 1981 x 916 x 486 MM multi bend construction and inter locking design and full length over apping doors and sides. Three-way bolting mechanism. Spot welding & CO2 welding. Anticorrosion treated components, oven baked powder coating process. Material thickness 0.9mm.Top, Bottom,LH & RH sides and back material thickness 0.9mm.Top, Bottom,LH & RH sides and back material thickness 0.9mm.Top, Bottom,LH & RH sides and back material thickness 0.9mm.Top, Bottom,LH & RH sides and back material thickness 2.9mm, a adjustable shelves of thickness 2.0mm.Top, Bottom,LH & RH sides and back material thickness 2.0mm.Top, Bottom,LH & RH sides and back material thickness 2.0mm.Top Codrej, Durian or Equivalent). LIBRARY Table of size 1200 x 600 x 740 The Table | Open Plan Office System for 08 Persons with Partition Height of 1200 mm, Recta worksurface of size 1200 x 600. Each worksurface with 01 No. 3 Drawers Pedestal, 01 No. KBPT & 01 No. CPU Trolley as per Layout design PANEL THICKNESS - 56 MM, HT 1200 MM APPROX), TILE CONFIGURATION FOR ALL PANELS ABOVE MAG FAB TILE & BELOW METAL TILE, RACEWAY - FOR MOUNTING OF SWITCHES : 150MM METAL RACEWAY AT SKIRTING LEVEL FOR ALL PANELS, WORKSURFACE : IN PRELAMINATED PARTICLE BOARD AND PVC LIPPING; BOARD THK 25MM of approved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). Chair Mid back pneumatic height adjustment cushioned revolving chair made up of 1.2cm thick hot pressed ply wood seat & back upholstered with fabric with moulded polyurethane foam together with moulded ABS seat & back integral skin polyurethane with reinforced with M.S. Insert. The tilt mechanism adjustment upright locking, 360 degree revolving type fitted with 05 nos. twin wheel castor dia 5 cm. machine at 25% compression. The Armrest is one piece made of black integral skin polyurethane with 50-70 shore hardness and reinforced with MS insert of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). Storage Plain with four shelves Almirah of size 1981 x 916 x 486 MM multi bend construction and inter locking design and full length over apping doors and sides. Three-way bolting mechanism. Spot welding & CO2 welding. Anticorrosion treated components, oven baked powder coating process. Material thickness 0.9mm.Top, Bottom,LH & RH sides and back material thickness 0.9mm.Top, Bottom,LH & RH sides and back material thickness 0.9mm. Top, Bottom,LH & RH sides and back material thickness 0.9mm. A adjustable shelves of thickness 0.9mm thick Pvc Adventure of the part of th | Open Plan Office System for 08 Persons with Partition Height of 1200 mm, Recta worksurface of size 1200 x 600. Each worksurface with 01 No. 3 Drawers Pedestal, 01 No. KBPT & 01 No. CPU Trolley as per Layout design PANEL THICKNESS - 56 MM, HT 1200 MM (APPROX), TILE CONFIGURATION FOR ALL PANELS: ABOVE MAG FAB TILE & BELOW METAL TILE, RACEWAY - FOR MOUNTING OF SWITCHES: 1500M METAL RACEWAY - TRANSPORT OF MORE AND A STANDARD A |

For, Bharat Commercial Agency Unit of Shoshi Ranian Enterprises Pvt. Ltd Manager Chief Eng neer

B.S.E.I.D.C. Ltd. Patna

Physical Control of the patna

249


249

2419

er til som som som som fra som fill som 41.5

| 199 | Sliding Door Unit Dimension- 900 mm (W) x 450 mm (D) (1830 mm H), Construction & Material -Rigid Knock down construction, Prime Quality CRCA Steel – 0.8 mm Thick. Sliding Door Arrangement -Sliding Door with top hanging arrangement to prevent derailment. Each door provided with 2 Plastic roller having steel ball bearing for smooth movement of door & less noise. VSDU 8 have Glass door for visibility of the content. Locking & handle - Snap on type aesthetically appealing die cast 5 Lever Cam lock for safe locking, Plastic flush & recessed handle. Shelving -□Height wise Adjustable Shelf Mounting, Uniformly Distributed Load Capacity per each full shelf is 80Kg maximum & for half shelf it is 40 Kg with Epoxy Polyester Powder coated to the thickness of 50 microns (+/-10) of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 19.00 | Nos | 27437 | Rupees twenty seven thousand four hundred thirty seven only. |
|-----|--|-------|-----|-------|--|
| 200 | SECURITY Table:-Table made of MS ERW round tube dia 25.4 x 1.2mm thick with 18 mm thick Pre Laminated top size 1365W x 680D with both side drawer unit one side three drawers & another side two drawers made of .5mm thick CRCA sheet mild steel, All steel components have powder coated paint fitted with both side drawer lock of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 1.00 | Nos | 21063 | Rupees twenty one thousand sixty three only. |
| 201 | Chair Seat and back are made from seasoned wood and plywood. The same is upholstered with black synthetic leather and polyurethane foam. Back Size- 46.0cm(W)X27.0cm(H). Seat Size-46.0cm(W)x40.0cm(H). The armrest is gas assisted injection moulded from black polypropylene. The understructure assembly is a cantilever type frame.Width of the chair- 58cm, Depth-56.5cm,Height- 87.5cm,Seat Height- 48cm of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 1.00 | Nos | 4264 | Rupees four thousand two hundred sixty four only. |
| 202 | Storage Plain with four shelves Almirah of size 1981 x 916 x 486 MM multi bend construction and inter locking design and full length over apping doors and sides. Three-way bolting mechanism. Spot welding & CO2 welding. Anticorrosion treated components, oven baked powder coating process. Material thickness 0.9mm.Top, Bottom,LH & RH sides and back material thickness= 0.9mm,Removable RH & LH main door with stiffeners material thickness= 0.9mm, 4 adjustable shelves of thickness= 0.8mm of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 1.00 | Nos | 22624 | Rupees twenty two thousand six hundred twenty four only. |
| 203 | PASSAGE AREA Table of size 1500 x 750 x 743 Desk Top thickness 18, Top Dimensions-1500 x 750, Overall Height 743 Understructure: The understructure is in prelam panels, made with PLT boards.2Drawer and 3Drawer storage units with different combinations to support Tops, made with 18mmPLT boards of different colours. Modesty and back panels, made with 18mm PLT boards. The Pedestals/Storages are fitted with necessary Locks PLT Board Tops (Straight Edges): Tops are of 18mm thickness. Made of 18mm thick PLT board with 2mm Edge banding. Wenge and Savannah Maple PLT board used for making Tops. PVC membrane Tops (with profiles):Tops for senior main and back unit desk are of PVC membrane pressed. Made of 25mm thick MDFone side laminate board with 0.4mm PVC membrane pressed on to tops. The top has Duck nose and half round profiles edges. he top is made in only one finish: European Ash of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 6.00 | Nos | 20570 | Rupees twenty thousand five hundred seventy only. |

For, Bharat Commercial Agency
Unit of Shoshi Romon Enterprises Pvi. Ltd
Manager



| | 29 | 9 | | | |
|-----|--|------|-----|-------|---|
| 204 | Chair Mid back pneumatic height adjustment cushioned revolving chair made up of 1.2cm thick hot pressed ply wood seat & back upholstered with fabric with moulded polyurethane foam together with moulded ABS seat & back integral skin polyurethane with reinforced with M.S. Insert. The tilt mechanism adjustment upright locking, 360 degree revolving type fitted with 05 nos. twin wheel castor dia 5 cm. machine at 25% compression. The Armrest is one piece made of black integral skin polyurethane with 50-70 shore hardness and reinforced with MS insert of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 6.00 | Nos | 18343 | Rupees eighteen thousand three hundred forty three only. |
| | RECEPTION AREA | | | | |
| 205 | Reception Table double arch with DL Top Modular elegant table of curvilinear decorative laminate top 18mm thick at 725mm H (Approx) and 10mm frosted glass at 1035mm H(Approx) above the work surface. The understructure made of mild steel tube dia 50.8mm. The front modesty panel below and above work surface made of 0.8mm mild steel perforated sheet. nova 3 drawers free standing pedestal of size 300W x 435Dx 646H(Approx.) of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 1.00 | Nos | 65279 | Rupees sixty five thousand two hundred seventy nine only. |
| | Chair: The seat and back are made up of 1.2 cm thick hot pressed plywood, upholstered with fabric and moulded Polyurethane foam with PVC lipping all around. The back foam is designed with contoured lumbar support for extra comfort. SIZE: 41.0cm. (W) X 46.0cm. (H). POLYURETHANE FOAM: The Polyurethane foam is moulded with density = 45 +/-2 kgs. / M3 and Hardness = 20 +/-2 on Hampden machine at 25% compression. ARMRESTS- The armrest is made of black integral skin polyurethane with 50-70 Shore A hardness and reinforced, with MS insert. The P.U. armrest is fixed to black powder coated armrest bracket made of 0.5cm thk. H.R. Steel. PEDESTAL ASSEMBLY: The pedestal is fabricated from 0.2cm. thick CR steel, powder coated and fitted with an injection moulded black Polypropylene hub cap and 5 nos. twin wheel castors (castor wheel dia. 5.0cm.)The pedestal is 55.0cm. pitch-center dia. (65.0 cm with castors) of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | , | Nos | 5865 | Rupees five thousand eight hundred sixty five only. |
| | Three Seater Chair The LH/RH side frame fitted to the two ends of the ST/BK mounting frame to form the leg assembly. Made of SS J4 Grade tube dia 4.44 cm. (1.75") x 14 BG. Thick. The ST/BK mounting frame assy. Holds the two side frames together. The mounting frames, 2 nos. to connect the side frames. The mounting frame made of MS ERW tube dia. 5.08cm (2") x 10BG thick black painted. The ST/BK mounted on 14 BG thick 2cm x 4 cm x 4 cm Recta tube which welded on the beam of ST/BK mounting frame. The ST/BK assembly consists of 12mm thick plywood insert with Polyurethane foam having density = 45 +/-2 Kg./cm3 and hardness of the P.U. foam = 18 to 22 Kg. The complete moulded ST/BK assembly covered with a replaceable fabric upholstery cover. SEAT/BACK SIZE: 54.5CM (w) X 46.7CM (d) X 12.5CM (T) The side frames are fitted with front and rear bottom shoes made of injection moulded polypropylene. The sofa upholstered with stain repellant 'Velvetine plus' fabric. Dimension- 1830 W x 783D x 750Hmm of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Erulivalent). PIO PRO MEDIA BREIFING CHAMBER | 2.00 | Nos | 47834 | Rupees forty seven thousand eight hundred thirty four only. |

For, Bharat Commercial Agency Unit of Sheshi Roman Enterprises Pvt. Ltd Wanager

Chief Eng neer

B.S.E.I.D.C. Ltd. Patna

Ma.

Alogy

Alogy

Mar.

Property of the Control of the State of the Control of the State of the Control o The state of the state

| | 30 | | | | |
|-----|---|-------|-----|-------|--|
| 208 | Senate Table for 04 Persons Top thickness 31.6 (18mm + 12mm + 0.6 mm DL(both sides + 0.4mm Membrane) Edge profile Waterfall Edge 10mm radius on top edge and 5mm at bottom. Legs- Made from 25mm PPB having a straight profile with half round edges and clad with 0.6mm thick Post Forming laminate. Overall thickness of leg is 26.2mm. Modesty Panel- Made from PLT (Prelaminated Twin) boards of 18mm thick. Skin PVC Membrane foil (0.4mm thk) clad on the substrate MDF using PU glue for better adhesion. This foil is pre-coated with layer of polyurethane for better scratch resistance. Single Seater 760 W x 600 D, Two Seater 1360 W x 600 D, Half Round (2 Seater)- R 713, Quarter Round (1 Seater)- R 713 of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | | Nos | 46570 | Rupees forty six thousand five hundred seventy only. |
| 209 | High Back Chair Seat & back made up of 1.2 cm thick hot pressed plywood upholstered with fabric & moulded polyurethane foam having density of 45 +/-2 kg/m3 & hardness 20 +/-2 with the back size 48 cm W x 74 cm H & seat size 50 cm W x 49.5cm H having fixed type armrest with top made of moulded polyurethane & mounted on fixed MS tubular arm rest support chrome plated, static vertical arm supported adjustment of +/- 1.5 cm. Front pivot synchro mechanism having 360 degree revolving type, single point control, front pivot with tilt fit resting on ground, tilt tension adjustment, 4 position locking with anti shock feature & the seat back tilting ratio 1: 2 (11 degree seat tilt, 22 degree back tilt) with back rest pneumatic height adjustment of 10 cm & the legs is fabricated from CR steel, Chrome plated with black polypropylene hub cap and 5 nos. twin wheel castors (castor wheel dia. 5.0 cm). The pedestal is 65.0cm. Pitch - center dia. (75.0 cm with castors) of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 4.00 | Nos | 14276 | Rupees fourteen thousand two hundred seventy six only. |
| 210 | Visitor Chair SEAT/BACK ASSEMBLY: The seat is made up of 1.2 cm. thick hot pressed plywood upholstered with fabric and moulded Polyurethane Foam. The back is made up 1.2 cm. thick hot pressed plywood upholstered with replaceable fabric upholstery covers and moulded polyurethane foam. The back ply and foam is designed with contoured lumber support for comfortable seating posture. MID BACK SIZE 48.0cm.(W) X 64.5cm.(H), SEAT SIZE 51.0cm.(W) X 48.0cm.(D). POLYURETHANE FOAM: The polyurethane foam for seat and back is moulded with density = 45±2 kg/m3 and Hardness = 20±2, ARMRESTS:The armrest top is made of moulded polyurethane (P.U) and mounted on to a fixed type M.S. tubular armrest support chrome plated. The arm support has static vertical adjustment of ±1.5cm. FIXED BACKREST: The backrest consists of a fixed type mechanism i.e no back up/down adjustment, LEG FRAME ASSEMBLY: Leg frame welded assembly made from 35 X 15 X 16BG (1.6THK) Elliptical M.S ERW tube with base plate chrome plated for seat fixing of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 18.00 | Nos | 9513 | Rupees nine thousand five hundred thirteen only. |
| | N.S.S./N.A.A.C. Table of size 1500 x 750 x 743 Desk Top thickness 18, Top Dimensions-1500 x 750, Overall Height 743 Understructure: The understructure is in prelam panels, made with PLT boards.2Drawer and 3Drawer storage units with different combinations to support Tops, made with 18mmPLT boards of different colours. Modesty and back panels, made with 18mm PLT boards. The Pedestals/Storages are fitted with necessary Locks PLT Board Tops (Straight Edges): Tops are of 18mm thickness. Made of 18mm thick PLT board with 2mm Edge banding. Wenge and Savannah Maple PLT board used for making Tops. PVC membrane Tops (with profiles):Tops for senior main and back unit desk are of PVC membrane pressed. Made of 25mm thick MDFone side laminate board with 0.4mm PVC membrane pressed on to tops. The top has Duck nose and half round profiles edges. he top is made in only one finish: European Ash of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 1.00 | Nos | 20570 | Rupees twenty thousand five hundred seventy only. |

For Bharat Commercial Agency Unit of Shoshi Ranian Enterprises Pyt. Ltd Manager Chief Eng neer

B.S.E.I.D.C. Ltd. Patna

210.
2419

() . . a section of the sect

| | 31 | | | | |
|-----|--|------|-----|--------|---|
| 212 | Chair Mid back pneumatic height adjustment cushioned revolving chair made up of 1.2cm thick hot pressed ply wood seat & back upholstered with fabric with moulded polyurethane foam together with moulded ABS seat & back integral skin polyurethane with reinforced with M.S. Insert. The tilt mechanism adjustment upright locking, 360 degree revolving type fitted with 05 nos. twin wheel castor dia 5 cm. machine at 25% compression. The Armrest is one piece made of black integral skin polyurethane with 50-70 shore hardness and reinforced with MS insert of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 1.00 | Nos | 18343 | Rupees eighteen thousand three hundred forty three only. |
| 213 | Workstation Open Plan Office System for 04 Persons Face to face Module with Partition Height of 1200 mm, Recta worksurface of size 1200 x 600. Each worksurface with 01 No. 3 Drawers Pedestal, 01 No. KBPT & 01 No. CPU Trolley as per Layout design PANEL THICKNESS - 56 MM, HT 1200 MM(APPROX), TILE CONFIGURATION FOR ALL PANELS: - ABOVE MAG FAB TILE & BELOW METAL TILE, RACEWAY - FOR MOUNTING OF SWITCHES: 150MM METAL RACEWAY AT SKIRTING LEVEL FOR ALL PANELS, WORKSURFACE: IN PRELAMINATED PARTICLE BOARD AND PVC LIPPING; BOARD THK 25MM of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 1.00 | Nos | 154136 | Rupees one lac fifty four thousand one hundred thirty six only. |
| 214 | Chair Mid back pneumatic height adjustment cushioned revolving chair made up of 1.2cm thick hot pressed ply wood seat & back upholstered with fabric with moulded polyurethane foam together with moulded ABS seat & back integral skin polyurethane with reinforced with M.S. Insert. The tilt mechanism adjustment upright locking, 360 degree revolving type fitted with 05 nos. twin wheel castor dia 5 cm. machine at 25% compression. The Armrest is one piece made of black integral skin polyurethane with 50-70 shore hardness and reinforced with MS insert of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 4.00 | Nos | 18343 | Rupees eighteen thousand three hundred forty three only. |
| 215 | REGISTRAR+ F.A. CHAMBER Main Desk with ERU, Joining Desk, Mobile Pedestal, 01 No. Back Unit & 02 Nos. Book Case Unit Executive Table made of MDF board clad with laminate. Desk & ERU are post formed Desk Top size 1800 x 900 x 750, ERU of size 1400 x 470 x 720 with drawers unit Joining desk of size 1200 X 1050 X 750 & one Mobile drawer unit of size 400 x 560 x560 for main desk. Back Unit Top made of 25 mm MFC (Melamine Faced Chipboard), Door & other panel-18 mm MFC. The Dimension of Back Unit is 1400 x 470 x 760 mm Book Case Unit Top & Bottom Panel made of 25 mm MFC (Melamine Faced Chipboard), Wood Door Panel-18 mm MFC with 5mm Glass Door, All other Panels 18 mm MFC, Metal Handle The Dimension of Book Case Unit is 790 x 400 x 2200 mm of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 2.00 | Nos | 276653 | Rupees two lac seventy six thousand six hundred fifty three only. |

For, Bharat Commercial Agency Unit of Shashi Ramian Enterprises Pvi. Ltd. 213 Manager

Chief Eng neer

B.S.E.I.D.C. Lid, Patna

Alogy

2419

2419

1) i) (-)

文书 19 人的人名阿尔克 (1985年) 19 (1985年)

32

| | 32 | | | | |
|-----|--|------|-----|--------|--|
| 216 | High Back Chair High Back Revolving Chair with Seat/Back Assembly: The seat is made up of 1.2 +/- 0.1 cm thick hot pressed and upholstered with leather and moulded Polyurethane Foam is moulded with density 45 +/-2 Kg/sq. meter and hardness load 16 +/-2 Kgf as per IS:7888 for 25% compression. The back foam is designed with contoured lumber support for extra comfort. Size 53.0 cm W x 95.0 cm H. The seat and back are arrested together with spine made of 0.8 +/-0.05 thick HR Steel and is black powder coated. The armrest assy. Comprises of three parts viz. the armrest support tube and PU armrest and the armrest top. The common tube assy. Is made of 2.54+/-0.03 cm x 0.16 +/-0.0128 cm M.S. E.R.W. support tubes and chrome plated. of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 2.00 | Nos | 63652 | Rupees sixty three thousand six hundred fifty two only. |
| 217 | Visitor Chair Visitor Chair with Seat/Back made up of thick hot pressed and upholstered with leather and moulded Polyurethane Foam is moulded with density 45 +/-2 Kg/sq. meter and hardness load 16 +/-2 Kgf as per IS:7888 for 25% compression. The back foam is designed with contoured lumber support for extra comfort. The armrest assy. Comprises of three parts viz. the armrest support tube and PU armrest and the armrest top. The common tube assy of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 6.00 | Nos | 35674 | Rupees thirty five thousand six hundred seventy four only. |
| 218 | Sofa Set(3+1+1) Dimension of 1 Seater 920W x 870D x730H and Three Seater of 1750W x 870D x730H, made of PVC Upholstery, Frame Material: Tropical Solid Wood joined by means of hardened steel screws and steel bolts, as well as glue, Seat Foam: Slab stock foam along with recron sheet. Foam Density: 17 kg/cubic cm, Back Foam: Slab stock foam with recron fill. Foam Density: 17 kg/cubic cm, Webbing: S-spring with cross membrane of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 2.00 | Nos | 64952 | Rupees sixty four thousand nine hundred fifty two only. |
| 219 | Centre Table Sturdy Coffee tables, elegantly crafted in wood and metal combinations with float glass top & second layer below the top, the float glass top joined using UV technology for a good & clean look of top size 1000 mmW x 450 mmH x 650mm D of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 2.00 | Nos | 15561 | Rupees fifteen thousand five hundred sixty one only. |
| 220 | V.C. CHAMBER Main Desk Executive Desk with ERU made of MAIN TOP- MDF + VENEER + PU Coating, Size: 3600 W * 1080 D * 750 H, TOP THICKNESS - 90 mm, MOBILE PEDESTAL- MDF + Veneer + PU Coating, Size: 480 W X 640 D X600 H mm, E.R.UTop- MDF + VENEER + PU Coating, Size: 1900 W X 480D X 550 (Not From Ground with Castors), TOP THICKNESS - 25 mm of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 1.00 | Nos | 348604 | Rupees three lac forty eight thousand six hundred four only. |
| 221 | Back Unit BACK UNIT made up of - MDF + VENEER + PU Coating & Glass Doors Size : 1000 W * 480 D * 2035H, GLASS THICKNESS - 5 mm of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | | Nos | 54212 | Rupees fifty four thousand two hundred twelve only. |

For, Bharat Commercial Ayericy Unit of Shoshi Romion Enterprises Put Ltd Mattager

Chief Eng neer

8.S.E.I.D.C. Ltd. Patna

Who Ikihoush

2419.

 \ominus

| | 25 | | | | |
|-----|---|----------------------------------|-----|---------|--|
| 222 | Very High Back Chair Very High Back Revolving Chair with Seat/Back Assembly: The seat is made up of 1.2 +/- 0.1 cm thick hot pressed and upholstered with leather and moulded Polyurethane Foam is moulded with density 45 +/-2 Kg/sq. meter and hardness load 16 +/-2 Kgf as per IS:7888 for 25% compression. The back foam is designed with contoured lumber support for extra comfort. Size 53.0 cm W x 95.0 cm H. The seat and back are arrested together with spine made of 0.8 +/-0.05 thick HR Steel and is black powder coated. The armrest assy. Comprises of three parts viz. the armrest support tube and PU armrest and the armrest top. The common tube assy. Is made of 2.54+/-0.03 cm x 0.16 +/-0.0128 cm M.S. E.R.W. support tubes and chrome plated. The P.U. armrest is made of black integral skin polyurethane with 50-70 shore 'A' Hardness and reinforces with M.S. insert. The armrest top is made of ABS & upholstered with Foam & leather of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 1.00 | Nos | 64868 | Rupees sixty four thousand eight hundred sixty eight only. |
| 223 | Visitor Chair Visitor Chair with Seat/Back made up of thick hot pressed and upholstered with leather and moulded Polyurethane Foam is moulded with density 45 +/-2 Kg/sq. meter and hardness load 16 +/-2 Kgf as per IS:7888 for 25% compression. The back foam is designed with contoured lumber support for extra comfort. The armrest assy. Comprises of three parts viz. the armrest support tube and PU armrest and the armrest top. The common tube assy of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 12.00 | Nos | 35674 | Rupees thirty five thousand six hundred seventy four only. |
| 224 | Sofa Set(3+1+1) Sofa Set made up of Microfibre with Polyester Laminate upholstery Frame Material: Kiln dried wood Seat Foam: Slab stock foam with recron layer. Also bonded foam used as a supporting material beneath slab stock. Foam Density: 34 kg/cubic m. Back Foam: Slab stock foam with recron fill at back and arms Foam Density: 34 kg/cubic m Webbing Material: S- spring along with nylon strips Dimension of Single Seater Sofa-1060W x 912D x 830H mm & Dimension of Three Seater Sofa-2072W x 912D x 830H mm of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 1.00 | Nos | 100523 | Rupees one lac five hundred twenty three only. |
| 225 | Coffee Table of size 4'x2' of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 1.00 | Nos | 9194 | Rupees nine thousand one hundred ninety four only. |
| 226 | ANTE ROOM OF V.C. Single Bed of approoved brand as per direction of E/I. | V | | | Rupees twenty two |
| | (Methodex, Wipro, Godrej, Durian or Equivalent). | 1.00 | Nos | 22522 | thousand five hundred twenty two only. |
| | Mattress of size 78"x36"x4" Approx as per direction of E/I, (Methodex, Wipro, Godrej, Durian or Equivalent). | 1.00 | Nos | 9127 | Rupees nine thousand one hundred twenty seven only. |
| | Pillow of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 1.00 | Nos | 570 | Rupees five hundred seventy only. |
| 229 | Recliner Single Seater Sofa of approoved brand as per direction of E/l. (Methodex, Wipro, Godrej, Durian or Equivalent). | 1.00 | Nos | 27041 | Rupees twenty seven thousand forty one only. |
| | BOARD ROOM+Meeting Hall | V est of ^{the t} | | Marie . | and the second s |

For, Bharat Commignual Agency Unit of Shashi Ramon Enterprises Pyt Ltd. 19 Manager

Chief Eng heer

B.S.E.I.D.C. Lid, Patha

24/04/18

 \ominus

| | 34 | | | | |
|-----|--|-------|-----|--------|--|
| 230 | Senate Conference Table for 10 Persons Top thickness 31.6 (18mm + 12mm + 0.6 mm DL(both sides + 0.4mm Membrane) Edge profile Waterfall Edge 10mm radius on top edge and 5mm at bottom. Legs- Made from 25mm PPB having a straight profile with half round edges and clad with 0.6mm thick Post Forming laminate. Overall thickness of leg is 26.2mm. Modesty Panel-Made from PLT (Prelaminated Twin) boards of 18mm thick. Skin PVC Membrane foil (0.4mm thk) clad on the substrate MDF using PU glue for better adhesion. This foil is pre-coated with layer of polyurethane for better scratch resistance. Single Seater 760 W x 600 D, Two Seater 1360 W x 600 D, Half Round (2 Seater), Quarter Round (1 Seater) of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 2.00 | Nos | 116425 | Rupees one lac sixteen thousand four hundred twenty five only. |
| 231 | High Back Chair Seat & back made up of 1.2 cm thick hot pressed plywood upholstered with fabric & moulded polyurethane foam having density of 45 +/-2 kg/m3 & hardness 20 +/-2 with the back size 48 cm W x 74 cm H & seat size 50 cm W x 49.5cm H having fixed type armrest with top made of moulded polyurethane & mounted on fixed MS tubular arm rest support chrome plated, static vertical arm supported adjustment of +/- 1.5 cm. Front pivot synchro mechanism having 360 degree revolving type, single point control, front pivot with tilt fit resting on ground, tilt tension adjustment, 4 position locking with anti shock feature & the seat back tilting ratio 1: 2 (11 degree seat tilt, 22 degree back tilt) with back rest pneumatic height adjustment of 10 cm & the legs is fabricated from CR steel, Chrome plated with black polypropylene hub cap and 5 nos. twin wheel castors (castor wheel dia. 5.0 cm). The pedestal is 65.0cm. Pitch - center dia. (75.0 cm with castors) of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 20.00 | Nos | 14276 | Rupees fourteen thousand two hundred seventy six only. |
| 232 | V.C. SECRETARIAT Table of size 1500 x 750 x 743 Desk Top thickness 18, Top Dimensions- 1500 x 750, Overall Height 743 Understructure: The understructure is in prelam panels, made with PLT boards.2Drawer and 3Drawer storage units with different combinations to support Tops, made with 18mmPLT boards of different colours. Modesty and back panels, made with 18mm PLT boards. The Pedestals/Storages are fitted with necessary Locks PLT Board Tops (Straight Edges): Tops are of 18mm thickness. Made of 18mm thick PLT board with 2mm Edge banding. Wenge and Savannah Maple PLT board used for making Tops. PVC membrane Tops (with profiles):Tops for senior main and back unit desk are of PVC membrane pressed. Made of 25mm thick MDFone side laminate board with 0.4mm PVC membrane pressed on to tops. The top has Duck nose and half round profiles edges. he top is made in only one finish: European Ash of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 1.00 | Nos | 20570 | Rupees twenty thousand five hundred seventy only. |
| 233 | Chair Mid back pneumatic height adjustment cushioned revolving chair made up of 1.2cm thick hot pressed ply wood seat & back upholstered with fabric with moulded polyurethane foam together with moulded ABS seat & back integral skin polyurethane with reinforced with M.S. Insert. The tilt mechanism adjustment upright locking, 360 degree revolving type fitted with 05 nos. twin wheel castor dia 5 cm. machine at 25% compression. The Armrest is one piece made of black integral skin polyurethane with 50-70 shore hardness and reinforced with MS insert of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 1.00 | Nos | 18343 | Rupees eighteen thousand three hundred forty three only. |

For, Bharat Commercial Agency Unit of Shoshi Ramian Enterprises Pyt. Ltd Manager

Chief Eng neer
3.S.E.I.D.C. Lid. Patna

 $: \ \)$ Admington Annia Marker (1965年1949年19日) Annia Marker (1965年1967年19日) Annia Marker (1965年1977年19日)

| ot d k k or)) s e e e e e e e e e e e e e e e e e | Nos | 10706 | Rupees ten thousand |
|---|-----|--------|---|
| f | | | seven hundred six only. |
| 2.00 | Nos | 22624 | Rupees twenty two thousand six hundred twenty four only. |
| | | | |
| 4.00 | Nos | 47834 | Rupees forty seven thousand eight hundred thirty four only. |
| | | | |
| | Nos | 209564 | Rupees two lac nine thousand five hundred |
| PSCRAS - K4ceShkn2eKelldr - S)neg-n | s = | | |

For, Bharat Commercial Agency Unit of Shoshi Ramion Enterprises Pyt Ltd Manager

Chief Eng neer

3.S.E.I.D.C. Ltd. Patna

2410411

(") -) () $\stackrel{\cdot}{\longrightarrow}$ \leftarrow

| · | 36 | | | | |
|-----|--|-------|-----|---------------------------------------|--|
| 238 | High Back Chair Seat & back made up of 1.2 cm thick hot pressed plywood upholstered with fabric & moulded polyurethane foam having density of 45 +/2 kg/m3 & hardness 20 +/-2 with the back size 48 cm W x 74 cm H & sea size 50 cm W x 49.5cm H having fixed type armrest with top made o moulded polyurethane & mounted on fixed MS tubular arm rest suppor chrome plated, static vertical arm supported adjustment of +/- 1.5 cm. Fron pivot synchro mechanism having 360 degree revolving type, single poin control, front pivot with tilt fit resting on ground, tilt tension adjustment, 4 position locking with anti shock feature & the seat back tilting ratio 1: 2 (11 degree seat tilt, 22 degree back tilt) with back rest pneumatic heigh adjustment of 10 cm & the legs is fabricated from CR steel, Chrome plated with black polypropylene hub cap and 5 nos. twin wheel castors (castor whee dia. 5.0 cm). The pedestal is 65.0cm. Pitch - center dia. (75.0 cm with castors) of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 18.00 | Nos | 14276 | Rupees fourteen thousand two hundred seventy six only. |
| | DY. REGISTRAR+ASSTT REGISTRAR CHAMBER | | | | |
| 239 | Table Model of size 1800x2100x750 Work Surface- Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade.Edge banded with matching 2 mm thick PVC lipping. Gromet provided on work surface for wire management, Modesty Panel- Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade confirming to 1S-12823:1990, Edge banded with matching 2 mm thick PVC lipping. Under structure- Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade confirming to 1S-12823:1990, Edge banded with matching 2 mm thick PVC lipping. Hinge Door Storage - Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade confirming to 1S-12823:1990, Edge banded with matching 2 mm thick PVC lipping . Handle is provided for ease of opening, Storage is provided with cam lock for security of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 2.00 | Nos | 70798 | Rupees seventy thousand seven hundred ninety eight only. |
| 240 | Chair High back pneumatic height adjustment cushioned revolving chair made up of 1.2cm thick hot pressed ply wood seat & back upholstered with fabric with moulded polyurethane foam together with moulded ABS seat & back integral skin polyurethane with reinforced with M.S. Insert. The tilt mechanism adjustment upright locking, 360 degree revolving type fitted with 05 nos. twin wheel castor dia 5 cm of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 2.00 | Nos | 19535 | Rupees nineteen thousand five hundred thirty five only. |
| 241 | Visitor Chair The seat and back are made up of 1.2cm thick hot pressed plywood, Upholstered with fabric and moulded Polyurethane be Foam together with moulded ABS seat and back covers. The Back foam is designed with contoured lumber support for extra comport. The back size: 50cm (W) x 49cm (H) and seat size 50cm (W) x 46cm (D). The Tubular Frame is cantilever type & made of dia 2.54cm x 14 BG M.S. E.R.W. tube and black Powder coated. The polyurethane foam is moulded with density= 45+/-2Kg/m3 and hardness =20+/2 kg. on hampden machine at 25% compression. The Armrest is one piece made of black integral skin polyurethane with 50-70 shore 'A' hardness and reinforced with MS insert of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 6.00 | Nos | 10706 | Rupees ten thousand seven hundred six only. |
| | Storage Plain with four shelves Almirah of size 1981 x 916 x 486 MM multi bend construction and inter locking design and full length over apping doors and sides. Three-way bolting mechanism. Spot welding & CO2 welding. Anticorrosion treated components, oven baked powder coating process. Material thickness 0.9mm.Top, Bottom,LH & RH sides and back material thickness= 0.9mm,Removable RH & LH main door with stiffeners material thickness= 0.9mm, 4 adjustable shelves of thickness= 0.8mm of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 4.00 | Nos | 22624 | Rupees twenty two thousand six hundred twenty four only. |
| | material thickness= 0.9mm, 4 adjustable shelves of thickness= 0.8mm of approoved brand as per direction of E/l. (Methodex, | | | · · · · · · · · · · · · · · · · · · · | twen |

For, Bharat Commercial Agency Unit of Shoshi Ramian Enterprises Pvt. Ltd Manager

Chief Eng neer

3.S.E.I.D.C. Ltd, Patna

Kehouy

e de la composition La composition de la La composition de la

| | 51/ | | | | |
|-----|--|--------|-----|--------|--|
| 243 | Workstation Open Plan Office System for 06 Persons Face to face Module with Partition Height of 1200 mm, Recta worksurface of size 1200 x 600. Each worksurface with 01 No. 3 Drawers Pedestal, 01 No. KBPT & 01 No. CPU Trolley as per Layout design PANEL THICKNESS - 56 MM, HT 1200 MM(APPROX), TILE CONFIGURATION FOR ALL PANELS: ABOVE MAG FAB TILE & BELOW METAL TILE, RACEWAY - FOR MOUNTING OF SWITCHES: 150MM METAL RACEWAY AT SKIRTING LEVEL FOR ALL PANELS, WORKSURFACE: IN PRELAMINATED PARTICLE BOARD AND PVC LIPPING; BOARD THK 25MM of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 2.00 | Nos | 219810 | Rupees two lac nineteen thousand eight hundred ten only. |
| 244 | Chair Mid back pneumatic height adjustment cushioned revolving chair made up of 1.2cm thick hot pressed ply wood seat & back upholstered with fabric with moulded polyurethane foam together with moulded ABS seat & back integral skin polyurethane with reinforced with M.S. Insert. The tilt mechanism adjustment upright locking, 360 degree revolving type fitted with 05 nos. twin wheel castor dia 5 cm. machine at 25% compression. The Armrest is one piece made of black integral skin polyurethane with 50-70 shore hardness and reinforced with MS insert of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 12.00 | Nos | 18343 | Rupees eighteen thousand three hundred forty three only. |
| 245 | OFFICE Table of size 1200 x 600 x 743 Desk Top thickness 18, Top Dimensions- 1200 x 600, Overall Height 743 Understructure: The understructure is in prelam panels, made with PLT boards.2Drawer and 3Drawer storage units with different combinations to support Tops, made with 18mmPLT boards of different colours. Modesty and back panels, made with 18mmPLT boards. The Pedestals/Storages are fitted with necessary Locks PLT Board Tops (Straight Edges): Tops are of 18mm thickness. Made of 18mm thick PLT board with 2mm Edge banding. Wenge and Savannah Maple PLT board used for making Tops. PVC membrane Tops (with profiles):Tops for senior main and back unit desk are of PVC membrane pressed. Made of 25mm thick MDFone side laminate board with 0.4mm PVC membrane pressed on to tops. The top has Duck nose and half round profiles edges. he top is made in only one finish: European Ash of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 2.00 | Nos | 15269 | Rupees fifteen thousand two hundred sixty nine only. |
| 246 | Chair Model Mid back pneumatic height adjustment cushioned revolving chair made up of 1.2cm thick hot pressed ply wood seat & back upholstered with fabric with moulded polyurethane foam together with moulded ABS seat & back integral skin polyurethane with reinforced with M.S. Insert. The tilt mechanism adjustment upright locking, 360 degree revolving type fitted with 05 nos. twin wheel castor dia 5 cm. machine at 25% compression. The Armrest is one piece made of black integral skin polyurethane with 50-70 shore hardness and reinforced with MS insert of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 2.00 | Nos | 18343 | Rupees eighteen thousand three hundre forty three only. |
| 247 | Storage Plain with four shelves Almirah of size 1981 x 916 x 486 MM multi bend construction and inter locking design and full length over apping doors and sides. Three-way bolting mechanism. Spot welding & CO2 welding. Anticorrosion treated components, oven baked powder coating process. Material thickness 0.9mm.Top, Bottom,LH & RH sides and back material thickness= 0.9mm,Removable RH & LH main door with stiffeners material thickness= 0.9mm, 4 adjustable shelves of thickness= 0.8mm of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | , 2.00 | Nos | 22624 | Rupees twenty two thousand six hundred twenty four only. |

For, Bharat Commercial Agency
Unit of Shashi Ramon Enterprises Pvt. 11d

Manager

Chief Eng neer
3.S.E.I.D.C. Lid, Patna
2419
2419
24109111

1 None of

1 1 1 5 k

The first of the state of the s

and the second of the second o

, and the same of
| | 20 | | · · · · · · · · · · · · · · · · · · · | | |
|-----|--|-------------|---------------------------------------|-------|--|
| 248 | Three Seater Chair Made of metallic understructure with powder coated with individual flexi back with colourful upholstery, Glide screw at the bottom of level adjustment in case of uneven surface. Dimension of single seater-60.5cmL x 70.0cmD x 78.5cmH,Dimesion of two seater- 113.0 cmL x 70.0cmD x 78.5cmH & Dimension of three seater-164.0cmL x 70.0cmD x 78.5cmH, Seat Height 43.5cm of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 2.00 | Nos | 26895 | Rupees twenty six thousand eight hundre ninety five only. |
| 249 | PRO V.C. CHAMBER Table of size 2100x2250x750 Work Surface- Made of 25mm Thick Prelaminated twin board of E1-P2 grade and approved shade. Edge banded with matching 2 mm thick PVC lipping. Gromet provided on work surface for wire management, Modesty Panel- Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade confirming to 1S-12823:1990, Edge banded with matching 2 mm thick PVC lipping. Under structure- Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade confirming to 1S-12823:1990, Edge banded with matching 2 mm thick PVC lipping. Hinge Door Storage - Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade confirming to 1S-12823:1990, Edge banded with matching 2 mm thick PVC lipping. Handle is provided for ease of opening, Storage is provided with cam lock for security of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 1.00 | Nos | 89997 | Rupees eighty nine thousand nine hundre ninety seven only. |
| 250 | Chair High back pneumatic height adjustment cushioned revolving chair made up of 1.2cm thick hot pressed ply wood seat & back upholstered with fabric with moulded polyurethane foam together with moulded ABS seat & back integral skin polyurethane with reinforced with M.S. Insert. The tilt mechanism adjustment upright locking, 360 degree revolving type fitted with 05 nos. twin wheel castor dia 5 cm of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 1.00 | Nos | 19535 | Rupees nineteen thousand five hundred thirty five only. |
| 251 | Visitor Chair The seat and back are made up of 1.2cm thick hot pressed plywood, Upholstered with fabric and moulded Polyurethane be Foam together with moulded ABS seat and back covers. The Back foam is designed with contoured lumber support for extra comport. The back size: 50cm (W) x 49cm (H) and seat size 50cm (W) x 46cm (D). The Tubular Frame is cantilever type & made of dia 2.54cm x 14 BG M.S. E.R.W. tube and black Powder coated. The polyurethane foam is moulded with density= 45+/-2Kg/m3 and hardness =20+/2 kg. on hampden machine at 25% compression. The Armrest is one piece made of black integral skin polyurethane with 50-70 shore 'A' hardness and reinforced with MS insert of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 6.00 | Nos | 10706 | Rupees ten thousand seven hundred six only |
| 252 | Storage Plain with four shelves Almirah of size 1981 x 916 x 486 MM multi bend construction and inter locking design and full length over apping doors and sides. Three-way bolting mechanism. Spot welding & CO2 welding. Anticorrosion treated components, oven baked powder coating process. Material thickness 0.9mm.Top, Bottom,LH & RH sides and back material thickness= 0.9mm,Removable RH & LH main door with stiffeners material thickness= 0.9mm, 4 adjustable shelves of thickness= 0.8mm of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 2.00 | Nos | 22624 | Rupees twenty two thousand six hundred twenty four only. |
| !53 | ANTE ROOM OF PRO V.C. Single Bed of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 1.00 | Nos | 22522 | Rupees twenty two thousand five hundred twenty two only. |

For, Bharat Commercial Agency Unit of Shashi Ramion Enterprises Pvt Ltd Manager

twenty two only.

Chief Eng neer

B.S.E.I.D.C. Lid. Patna

Phosphy

24041

| | 59 | | | | 1 / 2 / 2 / 2 / 2 / 2 / 2 / 2 / 2 / 2 / |
|-----|---|-------|-----|--------|---|
| 254 | Mattress of size 78"x36"x4" Approx of approaved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | ł | Nos | 9127 | Rupees nine thousand one hundred twenty seven only. |
| 255 | Pillow of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 1.00 | Nos | 570 | Rupees five hundred seventy only. |
| 256 | Recliner Single Seater Sofa of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 1.00 | Nos | 27041 | Rupees twenty seven thousand forty one only. |
| 257 | OFFICE Workstation Open Plan Office System Face to face Module with Partition Height of 1200 mm, Recta worksurface of size 1200 x 600. Each worksurface with 01 No. 3 Drawers Pedestal, 01 No. KBPT & 01 No. CPU Trolley as per Layout design PANEL THICKNESS - 56 MM, HT 1200 MM(APPROX), TILE CONFIGURATION FOR ALL PANELS: - ABOVE MAG FAB TILE & BELOW METAL TILE, RACEWAY - FOR MOUNTING OF SWITCHES: 150MM METAL RACEWAY AT SKIRTING LEVEL FOR ALL PANELS, WORKSURFACE: IN PRELAMINATED PARTICLE BOARD AND PVC LIPPING; BOARD THK 25MM of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 2.00 | Nos | 219810 | Rupees two lac nineteen thousand eight hundred ten only. |
| 258 | Chair Mid back pneumatic height adjustment cushioned revolving chair made up of 1.2cm thick hot pressed ply wood seat & back upholstered with fabric with moulded polyurethane foam together with moulded ABS seat & back integral skin polyurethane with reinforced with M.S. Insert. The tilt mechanism adjustment upright locking, 360 degree revolving type fitted with 05 nos. twin wheel castor dia 5 cm. machine at 25% compression. The Armrest is one piece made of black integral skin polyurethane with 50-70 shore hardness and reinforced with MS insert of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 12.00 | Nos | 18343 | Rupees eighteen thousand three hundred forty three only. |
| 259 | Storage Plain with four shelves Almirah of size 1981 x 916 x 486 MM multi bend construction and inter locking design and full length over apping doors and sides. Three-way bolting mechanism. Spot welding & CO2 welding. Anticorrosion treated components, oven baked powder coating process. Material thickness 0.9mm.Top, Bottom,LH & RH sides and back material thickness= 0.9mm,Removable RH & LH main door with stiffeners material thickness= 0.9mm, 4 adjustable shelves of thickness= 0.8mm of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | • | Nos | 22624 | Rupees twenty two thousand six hundred twenty four only. |
| | SECOND FLOOR | | | | |
| - | CONTROLLER OF EXAMINATION Table of size 2100x2250x750 Work Surface- Made of 25mm Thick Prelaminated twin board of E1-P2 grade and approved shade. Edge banded with matching 2 mm thick PVC lipping. Gromet provided on work surface for wire management, Modesty Panel- Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade confirming to 1S-12823:1990, Edge banded with matching 2 mm thick PVC lipping. Under structure- Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade confirming to 1S-12823:1990, Edge banded with matching 2 mm thick PVC lipping. Hinge Door Storage - Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade confirming to 1S-12823:1990, Edge banded with matching 2 mm thick PVC lipping. Handle is provided for ease of opening, Storage is provided with cam lock for security of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 1.00 | Nos | 89997 | Rupees eighty nine thousand nine hundred ninety seven only. |

For, Bharat Commercial Agency
Unit of Shashi Raman Enterprises Pvi. Ltd

Wanager

Chief Eng neer

3.S.E.I.D.C. Ltd. Patna

Paris 24/09/1/1

() the control of the second of t

| | 40 | | | | • |
|-----|---|------|-----|-------|--|
| 261 | Chair High back pneumatic height adjustment cushioned revolving chair made up of 1.2cm thick hot pressed ply wood seat & back upholstered with fabric with moulded polyurethane foam together with moulded ABS seat & back integral skin polyurethane with reinforced with M.S. Insert. The tilt mechanism adjustment upright locking, 360 degree revolving type fitted with 05 nos. twin wheel castor dia 5 cm of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 1.00 | Nos | 19535 | Rupees nineteen thousand five hundred thirty five only. |
| 262 | Visitor Chair The seat and back are made up of 1.2cm thick hot pressed plywood, Upholstered with fabric and moulded Polyurethane be Foam together with moulded ABS seat and back covers. The Back foam is designed with contoured lumber support for extra comport. The back size: 50cm (W) x 49cm (H) and seat size 50cm (W) x 46cm (D). The Tubular Frame is cantilever type & made of dia 2.54cm x 14 BG M.S. E.R.W. tube and black Powder coated. The polyurethane foam is moulded with density= 45+/-2Kg/m3 and hardness =20+/2 kg. on hampden machine at 25% compression. The Armrest is one piece made of black integral skin polyurethane with 50-70 shore 'A' hardness and reinforced with MS insertof approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 6.00 | Nos | 10706 | Rupees ten thousand seven hundred six only. |
| 263 | Storage Plain with four shelves Almirah of size 1981 x 916 x 486 MM multi bend construction and inter locking design and full length over apping doors and sides. Three-way bolting mechanism. Spot welding & CO2 welding. Anticorrosion treated components, oven baked powder coating process. Material thickness 0.9mm.Top, Bottom,LH & RH sides and back material thickness= 0.9mm,Removable RH & LH main door with stiffeners material thickness= 0.9mm, 4 adjustable shelves of thickness= 0.8mm of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 2.00 | Nos | 22624 | Rupees twenty two thousand six hundred twenty four only. |
| | ASS. CONTROLER OF EXAM+CUBICALS-02 NOS. | | | | |
| 264 | Table of size 1800x2100x750 Work Surface- Made of 25mm Thick Prelaminated twin board of E1-P2 grade and approved shade. Edge banded with matching 2 mm thick PVC lipping. Gromet provided on work surface for wire management, Modesty Panel- Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade confirming to 1S-12823:1990, Edge banded with matching 2 mm thick PVC lipping. Under structure- Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade confirming to 1S-12823:1990, Edge banded with matching 2 mm thick PVC lipping. Hinge Door Storage - Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade confirming to 1S-12823:1990, Edge banded with matching 2 mm thick PVC lipping . Handle is provided for ease of opening, Storage is provided with cam lock for security of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | | Nos | 70798 | Rupees seventy thousand seven hundred ninety eight only. |
| | Chair High back pneumatic height adjustment cushioned revolving chair made up of 1.2cm thick hot pressed ply wood seat & back upholstered with fabric with moulded polyurethane foam together with moulded ABS seat & back integral skin polyurethane with reinforced with M.S. Insert. The tilt mechanism adjustment upright locking, 360 degree revolving type fitted with 05 nos. twin wheel castor dia 5 cm of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 3.00 | Nos | 19535 | Rupees nineteen thousand five hundred thirty five only. |

For, Bharat Commercial Agency Unit of Shashi Ramon Enterprises Pvt. Ltd

Manager 7

Chief Eng neer

3.S.E.I.D.C. Lid Patna

210,
2419

()

popular en la comencia por la propied de la comencia del comencia del comencia de la comencia del la comencia de la comencia de la comencia

50

| | 41 | | | | 8 |
|-----|---|------|-----|--------|---|
| 266 | Visitor Chair The seat and back are made up of 1.2cm thick holpressed plywood, Upholstered with fabric and moulded Polyurethane be Foam together with moulded ABS seat and back covers. The Back foam is designed with contoured lumber support for extra comport. The back size: 50cm (W) x 49cm (H) and seat size 50cm (W) x 46cm (D). The Tubular Frame is cantilever type & made of dia 2.54cm x 14 BG M.S. E.R.W. tube and black Powder coated. The polyurethane foam is moulded with density= 45+/-2Kg/m3 and hardness =20+/2 kg. on hampden machine at 25% compression. The Armrest is one piece made of black integral skin polyurethane with 50-70 shore 'A' hardness and reinforced with MS insert of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 9.00 | Nos | 10706 | Rupees ten thousand seven hundred six only. |
| 267 | Storage Plain with four shelves Almirah of size 1981 x 916 x 486 MM multi bend construction and inter locking design and full length over apping doors and sides. Three-way bolting mechanism. Spot welding & CO2 welding. Anticorrosion treated components, oven baked powder coating process. Material thickness 0.9mm.Top, Bottom,LH & RH sides and back material thickness= 0.9mm,Removable RH & LH main door with stiffeners material thickness= 0.9mm, 4 adjustable shelves of thickness= 0.8mmof approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 6.00 | Nos | 22624 | Rupees twenty two thousand six hundred twenty four only. |
| 268 | Workstation Open Plan Office System for 04 Persons Face to face Module with Partition Height of 1200 mm, Recta worksurface of size 1200 x 600. Each worksurface with 01 No. 3 Drawers Pedestal, 01 No. KBPT & 01 No. CPU Trolley as per Layout design PANEL THICKNESS - 56 MM, HT 1200 MM(APPROX), TILE CONFIGURATION FOR ALL PANELS: ABOVE MAG FAB TILE & BELOW METAL TILE, RACEWAY - FOR MOUNTING OF SWITCHES: 150MM METAL RACEWAY AT SKIRTING LEVEL FOR ALL PANELS, WORKSURFACE: IN PRELAMINATED PARTICLE BOARD AND PVC LIPPING; BOARD THK 25MM of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent), | 4.00 | Nos | 154136 | Rupees one lac fifty four thousand one hundred thirty six only. |
| | Chair Mid back pneumatic height adjustment cushioned revolving chair made up of 1.2cm thick hot pressed ply wood seat & back upholstered with fabric with moulded polyurethane foam together with moulded ABS seat & back integral skin polyurethane with reinforced with M.S. Insert. The tilt mechanism adjustment upright locking, 360 degree revolving type fitted with 05 nos. twin wheel castor dia 5 cm. machine at 25% compression. The Armrest is one piece made of black integral skin polyurethane with 50-70 shore hardness and reinforced with MS insert of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | | Nos | 18343 | Rupees eighteen thousand three hundred forty three only. |

For, Bharat Commercial Agency
Unit of Shoshi Roman Enterprises Pvt. Ltd

Manager

-)

Chief Eng neer

3.S.E.I.D.C. Ltd. Patna

When

24/29/11

1) 1) A CONTROL OF THE STATE OF THE S

| | 42 | - | | | |
|-----|---|-------|-----|--------|---|
| 270 | Storage Plain with four shelves Almirah of size 1981 x 916 x 486 MM multi bend construction and inter locking design and full length over apping doors and sides. Three-way bolting mechanism. Spot welding & CO2 welding. Anticorrosion treated components, oven baked powder coating process. Material thickness 0.9mm.Top, Bottom,LH & RH sides and back material thickness= 0.9mm,Removable RH & LH main door with stiffeners material thickness= 0.9mm, 4 adjustable shelves of thickness= 0.8mm of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 10.00 | Nos | 22624 | Rupees twenty two thousand six hundred twenty four only. |
| 271 | STORE ROOM Storage Plain with four shelves Almirah of size 1981 x 916 x 486 | | | | |
| 2,, | MM multi bend construction and inter locking design and full length over apping doors and sides. Three-way bolting mechanism. Spot welding & CO2 welding. Anticorrosion treated components, oven baked powder coating process. Material thickness 0.9mm.Top, Bottom,LH & RH sides and back material thickness= 0.9mm,Removable RH & LH main door with stiffeners material thickness= 0.9mm, 4 adjustable shelves of thickness= 0.8mm of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 20.00 | Nos | 22624 | Rupees twenty two thousand six hundred twenty four only. |
| 272 | Storage Rack of size 8'x36"x18" with eight shelves Prime quality CRC sheet conforming to IS 513D/10748/5986. The pitches of the slots at 19.05mm, Panels/Shelves: 6 Bend bending process of 905(L) x 448(D) of load capacity 80 Kgs. UDL Max. per shelf, All fasteners of electro perk arised as per IS: 3655 -1985 Painting: All Steel components of powder coated as per IS: 101/1964 of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 20.00 | Nos | 9446 | Rupees nine thousand four hundred forty six only. |
| | STRONG ROOM | | | | |
| 273 | STRONG ROOM Storage Plain with four shelves Almirah of size 1981 x 916 x 486 MM multi bend construction and inter locking design and full length over apping doors and sides. Three-way bolting mechanism. Spot welding & CO2 welding. Anticorrosion treated components, oven baked powder coating process. Material thickness 0.9mm.Top, Bottom,LH & RH sides and back material thickness= 0.9mm,Removable RH & LH main door with stiffeners material thickness= 0.9mm, 4 adjustable shelves of thickness= 0.8mm of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | | Nos | 22624 | Rupees twenty two thousand six hundred twenty four only. |
| | EXAMINATION SECTION | | | | |
| | Workstation Open Plan Office System for 8 Persons with Partition Height of 1200 mm, Recta worksurface of size 1200 x 600. Each worksurface with 01 No. 3 Drawers Pedestal, 01 No. KBPT & 01 No. CPU Trolley as per Layout design PANEL THICKNESS - 56 MM, HT 1200 MM(APPROX), TILE CONFIGURATION FOR ALL PANELS: - ABOVE MAG FAB TILE & BELOW METAL TILE, RACEWAY - FOR MOUNTING OF SWITCHES: 150MM METAL RACEWAY AT SKIRTING LEVEL FOR ALL PANELS, WORKSURFACE: IN PRELAMINATED PARTICLE BOARD AND PVC LIPPING; BOARD THK 25MM of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | | Nos | 378361 | Rupees three lac seventy eight thousand three hundred sixty one only. |

For, Bharat Commercial Agency Unit of Shoshi Roman Enterprises Pvt. Ltd Chief Eng neer

3.S.E.I.D.C. Lid, Patna

2419

2419

2419

1) A Maring Maring South Common (1984年) A Maring South Common (1984年) A Maring South Common (1984年) A Maring South Common (1984年)

| | | | | | į. |
|-----|--|-------|------|-------|--|
| 275 | Chair Mid back pneumatic height adjustment cushioned revolving chair made up of 1.2cm thick hot pressed ply wood seat & back upholstered with fabric with moulded polyurethane foam together with moulded ABS seat & back integral skin polyurethane with reinforced with M.S. Insert. The tilt mechanism adjustment upright locking, 360 degree revolving type fitted with 05 nos. twin wheel castor dia 5 cm. machine at 25% compression. The Armrest is one piece made of black integral skin polyurethane with 50-70 shore hardness and reinforced with MS insert of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 18.00 | Nos | 18343 | Rupees eighteen thousand three hundred forty three only. |
| | Electronic safe Strong 50 litre, 158 kg, mild steel safe locker, Strong, Fire Resistant, Dimensions-HxWxD: 588x486x546 mm Application: Tall design for easy storage of A4 files, documents and other tall items Locking Mechanism: Opens with 3-6 digit password, enabled with a master password for better control, mechanical override in case password is forgotten, Security features: 2 motorized shooting bolts (solid steel) for extra protection, multi-bend construction for superior strength and auto-freeze after consecutive wrong attempts, option for anchoring and grouting, Convenience features: Non-volatile memory, password retained even if batteries are removed, compact with attractive aesthetics, durable finish, Enhanced battery life, low battery indication, pass word entry can be hidden, interior carpet, 100 audit log trails can be viewed on the safe (shows opening records along with date, time along with method of opening) Warranty: 1 year on product of approoved brand as per diffrection of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 2.00 | Each | 61999 | Rupees sixty one thousand nine hundred ninety nine only. |
| 277 | Storage Plain with four shelves Almirah of size 1981 x 916 x 486 MM multi bend construction and inter locking design and full length over apping doors and sides. Three-way bolting mechanism. Spot welding & CO2 welding. Anticorrosion treated components, oven baked powder coating process. Material thickness 0.9mm.Top, Bottom,LH & RH sides and back material thickness= 0.9mm,Removable RH & LH main door with stiffeners material thickness= 0.9mm, 4 adjustable shelves of thickness= 0.8mm of approoved brand as per direction of E/I. (Methodex, | 2.00 | Nos | 22624 | Rupees twenty two thousand six hundred twenty four only. |
| 278 | x 750, Overall Height 743 Understructure: The understructure is in prelam panels, made with PLT boards.2Drawer and 3Drawer storage units with different combinations to support Tops, made with 18mmPLT boards of different colours. Modesty and back panels, made with 18mm PLT boards. The Pedestals/Storages are fitted with necessary Locks PLT Board Tops (Straight Edges): Tops are of 18mm thickness. Made of 18mm thick PLT board with 2mm Edge banding. Wenge and Savannah Maple PLT board used for making Tops. PVC membrane Tops (with profiles):Tops for senior main and back unit desk are of PVC membrane pressed. Made of 25mm thick MDFone side laminate board with 0.4mm PVC membrane pressed on to tops. The top has Duck nose and half round profiles edges. he top is made in only one finish: European Ash of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 1.00 | Nos | 20570 | Rupees twenty thousand five hundred seventy only. |
| 279 | Three Seater Chair The LH/RH side frame fitted to the two ends of the ST/BK mounting frame to form the leg assembly. Made of SS J4 Grade tube dia 4.44 cm. (1.75") x 14 BG. Thick. The ST/BK mounting frame assy. Holds the two side frames together. The mounting frames, 2 nos. to connect the side frames. The mounting frame made of MS ERW tube dia. 5.08cm (2") x 10BG thick black painted. The ST/BK mounted on 14 BG thick 2cm x 4 cm x 4 cm Recta tube which welded on the beam of ST/BK mounting frame. The ST/BK recembly consists of 12mm thick playered insert with Polygrethane fram | 2.00 | Nos | 47834 | Rupees forty seven thousand eight hundred thirty four only. |

For, Bharat Commercial Agency Unit of Shashi Ramion Enterprises Pvt. Ltd Chief Eng neer

23.S.E.I.D.C. Ltd. Patna

2419

2419

2419

in the second difference of the second differe

44

| | 44 | | | | |
|-----|--|------|------|-------|---|
| 280 | together with spine made of 0.8 +/-0.05 thick HR Steel and is black powder coated. The armrest assy. Comprises of three parts viz. the armrest support tube and PU armrest and the armrest top. The common tube assy. Is made of 2.54+/-0.03 cm x 0.16 +/-0.0128 cm M.S. E.R.W. support tubes and chrome plated. of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 1.00 | Nos | 63652 | Rupees sixty three thousand six hundred fifty two only. |
| 281 | Coffee Table of size 4'x2' of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 3.00 | Nos | 9194 | Rupees nine thousand one hundred ninety four only. |
| 282 | DINING TABLE (Methodex, Wipro, Godrej, Durian or Equivalent). | 1.00 | Each | 42951 | Rupees forty two thousand nine hundred fifty one only. |
| 283 | DINING CHAIR (Methodex, Wipro, Godrej, Durian or Equivalent). | 6.00 | Each | 9422 | Rupees nine thousand four hundred twenty two only. |
| 284 | KING BED Product Dimension: Length: 86 inches, Width: 71 inches, Height: 35 inches, aprooved Color, Finish: Matt, Style: Contemporary, Bed Size: King, Assembly Required: The product requires carpenter assembly and will be provided by the seller, Warranty: One year manufacturer warranty and lifetime service on a nominal fee basis of approoved brand and design as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 2.00 | Each | 71048 | Rupees seventy one thousand forty eight only. |
| 285 | Computer Table (Methodex, Wipro, Godrej, Durian or Equivalent). | 1:00 | Each | 7457 | Rupees seven thousand four hundred fifty seven only. |
| 286 | Mattress of size 78X72X05 (Methodex, Wipro, Godrej, Durian or Equivalent). | 2.00 | Each | 24134 | Rupees twenty four thousand one hundred thirty four only. |
| 287 | Pillow (Methodex, Wipro, Godrej, Durian or Equivalent). | 2.00 | Each | 570 | Rupees five hundred seventy only. |
| | Bed Sheet with Pillow Cover (Methodex, Wipro, Godrej, Durian or Equivalent). | 2.00 | Each | 1950 | Rupees one thousand nine hundred fifty only. |
| 289 | BEDSIDE TABLE Dimensions: Length (30 cm) Breadth (30 cm) Height (38 cm), aprooved Color of approoved brand and design as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 2.00 | Each | 10654 | Rupees ten thousand six hundred fifty four only, |
| 290 | 4 DOOR WARDROBE WITH MIRROR (Methodex, Wipro, Godrej, Durian or Equivalent). | 2.00 | Each | 64959 | Rupees sixty four thousand nine hundred fifty nine only. |
| 291 | DRESSING TABLE WITH STOOL Dresser 450 mm 475 mm 1710 mm Stool 350 mm 340 mm 450 mm (Methodex, Wipro, Godrej, Durian or Equivalent). | 1.00 | Each | 36220 | Rupees thirty six thousand two hundred twenty only. |
| 292 | Computer Table (Methodex, Wipro, Godrej, Durian or Equivalent). | 1.00 | Each | 7457 | Rupees seven thousand four hundred fifty seven only. |

For, Bharat Commercial Agency
Unit of Shoshi Romion Enterprises Pvt. Ltd

Unit of Shoshi Romion Enterprises Pvt. Ltd

Chief Eng neer

3.S.E.I.D.C. Ltd. Patna

10. Okehow

2419

24109

() -9 1 表示性性的 (1965年) 1965年 (1965年) (. .

| | 92 | > | | | |
|-----------------|--|---------------|-------------|--------|---|
| 293 | Chair with Seat/Back made up of thick hot pressed and upholstered with leather and moulded Polyurethane Foam is moulded with density 45 +/-2 Kg/sq. meter and hardness load 16 +/-2 Kgf as per IS:7888 for 25% compression. The back foam is designed with contoured lumber support for extra comfort. The armrest assy. Comprises of three parts viz. the armrest support tube and PU armrest and the armrest top. The common tube assy of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 4.00 | Nos | 63652 | Rupees sixty three thousand six hundred fifty two only. |
| 294 | Sofa Set(3+1+1) Sofa Set made up of Microfibre with Polyester Laminate upholstery Frame Material: Kiln dried wood Seat Foam: Slab stock foam with recron layer. Also bonded foam used as a supporting material beneath slab stock. Foam Density: 34 kg/cubic m. Back Foam: Slab stock foam with recron fill at back and arms Foam Density: 34 kg/cubic m Webbing Material: S- spring along with nylon strips Dimension of Single Seater Sofa-1060W x 912D x 830H mm & Dimension of Three Seater Sofa-2072W x 912D x 830H mm of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent). | 2.00 | Nos | 100523 | Rupees one lac five hundred twenty three only. |
| | Procurement and planting of species (Trees, Shrubs, ground covers and creepers) including watering / irrigation controlling plant disease, pests and weeds, supporting with sturdy stake (as and when required) manuring, prunning and maintetance for 3 month after planting in pot of approoved size all complete job as per direction of E/I. Best quality Health shrubs of species. | | | | |
| , | Areca Palm | 10.00 | each | 650 | Rupees six hundred fifty only. |
| | Lucky bamboo | 10.00 | each | 650 | Rupees six hundred fifty only. |
| | Dracaena reflexa | 12.00 | each | 650 | Rupees six hundred fifty only. |
| d) | lxora | 5.00 | each | 650 | Rupees six hundred fifty only. |
| | | s) in Digit = | 47479900.34 | | |
| VOTE pe fill | OTE: All the Required Columns of the Financial Bid shall be Duly filled in. Rate to filled both in the Digit & Word. | | | | Four Crores Seventy four lakhs Seventy nine thousand nine hundred and thirty four paise only |

Tender approved on Item Rate Basis in favour of Bharat Commercial Agency for Rs. 4,61,97,943/- (Rs. Four Crore Sixty One Lakh Ninety Seven Thousand Nine Hundred Forty Three Only) after Negotiated Rebate of 2.70% (Two Decimal Seven Zero Percent) of Quoted Rate.



Chief Eng neer

B.S.E.I.D.C. Ltd, Patna

Skehouth

2419

2419

The second of th Chief Eng neer B.S.E.I.D.C. Ltd, Patna

6

SL-NO.-I

BSEIDC ON BEHALF OF Education Department Government of Bihar Invites

Tender Document

FOR

INTERIOR, AUDIO VISUAL, VIDEO CONFERENCING, IT, CIVIL, ELECTRICAL & FURNITURE WORKS FOR ESTABLISHMENT OF NEWLY CONSTITUTED MUNGER UNIVERSITY, MUNGER.

BSEIDC

(A Bihar Government Undertaking)

Bihar State Educational Infrastructure Development Corporation Ltd.
ShikshaBhawan, Bihar RastrabhashaParisad Campus, Acharya Shiv PujanSahay Path,
Saidpur, Patna-800004 (0612-2910314)
E-mail: bseidc1@gmail.comWebsite: www.bseidc.in

For, Bharat Commercial Agency Unit of Shashi Ranian Enterprises Pvt. Ltd 429 Manager

Chief Eng neer
B.S.E.I.D.C. Lkd, Patna

Bihar State Educational Infrastructure Development Corporation (BSEIDC) Page 1 of 22

24/9

Disclaimer

- A. The information contained in this Tender Document provided to the Bidder(s), by or on behalf of the Department/Corporation or any of its employees or advisors, is provided to the Bidder(s) on the terms and conditions set out in this Tender Document and all other terms and conditions subject to which such information is provided.
- B. The purpose of this Tender Document is to provide the Bidder(s) with information to assist the formulation of their Proposals. This Tender Document does not purport to contain all the information which each Bidder may require. This Tender Document may not be appropriate for all persons, and it is not possible for the Department/Corporation, its employees or advisors to consider the business/investment objectives, financial situation and particular needs of each Bidder who reads or uses this Tender Document. Each Bidder should conduct its own investigations and analysis and should check the accuracy, reliability and completeness of the information in this Tender Document and where necessary obtain independent advice from appropriate sources. The Department/Corporation, its employees and advisors make no representation or warranty and shall incur no liability under any law, statute, rules or regulations as to the accuracy, reliability or completeness of the Tender Document.
- C. The Department/Corporation may, in its absolute discretion, but without being under any obligation to do so, update, amend or supplement the information in this Tender Document.

For. Bharat Commercial Agency Unit of Shoshi Ranion Enterprises Pyt. Ltd

> Chief Eng neer S.E.I.D.C. Lkd, Patna

Bihar State Educational Infrastructure Development Corporation (BSEIDC) Ltd. Page 2 of 22

2419

TABLE OF CONTENTS

| Section 1. Schedule of Tender Process | Page No-6 |
|--|------------------|
| Section 2. Terms of Reference | Page No-7 |
| Section 3.Bidding Procedurel | Page No-09to 17 |
| Section 4.Evaluation of BidP | age No-18 |
| Section 5.Bid Schedule, Venue & PaymentP | Page No-19 |
| Annexures | Page No-20 to 22 |

For, Bharat Commercial Agency Unit of Shashi Rumian Enterprises Pvt. Ltd Vanager

Chief Eng neer

3.S.E.I.D.C. Ltd, Patna

Bihar State Educational Infrastructure Development Corporation (BSEIDC) Ltd Page 3 of 22



बहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

(A Govt. of Bihar Undertaking) ISO 9001:14001; OHSAS 18001

Shiksha Bhawan, Bihar Rashtrabhasha Parishad Campus, Acharya Shivpujan Sahay Path, Saidpur, Patna - 800 004 Tel. No.: 0612 - 2660850 • Fax No.: 0612 - 2660256

E-mail: bseldc@gmail.com • Website: http://www.bseldc.in • CIN: U80301BR2010SGC015859

पुनर्निविदा आमंत्रण सूचना संख्या-31 वर्ष 2018-19

मदवार दर निविदा

(केवल ई-टेन्डिरिंग पद्धित के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

बिहार राज्य के अन्तर्गत विभिन्न कार्य हेतु निविदा आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार/सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रजिस्ट्रेशन, उक्त कार्य का लेटर ऑफ एक्सेपटेंस प्राप्त होने के बाद कराना होगा।

| क्रमांक | कार्य का नाम | प्राक्कलित राशि | अग्रधन की राशि | परिमाण विपन्न का मूल्य (फ्र॰में) | Beltron Bid Processing Fee (In Rs.) | कार्य समाप्ति की अवधि |
|---------|---|--------------------------|---------------------------|---|---|-----------------------------|
| 1. | Interior, Audio Visual, Video Conferencing, IT, Civil, Electrical & Furniture Works for Newly Constituted Munger University, Munger. | As per Quoted rate | 2% of Quoted Amount | 10,000/- | As appeared on the website | 3 माह |
| 2 | Interior, Audio Visual, Video Conferencing, IT, Civil, Electrical & Furniture Works for Newly Constituted Purnea University, Purnea. | As per Quoted rate | 2% of Quoted Amount | 10,000/- | As appeared on the website | 3 माह |
| 3 | Interior, Audio Visual, Video Conferencing, IT, Civil, Electrical & Furniture Works for Newly Constituted Patliputra University, Patna. | As per Quoted rate | 2% of Quoted Amount | 10,000/- | As appeared on the website | 3 माह |

नोट:--

- (i) निविदाकार एक या अधिक कार्य के लिए अलग-अलग निविदा डाल सकते है।
- (ii) वेबसाईट-www.eproc.bihar.gov.in पर अंकित अग्रधन की राशि एवं परिमाण विपन्न की राशि अंतिम रुप से मान्य होगा।

| 1. | विज्ञापन | निर्गत | करने | की | तिथि |
|----|----------|--------|------|----|------|
|----|----------|--------|------|----|------|

2 परिमाण विपन्न प्राप्त करने(डाउनलोड) की अवधि

3 प्री बिड मीटिंग का समय, स्थान एवं तिथि

दिनांक:-- 18.07.2018

दिनांक- 23.07.2018 से 29.07.2018, 15:00 घंटा

(वेबसाईट:www.eproc.blhar.gov.in पर)

विनांक:- 25,07.2018, 16:00 घंटा प्रबंध निर्देशक का कार्यालय बिहार राज्य शैक्षणिक आधारभूत संरचना विकास

निगम, पटना।

4 निविदा प्राप्ति(अपलोड) की अंतिम तिथि एवं समय

5 अग्रधन जमा करने की अंतिम तिथि एवं समय

टेविनकल बिड खोलने की तिथि एवं समय

वित्तीय बिंड खोलने की तिथि एवं समय

निविदा खोलने का स्थान

निविदा की वैधता की अवधि

समय

दिनांक- 31.07.2018, समय- 15:00 घंटा दिनांक- 31.07.2018, समय- 16:30 घंटा (वेबसाईट-www.eproc.bihar.gov.inपर

दिनांक- 30.07.2018, समय- 15:00 घंटा

दिनांक- 03.08.2018, समय- 15:30 घंटा

वेबसाईट-www.eproc.bihar.gov.inपर

adisc-www.eproc.

120 दिन

-W

Chief Eng neer B.S.E.I.D.C. Ltd. Patna

For Bharat Commercia, Agency

Banjon Enterprises Pvt. Ltd

Bihar State Educational Infrastructure Development Corporation (BSEIDC) Ltd Page 4 of 2

193 — Managet

- (10) ई-टेन्डरिंग की प्रकिया में भाग लेने हेतु संवेदकों को पंजीकृत होना होगा, जिससे कि उन्हें उपयोगकर्ता का नाम (user ID) पासवर्ड (Password) अंकीय हस्ताक्षर (Digital Signature) निर्गत की जायेगी। यह उन्हें वेबसाईट www.eproc.bihar.gov.in से डाउनलोड करने/टेन्डर की प्रक्रिया में भाग लेने की योग्यता प्रदात करेगा।
- (11) ई—िनिविदा पत्र वेवसाईट www.eproc.bihar.gov.in से प्राप्त किया जा सकता है। संवेदक द्वारा सिर्फ उपर्युक्त वेवसाईट से ही परिमाण विपन्न प्राप्त करने के उपरांत वेवसाईट पर ही इलेक्ट्रानिक निविदा पन्न को भरकर भेजना है। अन्य सभी महत्वपूर्ण कागजात / वैंक ड्राफ्ट / अग्रधन की राशि / सभी प्रमाण पन्न जो निविदा के लिए आवश्यक है को स्कैन कर ई—िनविदा के साथ संलग्न करना अनिवार्य है।
- (12) (南) Beltron Bid Processing Fee as appeared on the e-tendering website:- www.eproc.bihar.gov.in & BOQ cost (as appeared on website) is mandatory to be paid through e-payment mode i.e. Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS"

Bids along with necessary online payments must be submitted through e-procurement portal www.eproc.bihar.gov.in before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffic/ Holidays or any other reason. ऐसा नहीं करने पर निविदा मान्य नहीं होगा।

- (ख) वांछित अग्रधन की राशि राष्ट्रीय बचत पत्र/डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक जो बिहार राज्य से क्रय या जमा किया हो, प्रबंध निदेशक, BSEIDC Ltd., पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा बिहार वित्त नियमावली के अनुसार BSEIDC Ltd., के नाम से फिक्सड डिपोजिट रिसिप्ट अथवा बैंक गारन्टी जो बिड के मान्य अवधि तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत/अनुसूचित बैंक से निर्गत हो (अगर बिहार प्रान्त के बाहर के बैंक से निर्गत बैंक गारन्टी दिया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड, पटना में दिनांक 31.07:2018 के 15:00 घंटे तक स्वयं/निबंधित डाक /स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना आवश्यक है अथवा EMD can also be paid through e-payment mode i.e. "Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS". ऐसा नहीं करने पर निविदा मान्य नहीं होगा।
- (13) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर लें। ताकि अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से बच सकें।
- (14) निविदाकार निविदा डालने से पहले अपने स्तर से भी प्रस्तावित कार्य स्थल पर भूमि उपलब्धता के संबंध में आश्वस्त हो लेगे।
- (15) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। बिना कारण बताये निविदा या उसके अंश को अस्वीकृत करने / रद्द करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।
- (16) विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्य अविध में सम्पर्क किया जा सकता है। ई-टेन्डिरेंग की प्रकिया से संबंधित किसी भी प्रकार की जानकारी/सूचना हेतु सहायता कक्ष, ई-टेन्डिरेंग कक्ष, प्रथत तल्ला, M/22, बैंक ऑफ इण्डिया भवन, रोड न० 25, श्री कृष्णा नगर, पटना-800001, दूरभाष सं० 0612-2523006/9939035696.

मिट्ट | 16|07|18 मुख्य अभियंता 8ं/16€2:18

Flor, Bharat Commercial Agency count Shashi Karlan Enterolises ^evil ye

129-11

Chief Eng neer B.S.E.I.D.C. Ltd, Patna

Bihar State Educational Infrastructure Development Corporation (BSEIDC) Ltd. Page 5 of 22

Section 1. Schedule of Tender Process

The Department would endeavor to adhere to the following schedule during the Bidding Process:

| SL. No | Description | Date | | | |
|-----------|---|---|--|--|--|
| 1 | Period for downloading of documents | From :23.07.2018 To 29.07.2018, 15.00 Hrs from website : www.eproc.bihar.gov.in | | | |
| 2 | Date, Time & Place of Pre-bid Meeting | 16:00 Hrs, On25.07.2018, Managing Director, Bihar State Educational Infrastructure Development Corporation Limited, Patna | | | |
| 3 | Last Date and time for upload of on e-tendering of Bid website | Till 15:00 hrs, on30.07. 2018 | | | |
| 4 | Opening of Technical Bid on e-tendering website | 16:30 Hrs, on 31.07.2018 | | | |
| 5 | Opening of Financial Proposal on e-tendering website:www.eproc.bihar.gov.in | 15:30 Hrs, on 03.08. 2018 | | | |

Chief Eng neer 3.S.E.I.D.C. Ltd, Patna

For. Bharat Commercial Agency
Unit of Bihar State Educational Infrastructure Development Corporation (BSEIDC) Ltd.Rege 6 of 22

Manager Manager

SL NO -1

Section 2. Terms of Reference

2.1 Background:

The Education Department/BSEIDC plans to establish office of the newly constituted Patliputra University. BSEIDC has been authorized for Selection of Agency forINTERIOR, AUDIO VISUAL, VIDEO CONFERENCING, IT, CIVIL, ELECTRICAL & FURNITURE WORKSatMUNGER UNIVERSITY, MUNGERso invites proposal from the experienced companies / firms/Agency engaged in such business. The Selected Bidder will be responsible for making all necessary arrangements to deliver the equipment and other works on time. Selected Bidder has to carry out the assignment in accordance with the provisions of the Terms of Reference of the Tender documents and the work order to be issued by the Education Department/BSEIDC.

Scope of Work

To supply & install Furnitures, IT Products etc of approved specification & as per BOQ attached with the Bid Document for INTERIOR, AUDIO VISUAL, VIDEO CONFERENCING, IT, CIVIL, ELECTRICAL & FURNITURE WORKS FOR NEWLY CONSTITUTED MUNGER UNIVERSITY, MUNGER.

Special Terms & Conditions:

- 1. Technical Bid should be accompanied by OEM's product brochure / datasheet. Bidders should ensure complete warranty and support for all equipment from OEMs. All the back-to-back service agreements should be submitted along with the Technical Bid.
- 2. None of the IT / Non-IT equipment proposed by the bidder should not be End of Life product. It is essential that the technical proposal is accompanied by the OEM certificate, where-in the OEM will certify that the product is not end of life product & shall support for at least 6 years from the date of Bid Submission.
- 3. Critical / Core components of the system should not have any requirements to have proprietary Platforms and should conform to open standards.
- 4. For the custom-made modules, Industry standards and norms should be adhered to for coding during application development to make debugging and maintenance easier. Object oriented programming methodology must be followed to facilitate sharing, componentizing and multiple-use of standard code. The application should be subjected to Application security audit to ensure that the application is free from any vulnerability.
- 5. The Successful Bidder should also propose the specifications of any additional /other hardware, if required for the system.
- 6. All the hardware and software supplied should be from the reputed Original Equipment Manufacturers (OEMs).

7. The OEM for IT/NON IT Equipment should have service center in Bihar. Bidder to produce Chief Eng neer documentary proof to establish the eligibility.

3. S.E.I.D.C. Ltd, Patna

Bihar State Educational Infrastructure Development Corporation (BSEIDC) Ltd. Page 7 of 22
Unit of Shashi Ranian Enterprises Pvt. Ltd

19B-1

Also OEM should have dedicated service and support center (toll free number / email support) and fully equipped RMS center.

8. The Biddershave to submit authorization (In attached Format) from OEM along with technical bid failing which the bid will be rejected. The authorization issued by Dealer/Channel Partner will not be acceptable.

Manufacturers' Authorization Form

(This form has to be provided by the OEMs of the products proposed) Tender Ref. Date:

To:

Managing Director,

Bihar State Educational Infrastructure Development Corporation Ltd.

ShikshaBhavan, AcharyaShivpujan Sahay Path, SaidpurPatna-800004

Dear Sir,

Subject: OEM Authorization Letter for Furniture / IT Products (Computer, Laptop, Printer, Video Conferencing System) / PA System /Air Conditioning System

We, (name and address of the manufacturer) who are established and reputed manufacturers of having factories at (addresses of manufacturing locations) do hereby authorize (name of the bidders & address of the Bidder) to bid, negotiate and conclude the contract with you against the above mentioned tender for the above equipment manufactured by us.

Yours faithfully

For and on behalf of M/s (Name of the manufacturer)

Signature Name

Designation

Address

Date

Note: This letter of authority should be on the letterhead of the manufacturer and should be signed by a person competent and having the power of attorney to bind the manufacturer. The Bidder in its Bid should include it..

Chief Eng neer B.S.E.I.D.C. Ltd, Patna

For, Bharat Commercial Agency
Unit of Bihar State: Educational Infrastructure Development Corporation: (BSEIDC) Ltd Page 8 of 22

193 TI Manager

SL.NO.-1

SECTION3: BIDDING PROCEDURE

3.1 SUBMISSION PROCEDURE

3.1.1 Bidders who wish to participate in this selection process will have to register on etendering website: eproc.bihar.gov.in so that user Id/Password/Digital signature can be allotted to them for participating in the Bid.

<u>Technical Bid:</u>To be opened as per NIT (date of Technical Bid opening) in the presence of Evaluation Committee or authorized person (only on website: www.eproc.bihar.gov.in)

Financial Bid:-

After detailed evaluation of above details. Such bidder(s) shall be called Technically Qualified bidder(s) and such technically qualified bidder(s) shall only be eligible for financial bid opening.

- 3.1.2 Services offered should be strictly as per specifications mentioned in this Tender Document.
- 3.1.3 Once quoted, the Bidder shall not make any subsequent price changes, whether resulting or arising out of any technical/commercial clarifications sought regarding the bid, even if any deviation or exclusion may be specifically stated in the bid. Such price changes shall render the bid liable for rejection.
- 3.1.4 Bidder shall quote the prices of services as mentioned valid for 120 days.

For, Bharat Commercial Agency Unit of Shoshi Romian Enterprises Pvt. Ltd

> Chief Eng neer 3.S.E.I.D.C. Ltd, Patna

Bihar State Educational Infrastructure Development Corporation (BSEIDC) Ltd. Page 9 of 22

3.2. ELIGIBILITY CRITERIA

The bidders shall have the following conditions to qualify for the Bid: Essential Requirement:-

- The responding bidders/Company should have work experience of Interior Works for an amount not less than Rs. 125.00 Lac in any of the last 03 financial year (2015-16, 2016-17, 2017-18). in Central govt./ State govt./ Public undertaking (Nigam). Certificate to be issued by Executive Engineer or Equivalent.
- (ii) The bidder should have achieved a minimum Financial Turn Over of amount not less than Rs. 250.00 Lac in past any three Financial Year (2015-16, 2016-17, 2017-18) in equivalent works.
- (iii) The bidder shall provide GST Registration Certificate, PAN/TIN, Service Tax, Registration Certificate, Service Tax Return and Income Tax Return for last three year.
- (iv) If the bidders is not a manufacturing company they shall have to enclose the dedicated credential certificate of original manufacturing company that the company will provide the products as per Bid requirement to the Bidder, if work is allotted to them.
- (v) Product quoted should be as per specified in attached BOQ. No deviation shall be accepted.
- (vi) The Bidder must quote for all items. Partial Bid will not be accepted.
- (vii)The company may bid directly or through its authorized dealer.
- (viii) All products should carry a warranty for a period of 12 months against any manufacturing defects from the date of its supply. The Defect Liability Period (DLP) will be of 01 years.
- (ix) The Technical Bid should be accompanied by the manufactures catalogue (in original) in respect of products offered.
- (x) The Bidders/OEM have the following valid certification/Membership.
 - (a) Business & institutional Furniture's manufactures association.(BIFMA)
 - (b) ISO-14001:18001
- (xi)The interested firm must submit their Bid Document in two parts, one with the documents as proof of technical eligibility and the other with the rate in Financial Bid prescribed Format.
- (xii) All the document must be signed on each page & uploaded.
- (xiii) The Bidder should not have been debarred by the Central/State Governments/undertakings. An undertaking to this effect should be given.

Bids from consortiums and joint venture are not allowed.

Claims without documentary evidence will not be considered.

Department of Education/BSEIDC reserves the right to verify the claims made by the Bidders and to carry out the capability assessment of the Bidders and the Department of Education/BSEIDC's decision shall be final in this regard. Department of Education/BSEIDC may, in its absolute discretion, waive any of the conditions and/or requirements in the Tender in respect of any or all of the bidders. B.S.E.I.D.C. Ltd. Patna

Bihar State Educational Infrastructure Development Corporation (BSEIDC) Ltd. Page 10 of 22

(A) Stage-I Pre-qualification criteria for Bidders.

| SL. | Pre-qualification Criteria | Documentary Evidence | |
|-----|--|--|--|
| 1 | The responding bidders should have experience of at least one year in the field. | WorkOrder/WorkCompletion Certificate. Annexure-3 | |
| 2 | The bidder should have achieved a minimum Financial Turn Over of amount not less than Rs. 250.00 Lacin past any three Financial Year (2015-2016,2016-2017&2017-18)in equivalent works. | C.A Certificate/Income Tax Return | |
| 3 | The bidder shall provide GST registration Certificate, PAN/TIN, Service TaxRegistration Certificate, Service Tax Return and Income Tax Return for last Three years. | A copy of GST Registration, PAN/TIN, Service TaxRegistration Certificate, Service TaxReturn and Income Tax Return. The bidder shall also submit copy of the returns of Service Tax and Income Taxfor last three years. | |
| 4 | The bidder shall provide Beltron processing fee as appeared on Website& BOQ Cost of Rs. 10,000/- and EMD Rs 10.00 lacas per guideline given in the NIT | Tender Fee and EMD as per NIT. | |
| 5 | The bidder has to submit self-certifiedletter indicating that they have not been Debar/blacklisted by any Government Department, Organization, and Corporation. | Self certified letter. | |

^{* &}quot;Bidder" shall mean a corporate entity, firm (propriety or partnership, Individual), company ora corporation eligible to participate in bidding process.

For Bharai Commercial Agency united Shashi Ranian Enteronses Pyt Ltd.

Wanager

Chief Eng neer
B.S.E.I.D.C. Ltd, Patna

Bihar State Educational Infrastructure Development Corporation (BSEIDC) Ltd Page 11 of 22

(A) FINANCIAL BID

A financial bid of technically eligible bidder shall be opened. The technically eligible bidder offering the best possible offer amount (L-1) to Department of Education/BSEIDC for the said work will be invited for negotiation and finalization of agreement.

Department of Education/BSEIDC has the right (in its absolute discretion) to determine how to progress any discussions and/or negotiations with successful bidder following submission of the Proposals.

3.3 CORRECTION OF ERRORS

Price Proposals determined to be substantially responsive will be checked by the Department of Education/BSEIDC for any arithmetic errors. Arithmetic errors will be rectified on the following basis:

If there is discrepancy between total price bid amount and summary of total cost of all components/parts, then the following will be procedure.

- a) Where there is discrepancy between the rates in figures and in words, whichever is less shall govern.
- b) Where there is discrepancy between the unit rate and the line item total resulting from multiplying the unit rate by the quantity, the unit rate as quoted will govern.
- c) If the total amount of bid quoted is less than actual summation of cost of all the components/parts as the case may be, then the total quoted amount shall govern and difference between the actual summation and amount quoted shall be considered as a discount.
- d) If total amount of bid is more than actual summation of cost of all components/parts as the case may be, then the individual cost of the components/parts shall govern and total amount shall be reduced to actual summation and it shall be considered as mistake in totalling. However, the decision of Department of Education/BSEIDC in this regard shall be final and binding.

The amount stated in the form of bid for price proposal will be adjusted by the Department of Education/BSEIDC in accordance with the above procedure for the correction or errors and, shall be considered as binding upon the bidder. If the bidder does not accept the corrected amount of bid, its bid will be rejected, and the EMD may be forfeited in accordance with relevant clause.

3.4 NUMBER OF PROPOSALS

3.4.1 Each Bidder shall submit only one (1) Proposal, in response to this NIT. Any Bidder who submits or participates in more than one Proposal shall be disqualified.

3.5 PROPOSAL PREPARATION COST

The Bidder shall be responsible for all costs associated with the preparation of its Proposal and its participation in the bidding process. Department of Education/BSEIDC will not be responsible or in any way liable for such costs, regardless of the conduct or outcome of the bidding process. B.S.E.I.D.C. Ltd, Patna

For BharaBihar State Educational Infrastructure Development Corporation (BSEIDC) Ltd. Page 12 of 22

3.6. RIGTH TO ACCEPT OR REJECT

- 3.6.1. Department of Education/BSEIDC may reject a proposal at any stage if it is found that the firm recommended for award has indulged in corrupt or fraudulent activities in competing for the contract in question, and may also declare a firm ineligible or blacklist the firm, either indefinitely or for a stated period of time, if at any time it is found that the firm has engaged in corruptor fraudulent practices in competing for, or in executing, the contract.
- 3.6.2. Notwithstanding anything contained in this NIT, Department of Education/BSEIDC reserves the right to accept or reject any Proposal and to annul the bidding process and reject all Proposals at any time, without any liability or any obligation for such acceptance, rejection or annulment, without assigning any reasons.
- 3.6.3. Department of Education/BSEIDC reserves the right to reject any Proposal if at any time if a material misrepresentation made by a Bidder at any stage of the bidding process is discovered.

3.7. CLARIFICATIONS

3.7.1. A prospective Bidder requiring any clarification on the NIT may notify Department of Education/BSEIDC in writing or by facsimile to Managing Director, BSEIDC within such date as specified in NIT Time Schedule (Section-5). At its sole discretion, BSEIDC may upload its response to such queries on the website: www.bseidc.in./www.eproc.bihar.gov.in

3.8 BID SECURITY

- 3.8.1 Proposals would be accompanied with a Bid Security (EMD for an amount of Rs. 10.00 Lac (if paid manually). The Bid Security amount shall be valid throughout the Proposes Validity Period and would have to be extended if so required by Department of Education/BSEIDC.
- 3.8.2 The Bid Security shall be in the form of a demand draft (if paid manually) in favour of the, Managing Director, BSEIDC, drawn on any scheduled bank payable at Patna.
- 3.8.3. The Bid Security amount shall be returned to the unsuccessful Bidders within a period of two (2) weeks from the date of signing of Agreement between Department of Education/BSEIDC and the Successful Bidder.
- 3.8.4 The bid security amount of the successful bidder will be automatically turned into security deposit at the time of allotment of tender and will be refunded along with the final payment.
- 3.8.5 The Bid Security shall be forfeited in the following cases:
 - 1. If the Bidder withdraws its Proposal;
 - 2. If the Bidder withdraws its Proposal during the interval between the Proposal Due Date and expiration of the Proposal Validity Period; and
 - 3. If any information or document furnished by the Bidder turns out to be misleading or untrue in any material respect.

For. Bharat Commercial Agency
Unit of Shoshi Ranion Enterprises Pvt. Ltd

Chief Engineer
3.S.E.I.D.C. Ltd, Patna

Bihar State Educational Infrastructure Development Corporation (BSEIDC) Ltd.Page 13 of 22

3.9 PERFORMANCE GUARANTEE

The Security Money/EMD is **Rs. 10.00 Lac**submitted with Bid will be taken as Performance Guarantee of the Selected Bidder.

3.10 BIDDER'S RESPONSIBILITY

- 3.10.1 The Bidder is expected to examine carefully the contents of all the documents provided. Failure to comply with the requirements shall be at the Bidder's own risk.
- 3.10.2 It shall be deemed that prior to the submission of Proposal, the Bidder has:
- a) made a complete and careful examination of terms & conditions/requirements, and other information set forth in this document;
- b) Received all such relevant information as it has requested from Department of Education/BSEIDC; and
- c) Made a complete and careful examination of the various aspects of the Assignment.
- 3.10.3 Department of Education/BSEIDC shall not be liable for any mistake or error or neglect by the Bidder in respect of the above.

Marat Swithin Ware garages of Shocked Roman Anterpoles Part of Mariages

Chief Englneer B.S.E.I.D.C. Ltd. Patna

Bihar State Educational Infrastructure Development Corporation (BSEIDC) Ltd Hage 14 of 22

3.11 CORRESPONDENCE/ENQUIRY

- 3.11.1 All correspondence / enquiries should be submitted to the following in writing by fax/registered post / courier:
 Managing Director, Bihar State Educational Infrastructure Development Corporation, ShikshaBhawan, BiharRastrabhasaParishad, Acharya Shiv PujanSahay Path, Saidpur, Patna-800004, Tel No:0612-2910314
 Email bseidc2@gmail.com
- 3.11.2 No interpretation, revision, or other communication from Department of Education/BSEIDC regarding this is valid unless it is in writing and is signed by Managing Director.

3.12 FORMAT AND SIGNING OF PROPOSAL

- 3.12.1 Bidders would provide all the information as per this and in the specified format. Department of Education/BSEIDC reserves the right to reject any Proposal that is not in the specified format.
- 3.12.2 The Proposal would include submissions to be made on the respective Proposal Due Date as set out in Section-5 (Time Schedule).

3.13 PROPOSAL DUE DATE

- 3.13.1 Proposals should be submitted as per information provided in section 5.
- 3.13.2 Department of Education/BSEIDC at its sole discretion; accept any Proposal(s) after Proposal Due Date. Any such Proposal/s accepted shall be deemed to have been received by the Proposal Due Date.

For, Bharat Commercial Agency
Unit of Shashi Ramian Enterprises Pvt. Ltd

Manager

Chief Eng neer S.E.I.D.C. Ltd, Patna

Bihar State Educational Infrastructure Development Corporation (BSEIDC) Ltd. Page 15 of 22

3.14 TEST OF RESPONSIVENESS

- 3.14.1 Prior to evaluation of Proposals, Department of Education/BSEIDC will determine whether each Proposal is responsive to the requirements. A Proposal shall be considered responsive if;
- a) it is received on the respective Proposal Due Date;
- b) It is accompanied with the "Bid Security" amount Rs. 10.00 Lac(if paid manually) as set out in this Document.
- c) It contains the information and documents as requested;
- d) It contains information in the form and formats specified;
- e). It mentions the validity period as set out in this document;
- f) It provides the information in reasonable detail. ("Reasonable Detail" means that, but for minor deviations, the information can be reviewed and evaluated by Education Department/BSEIDC.Department of Education/BSEIDC reserves the right to determine whether the information has been provided in reasonable detail or not;
- g) There are no inconsistencies between the Proposal and the supporting documents.
- 3.15 A Proposal that is substantially responsive is one that conforms to the preceding requirements without material deviation or reservation. A material deviation or reservation is one which,
 - 3.15.1 affects in any substantial way, the scope, quality, or performance of the Assignment, or
 - 3.15.2 limits in any substantial way, inconsistent with the Tender document, Education Department/BSEIDC's rights or the Bidder's obligations under the Agreement, or
 - 3.15.3 Unfairly affects the competitive position of other Bidders presenting substantially responsive Proposals.
- 3.16 Education Department/BSEIDC reserves the right to reject any Proposal which in its opinion is nonresponsive and no request for modification or withdrawal shall be entertained by Education Department/BSEIDC in respect of such Proposal.

FOR Bharat Commercial Agency Unit of Sham Roya Sterand Pyl, Ltd

Chief Eng heer B.S.E.I.D.C. Ltd, Patna

Bihar State Educational Infrastructure Development Corporation (BSEIDC) Ad. Page 16 of 22

24/19

SLNO.-1

3.17 PROPOSAL EVALUATION

3.17.1 The Qualification Submissions of the Bidders would be checked for responsiveness with the requirements of the Tender Documents and shall be evaluated as per the Criteria set out in Section-3 &4

3.18 DELCARATION OF SUCCESSFUL BIDDER

- 3.18.1 Department of Education/BSEIDC may either choose to accept the Proposal of the successful Bidder or invite him for negotiations/Clarification.
- 3.18.2 Upon acceptance of the Proposal of the Bidder technically qualified with Lowest Financial Bid, with or without negotiations, Department of Education/BSEIDC shall declare the tenderer as the Successful Bidder.

3.19 NOTIFICATIONS

3.19.1 Department of Education/BSEIDC will notify the Successful Bidder by a Letter of Acceptance (LOA) that its Proposal has been accepted.

3.20 EDUCATION DEPARTMENT/BSEIDC RIGHT TO ACCEPT OR REJECT PROPOSAL

Department of Education/BSEIDC reserves the right to accept or reject any or all of the Proposals without assigning any reason and to take any measure as it may deem fit, including annulment of the bidding process, at any time prior to award of the Assignment, without liability or any obligation for such acceptance, rejection or annulment.

Department of Education/BSEIDC reserves the right to invite revised Proposals from Bidders with or without amendment of the Tender Document at any stage, without liability or any obligation for such invitation and without assigning any reason.

Department of Education/BSEIDC reserves the right to reject any Proposal if at any time:

- a) a material misrepresentation made at any stage in the bidding process is uncovered; or
- b) The Bidder does not respond promptly and thoroughly to requests for supplemental information required for the evaluation of the Proposal.
- 3.20.1 This would lead to the disqualification of the Bidder. If such disqualification / rejection occur after the Proposals have been opened and the Successful Bidder gets disqualified/ rejected, then Department of Education/BSEIDC reserves the right to:
 - a) Declare the Bidder receiving the next highest score as the successful tenderer and where warranted, invite such Bidder to equal or better the score secured by such disqualified Successful Bidder; or
 - b) Take any such measure as may be deemed fit in the sole discretion of Department of Education/BSEIDC, including annulment of the bidding process.

Chief Eng neer 8.S.E.I.D.C. Ltd, Patna

Bihar State Educational Infrastructure Development Corporation (BSEIDC) Ltd. Page 17 of 22

For, Bharat Commercial Agency Unit of Shoshi Ranian Enterprises Pyt Ltd 2419

SECTION 4.EVALUATION OF BIDS

EVALUATION PARAMETERS 4.1

- Education/BSEIDC will evaluate the bids determined to be 4.1.1 Department of substantially responsive i.e., which
 - a. Are properly signed;
 - b. Conform to the terms and conditions & technical specifications.
- 4.1.2. The Technically Qualified bidders quoting the lowest (L1) will be selected as the successful bidder.

Bihar State Educational Infrastructure Development Corporation (BSEIDC) Ltd. Page 18 of 22

SLNO.-1

SECTION 5. BID SCHEDULE AND VENUE

EDUCATION DEPARTMENT/BSEIDC would Endeavour to adhere to the following schedule:

| Sl. No. | Activity | Scheduled Date & Time |
|---------|--|--|
| 1 | Place for obtaining Bid Document | only on e-tendering website: www.eproc.bihar.gov.in |
| 2 | Last date and Time for receipt of Bid on e-tendering website | 30.07.2018 (03:00 P.M.) |
| 3 | Address for submission of EMD if paid manually | Managing Director Bihar State Educational Infrastructure Development Corporation ShikshaBhawan, Bihar RastrabhashaParishad Campus, Acharya Shiv PujanSahay Path, Saidpur, Patna-800004 |
| 4 | Venue of opening of Technical & Financial Bid | only on e-tendering website: www.eproc.bihar.gov.in |
| 5 | Date & time of opening of technical Bid | 31.07.2018 (04:30 P.M.) |
| 6 | Date& time of opening of financial Bid | 03.08.2018 (03:30 P.M.) |

Chief Eng neer

Bihar State Educational Infrastructure Development Corporation (BSEIDC) Ltd 1938 E.I.D.C. Ltd, Patna



ANNEXURE - 1

FORMAT FOR COVERING LETTER-CUM-ASSIGNMENT UNDERTAKING

(On the Letter Head of the Bidder)

To,

Managing Director, Bihar State Educational Infrastructure Development Corporation, ShikshaBhawan, Bihar RastrabhasaParishad, Acharya Shiv PujanSahay Path, Saidpur, Patna

Sub: - INTERIOR, AUDIO VISUAL, VIDEO CONFERENCING, IT, CIVIL, ELECTRICAL & FURNITURE WORKS FOR NEWLY CONSTITUTED MUNGER UNIVERSITY, MUNGER. Sir.

We have read and understood along with Draft. Agreement in respect of the captioned Assignment provided to us by Department of Education/BSEIDC.

We hereby agree and undertake as under:

Not with standing any qualifications or conditions, whether implied or otherwise, contained in our Proposal we hereby represent and confirm that our Proposal is unqualified and unconditional in all respects and we agree to the terms of the proposed Agreement, a draft of which also forms a part of this provided to us. This Proposal is Valid till ------ (At least 6 Months from the Proposal Due Date). Please. find enclosed herein with the Proposal the Demand Draft bearing number ----- forRs. 10.00 Lac(if paid manually)drawn in favour of the Managing Director, BSEID payable at Patna towards the Bid Security Name of the Bidder

Signature of Authorized Signatory

Name of the Authorized Signatory

Date:

For, Bharat Commercial Agency Unit of Shashi Ranjan Enterprises Pvt. Ltd

Chief End neer B.S.E.I.D.C. Ltd. Patna

Bihar State Educational Infrastructure Development Corporation (BSEIDC) Lange 20 of 22

ANNEXURE - 2

FORMAT FOR FINANCIAL PROPOSAL

(On the letter head of the bidder)

Date: -

To, Managing Director, Bihar State Educational Infrastructure Development Corporation, ShikshaBhawan, Bihar RastrabhasaParishad, Acharya Shiv PujanSahay Path, Saidpur, Patna

Ref: INTERIOR, AUDIO VISUAL, VIDEO CONFERENCING, IT, CIVIL, ELECTRICAL & FURNITURE WORKS FOR NEWLY CONSTITUTED MUNGER UNIVERSITY, MUNGER. Sir,

We are pleased to quote the license fee as below. We have reviewed all the terms and conditions of the Request for Proposal and confirm that, we would abide by all the terms and conditions. We hereby declare that there shall be no deviations from the stated terms in this. We further declare that, any State Government, Central Government or any other Government or Quasi Government Agency has not barred us from participating in any Bid.

(The bidders are required to submit a detailed breakup of the financial cost quoted herewith above as per the format prescribed ahead; in a manner that the cost implication to BSEIDC for any variation of items of event can be accessed from the break-up. Any financial proposal submitted without breakup as described above may be rejected out rightly.)

3.S.E.I.D.C. Ltd, Patna

Bihar State Educational Infrastructure Development Corporation (BSEIDC) Ltd. Page 21 of 22

ANNEXURE – 3

LIST OF SIMILAR WORK EXECUTED PERTAINING TO SUPPLY OF FURNITURE AND MISCELLANEOUS ITEMS.

| Sr. | Name of Client | Location | Description of work | Value of Contract/Work in Rs. | Duration (Start dtCompletion dt.) |
|-----|----------------|----------|------------------------|-------------------------------------|---|
| | | i. | | | |
| | | | | | |
| | | : | | | |
| | | | | | |

NOTES:

- Each of the listed works shall be supported with the copy of work order & work completion certificate. Work completion certificate shall mention the nature of work, value of work completed.
- At least 5 Photographs of the work executed shall be attached.
- Non disclosures of any information in the schedule will result in disqualification of the firm.

☐ <u>LIST OF WORK IN HAND SHALL BE ATTACHED AS UNDER:</u>

| Sr. | Name of Client | Location | Description of work | Value of Contract/Work in Rs. | Duration (Start DtCompletion dt.) |
|-----|----------------|----------|---------------------|-------------------------------------|-----------------------------------|
| | | | | · | |
| | | | | | |
| | | | | | |
| | | | | | |

If the company or Firm is divided among partners, the experience of the individual or new firm set up by the partners shall be considered provided past experience is subject to legal consent of individuals, partners or new firm set up by the partners.

The California Continue Contin

Signature of Bidder

Bihar State Educational Infrastructure Development Corporation (BSEIDC) Ltd.Page 22 of 22

Chief Eng\neer B.S.E.I.D.C. Ltd, Patna