

Name of Work

AC 047804

: Selection of an Agency for Supplying and Installation of Interior, Audio Visual, Video Conferencing, IT, Civil, Electrical & Furniture Works for Newly Constituted Purnea University, Purnea (SL. No.-2) in Bihar.

Name of Agency

Bharat Commercial Agency

Date of Commencement

27-08-2018

Time of completion

Three Months

Agreement Value

As Per Quoted Rs. 4,47,14,423/- (@Negotiated Rebate of 2.70% on Quoted rate

Earnest Money

Estimate Cost

Performance Security Rs. 10,00,000/- (Details attached)

This agreement, made the 24th September, 2018 between Bihar State Educational Infrastructure Development Corporation Ltd. Patna. Hereinafter called the Employer of the first part and Bharat Commercial Agency (A Unit of Shashi Ranjan Enterprises Pvt. Ltd.), Charkothia 'D', S.P. Verma Road, Patna-1, Bihar hereinafter called "the Contractor of the other part".

Whereas the Employer's is desirous that the Contractor execute "Selection of an Agency for Supplying and Installation of Interior, Audio Visual, Video Conferencing, IT, Civil, Electrical & Furniture Works for Newly Constituted Purnea University, Purnea (SL. No.-2) in Bihar hereinafter called "the work" and the Employer has accepted the Bid by the Contractor for the execution of such work and the remedying of any defects therein, at a cost of Rs. 4,47,14,423/- (Rs. Four Crore Forty Seven Lacs Fourteen Thousand Four Hundred Twenty Three Only.)

> For, Bharat Commercial Agency Unit of Shashi Ramon Enterprises Pvt. Ltd.

B.S.E.I.D.C. Ltd, Patna

NOW THIS AGREEMENT WITNESSETH as follows:

- 1. In this Agreement, words and expression shall have the same meaning as are respectively assigned to them in the conditions of contract hereinafter referred to and they shall be deemed to form and be read and construed as part of this Agreement.
- 2. In consideration of the payments to be made by the Employer to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Employer to execute and complete the works and remedy any defects therein in conformity in all aspects with the provisions of the contract.
- 3. The Employer hereby covenants to pay the Contractor in consideration of the Execution and completion of the works and the remedying the defects wherein contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the contract.
- 4. The following documents shall be deemed to form and be ready and construed as part of this Agreement Viz.
 - i) Letter of Acceptance
 - ii) Notice to proceed with the work.
 - iii) Contractor's Bid
 - iv) Condition of Contract: General and Special
 - v) Contract Data
 - vi) Additional Condition
 - vii) Drawing
 - viii) Bill of Quantities and
- ix) Any other documents listed in the Contract Data as forming part of the contract.

 In witnessed whereof the parties there to have caused this Agreement to be executed the day and year

first before written.

The common Seal of
was hereunto affixed in the presence of:
Signed, Sealed and Delivery by the Said
·
In the Presence of:
Binding Signature of Employer
Binding Signature of Contractor

For, Bharat Commercial Agency Unit of Shoshi Ramon Enterprises Pvt. Ltd.

Chief Eng neer

8.S.E.I.D.C. Ltd, Patna

C Nasa

Performance Security

Name of Agency:- "Bharat Commercial Agency"

<u>Performance Security of "Interior, Audio visual, Video conferencing, IT, Civil, Electrical & Furniture works for newly Constituted, Purnea University (NIT No- 31/18-19)"</u>

BG No.

Period

<u>AMOUNT</u>

180135IBGB00073

10.07.18 to 30.09.19

10,00,000.00

Total-

10,00,000.00

(Rupees Ten Lac Only)

सम्मा पदाधिकारी लेखा पदाधिकारी

बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिं०, पटना

For, Bharat Commercial Agency Unit of Shoshi Romon Enterprises Pvt. Eld.

Manager 71

Chief Eng neer

B.S.E.I.D.C. Lid, Patna

iJ $\left(\cdot \right)$



बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

(A Govt. of Bihar Undertaking) ISO 9001:14001; OHSAS 18001

Shiksha Bhawan, Bihar Rashtrabhasha Parishad Campus, Acharya Shivpujan Sahay Path, Saidpur, Patna - 800 004 Tel. No.: 0612 - 2660850 • Fax No.: 0612 - 2660256

E-mail: bseidc@gmail.com • Website: http://www.bseidc.in • CIN: U80301BR2010SGC015859

Letter of Acceptance

To,

Bharat Commercial Agency (Unit of Shashi Ranjan Enterprises Pvt. Ltd., Charkothia 'D', S.P. Verma Road, Patna-800001

Dear Sir,

This is to notify you that your Bid for execution of "Interior, Audio Visual, Video Conferencing, IT, Civil, Electrical & Furniture Works For Newly Constituted Purnea University, Purnea, N.I.T. No.-31/(2018-19) in the State of Bihar" has been accepted by the Corporation at your negotiated rate of BOQ rates amounting to total contract price of Rs. 4,47,14,423=00 (Rs. Four Crore Fourty Seven Lacs Fourteen Thousand Four Hundred Twenty Three Only)

You are hereby requested to furnish performance security vide sl. No. 3.9 of tender document in the form of post office saving Bank passbook/ 1,2,3 years post office time deposit /NSC / KVP/ Fixed deposit receipt or Bank Guarantee of any Nationalized or Scheduled bank situated in Bihar pledged in Favour of MD, BSEIDC, Patna for an amount equivalent to Rs. 10,00,000=00 (Rs. Ten Lacs Only) within ten days of receipt of this letter of acceptance valid up to 28 days from the date of expiry of defects liability period and sign the contract, failing which action will be taken as per rule.

In the interest of the work, you are instructed to proceed with the execution of the said work in consultation with concerned Engineer-in-charge with immediate effect. The date of start of this work will be the date of issue of this letter. The agreement will be executed after verification of performance Security and Registration in appropriate category in this Corporation.

Yours faithfully

Chief Engineer

Memo no: BSEIDC/FIN/3385/2018-19/-

Copy forwarded to: Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC website/Senior Account Officer / Superintending Engineer/All Executive Engineer, BSEIDC for information & necessary action

For, Bharat Commercial Agency Unit of Shoshi Ranian Enterprises Pvt. Ltd.

Manager !

249

()

Bihar State Educational Infrastructure Development Corporation Ltd.

Shiksha Bhawan, Bihar Rashtrabhasha Parishad, Saidpur, Patna - 800004

NAME OF WORK : INTERIOR, AUDIO VISUAL, VIDEO CONFERENCING, IT, CIVIL, ELECTRICAL & FURNITURE WORKS FOR NEWLY CONSTITUTED PURNEA UNIVERSITY, PURNEA

RATE TO BE QUOTED IN DIGITS & WORDS IN EACH ITEM OF THE WORK MENTIONED BELOW

	NAME OF THE BIDDER / AGENCY	Bharat Commercial Agency (Unit of Shashi Ranjan Enterprises Pvt. Ltd.)			
	ADDRESS , E- MAIL AND MOBILE NO. OF BIDDER / AC		Charkothia 'D', S P Verma Road, Patna-800001, email- bharatcommercial@rediffmail.com, Ph-9334106171		
SL NO.	DESCRIPTION	Qty	UNIT	RATE (In Digits)	RATE (In Words)
	Civil Works				
	Demolishing				
1	Demolishing brick work including stacking of serviceable material and disposal of unserviceable material within 50 meters lead: In cement mortar.	5.56	Cum	491.3	Rupees four hundred ninety one & paise thirty only.
2	Demolishing cement concrete including disposal of material	2.04	Cum	578.3	Rupees five hundred seventy eight & paise thirty only.
	within 50 metre lead:1:3:6 or richer mix Dismantiling doors windows and clerestory windows (steel or			and the second of the second o	g to the second second
3	wood) shutters including chowkhats, architrage, holdfasts etc. complete and stacking within 50 metres lead: Of area 3 sqm and below	12.00	Each	90.3	Rupees ninety & paise thirty only.
	Of area 3 squi and below				
	Brick Work	/			
4	Half brick masonry with bricks of class designation 100A in foundations and plinth in :Cement mortar 1:4 (1 cement: 4 coarse send) Extra for half Brick masonry in superstructure	132.67	sqm	608.4	Rupees six hundred eight & paise forty only.
5	above pinth level upto floor V level. Brick work with bricks of class designation 100A in foundations and plinth in : Cement mortar 1:6 (1 cement: 6	5.91	Cum	5003.9	Rupees five thousand three & paise ninety only.
	coarse sand) Providing and laying in position cement concrete of specified	1		27	
6	grade exluding the cost of centring and shuttering-all work upto plinth level.1:3:6 (1 Cement: 3 coarse sand : 6 graded	[Cum	3174.3	Rupees three thousand one hundred seventy four & paise thirty only.
	stone aggregate 20mm nominal size)	and the same of th		September 1	
	Cement Plaster				
7	12 mm cement plaster of mix:1:6(1 cement: 6 coarse sand)	265.34	Sqm	101.2	Rupees one hundred one & paise twenty only.
8	12 mm cement plaster 1:4(1 cement: 4coarse sand) finished with a floating coat of near cement Details of cost for 10 sqm	170.12	Sqm	145.5	Rupees one hundred forty five & paise fift only.
	Painting			Red Rain Control	
9	Providing and applying white cement based putty of average thickness 2 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	7025.37	Sqm	118.4	Rupees one hundred eighteen & paise fort only.
10	Applying one coat of cement primer of approved brand and manufacture on wall surface: Distemper primer.	7025.37	Sqm	28.1	Rupees twenty eight & paise ten only.
11	Distempering with 1st quality acrylic distemper, having VOG (Volatile Organic Compound) content less than 50 grams litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shad	/ g 7025.37	Sqm	34.2	Rupees thirty four & paise twenty only.
	and colour.Two coats	3 de la companya de l			
12	Painting with ready mixed paint of approved brand an manufacture in all shades to give an even shade:Old stee work (one or more coats)	d 272.04	Sqm	40.7	Rupees forty & paise seventy only.

For. Bharat Commercial Agency Unit of Shasni Ramian Enterprises Pvt. Ltd. Manager Chief Eng neer

B.S.E.I.D.C. Ltd. Patna

24/09///
24/9

1---Control of the second of the s Agrical Capture

1	
L	
K 2	,

		\mathcal{O}			
13	Providing and fixing ISI marked flush door shutters conforming to IS: 2202 (Part I) decorative type, core of block board construction with frame of 1 st class hard wood and well matched teak 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters.35 mm thick including stainless steel butt hinges with necessary screws	7.88	sq.m	2369.6	Rupees two thousand three hundred sixty nine & paise sixty only.
14	French spirit polishing: Two or more coats on works including a coat of wood filler.	15.75	sq.m	138.6	Rupees one hundred thirty eight & paise sixty only.
15	CG Providing and fixing in position collapsible steel shutters with vertical channes 20x10x2 mm and braced with flat iron diagonals 20x5 mm size with top and bottom rail of T-tron 40x40x6 mm with 40 mm dia steel pulleys complete with bots.nuts locking arrangement stoppers handies including applying a priming coat of approved steel primer.	48.24	sqm	4248.2	Rupees four thousand two hundred forty eight & paise twenty only.
16	Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete. Fixed to openings/ wooden frames with rawl plugs	1279.80	KG	94.2	Rupees ninety four & paise twenty only.
17	screws etc Iron Truss Steel work in built up tubular trusses including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, welded and bolted including special shaped washers etc complete:	200.48	KG	115.4	Rupees one hundred fifteen & paise forty only.
18	Electric resistance or induciton butt welded tubes. Polycarbonate Sheet Providing & supplying 4.5mm thick polycarbonate sheet roofing fixed with all fittings complete (upto a pitch of 60°) excluding the cost or purlins, rafters and trusses of approoved	63.06	Sqm	699.4	Rupees six hundred ninety nine & paise forty only.
19	color and pattern as per direction of E/I. Flooring Mirror polishing on marble work/stone work where ever	2034.12	sqm	155.2	Rupees one hundred fifty five & paise twenty only.
	required to give high gloss finish complete.				twenty only.
20	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations, of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement: 4coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels. Granite of any colour and shade Area of slab over 0.50 sqm	7.70	sqm	3573.7	Rupees three thousand five hundred seventy three & paise seventy only.
21	Providing edge moulding to 18 mm thick marble stone counters, vanities etc., including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer-in-Charge. Granite work	20.25	m	182.1	Rupees one hundred eighty two & paise to only.
22	to the armic glazed wall life	117.09	sqm	766.3	Rupees seven hundred sixty six & paiso thirty only.

For, Bharat Commercial Agency, Unit of Shoshi Roman Enterprises Pvt. Ltd.

Manager

Chief Eng neer

B.S.E.I.D.C. Ltd. Patna

Whoulf

19

• 1) •) 1) 1

		7			
23	Providing and laying Ceramic glazed floor tiles 400x400 mm (thickness to be specified by the manufacturer) of 1 st quality conforming to IS: 13755 of NITCO, ORIENT, SOMANY, KAJARIA or equivalent make in colours such as white, Ivory, Grey, Fume, Red, Brown, laid on 20 mm thick cement motar 1:4 (1 cement: 4 Coarse sand) including grouting the joints with white cement and matching pigments etc, complete.	22.70	sqm	1226.5	Rupees one thousand two hundred twenty six & paise fifty only.
	False Ceiling				
24	GYPSUM FALSE CEILING: Providing and fixing false ceiling at all height including providing and fixing of frame work made of special sections, power pressed from M.S. sheets and galvanized with zinc coating of 120 gms/sqm (both side inclusive) as per IS: 277 and consisting of angle cleats of size 25 mm wide x 1.6 mm thick with flanges of 27 mm and 37 mm, at 1200 mm centre to centre, one flange fixed to the ceiling with dash fastener 12.5 mm dia x 50 mm long with 6 mm dia bolts, other flange of cleat fixed to the angle hangers of 25x10x0.50 mm of required length with nuts & bolts of required size and other end of angle hanger fixed with intermediate G.I. channels 45x15x0.9 mm running at the spacing of 1200 mm centre to centre, to which the ceiling section 0.5 mm thick bottom wedge of 80 mm with tapered flanges of 26 mm each having lips of 10.5 mm, at 450 mm centre to centre, shall be fixed in a direction perpendicular to G.I. intermediate channel with connecting clips made out of 2.64 mm dia x 230 mm long G.I. wire at every junction, including fixing perimeter channels 0.5 mm thick 27 mm high having flanges of 20 mm and 30 mm long, the perimeter of ceiling fixed to wall/partition with the help of rawl plugs at 450 mm centre, with 25 mm long dry	578.39	sqm	1646.4	Rupees one thousand six hundred forty six & paise forty only.
25	Grid Base False Ceiling :-rroviding and fixing of Armstrong/Equivalent acoustical suspended ceiling system with fine fissured tiles. The tiles should have humidity resistance of RH 99, average NRC 55, Light Reflectance >80% thermal conductivityK=.052057 W/M. With lifetime warranty against sag in modules size of 600mm X600mm x 15mm laid on 24XL-hot dipped galvanised steel suspension system having rotary stitching on the main runnr 1200 mm and 600mm cross tees. Installation shall comprise main runner spaced at 1200mm centres securely fixed to the structural socket by approved hangr at 1200 mm maximum centre. The last hanger at the end of each main runner should not be greater than 450mm from the adjacent wall, all complete with labor and material as per the directions of Site Incharge.		sqm	1690.4	Rupees one thousand six hundred ninety & paise forty only.
	Wall Panelling				`
26	Wall/Column Panellling:-Providing and fixing wall panelling upto specified hieght with 4mm premium quality mica of GREEN DECOWOOD/NATUREMAX/CENTURY make over 6 mm thick ply of Greenply / ISI/BDM/ equivalant confirming to IS-303 make fitted and fixed over hollock wood frame of 25x25mm posts at 60cm centres and 25mmx25mm horizantal members at approx 60cm centres including cost of anchoring the panelling to walls properly including teakwood lipping where ever required. The veneered surface is to be finished with high quality melamine polish .All complete as per drawing/ specifications and directions of engineer in charge.	85.02	sqm	2850	Rupees two thousand eight hundred fifty only.
27	Laminated Door Profile: Providing Laminated Sheet or existing plywood door profile with a matt appearance with fittings Lock, Handle, Hinges, Door Closser, Tower Bolt al complete job as per specification and direction as pe	45.00	Nos	6000	Rupees six thousand only.
	direction of E/I. Aluminium Works	1			

For, Bharat Commercial Agency Unit of Shoshi Roman Enterprises Pvt. Ltd. Manager Chief Eng neer

B.S.E.I.D.C. Ltd. Patna

240

2410911


:) -) i* (38) - 11, 55

	3
,	
•	٠,

		8			
	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / aneling,C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge.	3192.84	KG	426.4	Rupees four hundred twenty six & paise forty only.
29	Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade Type II, in panelling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineer-incharge.Pre-laminated particle board with decorative lamination on both sides	217.32	sqm	1083.9	Rupees one thousand eighty three & paise ninety only.
30	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item): With float glass panes of 5.50 mm thickness	350.34	sqm	998.4	Rupees nine hundred ninety eight & paise forty only.
31	Floor Spring Providing and fixing double action hydraulic floor spring of approved brand and manufacture conforming to IS: 6315, having brand logo embossed on the body / plate with double spring mechanism and door weight upto 125 kg, for doors, including cost of cutting floors, embedding in floors as required and making good the same matching to the existing floor finishing and cover plates with brass pivot and single piece M.S. sheet outer box with slide plate etc. complete as per the direction of Engineer-in-charge. With brass cover plate minimum 1.25 mm thickness.	No.	Each	2257	Rupees two thousand two hundred fifty seven only.
32	Providing and fixing aluminium sliding door bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete: 250x16 mm	[Each	182	Rupees one hundred eighty two only.
33	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS 1868), transparent or dyed to required colour or shade, with	45.00	Each	93.4	Rupees ninety three & paise forty only
34	anodised (anodic coating not less than grade AC 10 as per IS 1868), transparent or dyed to required colour and shade, with necessary screws bolts, nut and washers etc. complete.	22.00	Each	69.6	Rupees sixty nine & paise sixty only.
35	(anodic coating not less than grade AC 10 as per IS : 1868 transparent or dyed to required colour or shade, with	45.00	Each	69.4	Rupees sixty nine & paise forty only.
36	marked, anodised (anodic coating not less than grade AC 1	d 45.00	Each	83.8	Rupees eighty three & paise eighty on
	shade, with necessary screws etc. complete.Twin rubbe	**	1		

For, Bharat Comme: ... Unit of Shashi Raman Enterprises rvi. Ltd.

Manager .



)) £--)

~

		9			
37	Roller Blinds: - Providing and fixing of roller blinds of approved shade by the Architect, all complete with roller, chord, string, clutch and accessories as required. Openness factor of fabric not to exceed 5%.	161.37	Sqm	1925	Rupees one thousand nine hundred twenty five only.
38	Reception Back-drop: - Providing and fabricating reception backdrop, as per approved design and size made of 12/19mm thick commercial plywood finished on all exposed surfaces with 1mm thick designer laminate of approved shade. Surface to house the LOGO in SS matt finish of grade SS 304, all complete as directed by the E/I	1.00	Each	36500	Rupees thirty six thousand five hundred only.
	Toughned Glass				
39	Providing and fixing 12 mm thick frameless toughened glass door shutter of approved brand and manufacture, including providing and fixing top & bottom pivot & spring type fixing arrangement and making necessary holes etc. for fixing required door fittings, all complete as per direction of Engineer-in-charge (Door handle, lock and stopper etc.to be paid separately). Glass Door/window	9.45	Sqm	4761.5	Rupees four thousand seven hundred sixty one & paise fifty only.
40	Patch fitting:-Providing and fixing floor machines of approved quality of make Hardwyn/Godrej/Rectangle of carrying capacity of 120 kgs with all fittings as Door handle, lock and stopper for 12 mm toughned glass shutter all complete as per direction of Engineer-in-charge.	8.00	Nos	14850	Rupees fourteen thousand eight hundred fifty only.
41	Glass etching:- Providing and fixing etching on glass as per approved design and texture. The work includes creating pattern and design on glass as per design approved and as per	9.45	Sqm	1590	Rupees one thousand five hundred ninety only.
42	the directions of site incharge. Glass panel Providing and fixing panelling or panelling and glazing in panelled or panelled and glazed shutters for doors, windows and clerestory windows (Area of opening for panel inserts excluding portion inside grooves or rebates to be measured). Panelling for panelled or panelled and glazed shutters 25 mm to 40 mm thick:5.5 mm thick glass pane.	53.68	Sqm	1194.5	Rupees one thousand one hundred ninety four & paise fifty only.
	Miscellaneous Works				
43	Wallpaper:- Providing and fixing of wall paper of approoved design with surface preparation. Wall paper to be 100% washable as per direction of E/I.	154.58	Sqm	1100	Rupees one thousand one hundred only.
44	Paintings with a mixture of modern art and ancient art of size 2'X3' woodden framed and with a cover of glass of thickness 4mm specifications approoved approoved by E/I.	20.00	Nos	22500	Rupees twenty two thousand five hundred only.
45	Storage Cabinet/back unit:-Providing and fixing Low height wooden cabinets upto specified height made up of 19 mm thick blockboard of Greenply/Century/BDM or equivalant as specified by site in charge. The depth of the cabinets is to be 16". The size of one box is to be of 32"x24"x16" as width, hieght and depth. The internal portions are to be finished with liner laminates of 0.8mm thickness while the exposed surfaces are to be finished with 1mm thick laminates of approved color and texture of NEW MIKA/MERINO/CENTURY make or equivalent. All boxes are to be fitted with high quality hinges and are to be finished with proper locking arrangements and magnetic catchers. All complete with materials, labor as per specification and directions of engineer in charge.	10.81	Sqm	12250	Rupees twelve thousand two hundred fift only.

For, Bharat Commercial August Unit of Shoshi Ramon Enterprises Pvt. Ltd.

Manager

Chief Eng neer

S.S.E.I.D.C. Lid, Patna

Jahout

2410944

1) .) . - Allering 1) Company the company of the company o 1) 1

AGE

8	-40-	
8	~	
	A C	

		(\mathcal{O})			
	Hatch lamina: Providing and applying hatch lamina on walls and wooden surfaces as per instructions and directions of Engineer in charge. The surface should be prepared with applying two or more coats of premium quality wall putty as and where required making it free from undulations and dust. The design of or texture should be priorly approved from site incharge. All complete with labor, material and as per specifications.	319.91	SQM	880	Rupees eight hundred eighty only.
	Providing & Fixing of signages of following type as per approovved type & design including all taxes etc all complete as per direction of E/I.				
a)	labour & Material Cost of Steel Letter including fixing at site all complete as per direction of E/I.	75.00	letter	387	Rupees three hundred eighty seven only.
b)	LED Signage in front of Building	1.00	Each	4500	Rupees four thousand five hundred only,
c)	signage in front of each room (made on SS plate)	40.00	Each	480	Rupees four hundred eighty only.
	Signage to show the direction of different buildings/ activities	20.00	Each	1000	Rupees one thousand only.
48	(made on SS plate). Carriage of materials	8000			
	Cement	3.86	MT	289.87	Rupees two hundred eighty nine & paise eighty seven only.
	Coarse Sand	9,41	cum	806.74	Rupees eight hundred six & paise seventy four only.
	Local Sand	10.00	cum	205.29	Rupees two hundred five & paise twenty nine only.
	Stone chips	1.00	cum	1101.33	Rupees one thousand one hundred one & paise thirty three only. Rupees six hundred one & paise sixty seven
	Bricks	0.68	Th	601.67	only. Rupees two hundred eighty nine & paise
	Steel	0.00	MT	289.87	eighty seven only.
49	Add Extra Cost of Materials	. (₹	la labitathese & paice
	Bricks	0.68	Thd.	333.36	Rupees three hundred thirty three & paise thirty six only.
	Cement	3.86	MT	732.98	Rupees seven hundred thirty two & paise ninety eight only.
	SANITARY INSTALLATION			al de la companya de	
50	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required: C. pan with ISI marked white solid plastic seat and lid.	7.00	Each	2970	Rupees two thousand nine hundred seventy only.
51	Providing and fixing white vitreous china battery based infrared sensor operated urinal of approx. size 610 x 390 x 370 mm having pre &post flushing with water (250 ml & 500 ml consumption), having water inlet from back side, including fixing to wall with suitable brackets all as per manufacturers specification and direction of Engineer-in-charge.	7.00	Each	17396.9	Rupees seventeen thousand three hundred ninety six & paise ninety only.
52	Providing and fixing of Hindware counter wash basin of size 430X130 mm cat no 91069 with C.I Brackets 15 mm C.P brass pillar taps 32 mm C.P Brass waste of standard pattern including painting and bracket cutting and making good the wall	7.00	Each	7388.15	Rupees seven thousand three hundred eighty eight & paise fifteen only.
53	Providing and fixing C.P. brass long body bib cock of approved quality conforming to IS standards and weighing not less than 690 gms. 15 mm nominal bore	14.00	Each	640.3	Rupees six hundred forty & paise thirty onl
54	15 mm dia nominal bore long nose Bib Cock (Pillar Cock)	16.00	Each	835.6	Rupees eight hundred thirty five & paise sixty only.
55	15 mm dia nominal bore Stop Cock	14.00	Each	650.1	Rupees six hundred fifty & paise ten only
56	Providing and fixing Stainless Steel AISI 304 (18/8) kitcher sink as per IS: 13983 with C.I. brackets and stainless steel plug 40 mm, including painting of fittings and brackets, cutting and making good the walls wherever required: Kitchen sink without drain board 610x510 mm bowl depth 200 mm	1.00	Each	4394	Rupees four thousand three hundred nine four only.

For, Bharat Commercial Agency Unit of Shoshi Roman Enterprises Pvt. Ltd Manager

Chief Eng neer

B.S.E.I.D.C. Lid, Patri

2419

57	Extra for providing opening of required size & shape for wash	`			•
	basins/kitchen sink in kitchen platform. Vanity counters and similar location in marble/granite/stone work including necessary holes for pillar taps etc. including rubbing, moulding and polishing of cut edges etc. Complete.	7.00	Each	259.2	Rupees two hundred fifty nine & paise twenty only.
 58	Providing and fixing P.V.C. waste pipe for sink or wash basin				
	including P.V.C. waste fittings complete.			77.4	Rupees seventy six & paise ten only.
a)	Flexible pipe 32 mm dia	20.00	Each	76.1	Rupees seventy eight & paise fifty only
b)	Flexible pipe 40 mm dia	1.00	Each	78.5	Rupees seventy eight & paise my only
59	Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing: Rectangular shape 453 x 357 mm	19.00	Each	636.9	Rupees six hundred thirty six & paise nine only.
60	Providing and fixing 600 x 120 x 5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete.	19.00	Each	344.66	Rupees three hundred forty four & pais sixty six only.
	WATER SUPPLY				
61	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including allCPVC plain & brass threaded fittings, including fixing the pipe withclamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good				
a)	the walls etc 15 mm dia, nominal bore	60.00	Metre	221.4	Rupees two hundred twenty one & pai forty only.
b)	20 mm dia, nominal bore	220.00	Metre	249.2	Rupees two hundred forty nine & pais twenty only.
c)	25 mm dia, nominal bore	75.00	Metre	306.9	Rupees three hundred six & paise nine only.
62	Providing and fixing PTMT Bottle Trap for Wash basin and			Steward.	
	sink.Bottle trap 31 mm single piece moulded with height of 270 mm, effective length of tail pipe 260 mm from the centre of the waste coupling 77 mm breadth with 25 mm minimum water seal, weighing not less than 260 gms.	7.00	Each	428.8	Rupees four hundred twenty eight & pa eighty only.
63	Providing and fixing PTMT liquid soap container 109 mm wide, 125 mm high and 112 mm distance from wall of standard shape with bracket of the same materials with snap fittings of approved quality and colour weighing not less than	7.00	Each	191	Rupees one hundred ninety one only
64	105 gms. Providing and fixing toilet paper holder: C.P. brass	7.00	Each	315.2	Rupees three hundred fifteen & pais twenty only.
65	Providing and fixing PTMT towel rail complete with brackets			Red Park	
	fixed to wooden cleats with CP brass screws with concealed fittings arrangement of approved quality and colour.450 mm long towel rail with total length of 495 mm,78 mm wide and effective height of 88 mm, weighing not less than 170 gms.	7.00	Each	377.6	Rupees three hundred seventy seven paise sixty only.
	Rain water pipe				and the second s
66	Providing and fixing on wall face unplastidsed PVC (working pressure 4 kgf per sqm) rain water pipes cinforming to IS:4985 including jointing with seal ring conforming to IS:5382 leaving 10 mm gap for thermal expansion. 110 mm diameter.	250.00	MTS	212.4	Rupees two hundred twelve & paise f only.
67	Providing and fixing on wall face unplasticised -PVC molded fittings/accessories for unplasticised-PVC rain water pipes conforming to (S:4985 including jointing with seal ring conforming to IS: 5382 leaving 10 mm gap for thermal expansion.			5.	
68	Single tee with door 110x110x110mm	15.00	Each	306.1	Rupees three hundred six & paise ten
69	110 mm bend	15.00 /	Each	168.3	Rupees one hundred sixty eight & pa thirty only.
				1	1

15.00

Each

For, Bharat Co.
Unit of Shashi Ramian therplays ryould
Manager

110m Shoe

70

Chief Eng neer

B.S.E.I.D.C. Lid, Patna

240

2419

2419

305.02

Rupees three hundred five & paise two only.

philos 1 () ŀ 1 () · , Charles

		12			
des 50x req cen the	viding and fixing unplasticised -PVC pipe clip of approved ign to unplasticised PVC rain water pipe by means of :50x50mm hard wood plugs, screwed with M.S. screws of uired length including cutting brick work and fixing on nent mortar(1:4) 1 cement: 4corsa sand and making good wall etc complete 110 mm. .C. PIPE	125.00	Each	144.49	Rupees one hundred forty four & paise forty nine only.
72 Pro	ovding and fixing soil,waste and vent pipes 110 mm dia	250.00	Metre	347	Rupees three hundred forty seven only.
P.V	.C. FITTINGS	V			
73 DO	OR TEE 110 mm dia	14.00	Each	365	Rupees three hundred sixty five only.
74 DO	OR BEND 110 mm dia	14.00	Each	283	Rupees two hundred eighty three only.
75 BE1	ND 45 110 mm dia	20.00 🦟	Each	185	Rupees one hundred eighty five only.
76 PIP	E CLIP 110 mm dia	46.00 🦟	Each	53 🧭	Rupees fifty three only.
77 FLC	OOR TRAP 110X110 mm dia	4.00	Each	436	Rupees four hundred thirty six only.
wit inc fra Wi	nstructing brick masonry road gully chamber 50x45x60 cm h bricks in cement mortar 1:4 (1cement : 4 coarse sand) luding 500x450 mm pre-cast R.C.C. horizontal grating with me complete as per standard design : th common burnt clay F.P.S. (non modular) bricks of class signation 7.5	8.00	Each	3384.8	Rupees three thousand three hundred eighty four & paise eighty only.
Ins in wit tot (w. sla stc 1:5 ag; wi sm co Ins lin W	ntructing brick masonry chamber for Underground C.I. spection Chamber and bend with 75 class designation bricks cement mortar 1:4 (1 cement : 4 coarse sand) C.I. Cover the frame (light duty) 455x610 mm internal dimentions, tal weight of cover with frame to be not less than 38 kg. eight of cover 23 kg. and weight of frame 15 kg.) RCC top be with 1:1.5:3 mix (1 cement: 1.5 coarse sand :3 graded one aggregate 20 mm nominal size) foundation concrete 5:10 mix (1 cement:5 coarse sand : 10 graded stone gregate 40 mm nominal size), inside plastering 12 mm th. the cement mortar 1:3 (1cement:3 coarse sand) (inished nooth with a floating coat of neat cement on walls and bed norete etc. complete as per standard design. side dimensions 466x610 mm and 45cm deep for single pipe e: iith common burnt clay F.P.S. (non modular) bricks of class ssignation 7.5	8.00	Each	4147.3	Rupees four thousand one hundred forty seven & paise thirty only.
pu Al	ipply, Installation, Testing & Commissioning of water irifier having 500 litres capacity per day. I complete work as per specifications and instructions of E/I. ivpro, kent or Equivalent)	2.00	Each	24500	Rupees twenty four thousand five hundre only.
81 Su of co	upply, Installation, Testing & Commissioning of water cooler capacity 30 litres having two or more taps. The water cooler should be connected with the above water purifier. All complete work. (Voltas or Equivalent)	3,00	Each	40000	Rupees forty thousand only.
EI	ectrical Work				
	oint Wiring in PVC Conduit, with Modular type Switch:				
W pc sii m	firing for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FR PVC insulated copper conductor ngle core cable in surface/recessed PVC conduit, with todular type switch, modular plate, suitable size of GI hox etcomercials.				
G	roup C	325.00	Nos.	621	Rupees six hundred twenty one only.
A	upply and Fixing Power Plug Point with Modular Type ccessories:-	And the second second		Para and a second	
St fr pi	upply and Fixing GI box with modular plate and cover in ont on surface or in recess including providing and fixing 6 in, 15/16 amps modular socket outlet and 15/16 amps nodular type switch, connection, painting etc as required.	265.00	Nos.	446	Rupees four hundred forty six only.
84 Si	upply & fixing 20A SPN MCB Industrial Socket Outlet:				

For, Bharat Commercial Agency Unit of Shashi Renian Enterprises Pvt. Ltd. Manager Chief Eng neer

B.S.E.I.D.C. Ltd. Patna

Plos

24/9

24/9

24/9

24/9

 $\overline{}$ 1 1) 1 1 . and the second s ()

		13			
	Supply and fixing of 20A, 240V, SPN industrial type socket outlet with 2 poles and earth, metal enclosed plug top along with 20 amps 'C' series, SP MCB, in sheet steel enclosure, on surface or in recess with chained metal cover for socket out let and complete with connections, testing and	61.00	Nos.	849	Rupees eight hundred forty nine only.
35	commissioning etc as required. Power Plug Wiring in PVC condult (2x4 sq. mm):- Wiring for light/power plug with 2x4 sq.mm FR PVC insulated				
	copper conductor single core cable in surface/recessed PVC conduit along with 1 number 4 sq. mm FR PVC insulated copper conductor single core cable for loop earthing as required.	1325.00	Mtrs.	193	Rupees one hundred ninety three only.
86	Circuit / Sub-main wiring in PVC Conduit:- Wiring for circuit / sub-main wiring along with earth wire with the following sizes of PVC insulated, copper conductor, single core cable in surface/recessed PVC conduit as required.				
a)	2x4 Sqmm + 1x4 sqmm earth wire	350.00	Mtrs.	193	Rupees one hundred ninety three only.
b)	2x2.5 Sqmm + 1x2.5 sq mm earth wire	350.00	Mtrs.	150	Rupees one hundred fifty only.
c)	2x6 Sqmm + 1x6 sqmm earth wire (For AC,Industrial Socket)	975.00	Mtrs.	276	Rupees two hundred seventy six only.
d)	4x6.0 Sqmm + 2x6.0 sqmm earth wire (to be used as sub main)	200.00	Mtrs.	297	Rupees two hundred ninety seven only
87	S/F 'C' series SP MCB:-			<u> </u>	
	Supplying and fixing 240 volts, 'C' series, miniature circuit breaker suitable for inductive loads of following poles in the existing MCB DB complete with connections, testing and commissioning etc, as required.				
a)	6/32A, Single Pole	68.00	Each	. 208	Rupees two hundred eight only. Rupees one thousand seven hundred fire
b)	40 AMPS,Tripole pole and neutral	12.00	Each	1705	only. Rupees one thousand seven fluidred in only. Rupees one thousand eight hundred for
c)	50/63 AMPS,Tripole pole and neutral	12.00	Each	1804	only.
88	S/F TPN RCCB:-Supplying and fixing of following rating four Pole Three phase and neutral, 415 volts, residual current circuit breaker (RCCB) having a sensitivity current upto 300 miliamperes in the existing MCB DB complete with connections, testing and commissioning etc. as required.	general control of the control of th			
a)	40 Amp.	12.00	Each	3145	Rupees three thousand one hundred fo five only.
b)	63 Amp.	12.00	Each	3391	Rupees three thousand three hundred ninety one only.
89	S/F TP MCB DB:-				
	Supplying and fixing of following way, horizontal type three pole and neutral, sheet steel, MCB distribution board, 415 volts, on surface/recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, detachable gland plate, interconnections, phosphatized and powder painted including earthing etc. as required (Without MCB/RCCB/ISOLATOR).				
	6 Ways (4+18ways) double door	12.00	Set	3660	Rupees three thousand six hundred six only.
90	S/F Ceiling Rose:-				
	Supplying and fixing 2 pin ceiling rose on the existing junction box/ wooden block including connection etc as required.	135.00	Each	35	Rupees thirty five only.
	EARTHING	Residence		· ·	
91	COPPER EARTH PLATE ELECTRODE:- Earthing with copper earth plate 600mmx 600mmx 3mm thick including acessories and providing masonary enclosure with cover plate having locking arrangement and watering pipe of 2.7 meter long etc with charcoal/cock and salt as	1.00	Each	11703	Rupees eleven thousand seven hundr three only.

For, Bharat Commercial Agency Unit of Shashi Ramon Enterprises Pvt. Ltd. Manager

Chief Eng neer

B.S.E.I.D.C. Lid Patnay

110

24/09/18

BOOK SANDER STANDER SANDER () 434 ANA), D

1	4
1	\neg

		14			
92	Supplying and fixing wall mounted 20 watt LED Tube light with all fitting complete directly on wall /celling including connection with 1.5 sq.mm FR PVC insulated copper conductor and earthing the body etc.as required of model LumilineBS Havells or equivalent of Dimension 1150x25x40mm as per directio of E/I.	30.00	each	711.04	Rupees seven hundred eleven & paise four only.
93	Supplying, installing of 34 watt LED recessed mounted, 600X600 mm Square panel environmental friendly, aesthetically designed Havells PlutoNeo model or equivalent all complete job as per direction of El.	170.00	EACH	5077.27	Rupees five thousand seventy seven & paison twenty seven only.
94	Supply and fixing recess mounted 18 /24 watt LED vertical downlighter complete with all accessories and replaceable electronic driver directly on false ceiling including connection with 1.5 sq mm FR insulated copper conductor cable and earthing the body etc required as per direction of E/I.	145.00	EACH	2393	Rupees two thousand three hundred nineton three only.
95	Supply and fixing of lamp unit of 10W deep recessed to provide a glare free solution lamp Unit with Driver and attachment make Spirit lamp Unit 10W 827 Havells or equivalent including connection with 1.5 sq mm FR insulated copper conductor cable and earthing the body etc required as	12.00	EACH	2566	Rupees two thousand five hundred sixty si only.
96	per direction of E/I. Supply and installation of 400mm, 230V AC wall/cabin fan including fixing the bracket, making connection, testing, commissioning etc required as per direction of E/I.	116.00	each	2456	Rupees two thousand four hundred fifty s only.
97	Supply and installation of 300 mm ,230 V A.C exhaust fan in the existing opening including making good the damage ,connection testing commissioning etc as requried.	36.00	each	2287	Rupees two thousand two hundred eight seven only.
98	Design,manufacturing,assembling,wiring,supply,installation,te sting and commissioning of the following extensible cubicle type indoor mounting,dead front,fully compartementalised with hinged lockable detachable from& backl openable,dust and vermin proof,floor mounting sheet steel clad switchboard fabricated out of 2 mm thick CRCA powder coated sheet steel suitable for use at 415 volt 3 phase 4wire 50 cycle system,BMS Compiatable and to withsatans a symmetrical fault level of below mentioned kA at 415 volt. panels shall be fabricated in easily transportable sections,length,height,depth etc.to match with site condition,complete in all respect.				
	INCOMER:- 1 Nos.320-400 Amps. TPN MCCB(36 KA) Breaking capacity.				
	1 Set of RYB phase Indication lamps with suitable rating MCB 1 Set of ON/OFF Indication lamps along with 2A SP MCB backup protecting. 1 set Digital Ampere meter with suitable rating CT and selector switch 1 set Digital Volt meter with suitable rating MCBs and selector switch				
	Busbar Electrolytic high conductivity aluminium three phas and neutral busbars rated at 415V, 125 amps,35 kA,insulated with heat shrinkable coloured PVC sleeves & clip on shrounds for joints. The busbar sizing calculations shall be sumitted for approval,considering all derating factors. 3 Nos. 40 Amps. TPN MCCB(16 KA) with electronic releases.				
	Outgoings				

For, Bharat Commercial Agency
Unit of Shashi Ranian Enterprises Pvt. Ltd.

Manager

Chief Eng neer

B.S.E.I.D.C. Ltd, Patna

Ruhou

24/09/19

		1>			
	DG SET Supplying, Installing, commissioning, Testing Generator 100 KVA with autostart facility of approoved brand all complete job with installation, earthing, civil Works, Providing cable of required length for connection as per direction of E/I.	1.00	Each	1021039	Rupees ten lac twenty one thousand thirty nine only.
	Supplying Installing Testing & commissioning LED TV of screen size 42" of make Sony Bravia or Equivalent with all fittings complete job as per approoved by E/I.	2.00	Each	65000	Rupees sixty five thousand only.
101	Brand new ISI marked ABC type multipurpose Fire Extinguishers 4 Kgs. Capacity, fitted with pressure guage complete in all respects, ready to use, complete installation kit.	30.00	Each	7549.75	Rupees seven thousand five hundred fortunine & paise seventy five only.
102	Ceiling Mounted Automatic Extinguisher:- Supplying 5Kg Ceilling Mounted Fire Extinguisher mono ammonium phosphate powder 90(MAP 90) confirming to IS specification 15683 stored auto discharge mechanism applicable on Class ABC and electrically started fire, ISI and CE approoved, 5 Year warranty as per direction of E/I.	15.00	Each	11924.06	Rupees eleven thousand nine hundred twenty four & paise six only.
	CCTV WORK				
103	Supply and Installation of 2 Megapixel IP CCTV HD dome camera(Night Vision) with metal body having audio support system of approoved brand as per direction of E/I.	20.00	Each	4484	Rupees four thousand four hundred eight four only.
104	Supply and Installation of 4 Megapixel HD dome camera(Night Vision) with metal body having audio support system of approoved brand as per direction of E/I.	7.00	Each	5725	Rupees five thousand seven hundred twenty five only.
105	Supply and Installation of 4 Megapixel HD Bullet camera(Night Vision) with metal body having audio support system of approoved brand as per direction of E/I.	4.00	Each	8755	Rupees eight thousand seven hundred fil five only.
106	Supply and Installation of NVR with 32 channel camera & audio of approoved brand as per direction of E/I.	1.00	Each	46450	Rupees forty six thousand four hundred fi only.
107	Supply and Installation of I Ball Rack-4U of approoved brand	1.00	Each	4130	Rupees four thousand one hundred thirt only.
108	as per direction of E/I. Supply and Installation of POE Gigabit Switch 16 port of metal	2.00	Each	11800	Rupees eleven thousand eight hundred only.
109	body of approoved brand as per direction of E/I. 4 TB hard disk capacity expandable upto 12 TB of approoved	1.00	Each	10620	Rupees ten thousand six hundred twent only.
110	brand as per direction of E/l. Power supply for 32 nos. camara with all necessary fittings	1.00	Each	12560	Rupees twelve thousand five hundred six
111	complete job as per direction of E/l. Supplying installing, testing and commissioning 27" inch LED	1.00	Each	21760	only. Rupees twenty one thousand seven
112	Monitor of approoved brand as per direction of E/I. Supply and laying of Cat-6 data cables in PVC conduit	500.00	Metre	59	hundred sixty only. Rupees fifty nine only.
113	Supplying Installing, Testing and commissioning of WXGA projector having Projection Technology RGB liquid crystal shutter projection system (3LCD) Size 0.59" with MLA (D8),	. Verification of the second		Application	
	Focal Length 6.4mm Zoom Ratio 1.0 - 1.35 (Digital Zoom) with Power Cable: 4.5m, Remote Control ,Computer Cable (VGA Cable): 1.8 m (EB-535W/EB-525W), Interactive Pen x 1 (EB-536Wi), USB cable: 5m (EB-536Wi) of make Panasonic /	1.00	Piece	70999	Rupees seventy thousand nine hundre ninety nine only.
114	EPSON Equivalent as per direction of E/I. Supplying Installinng, Testing and commissioning of Ceiling mount kit for projector Online / Equivalent as per direction of	1.00	Piece	4500	Rupees four thousand five hundred on
115	E/I. Supplying Installinng, Testing and commissioning of 6'X8', 16:10 Aspect Ratio, Motorized Projection Screen of make Suvira/Milan or equivalent as per direction of E/I.	1.00	Piece	20500	Rupees twenty thousand five hundred o
116	Supplying Installinng, Testing and commissioning of 65" Professional LED Display of make Panasonic/Sony or Equivalent as per direction of E/I.	1.00	Piece	228000	Rupees two lac twenty eight thousand o
117 (A)	Supplying Installing, Testing and commissioning of 42" Professional LED Display of make Panasonic/Sony of Equivalent as per direction of E/I.	2.00	Piece	169728	Rupees one lac sixty nine thousand sev hundred twenty eight only.
117 (b)	Supplying Installinng, Testing and commissioning of Passive Face Plate with VGA + Audio and HDMI of make Extron/Kramer or equialent as per direction of E/I.	1.00	Piece	5200	Rupees five thousand two hundred on

M 23 2

Chief Eng neer

B.S.E.I.D.C. Ltd. Patna

Weshows

24/9

24/9

1)

		(10)			
	3 Input Switcher Media Presentation Switcher with DTP 330 Extension with HDMI to Output DTP DA - 230 feet (70 m), HDMI Patch Cables, HDMI Receiver and all other accessories of make Extron/ kramer all complete job as per direction of E/I.	1.00	Piece	32000	Rupees thirty two thousand only.
	Supplying Installinng, Testing and commissioning of RealPresence Group 500 - 720p: Group 500 HD codec, EagleEyelV-12x camera, mic array, univ. remote, NTSC/PAL. Cables: 2 HDMI 1.8m, 1 CAT 5E LAN 3.6m, 1 HDCl digital 3m all complete of make Polycom / Equivalent as per direction of E/I.	1.00	Piece	727985	Rupees seven lac twenty seven thousand nine hundred eighty five only.
120	Supplying Installinng, Testing and commissioning of Partner Premier, One Year, Real Presence Group 500-720p of make Polycom / Equivalent all complete as per direction of E/I.	1.00	Service	72760	Rupees seventy two thousand seven hundred sixty only.
	Supplying Installinng, Testing and commissioning of Partner Advantage, One Year, RealPresence Touch with silver of make Polycom / Equivalent all complete as per direction of	1,00	Service	10761	Rupees ten thousand seven hundred sixty one only.
122	E/l. Polycom RealPresence Touch with silver trim for use with Group Series models. Requires PoE network connection or optional external power supply (2200-42740-XXX). One year Premier Maintenance Included in CALA of make Polycom / Equivalent all complete as per direction of E/l.	1.00	Service	984	Rupees nine hundred eighty four only.
123	Supplying Installinng, Testing and commissioning of AC Power Kit for SoundStation IP 6000 and Touch Control. Includes 100-240V, 0.4A, 48VDC power supply, 1.8m power cord, Power-over-Ethernet Insertion Cable (PIC) of make Polycom / Equivalent all complete as per direction of E/I.	1.00	Piece	13795	Rupees thirteen thousand seven hundred ninety five only.
124	Supplying Installinng, Testing and commissioning of Polycom Pano. Wireless Presentation System. 4K 60fps RGB444 output, HDMI in 4K 30fps, Miracast, Airplay, App, Touch. Cables: 1 HDMI 1.8m, 1 CAT 5E LAN 3.6m, 1 USB Type-B 2m, Power: INDIA-Type of make Polycom / Equivalent all complete as per direction of E/I.	1.00	Piece	134992	Rupees one lac thirty four thousand nin hundred ninety two only.
125	Multipoint License Mixed protocol dialing, including IP, ISDN, and Serial HDX Series supports up to 4 participants, Group Series supports up to 6 participants on Group 500 and 8 participants on Group 700, Support for H.239 content sharing technology from any endpoint in the call of make Polycom / Equivalent all complete as per direction of E/I.	1.00	License	213527	Rupees two lac thirteen thousand five hundred twenty seven only.
126	Supplying, Installing, Testing, Commissioning of EagleEye Producer for EagleEye IV camera - For all Group Series running 4.2 or later. Includes EagleEye Producer system, 1 mini-HDCl to HDCl cable, 1 mini-HDCl (f) to HDCl cable, power supply, cord: India BIS. Maint. contract required. of make Polycom / Equivalent all complete as per direction of E/I.	1.00	License	236342	Rupees two lac thirty six thousand thre hundred forty two only.
127	Providing fitting and fixing of Bosch or equivalent make CHAIRMAN MIKE do do all complete job as per direction of E/I.	6.00	Each	21460	Rupees twenty one thousand four hund sixty only.
128	Providing fitting and fixing of Bosch or equivalent make DELEGATE MIKE do do all complete job as per direction of	68.00	Each	18860	Rupees eighteen thousand eight hundr sixty only.
129	Providing fitting and fixing of Bosch or equivalent make HOST AMPLIIER UNIT do do all complete job as per direction of E/I.	2.00	Each	58855	Rupees fifty eight thousand eight hund fifty five only.
130	Providing fitting and fixing of Bosch or equivalent make STABILIZER 1 KV do do all complete job as per direction of E/I.	2.00	Each	4990	Rupees four thousand nine hundred nin only.
131	Providing fitting and fixing of Bosch or equivalent make o AMPLIFIER 150WATTS USB do do all complete job as pe	r 2.00	Each	12080	Rupees twelve thousand eighty only
132	to the property of the propert	r 10.00	Each	4800	Rupees four thousand eight hundred o

For, Bharat Commercial Agency Unit of Shoshi Romiun Enterprises Pvt. Ltd. Managar

Chief Eng neer

B.S.E.I.D.C. Ltd. Patna

٠ 4-) 1)

		17		·	
133	Providing fitting and fixing Wall/Ceiling Speaker 2-Way Speaker make of Bosch or equivalent do do all complete job as per direction of E/I.	14.00	Each	5100	Rupees five thousand one hundred only.
134	Providing fitting and fixing podium with Inbuilt Speakers, Amplifier, Cordless Mic, Podium Mic, Usb Port make of Bosch or equivalent do do all complete job as per direction of E/I.	1.00	Each	44000	Rupees forty four thousand only.
135	VRF Outdoor units: Supply of Multi V IV/V compressor (Rotary/Scroll) outdoor units with condenser unit, Fan unit, Piping, Wiring, connections, control relay units, capacitors, suitable for reversible cycle operations (Heating and Cooling),				
а	20 HP	6.00	Nos.	463000	* Rupees four lac sixty three thousand only
b	16 HP	1.00	Nos.	349650	Rupees three lac forty nine thousand six hundred fifty only.
С	14 HP	1.00	Nos.	338300	Rupees three lac thirty eight thousand thre hundred only.
136	Supply of VRF Indoor Unit				
а	8 Tr Ductable	5.00	~ Nos.	87400	Rupees eighty seven thousand four hundre only.
b	3.0 Tr Cassette Unit	8.00	Nos.	39200	Rupees thirty nine thousand two hundred only.
С	2.5 Tr Cassette Unit	4.00	Nos.	38300	Rupees thirty eight thousand three hundre only.
d	1.5 Tr Cassette Unit	5.00	Nos.	35900	Rupees thirty five thousand nine hundred only.
е	1.25 Cassette Unit	7.00	Nos.	34800	Rupees thirty four thousand eight hundre only.
ſ	1.0 Cassette Unit	2.00	Nos.	32300	Rupees thirty two thousand three hundre only.
g	0.75 Cassette Unit	8.00	Nos.	31300	Rupees thirty one thousand three hundre only.
137	Remote control.				<u></u>
а	Wired Remote Control	5.00	Nos.	3150	Rupees three thousand one hundred fift only.
b	Wireless Remote Control	34.00	Nos.	2750	Rupees two thousand seven hundred fift only.
138	Supply of Imported Y-Branches	48.00	Nos.	9500	Rupees nine thousand five hundred only
a	Supply of Cassette Panel	39.00	Nos.	7550	Rupees seven thousand five hundred fift only.
b	Outdoor Connector	5.00	Nos.	11500	Rupees eleven thousand five hundred on
139	Installation, Testing & Commissioning of VRF System	* Secretary			
Α	ODU Unit				
a.	20 HP ODU (Top Discharge)	6.00	Nos.	28320	Rupees twenty eight thousand three hundred twenty only.
b	16&14HP ODU (Top Discharge)	2.00	Nos.	31152	Rupees thirty one thousand one hundre fifty two only.
В	IDU Unit				
а	8 Tr. Duct Unit	5.00	Nos.	7670	Rupees seven thousand six hundred seven only.
b	3.0 Tr Cassette Unit	8.00	Nos.	4130	Rupees four thousand one hundred thir only.
С	2.5 Tr Cassette Unit	4.00	Nos.	4130	Rupees four thousand one hundred thir only.
d	1.5 Tr Cassette Unit	5.00	Nos.	3540	Rupees three thousand five hundred for only.
е	1.25 Cassette Unit	7.00	Nos.	3540	Rupees three thousand five hundred for

10.00

300.00

300.00

Nos.

RMT

RMT

For, Bharat Commercial Agency Unit of Shdshi Ramian Enterprises Pvt. Ltd. Manager

conduits between indoor and outdoor units

Cu. Ref pipe with standard Insulation both Liquid & Suction

requirment at site to connect indoor unit to outdoor unit

6.35 mm to 53.98 mm with (insulation - 19 mm) according to

Control wiring of 2 core x 1.5 sqmm copper in suitable

1.0 / 0.75 tr Cassette Unit

f

140

a.

Chief Eng neer

B.S.E.I.D.C. Lyd. Patna

2/19

2/19

only. Rupees three thousand five hundred forty

only.

Rupees one thousand three hundred fifty

seven only. Rupees two hundred eighty three & paise

3540

1357

283.2

1 /2. () and the second of the second o

		(8)			
142	Charging of R 410A Refrigerant	70.00	KGs	1180	Rupees one thousand one hundred eighty only.
143	PVC Drain Piping complete with fittings as per requirment and duly insulated with 6 MM thick closed cell nitrile rubber insulation 25 MM	300.00	RMT	277.3	Rupees two hundred seventy seven & paise thirty only.
144	GSS DUCT WORK	E AND		100	
	Conventional site fabricated ducts, supply, Fabrication, Installation and Testing of sheet metal ducts in accordance with the approved shop drawings and specifications. Ducts shall be fabricated using lock forming machine.				
a.	0.63 mm (24 gauge) GSS	170.00	SqM	1003	Rupees one thousand three only.
b.	0.80 mm (22 gauge) GSS	60.00	SqM	1121	Rupees one thousand one hundred twenty one only.
145	INSULATION	1000			
a.	Acoustic insulation inside the SA Ducts	60.00	SqM	914.5	Rupees nine hundred fourteen & paise fifty only.
b.	insulation over the SA ducts with 13mm thick Aluminium foil faced Glass wool	170.00	SqM	855.5 established	Rupees eight hundred fifty five & paise fifty only.
146	GRILLS				
а	Supply Air Grills/Diffuser (With Damper)	4.00	SqM	11210	Rupees eleven thousand two hundred ten only.
b.	Return Air Grills (With Damper)	3.00	SqM	8850	Rupees eight thousand eight hundred fifty only.
147	Canvas Connection	7.00	Nos.	1770	Rupees one thousand seven hundred seventy only.
148	Breezing of Y Branch	48.00	Nos.	1770	Rupees one thousand seven hundred seventy only.
149	MS Hanger for supporting the Copper Pipe, Drain Pipe & Ducts etc	285.00	RMT	560.5	Rupees five hundred sixty & paise fifty only
150	ALL IN ONE-DESKTOP Supplying, Installing, Testing & Commissioning of Desktop Computer with Intel core I7 7th Gen with 8GB Ram, 1TB Hard disk USB Keyboard, USB Mouse, Preofessional Win10, 19.5"TFT having 3 Years Onsite warranty.(DELL/HP or Equivalent)	. 6.00	Nos	92400	Rupees ninety two thousand four hundred only.
151	DESKTOP(VC) Supplying, Installing, Testing & Commissioning of iMac 21.5-inch with Retina 4K display 21.5-inch (diagonal) LED-backlit display 3.0GHz or 3.4GHz quad-core Intel Core i5 processor Turbo Boost up to 3.8GHz 8GB memory 1TB (5400-rpm) hard drive or 1TB Fusion Drive2 having 1 Year Onsite warranty all complete as per direction of E/I.	1.00	No	139488.27	Rupees one lac thirty nine thousand four hundred eighty eight & paise twenty sever only.
152	DESKTOP Supplying, Installing, Testing & Commissioning of Desktop Computer with Intel core I5 7th Gen with 4GB Ram, 1TB Hard disk USB Keyboard, USB Mouse, Preofessional Win10, 18.5"TFT having 3 Years Onsite warranty.(DELL/HP or Equivalent)	25.00	Nos	61706	Rupees sixty one thousand seven hundred six only.
153	LAPTOP Supplying, Installing, Testing & Commissioning of Laptop with Intel core I7 8th Gen with 8GB Ram, 2GB Graphics Card, 1TB Hard disk with DVD drive, Preofessional Win10, 15.6"TFT having 3 Years Onsite warranty.(DELL/HP or Equivalent)	3.00	Nos	106306	Rupees one lac six thousand three hundred six only.
154	Off Line UPS Supplying, Installing, Testing & Commissioning of Off Line UPS with 1KVA,Nominal Input voltage: 135-300V AC / 50Hz+5% Output Voltage: 230V VA + 9%, 40-50 minutes Power backup, one year warranty.(Microtek or Equivalent)	29.00	Nos	6500	Rupees six thousand five hundred only.
155	Mid Level Photo Copier Speed Up to 45 ppm, Monthly Duty Cycle* Up to 175,000 pages, Hard Drive/Processor/Memory Minimum 250 GB HDD/1.8 GHz Quad Core/4 GB system memory, Connectivity 10/100/1000Base-T Ethernet, High-Speed USB 2.0 direct-print, Wi-Fi Direct® with optional Xerox® USB Wireless Adapter, NFC Tap-to-Pair, Copy and Print Copy Resolution: Up to 600 x 600 dpi; Print Resolution: Up to 1200 x 1200, 256 shades of grey with Mobile & Cloud Connectivity(Canon or Equivalent)	2.00	Nos	165000	Rupees one lac sixty five thousand only.

For, Bharat Commercial Agency Unit of Shoshi Raman Enterprises Pvt. Ltd. Manager

Chief Eng neer

3.S.E.I.D.C. Ltd. Patna

Lalogue

24109119

- Jan 1 1 gytytek fatt i kan samman samma

		12			
156	Normal Level Photo Copier Speed Up to 45 ppm, Monthly Duty Cycle* Up to 175,000 pages, Hard Drive/Processor/Memory Minimum 250 GB HDD/1.8 GHz Quad Core/4 GB system memory, Connectivity 10/100/1000Base-T Ethernet, High-Speed USB 2.0 direct print, Wi-Fi Direct® with optional Xerox® USB Wireless Adapter, NFC Tap-to-Pair, Copy and Print Copy Resolution: Up to 600 x 600 dpi; Print Resolution: Up to 1200 x 1200, 256 shades of grey with Mobile & Cloud Connectivity (Canon or Equivalent)	2.00	Nos	93000	Rupees ninety three thousand only.
157	Multi-Function colour printer Supplying, Installing, Testing & Commissioning of Multi-Function colour printer with Print speed black: Normal: Up to 33 ppm, colour: Normal: Up to 20 ppm, maximum resolution 600x1200dpi, Print technology Inktank, Hi-Speed USB 2.0 port built-in Fast Ethernet 10/100Base-TX network port, Scanner type Flatbed, Scan resolution of optical Up to 1200 dpi, with 2.4" LCD screen(Canon or Equivalent)	3.00	Nos	27509	Rupees twenty seven thousand five hundred nine only.
158	All in one printer Supplying, Installing, Testing & Commissioning of A4 Mono Monolithic printer with Print speed black: Normal: Up to 25 ppm,Duty cycle (monthly, A4) Up to 10000 pages, Print technology Laser, Hi-Speed USB 2.0 port built-in Fast Ethernet 10/100Base-TX network port, Scanner type Flatbed, ADF, Scan resolution of optical Up to 1200 dpi.(Canon or Equivalent)	20.00	Nos	15728	Rupees fifteen thousand seven hundred twenty eight only.
159	DUAL FACEPLATE Supplying, Installing, Testing & commissioning of Dual Face Plate as per direction of E/I of approoved brand.	48.00	Nos	100	Rupees one hundred only.
160	KEYSTONE Supplying, Installing, Testing & commissioning of Keystone as per direction of E/I of approoved brand.	96.00	No	200	Rupees two hundred only.
161	BACKBOX Supplying, Installing, Testing & commissioning of Backbox for networking panel as per direction of E/I of approoved brand.	96.00	Nos	115	Rupees one hundred fifteen only.
162	24PORT PATCH PANEL Supplying, Installing, Testing & commissioning of 24 Port patch panel as per direction of E/I of approoved brand.	2.00	Nos	7467	Rupees seven thousand four hundred sixty seven only.
163	16 PORT UNMANAGED GIGABIT SWITCH Supplying, Installing, Testing & commissioning of 16 Port Unmanaged Gigabit Switch as per direction of E/I of approoved brand.	2.00	Nos	7272	Rupees seven thousand two hundred seventy two only.
164	24 PORT UNMANAGED GIGABIT SWITCH Supplying, Installing, Testing & commissioning of 24 Port Unmanaged Gigabit switch as per direction of E/I of approoved brand.	2.00	Nos	8500	Rupees eight thousand five hundred only.
165	RACK 4U 24 PORT UNMANAGED GIGABIT SWITCH Supplying, Installing, Testing & commissioning of Rack 4U as per direction of E/I of approoved brand.	2.00	Nos	4500	Rupees four thousand five hundred only
166	CAT 6 CABLE- COPPER	1150.00	Meter	30	Rupees thirty only. Rupees one thousand six hundred fifty nine
167	RJ 45- CAT 6	150.00	Meter	1659	only.
168	S/F PVC Conduit:-				
	Supplying and fixing of following sizes of PVC conduit alongwith the accessories in surface / recess including cutting the wall and making good the same in case of recessed conduit as required for Tele, RJ45 Cat 6 data outlet for computer network.				
a)	20 mm	1150.00	Meter	55	Rupees fifty five only.
b)	32 mm	150.00	Meter	109	Rupees one hundred nine only.
169	0.5 METER PATCH CORD Supplying, Installing, Testing & commissioning of 0.5 Meter Patch Cord for networking panel as per direction of E/I of approoved brand.	48.00	Nos	160	Rupees one hundred sixty only.
170	2 METER PATCH CORD Supplying, Installing, Testing & commissioning of 2.0 Meter Patch Cord for networking panel as per direction of E/I of	48.00	Nos	255	Rupees two hundred fifty five only.
	approoved brand.		1	1	KON 241

Chief Eng neer

B.S.E.I.D.C. Lid, Patna

Ples

2419

2419

Andrew St.

en de la companya de la co

•

		20			
171	TERMINATION OF CAT6 AT FIELD & PATCH PANEL ENDS	48.00	Nos	100 🖾	Rupees one hundred only.
172	Installation & fixing of I/O box do do all complete job as per directtion of E/I.	48.00	Nos	120	Rupees one hundred twenty only.
173	EPABX having active 166 analog ,4 digital extensions with PRI system	1.00	Nos	212500	Rupees two lac twelve thousand five hundred only.
174	Telephone set				
a)	Analogue set	50.00	Nos	1139	Rupees one thousand one hundred thirty nine only.
b)	Digital set	10.00 🦽	Nos	3490	Rupees three thousand four hundred ninel only.
175	Telephone socket outlet	60.00	Each	95.95	Rupees ninety five & paise ninety five only
	GROUND FLOOR	· Contraction			and the same of th
	OFFICE 05 NOS+CHAMBER+ PROCTOR CHAMBER		***************************************		
176	Table of size 1800x2100x750 Work Surface- Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade. Edge banded with matching 2 mm thick PVC lipping. Gromet provided on work surface for wire management, Modesty Panel- Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade confirming to 1S-12823:1990, Edge banded with matching 2 mm thick PVC lipping. Under structure- Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade confirming to 1S-12823:1990, Edge banded with matching 2 mm thick PVC lipping. Hinge Door Storage - Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade confirming to 1S-12823:1990, Edge banded with matching 2 mm thick PVC lipping . Handle is provided for ease of opening, Storage is provided with cam lock for security. (Methodex, Wipro, Godrej, Durian or Equivalent).	7.00	Each	70798	Rupees seventy thousand seven hundred ninety eight only.
177	Chair High back pneumatic height adjustment cushioned revolving chair made up of 1.2cm thick hot pressed ply wood seat & back upholstered with fabric with moulded polyurethane foam together with moulded ABS seat & back integral skin polyurethane with reinforced with M.S. Insert. The tilt mechanism adjustment upright locking, 360 degree revolving type fitted with 05 nos. twin wheel castor dia 5 cm (Methodex, Wipro, Godrej, Durian or Equivalent).	7.00	Each	19535	Rupees nineteen thousand five hundred thirty five only.
178	Visitor Chair The seat and back are made up of 1.2cm thick hot pressed plywood, Upholstered with fabric and moulded Polyurethane be Foam together with moulded ABS seat and back covers The Back foam is designed with contoured lumber support for extra comport. The back size: 50cm (W) x 49cm (H) and seat size 50cm (W) x 46cm (D). The Tubular Frame is cantilever type & made of dia 2.54cm x 14 BG M.S. E.R.W. tube and black Powder coated. The polyurethane foam is moulded with density= 45+/-2Kg/m3 and hardness =20+/2 kg. on hampden machine at 25% compression. The Armrest is one piece made of black integral skin polyurethane with 50-70 shore 'A' hardness and reinforced with MS insert. (Methodex, Wipro, Godrej, Durian or Equivalent).	21.00	Each	10706	Rupees ten thousand seven hundred six only.
	Almirah with four shelves Almirah of size 1981 x 916 x 486			•	
179	MM multi bend construction and inter locking design and full length over apping doors and sides. Three-way bolting mechanism. Spot welding & CO2 welding. Anticorrosion treated components, oven baked powder coating process. Material thickness 0.9mm.Top, Bottom,LH & RH sides and back material thickness= 0.9mm,Removable RH & LH main door with stiffeners material thickness= 0.9mm, 4 adjustable shelves of thickness= 0.8mm. (Methodex, Wipro, Godrej, Durian or Equivalent).	7.00	Each	22624	Rupees twenty two thousand six hundred twenty four only.

For. Bharat Commercial Agency
Unit of Shashi Roman Enterprises Pvt. Ltd.

Manager

Chief Eng neer
B.S.E.I.D.C. Ltd. Patna

.)

)

1

(Memory)

)

. .

4	
-/	_#

		.21			
180	Main Desk with ERU, Joining Desk, Mobile Pedestal, 01 No. Back Unit & 02 Nos. Book Case Unit Executive Table made of MDF board clad with laminate. Desk & ERU are post formed Desk Top size 1800 x 900 x 750, ERU of size 1400 x 470 x 720 with drawers unit Joining desk of size 1200 X 1050 X 750 & one Mobile drawer unit of size 400 x 560 x560 for main desk. Back Unit Top made of 25 mm MFC (Melamine Faced Chipboard), Door & other panel-18 mm MFC. The Dimension of Back Unit is 1400 x 470 x 760 mm Book Case Unit Top & Bottom Panel made of 25 mm MFC (Melamine Faced Chipboard), Wood Door Panel-18 mm MFC with 5mm Glass Door, All other Panels 18 mm MFC, Metal Handle The Dimension of Book Case Unit is 790 x 400 x 2200 mm (Methodex, Wipro, Godrej, Durian or Equivalent).		Each	276653	Rupees two lac seventy six thousand six hundred fifty three only.
181	High Back Chair High Back Revolving Chair with Seat/Back Assembly: The seat is made up of 1.2 +/- 0.1 cm thick hot pressed and upholstered with leather and moulded Polyurethane Foam is moulded with density 45 +/- 2 Kg/sq. meter and hardness load 16 +/- 2 Kgf as per IS:7888 for 25% compression. The back foam is designed with contoured lumber support for extra comfort. Size 53.0 cm W x 95.0 cm H. The seat and back are arrested together with spine made of 0.8 +/-0.05 thick HR Steel and is black powder coated. The armrest assy. Comprises of three parts viz. the armrest support tube and PU armrest and the armrest top. The common tube assy. Is made of 2.54+/-0.03 cm x 0.16 +/-0.0128 cm M.S. E.R.W. support tubes and chrome plated. (Methodex, Wipro, Godrej, Durian or Equivalent).	1.00	Each	63652	Rupees sixty three thousand six hundred fifty two only.
182	Visitor Chair Visitor Chair with Seat/Back made up of thick hot pressed and upholstered with leather and moulded Polyurethane Foam is moulded with density 45 +/-2 Kg/sq. meter and hardness load 16 +/-2 Kgf as per IS:7888 for 25% compression. The back foam is designed with contoured lumber support for extra comfort. The armrest assy. Comprises of three parts viz. the armrest support tube and PU armrest and the armrest top. The common tube assy. (Methodex, Wipro, Godrej, Durian or Equivalent).	6.00	Each	35674	Rupees thirty five thousand six hundred seventy four only.
183	Sofa Set(3+1+1) Dimension of 1 Seater 920W x 870D x730H and Three Seater of 1750W x 870D x730H, made of PVC Upholstery, Frame Material: Tropical Solid Wood joined by means of hardened steel screws and steel bolts, as well as glue, Seat Foam: Slab stock foam along with recron sheet. Foam Density: 17 kg/ cubic cm, Back Foam: Slab stock foam with recron fill. Foam Density: 17 kg/cubic cm, Webbing: Sspring with cross membrane (Methodex, Wipro, Godrej, Durian or Equivalent).	1.00	Each	64952	Rupees sixty four thousand nine hundred fifty two only.
184	Centre Table Sturdy Coffee tables, elegantly crafted in wood and metal combinations with float glass top & second layer below the top, the float glass top joined using UV technology for a good & clean look of top size 1000 mmW x 450 mmH x 650mm D (Methodex, Wipro, Godrej, Durian or Equivalent).	1.00	Each	15561	Rupees fifteen thousand five hundred sixty one only.
	PA TO REGISTRAR+OFFICE-03NOS+CHAMBER-01 NO.+CABIN-				

For, Bharat Commercial Agency Unit of Shashi Raman Enterprises Pvt. Ltd. Manager

Chief Engineer
B.S.E.I.D.C. Lyd. Patna

in the property and the second of the second

asser Sussement Sussement

1

+ }

, military,

		22			
185	Table of size 1500 x 750 x 743 Desk Top thickness 18, Top Dimensions- 1500 x 750, Overall Height 743 Understructure: The understructure is in prelam panels, made with PLT boards.2Drawer and 3Drawer storage units with different combinations to support Tops, made with 18mmPLT boards of different colours. Modesty and back panels, made with 18mm PLT boards. The Pedestals/Storages are fitted with necessary Locks PLT Board Tops (Straight Edges): Tops are of 18mm thickness. Made of 18mm thick PLT board with 2mm Edge banding. Wenge and Savannah Maple PLT board used for making Tops. PVC membrane Tops (with profiles):Tops for senior main and back unit desk are of PVC membrane pressed. Made of 25mm thick MDFone side laminate board with 0.4mm PVC membrane pressed on to tops. The top has Duck nose and half round profiles edges. he top is made in only one finish: European Ash. (Methodex, Wipro, Godrej, Durian or Equivalent).	8.00	Each	20570	Rupees twenty thousand five hundred seventy only.
186	Chair Mid back pneumatic height adjustment cushioned revolving chair made up of 1.2cm thick hot pressed ply wood seat & back upholstered with fabric with moulded polyurethane foam together with moulded ABS seat & back integral skin polyurethane with reinforced with M.S. Insert. The tilt mechanism adjustment upright locking, 360 degree revolving type fitted with 05 nos. twin wheel castor dia 5 cm. machine at 25% compression. The Armrest is one piece made of black integral skin polyurethane with 50-70 shore hardness and reinforced with MS insert. (Methodex, Wipro, Godrej, Durian or Equivalent).	11.00	Each	18343	Rupees eighteen thousand three hundred forty three only.
187	Visitor Chair The seat and back are made up of 1.2cm thick hot pressed plywood, Upholstered with fabric and moulded Polyurethane be Foam together with moulded ABS seat and back covers The Back foam is designed with contoured lumber support for extra comport. The back size: 50cm (W) x 49cm (H) and seat size 50cm (W) x 46cm (D). The Tubular Frame is cantilever type & made of dia 2.54cm x 14 BG M.S. E.R.W. tube and black Powder coated. The polyurethane foam is moulded with density= 45+/-2Kg/m3 and hardness =20+/2 kg. on hampden machine at 25% compression. The Armrest is one piece made of black integral skin polyurethane with 50-70 shore 'A' hardness and reinforced with MS insert. (Methodex, Wipro, Godrej, Durian or Equivalent).	22.00	Each	10706	Rupees ten thousand seven hundred six only.
188	Almirah with four shelves Almirah of size 1980 x 916 x 486 MM multi bend construction and inter locking design and full length over apping doors and sides. Three-way bolting mechanism. Spot welding & CO2 welding. Anticorrosion treated components, oven baked powder coating process. Material thickness 0.9mm.Top, Bottom,LH & RH sides and back material thickness= 0.9mm,Removable RH & LH main door with stiffeners material thickness= 0.9mm, 4 adjustable shelves of thickness= 0.8mm (Methodex, Wipro, Godrej, Durian or Equivalent).	11.00	Each	22624	Rupees twenty two thousand six hundred twenty four only.
			 		

For, Bharat Commercial Agency Unit of Sharking Enterprises Pvt. Ltd Manager

Chief Eng neer

B.S.E.I.D.C. Lid, Patna

101

() (_)

		20			
	Table of size 2100x2250x750 Work Surface- Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade.Edge banded with matching 2 mm thick PVC lipping. Gromet provided on work surface for wire management, Modesty Panel- Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade confirming to 15-12823:1990, Edge banded with matching 2 mm thick PVC lipping. Under structure- Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade confirming to 15-12823:1990, Edge banded with matching 2 mm thick PVC lipping. Hinge Door Storage - Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade confirming to 15-12823:1990, Edge banded with matching 2 mm thick PVC lipping . Handle is provided for ease of opening, Storage is provided with cam lock for security. (Methodex, Wipro, Godrej, Durian or Equivalent).	1.00	Each .	89997	Rupees eighty nine thousand nine hundred ninety seven only.
190	Backunit OF SIZE 1800x500x1800 Under structure- Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade confirming to 1S-12823:1990, Edge banded with matching 2 mm thick PVC lipping. Hinge Door Storage-Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade confirming to 1S-12823:1990, Edge banded with matching 2 mm thick PVC lipping . Handle is provided for ease of opening, Storage is provided with cam lock for security. (Methodex, Wipro, Godrej, Durian or	1.00	Each	55998	Rupees fifty five thousand nine hundred ninety eight only.
191	Equivalent) Chair High back pneumatic height adjustment cushioned revolving chair made up of 1.2cm thick hot pressed ply wood seat & back upholstered with fabric with moulded polyurethane foam together with moulded ABS seat & back integral skin polyurethane with reinforced with M.S. Insert. The tilt mechanism adjustment upright locking, 360 degree revolving type fitted with 05 nos. twin wheel castor dia 5 cm (Methodex, Wipro, Godrej, Durian or Equivalent).	1.00	Each	19535	Rupees nineteen thousand five hundred thirty five only.
192	Visitor Chair seat and back are made up of 1.2cm thick hot pressed plywood, Upholstered with fabric and moulded Polyurethane be Foam together with moulded ABS seat and back covers The Back foam is designed with contoured lumber support for extra comport. The back size: 50cm (W) x 49cm (H) and seat size 50cm (W) x 46cm (D). The Tubular Frame is cantilever type & made of dia 2.54cm x 14 BG M.S. E.R.W. tube and black Powder coated. The polyurethane foam is moulded with density= 45+/-2Kg/m3 and hardness =20+/2 kg. on hampden machine at 25% compression. The Armrest is one piece made of black integral skin polyurethane with 50-70 shore 'A' hardness and reinforced with MS insert. (Methodex, Wipro, Godrej, Durian or Equivalent).	6.00	Each	10706	Rupees ten thousand seven hundred six only.
193	Almirah with four shelves Almirah of size 1981 x 916 x 486 MM multi bend construction and inter locking design and full length over apping doors and sides. Three-way bolting mechanism. Spot welding & CO2 welding. Anticorrosion treated components, oven baked powder coating process. Material thickness 0.9mm.Top, Bottom,LH & RH sides and back material thickness= 0.9mm,Removable RH & LH main door with stiffeners material thickness= 0.9mm, 4 adjustable shelves of thickness= 0.8mm. (Methodex, Wipro, Godrej, Durian or Equivalent).	1.00	Each	22624	Rupees twenty two thousand six hundre twenty four only.
194	RECEPTION AND WAITING Reception Table double arch with DL Top Modular elegant table of curvilinear decorative laminate top 18mm thick at 725mm H (Approx) and 10mm frosted glass at 1035mm H(Approx) above the work surface. The understructure made of mild steel tube dia 50.8mm. The front modesty panel below and above work surface made of 0.8mm mild steel perforated sheet. nova 3 drawers free standing pedestal of size 300W x 435Dx 646H(Approx.) (Methodex, Wipro, Godrej, Durian or Equivalent).	1.00	Each	65279	Rupees sixty five thousand two hundre seventy nine only.

For, Bharat Commercial Agency Unit of Sheshi Remon Enterprises Pvt. Ltd. Manager

Chief Eng neer
B.S.E.I.D.C. Lid Patna
10.

y Jung 4) -1) French Sto

1

		2	Lj		
195	Chair SEAT/BACK ASSEMBLY: The seat and back are made up of 1.2 cm thick hot pressed plywood, upholstered with fabric and moulded Polyurethane foam with PVC lipping all around. The back foam is designed with contoured lumbar support for extra comfort. SIZE: 41.0cm. (W) X 46.0cm. (H). POLYURETHANE FOAM: The Polyurethane foam is moulded with density = 45 +/-2 kgs. / M3 and Hardness = 20 +/-2 on Hampden machine at 25% compression. ARMRESTS- The armrest is made of black integral skin polyurethane with 50-70 Shore A hardness and reinforced with MS insert. The P.U. armrest is fixed to black powder coated armrest bracket made of 0.5cm thk. H.R. Steel. PEDESTAL ASSEMBLY: The pedestal is fabricated from 0.2cm. thick CR steel, powder coated and fitted with an injection moulded black Polypropylene hub cap and 5 nos. twin wheel castors.(castor wheel dia. 5.0cm.)The pedestal is 55.0cm. pitch-center dia. (65.0 cm with castors). (Methodex, Wipro, Godrej, Durian or Equivalent).	2.00	Each	5865	Rupees five thousand eight hundred sixty five only.
196	Three Seater Chair The LH/RH side frame fitted to the two ends of the ST/BK mounting frame to form the leg assembly. Made of SS J4 Grade tube dia 4.44 cm. (1.75") x 14 BG. Thick. The ST/BK mounting frame assy. Holds the two side frames together. The mounting frames, 2 nos. to connect the side frames. The mounting frame made of MS ERW tube dia. 5.08cm (2") x 10BG thick black painted. The ST/BK mounted on 14 BG thick 2cm x 4 cm x 4 cm Recta tube which welded on the beam of ST/BK mounting frame. The ST/BK assembly consists of 12mm thick plywood insert with Polyurethane foam having density = 45 +/-2 Kg./cm3 and hardness of the P.U. foam = 18 to 22 Kg. The complete moulded ST/BK assembly covered with a replaceable fabric upholstery cover. SEAT/BACK SIZE: 54.5CM (w) X 46.7CM (d) X 12.5CM (T) The side frames are fitted with front and rear bottom shoes made of injection moulded polypropylene. The sofa upholstered with stain repellant 'Velvetine plus' fabric. Dimension- 1830 W x 783D x 750Hmm (Methodex, Wipro, Godrej, Durian or Equivalent).	Parameter.	Each	47834	Rupees forty seven thousand eight hundred thirty four only.
	OPTIMIZER STORAGE SYSTEM				
197	Optimizer Storage system Push Pull Type One Way Type on 15' Rail length (Each Unit Depth 457mm, Height-1980mm) as per layout design enclosed Godrej Mobile Storage System Push Pull (Optimizer) moves on rails. The Cabinet body rigid knock down construction made of 0.8 thick CRCA Steel conforming to IS: 513 Gr.D. Body units are bolted to undercarriage. Optimizer Height from ground is 2080 mm (1980 body+ 65 under 35 Channel systems) Finish: - The bodies including shelves are given anti rust surface treatment & are powder coated with epoxy polyester powder over backed with a controlled temperature of 180 deg. to 200 deg C. Shelf:- Made of 0.8 thick CRCA steel conforming to IS:513 G.D. Max Load bearing capacity is 80 Kg. UDL per shelf of 5=400 Kg. each cabinet. Undercarriage: The undercarriage is a welded frame made of HR sheet 3.15 mm thick conforming to IS: 10748 Movement of the System:- Push Pull configuration (Type P-1/Type P-2) movement of units achieved pushing of pulling chrome plated 'C' Handle fitted suitable height on one side of body. Each movable undercarriage has 4 Nos. of antifriction ball bearing for rolling onto Channels & 4 Nos. of	1.00	Each	210094	Rupees two lac ten thousand ninety four only.
	WORKSTATION				



Chief Eng neer

B.S.E.I.D.C. Lid Patna

110.
2419

:)

	25						
	Workstationn with Partition Height of 1200 mm, Recta worksurface of size 1200 x 600. Each worksurface with 01 No. 3 Drawers Pedestal, 01 No. KBPT & 01 No. CPU Trolley as per Layout design PANEL THICKNESS - 56 MM, HT 1200 MM(APPROX), TILE CONFIGURATION FOR ALL PANELS :- ABOVE MAG FAB TILE & BELOW METAL TILE, RACEWAY - FOR MOUNTING OF SWITCHES : 150MM METAL RACEWAY AT SKIRTING LEVEL FOR ALL PANELS, WORKSURFACE : IN PRELAMINATED PARTICLE BOARD AND PVC LIPPING; BOARD THK 25MM (Methodex, Wipro, Godrej, Durian or	30.00	Each	38794	Rupees thirty eight thousand seven hundred ninety four only.		
199	Chair Mid back pneumatic height adjustment cushioned revolving chair made up of 1.2cm thick hot pressed ply wood seat & back upholstered with fabric with moulded polyurethane foam together with moulded ABS seat & back integral skin polyurethane with reinforced with M.S. Insert. The tilt mechanism adjustment upright locking, 360 degree revolving type fitted with 05 nos. twin wheel castor dia 5 cm. machine at 25% compression. The Armrest is one piece made of black integral skin polyurethane with 50-70 shore hardness and reinforced with MS insert. (Methodex, Wipro, Godrej, Durian or Equivalent).	30.00	Each	18343	Rupees eighteen thousand three hundred forty three only.		
	FIRST FLOOR						
	PA ROOM + CHAMBER						
200	Table of size 1500 x 750 x 743 Desk Top thickness 18, Top Dimensions- 1500 x 750, Overall Height 743 Understructure: The understructure is in prelam panels, made with PLT boards.2Drawer and 3Drawer storage units with different combinations to support Tops, made with 18mmPLT boards of different colours. Modesty and back panels, made with 18mm PLT boards. The Pedestals/Storages are fitted with necessary Locks PLT Board Tops (Straight Edges): Tops are of 18mm thickness. Made of 18mm thick PLT board with 2mm Edge banding. Wenge and Savannah Maple PLT board used for making Tops. PVC membrane Tops (with profiles):Tops for senior main and back unit desk are of PVC membrane pressed. Made of 25mm thick MDFone side laminate board with 0.4mm PVC membrane pressed on to tops. The top has Duck nose and half round profiles edges he top is made in only one finish: European Ash. (Methodex, Wipro, Godrej, Durian or Equivalent).	2.00	Each	20570	Rupees twenty thousand five hundred seventy only.		
201	Chair Mid back pneumatic height adjustment cushioned revolving chair made up of 1.2cm thick hot pressed ply wood seat & back upholstered with fabric with moulded polyurethane foam together with moulded ABS seat & back integral skin polyurethane with reinforced with M.S. Insert. The tilt mechanism adjustment upright locking, 360 degree revolving type fitted with 05 nos. twin wheel castor dia 5 cm. machine at 25% compression. The Armrest is one piece made of black integral skin polyurethane with 50-70 shore hardness and reinforced with MS insert. (Methodex, Wipro, Godrei, Durian or Equivalent).	2.00	Each	18343	Rupees eighteen thousand three hundre forty three only.		
202	Visitor Chair he seat and back are made up of 1.2cm thick hot pressed plywood, Upholstered with fabric and moulded Polyurethane be Foam together with moulded ABS seat and back covers. The Back foam is designed with contoured lumber support for extra comport. The back size: 50cm (W) x 49cm (H) and seat size 50cm (W) x 46cm (D). The Tubular Frame is cantilever type & made of dia 2.54cm x 14 BG M.S. E.R.W. tube and black Powder coated. The polyurethane foam is moulded with density= 45+/-2Kg/m3 and hardness =20+/2 kg. on hampden machine at 25% compression. The Armrest is one piece made of black integral skin polyurethane with 50-70 shore 'A' hardness and reinforced with MS insert. (Methodex, Wipro, Godrej, Durian or Equivalent).	4.00	Each	10706	Rupees ten thousand seven hundred six only.		

For, Bharat Commercial Agency Unit of Sheshi Remon Enterprises Pvt. Ltd Manager

Chief Eng neer

B.S.E.I.D.C. Ltd. Patna

2410.

2419

		2	2		
	Almirah with four shelves Almirah of size 1980 x 916 x 486 MM multi bend construction and inter locking design and full length over apping doors and sides. Three-way bolting mechanism. Spot welding & CO2 welding. Anticorrosion treated components, oven baked powder coating process. Material thickness 0.9mm.Top, Bottom,LH & RH sides and back material thickness= 0.9mm,Removable RH & LH main door with stiffeners material thickness= 0.9mm, 4 adjustable shelves of thickness= 0.8mm (Methodex, Wipro, Godrej, Durian or Equivalent).	2.00	Each	22624	Rupees twenty two thousand six hundred twenty four only.
	VC Room				
	Main Desk Executive Desk with ERU made of MAIN TOP- MDF + VENEER + PU Coating, Size: 3600 W * 1080 D * 750 H, TOP THICKNESS – 90 mm, MOBILE PEDESTAL- MDF + Veneer + PU Coating, Size: 480 W X 640 D X600 H mm, E.R.UTop- MDF + VENEER + PU Coating, Size: 1900 W X 480D X 550 (Not From Ground with Castors), TOP THICKNESS – 25 mm, (Methodex, Wipro, Godrej, Durian or Equivalent).	1.00	Each	348604	Rupees three lac forty eight thousand six hundred four only.
	Back Unit BACK UNIT made up of - MDF + VENEER + PU Coating & Glass Doors Size : 1000 W * 480 D * 2035H, GLASS THICKNESS – 5 mm (Methodex, Wipro, Godrej, Durian or Equivalent).	1.00	Each	54212	Rupees fifty four thousand two hundred twelve only.
206	Very High Back Chair Very High Back Revolving Chair with Seat/Back Assembly: The seat is made up of 1.2 +/- 0.1 cm thick hot pressed and upholstered with leather and moulded Polyurethane Foam is moulded with density 45 +/- 2 Kg/sq. meter and hardness load 16 +/- 2 Kgf as per IS:7888 for 25% compression. The back foam is designed with contoured lumber support for extra comfort. Size 53.0 cm W x 95.0 cm H. The seat and back are arrested together with spine made of 0.8 +/-0.05 thick HR Steel and is black powder coated. The armrest assy. Comprises of three parts viz. the armrest support tube and PU armrest and the armrest top. The common tube assy. Is made of 2.54+/-0.03 cm x 0.16 +/-0.0128 cm M.S. E.R.W. support tubes and chrome plated.The P.U. armrest is made of black integral skin polyurethane with 50-70 shore 'A' Hardness and reinforces with M.S. insert. The armrest top is made of ABS & upholstered with Foam & leather. (Methodex, Wipro, Godrej, Durian or Equivalent).	1.00	Each	64868	Rupees sixty four thousand eight hundred sixty eight only.
207	Visitor Chair Visitor Chair with Seat/Back made up of thick hot pressed and upholstered with leather and moulded Polyurethane Foam is moulded with density 45 +/-2 Kg/sq. meter and hardness load 16 +/-2 Kgf as per IS:7888 for 25% compression. The back foam is designed with contoured lumber support for extra comfort. The armrest assy. Comprises of three parts viz. the armrest support tube and PU armrest and the armrest top. The common tube assy. (Methodex, Wipro, Godrej, Durian or Equivalent).	12.00	Each	35674	Rupees thirty five thousand six hundred seventy four only.
208	Sofa Set(3+1+1) Sofa Set made up of Microfibre with Polyester Laminate upholstery Frame Material: Kiln dried wood Seat Foam: Slab stock foam with recron layer. Also bonded foam used as a supporting material beneath slab stock. Foam Density: 34 kg/ cubic m. Back Foam: Slab stock foam with recron fill at back and arms Foam Density: 34 kg/cubic m Webbing Material: S- spring along with nylon strips Dimension of Single Seater Sofa-1060W x 912D x 830H mm & Dimension of Three Seater Sofa-2072W x 912D x 830H mm (Methodex, Wipro, Godrej, Durian or Equivalent).	1.00	Each .	100523	Rupees one lac five hundred twenty three only.
209	Coffee table (Methodex, Wipro, Godrej, Durian or Equivalent). ANTE ROOM OF V.C.	1.00	Each	35938	Rupees thirty five thousand nine hundred thirty eight only.
210	Single Bed (Methodex, Wipro, Godrej, Durian or Equivalent).	1.00	Each	22522	Rupees twenty two thousand five hundre twenty two only.
211	Mattress of size 78"x36"x4" Approx (Methodex, Wipro Godrej, Durian or Equivalent).	1,00	Each	9127	Rupees nine thousand one hundred twen seven only.
212	Pillow (Methodex, Wipro, Godrej, Durian or Equivalent).	1.00	Each	570	Rupees five hundred seventy only.

For, Bharat Commercial Agency.
Unit of Shashi Remion Enterprises Pvt. Ltd.
Manager

9

Chief Eng neer

SB.S.E.I.D.C. Ltd, Patna

Wehave

24109118

() They

213	Recliner Single Seater Sofa (Methodex, Wipro, Godrej, Durian				Rupees twenty seven thousand forty one
	or Equivalent).	1.00	Each	27041	only.
214	MINI CONFERENCE ROOM Conference Table for 10 Persons Top thickness 31.6 (18mm + 12mm + 0.6 mm DL(both sides + 0.4mm Membrane) Edge profile Waterfall Edge 10mm radius on top edge and 5mm at bottom. Legs- Made from 25mm PPB having a straight profile with half round edges and clad with 0.6mm thick Post Forming laminate. Overall thickness of leg is 26.2mm. Modesty Panel-				Rupees one lac sixteen thousand four
	Made from PLT (Prelaminated Twin) boards of 18mm thick. Skin PVC Membrane foil (0.4mm thk) clad on the substrate MDF using PU glue for better adhesion. This foil is pre-coated with layer of polyurethane for better scratch resistance. Single Seater 760 W x 600 D, Two Seater 1360 W x 600 D, Half Round (2 Seater)- R 713, Quarter Round (1 Seater) (Methodex, Wipro, Godrej, Durian or Equivalent).	1.00	Each	116425	hundred twenty five only.
	High Back Chair Seat & back made up of 1.2 cm thick hot pressed plywood upholstered with fabric & moulded polyurethane foam having density of 45 +/-2 kg/m3 & hardness 20 +/-2 with the back size 48 cm W x 74 cm H & seat size 50 cm W x 49.5cm H having fixed type armrest with top made of moulded polyurethane & mounted on fixed MS tubular arm rest support chrome plated, static vertical arm supported adjustment of +/- 1.5 cm. Front pivot synchromechanism having 360 degree revolving type, single point control, front pivot with tilt fit resting on ground, tilt tension adjustment, 4 position locking with anti shock feature & the seat back tilting ratio 1: 2 (11 degree seat tilt, 22 degree back tilt) with back rest pneumatic height adjustment of 10 cm & the legs is fabricated from CR steel, Chrome plated with black polypropylene hub cap and 5 nos. twin wheel castors (castor wheel dia. 5.0 cm). The pedestal is 65.0cm. Pitch - center dia. (75.0 cm with castors). (Methodex, Wipro, Godrej, Durian or Equivalent).	10.00	Each	14276	Rupees fourteen thousand two hundreseventy six only.
	CHAIRMAN HALL				
	Table for 150 Persons as per layout design The eco-modular table enables various configurations to suit different conference rooms. It is made of particle board and has wire management facilities for uncluttered wiring. It has profiled legs with twin colored modesty for better looks, Single 675.0 Wx600.0Dx 750.0H Double 1350.0Wx 600.0Dx 750.0H, Work surface Top thickness is 25mm PLB with PVC beading allover, Legs Modesty Wire Manager Made from 18mm thick PLT having curved profile.Made from PLT (Prelaminated Twin) boards 18mm thick in two shades. A Wire Manager running along the width of desk fitted on the modesty Panel from Inside. (Methodex, Wipro, Godrej, Durian or Equivalent).	1.00	Each	1017475	Rupees ten lac seventeen thousand for hundred seventy five only.
217	High Back Chair The cushioned seat assembly consists of seat base moulded in glass-filled Poly-amide, moulded Polyurethane foam & upholstered with high stretch knitted polyester fabric. The cushioned back assembly consists of back inner moulded in Polypropylene in-situ moulded with Polyurethane foam & upholstered with high stretch knitted polyester fabric Back Size: 45.5 cm. (W) x 53.0 cm. (H), Seat Size: 48.5 cm. (W) x 47.0 cm. (D) HIGH RESILIENCE (HR) POLYURETHANE FOAM: The HR polyurethane foam used in seat and back cushion is moulded in Density 45±2 kg/m3, and hardness load 16 ± 2 kgf as per IS:7888 for 25% compression. TILT MECHANISM, SPINES & SPINE CONNECTOR: The seat and back are firmly connected to the base frame and are cantilevered in such a way that it gives a multi-dimensional movement possibility just with a simple lean on the sides or back, without need for complex manual adjustments. The cantilevered seat offers impact cushioning while sitting and synchronises with the back movement during posture changes. The "SM shaped spines moulded in high strength glass-filled Poly-amide and the spine connector moulded in glass-filled Poly-amide form the back-spine structure involved in multi-dimensional recline motion. The variable tilt angle recline motion can be adjusted with 3 position Tilt Limit feature which is inbuilt in seat base and the tension (return force) is user weight dependent.ADJUSTABLE ARMRESTS: The assembly consists of armrest housing sliding over the armrest structure, both moulded in glass-filled Poly-amide. The height adjustment feature is button operated having adjustment of 6.6±0.5cm. The Armrest Top is made up of integral skin PU moulded over plastic inner moulded in glass-filled Poly-amide. PNEUMATIC HEIGHT ADJUSTMENT: The seating height can be adjusted with a pneumatic gas-lift having an adjustment stroke of 9.2 ± 0.3 cm.; (Methodex, Wipro, Godrej, Durian or Equivalent).	150.00	Each	9670	Rupees nine thousand six hundred seve only.



Chief Eng neer

B.S.E.I.D.C. Lid Patna

2419

2419

)) i...)

Table of size 1800x2100x750 Work Surface- Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade.Edge banded with matching 2 mm thick PVC lipping. Gromet provided on work surface for wire management, Modesty Panel- Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade confirming to 15- 12823:1990, Edge banded with matching 2 mm thick PVC lipping. Under structure- Made of 25mm Thick Pre-lamlnated twin board of E1-P2 grade and approved shade confirming to 1S-12823:1990, Edge banded with matching 2 mm thick PVC lipping. Hinge Door Storage - Made of 25mm Thick Pre- lamlnated twin board of E1-P2 grade and approved shade confirming to 1S-12823:1990, Edge banded with matching 2 mm thick PVC lipping . Handle is provided for ease of opening, Storage is provided with cam lock for security. (Methodex, Wipro, Godrej, Durian or Equivalent).	
--	--

Chief Eng neer

B.S.E.I.D.C. Ltd. Patna

Sho,

24 9

24 9

and the same .) A State of the sta 1)

		29			
	SECOND FLOOR				
	CHAMBER-07 NOS.				
219	Chair High back pneumatic height adjustment cushioned revolving chair made up of 1.2cm thick hot pressed ply wood seat & back upholstered with fabric with moulded polyurethane foam together with moulded ABS seat & back integral skin polyurethane with reinforced with M.S. Insert. The tilt mechanism adjustment upright locking, 360 degree revolving type fitted with 05 nos. twin wheel castor dia 5 cm (Methodex, Wipro, Godrej, Durian or Equivalent).	7.00	Each	19535	Rupees nineteen thousand five hundred thirty five only.
	Visitor Chair The seat and back are made up of 1.2cm thick hot pressed plywood, Upholstered with fabric and moulded Polyurethane be Foam together with moulded ABS seat and back covers The Back foam is designed with contoured lumber support for extra comport. The back size: 50cm (W) x 49cm (H) and seat size 50cm (W) x 46cm (D). The Tubular Frame is cantilever type & made of dia 2.54cm x 14 BG M.S. E.R.W. tube and black Powder coated. The polyurethane foam is moulded with density= 45+/-2Kg/m3 and hardness =20+/2 kg. on hampden machine at 25% compression. The Armrest is one piece made of black integral skin polyurethane with 50-70 shore 'A' hardness and reinforced with MS insert. (Methodex, Wipro, Godrej, Durian or Equivalent).	28.00	Each	10706	Rupees ten thousand seven hundred six only.
221	Almirah Plain with four shelves Almirah of size 1981 x 916 x 486 MM multi bend construction and inter locking design and full length over apping doors and sides. Three-way bolting mechanism. Spot welding & CO2 welding. Anticorrosion treated components, oven baked powder coating process. Material thickness 0.9mm.Top, Bottom,LH & RH sides and back material thickness= 0.9mm,Removable RH & LH main door with stiffeners material thickness= 0.9mm, 4 adjustable shelves of thickness= 0.8mm. (Methodex, Wipro, Godrej, Durian or Equivalent).	7.00	Each	22624	Rupees twenty two thousand six hundre twenty four only.
	CABIN-03 NOS.+CHAMBER-01 NO.				
222	Table of size 1200 x 600 x 743 Desk Top thickness 18, Top Dimensions- 1200 x 600, Overall Height 743 Understructure: The understructure is in prelam panels, made with PLT boards.2Drawer and 3Drawer storage units with different combinations to support Tops, made with 18mmPLT boards of different colours. Modesty and back panels, made with 18mm PLT boards. The Pedestals/Storages are fitted with necessary Locks PLT Board Tops (Straight Edges): Tops are of 18mm thickness. Made of 18mm thick PLT board with 2mm Edge banding. Wenge and Savannah Maple PLT board used for making Tops. PVC membrane Tops (with profiles):Tops for senior main and back unit desk are of PVC membrane pressed. Made of 25mm thick MDFone side laminate board with 0.4mm PVC membrane pressed on to tops. The top has Duck nose and half round profiles edges, he top is made in only one finish: European Ash. (Methodex, Wipro, Godrej, Durian or Equivalent).	4.00	Each	15269	Rupees fifteen thousand two hundred si nine only.
223	Chair Mid back pneumatic height adjustment cushioned revolving chair made up of 1.2cm thick hot pressed ply wood seat & back upholstered with fabric with moulded polyurethane foam together with moulded ABS seat & back integral skin polyurethane with reinforced with M.S. Insert The tilt mechanism adjustment upright locking, 360 degree revolving type fitted with 05 nos. twin wheel castor dia 5 cm machine at 25% compression. The Armrest is one biece made of black integral skin polyurethane with 50-70 shore hardnes and reinforced with MS insert. (Methodex, Wipro, Godre Durian or Equivalent).	4.00	Each	18343	Rupees eighteen thousand three hund forty three only.

For, Bharat Commercial Agency Unit of Shoshi Raman Enterprises Pvi. Ltd. Manager

B.S.E.I.D.C. Ly Patna
110, 24/04/11

Frankrich in Seitems zuwiedes giff auf 18 Seitemänner werigte üb 1

		2	U		
224	Visitor Chair The seat and back are made up of 1.2cm thick hot pressed plywood, Upholstered with fabric and moulded Polyurethane be Foam together with moulded ABS seat and back covers The Back foam is designed with contoured lumber support for extra comport. The back size: 50cm (W) x 49cm (H) and seat size 50cm (W) x 46cm (D). The Tubular Frame is cantilever type & made of dia 2.54cm x 14 BG M.S. E.R.W. tube and black Powder coated. The polyurethane foam is moulded with density= 45+/-2Kg/m3 and hardness =20+/2 kg. on hampden machine at 25% compression. The Armrest is one piece made of black integral skin polyurethane with 50-70 shore 'A' hardness and reinforced with MS insert. (Methodex, Wipro, Godrej, Durian or Equivalent).	8.00	Each	10706	Rupees ten thousand seven hundred six only.
225	WORKSTATION Table:-Table made of MS ERW round tube dia 25.4 x 1.2mm thick with 18 mm thick Pre Laminated top size 1365W x 680D with both side drawer unit one side three drawars & another side two drawers made of .5mm thick CRCA shelt mild steel, All steel components have powder coated paint fitted with both side drawer lock of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent).	48.00	Each	21063	Rupees twenty one thousand sixty three only.
226	Chair Seat and back are made from seasoned wood and plywood. The same is upholstered with black synthetic leather and polyurethane foam. Back Size- 46.0cm(W)X27.0cm(H). Seat Size- 46.0cm(W)x40.0cm(H). The armrest is gas assisted injection moulded from black polypropylene. The understructure assembly is a cantilever type frame. Width of the chair- 58cm, Depth- 56.5cm, Height- 87.5cm, Seat Height-48cm of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent).	100.00	Each	4264	Rupees four thousand two hundred sixty four only.
	STRONG ROOM & STORE				
227	Almirah with four shelves Almirah of size 1980 x 916 x 486 MM multi bend construction and inter locking design and full length over apping doors and sides. Three-way bolting mechanism. Spot welding & CO2 welding. Anticorrosion treated components, oven baked powder coating process. Material thickness 0.9mm.Top, Bottom,LH & RH sides and back material thickness= 0.9mm,Removable RH & LH main door with stiffeners material thickness= 0.9mm, 4 adjustable shelves of thickness= 0.8mm (Methodex, Wipro, Godrej, Durian or Equivalent).		Each	22624	Rupees twenty two thousand six hundred twenty four only.
228	Optimizer Storage system Push Pull Type One Way Type on 15' Rail length (Each Unit Depth 457mm, Height-1980mm) as per layout design enclosed Godrej Mobile Storage System Push Pull (Optimizer) moves on rails. The Cabinet body rigid knock down construction made of 0.8 thick CRCA Steel conforming to 15: 513 Gr.D. Body units are bolted to undercarriage. Optimizer Height from ground is 2080 mm (1980 body+ 65 under 35 Channel systems) Finish: - The bodies including shelves are given anti rust surface treatment & are powder coated with epoxy polyester powder oven backed with a controlled temperature of 180 deg. to 200 deg. C. Shelf:- Made of 0.8 thick CRCA steel conforming to 15:513 G.D. Max Load bearing capacity is 80 Kg. UDL per shelf of 5=400 Kg. each cabinet. Undercarriage: The undercarriage is a welded frame made of HR sheet 3.15 mm thick conforming to 15: 10748 Movement of the System:- Push Pull configuration (Type P-1/Type P-2) movement of units achieved pushing of pulling chrome plated 'C' Handle fitted suitable height on one side of body. Each movable undercarriage has 4 Nos. of antifriction ball bearing for rolling onto Channels & 4 Nos. of	2.00	Each	210094	Rupees two lac ten thousand ninety four only.

For, Bharat Commercial Agency Unit of Shashi Raman Enterprises Pvt. Ltd.

Manager T

Chief Eng neer

2, B.S.E.I.D.C. Ltd. Patna

2419

2419


:))) :) The second secon

		3)	•	
229	Storage Rack of size 8'x36"x18" with eight shelves Prime quality CRC sheet conforming to IS 513D/10748/5986.The pitches of the slots at 19.05mm, Panels/Shelves: 6 Bend bending process of 905(L) x 448(D) of load capacity 80 Kgs. UDL Max. per shelf, All fasteners of electro perk arised as per IS: 3655 -1985 Painting: All Steel components of powder coated as per IS: 101/1964 of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent)	10.00	Each	9341	Rupees nine thousand three hundred forty one only.
230	Electronic safe Strong 50 litre, 158 kg, mild steel safe locker, Strong, Fire Resistant, Dimensions- HxWxD: 588x486x546 mm Application: Tall design for easy storage of A4 files, documents and other tall items Locking Mechanism: Opens with 3-6 digit password, enabled with a master password for better control, mechanical override in case password is forgotten, Security features: 2 motorized shooting bolts (solid steel) for extra protection, multi-bend construction for superior strength and auto-freeze after consecutive wrong attempts, option for anchoring and grouting, Convenience features: Non-volatile memory, password retained even if batteries are removed, compact with attractive aesthetics, durable finish, Enhanced battery life, low battery indication, pass word entry can be hidden, interior carpet, 100 audit log trails can be viewed on the safe (shows opening records along with date, time along with method of opening) Warranty: 1 year on product of approoved brand as per dfirection of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent).	3.00	Each	61999	Rupees sixty one thousand nine hundred ninety nine only.
231	Storage Plain with four shelves Almirah of size 1981 x 916 x 486 MM multi bend construction and inter locking design and full length over apping doors and sides. Three-way bolting mechanism. Spot welding & CO2 welding. Anticorrosion treated components, oven baked powder coating process. Material thickness 0.9mm.Top, Bottom,LH & RH sides and back material thickness= 0.9mm,Removable RH & LH main door with stiffeners material thickness= 0.9mm, 4 adjustable shelves of thickness= 0.8mm of approoved brand as per direction of E/I (Methodex, Wipro, Godrej, Durian or	2.00	Nos	. 22624	Rupees twenty two thousand six hundred twenty four only.
232	Table of size 1500 x 750 x 743 Desk Top thickness 18, Top Dimensions- 1500 x 750, Overall Height 743 Understructure: The understructure is in prelam panels, made with PLT boards.2Drawer and 3Drawer storage units with different combinations to support Tops, made with 18mmPLT boards of different colours. Modesty and back panels, made with 18mm PLT boards. The Pedestals/Storages are fitted with necessary Locks PLT Board Tops (Straight Edges): Tops are of 18mm thickness. Made of 18mm thick PLT board with 2mm Edge banding. Wenge and Savannah Maple PLT board used for making Tops. PVC membrane Tops (with profiles):Tops for senior main and back unit desk are of PVC membrane pressed. Made of 25mm thick MDFone side laminate board with 0.4mm PVC membrane pressed on to tops. The top has Duck nose and half round profiles edges. he top is made in only one finish: European Ash of approoved brand as per direction of E/I (Methodex, Wipro, Godrej, Durian or Equivalent).	1.00	Nos	20570	Rupees twenty thousand five hundred seventy only.

Fer, Bharat Commercial Agency Unit of Shashi Ramian Enterprises Pvt. Ltd Manager

0

.



markan di Minaraka (m. 1874) 😘 T. Kinaraka kendan pentagai (m. 1874)

1)

January.

1)

1.)

J

		32			
233	Three Seater Chair The LH/RH side frame fitted to the two ends of the ST/BK mounting frame to form the leg assembly. Made of SS J4 Grade tube dia 4.44 cm. (1.75") x 14 BG. Thick. The ST/BK mounting frame assy. Holds the two side frames together. The mounting frames, 2 nos. to connect the side frames. The mounting frame made of MS ERW tube dia. 5.08cm (2") x 10BG thick black painted. The ST/BK mounted on 14 BG thick 2cm x 4 cm x 4 cm Recta tube which welded on the beam of ST/BK mounting frame. The ST/BK assembly consists of 12mm thick plywood insert with Polyurethane foam having density = 45 +/-2 Kg./cm3 and hardness of the P.U. foam = 18 to 22 Kg. The complete moulded ST/BK assembly covered with a replaceable fabric upholstery cover. SEAT/BACK SIZE: 54.5CM (w) X 46.7CM (d) X 12.5CM (T) The side frames are fitted with front and rear bottom shoes made of injection moulded polypropylene. The sofa upholstered with stain repellant 'Velvetine plus' fabric. Dimension- 1830 W x 783D x 750Hmm of approoved brand as per direction of E/I (Methodex, Wipro, Godrej, Durian or Equivalent).	2.00	Nos	47834	Rupees forty seven thousand eight hundred thirty four only.
234	High Back Chair High Back Revolving Chair with Seat/Back Assembly: The seat is made up of 1.2 +/- 0.1 cm thick hot pressed and upholstered with leather and moulded Polyurethane Foam is moulded with density 45 +/-2 Kg/sq. meter and hardness load 16 +/-2 Kgf as per IS:7888 for 25% compression. The back foam is designed with contoured lumber support for extra comfort. Size 53.0 cm W x 95.0 cm H. The seat and back are arrested together with spine made of 0.8 +/-0.05 thick HR Steel and is black powder coated. The armrest assy. Comprises of three parts viz. the armrest support tube and PU armrest and the armrest top. The common tube assy. Is made of 2.54+/-0.03 cm x 0.16 +/-0.0128 cm M.S. E.R.W. support tubes and chrome plated. of approoved brand as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent).	1.00	Nos	63652	Rupees sixty three thousand six hundred fifty two only.
235	Coffee Table of size 4'x2' of approoved brand as per direction of E/I (Methodex, Wipro, Godrej, Durian or Equivalent).	2.00	Nos	9194	Rupees nine thousand one hundred ninety four only.
236	DINING TABLE (Methodex, Wipro, Godrej, Durian or Equivalent).	1.00	Each	42951	Rupees forty two thousand nine hundred fifty one only.
237	DINING CHAIR (Methodex, Wipro, Godrej, Durian or Equivalent).	6.00	Each	9422	Rupees nine thousand four hundred twenty two only.
238	KING BED Product Dimension: Length: 86 inches, Width: 71 inches, Height: 35 inches, aprooved Color, Finish: Matt, Style: Contemporary, Bed Size: King, Assembly Required: The product requires carpenter assembly and will be provided by the seller, Warranty: One year manufacturer warranty and lifetime service on a nominal fee basis of approoved brand and design as per direction of E/I. (Methodex, Wipro, Godrej, Durian or Equivalent)	2.00	Each	71048	Rupees seventy one thousand forty eight only.
239	Computer Table (Methodex, Wipro, Godrej, Durian or Equivalent).	2.00	Each	7457	Rupees seven thousand four hundred fifty seven only.
240	Mattress of size 78X72X05 (Methodex, Wipro, Godrej, Durian or Equivalent).	2.00	Each	24134	Rupees twenty four thousand one hundred thirty four only.
241	Pillow (Methodex, Wipro, Godrej, Durian or Equivalent).	2.00	Each	570	Rupees five hundred seventy only.
242	Bed Sheet with Pillow Cover (Methodex, Wipro, Godrej, Durian or Equivalent).	2.00	Each	1950	Rupees one thousand nine hundred fifty only.
243	BEDSIDE TABLE Dimensions: Length (30 cm) Breadth (30 cm) Height (38 cm), aprooved Color of approoved brand and design as per direction of E/I (Methodex, Wipro, Godrej, Durian or Equivalent).	2.00	Each	10654	Rupees ten thousand six hundred fifty four only. Rupees sixty four thousand nine hundred
244	4 DOOR WARDROBE WITH MIRROR (Methodex, Wipro, Godrej, Durian or Equivalent).	2.00	Each	64959	fifty nine only.
245	DRESSING TABLE WITH STOOL Dresser 450 mm 475 mm 1710 mm Stool 350 mm 340 mm 450 mm (Methodex, Wipro, Godrej, Durian or Equivalent).	1.00	Each	36220	Rupees thirty six thousand two hundred twenty only.

For, Bharat Commercial Agency Unit of Shashi Ramian Enterprises Pvt Ltd

Manager 1

Chief Eng neer

B.S.E.I.D.C. Ltd. Patna

Photography

24/04/18

 \overline{C} À 1 1 1) (_) 1...})

		ク ラ			
246	Chair with Seat/Back made up of thick hot pressed and upholstered with leather and moulded Polyurethane Foam is moulded with density 45 +/-2 Kg/sq. meter and hardness load 16 +/-2 Kgf as per IS:7888 for 25% compression. The back foam is designed with contoured lumber support for extra comfort. The armrest assy. Comprises of three parts viz. the armrest support tube and PU armrest and the armrest top. The common tube assy of approoved brand as per direction of E/I (Methodex, Wipro, Godrej, Durian or Equivalent).	4.00	Nos	63652	Rupees sixty three thousand six hundred fifty two only.
247	Sofa Set(3+1+1) Sofa Set made up of Microfibre with Polyester Laminate upholstery Frame Material:- Kiln dried wood Seat Foam: Slab stock foam with recron layer. Also bonded foam used as a supporting material beneath slab stock. Foam Density: 34 kg/cubic m. Back Foam: Slab stock foam with recron fill at back and arms Foam Density: 34 kg/cubic m Webbing Material: S- spring along with nylon strips Dimension of Single Seater Sofa-1060W x 912D x 830H mm & Dimension of Three Seater Sofa-2072W x 912D x 830H mm of approoved brand as per direction of E/I (Methodex, Wipro, Godrej, Durian or Equivalent).	2.00	Nos	100523	Rupees one lac five hundred twenty three only.
	PVC				
248	KING BED Product Dimension: Length: 86 inches, Width: 71 inches, Height: 35 inches, aprooved Color, Finish: Matt, Style: Contemporary, Bed Size: King, Assembly Required: The product requires carpenter assembly and will be provided by the seller, Warranty: One year manufacturer warranty and lifetime service on a nominal fee basis of approoved brand and design as per direction of E/I. (Methodex, Wipro,	comments of the second	Each	71048	Rupees seventy one thousand forty eight only.
249	Godrei, Durian or Equivalent). Computer Table (Methodex, Wipro, Godrej, Durian or Equivalent).	· 2	Each	7457	Rupees seven thousand four hundred fifty seven only.
250	Mattress of size 78X72X05 (Methodex, Wipro, Godrej, Durian or Equivalent).	2	Each	24134	Rupees twenty four thousand one hundred thirty four only.
251	Pillow (Methodex, Wipro, Godrej, Durian or Equivalent).	2 🧨	Each	570	Rupees five hundred seventy only.
252	Bed Sheet with Pillow Cover (Methodex, Wipro, Godrej, Durian or Equivalent).	2 .	Each	1950	Rupees one thousand nine hundred fifty only.
253	BEDSIDE TABLE Dimensions: Length (30 cm) Breadth (30 cm) Height (38 cm), aprooved Color of approoved brand and design as per direction of E/I (Methodex, Wipro, Godrej, Durian or Equivalent).	2	Each	10654	Rupees ten thousand six hundred fifty fou only.
254	Sofa Set(3+1+1) Sofa Set made up of Microfibre with Polyester Laminate upholstery Frame Material: Kiln dried wood Seat Foam: Slab stock foam with recron layer. Also bonded foam used as a supporting material beneath slab stock. Foam Density: 34 kg/ cubic m. Back Foam: Slab stock foam with recron fill at back and arms Foam Density: 34 kg/cubic m Webbing Material: Sspring along with nylon strips Dimension of Single Seater Sofa-1060W x 912D x 830H mm & Dimension of Three Seater Sofa-2072W x 912D x 830H mm of approoved brand as per direction of E/I (Methodex, Wipro, Godrej, Durian or Equivalent).	.1	Nos	100523	Rupees one lac five hundred twenty three only.
	·				Rupees thirty six thousand two hundred
255	DRESSING TABLE WITH STOOL Dresser 450 mm 475 mm 1710 mm Stool 350 mm 340 mm 450 mm (Methodex, Wipro, Godrej, Durian or Equivalent).	1 8000000000000000000000000000000000000	Each	36220	twenty only.
255 256	Dresser 450 mm 475 mm 1710 mm	ggind we.	Each Each	36220 42951	1

For, Bharat Commercial Agency Unit of Shashi Raman Enterprises Pvt. Ltd Manager

Chief Eng neer

B.S.E.I.D.C. Ltd. Patna

Page 1916

Alog 16

. A STATE OF THE STA

34
المستحث

258	Visitor Chair The seat and back are made up of 1.2cm thick hot pressed plywood, Upholstered with fabric and moulded Polyurethane be Foam together with moulded ABS seat and back covers The Back foam is designed with contoured lumber support for extra comport. The back size: 50cm (W) x 49cm (H) and seat size 50cm (W) x 46cm (D). The Tubular Frame is cantilever type & made of dia 2.54cm x 14 BG M.S. E.R.W. tube and black Powder coated. The polyurethane foam is moulded with density= 45+/-2Kg/m3 and hardness =20+/2 kg. on hampden machine at 25% compression. The Armrest is one piece made of black integral skin polyurethane with 50-70 shore 'A' hardness and reinforced with MS insert. (Methodex, Wipro, Godrej, Durian or Equivalent).	10	Each	10706	Rupees ten thousand seven hundred six only.
	Procurement and planting of species (Trees, Shrubs, ground covers and creepers) including watering / irrigation controlling plant disease, pests and weeds, supporting with sturdy stake (as and when required) manuring, prunning and maintetance for 3 month after planting in pot all complete job as per direction of E/I				
a)	Best quality Health shrubs of species				
b)	Areca Palm	10.00	each	650	Rupees six hundred fifty only.
d)	Lucky bamboo Dracaena reflexa	10.00	each	650	Rupees six hundred fifty only.
e)	Ixora	12.00	each	650	Rupees six hundred fifty only.
- 6)	Invia	5.00	each	650	Rupees six hundred fifty only.
				Total Amount (Rs) in Digit =	45955213.57
	NOTE : All the Required Columns of the Financial Bid shall be Duly filled in. Rate to be filled both in the Digit & Word.		Total Amount (Rs) in Word =	Four Crores Fifty nine lakhs fifty five thousand two hundred thirteen and fifty seven paise only	

Tender approved on Item Rate Basis in favour of Bharat Commercial Agency for Rs. 4,47,14,423/- (Rs. Four Crore Forty Seven Lakh Fourteen Thousand Four Hundred Twenty Three Only) after Negotiated Rebate of 2.70% (Two Decimal Seven Zero Percent) of Quoted Rate.

For, Bharat Commercial Agenc. Unit of Shashi Raman Enterprises Pvt. Ltd

Manager 1

Chief Eng neer

B.S.E.I.D.C. Ly, Patna

24/9

24/9

24/09/16

() () / "} () 1.0 gan en golden seg i de grande d La companya de grande de grand .) \bigcirc

BSEIDC ON BEHALF OF Education Department Government of Bihar Invites

Tender Document

FOR

INTERIOR, AUDIO VISUAL, VIDEO CONFERENCING, IT, CIVIL, ELECTRICAL & FURNITURE WORKS FOR ESTABLISHMENT OF NEWLY CONSTITUTED PURNEA UNIVERSITY, PURNEA.

BSEIDC

(A Bihar Government Undertaking)

Bihar State Educational Infrastructure Development Corporation Ltd.
ShikshaBhawan, Bihar RastrabhashaParisad Campus, Acharya Shiv PujanSahay Path,
Saidpur, Patna-800004 (0612-2910314)
E-mail: bseidc1@gmail.comWebsite: www.bseidc.in

For, Bharat Commercial Agency Unit of Shashi Raman Enterprisas Pvt. Ltd

Manager 7

Bihar State Educational Infrastructure Development Corporation (BSEIDC) Ltd.Page 1 of 22

Chief Eng neer

R S F LD.C. Ltd. Patna

2419

Disclaimer

- A. The information contained in this Tender Document provided to the Bidder(s), by or on behalf of the Department/Corporation or any of its employees or advisors, is provided to the Bidder(s) on the terms and conditions set out in this Tender Document and all other terms and conditions subject to which such information is provided.
- B. The purpose of this Tender Document is to provide the Bidder(s) with information to assist the formulation of their Proposals. This Tender Document does not purport to contain all the information which each Bidder may require. This Tender Document may not be appropriate for all persons, and it is not possible for the Department/Corporation, its employees or advisors to consider the business/investment objectives, financial situation and particular needs of each Bidder who reads or uses this Tender Document. Each Bidder should conduct its own investigations and analysis and should check the accuracy, reliability and completeness of the information in this Tender Document and where necessary obtain independent advice from appropriate sources. The Department/Corporation, its employees and advisors make no representation or warranty and shall incur no liability under any law, statute, rules or regulations as to the accuracy, reliability or completeness of the Tender Document.
- C. The Department/Corporation may, in its absolute discretion, but without being under any obligation to do so, update, amend or supplement the information in this Tender Document.

Chief Eng neer .S.E.I.D.C. L\u00e4d, Patna

Bihar State Educational Infrastructure Development Corporation (BSEIDC) Ltd Rage 2 of 22

240

Manager

TABLE OF CONTENTS

Section 1. Schedule of Tender Process	Page No-6
Section 2. Terms of Reference	Page No-7
Section 3.Bidding Procedure	.Page No-09to 17
Section 4.Evaluation of Bid	Page No-18
Section 5.Bid Schedule, Venue & Payment	Page No-19
Anneyures	Page No-20 to 22

For, Bharat Commercial Agency Unit of Shashi Raman Enterprises Pvt. Ltd

Mana 7.

Chief Eng neer
B.S.E.I.D.C. Ltd, Patna
Bihar State Educational Infrastructure Development Corporation (BSEIDC) Ltd. 23 of 22



बहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

(A Govt. of Bihar Undertaking)
ISO 9001:14001; OHSAS 18001

Shiksha Bhawan, Bihar Rashtrabhasha Parishad Campus, Acharya Shivpujan Sahay Path, Saidpur, Patna - 800 004 Tel. No.: 0612 - 2660850 • Fax No.: 0612 - 2660256

E-mail: bseidc@gmail.com • Website: http://www.bseidc.in • CIN: U80301BR2010SGC015859

पुनर्निविदा आमंत्रण सूचना संख्या-31 वर्ष 2018-19 मदवार वर निविदा

(केवल ई-टेन्डरिंग पद्धति के अनुसार वेबसाइट www.eproc.bihar.gov.in पर)

बिहार राज्य के अन्तर्गत विभिन्न कार्य हेतु निविदा आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार/सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रजिस्ट्रेशन, उक्त कार्य का लेटर ऑफ एक्सेपटेंस प्राप्त होने के बाद कराना होगा।

क्रमांक	कार्य का नाम	प्राक्कलित राशि	अग्रधन की राशि	परिमाण विपत्र का मूल्य (फ्र॰में)	Beltron Bid Processing Fee (In Rs.)	कार्य समाप्ति की अवधि
1	Interior, Audio Visual, Video Conferencing, IT, Civil, Electrical & Furniture Works for Newly Constituted Munger University, Munger.	As per Quoted rate	2% of Quoted Amount	10,000/-	As appeared on the website	3 माह
2	Interior, Audio Visual, Video Conferencing, IT, Civil, Electrical & Furniture Works for Newly Constituted Purnea University, Purnea.	As per Quoted rate	2% of Quoted Amount	10,000/-	As appeared on the website	3 माह
3	Interior, Audio Visual, Video Conferencing, IT, Civil, Electrical & Furniture Works for Newly Constituted Patliputra University, Patna.	As per Quoted rate	2% of Quoted Amount	10,000/-	As appeared on the website	3 माह

नोट:--

- (i) निविदाकार एक या अधिक कार्य के लिए अलग-अलग निविदा डाल सकते है।
- (ii) वेबसाईट—www.eproc.bihar.gov.in पर अंकित अग्रधन की राशि एवं परिमाण विपन्न की राशि अंतिम रुप से मान्य होगा।
- 1 विज्ञापन निर्गत करने की तिथि
- परिमाण विपत्र प्राप्त करने(डाउनलोड) की अवधि
- 3 प्री बिड मीटिंग का समय, स्थान एंव तिथि
- 4 निविदा प्राप्ति(अपलोड) की अंतिम तिथि एवं समय
- 5 अग्रधन जमा करने की अंतिम तिथि एवं समय
- टेक्निकल बिड खोलने की तिथि एवं समय
- 7 वित्तीय बिड खोलने की तिथि एवं समय
- विदा खोलने का स्थान
- 9 निविदा की वैधता की अवधि

दिनांक:-- 16.07.2018

दिनांक- 23.07.2018 से 29.07.2018, 15:00 घंटा

(वेयसाईट:www.eproc.bihar.gov.in पर)

दिनांक:- 25.07.2018, 16:00 घंटा प्रबंध निदेशक का कार्यालय,बिहार राज्य शैक्षणिक आधारमूत संरचना विकास

निगम, पटना।

दिनांक- 30.07.2018, समय- 16:00 घंटा

दिनांक- 31.07.2018, समय- 15:00 घंटा

दिनांक- 31.07.2018, समय- 16:30 घंटा

(वेबसाईट-www.eproc.bihar.gov.inपर

दिनांक- **03.08.2018**, समय- 15:30 घंटा

वेबसाईट-www.eproc.bihar.gov.inपर

120 दिन

M

Chief Eng neer B.S.E.I.D.C. Ltd. Patna

For. Bhar Bihar State Educational Infrastructure Development Corporation (BSEIDC) Ltd. Dep 4 of 22 Unit of Shashi Raman Enterprises Pvt. Ltd.

13 Manager

2419

(10) ई-टेन्डिरिंग की प्रकिया में भाग लेने हेतु संवेदकों को पंजीकृत होना होगा, जिससे कि उन्हें उपयोगकर्ता का नाम (user ID) पासवर्ड (Password) अंकीय हस्ताक्षर (Digital Signature) निर्गत की जायेगी। यह उन्हें वेबसाईट www.eproc.bihar.gov,in से डाउनलोड करने/टेन्डर की प्रक्रिया में भाग लेने की योग्यता प्रदान करेगा।

- (११) ई—िनिविदा पत्र बेवसाईट www.eproc.bihar.gov.in से प्राप्त किया जा सकता है। संवेदक द्वारा सिर्फ उपर्युक्त वेबसाईट से ही परिमाण विपन्न प्राप्त करने के उपरांत वेबसाईट पर ही इलेक्ट्रानिक निविदा पन्न को भरकर भेजना है। अन्य सभी महत्वपूर्ण कागजात/बैंक ड्राफ्ट/अग्रधन की राशि/सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को स्कैन कर ई—िनिविदा के साथ संलग्न करना अनिवार्य है।
- (12) (西) Beltron Bid **Processing Fee** as appeared on the e-tendering website:- <u>www.eproc.bihar.gov.in</u> & BOQ cost (as appeared on website) is mandatory to be paid through e-payment mode i.e. Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS"

Bids along with necessary online payments must be submitted through e-procurement portal www.eproc.bihar.gov.in before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffic/ Holidays or any other reason. ऐसा नहीं करने पर निविदा मान्य नहीं होगा।

- (ख) वांछित अग्रधन की राशि राष्ट्रीय बचत पत्र / डाकघर सावधि जमा 3 वर्षीय या 5 वर्षीय पासबुक जो बिहार राज्य से क्रय या जमा किया हो, प्रबंध निदेशक, BSEIDC Ltd., पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा बिहार वित्त नियमावली के अनुसार BSEIDC Ltd. के नाम से फिक्सड डिपोजिट रिसिप्ट अथवा बैंक गारन्टी जो बिड के मान्य अविध तक के लिए बिहार अवस्थित किसी राष्ट्रीयकृत / अनुसूचित बैंक से निर्गत हो (अगर बिहार प्रान्त के बाहर के बैंक से निर्गत बैंक गारन्टी दिया जाता है तो एकरारनामा के पूर्व इसे बिहार अवस्थित किसी बैंक से निर्गत किया जाना होगा) के रूप में प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड, पटना में दिनांक 31.07:2018 के 15:00 घंटे तक स्वयं / निबंधित डाक / स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना आवश्यक है अथवा EMD can also be paid through e-payment mode i.e. "Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS". ऐसा नहीं करने पर निविदा मान्य नहीं होगा।
- (13) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेबसाइट पर अपलोड कर लें। ताकि अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से यच सकें।
- (14) निविदाकार निविदा डालने से पहले अपने स्तर से भी प्रस्तावित कार्य स्थल पर भूमि उपलब्धता के संबंध में आश्वस्त हो लेगे।
- (15) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। बिना कारण बताये निविदा या उसके अंश को अस्वीकृत करने / रदद करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है।
- (16) विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्य अविधि में सम्पर्क किया जा सकता है। ई-टेन्डरिंग की प्रकिया से संबंधित किसी भी प्रकार की जानकारी/सूचना हेतु सहायता कक्ष, ई-टेन्डरिंग कक्ष, प्रथत तल्ला, M/22, बैंक ऑफ इण्डिया भवन, रोड न० 25, श्री कृष्णा नगर, पटना-800001, दूरभाष सं० 0612-2523006/9939035696.

मिट्टा अभियंता मुख्य अभियंता है। कि के 18

For, Bharat Commercial Agency Unit of Shashi Roman Enterprises Put, Ltd

Bihar State Educational Infrastructure Development Corporation (BSEIDC) Ltd.Page 5)

Chief Eng neer S.E.I.D.C. Ltd, Patna

24/9

Section 1. Schedule of Tender Process

The Department would endeavor to adhere to the following schedule during the Bidding Process:

SL. No	Description	Date		
1	Period for downloading of documents	From :23.07.2018 To 29.07.2018, 15.00 Hrs from website : www.eproc.bihar.gov.in		
2	Date, Time & Place of Pre-bid Meeting	16:00 Hrs, On25.07.2018, Managing Director, Bihar State Educational Infrastructure Development Corporation Limited, Patna		
3	Last Date and time for upload of on e-tendering of Bid website	Till 15:00 hrs, on30.07. 2018		
4	Opening of Technical Bid on e-tendering website	16:30 Hrs, on 31.07.2018		
5	Opening of Financial Proposal on e-tendering website:www.eproc.bihar.gov.in	15:30 Hrs, on 03.08. 2018		

Bihar State Educational Infrastructure Development Corporation (BSEIDC) Ltd page 6 of 22

Shash Rango Enterprises Pvt. Ltd

VORKS FOR NEWLY CONSTITUTED MUNGER UNIVERSITY, MUNGER

Section 2. Terms of Reference

2.1 Background:

INTERIOR, AUDIO VISUAL, VIDEO CONFERENCING, IT, CIVIL, ELECTRICAL & FURNITURE

The Education Department/BSEIDC plans to establish office of the newly constituted Patliputra University. BSEIDC has been authorized for Selection of Agency forINTERIOR, AUDIO VISUAL, VIDEO CONFERENCING, IT, CIVIL, ELECTRICAL & FURNITURE WORKSatPURNEA UNIVERSITY, PURNEAso invites proposal from the experienced companies / firms/Agency engaged in such business. The Selected Bidder will be responsible for making all necessary arrangements to deliver the equipment and other works on time. Selected Bidder has to carry out the assignment in accordance with the provisions of the Terms of Reference of the Tender documents and the work order to be issued by the Education Department/BSEIDC.

Scope of Work

To supply & install Furniture, IT Equipment etc of approved specification & as per BOQ attached with the Bid Document for INTERIOR, AUDIO VISUAL, VIDEO CONFERENCING, IT, CIVIL, ELECTRICAL

& FURNITURE WORKS FOR NEWLY CONSTITUTED PURNEA UNIVERSITY, PURNEA.

Special Terms & Conditions:

- 1. Technical Bid should be accompanied by OEM's product brochure / datasheet. Bidders should ensure complete warranty and support for all equipment from OEMs. All the back-to-back service agreements should be submitted along with the Technical Bid.
- 2. None of the IT / Non-IT equipment proposed by the bidder should not be End of Life product. It is essential that the technical proposal is accompanied by the OEM certificate, where-in the OEM will certify that the product is not end of life product & shall support for at least 6 years from the date of Bid Submission.
- 3. Critical / Core components of the system should not have any requirements to have proprietary Platforms and should conform to open standards.
- 4. For the custom-made modules, Industry standards and norms should be adhered to for coding during application development to make debugging and maintenance easier. Object oriented programming methodology must be followed to facilitate sharing, componentizing and multiple-use of standard code. The application should be subjected to Application security audit to ensure that the application is free from any vulnerability.
- 5. The Successful Bidder should also propose the specifications of any additional /other hardware, if required for the system.
- 6. All the hardware and software supplied should be from the reputed Original Equipment Manufacturers (OEMs).
- 7. The OEM for IT/NON IT Equipment should have service center in Bihar. Bidder to produce documentary proof to establish the eligibility.

 Chief Eng neer

Bihar State Educational Infrastructure Development Corporation (BSEIDC) Ltd.Pages 20, 22. E.I.D.C. Ltd., Patna

For, Bharat Commercial Agency Unit of Shashi Ramon Enterprises Pvi. Ltd

2/3 -

Also OEM should have dedicated service and support center (toll free number / email support) and fully equipped RMS center.

8. The Biddershave to submit authorization (In attached Format) from OEM along with technical bid failing which the bid will be rejected. The authorization issued by Dealer/Channel Partner will not be acceptable.

Manufacturers' Authorization Form

(This form has to be provided by the OEMs of the products proposed) Tender Ref. Date:

To:

Managing Director,

Bihar State Educational Infrastructure Development Corporation Ltd.

ShikshaBhavan, Acharya Shivpujan Sahay Path, Saidpur Patna-800004

Dear Sir,

Subject: OEM Authorization Letter for Furniture / IT Products (Computer, Laptop, Printer, Video Conferencing System) / PA System /Air Conditioning System

We, (name and address of the manufacturer) who are established and reputed manufacturers of having factories at (addresses of manufacturing locations) do hereby authorize (name of the bidders & address of the Bidder) to bid, negotiate and conclude the contract with you against the above mentioned tender for the above equipment manufactured by us.

Yours faithfully

For and on behalf of M/s (Name of the manufacturer)

Signature Name

Designation

Address

Date

Note: This letter of authority should be on the letterhead of the manufacturer and should be signed by a person competent and having the power of attorney to bind the manufacturer. The Bidder in its Bid should include it..

Chief Eng neer

Bhar Bihar State Educational Infrastructure Development Corporation (BSEIDC) Ltd-Page 8 of 52 .D.C

193 -Manage

SECTION3: BIDDING PROCEDURE

3.1 SUBMISSION PROCEDURE

3.1.1 Bidders who wish to participate in this selection process will have to register on etendering website: eproc.bihar.gov.in so that user Id/Password/Digital signature can be allotted to them for participating in the Bid.

<u>Technical Bid:</u>To be opened as per NIT (date of Technical Bid opening) in the presence of Evaluation Committee or authorized person (only on website: www.eproc.bihar.gov.in)

Financial Bid:-

After detailed evaluation of above details. Such bidder(s) shall be called "Technically Qualified bidder(s)" and such technically qualified bidder(s) shall only be eligible for financial bid opening.

- 3.1.2 Services offered should be strictly as per specifications mentioned in this Tender Document.
- 3.1.3 Once quoted, the Bidder shall not make any subsequent price changes, whether resulting or arising out of any technical/commercial clarifications sought regarding the bid, even if any deviation or exclusion may be specifically stated in the bid. Such price changes shall render the bid liable for rejection.
- 3.1.4 Bidder shall quote the prices of services as mentioned valid for 120 days.

For, Bharat Commercial Agency Unit of Shoshi Romian Enterprises Pvt. Ltd

Manager Z

Chief Eng neer S.E.I.D.C. Lid, Patna

Bihar State Educational Infrastructure Development Corporation (BSEIDC) Ltd.Page

3.2. ELIGIBILITY CRITERIA

The bidders shall have the following conditions to qualify for the Bid: **Essential Requirement:**-

- (i) The responding bidders/Company should have work experience of Interior Works for an amount not less than Rs. 125.00 Lac in any of the last 03 financial year (2015-16, 2016-17, 2017-18). in Central govt./ State govt./ Public undertaking (Nigam). Certificate to be issued by Executive Engineer or Equivalent.
- (ii) The bidder should have achieved a minimum Financial Turn Over of amount not less than Rs. 250.00Lac in past any three Financial Year (2015-16, 2016-17, 2017-18) in equivalent works.
- (iii) The bidder shall provide GST Registration Certificate, PAN/TIN, Service Tax, Registration Certificate, Service Tax Return and Income Tax Return for last three year.
- (iv) If the bidders is not a manufacturing company they shall have to enclose the dedicated credential certificate of original manufacturing company that the company will provide the products as per Bid requirement to the Bidder, if work is allotted to them.
- (v) Product quoted should be as per specified in attached BOQ. No deviation shall be accepted.
- (vi) The Bidder must quote for all items. Partial Bid will not be accepted.
- (vii)The company may bid directly or through its authorized dealer.
- (viii) All products should carry a warranty for a period of 12 months against any manufacturing defects from the date of its supply. The Defect Liability Period (DLP) will be of 01 years.
- (ix) The Technical Bid should be accompanied by the manufactures catalogue (in original) in respect of products offered.
- (x) The Bidders/OEM have the following valid certification/Membership.
 - (a) Business & institutional Furniture's manufactures association.(BIFMA)
 - (b) ISO-14001:18001
- (xi)The interested firm must submit their Bid Document in two parts, one with the documents as proof of technical eligibility and the other with the rate in Financial Bid prescribed Format.
- (xii) All the document must be signed on each page & uploaded.
- (xiii) The Bidder should not have been debarred by the Central/State Governments/undertakings. An undertaking to this effect should be given.

Bids from consortiums and joint venture are not allowed.

Claims without documentary evidence will not be considered.

Department of Education/BSEIDC reserves the right to verify the claims made by the Bidders and to carry out the capability assessment of the Bidders and the Department of Education/BSEIDC's decision shall be final in this regard. Department of Education/BSEIDC may, in its absolute discretion, waive any of the conditions and/or requirements in the Tender in respect of any or all of the bidders.

Chief Eng neer

Or. Bharat Bihar State Educational Infrastructure Development Corporation (BSEIDC) Ltd. Page 19 of 22D.C. Ltd. Patna

er 2

(A) Stage-I Pre-qualification criteria for Bidders.

SL. No.	Pre-qualification Criteria	Documentary Evidence	
1	The responding bidders should have	WorkOrder/WorkCompletion Certificate. Annexure-3	
	experience of at least one year in the field. The bidder should have achieved a		
2	minimum Financial Turn Over of amount not less than Rs. 250.00 Lacin past any three Financial Year (2015-2016,2016-2017& 2017-18) in equivalent works.	C.A Certificate/Income Tax Return	
3	The bidder shall provide GST registration Certificate, PAN/TIN, Service TaxRegistration Certificate, Service Tax Return and Income Tax Return for last Three years.	A copy of GST Registration, PAN/TIN, Service TaxRegistration Certificate, Service TaxReturn and Income Tax Return. The bidder shall also submit copy of the returns of Service Tax and Income Taxfor last three years.	
4	The bidder shall provide Beltron processing fee as appeared on Website& BOQ Cost of Rs. 10,000/- and EMD Rs 10.00 lacas per guideline given in the NIT	Tender Fee and EMD as per NIT.	
5	The bidder has to submit self-certifiedletter indicating that they have not been Debar/blacklisted by any Government Department, Organization, and Corporation.	Self certified letter.	

^{* &}quot;Bidder" shall mean a corporate entity, firm (propriety or partnership, Individual), company ora corporation eligible to participate in bidding process.

For, Bharat Commercial Agency Unit of Shashi Ramian Enterprises Pvf. Ltd

Chief Eng neer
Bihar State Educational Infrastructure Development Corporation (BSEIDC) Ltd. Page 51 of 521.D.C. Ltd, Patna

(A) FINANCIAL BID

A financial bid of technically eligible bidder shall be opened. The technically eligible bidder offering the best possible offer amount (L-1) to Department of Education/BSEIDC for the said work will be invited for negotiation and finalization of agreement.

Department of Education/BSEIDC has the right (in its absolute discretion) to determine how to progress any discussions and/or negotiations with successful bidder following submission of the Proposals.

3.3 CORRECTION OF ERRORS

Price Proposals determined to be substantially responsive will be checked by the Department of Education/BSEIDC for any arithmetic errors. Arithmetic errors will be rectified on the following basis:

If there is discrepancy between total price bid amount and summary of total cost of all components/parts, then the following will be procedure.

- a) Where there is discrepancy between the rates in figures and in words, whichever is less shall govern.
- b) Where there is discrepancy between the unit rate and the line item total resulting from multiplying the unit rate by the quantity, the unit rate as quoted will govern.
- c) If the total amount of bid quoted is less than actual summation of cost of all the components/parts as the case may be, then the total quoted amount shall govern and difference between the actual summation and amount quoted shall be considered as a discount.
- d) If total amount of bid is more than actual summation of cost of all components/parts as the case may be, then the individual cost of the components/parts shall govern and total amount shall be reduced to actual summation and it shall be considered as mistake in totalling.

 However, the decision of Department of Education/BSEIDC in this regard shall be final and binding.

The amount stated in the form of bid for price proposal will be adjusted by the Department of Education/BSEIDC in accordance with the above procedure for the correction or errors and, shall be considered as binding upon the bidder. If the bidder does not accept the corrected amount of bid, its bid will be rejected, and the EMD may be forfeited in accordance with relevant clause.

3.4 NUMBER OF PROPOSALS

3.4.1 Each Bidder shall submit only one (1) Proposal, in response to this NIT. Any Bidder who submits or participates in more than one Proposal shall be disqualified.

3.5 PROPOSAL PREPARATION COST

The Bidder shall be responsible for all costs associated with the preparation of its Proposal and its participation in the bidding process. Department of Education/BSEIDC will not be responsible or in any way liable for such costs, regardless of the conduct or outcome of the bidding process.

Chief Eng neer icational Infrastructure Development Corporation (BSEIDC) Ltd Page 13 of 22

For Bhar Bihar State Educational Infrastructure Development Corporation (BSEIDC) Ltd. Page Unit of State State Enterprises Pvt. Ltd.

24/9

3.6. RIGTH TO ACCEPT OR REJECT

- 3.6.1. Department of Education/BSEIDC may reject a proposal at any stage if it is found that the firm recommended for award has indulged in corrupt or fraudulent activities in competing for the contract in question, and may also declare a firm ineligible or blacklist the firm, either indefinitely or for a stated period of time, if at any time it is found that the firm has engaged in corruptor fraudulent practices in competing for, or in executing, the contract.
- 3.6.2. Notwithstanding anything contained in this NIT, Department of Education/BSEIDC reserves the right to accept or reject any Proposal and to annul the bidding process and reject all Proposals at any time, without any liability or any obligation for such acceptance, rejection or annulment, without assigning any reasons.
- 3.6.3. Department of Education/BSEIDC reserves the right to reject any Proposal if at any time if a material misrepresentation made by a Bidder at any stage of the bidding process is discovered.

3.7. CLARIFICATIONS

3.7.1. A prospective Bidder requiring any clarification on the NIT may notify Department of Education/BSEIDC in writing or by facsimile to Managing Director, BSEIDC within such date as specified in NIT Time Schedule (Section-5). At its sole discretion, BSEIDC may upload its response to such queries on the website: www.eproc.bihar.gov.in

3.8 BID SECURITY

- 3.8.1 Proposals would be accompanied with a Bid Security EMD for an amount of Rs. 10.00 Lac (if paid manually). The Bid Security amount shall be valid throughout the Proposes Validity Period and would have to be extended if so required by Department of Education/BSEIDC.
- 3.8.2 The Bid Security shall be in the form of a demand draft (if paid manually) in favour of the, Managing Director, BSEIDC, drawn on any scheduled bank payable at Patna.
- 3.8.3. The Bid Security amount shall be returned to the unsuccessful Bidders within a period of two (2) weeks from the date of signing of Agreement between Department of Education/BSEIDC and the Successful Bidder.
- 3.8.4 The bid security amount of the successful bidder will be automatically turned into security deposit at the time of allotment of tender and will be refunded along with the final payment.
- 3.8.5 The Bid Security shall be forfeited in the following cases:
 - 1. If the Bidder withdraws its Proposal;
 - 2. If the Bidder withdraws its Proposal during the interval between the Proposal Due Date and expiration of the Proposal Validity Period; and
 - 3. If any information or document furnished by the Bidder turns out to be misleading or untrue in any material respect.

For, Bharat Commercial Agency
Unit of Shashi Ramian Enterprises Pvt. Ltd

Chief Eng neer B.S.E.I.D.C. Ltd, Patna

Bihar State Educational Infrastructure Development Corporation (BSEIDC) Ltd.P329 13 of 22

3.9 PERFORMANCE GUARANTEE

The Security Money/EMD is **Rs. 10.00 Lac**submitted with Bid will be taken as Performance Guarantee of the Selected Bidder.

3.10 BIDDER's RESPONSIBILITY

- 3.10.1 The Bidder is expected to examine carefully the contents of all the documents provided. Failure to comply with the requirements shall be at the Bidder's own risk.
- 3.10.2 It shall be deemed that prior to the submission of Proposal, the Bidder has:
- a) made a complete and careful examination of terms & conditions/requirements, and other information set forth in this document;
- b) Received all such relevant information as it has requested from Department of Education/BSEIDC; and
- c) Made a complete and careful examination of the various aspects of the Assignment.
- 3.10.3 Department of Education/BSEIDC shall not be liable for any mistake or error or neglect by the Bidder in respect of the above.

For, Bharat Commercial Agency
Unit of Shocki Region Suterorises Pvt. Life
Togologies

Chief Eng neer

Bihar State Educational Infrastructure Development Corporation (BSEIDC) Ltd: Page 14 of 22

SL NO.-2

3.11 CORRESPONDENCE/ENQUIRY

- 3.11.1 All correspondence / enquiries should be submitted to the following in writing by fax/registered post / courier: Managing Director, Bihar State Educational Infrastructure Development Corporation, ShikshaBhawan, BiharRastrabhasaParishad, Acharya Shiv PujanSahay Path, Saidpur, Patna-800004, Tel No:0612-2910314 Email - bseidc2@gmail.com
- 3.11.2 No interpretation, revision, or other communication from Department of Education/BSEIDC regarding this is valid unless it is in writing and is signed by Managing Director.

3.12 FORMAT AND SIGNING OF PROPOSAL

- 3.12.1 Bidders would provide all the information as per this and in the specified format. Department of Education/BSEIDC reserves the right to reject any Proposal that is not in the specified format.
- 3.12.2 The Proposal would include submissions to be made on the respective Proposal Due Date as set out in Section-5 (Time Schedule).

3.13 PROPOSAL DUE DATE

- 3.13.1 Proposals should be submitted as per information provided in section 5.
- 3.13.2 Department of Education/BSEIDC at its sole discretion; accept any Proposal(s) after Proposal Due Date. Any such Proposal/s accepted shall be deemed to have been received by the Proposal Due Date.

For Bharat Commercial Agency Unit of Shashi Raman Enterprises Pvt. Ltd

Chief Eng neer

Bihar State Educational Infrastructure Development Corporation (BSEIDC) Ltd., Patna

3.14 TEST OF RESPONSIVENESS

- 3.14.1 Prior to evaluation of Proposals, Department of Education/BSEIDC will determine whether each Proposal is responsive to the requirements. A Proposal shall be considered responsive if;
- a) it is received on the respective Proposal Due Date;
- b) It is accompanied with the "Bid Security" amount Rs. 10.00 Lac(if paid manually) as set out in this Document.
- c) It contains the information and documents as requested;
- d) It contains information in the form and formats specified;
- e) It mentions the validity period as set out in this document;
- f) It provides the information in reasonable detail. ("Reasonable Detail" means that, but for minor deviations, the information can be reviewed and evaluated by Education Department/BSEIDC.Department of Education/BSEIDC reserves the right to determine whether the information has been provided in reasonable detail or not;
- g) There are no inconsistencies between the Proposal and the supporting documents.
- 3.15 A Proposal that is substantially responsive is one that conforms to the preceding requirements without material deviation or reservation. A material deviation or reservation is one which,
 - 3.15.1 affects in any substantial way, the scope, quality, or performance of the Assignment, or
 - 3.15.2 limits in any substantial way, inconsistent with the Tender document, Education Department/BSEIDC's rights or the Bidder's obligations under the Agreement, or
 - 3.15.3 Unfairly affects the competitive position of other Bidders presenting substantially responsive Proposals.
- 3.16 Education Department/BSEIDC reserves the right to reject any Proposal which in its opinion is nonresponsive and no request for modification or withdrawal shall be entertained by Education Department/BSEIDC in respect of such Proposal.

For, Bharat Commercial Agency Unit of Stoshil Pair Shlerprises Pvt. Lid

Bihar State Educational Infrastructure Development Corporation (BSEIDC) Ltd.Page 16 of 22

Chief Eng neer

B.S.E.I.D.C. Ltd, Patna

3.17 PROPOSAL EVALUATION

3.17.1 The Qualification Submissions of the Bidders would be checked for responsiveness with the requirements of the Tender Documents and shall be evaluated as per the Criteria set out in **Section-3 &4**

3.18 DELCARATION OF SUCCESSFUL BIDDER

- 3.18.1 Department of Education/BSEIDC may either choose to accept the Proposal of the successful Bidder or invite him for negotiations/Clarification.
- 3.18.2 Upon acceptance of the Proposal of the Bidder technically qualified with Lowest Financial Bid, with or without negotiations, Department of Education/BSEIDC shall declare the tenderer as the Successful Bidder.

3.19 NOTIFICATIONS

3.19.1 Department of Education/BSEIDC will notify the Successful Bidder by a Letter of Acceptance (LOA) that its Proposal has been accepted.

3.20 EDUCATION DEPARTMENT/BSEIDC RIGHT TO ACCEPT OR REJECT PROPOSAL

Department of Education/BSEIDC reserves the right to accept or reject any or all of the Proposals without assigning any reason and to take any measure as it may deem fit, including annulment of the bidding process, at any time prior to award of the Assignment, without liability or any obligation for such acceptance, rejection or annulment.

Department of Education/BSEIDC reserves the right to invite revised Proposals from Bidders with or without amendment of the Tender Document at any stage, without liability or any obligation for such invitation and without assigning any reason

Department of Education/BSEIDC reserves the right to reject any Proposal if at any time:

- a) a material misrepresentation made at any stage in the bidding process is uncovered; or
- b) The Bidder does not respond promptly and thoroughly to requests for supplemental information required for the evaluation of the Proposal.
- 3.20.1 This would lead to the disqualification of the Bidder. If such disqualification / rejection occur after the Proposals have been opened and the Successful Bidder gets disqualified/ rejected, then Department of Education/BSEIDC reserves the right to:
 - a) Declare the Bidder receiving the next highest score as the successful tenderer and where warranted, invite such Bidder to equal or better the score secured by such disqualified Successful Bidder; or
 - b) Take any such measure as may be deemed fit in the sole discretion of Department of Education/BSEIDC, including annulment of the bidding process.

For, Bharat Commercial Agency Unit of Shoshi Raman Enterprises Pvt. Ltd

Manage -1

Chief Eng neer

Bihar State Educational Infrastructure Development Corporation (BSEIDC) Ltd.Page 17 of 22

SECTION 4.EVALUATION OF BIDS

4.1 EVALUATION PARAMETERS

- 4.1.1 Department of Education/BSEIDC will evaluate the bids determined to be substantially responsive i.e., which
 - a. Are properly signed;
 - b. Conform to the terms and conditions & technical specifications.
- 4.1.2. The Technically Qualified bidders quoting the lowest (L1) will be selected as the successful bidder.

For Bharat Commercial Agency Joit of Shoyar Pages Pvt. Ltd

Bihar State Educational Infrastructure Development Corporation (BSEIDC) Ltd.Page 18 of 22

Chief Eng neer B.S.E.I.D.C. Ltd, Patna

SECTION 5. BID SCHEDULE AND VENUE

EDUCATION DEPARTMENT/BSEIDC would Endeavour to adhere to the following schedule:

Sl. No.	Activity	Scheduled Date & Time
1	Place for obtaining Bid Document	only on e-tendering website: www.eproc.bihar.gov.in
2	Last date and Time for receipt of Bid on e-tendering website	30.07.2018 (03:00 P.M.)
3	Address for submission of EMD if paid manually	Managing Director Bihar State Educational Infrastructure Development Corporation ShikshaBhawan, Bihar RastrabhashaParishad Campus, Acharya Shiv PujanSahay Path, Saidpur, Patna-800004
4	Venue of opening of Technical & Financial Bid	only on e-tendering website: www.eproc.bihar.gov.in
5	Date & time of opening of technical Bid	31.07.2018 (04:30 P.M.)
6	Date& time of opening of financial Bid	03.08.2018 (03:30 P.M.)

For, Bharat Commercial Agency
Unit of Shoshi Romion Enterprises Pvt. Ltd

Manager

Manager

Chief Eng neer B.S.E.I.D.C. Ltd, Patna

Bihar State Educational Infrastructure Development Corporation (BSEIDC) Ltd. 22

ANNEXURE - 1

FORMAT FOR COVERING LETTER-CUM-ASSIGNMENT UNDERTAKING

(On the Letter Head of the Bidder)

To,

Managing Director,
Bihar State Educational Infrastructure Development Corporation,
ShikshaBhawan, Bihar RastrabhasaParishad,
Acharya Shiv PujanSahay Path,
Saidpur, Patna

Sub: - INTERIOR, AUDIO VISUAL, VIDEO CONFERENCING, IT, CIVIL, ELECTRICAL & FURNITURE WORKS FOR NEWLY CONSTITUTED PURNEA UNIVERSITY, PURNEA.
Sir,

We have read and understood along with Draft. Agreement in respect of the captioned Assignment provided to us by Department of Education/BSEIDC.

We hereby agree and undertake as under:

Signature of Authorized Signatory

Name of the Authorized Signatory

Date:

For Bharat Commercial Agency Unit of Speshi Renien Enterprises Pvt. Ltd

Bihar State Educational Infrastructure Development Corporation (BSEIDC) Ltd.Page 20 of 22

Chief Eng neer 3.S.E.I.D.C. Liid, Patna

LNO.-

ANNEXURE - 2

FORMAT FOR FINANCIAL PROPOSAL

(On the letter head of the bidder)

Date: -

To,
Managing Director,
Bihar State Educational Infrastructure Development Corporation,
ShikshaBhawan, Bihar RastrabhasaParishad,
Acharya Shiv PujanSahay Path,
Saidpur, Patna

Ref: INTERIOR, AUDIO VISUAL, VIDEO CONFERENCING, IT, CIVIL, ELECTRICAL & FURNITURE WORKS FOR NEWLY CONSTITUTED PURNEA UNIVERSITY, PURNEA.

Sir.

We are pleased to quote the license fee as below. We have reviewed all the terms and conditions of the Request for Proposal and confirm that, we would abide by all the terms and conditions. We hereby declare that there shall be no deviations from the stated terms in this. We further declare that, any State Government, Central Government or any other Government or Quasi Government Agency has not barred us from participating in any Bid.

(The bidders are required to submit a detailed breakup of the financial cost quoted herewith above as per the format prescribed ahead; in a manner that the cost implication to BSEIDC for any variation of items of event can be accessed from the break-up. Any financial proposal submitted without breakup as described above may be rejected out rightly.)

For, Bharat Commercial Agency Unit of Shoshi Roman Enterprises Pvt. Ltd

Manager 1

Chief Lag neer B.S.E.I.D.C. Ltd, Patna

Bihar State Educational Infrastructure Development Corporation (BSEIDC) Left. Page 21 of 22

ANNEXURE - 3

LIST OF SIMILAR WORK EXECUTED PERTAINING TO SUPPLY OF FURNITURE AND MISCELLANEOUS ITEMS.

Sr.	Name of Client	Location	Description of work	Value of Contract/Work in Rs.	Duration (Start dtCompletion dt.)
					uuj

NOTES:

- Each of the listed works shall be supported with the copy of work order & work completion certificate. Work completion certificate shall mention the nature of work, value of work completed.
- At least 5 Photographs of the work executed shall be attached.
- Non disclosures of any information in the schedule will result in disqualification of the firm.

☐ <u>LIST OF WORK IN HAND SHALL BE ATTACHED AS UNDER:</u>

Sr.	Name of Client	Location	Description of work	Value of Contract/Work in Rs.	Duration (Start DtCompletion dt.)
			,		

If the company or Firm is divided among partners, the experience of the individual or new firm set up by the partners shall be considered provided past experience is subject to legal consent of individuals, partners or new firm set up by the partners.

For, Bharat Commercial Agency Unit IT Short Ragin Entertrises Pvt. Lid Signature of Bidder

Bihar State Educational Infrastructure Development Corporation (BSEIDC) Ltd.Page 22 of 22

Chief Eng neer
B.S.E.I.D.C. Ltd, Patna