Name of Work, Construction of School Form No. 61 Hours with 03 Rooms, 01 Office Room, Toilet and Kitchen at Khikhin Tola, Kochadhaman. Grrup No.-PRIM-22(B) [Form No. F-2] Gaunishankan TENDER AND CONTRACT FOR WORKS -12 F2 of 2019-20 reement No. General Rule and Direction for the guidance of Contractors. Commencement - 05-03-2019. 1. All works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer. This notice will state the work to be carried out the items and approximate quantities thereof as well as the date for submitting and opening tenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours. 2. In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so. 3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm. 4. The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender. 5. The amount of earnest money to be deposited will be: -Rs.

6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or omit to note the time within which the work can be finished, or which are not accompanied by the treasury challan for the required earnest money will be liable to rejection. No single tender shall include more than one work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the envelop. Cash deposits for earnests money here in before mentioned shall be made in Government Treasuries and the challan there of should be enclosed with the tender.

- 21/1 2191 ME

- 7. The Engineer or his duly authorised assistant will open the tender in the presence of any intending contractors who may be present at the time and will enter the amounts of the several tenders a comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnest money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.
 - 8. The Engineer shall have the right of rejecting all or any of the tenders.
- 9. In the event of a tender being selected for acceptance the Engineer who opened the tenders will, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the priscribed time. The tender with the specification and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to the tenderer.

- 10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.
- 11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required amount of the security money has been deposited the Engineer shall scrutinise all pages of the form of item rate, tender & contract for works to see that the form has been properly filled up and signed by the contractor & the signature witnessed He shall then if he is competent, to accept the tender, sign the acceptance or the tender, or, if he is not so competent shall send the form for signature of the acceptance of the officer competent to accept it.

11/06/2019

水

0

TENDER FOR WORKS

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

	La company of the com		MEMORANDUM
	(a) If several sub-work are included they should be detained in a separate list.	[a]	Name of work
	•	[b]	Estimated cost
)	(b) This deposit will be 5% of the estimated cost of the Work.	[c]	Earnest money
	(c) This percentage deduction from bills will be credited to the contractors security deposit.	[d]	Initial security deposits (including earnest money) to be deposited befor the commencement of the work
)	security deposit.	[e]	Percentage to be deducted from bills Rs. 5% (Rupees five percent)
)		[f]	Time required for the work from date of written order to commence
		[9]	Date of written other to commence
		[h]	Total number of item of work tendered for

Item No.	Item of work	RATE TE	NDERED	
	REM OF WORK	In figures	In words	Per
		karan da salah da sa Baran da salah da sa	T PODOS CANADA	And the second s
			2000 Garage	Agrammanian de la companya de la com
		-		
				· · · · · · · · · · · · · · · · · · ·
		Military		
			STATUTE OF THE STATUT	
			Nontrium (epige)	. 0
- CHICAGO		A STATE OF THE STA		75/06/11
			~	J 1
	The dian Aie		Chief E Barloc	la Para

			RATE TENDERED		Per	0	
Item	n No.	Item of work	In figures	In words			
						**	
				-	E. C.		
1 2							

				The state of the s			
						•	
						٠.	
			-				
	100 miles						
•							
				200			
					Name of the Control o		
200							
•				TANK TO COLUMN TO THE TANK TO			
				999	177 m		
			6				
	ALTA MARKET						
			000	The second secon			
						,	
			A MANAGEMENT AND A MANA				
					SOUTH COLUMN AND AND AND AND AND AND AND AND AND AN		
•					becomeditioned.		
					2.		
	4						
			•	1944 - 1940 - 19	THE PERSON NAMED IN COLUMN NAM		
			Annual Statement		n marine statistics		
1			- 122				
(: '							

3

Schedule XLV - Form No. 61

(1)

0

(5)

			RATE TE	NDERED	
	Item No.	Item of work	In figures	In words	Per
.0					
0				NO. COLUMN COLUM	
0					SECTION OF THE PROPERTY OF THE
0				PROPORTING THE PROPOR	7
0					
0					
0					
0.					
0				•	
0					
0					
0					
0					
٥.					
/					
1	*				
0	· · · · · · · · · · · · · · · · · · ·				
. (1).	Marie Company				
0				And the state of t	
W)	More regarded and control of the con			THE PROPERTY OF THE PROPERTY O	
0	TETRUM AND			ssoosystatelyses	
(1) (2)				SCALED COLUMN TO THE SCALE OF T	
0)			•		
			Digitalismi	n na	
0			THE CONTROL OF THE CO		
(V) ·	No. of the latest and			**************************************	
0					
()				A CONTRACTOR OF THE CONTRACTOR	
()				And the state of t	
Q)	THE PROPERTY OF THE PROPERTY O				
(j)	The state of the s			· ·	
~g1.9"					- District Control of the Control of

RATE TENDERED Item No. Item of work Per In figures In words is no

b ti

th Sŧ SE d€

ac alr de fai

ma the

mor for with

-		16 Á Í		RATE TE	NDERFD	
4-22-00-00	(),	Item No.	Item of work	In figures	In words	Per
reduction and sector management				and place in the community (St. of Christ) Collection in a community or an artist of the community collection	***************************************	
	1)					MANUFACTURE TO THE PARTY OF THE
	.0					TE TO THE TOTAL
	0					20 Karana and and and and and and and and and
	0					
			•			rich characteristic control of the c
	0.					
	0					Market and the second s
100	(D					
100	0					
*	(7)					•
100		and the second			· · · · · · · · · · · · · · · · · · ·	
	0					
	0					
)	Š.		A PARTICIPATION OF THE PARTICI		
	D.	OHOOMETING				
160	D	Sistema and the second		TADA MERINANDA PER		
politica,	D)			ta Allaward Assauras		
The same of	Ď					
anifor,						
	()	ochemicinativý by			. *	
					Contraction of the Contraction o	
		ond in the constraint of the c				
	D.	-		NATIONAL DESCRIPTION OF THE PROPERTY OF THE PR	PER	
)	CA CALLER PROPERTY OF THE PARTY			PROMETER STATE OF THE STATE OF	
	D)			And Andrews or service	STATE OF THE STATE	
	D	et commente de la commente del commente de la commente de la commente del commente de la commente del la commente de la commen			-	
)	N-Comments of the Comments of		International Control of Control	Period and American	
7/		D Adameter To Ellips			And a second of the second of	
Sect				1.	. [

should this tender be accepted I/we hereby agree to abide by and fulfill all the terms and provisions of the said conditions of contract annexed hereto so. for as applicable, or in ssors in office the sums of money mentioned in the said conditions. day of Dated the

*Signature, of contractor before comission of tender

S

b

tl

th

S

S€

de

ad alr

de

fai

ma

the

moi

for

with

is no

witness:-

Address :-

Occupation:-

Signature of witness contractor's signature

The above tender is hereby accepted by me on behalf of the Governor of Bihar. Dated the day of

20

signature of the officer accepting the tender.

Acceptances communicated on........

signature of the party taking the tender

CONDITIONS OF CONTRACT

Compensation

Clause 1:- All compensation or other sums of payable by the contractor to Government under the terms of his contract may be deducted from, paid by the sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor by Government on any account whatsoever and in the event of his security deposit being reduced by reason of any such deduction or sale as aforesaid, the contractor shall within ten days there after make good in cash or Government securities endorsed as aforesaid any sum or sums which may have been deducted from, or arised by, sale of his security deposit of any part thereof.

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which the work is finished after necessary rectification of defects as pointed by the Executive En- gineer or his authorised agents are fully contractor to the Engineer's satisfaction.

Clause 2: - The time allowed for carrying out the work as entered in the tender shall be strictly observed by the contractor and shall be reckoned from the date on which the wirtten order to comence work is given to the contractor. The work shall throughout the stipulated period of the contract be carried on with all due diligence (time being deemed to be the essence of the contract on the part of the contract or) and the contractor shall pay as compensation an amount equal to $\frac{1}{2}$ percent on the amount of the estimated cost of the whole work as shown by the tender for every day that the work remains uncommenced or unfinished after the proper date. And further to ensure good progress during the execution of the work the contractor shall be bound in all cases in which the time allowed for any work exceeds one month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before onehalf of such time elapsed and three-fourths of the work, before three fourths of such time has elapsed in the event of the contractor failing to employ with this condition, I shall be liable to pay as compensation an amount equal to ½ percent on the said estimated cost of the whole work for every day that the due quantity of work remains incomplete provided always that the entire amount of compensation to be paid under the provisions the clause shall not exceed 10 percent of the estimated cost of the work as shown in the tender.

Action when persnle security deposit foreited

Clause 3:- In any case which under any clause or clauses of or this contract the contractor shall have rendered himself laible to pay compensation amounting to the whole of his security deposit in the hands of Government (where paid in one sum or deducted by instalments) the Executive Engineer on behalf on the Bihar Government shall have been powered to adopt any of the following courses, as he may deem best suited to the enterest of Government

(a) To rescind the contract (of which rescind notice in with do the contractor under the hand of the Executive Engineer shall be conclusive evidence) and in which case the sectitiry deposit of the contractor shall start for eited, and be absolutely at the disposal of Government. REIDC. Ltd. Patro

(b) To employ labour paid by the Public Works Department and to supply materials to carry out the work, or any part of the work, debitting the construction with the cost of the labour and the price of the materials (of the amount of which cost and price certificate of the Engineer-in -charge shall be final and conclusive against the contractor), and crediting him with the value of the work done, in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.

(c) To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands, and to give it to another contractor to complete in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive) shall be born and paid by the original contractor and made be deducted from any money due to him by Government under the contract or otherwise, or from his security deposit or the proceeds of sale thereof, or a sufficient part thereof.

In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagement, or made advances on account of or with a view to execution of the work or the performance of the contract. And in case the contract shall be rescinded under the provision aforesaid, contractor shall not be entitled to recover or be paid any sum for any work there-to-fore actually performed under this contract unless and until the Executive Engineer shall have certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the values so certified.

Clause 4:- In any case in which any of the powers, conferred upon the Executive Engineer by clause 3 thereof shall have become exercisable and the same shall not be exercised the non-exercise there of shall not contitury waiver of the conditions here and such power shall not with standing be exercisable in the event of any future case of default by the contractor for which by any clause or clauses hereof he is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and future compensation shall remain unaffected in the event of the Executive Engineer putting in force the powers vested in him under the preceeding clause he may, if so desires, take possession of all or any tools, plants, materials and store, in or upon the works of the site thereof or belonging to the contractor or procured by him and intended to be for the execution of the work or any part there of paying or allowing for the same in the contract at the account rates, or in case of these not being applicable at current market rates to be certified by the Executive Engineer whose certificate thereof shall be final, otherwise the Executive Engineer may notice in writing to the contractor or his clerk of the work, foreman or other authorised agent require him to remove such tools, plants, materials or stores from the promises (within a time to be specified in such notice) and in the event to the contractor failing to comply with any such requisition the Executive Engineer may remove them at the contractor expense or sell them by auction or private sale on account of the contractor and at his risk in all respect, and the certificate of the Executive Enginee, as to the expense of any such removal and the amount of the proceeds and expense of any such sale be final and conclusive against the contractor.

contractor remains hable to pay compensation if action not take under cause 2.

Power to take posession of or require-removal of or sell contractor plant.

Clause 5:- If the contractor shall desire any extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or on any other ground other than those mentioned in clause 12 (a) he shall apply in writing to the Executive Engineer within 40 days from the date of starting of the hinderance on account of which be desires such extension as aforesaid and the Executive Engineer shall, if in his opinion (which shall be final) reasonable grounds be shown thereof authorised such extension of time if any, as may in his opinion be necessary or proper. The Executive Engineer shall at the same time inform the contractor whether he claims compensation for the delay.

3/14/ 21% /AE

(D)

0

Extension of time

42/1909/19

Final certificate

Clause 6:- On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (herein after called the Engineer-in-charge) of such completion, but no such certificate be given, nor shall the work be considered to be complete until the contractor no such certificate be given, nor shall the work be considered to be complete until the contractor shall have removed from the area of the premises (to be distinctly marked by the Executive Engineer in the site plan) on which the work shall be executed all scaffolding surplus materials, and rubbish, and cleaned of the dirt from all wood-work, doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed, or of which he may have had possession for the purpose of the execution thereof, not until the work shall have been measured by the officer of the Public Work Department in accordance with rules of Department whose measurements shall be binding and conclusive against the contractor. If the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus materials and rubbish and cleaning off dirt on or before the date fixed for completion the work the Engineer-in-charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish and dispose of the same as the thinks fit and clean of such dirt as aforesaid, and the contractor shall forth with pay amount of all expense so incurred, and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid, except for any sum actually realised by the sale thereof.

Payment of in terms date certificate to be regarded as advance and Bill to be submitted monthly.

tt

S

S

d

ad

all

de

fai

ma

the

md

for

wit

is r

Stores supplied

Government

Clause 7: - A bill shall be submitted by the contractor each month or before the date fixed by the Engineer-in-charge for all work executed in the previous months and the Engineer-in-charge or his subordinate shall take the requisite measurement for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible, before the expiry of the days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Engineer in-charge or his subordinate shall measure up the said work in the presence of the contractor whose counter whose counter signature on the measurement list will be sufficient warrant, and the Engineer-incharge or his subordinate shall prepare at bill from such list which shall be binding to the contractor in all respects...

Provided that, if any balance of the 10% security is outstanding from each such payment shall be deducted so much not exceeding 5% may be necessary to make up the balance of the security. All such intermediate payment to the contractor shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not precinde the reputing of bad, unsound and imperfect or unskilful work to be removed and taken away and reconstructed or recreated be considered as an admission of due performance of the contractor, or any part thereof in any respect, or the actual of any claim nor shall it conclude, determine or affect in any way the powers of the Engineer-in-charge under these conditions or any of them as so the final settlement or adjustment of the accounts or in any other way vary or affect the contract.

Clause 8:- The final bill shall be prepared by the officer of the Public Work Department in accordance with the rules of the department in the presence of the contractor within the month of the date fixed for completion of the work.

Clause 9 - If the specification or estimate of the work provides for the use of any special description of material to be supplied from the Engineer in-charge's stores or if it is required that the contractor shall use certain stores to be provided be the Engineer-incharge under the conditions of this contract or (such materials and stores, and the prices to be charged therefore as herein after mentioned being so far as practicable for the convenience of the contractor, but not so as in any way to control the meaning or effect of this contract are specified in schedule or memorandum here to annexed) the contractor shall be supplied with such materials and stores noted in the annexed such schedule required from time to time to be used by him for the purposes of the contract, only and the value of the full quantity of materials and stores so supplied at the rates specified in the said schedule may be set off or deducted from any sums then due or there after to become due to the contractor under the contract or otherwise, or against on form the security deposit, or the proceed of sale thereof, if the same is held in Sovernment security the same or sufficient portion thereof in this case sold for the purpose. All materials supplied to the contractor shall remain the absolute property of Government and shall not on any accounts he removed from this site of the work and shall at all times be open to

inspections by the Engineer-in-charge. Any such materials unused and in correctly in good condition at the time of the completion or determination of the contract shall be returned to the Engineer-in-charge's store, at the prevailing market rate or at the issue rate whichever is less if by a notice in writing under his hand he shall so require, but the contractor shall not be entitled to return any such materials unless with such consent and shall have no claim for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage to or any such materials.

Clause 10: - The contractor shall executive the whole and every part of the work in the most substantial and workman like manner, and both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also confirm exactly, fully and faithfully to designs, drawings, and instructions in writing relating to the work singed by the Engineer-in-charge and lodged in his office and to which the contractor shall be entitle to access at such office, for the purpose of inspection during office hours, and the contractor shall, if he so require be entitled at his own expenses to make or cause to be made copies of the specification, and of all such designs, drawings and instructions as aforesaid.

Clause 11: - Engineer-in-charge shall have power to make any alteration in additions to the original specifications, drawings and instructions that may appear to him to be necessary or advisable during the progress of the work. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-charge, and such alteration shall not invalidate the contract and any additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender of the main work. The time for completion of the work shall be extended in the proportion that the additional work bears to the original contract work and the certificate of the Engineer-in-charge shall be conclusive as to such proportion and to the additional work includes any class of work, for which no rales is specified in this contractor then such class of work shall be carried out at the rates entered in the sanctioned schedule or rates of the locality during the period when the work is being carried on and if such last mentioned class of work is not entered in the schedule of rates of the district then the contractor shall within seven days of the date of his receipt of the order to carry out the work inform the Engineer-in-charge does the rate which in his intention to charge for such class of work and if the Engineer-in-charge does not agree to this rate he shall be noticed in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable provided always that if the contract shall commence work or in our any expenditure in regard thereof before the rate shall have been determine as lastly herein before mentioned then and in such case he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-charge in the event of a disputes the decision of the superintending Engineer of the circle will be final.

Provided always that the contractor shall not be entitled to any payment for any additional work done unless he has received an order in writing from the Engineer-incharge for the additional work the contractor shall be bound to submit his claim for any additional work done during any month on or before the 15th days other following month accompanied by a copy of the order in witting of the Engineer-in-charge for the additional work and that contractor or shall not be entitled to any payment in respect of such additional work if be other submit his claim within date afore said period.

Clause 12:- If at any time after the commencement of the wok the Government of Bihar shall for any reason whatsoever not require the whole thereof as specified in the tender to be carried out, the Engineer-in-charge shall give notice in writing of the fact to the contractor who shall have no claim to any payment of compensation whatsoever on account of any profit or advantage, which he might have derived from the execution of the work in full, but which he did not derive in consequence of the full amount of the work not having been carried out neither shall he have any claim for compensation by reason of any alternation having been made in the original specification, drawing, designs and instruction which shall involve any installment of the work as originally contemplated clause 12 (a) As contained in G O 1929 dated 11.9.56.

Work to be executed accordance with specification drawing other etc.

Alteration in specifications and designation.

Do not in validate contract

Time in consequence of

Rate for work no in estimate or schedule of rates of the district

Compensation for alteration in or restriction of work to be carried out.

0).

Clause 12 (a) The contractor shall not be entitled to claim any compensation for loss suffered by him on account of delay by or on behalf of Government in the supply of materials as stores which the Government may have undertaken to supply where such failure is due to:-

(i) natural calamities, (ii) act of enemies, (iii) transport and procurement difficulties or (iv) circumstances beyond the control of the state Government.

In case of such failure in delay in the supply of materials or stores on an application by the contractor within 30 days form the date of such failure or delay, such extension of time shall be granted to the contractor for completion of the work as shall appears to the Engineer to be reasonable in accordance with the circumstances of the case. The decision of the Executive Engineer as to the extension of time shall be accepted as finally by the contractor.

Action and compensation payable in case of work

Clause 13 :- If it shall appear to the Engineer-in-charge or his subordinate incharge of the work that any work has been executed with unsound, imperfect or unskilful workmanship or with materials of any inferior description, or by any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to that contracted for at otherwise not in accordance with the contract, the contractor shall on demand in writing form the Engineer-in-charge specifying the inadverentaly passed certified and paid for, forthwith rectify or remove and re-contract the work so specified in whole or in part as the case may remove the materials or articles so specified and provided other proper and suitable materials or articles at his own proper charge and cost, and in the event of failing to do so within period to be specified by the Engineer-incharge in his demand aforesaid the contractor shall be laible to pay compensation at the rate of one percent, on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Engineer-in-charge may certify or remove, and re-execute the work or remove and replace with others, the materials or articles complained of as the case may be at the risk and expense in all respects of the contractcor.

Work to be taken to inspection

Clause 14:-All work under in course of execution or executed in presence of the contractor shall at the times be open to the inspection and supervision of the Engineer-in-charge and his subordinates and the contractor shall at all times during the usual working hours and at all other time at which reasonable notice of the intimation of the Engineer-in-charge or his subordinate to visit the works shall have been given to the contractor, either himself to be present to receive orders and instruction, or have a responsible agent duly credited in writing present for that purpose orders given to the contractor's agent all shall be considered to have the same force as if they had been given to the contractor himself.

9

()

()

Contractor or responsible Agents to be present.

Clause 15:- The contractor shall give not less than five days notice in writing to the Engineer-in-charge or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement of any work in order that the same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement of any work without the consent in writing of the Engineer-in-charge or his subordinate in-charge of the work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained, the same shall be uncovered at the contractor's expenses or in default there on payment or allowance shall made for such work on materials with which the same was effected.

Notice to be taken before work covered up

Clause 16:- If the contractor or his work-people, or servants shall break, deface injure or destroy any part of a building in which they may be working or any building, road, road curves, fence enclosure water pipes, cables, drains, electric or telephone posts or wires, trees, grass or grassland or cultivated ground contiguous on which the work or any part of it is being executed or if any damage shall happen to the work, while in progress from any cause whatsoever or any imperfection become apparent in if within three months (six months in the case of a road work) after a certificate final or other of its completion shall have been given by the Engineer-in-charge

2/12/ 2/06/ RIE

as a fore seal, the contractor shall make the same good at his own expense, or in default, the Engineer-in-charge may cause the same to be made be good by other worksmen and deduct the expense of which time thereafter may become due to the contractor, or from his security deposit, or the proceed of sale there of, or of a sufficient portion there of the security deposit at the contractor shall not be refunded before the expiry of three months (six months in the case of a road-work) after the issue of the certificate final or otherwise of completion of work provided that in the case of a road work if in the opinion of the Engineer-in-charge behalf of the security deposit will be refundable after three months of the issue of the said certificate of completion

Contractor liable for damage done and for imperfection a months and after certificate

Clause 17:- The contractor shall supply at his own cost all materials (except such special materials) if any as may in accordance with the contract be supplied from the Engineer-in-charges stores). Plants, tools, application, implements, ladders, cordage, tackle scaffolding and temporary works requisits or proper for the proper execution of the work whether original, altered or substituted and whether include in the specification or other documents forming part of the contract or referred to in these conditions or not or which may be necessary for purpose of satisfying or complying with the requirement of the Engineer-in-charge as to any matter as to which under these conditions he is entitled to be satisfied which he is entitled to require together with carriage therefore to and form (i) the work. The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of setting out works, and counting, weighing and assisting in the measurement or examination at any time and form time to time of the work or materials failing his so doing the same may be Provided by the Engineer-in-charge at the expense of the contractor and the expenses may be deducted from any money due to the contractor under the contract from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The contractor shall also provide , all necessary fencing and lights required to protect the public from accident, and shall be bound to bear to expenses of defence of every suit action or other proceeding at law that may be brought by any person for injury sustained owing to neglect of the above precautions and to any such person or which may with the consent of the contractor be paid to compromise any claim by any such person.

Contractor to supply to plantladder scaffolding

And is liable for damage arising for non-provision of light fencing etc.

Clause 18: - No female labour shall be employed within the limits of contonment. ① The contractor shall not employ for the purpose of his contract any person who is below the age of twelve years and shall pay to each labour for the work done by such labourer wages not less than the wages paid for similar work in the neighbourhood.

Work not to be subject

31 The executive Engineer shall have the right to enquire into the case and decide any complaint alleging that the wages paid by the contractor to any labourer for the work done by such labour is less than the wages paid for similar work in the neighbourhood.

The officer in-charge of the work shall have the right to decide whether any labourer employed by contractor is below the age of twelve years and to refuse to allow any labourer whom he decided to be below the age of twelve years to be employed by the contractor.

Clause 19:- The Contractor shall not be assigned or subject without the written approval of the Executive Engineer. And if the contractor shall assign or subject his contract, or attempt so to do, or become insolvent proceedings to make any composition with his creditors or attempt so to do, or if any bribe, gratuity, gift loan, requisite, reward or advantage pecunairy of otherwise, shall either directly or indirectly be given promissed, or offered by the contractor, or any of his servant or agents to any public officer or person in the employ of Government in any way relating to his officer or employment or if any such officer or person shall become in any way directly or indirectly interested in the contract the Executive Engineer may there upon by notice in writing rescind the contract. The security deposit of the contractor shall there upon stand forfeited and be absolutely at the disposal of Government and the same consequence shall ensure as if the contract had been recinded under clause 3 here of, in addition the contractor shall not be entitled to recover or be paid to any work therefore actually performed the under the contract D.C. Ltd., Patna

Contract may be resinded and security deposit forfelted for subletting bribes or if contractor become

11/06/2019

such payable by way of compensation to be considered reasonable compensation without reference to actual loss Clause 20:- All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of the Government without reference to the actual loss or damages sustained and there of not any damage shall have been sustained.

Clause 21: In the case of a sender by partners, any change in the constitution of the firm shall be forthwith notified by the contractor to the Engineer-in-charge or this information.

Charges in constitution of firm.

In case of failure to notify the change in the constitution within fifteen days the Engineer-in-charge may be notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal of Government and the same consequences shall ensure as if the contract has been rescinded under clause 3 hereof, and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under the contractor.

Works to be under direction of Suprintending Enaineer Clause 22:- All work to be executed under the contract shall be executed under the direction and subject to the approval in all respect of the superintending Engineer of the circle for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

Clause 23: In case any dispute or difference shall arise between the parties or either of there upon any question relating to the meaning of the specifications, designs, drawings and instructions here before mentioned or as to the quality of workmanship or materials used on the work or as to the construction of any of the conditions or any clause or thing there in contained or as to any question, claim, rights of the parties, or any matter, or things whatsoever in any way arising out of or relating to the contract designs, drawings specifications, estimates, instruction order of these conditions or otherwise concerning the work or the execution, or failure to execute the same whether arising during the progress of the work of alter the completion or abondment thereof or as the breach of those contract then either party shall forthwith give to the order notice of such dispute or difference and such dispute or difference shall be referred to the Superintending Engineer of the circle and his decision there on shall be final, conclusive and binding on all the parties.

Lum sum in estimate

(a) Clause 24:- When the estimate on which a tender is made includes lump of sum in respect of the contract shall be entitled to payment in respect of the items or work involved of the work in question the same rates as are payable under this contract of such terms, for if the part of the work in question is not in the opinion of the Engineer-incharge, capable of measurement the Engineer-in-charge, may at his direction pay the lump sum amounts entered in the estimate, and the certificate in writing of the Engineer-in-charge shall be final and conclusive against the contractor with regard to any sumple payable to him under the provision of this clause.

Action where no specification.

Clause 25:- In the case of any class of work for which there is no such specification as is mentioned in rule 1, such work shall be carried out in accordance with the circle specification and in the event of there being no circle specification, then in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-charge.

Definition of works

Clause 26: The expression "work" or "works" where used in these conditions shall unless there be something either in the subject or context repugnant to such construction be constructed and taken to mean the work by or virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered, substituted or additional.

Witness.

Molan Contractor

Schedule XLV - Form No. 61

(15)

Schedule showing (Approximately) materials to be supplied, it available the rates of which they are to be charged for and the places at which they are to be supplied

Particulars	Rates at v	which the materia charged to the ontractor	al	Place of delivery
	Unit	Rs.	P.	
Property of the Control of the Contr				
	*			
			A STATE OF THE STA	
			- The second control of the second control o	
			NAME OF TAXABLE PARTY.	
		•	Mandata part diseasan di mandata	
			The state of the s	
			TO THE REAL PROPERTY OF THE PERSON NAMED IN	

Note:-The person or firm submitting the tender should see that the rates in the above schedules are filled up by the Engineer-in-charge on the issue of the form prior to the submission of the tender.

Signature of Contrator)

Chief Engineer (Signature of Executive Engineer) 0 e n

er S

þ _}

BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. SHIKSHA BHAWAN, SAIDPUR, PATNA.

THE ITEM RATE BASED ON S.O.R BCD BIHAR, DATE - 27.09.2018, & B.S.R (ELECTRICAL) 2016


	GROUP NO.	NAME OF SCHEME	BLO	CK		DISTRICT
	PRIM- 22B	Construction of School Building with 3 Rooms, one Office room, Toilet and Kitchen at Khikhir Tola	Kochad	haman	K	Kishanganj
		<u>CIVIL WORI</u>	KS			
Sl. No.	SOR Item No.	Item of Work	Qty.	Unit	Rate (Rs.)	Amount (Rs.)
11	2	3	4	5	6	7
	-	WORK IN EXCAVATION		-		
1	2.8.1	Earthwork in excavation in as(exceeding 30cm in depth. 1.5m in width as well es 10sqm on plan) incloding dressing of sides and ramming of bottom, lift upto 1.5 including getting out the excavated soil and disposal of surplus soil as directed within a lead of 50m. All Kind of soil = 134.75 CUMSEPTIC TANK = 31.89 CUMTOTAL QUANTITY = 166.64 CUM	166.640	cum	319.60	Rupees three hundred nineteen & paise sixty only.
2	2.29.1	Surface dressing of the ground including removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5mAll kinds of soil. = 161.63 CUM	161.630	100 sqm	1126.90	Rupees one thousand one hundred twenty six & paise ninety only.
	EARTH	FILLING				
3	2.26	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth: consolidating each deposited layer by ramming and watering lead = 112.86 CUM	112.860	cu.m	103.30	Rupees one hundred three & paise thirty only.
	SAND FI	ILLING				
4	2.28	Supplying and Filling in plinth with local sand and under floors including, watering, ramming consolidating and dressing complete. = 18.78 CUMSEPTIC TANK = 1.02 CUMTOTAL QUANTITY = 19.8 CUM	19.800	cu.m	238.60	Rupees two hundred thirty eight & paise sixty only.
	FLAT BI	RICK SOLING				
5	1	Providing designation 100 A one brick flat soling joints filled with local sand including cost of watering, taxes, royalty all complete as per building specification and direction of E/l, BUILDING = 227.72 CUMSEPTIC TANK = 13.57 CUMTOTAL OUANTITY = 241 29 CUM	241.290	sq.m	277.50	Rupees two hundred seventy seven & paise fifty only.

11/06/2019

1) January, J ANG S

	P.C.C.					
6	4.1.8	Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level.1:4:8 (1cement: 4 coarse sand: 8 graded stone aggregate 40mm nominal size) = 6.75 CUM	6.750	cu.m	2940.80	Rupees two thousand nine hundred forty & paise eighty only.
7	4.1.5	Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering- all work upto plinth level1:3:6 (1cement: 3 coarse sand: 6 graded stone aggregate 20mm nominal size) BUILDING = 10.33 CUMSEPTIC TANK = 2.98 CUMTOTAL QUANTITY = 13.31 CUM	13,310	cu.m	3461.40	Rupees three thousand four hundred sixty one & paise forty only.
-	FLOOR			C to the second		
8	11.37	Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness sqm 799.40 to be specified by the manufacturer) of ist quality conforming to IS:15622 of approved make in colours such as white, Ivory, Grey, Fume Red, Brown, laid on 20 mm thick Cement motar 1:4 (1 cement: 4coarse sand) including pointing the joints with white cement and matching pigment etc., complete. TOILET PORTION = 11.48 SQM	11.480	sq.m	671.00	Rupees six hundred seventy one only.
	WALL	TILES				
9	11.36	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (Thickness to be specified by the manufacture) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-charge in skirting, risers of steps and dados over 12 mm thick bed of cement Motar 1:3(1 cement: 3coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm including pointing in white cement mixed with pigment of matching shade complete. TOILET PORTION = 43.05 SQM	43.050	sq.m	739.80	Rupees seven hundred thirty nine & paise eighty only.
	FLOOR	ING & SKIRTING				
10	11.3.1	Cement concrete flooring 1:2:4(1 cement:2 coarse:sand:4 graded stone agregate) finished with a floating coat of neat cement including cement slurry, etc. but excluding the cost of nosing of steps etc. complete. 40 mm thick with 20 mm nominal size stone aggregate.	101.070	sq.m	282.60	Rupees two hundred eighty two & paise sixty only.
11	11.6.1	Cement plaster skirting (upto 30 cm hieght) with cement mortar 1:3 (1cement:3 coarse sand) finished with a floating coat of neat cement.18 mm thick	34.983	sq.m	284.86	Rupees two hundred eighty four & paise eighty six only.

11)06/2019



Magazine Company of the Company of t

	R.C.C.	WORK BELOW PLINTH LVL.				
12	5.1.1	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing & reinforcement - all work upto plinth level 1:1:2 (1cement: 1 coarse sand: graded stone aggregate 20mm nominal size) = 11.97 CUM	11.970	cu.m	6434.40	Rupees six thousand four hundred thirty four & paise forty only
	R.C.C.	WORK ABOVE PLINTH LVL.				1/
13	5.2.1	Reinforced cement concrete work in wall (any thickness), including attached plasters, buttresses, plinth and struts etc upto floor five level excluding the cost of centring, shuttering, finishing & reinforcement - all work upto plinth level.1:1:2 (1cement: 1 coarse sand: 2 graded stone aggregate 20mm nominal size) BUILDING = 8.9 SQM	8.900	cu.m	7255.40	Rupees seven thousand two hundred fifty five & paise forty only.
14	5.1.3	Providing and laying in position specified grade of reinforcedcement concrete excluding the cost ofcentring, shuttering, finishing and reinforcement-All work putoplinth level. 1:2:4 (1 cement:2 coarse sand:4 graded stoneaggregate 20 mm nominal size) SEPTIC TANK = 0.93 CUM	0.930	cum	4345.40	Rupees four thousand three hundred forty five & paise forty only.
15	1	Reinforced cement conrete work in beams, suspended floors, roofs having slope upto 15, landings, balconiec, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto floor five level excludingthe cost of centring, shuttering, finishing andreinforement with 1:2:4(1 cement:2 coarse sand:4 graded stone aggregate 20 mm nominal size). Add or deduct for providing richer or leaner mixes respectively at all floor levels. Providing M-20grade R.C.C instead of M-15 grade R.C.C. Proiding M-25 grade R.C.C. instead of M-20 grade R.C.C. = 37.11 CUM	37.110	cu.m	5917.30	Rupees five thousand nine hundred seventeen & paise thirty only.
	BRICK	WORK			Printerio de Printerio de Productio Printerio de Ambrelo Americano de America	
16	6.1.14A	Brick work with bricks of class designation 100A in foundations and plinth in cement mortar 1:6 (1cement :6 coarse sand) = 4.916 CUM	4.916	cu.m	4799.20	Rupees four thousand seven hundred ninety nine & paise twenty only.
17		Brick work with bricks of class designation 100A in foundations and plinth in: Cement mortar 1:6 (1 cement: 6 coarse sand) Extra for Brick work in superstructure above plinth level upto floor V cum	62.523	cu.m	5501.40	Rupees five thousand five hundred one & paise forty only.
18		= 62.523 CUM Half brick masonry with bricks of class designation 100A in foundations and plinth in : Cement mortar 1:4 (1 cement: 4 coarse sand) Extra for half Brick masonry in superstructure above pinth level upto floor V level. = 0 SQM	0.000	Sq.m.	671.50	Rupees six hundred seventy one & paise fifty only.

11/06/2019

Chief Eng near
B.S.E.I.D.C. Lyd. Patro

Jillo 1110649

official a j . Italian)

19	6.21A	Extra for providing and placing in position 2 Nos, 6 mm dia, MS bars at every third course of half brick masonry (with F. P. S. bricks) = 0 SQM	0.000	Sq.m.	87.70	Rupees eighty seven & paise seventy only.
18		Brick work with bricks of class designation 100A in foundations andplinth in : Cement mortar 1 .:4 (1 cement: 4 coarse sand) = 8.75 CUM	8.750	cum	5037.20	Rupees five thousand thirty seven & paise twenty only.
19	13.13.4	20 mm cement plaster of mix; 1:6 (1 cement : 6 coarse sand) = 264.084 SQM	264.084	sq.m	173.00	Rupees one hundred seventy three only.
20	13.13.1 + 13.26	20 mm cement Plaster 1:3 (1 cement: 3 coarse sand) with a floating coat of neat cement & neat cement punning SEPTIC TANK = 16.65 SQM	16,650	sq.m	254.20	Rupees two hundred fifty four & paise twenty only.
21	13.11.4	12mm thick Cement plaster of mix 1:6 (1 cement : 6 coarse sand) = 370.15 SQM	370.150	sq.m	126.20	Rupees one hundred twenty six & paise twenty only.
22	13.17.1 +13.36.1	12 mm cement Plaster 1:3 (1 cement: 3 coarse sand) with a floating coat of neat cement & Extra for providing and mixing water proofing material inproportion recommended by the manufacturers: 12 mm cement plaster 1:3(1 cement :3 sand) SEPTIC TANK = 52.82 SQM	52.820	sq.m	199,00	Rupees one hundred ninety nine only.
23	13.24.2	6mm thick Cement plaster of Ceiling mix 1:4 (1 cement : 4 coarse sand) = 137.65 SQM	137.650	sq.m	110.90	Rupees one hundred ten & paise ninety only.
24	11.3.1+	Cement concrete flooring 1:2:4(1 cement:2 coarse:sand:4 graded stone agregate) finished with a floating coat of neat cement including cement slurry, etc. but excluding the cost of nosing of steps etc. complete. 40 mm thick with 20 mm nominal size stone aggregate. Extra for making chequers of approved pattern on cement concrete floors, steps, landing, pavements etc. = 161.63 SQM	161,630	sq.m	312.80	Rupees three hundred twelve & paise eighty only.
	FINISHI	NG WORK				
25	13.79.1	Finishing walls with water proofing cement paint of approved brand andmanufacture and of required shade to give an even shade. New work (three or more coats) EXTERNAL WALL = 836.658 SQM	836.658	sq.m	68.30	Rupees sixty eight & paise thirty only.
26	13.78.1	Applying one coat of cement primer of approved brand and manufactureon wall surface: Cement primer	1344.458	sq.m	31.00	Rupees thirty one only.

11)0f/2019

Chief Eng neer

B. S. E.I.D.C. Light Patro

11/6

11/06/19

J

·						
27	13.77.2	Distempering with oil bound washa ble distemper of approved brand and manufacture to give an even shade .New work (two or more coats) over and including priming coat with cement primer INTERNAL WALL & CEILING = 507.8 SQM	507.800	sq.m	83,40	Rupees eighty three & paise forty only.
28	13.81.1	Applying priming coat with ready mixed pink or grey primer of approved brand and manufacture on wood work (hard and softwood) = 49.896 SQM	49,896	sq.m	32,20	Rupees thirty two & paise twenty only.
29	13.81.3	Applying priming coat with ready mixed zinc chromate yellow primer of approved brand and manufacture on steel galvanized iron/steel work. = 38.07 SOM	38.070	sq.m	27.50	Rupees twenty seven & paise fifty only.
30	13.93.1	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade two or more coats on new work = 58.65 SQM	58.650	sq.m	70.40	Rupees seventy & paise forty only.
31	10.1	Structural steel work in singal section fixed without connecting plateincluding cutting hoisting, fixing in position and applying a priming coat of approved steel primer all complete. = 160.65 KG	160,650	Kg.	68.20	Rupees sixty eight & paise twenty only.
32	9.21.1	Providing and fixing flush door shutters conforming to IS: 2202 (Part-I) non-decorative type.core of block board construction with frame of 1st class tiard wood and well mathched commercial 3 plyveneering wiih vertical grains or cross bands and face veneers on both faces of shutters.35 mm thick including anodized aluminum butt hingeswith necessary screws = 20.79 SQM	20.790	sq.m	1602.70	Rupees one thousand six hundred two & paise seventy only.
33	9.63,1	Providing and fixing oxidised M.S.tower bolt black finish,(barreltype) with necessary screws etc.complete250x10mm = 20 EACH	20.000	each	67.20	Rupees sixty seven & paise twenty only.
34	9.66.1	Providing and fixing M.S.handles with necessary screws etc.complete125 mm = 10 EACH	10.000	each	29.90	Rupees twenty nine & paise ninety only.
35	9.101.2	Providing and fixing alluminium hanging floor door stopper anodised (anodic coating not less than grade AC 10 as per IS :1868) transparent or dyed to required colour and shade with necessary screws etc.complete:Twin rubber stopper = 10 EACH	10.000	each	40.40	Rupees forty & paise forty only.
36		Providing and fixing M.S. sliding door bolts bright finished or/and black enamelled, with nuts and screws etc.compelled:300x16 mm = 10 EACH	10.000	each	162,40	Rupees one hundred sixty two & paise forty only.

11/06/2019

Chief Eng neer

Diss. E.I.D.C. Lid. Patra

11/6 11/06H

	STEEL					
37	10.12.14 10.13B	Providing and fixing glazed steel doors, windows or ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm M.S. lugs10cm long with steel legs embedded in cement concrete blocks 15x10x10cm.of (1:3:6) (1cement: 3coarse sand: 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as requiredExtra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. = 11.52 SQM	11.520	sq.m	3340.30	Rupees three thousand three hundred forty & paise thirty only.
38	10.12.1+ 10.13C	Providing and fixing glazed steel doors, windows or ventilators of standard rolled steel sections, joints mitered and welded with 15x3 mm M.S. lugs10cm long with steel legs embedded in cement concrete blocks 15x10x10cm.of (1:3:6) (1cement: 3coarse sand: 6graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panels with glazing clips and special metal-sash putty of approved make complete including applying a priming coat of approved steel primer excluding the cost of metal beading and other fitting except necessary hinges or pivots as requiredExtra for providing and fixing steel beading of approved shape and section with screws instread of glaxing clips and met. Sash putty in steel doors, windows, ventilators and composite units. = 0.72 SQM	0.720	sq.m	3348.00	Rupees three thousand three hundred forty eight only.
39	9.48.1	Providing and fixing M.S. grills of requirement pattern in frames of windows etc. with M.S. flats square or round bars etc all completefixed to steel windows by welding. = 458.7 KG	458.700	Kgs.	114.20	Rupees one hundred fourteen & paise twenty only.
40	5.22	Reinforcement for RCC work including straightening, cutting, bending, placing in position and bonding all complete. TMTC-500				
	1	TMTC-500 8mm dia = 2480 KGSEPTIC TANK = 93 KGTOTAL QUANTITY = 2573 KG	2573,000	KG	77.40	Rupees seventy seven & paise forty only.

1106/2019

Chief Eng near

2008.E.I.D.C. Life Patrio

11/6

11/6/19

9 K

	5.22.7B	TMTC-500 10mm dia = 1145 KG	1115.000	110		Rupees seventy six
			1145,000	KG	76.70	& paise seventy only.
	5.22.7C	TMTC-500 12mm dia = 1141 KG	1141.000	KG	75.20	Rupees seventy five & paise twenty only.
	5.22.7D	TMT-500 16mm dia = 881 KG	881.000	KG	76.00	Rupees seventy six only.
	5.22.7E	TMT-500 20mm dia = 0 KG	0.000	KG	76.00	Rupees seventy six only.
	5.22.7F	TMT-500 25mm dia = 0 KG	0.000	KG	76.00	Rupees seventy six only.
41	10.17	Providing & fixing M.S. Fan hook of 16 mm. dia. M.S. bar 1 Mtr. Long bent to required size and	<i>C.</i>			Rupees one
		shape, placed in position and fixed in Truss Frame / RCC Slab / beam at the time of casting all complete as per building specification and direction of E/I.	50.000	Each	137.70	hundred thirty seven & paise seventy
		(Where materials is not supplied by deptt.) = 50 EACH			juditere et en	only.
42	10.33.1	Providing & fixing hand rail by welding etc. to steel ladder railling & staircases railling including applying a priming coat of approved steel primer.MS tube (medium) 40mm nominal bore.	75.000	kg.	87.80	Rupees eighty seven & paise eighty only.
43	10.5	Providing and fixingin position collapsibble steel			and the second	
		shutters with vertical channes 20x10x2mm and braced with flat iron diagonals 20x5mm size with top and bottom rail of T-iron 40x40x6mm with 40mm dia steel pulleys complete with bolts nuts locking arrangement stoppers handles including applying a priming coat of approved steel primer.	8.61	sq.m	5089.50	Rupees five thousand eighty nine & paise fifty only.
	MISCEL	LANEOUS WORK			with the Charles in passes and community growing in	
44	4.17	Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bad by dry brick ballast 40mm nominal size well rammend and consolidated and grouted with fine sand including finishing the top smooth. = 54.983	54.983	sq.m	417.60	Rupees four hundred seventeen & paise sixty only.
	CITIE	SOM				
4.5	SHUTTE		***************************************	-	······································	
45	5.9.1	Centring and shuttering including strutting, propping etc. and removal of form for foundation, footings, basees of columns etc. for mass concrete. = 67.435 SQM	67.435	Sqm.	186.30	Rupees one hundred eighty six & paise thirty only.
46	5.9.5	Centring and shuttering including strutting, propping etc. and removal of form for lintel, beams, plinth beams, griders, bressumers and contilevers. = 136.566 SQM	136,566	Sqm.	335.30	Rupees three hundred thirty five & paise thirty only.

- First Dian Lie 11/06/2019

Chief Eng sear Paired Philips | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6 | 11/6

AM

47	5.9.6	Centring and shuttering including strutting, propping etc. and removal of form for columns, pillars, piers, abutments, posts and struts = 142.35 SQM	142.350	Sqm.	425.80	Rupees four hundred twenty five & paise eighty only.
48	5.9.3	Centring and shuttering including strutting, propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform. = 190.86 SQM	190.860	Sqm.	362.60	Rupees three hundred sixty two & paise sixty only.
					Total (A)	2,229,576.17
Plumb	ing and sa	mitary Work				and the state of t
49	B.S.R17.	Providing and fixining water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast iron P or S tap, 10 litre low white P.V.C. Flushing cistern with munally controlled device (handle level) conforming to IS: 7231 Parryware/Hindware with all fittings and fixtures complete including cutting and making good the walls and floors wherever required.				
		White Vitreous China Orissa pattern W C pan of size 580 x 440 mm with integral type foot rest. = 2 EACH	2.000	Each	3390.90	Rupees three thousand three hundred ninety & paise ninety only.
50	B.S.R17. 7.4	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:				
		White Vitreous China Flat back wash basin size 550x 400 mm with single 15 mm C.P. brass pillar tap = 2 EACH	2.000	Each	1800,20	Rupees one thousand eight hundred & paise twenty only.
51	B.S.R17. 10.1.1	Providing and fixing Stainless Steel AISI 304 (18/8) kitchen sink as per IS: 13983 with C.I. brackets and stainless steel plug 40 mm, including painting of fittings and brackets, cutting and making good the walls wherever required: kitchen sink with drain board Size 510 x 1040mm bowl depth 225 mm	1	Each	4217.10	Rupees four thousand two hundred seventeen & paise ten only.
52	18.63	Providing and fixing PTMT angle stop cock 15 mm nominalbore, weighing not less than 85 gms	4.000	Each	146.40	Rupees one hundred forty six & paise forty only.
53	B.S.R17. 28	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.				
	17.28.2.	Flexible pipe 32 mm dia = 2 EACH	2,000	Each	83.70	Rupees eighty three & paise seventy only.

11/06/2019

Chief Eng neer

2,33.E.I.D.C. Lid, Patris

II/6

II/26//

54	1	Providing and fixing mirror of superior glass (of approved quality) and of required shape and size			and the second s	Rupees six hundred
		with plastic moulded frame of approved make and shade with 6 mm thick hard board backing: Rectangular shape 453 x 357 mm = 2 EACH	2.000	Each	683.80	eighty three & paise eighty only.
55	33	Providing and fixing 600 x 120 x 5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete. = 2 EACH	2.000	Each	521.20	Rupees five hundred twenty one & paise twenty only.
56	B.S.R18. 8.1	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing. This includes joining of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of E/IConcealed work including cutting chases and making good the wall etc. 15 mm nominal outer dia Pipes = 10 METER	10.000	metre	214.30	Rupees two hundred fourteen & paise thirty only.
57	B.S.R18. 9.3	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge.25 mm nominal inner dia Pipes = 10 METER	10,000	metre	186.20	Rupees one hundred eighty six & paise twenty only.
	18.9.4	32 mm nominal outer dia Pipes	10.000	metre	249.30	Rupees two hundred forty nine & paise thirty only.
	18.9.2	20 mm nominal outer dia Pipes	10,000	metre	142.40	Rupees one hundred forty two & paise forty only.
58	B.S.R18.	Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI:12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. = 2000 PER LITER	2000.000	per litre	7.90	Rupees seven & paise ninety only.
59	B.S.R18.	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931				
	Water State of Control	15 mm nominal bore. = 6 EACH	6.000	Each	401.40	Rupees four hundred one & paise forty only.
L				<u> </u>		

Mal 2191 Rie 11/06/2019 Chief English Stehous 11/26/19

The state of the s

				T	·	
60		Providing and fixing C.P. brass stop cock				
	52	(concealed of standard design and of approved				
		make conforming to IS: 8931				
	18.52.1	15 mm nominal bore. = 4 EACH				Rupees five
	1				500.00	hundred eighty
			4	Each	588.20	eight & paise
			Carrier	Statement in .	- gagetite and the same	twenty only.
61	SOR	Providing and fixing P.T.M.T. grating of approved	2000-012-12-0407-4-000-0-0-0-02-0-0-0-0-0-0-0-0-0-0-0-0-			twenty only.
	18.58	guality & colour				si interior
	SOR	circular type				
l	18.58.1	31				
1	SOR	100 mm nominal dia,				
	18.58.1.		10	Each	36,20	Rupees thirty six &
	1					paise twenty only.
62	B.S.R19.	Providing and laying cement concrete 1:5:10 (1			andria de la composición de l	
	2.2	cement : 5 coarse sand : 10 graded stone aggregate				Rupees four
		40 mm nominal size) all-round S.W. pipes				hundred seventy
	<i>y</i>	including bed concrete as per standard design: 150	10.000	metre	479.30	nine & paise thirty
	,	mm diameter S.W. pipe = 10 METER			makin industrial point	• • • •
		inin diameter 5.w. pipe – 10 METER	and the state of t	48°°°		only.
62	D C D 10	D11:11:				
63		Providing and laying non-pressure NP2 class (light				
	6.2	duty) R.C.C. pipes with collars jointed with stiff				Rupees three
		mixture of cement mortar in the proportion of 1:2 (1	10,000	metre	359.30	hundred fifty nine &
		cement: 2 fine sand) including testing of joints etc.				paise thirty only.
		complete:150 mm dia. R.C.C. pipe = 10 METER	aligibility and a construction of the construc	gardina	the state of the s	paid unity only.
64		Constructing brick masonry road gully chamber				
	27.1	50x45x60 cm with bricks in cement mortar 1:4				Damage there
	1	(1cement : 4 coarse sand) including 500x450 mm				Rupees three
		pre-cast R.C.C. horizontal grating with frame	1,000	Each	3663.10	thousand six
	,	complete as per standard design :With common				hundred sixty three
}		burnt clay F.P.S. (non modular) bricks of class	market to the		And the second second second second	& paise ten only.
		designation 7.5 = 1 EACH	Patrick Co.	Market .	ų.	
	<u></u>					

11/06/2019

200 Stephon July 6

Ì

				~~~		
4 1	0.1.1	Contructing brick masonry chamber for Underground C.I. Inspection Chamber and bend with 75 class designation bricks in cement mortar 1:4 (1 cement : 4 coarse sand) C.I. Cover with frame (light duty) 455x610 mm internal dimentions, total weight of cover with frame to be not less than 38 kg. (weight of cover 23 kg. and weight of frame 15 kg.) RCC top slab with 1:1.5:3 mix (1 cement: 1.5 coarse sand :3 graded stone aggregate 20 mm nominal size) foundation concrete 1:5:10 mix (1 cement:5 coarse sand : 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm th. with cement mortar 1:3 (1cement:3 coarse sand) finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design. Inside dimensions 466x610 mm and 45cm deep for single pipe line :With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH	1.000	Each	4194.20	Rupees four thousand one hundred ninety four & paise twenty only.
	3.S.R19. 2.1	Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with brick and S.W. drain pipe 100 mm diameter, 1.8 m long complete as per standard design. With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 = 1 EACH	1.000	Each	32412,70	Rupees thirty two thousand four hundred twelve & paise seventy only.
67 B	1	Providing and fixing S.W. intercepting trap in manholes with stiff mixture of cement mortar 1:1 (1 cement: 1 fine sand) including testing of joints etc. complete:				
19	9.34.1	100 mm dia = 2 EACH	2.000	Each	299.50	Rupees two hundred ninety nine & paise fifty only
68		Detailed Estimate for construction of 125 mm x 40 mm x 90 mm Tube well Manual Boring = 1 EACH	1.000	Each	60292.95	Rupees sixty thousand two hundred ninety two & paise ninety five only.
69		NON SCHEDULED ITEMS(MARKET RATE) = EACH P.V.C. PIPE = EACH				
1 1		Provding and fixing soil, waste and vent pipes = EACH				
		110 mm dia = 10 EACH	10.000	metre	347.00	Rupees three hundred forty seven only.

- First 2191 Rie

Chief Eng De Chief Eng De Chief Eng De La Patro Ve hour 1

		P.V.C. FITTINGS = EACH				
	р ^о д жетей (том портом на устром на пот	DOOR TEE 110 mm dia = 2 EACH	2.000	each	365.00	Rupees three hundred sixty five only.
		DOOR BEND 110 mm dia = 4 EACH	4.000	each	283.00	Rupees two hundred eighty three only
		BEND 45 110 mm dia = 5 EACH	5,000	each	185.00	Rupees one hundred eighty five only.
		VENT COWEL 110 mm dia = 2 EACH	2.000	each	65.00	Rupees sixty five only.
		PIPE CLIP 110 mm dia = 30 EACH	30.000	each	53.00	Rupees fifty three only.
		FLOOR TRAP 110X110 mm dia = 5 EACH	5.000	each	436.00	Rupees four hundred thirty six only.
70	Code no. of 1352	(i) C.I. cover and frame 300 x 300 mm inside SEPTIC TANK = 1 EACH	1.000	Each	324.31	Rupees three hundred twenty four & paise thirty one only.
71	Code no. of 1621	(ii) S.C.I. plain bend 100 mm dia SEPTIC TANK = 1 EACH	1.000	Each	378.36	Rupees three hundred seventy eight & paise thirty six only.
72	Code no. of 7087	(iii) S.C.I. Tee 150 mm dia SEPTIC TANK = 1 EACH	1.000	Each	648.61	Rupees six hundred forty eight & paise sixty one only.
			3*************************************		Total (B)	167,663.73
73	1.1	Electrical Works  Point Wiring in PVC Conduit, with piano type Switch:-				
		Wiring for light point / fan point / exhaust fan point / call bell point with 1.5 sq.mm FR PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with piano type switch, phenolic laminated sheet, suitable size M.S. box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc. as required.				
	1.1.3	Group C	25	Nos.	621,00	Rupees six hundred twenty one only.

11/06/2019

Chief English

233.E.I.D.C. Light Prince

Type

1) and the second ):

74	1.29	Supplying and fixing metal box of 150mm X 75mm	A COLUMN TO COMPANY OF THE PROPERTY OF THE PRO			
		X 60mm deep(nominal size) on surface or in recess with suitable size of phenolic laminated sheet cover in front including providing and fixing 3 pin 5/6 amps socket outlet and 5/6 amps piano type switch, connection, painting etc. as required. (For light plugs to be usedin non residential buildings).	4	Each	199.00	Rupees one hundred ninety nine only.
75	1.30	Supply and Fixing Light Plug Point with piano type Accessories:-				
		Supplying and fixing metal box of 180mm x 100mm x 60mm deep (nominal size) on surface or in recess with suitable size of phenolic laminated sheet cover in front including providing and fixing 6	2	Nos.	313.00	Rupees three hundred thirteen
		pin 5/6 & 15/16 amps socket outlet and 15/16 amps piano type switch, connection, painting etc. as required	e de la companya del companya de la companya del companya de la co		<del>settlessen</del> ieress	only.
76	1.7.2	2x2.5 Sqmm + 1x2.5 sq mm earth wire	50	Mtrs.	150.00	Rupees one hundred fifty only.
77	1.7.3	Power Plug Wiring in PVC conduit (2x4 sq. mm):-	Quinter and a second	· ·	William Control	
		Wiring for light/ power plug with 2X4 sq. mm FRLS PVC insulatedcopper conductor single core cable in surface/ recessed mediumclass PVC conduit alongwith 1 No 4 sq. mm FRLS PVC insulatedcopper conductor single core cable for loop earthing as required	40	Mtrs.	193.00	Rupees one hundred ninety three only.
78	1.23	Supplying and fixing following piano type switch/ socket on the existing switch box / cover including connections etc.as required				,
	1.23.1	5/6 amps switch.	8	Each	32.00	Rupees thirty two only.
	1.23.4	3 pin, 5/6 amps socket outlet.	8	Each	44.00	Rupees forty four only.
79	1.15	Circuit / Sub-main wiring in PVC Conduit:-	Marie Control	Name of the Control o		and the second
	1.15.30	Wiring for circuit / sub-main wiring along with earth wire with the following sizes of PVC insulated, copper conductor, single core cable in surface/recessed PVC conduit as required.				
		3x6.0 Sqmm earth wire (to be used as sub main)	20	Mtrs.	209.00	Rupees two hundred nine only.
80	2.12	S/F 'C' series SP MCB:- Supplying and fixing 240 volts, 'C' series, miniature circuit breaker suitable for inductive loads of following poles in the existing MCB DB complete with connections, testing and commissioning etc, as required.				
	2.12.1	6/32A, Single Pole	1	Each	208.00	Rupees two hundred eight only.

3/12/ 2/04/ Ais

Chief Eng near

B. S.E.I.D.C. Lid Patrio

11/06/1

-

				on graduate and the state of th		
81	2.13	Supplying and fixing following rating,240/415 volts, isolatorin the existing MCB DB complete with connections, testing and commissioning etc. as				
		required.				
	2.13.2	40 Amp. Double pole	1	Each	860.00	Rupees eight hundred sixty only.
82	2.8.5	S/F TP MCB DB:-	. (		Market Control	
		Supplying and fixing the following way, single pole & neutral, sheet steel, MCB distribution board, 240 volts, on surface/recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required (But without MCB/RCCB/ISOLATOR)				
	2.8.5	2+12 ways, single door				Rupees one
			1	Set	1170.00	thousand one hundred seventy only.
83	1.33	S/F Ceiling Rose:-				
		Supplying and fixing 2 pin ceiling rose on the existing junction box/ wooden block including connection etc as required.	19	Each	35,00	Rupees thirty five only.
84	1.34	S/F Batten / Angle Holder:-	,			
		Supplying and fixing batten / angle holder including connection etc as required.	6	Each	48.00	Rupees forty eight only.
85	1.25	S/F Modular type electronic fan regulator:-	Christian Company	eller reserve	Series Series	
	/	Supplying and fixing stepped type fan regulator on the existing modular plate switch box including connections but excluding modular plate etc as required.	8	Each	387.00	Rupees three hundred eighty seven only.
		EARTHING	· · · · · · · · · · · · · · · · · · ·			
86	3.5	COPPER EARTH PLATE ELECTRODE;-			<u> </u>	
					<b> </b>	
		Earthing with copper earth plate 600mmx 600mmx 3mm thick including acessories and providing masonary enclosure with cover plate having locking arrangement and watering pipe of 2.7 meter long etc with charcoal/cock and salt as required.	1	Each	9913.00	Rupees nine thousand nine hundred thirteen only.
87	3.8	Supplying and laying 25 mm X 5 mm copper strip at 0.50 metre below ground as strip earth electrode, including connection/terminating with nut, bolt, spring, washer etc. as required. (Jointing shall be done by overlapping and with 2 sets of brass nut bolt & spring washer spaced at 50mm)	9	Mtrs.	868.00	Rupees eight hundred sixty eight only.

11/06/2019

Chief Eng mean

Shot. E.I.D.C. Lyd, Pains

Hills 11/26/1

1) )

88	3.1	P/F 25 x 5 mm copper earth strip in surface/ recess :-	en verty front communication of possible active is a contact to a few sections of the			the manifest the the three manifests are a second property of the se
	anaman anaman ghana.	Providing and fixing 25 mm X 5 mm copper strip on surface or inrecess for connections etc. as required.	12	Mtrs.	976.00	Rupees nine hundred seventy si only.
89		Cable Laying of 1.1 KV & 11 KV :-		Contraction of the Contraction o		And the second second
	7.1	Laying of one number PVC insulated and PVC Sheathed / XLPE power cable of 1.1 KV grade of following size direct in ground including excavation, sand cushioning, protective covering and refilling the trench etc as required.				
	7.1.1	Above 35sq.mm and Upto 35 Sq.mm.				Rupees one
			10	Mtrs.	149.00	hundred forty nine only.
90		RCC Pipe for Cable protection:-	Representative of the second	September : 1 mm		
	DSR14.	pipe NP2 class(light duty) in ground complete with RCC collars, joints with cement mortar 1:2 (1 cement: 2 fine sand) including trenching (75 cm) and refilling etc.as required. (Road crossing as per site condition)				
-	14.14.2	150 mm dia	0	Mtr.	405.00	Rupees four hundred five only.
91	DSR9.1	1.1 KV Cable End Termination: Supplying and making indoor cable end termination with brass double compression gland and aluminium lugs for following size of PVC insulated XLPE Al. Ar. Cable of 1.1 KV grade as required.	Constitution	Market Control		
	9.1.21	3.5 Core 35 Sq.mm.	1	Each	282.00	Rupees two hundred eighty two only.
92	1907 JSR 2014	3.5 core 25 sq mm xlpe/pvc insulated sheathed(Heavy duty)armoured electric cable aluminium conducter.		Page 1	and the second s	
	Water State Control of the Control o	3.5C x 35 Sq.mm 1.1kV	20	Mtrs.	336.33	Rupees three hundred thirty six & paise thirty three only.
93	2.3	S/F HRC fuse type TP&N switch disconnector:- Providing and fixing following capacity TP&N disconnector fuseswitch unit inside the existing panel board with ISI marked HRCfuses including drilling holes in cubicle panel, making connections etc. as required	Parameter			
	2.3.2	63 amps,TP&N, HRC		***************************************		Rupees two
			0	Each	2631.00	thousand six hundred thirty one
	2.3.1	32 amps,TP&N, HRC	· · · · · · · · · · · · · · · · · · ·	F	e partie de la constitución de l	only.
	2.3.1	32 amps, 17 cerv, TINC	0	Each	1916.00	Rupees one thousand nine hundred sixteen
	1 10°F		1	]		only.

-3/12/ 2ion Ric 11/06/2019 2) B.S.E.I.D.C. Light Patron 11/6 11/6 11/6

Control of the Contro

94	0.5					
94	2.5	S/F Busbar Chamber:-				
		Providing and fixing following capacity busbar chamber with 4 strips of suitable size made of capper, heavy duty, complete with all accessories including connections, earthing the body, etc as required. 100 amp.	1	Each	3228.00	Rupees three thousand two hundred twenty eight only
95	2.6.2	Providing and fixing following capacity four pole OFF-load changeover switch with side handle operation, in sheet enclosure in existing metal board, including drilling holes in metal panel, making connections etc. as required.63 Amps, Two nole	1	Each	2256,00	Rupees two thousand two hundred fifty six only.
96	4.5	Providing and fixing copper tape 20 mm X 3 mm thick on parapet or surface of wall for lightning conductor complete as required. (For horizontal run)	20	meter	424.00	Rupees four hundred twenty four only.
97	4.6	Providing and fixing copper tape 20 mm X 3 mm thick on parapet or surface of wall for lightning conductor complete as required. (For vertical run)	10	meter	443.00	Rupees four hundred forty three only.
98	DSR6.2	Providing and fixing of lightning conductor finial, made of 25 mm dia 300 mm long, copper tube, having single prong at top, with 85 mm dia 3 mm thick copper base plate including holes etc.complete as required.	1	meter	304.00	Rupees three hundred four only.
					Total (C)	99,875.60
		CARRIAGE OF MATERIALS				Silveria and a silver
99		Type of materials			Rate Incl. 1% Lab.	
		Cement	48.272	MT	328.25	Rupees three hundred twenty eight & paise twenty five only.
		Sand	68.802	cum	2868.34	Rupees two thousand eight hundred sixty eight & paise thirty four only.
		Local Sand	24.625	cum	262.05	Rupees two hundred sixty two & paise five only.
		Stone Chips	68.381	cum	1852.51	Rupees one thousand eight hundred fifty two & paise fifty one only.
		Brick	45.146	Th	767.08	Rupees seven hundred sixty seven & paise eight only.

-31/2/91/ Die 11/06/2019

Chief Eng near

Signature

116

11/06/19

	Steel	5.647	MT	328.25	Rupees three hundred twenty eight & paise twenty five only.
1 1	ADD EXTRA COST OF MATERIAL FOR PURNEA COMM. W.R.T GAYA AS PER SOR BCD				
Bricks		45.146	Th	833.96	Rupees eight hundred thirty three & paise ninety six only.
Cement		48.272	MT	145.70	Rupees one hundred forty five & paise seventy only.
		Gr	and Total (	Total (D) A+B+C+D)	427,489.69

Total Cost in 'Rs'

2,924,600.00

(Rupees Twenty Nine Lacs Twenty- Four Thousand Six Hundred Only.)

Tender approved in favour of Gaurishankar Singh @ 10.00% (Ten Decimal Zero Zero Percent) below BOQ Rates i.e. total amount comes to Rs. 26,32,140=00 (Rupees Twenty Six Lacs Thirty Two Thousand One Hundred Forty Only)

11/06/2019

Chief Eng neer

Sis.E.I.D.C. List. Patrice

Whove

Illoud

.0000 7,000 1 and the Control of provide of the state of the sta -. ) .) ) .

		Detailed Estimate for construction of 125 mn	1 x 40 mm ;	k 90 mT	ube well	
SI. No.	1000	ivianual Boring				
31. 140.	S.O.R	Description of Item	Quantit		Rate	Amount
art 'A'	- Cost of	Construction of 125mm x 40mm :	x 90m T/well	l		
1						
2		125mm dia UPVC casing pipe confirming to ISS 40mm dia UPVC pipe confirming to ISS	27	Mete	r 315.00	8,505.0
3		40mm dia PVC ribbed strainer of approved quality	48	Mete		-1000.0
4		Reducing socket 125mm x 40mm	8	Meter	182.00	
5		Supplying all labour and materials & fitting & fixing	1	Each	270.00	
J		PVC cap over the new sink T/well	¹⁹ 1	Each	140.00	
		Providing and fixing of GI pines complete with O	1	Laci	140.00	140.00
6	B.S.R	fittings and clamps, including, cutting and making god	.l			
-	1548	leto	18	mtr	217.55	3 015 0
		32 mm dia (15% C.P & 1% L.Cess)			217.00	3,915.90
/ 1	B.S.R	32 mm nominal bore Bross Full valve				
	1928	(15% C.P & 1% L.Cess)	1	Each	495.53	495.53
		Supplying all equipments to a				490.03
	ļ	Supplying all equipments, tools and installation of	1		1	
- 1		HP single phase submersible motor pump set of KSB	/		1	
8		ISI make 2900 rpm capable of discharge 5000 LPH a	t			
		45 Mtr head with all necessary riser pipe, starter	1 1 1	Each	26,446.00	26,446.00
1		control panel, 1.25" Full way valve, 1.25" M.S clamp,	,	!		20,740.00
- 1		1.25" G.I Elbow, 1.25" check valve, 1.25" x 9" long G.			1	
		Nipple etc. all complete as per direction of E/I	1 1			
t'R' C	ost of La	Sub - Total "A"				AE 000 07
· B · C	OST OF La	Bour				45,998.67
	F	Boring by jet dheki by suitable cutter of reduce as the	T			
	lc	case may be lowering 125 mm x U.P.V.C x 40 mm dia				
-		3.1 pine & strainer of standard world.	1	1		
	8	G.I pipe & strainer of standard quality iron, shoe, plug		ĺ		
i	a	s socket etc. all complete including providing all tools			1	
1	J ~					
	ld	and plants required for the job as per specification and irrection of the anginger is also			1	
	u					
	(i	) 0 to 30.5 m				
	(i	) 0 to 30.5 m  a) For 125 mm dia U.PV.C pipe		mtr	208 77	F 000 70
	(i (e	) 0 to 30.5 m  a) For 125 mm dia U.PV.C pipe  (b) for 40 mm dia UPVC pipe	27	mtr	208.77	5,636.79
	(i (a (i)	) 0 to 30.5 m a) For 125 mm dia U.PV.C pipe (b) for 40 mm dia UPVC pipe 0 0 to 30.5 m	27			
9 0	(i)	) 0 to 30.5 m a) For 125 mm dia U.PV.C pipe (b) for 40 mm dia UPVC pipe 0 0 to 30.5 m ) 30.5 m to 61.0 m		mtr mtr	208.77	5,636.79 416.61
	(i (i (i) (ii) (a	) 0 to 30.5 m a) For 125 mm dia U.PV.C pipe (b) for 40 mm dia UPVC pipe 0 0 to 30.5 m ) 30.5 m to 61.0 m ) For 40 mm dia UPVC pipe	3.5	mtr	119.03	416.61
1	(i) (i) (ii) (a) (iii)	) 0 to 30.5 m a) For 125 mm dia U.PV.C pipe (b) for 40 mm dia UPVC pipe 0 0 to 30.5 m ) 30.5 m to 61.0 m ) For 40 mm dia UPVC pipe	27			
0	(i) (i) (ii) (a) (iii) (a)	) 0 to 30.5 m a) For 125 mm dia U.PV.C pipe (b) for 40 mm dia UPVC pipe 0 0 to 30.5 m 0 30.5 m to 61.0 m 1) For 40 mm dia UPVC pipe 1) 61.00 m to 75.00 m 1) For 40mm dia UPVC pipe	3.5	mtr mtr	119.03	416.61
1	(i) (ii) (iii) (a) (iii) (a) (iv)	) 0 to 30.5 m a) For 125 mm dia U.PV.C pipe (b) for 40 mm dia UPVC pipe ) 0 to 30.5 m ) 30.5 m to 61.0 m ) For 40 mm dia UPVC pipe a) 61.00 m to 75.00 m For 40mm dia UPVC pipe b) 67.00 m to above	3.5	mtr	119.03	416.61
1 2	(i) (i) (ii) (a) (iii) (a) (iv)	) 0 to 30.5 m  a) For 125 mm dia U.PV.C pipe  (b) for 40 mm dia UPVC pipe  0 to 30.5 m  ) 30.5 m to 61.0 m  ) For 40 mm dia UPVC pipe  i) 61.00 m to 75.00 m  For 40mm dia UPVC pipe  75.00 m to above  For 40mm dia UPVC ribbed strainer of approved.	3.5 30.5 14	mtr mtr	119.03	416.61 4,174.84
1 2	(i) (i) (ii) (a) (iii) (a) (iv) a)	) 0 to 30.5 m  a) For 125 mm dia U.PV.C pipe  (b) for 40 mm dia UPVC pipe  0 to 30.5 m  ) 30.5 m to 61.0 m  ) For 40 mm dia UPVC pipe  i) 61.00 m to 75.00 m  For 40mm dia UPVC pipe  c) 75.00 m to above  For 40mm dia UPVC ribbed strainer of approved ality	3.5 30.5 14	mtr mtr	119.03	416.61 4,174.84
1 2	(i) (ii) (iii) (a) (iii) (iv) (iv) a) qu	) 0 to 30.5 m a) For 125 mm dia U.PV.C pipe (b) for 40 mm dia UPVC pipe ) 0 to 30.5 m ) 30.5 m to 61.0 m ) For 40 mm dia UPVC pipe a) 61.00 m to 75.00 m For 40mm dia UPVC pipe b) 75.00 m to above For 40mm dia UPVC ribbed strainer of approved ality poviding all labour & tools and lowering 32 mm dia	3.5 30.5 14 8	mtr mtr	119.03 136.88 148.79	416.61 4,174.84 2,083.06
1 2	(i) (i) (ii) (a) (iii) (a) (iv) (iv) (qu) Pro (G.I)	) 0 to 30.5 m a) For 125 mm dia U.PV.C pipe (b) for 40 mm dia UPVC pipe 0 to 30.5 m ) 30.5 m to 61.0 m ) For 40 mm dia UPVC pipe (i) 61.00 m to 75.00 m For 40mm dia UPVC pipe (i) 75.00 m to above For 40mm dia UPVC ribbed strainer of approved ality (oviding all labour & tools and lowering 32 mm dia pipe as per specificatin etc. all Complete	3.5 30.5 14 8	mtr mtr	119.03 136.88 148.79	416.61 4,174.84 2,083.06
1 2	(i) (ii) (a) (iv) a) qu Pro	) 0 to 30.5 m a) For 125 mm dia U.PV.C pipe (b) for 40 mm dia UPVC pipe ) 0 to 30.5 m ) 30.5 m to 61.0 m ) For 40 mm dia UPVC pipe a) 61.00 m to 75.00 m For 40mm dia UPVC pipe b) 75.00 m to above For 40mm dia UPVC ribbed strainer of approved ality boviding all labour & tools and lowering 32 mm dia pipe as per specificatin etc. all Complete pplying labour and developing the T/Well to have	3.5 30.5 14 8	mtr mtr	119.03 136.88 148.79	416.61 4,174.84 2,083.06 1,190.32
1 2	(i) (ii) (a) (iv) a) qu Pro	) 0 to 30.5 m a) For 125 mm dia U.PV.C pipe (b) for 40 mm dia UPVC pipe ) 0 to 30.5 m ) 30.5 m to 61.0 m ) For 40 mm dia UPVC pipe a) 61.00 m to 75.00 m For 40mm dia UPVC pipe b) 75.00 m to above For 40mm dia UPVC ribbed strainer of approved ality boviding all labour & tools and lowering 32 mm dia pipe as per specificatin etc. all Complete pplying labour and developing the T/Well to have	3.5 30.5 14 8 24	mtr mtr mtr mtr	119.03 136.88 148.79 148.79 21.34	416.61 4,174.84 2,083.06 1,190.32 512.16
1	(i) (i) (ii) (a) (iv) a) qu Pro	) 0 to 30.5 m  a) For 125 mm dia U.PV.C pipe  (b) for 40 mm dia UPVC pipe  0 to 30.5 m  ) 30.5 m to 61.0 m  ) For 40 mm dia UPVC pipe  1) 61.00 m to 75.00 m  For 40mm dia UPVC pipe  2) 75.00 m to above  For 40mm dia UPVC ribbed strainer of approved ality  oviding all labour & tools and lowering 32 mm dia pipe as per specificatin etc. all Complete  pplying labour and developing the T/Well to have and free discharge all complete as per direction of E/I	3.5 30.5 14 8 24	mtr mtr	119.03 136.88 148.79	416.61 4,174.84 2,083.06 1,190.32
1 2	(i) (i) (ii) (a) (iv) a) qu Pro	) 0 to 30.5 m a) For 125 mm dia U.PV.C pipe (b) for 40 mm dia UPVC pipe ) 0 to 30.5 m ) 30.5 m to 61.0 m ) For 40 mm dia UPVC pipe a) 61.00 m to 75.00 m For 40mm dia UPVC pipe b) 75.00 m to above For 40mm dia UPVC ribbed strainer of approved ality boviding all labour & tools and lowering 32 mm dia pipe as per specificatin etc. all Complete pplying labour and developing the T/Well to have	3.5 30.5 14 8 24	mtr mtr mtr mtr	119.03 136.88 148.79 148.79 21.34	416.61 4,174.84 2,083.06 1,190.32 512.16

11/06/2019

2 ELD.C. Lid. Prince

11/6

11/06/11

( ) - Antiby ( ) 1. / . ) , domin ) 1 ) 

# **Performance Security**

Name of Agency:- "Gauri Shankar Singh"

Performance Security of Regarding "Construction of School Building With 3 Room,1 Office Room Toilet And Kitchen at Khikhir Tola, Kochadhaman, Bihar (NIT-54/18-19)"

FDR / T.D.No.	<u>DOI</u>		<u>AMOUNT</u>
163020100113000	16.05.19		72,000.00
163020100085761	21.11.17		70,000.00
		Total-	1,42,000.00

(Rupees One Lakhs Forty Two Thousand Only)

निरवा पदाधिकारी विशाप राज्य शैक्षणिक आधारभूत संरचमा विकास निगम मि०, पटना

Cavalesho (5) 13

- 3/12/ 2/19 Nie 11/06/2019

Chief Eng men 2,83.E.I.D.C. Ltd., Patro : 1 



## बिहार राज्य शेक्षणिक आधारभूत संरचना विकास निगम लिमिटेड RE DEVELOPMENT CORPORATION LTD. BIHAR STATE EDUCATIONAL INFRASTRU

(A Govt. of Bihar Undertaking) ISO 9001:14001; OHSAS 18001

Shiksha Bhawan, Bihar Rashtrabhasha Parishad Campus, Acharya Shivpujan Sahay Path, Saidpur, Patna - 800 004 Tel. No.: 0612 - 2660850 • Fax No.: 0612 - 2660256

E-mail: bseidc@gmail.com • Website: http://www.bseidc.in • CIN: U80301BR2010SGC015859

Letter no: - BSEIDC/FIN/3490/2018-19-

1448

Patna, Date. 05.05.2019

From,

Chief Engineer BSEIDC, Patna

TO,

Gaurishankar Singh At-Bigrahpur, Sipra Dist.-Patna

Sub: - Provisional work order for the Construction of School Building with 3 Room, 1 Office Room, Toilet and Kitchen at Khikhir Tola, Kochadhaman (PRIM-22 (B)) in the State of Bihar under NIT No-54/2018-19.

Sir,

In continuation to this office Letter of Acceptance No. BSEIDC/FIN/3490/2018-19-071, dated-03.01.2019, you are hereby instructed to proceed with the execution of the said works in consultation with the Engineer-in-Charge. The date of commencement of work shall be reckoned from the date of issue of this letter. Payment will be done after execution of Agreement.

Yours Faithfully

Memo no: BSEIDC/FIN/3490/2018-19- 14 M&

Date:

05-03.2019

Copy forwarded to- Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC website/CCT/S.E./All Ex. Er./Senior Account Officer, BSEIDC, Patna for information & necessary action.

Sir sinc Rie

E.I.D.C. LKI, PAIN

ر الموقعة المو
)
ي مطالخاني يحطالغاني
y selfation.
, other
· Alba
, Alba-
, problems
., indicates
)
- Chart
, carding
of the control of the
Allan.
servi Mo _n
and the factor of the factor o
, action,
, many
exemply.
)
. )#
and the state of t
and the same of th
)
·
· ).
- media. No.
A STATE OF THE STA



# बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लिमिटेड E DEVELOPMENT CORPORATION LTD. BIHAR STATE EDUCATIONAL INFR

(A Govt. of Bihar Undertaking) ISO 9001:14001; OHSAS 18001

Shiksha Bhawan, Bihar Rashtrabhasha Parishad Campus, Acharya Shivpujan Sahay Path, Saidpur, Patna - 800 004 Tel. No.: 0612 - 2660850 • Fax No.: 0612 - 2660256

E-mail: bseidc@gmail.com • Website: http://www.bseidc.in • CIN: U80301BR2010SGC015859

#### **Letter of Acceptance**

पत्रांकः- BSEIDC/FIN/3490/2018-19/-

पटना, दिनांक..... १९७१ १

सेवा में.

Gaurishankar Singh AT-Bigrahpur, Sipra, Distt-Patna

विषय:--

बिहार राज्य अंतर्गत " CONSTRUCTION OF SCHOOL BUILDING WITH 3 Room, 1 Office Room Toilet and Kitchen at Khikhir Tola, Kochadhaman (पुनर्निविदा आमंत्रण सूचना सं0-54/2018-19, Group No-PRIM-22(B), Sl. No-34) हेत् Performance Security जमा कर एकरारनामा करने के संबंध में।

महाशय,

उपर्युक्त विषय के संबंध में कहना है कि विषयांकित कार्य हेतु आपके उद्धृत दर पर कुल निविदित राशि रू० 26,32,140 / – (छब्बीस लाख बत्तीस हजार एक सौ चालीस रूपये) मात्र पर आपके पक्ष में निविदा की स्वीकृति प्रदान की गई है।

अतः निदेश दिया जाता है कि उक्त कार्य के एकरारनामा हेत् Performance Security की राशि रू० 1,32,000/- (एक लाख बत्तीस हजार रूपये) मात्र का पोस्ट ऑफिस सावधि जमा पासबुक / 1, 2, 3 वर्षीय पोस्ट ऑफिस टाईम डिपोजिट / राष्ट्रीय बचत प्रमाण पत्र / किसान विकास पत्र, जो प्रबंध निदेशक, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि०, पटना के नाम से प्रतिज्ञिप्त (Pledged) हो अथवा फिक्सड डिपोजिट रसीद जो बिहार राज्य में स्थित Nationalized/Scheduled बैंक से निर्गत हो एवं प्रबंध निदेशक, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम लि० पटना के नाम से प्रतिज्ञिप्त (Pledged) हो, जमा कर एकरारनामा कर लें।

Performance Security की राशि के सत्यापन एवं समृचित श्रेणी में इस निगम में निबंधन के उपरांत एकरारनामा किया जाएगा।

विश्वासभाजन

ज्ञापांक : BSEIDC/FIN/3490/2018-19/- ०२)

मुख्य अभियंता पटना, दिनांक.....०<u>८ ५</u> ० । ५ २ ० । ९

प्रतिलिपि :Sri Pankaj Kumar Singh, Computer Programmer for uploading on BSEIDC website/Senior Account Officer/ All Executive Engineer/ Suprintending Engineer BSEIDC for information & necessary action.

ÿ
, and the second
, Commercial Commercia
)
, consider
) dition
2 (Min.
SHIPs,
, And the second
A Children
p,im(tr _k ,
, वर्गी स्ट्राप्त
Makis.
, pandiby,
entite _{e,}
"THE IS
e de la companya de l
and the second s
, A.
: 200
). }
· <i>)</i>
- control
· <u>)</u>
Ď

### **SPECIAL CONDITIONS (Qualifying Criteria)**

1. Tenderer should be registered with Central Govt./State Govt./PSU/Govt. Undertaking and valid registration certificate should be uploaded with tender.

2. The tenderers are required to deposit the earnest money as prescribed in the NIT and

scanned copy of EMD Should be uploaded with tender.

3. Every page should be signed by the Tenderer. In the event of tender being submitted by a firm, the tender should be signed by the person holding proper power of attorney and the copy of the same should also be submitted.

Certificate from EE / Equivalent Authority for Work Experience of Similar nature (Satisfactory completed at least one Building work of value not less than 25 % of estimated

value of contract) in last five years as mentioned in Technical bid.

- 5. Affidavit/Certificate "for not been debarred/Black listed and required attachments are true and correct and if found fake/ forged, the undersigned will be liable to be inflicted upon the FIR and lawful punishment as well as black listing".
- 6. Tenderer will have to upload proof for availability of minimum required key equipments(either owned or leased or by procurement).

7. Conditional tenders shall be rejected.

#### **GENERAL CONDITIONS**

- 1. (i) The Tenderer is not allowed to quote their rate more than 10 % below Bill of Quantity rates otherwise their tender will be rejected being unworkable for this work.
  - (ii) The rates quoted by the contractor should be inclusive of all taxes, royalties and other incidental charges.

2. Contractor should satisfy themselves fully about the nature, site of work before offering their tender and place of any ignorance afterwards shall not be considered.

- 3. After approval of rates by the competent authority the contractor shall have to deposit the initial security money within 10 days of the receipt of the written work order failing which his tender shall be rejected and earnest money will be forfeited.
- 4. Authority shall reserve the right to reject any or all the tenders or distribute the work to more than one contractor without assigning any reason.

Any claim for idle labours on any account shall not be entertained.

- The contractor shall arrange necessary site for accommodation and other facilities like medical etc. for his labour on his own cost and initially will comply with labour rules prevalent in the locality.
- 7. The contractor shall be solely responsible for any damage occurred at site due to negligence of the labour or other staff and any damage shall be recovered from the contractor.
- 8. It will be obligatory on the part of the tenderer to keep his tender open for 120 days from the date of opening of tender.
- 9. The contractor shall not be entitled to any claim or compensation on account of any loss suffered by him due to :-
- Natural calamities
- Act of enemies.
- Transport and procurement difficulties.
- d. Circumstances beyond the control of the state.

(Seal & Signature of Tenderer)

11)06/2019

- 10. No work beyond agreement shall be executed by the contractor unless specifically ordered by the Engineer –in- charge in writing on "SITE ORDER BOOK". The claims for such work shall be submitted regularly in every month. If the claim is not received in the month to which it relates, it will be treated as time barred & may be disallowed.
- 11. Income Tax & Sales Tax will be deducted from the Bill of Contractor as per prevailing Government Circular.
- 12. The contractor shall make his own arrangement for water and light at the work site.
- 13. The contractor should offer all facilities to the departmental officers for supervision, taking measurement, checking of the bill etc. and damage occurred during this process will be made good by him without any extra cost.
- 14. Items ordered and done if not included in sanctioned rates will be payable after approval of rates by the competent authority.
- 15. The Electrical work must comply with Indian Electricity rules 195 as well as the general specifications for electrical works 1972 for up-to-date specification etc.
- 16. The Contractor shall be solely responsible for supply and use of sub standard materials. The contractor's Engineer will also be held responsible for execution of such substandard works. This will form Part of F-2 Agreement and become Clause no. 27, and the existing Clause no. 27 of F-2 agreement shall become Clause no. 28.
- 17. The Defect liability Period shall be Three (3) Year from the date of completion of the work.
- 18. The Contractor shall rectify at his own cost in case the work is found to be defective during checking in liability period.
- 19. It will be the responsibility of the contractor to pay royalty of mines materials .The Contractor shall submit form "M" and "N" duly Filled as per "Bihar" Mines and Mineral Act 1972.
- 20. The Contractor shall Display a Signboard at work site about the work as on the format prescribed by Engineer- in- Charge.
- 21. The Contractor shall Furnish his programme of construction for execution of the work within the stipulated time schedule together with methodology of construction of each item or work and obtain the approval of the Engineer- in- Charge prior to actual commencement of work.

_____

(Seal & Signature of Tenderer)

- 3/1/ 2/9/ Rus

Page 2 of 2

Chief Eng near S.E.I.D.C. Ltd., Patrio

71/6



# बिहार राज्य शेक्षणिक आघारभूत संरचना विकास निगम लिमिटेड BIHAR STATE EDUCATIONAL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

(A Govt. of Bihar Undertaking) ISO 9001:14001; OHSAS 18001

Shiksha Bhawan, Bihar Rashtrabhasha Parishad Campus, Acharya Shivpujan Sahay Path, Saidpur, Patna - 800 004

Tel. No.: 0612 - 2660850 • Fax No.: 0612 - 2660256

E-mail: bseidc@gmail.com • Website: http://www.bseidc.in • CIN: U80301BR2010SGC015859

### पुनर्निविदा आमंत्रण सूचना संख्या-54 वर्ष 2018-19

प्रतिशत दर निविदा (F2 आधारित)

#### (केवल ई-टेन्डिरिंगपद्धति के अनुसारवेबसाइटwww.eproc.bihar.gov.inपर)

1. बिहार राज्य के किशनगंज जिलान्तर्गत विभिन्न प्राथिमक विद्यालय भवनों का निर्माण कार्य हेतु प्रतिशत दर निविदा आमंत्रित की जाती है। कोई भी संवेदक जो केन्द्रीय/राज्य सरकार/सार्वजनिक क्षेत्रों में निबंधित हो, निविदा में भाग ले सकते हैं परन्तु इस निगम का रिजस्ट्रेशन, उक्त कार्य का लेटर ऑफ एक्सेपटेंस प्राप्त होने के बाद कराना होगा।

क्रम सं०	मुप का नाग	प्रखण्ड का नाम	योजनाका नाम	प्रावकलित राशि (लाख रू० में)	अग्रधनकी राशि (लाख रू० में)	परिमाण विपत्र का मूल्य (रू०में)	Beltron Bid Processin g Fee (In Rs.)	कार्य समाप्ति की अवधि
			SCHEME-PRIMARY	SCHOO	L			
1.	PRIM- 7 (A)	rgani	(i) Construction of New Primary School Building with 3 Rooms, one Office room, Toilet and Kitchen at Amin Tola Bhoradah	30.00	0.60	5,000/-	As appeared on e-	6 (छः)
2.	PRIM- 7 (B)	Bahadurganj	(ii) Construction of School Building with 3 Rooms, one Office room, Toilet and Kitchen at Abalugachh	30.00	0.60	5,000/-	tendering website	माह
3.	PRIM- 8 (A)	rganj	(i) Construction of School Building with 3 Rooms, one Office room, Toilet and Kitchen at KaimbastiBagichaBarhadanga	30.00	0.60	5,000/-	As appeared on e-	6 (छः) माह
4,	PRIM- 8 (B)	Bahadurganj	(ii)Construction of School Building with 3 Rooms, one Office room, Toilet and Kitchen at Bhopla-2	30.00	0.60	5,000/-	tendering website	
5.	PRIM- 9 (A)	rganj	(i) Construction of New Primary School Building with 3 Rooms, one Office room, Toilet and Kitchen at Palasmani Ward No. 05	30.00	0.60	5,000/-	As appeared on e-	6 (छः)
6.	PRIM- 9 (B)	Bahadurganj	(ii)Construction of School Building with 3 Rooms, one Office room, Toilet and Kitchen at Mazar Tola Ward No. 08	30.00	0.60	5,000/-	tendering website	माह
7.	PRIM- 10 (A)	nganj	(i)Construction of School Building with 3 Rooms, one Office room, Toilet and Kitchen at KhattaToliJhiljhili	30.00	0.60	5,000/-	As appeared on e-	6 (छ:)
8.	PRIM- 10 (B)	Bahadurganj	(ii)Construction of School Building with 3 Rooms, one Office room, Toilet and Kitchen at Birpur Nazir Tola	30.00	0.60	5,000/-	tendering website	माह
9.	PRIM- 11 (A)	rganj	(i)Construction of New Primary School Building with 3 Rooms, one Office room, Toilet and Kitchen at Tappu Tola Birnia	30.00	0.60	5,000/-	As appeared on e-	6 (छ:)
10.	PRIM- 11 (B)	Bahadurganj	(ii)Construction of School Building with 3 Rooms, one Office room, Toilet and Kitchen at MirdhandangiSamesar	30.00	0.60	5,000/-	tendering website	माह

- Str. Vais 11/06/2019

吗)

Chief Eng page 3.E.I.D.C. Ltd. Paine



Ì Aug. , and , Marie _)

11.	PRIM- 12 (A)	Bahadurganj	(i)Construction of School Building with 3 Rooms, one Office room, Toilet and Kitchen at Jamshed Nagar, JhatibastiFulban	30.00	0.60	5,000/-	As appeared on e-	6 (छ:)
12.	PRIM- 12 (B)		(ii)Construction of School Building with 3 Rooms, one Office room, Toilet and Kitchen at SamesarHaat	30.00	0.60	5,000/-	tendering website	माह
13.	PRIM- 13 (A)	Bahadurganj	(i) Construction of School Building with 3 Rooms, one Office room, Toilet and Kitchen at Shamim Tola BaisaJurail	30.00	0.60	5,000/-	As appeared on e-	6 (छः)
14.	PRIM- 13 (B)		(ii)Construction of School Building with 3 Rooms, one Office room, Toilet and Kitchen at Suthiyar Basti Jurail	30,00	0.60	5,000/-	tendering website	माह
15.	PRIM- 14 (A)	rganj	(i)Construction of School Building with 3 Rooms, one Office room, Toilet and Kitchen at MukhiaTasnik Tola BaisaJurail	30.00	0.60	5,000/-	As	
16.	PRIM- 14 (B)		urganj	(ii)Construction of School Building with 3 Rooms, one Office room, Toilet and Kitchen at CharghariaBhatabari	30.00	0.60	5,000/-	ODP-
17.	PRIM- 14 (C)	Bahadurganj	(iii)Construction of School Building with 3 Rooms, one Office room, Toilet and Kitchen at HaziGadu Tola	30.00	0,60	5,000/-		
18.	PRIM- 15 (A)		(i)Construction of School Building with 3 Rooms, one Office room, Toilet and Kitchen at Mahbob Tola Dulali	30.00	0.60	5,000/-	As appeared on e-	6 (छः)
19.	PRIM- 15 (B)	Bahadurganj	(ii)Construction of School Building with 3 Rooms, one Office room, Toilet and Kitchen at Jafar Tola Koimari Ward No01	30.00	0.60	5,000/-	tendering website	माह
20.	PRIM- 16 (A)	ganj	(i)Construction of School Building with 3 Rooms, one Office room, Toilet and Kitchen at Habib Tola Bangama	30.00	0.60	5,000/-	As appeared on e-	6 (छ:)
21.	PRIM- 16 (B)	Bahadurganj	(ii)Construction of School Building with 3 Rooms, one Office room, Toilet and Kitchen at Singhia Ward No13	30.00	0.60	5,000/-	tendering website	माह
22.	PRIM- 17 (A)	ank	(i)Construction of School Building with 3 Rooms, one Office room, Toilet and Kitchen at Brindaban	30.00	0.60	5,000/~	As appeared on e-	6 (छ:)
23.	PRIM- 17 (B)	Dighalbank	(ii)Construction of School Building with 3 Rooms, one Office room, Toilet and Kitchen at Aadibasi Tola Laxmipur	30.00	0.60	5,000/-	tendering website	माह
24.	PRIM- 18 (A)	Dighalbank	(i)Construction of School Building with 3 Rooms, one Office room, Toilet and Kitchen at EkraKumhia	30.00	0.60	5,000/-	As appeared on e-	6 (छ:)
25.	PRIM- 18 (B)		(ii)Construction of School Building with 3 Rooms, one Office room, Toilet and Kitchen at Mushari Tola Ekra	30.00	0.60	5,000/-	tendering website	माह
26.	PRIM- 19 (A)	Dighalbank	(i)Construction of School Building with 3 Rooms, one Office room, Toilet and Kitchen at Kachchunala Ward No02	30.00	0.60	5,000/-	As appeared on e-	6 (छ:)
27.	PRIM- 19 (B)		(ii) Construction of School Building with 3 Rooms, one Office room, Toilet and Kitchen at Telbhitta Shershahbadi Tola	30.00	0.60	5,000/-	tendering website	माह
28.	PRIM- 20 (A)	Dighalbank	(i)Construction of School Building with 3 Rooms, one Office room, Toilet and Kitchen at Asgari Samiti Tola	30.00	0.60	5,000/-	As appeared on e-	6 (छः)
29.	PRIM- 20 (B)		(ii) Construction of School Building with 3 Rooms, one Office room. Tollet and Kitchen at DschhinDhangara	30.00	0.60	5,000/~	tendering website	माह

- 3/12/ 2/19/ Rie

FB37

Chief Eng ned 3.S.E.I.D.C. Ltd, Paine

训的

1 and the same

30.	PRIM- 21 (A)	Kishanganj	(i)Construction of New Primary School Building with 3 Rooms, one Office room, Toilet and Kitchen at ChhagaliaEdgah Tola	30.00	0.60	5,000/-	As appeared on e- tendering website	6 (छः) माह
31.	PRIM- 21 (B)		(ii) Construction of New Primary School Building with 3 Rooms, one Office room, Toilet and Kitchen at Kasera	30.00	0.60	5,000/-		
32.	PRIM- 21 (C)		(iii)Construction of New Primary School Building with 3 Rooms, one Office room, Toilet and Kitchen at AndhwakolAadiwasi Tola	30.00	0.60	5,000/-		
33.	PRIM- 22 (A)	Kochadhaman	(i)Construction of School Building with 3 Rooms, one Office room, Toilet and Kitchen at Bara Birwa	30.00	0.60	5,000/-	As appeared on e-	6 (छ:)
34.	PRIM- 22 (B)	Kochad	(ii)Construction of School Building with 3 Rooms, one Office room, Toilet and Kitchen at Khikhir Tola	30.00	0,60	5,000/-	tendering website	माह
35.	PRIM- 23 (A)	haman	(i)Construction of School Building with 3 Rooms, one Office room, Toilet and Kitchen at Nayeem Tola Kashibari	30.00	0.60	5,000/-	As appeared on e-	6 (छः)
36.	PRIM- 23 (B)	Kochadhaman	(ii)Construction of School Building with 3 Rooms, one Office room, Toilet and Kitchen at Dahua	30.00	0.60	5,000/-	tendering website	माह
37.	PRIM- 24 (A)	Pothia	(i)Construction of 3 Rooms, one Office room, Toilet and Kitchen in school at NPS Kursakata Adivasi Tola	30.00	0.60	5,000/-	As appeared on e-	6 (छः)
38.	PRIM- 24 (B)		(ii)Construction of 3 Rooms, one Office room, Toilet and Kitchen in school at NPS Bhatkunda	30.00	0.60	5,000/-	tendering website	माह

नोट:- (i) प्राक्कलित राशि घट या बढ़ सकती है एवं तदनुसार अग्रधन की राशि घट या बढ़ सकती है।

(ii) वेबसाईट-www.eproc.bihar.gov.in पर अंकित प्राक्कलित राशि, अग्रधन की राशि एवं परिमाण विपन्न की राशि अंतिम रुप से मान्य होगा।

(iii) निविदाकार एक या अधिक कार्य के लिए अलग-अलग निविदा डाल सकते हैं।

(1) विज्ञापन निर्गत करने की तिथि

दिनांक:-17.09.2018

परिमाण विपन्न प्राप्त करने(डाउनलोड) की अवधि एवं समय :- दिनांक- 08.10.2018 से 21.10.2018, 15:00 घंटा तक (वेवसाईट:www.eproc.bihar.gov.in पर)

प्री बिड मीटिंग का समय, स्थान एंव तिथि

- :- दिनांक:- 11.10.2018, 16:00 घंटा तक, प्रबंध निदेशक का कार्यालय, बिहार राज्य शैक्षणिक आधारभूत संरचना विकास निगम, पटना।
- निविदा प्राप्ति(अपलोड) की अंतिम तिथि एवं समय
- :- दिनांक- 22.10.2018, समय- 15:00 घंटा तक
- अग्रधन जमा करने की अंतिम तिथि एवं समय
- :- दिनांक- 23.10.2018 (अवकाश धोषित होने पर अगला कार्य दिवस), समय- 15:00 घटा तक
- टेक्निकल बिड खोलने की तिथि एवं समय
- :- दिनांक- 23.10.2018, समय- 16:30 घटा तक (वेबसाईट-www.eproc.bihar.gov.inपर)
- (7) वित्तीय बिड खोलने की तिथि एवं समय
- :- दिनांक- 29.10,2018, समय- 15:30 घंटा तक

(8) निविदा खोलने का रथान (9) निविदा की वैधता की अवधि

- :- वेबसाईट-www.eproc.bihar.gov.inपर
- :- 120 दिन
- (10) ई-टेन्डरिंग की प्रकिया में भाग लेने हेतु संवेदकों को पंजीकृत होना होगा, जिससे कि उन्हें उपयोगकर्ता का नाम (user
- ID) पासवर्ड (Password) अंकीय हस्ताक्षर (Digital Signature) निर्गत की जायेगी। यह www.eproc.bihar.gov.in से डाउनलोड करने / टेन्डर की प्रक्रिया में भाग लेने की योग्यता प्रदान करेगा।
- (11) ई-निविदा पत्र वेवसाईट www.eproc.bihar.gov.in से प्राप्त किया जा संकता है। संवेदक द्वारा सिर्फ उपर्युक्त वेबसाईट से ही परिमाण विपन्न प्राप्त करने के जपरांत वेबसाईट पर ही इलेक्ट्रानिक निविदा पन्न को भरकर भेजना है। अन्य सभी महत्वपूर्ण कागजात / बैंक ड्रापट / अग्रधन की राशि / सभी प्रमाण पत्र जो निविदा के लिए आवश्यक है को स्कैन कर ई-निविदा के साथ संलग्न करना अनिवार्य है।

11/06/2019



. .) ... (12) (每) Beltron Bid Processing Fee as appeared on the e-tendering website:- www.eproc.bihar.gov.in & BOQ cost as mentioned is mandatory to be paid through e-payment mode i.e. Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS"

Bids along with necessary online payments must be submitted through e-procurement portal <a href="www.eproc.bihar.gov.in">www.eproc.bihar.gov.in</a> before the date and time specific in the NIT/Corrigendum. The department doesn't take any responsibility for the delay/Non submission of Tender/ Non Reconciliation of Online payment caused due to Non-availability of Internet Connection, Network Traffie/ Holidays or any other reason.

- (ख) वांछित अग्रधन की राशि राष्ट्रीय बचत पत्र/किसान विकास पत्र/डाकघर सावधि जमा पासबुक/ 1, 2, 3 वर्षीय पोस्ट ऑफिस टाईम डिपोजिट जो बिहार राज्य से क्रय या जमा किया हो तथा प्रबंध निदेशक, BSEIDC Ltd., पटना के नाम प्रतिज्ञिप्त (Pledged) हो अथवा बिहार वित्त नियमावली के अनुसार प्रबंध निदेशक, BSEIDC Ltd. के नाम से प्रतिज्ञिप्त (Pledged) बिहार राज्य में स्थित Nationlised/Scheduled बैंक का फिक्सड डिपोजिट रिसिप्ट के रूप में प्रबंध निदेशक का कार्यालय. बिहार राज्य शैक्षणिक आधारभूत संरचना विकास नियम लिगिटेड, पटना में दिनांक:— 23.10.2018 के 15:00 घंटे तक स्वयं/निवंधित डाक /स्पीड पोस्ट द्वारा निश्चित रुप से जमा किया जाना आवश्यक है अथवा EMD can also be paid through e-payment mode i.e. "Internet payment gateway, (Credit/Debit card), Net Banking, NEFT/RTGS". ऐसा नहीं करने पर निविदा मान्य नहीं होगा।
- (13) निविदाकारों द्वारा इस्तेमाल किये जा रहे इन्टरनेट सर्विस में किसी प्रकार का व्यवधान उत्पन्न होने पर कोई भी दावा मान्य नहीं होगा। निविदाकारों को सलाह दी जाती है कि अपने निविदा को समय रहते उपर्युक्त वेवसाइट पर अपलोड कर लें। ताकि अंतिम समय में होनेवाले किसी प्रकार के व्यवधान से बच सकें।
- (14) निविदाकार निविदा डालने से पहले अपने स्तर से भी प्रस्तावित कार्य रथल पर भूमि उपलब्धता के संबंध में आश्वस्त हो लेगे।
- (15) Even though the bidders meet the qualifying criteria, they are subject to be disqualified if they have record of poor performance such as abandoning the works, not properly completing the contract, inordinate delays in completion, litigation history or financial failture in the work of this Corporation.
- (16) किसी भी प्रकार की जानकारी अथवा शुद्धि पत्र को वेबसाईट www.eproc.bihar.gov.in पर प्रकाशित किया जायेगा। विना कारण बताये निविदा या उसके अंश को अस्वीकृत करने/रद्द करने का अधिकार सक्षम पदाधिकारी को सुरक्षित है। (17) विशेष जानकारी हेतु अधोहस्ताक्षरी के कार्यालय में कार्य अविध में सम्पर्क किया जा सकता है। ई—टेन्डरिंग की प्रक्रिया से संबंधित किसी भी प्रकार की जानकारी/सूचना हेतु सहायता कक्ष, ई—टेन्डरिंग कक्ष, प्रथत तल्ला, M/22, वैंक ऑफ इण्डिया भवन, रोड न० 25, श्री कृष्णा नगर, पटना—800001, दूरभाष सं० 0612—2523006/9939035696.

कर्तु | 17/09/18 मुख्य अभियंता

11/06/2019

Chief Eng Dear

288.E.I.D.C. Ltd., Patria

	j
	, remo-
	1
	)///III/
	Adding
	)
	\
	)
	) Tille
	, and the ,
	)
	, artific,
	À
<b>v</b>	Þ
	)
	)
	()
	<i>)</i>
	)